



(43) International Publication Date
25 July 2013 (25.07.2013)

(10) International Publication Number
WO 2013/109671 A1

(51) International Patent Classification:
C11D 3/20 (2006.01)

6th Street, Sycamore Building, 4th Floor, Cincinnati, Ohio
45202 (US).

(21) International Application Number:
PCT/US2013/021809

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(22) International Filing Date:
17 January 2013 (17.01.2013)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/587,773 18 January 2012 (18.01.2012) US

(71) Applicant: **THE PROCTER & GAMBLE COMPANY**
[US/US]; One Procter & Gamble Plaza, Cincinnati, Ohio
45202 (US).

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors: **SADLOWSKI, Eugene, Steven**; 998-Pebbleknoll Drive, Cincinnati, Ohio 45252 (US). **THOMAS, Cheyne**; The Procter & Gamble Company, One Procter & Gamble Plaza, Cincinnati, Ohio 45202 (US). **DE NIES, Peter**; Procter & Gamble European Technical Centre, Temselaan 100, B-1853 Strombeek Bever (BE). **AKSOY, Nilgun, Esin**; Procter & Gamble European Technical Centre, Temselaan 100, B-1853 Strombeek Bever (BE).

Published:

(74) Agent: **GUFFEY, Timothy B.**; c/o THE PROCTER & GAMBLE COMPANY, Global Patent Services, 299 East

— with international search report (Art. 21(3))

(54) Title: ACIDIC LAUNDRY DETERGENT COMPOSITIONS

(57) Abstract: An acidic laundry detergent composition comprising less than about 20% of a surfactant system comprising surfactants selected from the group consisting of anionic surfactants, nonionic surfactants, cationic surfactants and mixtures thereof, wherein the surfactant system has a Hydrophilic Index of greater than or equal to about 9.00 and an organic acidulant at a level such that the ratio of surfactant system to organic acidulant is less or equal to about 3.0 and an alkaline neutralizer added in an amount necessary to raise the neat pH of the detergent composition above or equal to about 2.5 but no higher than or equal to about 3.0.



WO 2013/109671 A1

ACIDIC LAUNDRY DETERGENT COMPOSITIONS

FIELD OF THE INVENTION

5 The present invention relates to laundry detergent compositions which are capable of delivering an acidic wash pH to the wash water of a standard fabric washing machine.

BACKGROUND OF THE INVENTION

10 Numerous laundry treatment compositions are available for use by consumers in the washing of clothing and other fabrics in traditional washing machines. However, consumers still struggle to remove some residues and/or stains from fabric items. Some of the more problematic consumer fabric cleaning problems originate from complex mixtures of accumulated body soils (especially in the underarm and collar areas) with detergent, fabric softener, and hard water residues. Such residues can additionally include other soil, detergent, fabric softener and/or hard
15 water components that were redeposited during previous washes. The build up of these residues over time leads to a loss of whiteness and/or brightness and may create a dingy appearance to fabric.

 Detergent compositions, particularly liquid laundry detergents, are formulated to contain one or more surfactants (often anionic surfactants), electrolyte materials, and other adjuvants
20 dispersed or dissolved in an aqueous medium. Traditionally they have been formulated to a composition pH of above 7. The main reason for the popularity of a basic pH is to ensure that the surfactant systems, enzymes or other organic solvents remain solubilized and disperse in the wash water and that greasy or oily stains removed from soiled clothing are also dispersed in the wash water.

25 A number of acidic laundry detergent formulations have been disclosed in the past to consumers which teach the benefits of improved removal of residues from fabrics and associated improvement in whiteness, improved bleachable stain removal and improved anti-bacterial performance. However, those products often give uncontrolled sudsing and do not provide adequate cleaning from grease stains.

30 Therefore, a need still exists for laundry detergent formulation having a high water content, that is still capable of reducing or eliminating the residues on fabrics associated with mixtures of accumulated body soils, detergent, fabric softener and/or hard water that is

traditionally associated with low pH detergents, but also delivering improved suds control and grease stain improvement.

SUMMARY OF THE INVENTION

5 It has now surprisingly been found that laundry detergents, especially heavy duty liquid laundry detergents that are capable of providing a pH of around 6 in the wash water of a standard washing machine can be useful for breaking up the dingy-causing deposits on fabrics, providing improved cleaning of grease stains like taco grease or canola oil and cleaning of bleachable stains like tea and wine.

10 The invention encompasses an acidic laundry detergent composition comprising less than about 20% by weight of the detergent of a surfactant system comprising surfactants selected from the group consisting of anionic surfactants, nonionic surfactants, cationic surfactants and mixtures thereof, wherein the surfactant system has a Hydrophilic Index of greater than or equal to about 9.00; and an organic acidulant at a level such that the ratio of surfactant system to
15 organic acidulant is less or equal to about 3.0 and an alkaline neutralizer added in an amount necessary to raise the neat pH of the detergent composition above or equal to about 2.5 but no higher than or equal to about 3.0.

The invention further encompasses a laundry detergent as above wherein the detergent composition is a liquid laundry detergent composition having a viscosity of from about 150 to
20 about 1,500 mPa.s.

The invention further encompasses a laundry detergent composition according to above wherein the composition is substantially free of enzymes.

The invention further encompasses a laundry detergent composition according to above wherein the composition is substantially free of fatty acid compounds.

25 The invention further encompasses a laundry detergent composition according to above wherein the composition comprises from about 0.5 to about 10% of the organic acidulant.

The invention further encompasses a laundry detergent composition according to above wherein the composition further comprises a laundry adjunct material selected from builders, polymers, brighteners, perfumes, and mixtures thereof.

30 The invention further encompasses a method of laundering fabrics which provides reduction of fabric dinginess, said method comprising the steps of:

- a) providing a detergent composition according to above;
- b) providing a wash water;

- c) introducing said detergent composition into said wash water in an amount sufficient to generate a pH of from about 5 to about 6.5 in the wash water.

The invention further encompasses a method of laundering fabrics according to above wherein after the detergent composition is introduced into the wash water, the wash water comprises from about 0.02 to about 4.0%, by weight of the wash water, of the detergent composition.

The invention further encompasses a method of laundering fabrics which provides reduction of fabric dinginess, said method comprising the steps of:

- 5 a) providing a detergent composition according to above;
b) providing a wash water;
c) introducing said detergent composition into said wash water in an amount sufficient to generate a pH of from about 5 to about 6.5 in the wash water.

The invention further encompasses a laundry detergent composition according to above wherein after the detergent composition is introduced into the wash water, the wash water
10 comprises from about 0.04 to about 2.0%, by weight of the wash water, of the detergent composition.

DETAILED DESCRIPTION OF THE INVENTION

The essential and optional components of laundry treatment compositions herein, as well
15 as composition form, preparation and use, are described in greater detail as follows:

In this description, all concentrations and ratios are on a weight basis of the laundry treatment composition unless otherwise specified. Elemental compositions such as percentage nitrogen (%N) are percentages by weight.

Molecular weights of polymers are number average molecular weights unless otherwise
20 specifically indicated.

The terms “substantially free of” or “substantially free from” may be used herein. This means that the indicated material is at the very minimum not deliberately added to the composition to form part of it, or, preferably, is not present at analytically detectable levels. It is meant to include compositions whereby the indicated material is present only as an impurity in
25 one of the other materials deliberately included.

Laundry Detergent Composition

The laundry detergent compositions of the present invention may be in liquid or gel form. In one specific embodiment, the compositions are liquid in form and comprise heavy duty liquid compositions.

5

Surfactant System

The laundry detergent composition comprises a surfactant system in an amount sufficient to provide desired cleaning properties. In one embodiment, the laundry detergent composition comprises, by weight of the composition, less than or equal to about 20%. Certain embodiments
10 may comprise from about 5% to about 18% of the surfactant system. The surfactant system may comprise anionic, nonionic, cationic, and mixtures thereof.

The surfactant system of the present invention is hydrophobic. That is, it has a "Hydrophilic Index" (HI) greater than or equal to about 9.0 and may range from about 9 to about 11.0. Any combination of surfactants that provide for a hydrophobic surfactant system having a
15 "Hydrophilic Index" greater than or equal to about 9, are of use.

Anionic Surfactant

In one embodiment, the surfactant systems herein include from about 5% to about 60%, preferably from about 10% to about 50%, by weight of the detergent composition, of an anionic surfactant system. Certain embodiments may comprise from about 25% to about 45% anionic
20 surfactant.

Suitable anionic surfactants useful herein include the alkyl benzene sulfonic acids and their salts.

Exemplary anionic surfactants are the alkali metal salts of C₁₀₋₁₆ alkyl benzene sulfonic acids, preferably C₁₁₋₁₄ alkyl benzene sulfonic acids. Preferably the alkyl group is linear and
25 such linear alkyl benzene sulfonates are known as "LAS". Alkyl benzene sulfonates, and particularly LAS, are well known in the art. Such surfactants and their preparation are described for example in U.S. Patents 2,220,099 and 2,477,383. In one embodiment, the alkyl benzene sulfonates surfactant is selected from sodium and potassium linear straight chain alkylbenzene sulfonates in which the average number of carbon atoms in the alkyl group is from about 11 to
30 14. Sodium C₁₁-C₁₄. For example, C₁₂, LAS is a specific example of such surfactants.

Generally speaking, anionic surfactants useful herein are disclosed in U.S. Patent No. 4,285,841, Barrat et al., issued August 25, 1981, and in U.S. Patent No. 3,919,678, Laughlin, et al., issued December 30, 1975.

Useful anionic surfactants also include the water-soluble salts, particularly the alkali metal, ammonium and alkylammonium (e.g., monoethanolammonium or triethanolammonium) salts, of organic sulfuric reaction products having in their molecular structure an alkyl group containing from about 10 to about 20 carbon atoms and a sulfonic acid group. (Included in the term "alkyl" is the alkyl portion of aryl groups.) Other anionic surfactants useful herein are the water-soluble salts of: paraffin sulfonates and secondary alkane sulfonates containing from about 8 to about 24 (preferably about 12 to 18) carbon atoms; alkyl glyceryl ether sulfonates, especially those ethers of C₈₋₁₈ alcohols (e.g., those derived from tallow and coconut oil).

Mixtures of the alkylbenzene sulfonates with the above-described paraffin sulfonates, secondary alkane sulfonates and alkyl glyceryl ether sulfonates are also useful.

Nonionic Surfactant

In addition to the anionic surfactant system, the laundry detergent compositions of the present invention may further contain a nonionic surfactant. The compositions of the present invention may contain up to about 80% nonionic surfactant. In one embodiment from about 25% to about 80%, alternatively from about 40% to about 70%, by weight of the detergent composition, of an ethoxylated nonionic surfactant.

The nonionic surfactant may be ethoxylated nonionic surfactants. These materials are described in U.S. Pat. No. 4,285,841, Barrat et al, issued Aug. 25, 1981. In one embodiment, the nonionic surfactant is selected from the ethoxylated alcohols and ethoxylated alkyl phenols of the formula $R(OC_2H_4)_n OH$, wherein R is selected from the group consisting of aliphatic hydrocarbon radicals containing from about 8 to about 15 carbon atoms and alkyl phenyl radicals in which the alkyl groups contain from about 8 to about 12 carbon atoms, and the average value of n is from about 5 to about 15. These surfactants are more fully described in U.S. Pat. No. 4,284,532, Leikhim et al, issued Aug. 18, 1981. In one embodiment, the nonionic surfactant is selected from ethoxylated alcohols having an average of from about 10 to about 15 carbon atoms in the alcohol and an average degree of ethoxylation of from about 3 to about 12 moles of ethylene oxide per mole of alcohol.

Without being limited by theory, it is believed that the addition of an ethoxylated nonionic surfactant to the detergent compositions of the invention herein is helpful in providing

physical stability to the detergent product, i.e., preventing phase splits and precipitation. This is particularly true for compositions containing high levels of quaternary ammonium agent and/or low levels of anionic surfactant. Therefore, one embodiment of the invention herein comprises at least about 0.1%, by weight of the detergent composition, of the nonionic surfactant in the detergent compositions herein.

Suitable nonionic surfactants useful herein can comprise any of the conventional nonionic surfactant types typically used in liquid or gel detergent products. These include alkoxylated fatty alcohols and amine oxide surfactants. Preferred for use in the liquid detergent products herein are those nonionic surfactants which are normally liquid.

Suitable nonionic surfactants for use herein include the alcohol alkoxylate nonionic surfactants. Alcohol alkoxylates are materials which correspond to the general formula: $R^1(C_mH_{2m}O)_nOH$ wherein R^1 is a $C_8 - C_{16}$ alkyl group, m is from 2 to 4, and n ranges from about 2 to 12. Preferably R^1 is an alkyl group, which may be primary or secondary, that contains from about 9 to 15 carbon atoms, more preferably from about 10 to 14 carbon atoms. In one embodiment, the alkoxylated fatty alcohols will also be ethoxylated materials that contain from about 2 to 12 ethylene oxide moieties per molecule, alternatively from about 3 to 10 ethylene oxide moieties per molecule.

The alkoxylated fatty alcohol materials useful in the detergent compositions herein will frequently have a hydrophilic-lipophilic balance (HLB) which ranges from about 3 to 17. In one embodiment, the HLB of this material will range from about 6 to 15, alternatively from about 8 to 15. Alkoxylated fatty alcohol nonionic surfactants have been marketed under the tradenames Neodol and Dobanol by the Shell Chemical Company.

Another suitable type of nonionic surfactant useful herein comprises the amine oxide surfactants. Amine oxides are materials which are often referred to in the art as "semi-polar" nonionics. Amine oxides have the formula: $R(EO)_x(PO)_y(BO)_zN(O)(CH_2R')_2.qH_2O$. In this formula, R is a relatively long-chain hydrocarbyl moiety which can be saturated or unsaturated, linear or branched, and can contain from 8 to 20, in one embodiment from 10 to 16 carbon atoms, and is alternatively a $C_{12}-C_{16}$ primary alkyl. R' is a short-chain moiety, and may be selected from hydrogen, methyl and $-CH_2OH$. When $x+y+z$ is different from 0, EO is ethyleneoxy, PO is propyleneoxy and BO is butyleneoxy. Amine oxide surfactants are illustrated by C_{12-14} alkyldimethyl amine oxide.

Non-limiting examples of nonionic surfactants useful herein include: a) C₁₂-C₁₈ alkyl ethoxylates, such as, NEODOL[®] nonionic surfactants from Shell; b) C₆-C₁₂ alkyl phenol alkoxyates wherein the alkoxyate units are a mixture of ethyleneoxy and propyleneoxy units; c) C₁₂-C₁₈ alcohol and C₆-C₁₂ alkyl phenol condensates with ethylene oxide/propylene oxide block polymers such as Pluronic[®] from BASF; d) C₁₄-C₂₂ mid-chain branched alcohols, BA, as discussed in US 6,150,322; e) C₁₄-C₂₂ mid-chain branched alkyl alkoxyates, BAE_x, wherein x 1-30, as discussed in US 6,153,577, US 6,020,303 and US 6,093,856; f) Alkylpolysaccharides as discussed in U.S. 4,565,647 to Llenado, issued January 26, 1986; specifically alkylpolyglycosides as discussed in US 4,483,780 and US 4,483,779; g) Polyhydroxy fatty acid amides as discussed in US 5,332,528, WO 92/06162, WO 93/19146, WO 93/19038, and WO 94/09099; and h) ether capped poly(oxyalkylated) alcohol surfactants as discussed in US 6,482,994 and WO 01/42408.

Anionic/Nonionic Combinations

In the laundry detergent compositions herein, the surfactant system may comprise combinations of anionic and nonionic surfactant materials. When this is the case, the weight ratio of anionic to nonionic will typically range from 10:90 to 95:5, more typically from 30:70 to 70:30.

Cationic Surfactant

In addition to the anionic and nonionic surfactants, the laundry detergent compositions of the present invention may further comprise up to about 20% by weight of the detergent composition of cationic surfactants. Cationic surfactants are well known in the art and non-limiting examples of these include quaternary ammonium surfactants, which can have up to 26 carbon atoms. Additional examples include a) alkoxyate quaternary ammonium (AQA) surfactants as discussed in US 6,136,769; b) dimethyl hydroxyethyl quaternary ammonium as discussed in 6,004,922; c) trimethyl quaternary ammonium such as lauryl trimethyl quaternary ammonium d) polyamine cationic surfactants as discussed in WO 98/35002, WO 98/35003, WO 98/35004, WO 98/35005, and WO 98/35006; e) cationic ester surfactants as discussed in US Patents Nos. 4,228,042, 4,239,660 4,260,529 and US 6,022,844; and e) amino surfactants as discussed in US 6,221,825 and WO 00/47708, specifically amido propyldimethyl amine (APA).

Viscosity

The detergent compositions of the present invention have a viscosity in the range of from about 30 to about 12,000 mPa.s (milli Pascal seconds), alternatively in the range of from about 150 to about 5,000 mPa.s. Preferably, the detergent compositions of the present invention have a

viscosity in the range of from about 100 to about 1,500 mPa.s, alternatively from about 150 to about 400 mPa.s. The detergent compositions herein may be in the form of a gel, pourable gels, non-pourable gels, or heavy-duty liquids.

“Gel” as used herein includes a shear thinning gel with a pouring viscosity in the range of from 1,000 to 5,000 mPa.s, in one embodiment less than 3,000 mPa.s, alternatively less than 1,500 mPa.s. Gels may include thick liquids. More generally, a thick liquid may be a Newtonian fluid, which does not change its viscosity with the change in flow condition, such as honey or syrup. This type of thick liquid is very difficult and messy to dispense. A different type of liquid gel is shear-thinning, i.e. it is thick under low shear (e.g., at rest) and thin at high flow rates. The rheology of shear-thinning gels is described in more detail in the literature, see for example WO 04/027010A1 Unilever.

Other compositions according to the present invention are pourable gels having a viscosity of at least 1,500 mPa.s but no more than 6,000 mPa.s, in one embodiment no more than 4,000 mPa.s, alternatively no more than 3,000 mPa.s, alternatively no more than 2,000 mPa.s.

Yet other compositions according to the present invention are non-pourable gels having a viscosity of at least 6,000 mPa.s but no more than 12,000 mPa.s, in one embodiment no more than 10,000 mPa.s, alternatively no more than 8,000 mPa.s and especially no more than 7,000 mPa.s.

Preferred liquid or gel form laundry treatment compositions herein include heavy-duty liquid laundry detergents for use in the wash cycle of automatic washing-machines and liquid finewash and/or color care detergents; these suitably have the following rheological characteristics: viscosity of no more than 1,500 mPa.s, in one embodiment no more than 1,000 mPa.s, alternatively, no more than 500 mPa.s. Very suitable compositions have viscosity of from 150 to 400 mPa.s and are either Newtonian or shear-thinning.

In these definitions and unless specifically indicated to the contrary, all stated viscosities are those measured at a shear rate of 21 s^{-1} and at a temperature of 25°C . Viscosity herein can be measured with any suitable viscosity-measuring instrument, e.g., a Carrimed CSL2 Rheometer at a shear rate of 21 sec^{-1} .

Organic acidulant

The detergent compositions contain an organic acidulant in the form of an organic carboxylic acid or polycarboxylic acid. The organic acids preferably have equivalent weights that are less than or equal to about 80. The organic acids also preferably have its lowest pKa

greater than or equal to about 2.5. Examples of organic acids that may be used herein include: acetic, adipic, aspartic, carboxymethyloxymalonic, carboxymethyloxysuccinic, citric, glutaric, glycolic, hydroxyethyliminodiacetic, iminodiacetic, itaconic, maleic, malic, malonic, oxydiacetic, oxydisuccinic, succinic, sulfamic, tartaric, tartaric-disuccinic, tartaric-monosuccinic. Particularly preferred are acids that can also serve as detergent builders such as citric acid. The laundry composition of the present invention contains from about 0.1 to about 15%, by weight of the composition, of the organic acidulant. In one embodiment the laundry composition contains from about 0.5 to about 10%, alternatively from about 1 to about 8%, by weight of the composition, of the organic acidulant.

Composition pH

The pH of the detergent composition (measured neat) will be preferably at least about 2.5, preferably at least 2.7. The pH of the detergent composition (measured neat) is less than about 3.0. The Neat pH of the detergent is obtained by the trim addition of an alkaline neutralizer, such as sodium hydroxide or sodium hydroxide solution to the composition at a level to obtain the desired Neat pH.

pH in Wash Water

The detergent compositions of the present invention are capable of delivering a pH to the wash water ("wash water pH"), when the detergent composition is added to the wash water (e.g., of a standard laundry washing machine) is less than 6.5, in one embodiment less than 6.2, alternatively less than 6.0.

In practical terms, the detergent compositions of the present invention are provided to the wash water in a sufficient amount such that the wash water contains from about 0.02% to about 4%, by weight of the wash water, of the detergent composition. In one embodiment, the wash water contains from about 0.03% to about 3%, by weight of the wash water, of the detergent, alternatively from about 0.04% to about 2% (about 400 to about 20000 ppm).

In one embodiment, the composition has a pH of from about 6 or less when diluted about 1000 fold in water having an alkalinity of less than or equal to 60 ppm CaCO_3 when measured by EPA method #310.1 for "Titrimetric Determination of Tap Water Alkalinity".

Enzymes

The compositions of the present invention may contain less than about 1% of enzymes, alternatively, the compositions of the present invention may be substantially free of enzymes. As used herein “substantially free of enzymes” means that no enzymes are purposefully added to the formulation, but yet it is understood to one of ordinary skill in the art that trace amounts of enzymes may be present as impurities in other additives.

Where the compositions herein do contain enzymes, the enzymes should be selected from those that are compatible with an acid environment, including proteases, amylases, and mixtures thereof. Examples of acid proteases include Promod® 24L, 144L and 671L produced by Biocatalysts, and Protease A and Protease B produced by Amano and GC 106 and Fungal Acid Protease 500000 produced by Genencor. Other acid proteases are disclosed in US 6,066,610 and US 6,376,449. Amylases found to be functional under acidic washing conditions include Duramyl, Fungamyl and Natalase produced by Novozymes.

Fatty Acid Components

The compositions of the present invention may contain less than about 1% of fatty acid components, alternatively, the compositions of the present invention may be substantially free of fatty acid components. As used herein “substantially free of fatty acid components” means that no fatty acid components are purposefully added to the formulation, but yet it is understood to one of ordinary skill in the art that trace amounts of fatty acid components may be present as impurities in other additives.

Examples of fatty acids include linear and branched, saturated and mono- and polyunsaturated carboxylic acids having from 8 to 22 carbon atoms and their salts.

Other Laundry Adjuncts

The compositions of the present invention may contain one or more additional laundry adjuncts such as dyes, hueing dyes, chelants, stabilizers, radical scavengers, perfumes, fluorescent whitening agents, suds-suppressors, soil-suspension polymers, soil release polymers, dye-transfer inhibitors, fabric softening additives, rheology modifiers, and other polymers.

Dyes

The compositions of the present invention may contain a dye to either provide a particular color to the composition itself (non-fabric substantive dyes) or to provide a hue to the fabric

(hueing dyes). In one embodiment, the compositions of the present invention may contain from about 0.0001 to about 0.01% of a non-fabric substantive dye and/or a hueing dye.

Hueing Dye

The compositions of the present invention may contain a hueing dye. Examples of
5 hueing dyes useful herein include Basic Violet 3 (CI 42555) and Basic Violet 4 (CI 42600), both commercially available from Standard Dyes, and Liquitint Violet 200 from Milliken Company.

Bleaching Agent

The compositions of the present invention may contain a bleaching agent. In one
embodiment, the compositions of the present invention may contain from about 0.10% to about
10 10%, by weight of the composition, of a bleaching agent.

Bleaching agents useful herein include hydrogen peroxide or peroxyacids such as 6-phthalimidoperoxyhexanoic acid.

Chelants

The compositions of the present invention may contain a chelant. Chelants useful herein
15 include DTPA, HEDP, DTPMP, dipicolinic acid, and mixtures thereof.

Radical Scavenger

The compositions of the present invention may contain a radical scavenger which may be
used with liquid hydrogen peroxide to provide stability. Radical scavengers useful herein include
trimethoxybenzoic acid.

Perfumes

The compositions of the present invention may contain an acid-stable perfume.

Fluorescent Whitening Agent

The compositions of the present invention may contain a fluorescent whitening agent.
Fluorescent whitening agents useful herein include those that are compatible with an acidic
25 environment such as Tinopal CBS-X.

Suds-Suppressors

The compositions of the present invention are designed to be essentially free of suds
suppressors. The embodiments may contain a very small level of suds suppressor for the purpose
of reducing foaming during the packaging of the products. In this case the product may comprise
30 less than or equal to about 0.02% suds suppressor. Examples of suppressors useful herein
include silica/silicone type, silicone oil, branched alcohols, and mixtures thereof.

Soil Suspension Polymers

The compositions of the present invention may contain a soil suspension polymer. In one embodiment, the soil suspension polymer is selected from PEI ethoxylates, HMDA diquate ethoxylates, sulfonated derivatives, hydrophobically modified anionic copolymers. Particularly preferred are PEI with MW = 182 and an average degree of ethoxylation = 15, PEI with MW = 600 and an average degree of ethoxylation = 20, hexamethylenediamine dimethyquat with an average degree of ethoxylation = 24, and hexamethylenediamine dimethyquat with an average degree of ethoxylation = 24 (disulfonated). Examples of hydrophobically modified anionic copolymers useful herein include Acusol 480 ®, commercially available from Rohm and Haas and Alcosperse® 725 and 747 and Alcogum L520, commercially available from Alco Chemical.

Soil Release Polymers

The compositions of the present invention may contain a soil release polymer. In one embodiment, the soil release polymer is a PET alkoxylate short block copolymer, anionic derivative, or mixture thereof.

Dye Transfer Inhibitors

The compositions of the present invention may contain a dye transfer inhibitor and/or a dye fixative. Examples of dye transfer inhibitors useful herein include polyvinylpyrrolidone, poly-4-vinylpyridine-N-oxide, copolymers of N-vinyl-2-pyrrolidone and N-vinylimidazole and mixtures thereof. Useful dye fixatives for this application are disclosed in US Patent No. 6,753,307.

Fabric Softening Additives

The compositions of the present invention may contain a fabric softening additive. Examples of fabric softening additives useful herein include alkyl quaternary ammonium compounds, ester quaternary ammonium compounds, silicones, cationic silicones, and mixtures thereof.

Rheology Modifiers

The compositions of the present invention may contain a rheology modifier. Rheology modifiers useful herein include methylcellulose, hydroxypropylmethylcellulose, xanthan gum, gellan gum, guar gum and hydroxypropyl guar gum, succinoglycan, and trihydroxystearin. Particularly preferred are methylcellulose and hydroxypropylmethylcellulose thickeners available under the Methocel® trade name from Dow Chemical and Alcogum L520 from Akzo Nobel. When used herein, the detergent compositions of the present invention contain from about 0.01 to about 1%, by weight of the composition, of a rheology modifier. In one embodiment, the

compositions herein contain from about 0.02 to about 0.75%, alternatively from about 0.05% to about 0.5%, by weight of the composition, of the rheology modifier.

Structurant

In some embodiments of the present invention, the liquid laundry detergent compositions further comprise structurant. Structurants of use include those disclosed in USPN 2006/0205631A1, 2005/0203213A1, 7294611, 6855680. US 6855680 defines suitable hydroxyfunctional crystalline materials in detail. Preferred is hydrogenated castor oil. Non-limiting examples of useful structurants include those selected from the group of: hydrogenated castor oil; derivatives of hydrogenated castor oil; microfibrillar cellulose; hydroxyfunctional crystalline materials, long-chain fatty alcohols, 12-hydroxystearic acid; clays; and mixtures thereof. In some embodiments, Alternately, low molecular weight organogellants can be used. Such materials are defined in: Molecular Gels, Materials with Self-Assembled Fibrillar Networks, Edited by Richard G. Weiss and Pierre Terech.

EXAMPLES

The Liquid detergent formulas shown in Table 1 were prepared. Examples a, b, c, and d are comparative examples from US 2006/0111261 A1. Examples e, f, g, h are in accord with the present invention.

Table 1

Formula	a	b	c	d	e	f	g	h
	comp	comp	comp	comp	inv	inv	inv	inv
example from US 2006/0111261 A1	3d	4e	4f	4g				
	wt%	wt%	wt%	wt%	wt%	wt%	wt%	wt%
linear alkyl benzene sulfonic acid	14.0%	6.3%	6.0%	3.5%	8.3%	10.4%	4.1%	5.2%
C12-13 EO9 alkyl ethoxylate	7.5%	12.8%	2.8%	5.3%				
C12-14 EO9 alkyl ethoxylate	0.9%	0.9%	0.2%	0.2%	10.7%	8.6%	5.4%	4.3%
amine oxide			1.0%	1.0%				
citric acid	4.1%	4.1%	3.5%	5.0%	9.5%	9.5%	9.5%	9.5%
Ethanol	2.0%	2.0%						

sodium hydroxide	0.27%	0.58%	0.16%	0.58%				
ethanolamine	2.60%	1.20%	1.10%	0.70%	2.15%	2.56%	1.37%	1.57%
ethoxylated PEI polymer	1.60%	1.60%	0.05%	0.05%	1.87%	1.87%	1.87%	1.87%
DTPA, sodium salt	0.2%	0.2%	0.1%	0.1%	0.3%	0.3%	0.3%	0.3%
Tinopal CBS X	0.20%	0.20%	0.05%	0.05%	0.12%	0.12%	0.12%	0.12%
propanediol	0.94%	0.94%	0.24%	0.24%	0.56%	0.56%	0.56%	0.56%
Dye	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%
Perfume	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%
Silicone	0.03%	0.03%						
water & miscellaneous	balance	balance	balance	balance	balance	balance	balance	balance
total surfactant	22.40%	20.00%	10.00%	10.00%	19.00%	19.00%	9.50%	9.50%
Hydrophilic Index	8.36	11.17	7.71	9.68	10.00	9.00	10.00	9.00
surfactant/organic acid ratio	5.5	4.9	2.9	2.0	2.0	2.0	1.0	1.0
neat pH of detergent	2.71	3.31	2.50	3.50	2.52	2.51	2.52	2.52

The stain removal performance of the formulas was evaluated under North American conditions. Swatches stained with the soils shown in Tables 2 and 3 were washed with each treatment. Product dosages were 49.6 g for each formula in 17 gallons of wash water using Kenmore 600 top loading automatic washers, normal cycle, 90°F wash, 60°F rinse and 8 grain per gallon water having a tap water alkalinity of 105-112 ppm CaCO₃ (measured according to EPA method 310.1) with an additional 2.5 kg of laundry ballast followed by tumble drying. Four sheets of WFK SBL 10999 test soil (dust/sebum) were added to each load of laundry along with clean 100% cotton knit, 50% cotton/50% polyester knit and 100% polyester twill test fabrics to monitor soil redeposition. Stain removal was measured using an image analysis technique and the results are reported in Table 2 and 3 as the absolute percent stain removal for the first formula listed and the difference in removal versus the first formula for the remaining formulas listed. A higher value indicates more stain removal. Data was analyzed via an analysis of variance technique. A letter beside a stain removal value indicates that value is significantly better at the 95% confidence level than the corresponding value for the treatment denoted by the letter.

The after wash vs before wash difference in CIE Whiteness Index values (D65 illumination) was also measured for the added test fabrics. A larger Δ WI CIE value indicates higher soil antiredeposition performance. Data was analyzed via an analysis of variance technique. A letter beside a Δ WI CIE value indicates that value is significantly better at the 95% confidence level than the corresponding value for the treatment denoted by the letter.

Table 2 shows the stain removal and whiteness maintenance values for example formulas a, b, e, and f. Table 3 shows the stain removal and whiteness maintenance values for example formulas c, d, g, and h.

Table 2

	comparative	comparative	invention	invention
	a	b	e	f
<i>Stain removal</i>				
Gravy	64.1	-1.7	-5.5	-5.6
Chocolate syrup	73.3	0.2	1.4 a	2.4
Grass	42.8	1.3	-0.7	-0.6
Clay	52.8	0.1	3.4	4.4
Coffee	71.8	0.1	2.2	2.3
Blueberry	61.0	1.6	0.5	2.3 a
Tea	33.9	0.7	13.3 ab	13.5 ab
Wine	60.2	1.1	3.0	3.3
Average		-0.9	0.3	1.4
<i>Δ CIE Whiteness Index</i>				
100% cotton knit	2.5	3.2	3.0 a	3.0 a
50% cotton/50% polyester knit	5.5 e	5.0 e	3.6	4.7 e
100% polyester twill	5.0	2.6	7.4 ab	12.2 abe
Average	2.7	3.6	4.7	6.6

Table 3

	comparative	comparative	invention	invention
	c	d	g	h
<i>Stain removal</i>				
Gravy	61.2 gh	-3.5	-3.5	-2.1
Chocolate syrup	73.0	1.5	2.1	1.1
Grass	37.0 h	4.0	-1.3	-1.4
Clay	46.8	4.8	8.7	7.3 c
Coffee	69.3	0.7	2.6	2.7 c
Blueberry	57.3	0.3	2.2	3.2 cd
Tea	27.2	4.7	20.7 cd	19.8 cd
Wine	56.2	0.3	6.7 cd	5.2 cd
Average		1.0	2.9	2.2

<i>Δ CIE Whiteness Index</i>				
100% cotton knit	3.9	5.3 g	3.4	6.1 cd
50% cotton/50% polyester knit	3.5	2.4	3.5	7.0 cdg
100% polyester twill	6.3 dg	1.4	4.4 d	6.9 dg
Average	4.6	3.0	3.8	6.7

Tables 2 & 3 show that the formulas of the present invention provide a higher combination of stain removal of certain stains and soil antiredeposition performance than the comparative formulas.

5

Table 4 shows low pH formulations i, j, k, and l that are disclosed in WO 06/55788A1 and are prepared by traditional means known to one of ordinary skill. An acidic composition according to the present invention is shown in formulation m.

Table 4

	comparative	comparative	comparative	comparative	invention
	i	j	k	l	m
ingredient	wt %	wt %	wt %	wt %	wt %
C11.8 linear alkylbenzene sulfonic acid	14.0	6.3	6.0	3.5	7.12
Neodol 23-5					
Neodol 23-9	8.4	13.7	3.0	5.5	
Neodol 24-9					10.56
amine oxide			1.0	1.0	
citric acid	4.1	4.1	3.5	5.0	8.43
DTPA ¹	0.2	0.2	0.1	0.1	0.30
ethanolamine	2.6	1.2	1.1	0.7	1.5
sodium hydroxide	to adjust pH	to adjust pH	to adjust pH	to adjust pH	to adjust pH
ethoxylated amine polymer	1.6	1.6	0.05	0.05	1.87
ethanol	2.0	2.0			
silicone suds suppressor	0.03	0.02			
Tinopal CBS-X	0.2	0.2	0.05	0.05	
perfume	0.2	0.2	0.2	0.2	
Liquitint Blue EM ²		0.1-0.5	0.1-0.5	0.1-0.5	
thickener	0.1-0.5	0.1-0.5	0.1-0.5	0.1-0.5	
water	balance	balance	balance	balance	balance
neat pH (of composition)	2.7	3.3	2.5	3.5	2.5
total surfactant	22.4	20.2	10.0	10.0	17.68
HI	8.31	11.07	7.94	10.4	10.00
surfactant/citric acid	5.46	4.88	2.86	2.00	2.10

Wash pH (10 minutes)	6.99	7.64	7.58	7.70	6.33
Suds (2 minutes)	32.1	26.3			26.5
Suds (10 minutes)	28.5	17.4			16.5
Tea Stain Cleaning	36.3	17.7			40.9
Red wine Stain Cleaning	71.2	66.4			73.0
Blueberry Stain Cleaning	70.4	70.5			70.4
Whiteness (Incandescent, Avg)	80.3	80.1			80.4
Taco Grease Stain Cleaning	72.4	60.8			63.0
Canola Grease Stain Cleaning	81.2	78.4			78.2

All measurements referenced herein are at room temperature (about 21.1°C) and at atmospheric pressure, unless otherwise indicated.

5 The compositions of the present invention can include, consist essentially of, or consist of, the components of the present invention as well as other ingredients described herein. As used herein, "consisting essentially of" means that the composition or component may include additional ingredients, but only if the additional ingredients do not materially alter the basic and novel characteristics of the claimed compositions or methods.

10 All percentages, parts and ratios are based upon the total weight of the laundry detergent compositions of the present invention, unless otherwise specified. All such weights as they pertain to listed ingredients exclude carriers, diluents etc. that may occur in commercial forms of the materials, unless otherwise specified.

15 The dimensions and values disclosed herein are not to be understood as being strictly limited to the exact numerical values recited. Instead, unless otherwise specified, each such dimension is intended to mean both the recited value and a functionally equivalent range surrounding that value. For example, a dimension disclosed as "40 mm" is intended to mean "about 40 mm."

20 Every document cited herein, including any cross referenced or related patent or application, is hereby incorporated herein by reference in its entirety unless expressly excluded or otherwise limited. The citation of any document is not an admission that it is prior art with respect to any invention disclosed or claimed herein or that it alone, or in any combination with any other reference or references, teaches, suggests or discloses any such invention. Further, to the extent that any meaning or definition of a term in this document conflicts with any meaning

or definition of the same term in a document incorporated by reference, the meaning or definition assigned to that term in this document shall govern.

While particular embodiments of the present invention have been illustrated and described, it would be obvious to those skilled in the art that various other changes and
5 modifications can be made without departing from the spirit and scope of the invention. It is therefore intended to cover in the appended claims all such changes and modifications that are within the scope of this invention.

CLAIMS

What is claimed is:

1. An acidic laundry detergent composition comprising:
 - a) less than about 20% by weight of the detergent of a surfactant system comprising surfactants selected from the group consisting of anionic surfactants, nonionic surfactants, cationic surfactants and mixtures thereof, wherein the surfactant system has a Hydrophilic Index of greater than or equal to about 9.00;
 - b) an organic acidulant at such that the ratio of surfactant system to organic acidulant is less or equal to about 3.0; and
 - c) an alkaline neutralizer added in an amount necessary to raise the neat pH of the detergent composition above or equal to about 2.5 but no higher than or equal to about 3.0.
2. A laundry detergent composition according to Claim 1 wherein the detergent composition is a liquid laundry detergent composition having a viscosity of from about 150 to about 1,500 mPa.s.
3. A laundry detergent composition according to any preceding claim wherein the organic acidulant is citric acid.
4. A laundry detergent composition according to any preceding claim wherein the composition is capable of providing a wash water pH, when added to the wash water, of less than about 6.2.
5. A laundry detergent composition according to any preceding claim wherein the composition has a pH of from about 6.5 or less when diluted by about 700-fold..
6. A laundry detergent composition according to any preceding claim wherein the composition further comprises from about 0.01% to about 1% of a rheology modifier.
7. A laundry detergent composition according to Claim 6 wherein the rheology modifier is selected from methylcellulose, hydroxypropylmethylcellulose, xanthan gum, gellan gum, guar

gum and hydroxypropyl guar gum, succinoglycan, trihydroxystearin, copolymers of ethyacrylate, dimethylaminoethylacrylate, alkylethoxyesters of acrylic acid and mixtures thereof.

8. A laundry detergent composition according to Claim 7 wherein the rheology modifier is selected from methylcellulose, hydroxypropylmethylcellulose, and mixtures thereof.

9. A laundry detergent composition according to any preceding claim wherein the composition is substantially free of enzymes.

10. A laundry detergent composition according to any preceding claim wherein the composition is substantially free of fatty acid compounds.

11. A laundry detergent composition according to any preceding claim wherein the composition comprises from about 0.5 to about 10% of the organic acidulant.

12. A laundry composition according to any preceding claim wherein the composition further comprises a laundry adjunct material selected from builders, polymers, brighteners, perfumes, and mixtures thereof.

13. A method of laundering fabrics which provides reduction of fabric dinginess, said method comprising the steps of:

- a) providing a detergent composition according to Claim 1;
- b) providing a wash water;
- c) introducing said detergent composition into said wash water in an amount sufficient to generate a pH of from about 5 to about 6.5 in the wash water.

14. A method according to Claim 13 wherein after the detergent composition is introduced into the wash water, the wash water comprises from about 0.02 to about 4.0%, by weight of the wash water, of the detergent composition.

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2013/021809

A. CLASSIFICATION OF SUBJECT MATTER

INV. C11D3/20

ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2011/269659 A2 (CHAPMAN ROSS [US] ET AL) 3 November 2011 (2011-11-03) paragraphs [0025] - [0030]; examples 1,12,13 -----	1-12
X	US 2011/146707 A1 (CERMENATI LAURA [BE] ET AL) 23 June 2011 (2011-06-23) paragraphs [0024], [0072] - [0077]; examples XIV,XXI -----	1-12
X	US 2009/048143 A1 (IVERSON ROBERT D [US] ET AL) 19 February 2009 (2009-02-19) examples A,1-7,10,15,16; table 6 -----	1,3-5, 9-12
X	US 6 093 856 A (CRIPE THOMAS ANTHONY [US] ET AL) 25 July 2000 (2000-07-25) cited in the application example 16 ----- -/--	1,3-5, 9-12

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

18 April 2013

Date of mailing of the international search report

29/04/2013

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Péntek, Eric

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2013/021809

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 136 769 A (ASANO KAORI [JP] ET AL) 24 October 2000 (2000-10-24) cited in the application example XIII -----	1,4,5, 9-12
X	EP 0 845 526 A2 (EKA CHEMICALS AB [SE]) 3 June 1998 (1998-06-03) column 4, line 41 - column 5, line 26; claims; example 2 -----	1-14
A	US 2006/111261 A1 (SADLOWSKI EUGENE S [US] ET AL) 25 May 2006 (2006-05-25) cited in the application claims; examples -----	1-14
A	WO 00/27958 A1 (PROCTER & GAMBLE [US]) 18 May 2000 (2000-05-18) claims; examples -----	1-14

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2013/021809

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2011269659 A2	03-11-2011	EP 2185676 A1 US 2011028369 A1 WO 2009024743 A1	19-05-2010 03-02-2011 26-02-2009
US 2011146707 A1	23-06-2011	CA 2782407 A1 EP 2336282 A1 US 2011146707 A1 WO 2011075466 A1	23-06-2011 22-06-2011 23-06-2011 23-06-2011
US 2009048143 A1	19-02-2009	CN 101821371 A EP 2118252 A1 JP 2010536950 A US 2009048143 A1 US 2010234268 A1 WO 2009023209 A1	01-09-2010 18-11-2009 02-12-2010 19-02-2009 16-09-2010 19-02-2009
US 6093856 A	25-07-2000	US 6093856 A US 6153577 A	25-07-2000 28-11-2000
US 6136769 A	24-10-2000	AR 008599 A1 AR 008992 A1 BR 9710668 A BR 9710669 A BR 9710670 A BR 9710671 A BR 9710672 A BR 9710673 A BR 9710674 A BR 9710677 A CA 2254825 A1 CA 2254827 A1 CA 2254829 A1 CA 2254945 A1 CA 2254946 A1 CA 2255008 A1 CA 2255009 A1 CA 2255012 A1 CN 1225670 A CN 1225671 A CN 1225676 A CN 1225679 A CN 1225680 A CN 1225681 A CZ 9803712 A3 CZ 9803713 A3 CZ 9803714 A3 CZ 9803715 A3 EP 0901518 A1 EP 0906400 A2 EP 0912667 A2 EP 0912668 A2 EP 0912675 A2 EP 0912692 A1 EP 0912693 A2 EP 0912697 A2 HU 0500458 A2 JP H11511777 A JP H11511786 A	09-02-2000 08-03-2000 17-08-1999 17-08-1999 17-08-1999 17-08-1999 17-08-1999 17-08-1999 17-08-1999 17-08-1999 20-11-1997 20-11-1997 20-11-1997 20-11-1997 20-11-1997 20-11-1997 20-11-1997 20-11-1997 20-11-1997 11-08-1999 11-08-1999 11-08-1999 11-08-1999 11-08-1999 11-08-1999 11-08-1999 11-08-1999 11-08-1999 11-08-1999 12-05-1999 14-04-1999 14-04-1999 12-05-1999 17-03-1999 07-04-1999 06-05-1999 06-05-1999 06-05-1999 06-05-1999 06-05-1999 06-05-1999 29-08-2005 12-10-1999 12-10-1999

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2013/021809

Patent document cited in search report	Publication date	Patent family member(s)	Publication date	
		JP H11511787 A	12-10-1999	
		JP H11511788 A	12-10-1999	
		JP H11511789 A	12-10-1999	
		JP H11511790 A	12-10-1999	
		JP H11511791 A	12-10-1999	
		JP H11512781 A	02-11-1999	
		MA 25183 A1	02-07-2001	
		TR 9802348 T2	22-03-1999	
		TR 9802353 T2	22-02-1999	
		US 6136769 A	24-10-2000	
		WO 9743364 A2	20-11-1997	
		WO 9743365 A2	20-11-1997	
		WO 9743371 A2	20-11-1997	
		WO 9743387 A2	20-11-1997	
		WO 9743389 A1	20-11-1997	
		WO 9743390 A1	20-11-1997	
		WO 9743391 A2	20-11-1997	
		WO 9743393 A2	20-11-1997	
		ZA 9704225 A	28-12-1998	

EP 0845526	A2	03-06-1998	CA 2221982 A1	29-05-1998
			EP 0845526 A2	03-06-1998
			NO 975453 A	02-06-1998

US 2006111261	A1	25-05-2006	BR PI0518348 A2	18-11-2008
			CA 2584682 A1	26-05-2006
			CN 101056970 A	17-10-2007
			EP 1824954 A1	29-08-2007
			JP 2008519148 A	05-06-2008
			US 2006111261 A1	25-05-2006
			WO 2006055788 A1	26-05-2006

WO 0027958	A1	18-05-2000	AU 1237300 A	29-05-2000
			BR 9915728 A	23-10-2001
			CA 2347695 A1	18-05-2000
			CN 1332786 A	23-01-2002
			EP 1124921 A1	22-08-2001
			JP 2002529580 A	10-09-2002
			WO 0027958 A1	18-05-2000
