

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(10) International Publication Number
WO 2020/006056 A1

(43) International Publication Date
02 January 2020 (02.01.2020)

(51) International Patent Classification:

CIID 1/722 (2006.01) *CIID 3/386* (2006.01)
CIID 3/37 (2006.01) *CIID 17/04* (2006.01)

(21) International Application Number:

PCT/US2019/039205

(22) International Filing Date:

26 June 2019 (26.06.2019)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

18180982.3 29 June 2018 (29.06.2018) EP
19179684.6 12 June 2019 (12.06.2019) EP

(71) Applicant: **THE PROCTER & GAMBLE COMPANY**
[US/US]; One Procter & Gamble Plaza, Cincinnati, Ohio
45202 (US).

(72) Inventors: **PATTERSON, Steven, George**; Procter &
Gamble, Technical Centres Ltd., P.O. Box Forest Hall No
2, Newcastle upon Tyne NE12 9TS (GB). **BOUTIQUE,**
Jean-Pol; NV Procter & Gamble Services Company
SA, Temselaan 100, 1853 Strombeek-Bever (BE). **DE**
POORTERE, Johan, Maurice, Theo; NV Procter &
Gamble Services Company SA, Temselaan 100, 1853
Strombeek-Bever (BE). **MOMIN, Nazarmohammad, Gu-**
lamhussain; Procter & Gamble, Technical Centres Ltd.,
P.O. Box Forest Hall No 2, Newcastle upon Tyne NE12 9TS
(GB).

(74) Agent: **KREBS, Jay A.**; c/o the Procter & Gamble Com-
pany, Global IP Services, One Procter & Gamble Plaza, C9,
Cincinnati, Ohio 45202 (US).

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP,
KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA,
SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,
TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments (Rule 48.2(h))

(54) Title: LAUNDRY DETERGENT COMPOSITION COMPRISING AN ETHYLENE OXIDE-PROPYLENE OXIDE-ETHYL-
ENE OXIDE (EO/PO/EO) TRIBLOCK COPOLYMER AND A LIPASE




FIG. 1.

(57) Abstract: A laundry detergent composition containing an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and a lipase enzyme and use of an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and lipase enzyme in said laundry detergent composition.



WO 2020/006056 A1

LAUNDRY DETERGENT COMPOSITION COMPRISING AN ETHYLENE OXIDE-
PROPYLENE OXIDE-ETHYLENE OXIDE (EO/PO/EO) TRIBLOCK COPOLYMER AND A
LIPASE

5 FIELD OF THE INVENTION

A laundry detergent composition comprising an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and a lipase enzyme and use of an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and lipase enzyme in said laundry detergent composition.

10

BACKGROUND OF THE INVENTION

Consumers use laundry detergent compositions during the laundry process. Such laundry detergent compositions provide cleaning, freshness and/or care benefits to the fabrics during the laundry operation. While laundry detergent formulations have already been optimized for
15 cleaning stains from fabrics including greasy stains, there is a continued need for further improvement.

There is also an increasing trend to limit the amount and level of chemicals formulated into laundry detergents in order to minimize their environmental footprint, as well as to control formulation cost in order to maintain them affordable to consumers.

20 Laundry detergents have been available to consumers in powder, liquid and since recent years also as water soluble unit dose articles. Water-soluble unit dose articles comprising liquid and/or powder laundry detergent compositions are liked by consumers as being convenient and efficient to use. These unit dose articles however bring the additional space limitation to the formulator, hence enforcing the need for highly effective formulation approaches.

25 As such there is a need to identify formulation approaches that further improve the stain removal performance of laundry detergents, in particular, the greasy stain removal performance, whilst minimizing the amount or level of formulation actives to be used.

It has now surprisingly been found that co-formulation of an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer together with a lipase enzyme into a
30 laundry detergent formulation results in a synergistic grease cleaning performance. Additionally, malodor typically observed when applying lipases into washing processes has also been found to be reduced.

SUMMARY OF THE INVENTION

A first aspect of the present invention is a laundry detergent composition, comprising a lipase and an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer, wherein the copolymer comprises a first EO block, a second EO block and a PO block wherein the first EO block and the second EO block are linked to the PO block, wherein the laundry detergent composition comprises between 0.0001% and 0.75%, by weight of the laundry detergent composition of the lipase, based on active protein.

A second aspect of the present invention is the use of an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and a lipase to improve the grease cleaning performance of a laundry detergent composition according to the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a water-soluble unit dose article according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION

5 Laundry detergent composition

The current invention relates to a laundry detergent formulation comprising an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and a lipase. The ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and the lipase are described in more detail further herein.

10 The laundry detergent composition may be a powder, a liquid or a mixture thereof.

The solid laundry detergent composition may comprise solid particulates or may be a single homogenous solid. Preferably, the solid laundry detergent composition comprises particles. This means the solid laundry detergent composition comprises individual solid particles as opposed to the solid being a single homogenous solid. The particles may be free-
15 flowing or may be compacted, preferably free-flowing.

The term 'liquid laundry detergent composition' refers to any laundry detergent composition comprising a liquid capable of wetting and treating a fabric, and includes, but is not limited to, liquids, gels, pastes, dispersions and the like. The liquid composition can include solids or gases in suitably subdivided form, but the liquid composition excludes forms which are
20 non-fluid overall, such as powders, tablets or granules.

The laundry detergent composition may be present in a water-soluble unit dose article and the water-soluble unit dose article comprises a water-soluble film.

The water-soluble unit dose article comprises a water-soluble film and a laundry detergent composition. The laundry detergent composition and the water-soluble film are described in more detail below.

The water-soluble unit dose article comprises the water-soluble film shaped such that the unit-dose article comprises at least one internal compartment surrounded by the water-soluble film, and wherein the laundry detergent composition is present within said compartment. The unit dose article may comprise a first water-soluble film and a second water-soluble film sealed to one another such to define the internal compartment. The water-soluble unit dose article is constructed such that the laundry detergent composition does not leak out of the compartment during storage. However, upon addition of the water-soluble unit dose article to water, the water-soluble film dissolves and releases the contents of the internal compartment into the wash liquor.

The compartment should be understood as meaning a closed internal space within the unit dose article, which holds the detergent composition. During manufacture, a first water-soluble film may be shaped to comprise an open compartment into which the detergent composition is added. A second water-soluble film is then laid over the first film in such an orientation as to close the opening of the compartment. The first and second films are then sealed together along a seal region.

The unit dose article may comprise more than one compartment, even at least two compartments, or even at least three compartments. The compartments may be arranged in superposed orientation, i.e. one positioned on top of the other. In such an orientation the unit dose article will comprise three films, top, middle and bottom. Alternatively, the compartments may be positioned in a side-by-side orientation, i.e. one orientated next to the other. The compartments may even be orientated in a 'tyre and rim' arrangement, i.e. a first compartment is positioned next to a second compartment, but the first compartment at least partially surrounds the second compartment, but does not completely enclose the second compartment. Alternatively, one compartment may be completely enclosed within another compartment.

Wherein the unit dose article comprises at least two compartments, one of the compartments may be smaller than the other compartment. Wherein the unit dose article comprises at least three compartments, two of the compartments may be smaller than the third compartment, and preferably the smaller compartments are superposed on the larger compartment. The superposed compartments preferably are orientated side-by-side.

In a multi-compartment orientation, the laundry detergent composition according to the present invention may be comprised in at least one of the compartments. It may for example be

comprised in just one compartment, or may be comprised in two compartments, or even in three compartments.

Each compartment may comprise the same or different compositions. The different compositions could all be in the same form, or they may be in different forms.

The water-soluble unit dose article may comprise at least two internal compartments, wherein the liquid laundry detergent composition is comprised in at least one of the compartments, preferably wherein the unit dose article comprises at least three compartments, wherein the detergent composition is comprised in at least one of the compartments.

FIG.1 discloses a water-soluble unit dose article (1) according to the present invention. The water-soluble unit dose article (1) comprises a first water-soluble film (2) and a second water-soluble film (3) which are sealed together at a seal region (4). The laundry detergent composition (5) is comprised within the water-soluble unit dose article (1).

The film of the present invention is soluble or dispersible in water. The water-soluble film preferably has a thickness of from 20 to 150 micron, preferably 35 to 125 micron, even more preferably 50 to 110 micron, most preferably about 76 micron.

5 Preferably, the film has a water-solubility of at least 50%, preferably at least 75% or even at least 95%, as measured by the method set out here after using a glass-filter with a maximum pore size of 20 microns:

5 grams \pm 0.1 gram of film material is added in a pre-weighed 3L beaker and 2L \pm 5ml of distilled water is added. This is stirred vigorously on a magnetic stirrer, Labline model No. 1250 or equivalent and 5 cm magnetic stirrer, set at 600 rpm, for 30 minutes at 30°C. Then, the
10 mixture is filtered through a folded qualitative sintered-glass filter with a pore size as defined above (max. 20 micron). The water is dried off from the collected filtrate by any conventional method, and the weight of the remaining material is determined (which is the dissolved or dispersed fraction). Then, the percentage solubility or dispersability can be calculated.

15 Preferred film materials are preferably polymeric materials. The film material can, for example, be obtained by solution casting, blow-moulding, extrusion or blown extrusion of the polymeric material, as known in the art.

Preferred polymers, copolymers or derivatives thereof suitable for use as pouch material are selected from polyvinyl alcohols, polyvinyl pyrrolidone, polyalkylene oxides, acrylamide, acrylic acid, cellulose, cellulose ethers, cellulose esters, cellulose amides, polyvinyl acetates,
20 polycarboxylic acids and salts, polyaminoacids or peptides, polyamides, polyacrylamide, copolymers of maleic/acrylic acids, polysaccharides including starch and gelatine, natural gums such as xanthum and carragum. More preferred polymers are selected from polyacrylates and

water-soluble acrylate copolymers, methylcellulose, carboxymethylcellulose sodium, dextrin, ethylcellulose, hydroxyethyl cellulose, hydroxypropyl methylcellulose, maltodextrin, polymethacrylates, and most preferably selected from polyvinyl alcohols, polyvinyl alcohol copolymers and hydroxypropyl methyl cellulose (HPMC), and combinations thereof. Preferably, the level of polymer in the pouch material, for example a PVA polymer, is at least 60%. The polymer can have any weight average molecular weight, preferably from about 1000 to 1,000,000, more preferably from about 10,000 to 300,000 yet more preferably from about 20,000 to 150,000.

Mixtures of polymers and/or copolymers can also be used as the pouch material, especially mixtures of polyvinylalcohol polymers and/or copolymers, especially mixtures of polyvinylalcohol homopolymers and/or anionic polyvinylalcohol copolymers preferably selected from sulphonated and carboxylated anionic polyvinylalcohol copolymers especially carboxylated anionic polyvinylalcohol copolymers. Most preferably the water soluble film comprises a blend of a polyvinylalcohol homopolymer and a carboxylated anionic polyvinylalcohol copolymer.

Preferred films exhibit good dissolution in cold water, meaning unheated distilled water. Preferably such films exhibit good dissolution at temperatures of 24°C, even more preferably at 10°C. By good dissolution it is meant that the film exhibits water-solubility of at least 50%, preferably at least 75% or even at least 95%, as measured by the method set out here after using a glass-filter with a maximum pore size of 20 microns, described above.

Preferred films are those supplied by Monosol under the trade references M8630, M8900, M8779, M8310.

The film may be opaque, transparent or translucent. The film may comprise a printed area.

The area of print may be achieved using standard techniques, such as flexographic printing or inkjet printing.

The film may comprise an aversive agent, for example a bittering agent. Suitable bittering agents include, but are not limited to, naringin, sucrose octaacetate, quinine hydrochloride, denatonium benzoate, or mixtures thereof. Any suitable level of aversive agent may be used in the film. Suitable levels include, but are not limited to, 1 to 5000ppm, or even 100 to 2500ppm, or even 250 to 2000rpm.

It was further surprisingly found that the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer, when formulated into a water-soluble unit dose article, improved the structural integrity of the water-soluble film, i.e. minimised film swelling, whilst still minimising film brittleness. Overall physical phase stability of the detergent composition,


when formulated into a liquid form, especially a low water or non-aqueous liquid form, has also been found to be improved. A further benefit of the present invention is it allows for overall reduced levels of non-aqueous solvent whilst still ensuring unit dose article strength and minimized film brittleness, and minimized instability of the liquid laundry detergent

5 composition. Hence, within compacted water soluble unit dose articles, the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer provides a double benefit of improving water-soluble unit dose article strength and providing grease cleaning benefits. This means that non-aqueous solvent and/or fatty alcohol ethoxylate levels in the water-soluble unit dose article can be reduced without compromise on unit dose article strength, film brittleness or
10 cleaning performance.

The laundry detergent composition can be used in a fabric hand wash operation or may be used in an automatic machine fabric wash operation.

The laundry detergent composition, preferably liquid laundry detergent composition comprises an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer, wherein the copolymer comprises a first EO block, a second EO block and a PO block wherein the first EO block and the second EO block are linked to the PO block. In other words, the PO
15 block is located between the two EO blocks.

By 'linked to the PO block', we mean herein that the EO-PO-EO blocks have the following structure;



20 wherein X_1 is preferably on average between 2 and 90, preferably between 3 and 50 more preferably between 4 and 20, even more preferably between 5 and 15, most preferably between 10 and 15;

X_2 is preferably on average between 2 and 90, preferably between 3 and 50 more preferably between 4 and 20, even more preferably between 5 and 15, most preferably between
25 10 and 15;

Y is preferably on average between 15 and 70, preferably between 20 and 60, more preferably between 25 and 50, even more preferably between 25 and 40, most preferably between 25 and 35.

Preferably, the laundry detergent composition comprises between 1% and 10%, preferably between 2% and 8% by weight of the laundry detergent composition of the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer.

5 Preferably, the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer has an average propylene oxide chain length of between 15 and 70, preferably between 20 and 60, more preferably between 25 and 50, even more preferably between 25 and 40, most preferably between 25 and 35 propylene oxide units.

10 Preferably, the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer has an average molecular weight of between 1000 and 10,000, preferably between 1500 and 5000 more preferably between 2000 and 4500, even more preferably between 2500 and 4000, most preferably between 2500 and 3000.

Preferably, each ethylene oxide chain independently has an average chain length of between 2 and 90, preferably between 3 and 50 more preferably between 4 and 20, even more preferably between 5 and 15, most preferably between 10 and 15 ethylene oxide units.

15 Preferably, the copolymer comprises on average between 10% and 90%, preferably between 20% and 70%, most preferably between 30% and 50% by weight of the copolymer of the combined ethylene-oxide blocks. Most preferably the total ethylene oxide content is split over the two ethylene oxide blocks such that each ethylene oxide block comprises on average between 40% and 60% preferably between 45% and 55%, even more preferably between 48%
20 and 52%, most preferably 50% of the total number of ethylene oxide units, wherein the percentage of both ethylene oxide blocks together accounts for 100% of the ethylene oxide units present.

Most preferably the copolymer has an average molecular weight between 2500 and 3000, an average propylene oxide content between 25 and 35 propylene oxide units, and an average
25 ethylene oxide content of between 10 and 15 ethylene oxide units per ethylene oxide block. Without wishing to be bound by theory, a further benefit of the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer is that they exhibit good safety profiles. Most preferred are copolymers having an average molecular weight between 2500 and 3000, an average propylene oxide content between 25 and 35 propylene oxide units, and an average
30 ethylene oxide content of between 10 and 15 ethylene oxide units per ethylene oxide block as these have the best safety profile of this class of copolymers wherein they especially exhibit minimal skin and eye irritation if accidentally contacted with skin or eye.

Suitable ethylene oxide – propylene oxide – ethylene oxide triblock copolymers are commercially available under the Pluronic PE series from the BASF company, or under the

Tergitol L series from the Dow Chemical Company. A particularly suitable material is Pluronic PE 6400 or Tergitol L64.

Without wishing to be bound by theory, a further benefit of the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer is that they exhibit good safety profiles wherein they especially exhibit minimal skin and eye irritation if accidentally contacted with skin or eye.

The laundry detergent composition, preferably liquid laundry detergent composition comprises a lipase enzyme. The laundry detergent composition comprises between 0.0001% and 0.75%, preferably between 0.0005% and 0.5%, more preferably between 0.001% and 0.5% by weight of the laundry detergent composition of the lipase, based on active protein.

Suitable lipases include those of bacterial or fungal origin. Chemically modified or protein engineered mutants are included. Examples of useful lipases include lipases from *Humicola* (synonym *Thermomyces*), e.g., from *H. lanuginosa* (*T. lanuginosus*), or from *H. insolens*, a *Pseudomonas* lipase, e.g., from *P. alcaligenes* or *P. pseudoalcaligenes*, *P. cepacia*, *P. stutzeri*, *P. fluorescens*, *Pseudomonas* sp. strain SD 705, *P. wisconsinensis*, a *Bacillus* lipase, e.g., from *B. subtilis*, *B. stearothermophilus* or *B. pumilus*.

Preferred lipases are first-wash lipases. In one embodiment of the invention the composition comprises a first wash lipase.

First wash lipases include a lipase which is a polypeptide having an amino acid sequence which:

(a) has at least 90% identity with the wild-type lipase derived from *Humicola lanuginosa* strain DSM 4109; or

(b) compared to said wild-type lipase, comprises a substitution of an electrically neutral or negatively charged amino acid at the surface of the three-dimensional structure within 15A of E1 or Q249 with a positively charged amino acid;

or a mixture of (a) and (b);

preferably wherein (a) or (b) or a mixture thereof comprises;

(c) a peptide addition at the C-terminal; or

(d) a peptide addition at the N-terminal;

(e): i) a negative amino acid in position E210 of said wild-type lipase; ii) a negatively charged amino acid in the region corresponding to positions 90-101 of said wild-type lipase; and iii) comprises a neutral or negative amino acid at a position corresponding to N94 or said wild-type lipase and/or has a negative or neutral net electric charge in the region corresponding to positions 90-101 of said wild-type lipase;

5 (f) or a mixture thereof.

More preferably, the lipase is a polypeptide having an amino acid sequence which:

- 10 (a) has at least 90% identity with the wild-type lipase derived from *Humicola lanuginosa* strain DSM 4109; and
- (b) compared to said wild-type lipase, comprises a substitution of an electrically neutral or negatively charged amino acid at the surface of the three-dimensional structure within 15A of E1 or Q249 with a positively charged amino acid;
- 15 preferably the combination of (a) and (b) comprise;
- (c) a peptide addition at the C-terminal; or
- (d) a peptide addition at the N-terminal;
- (e): i) a negative amino acid in position E210 of said wild-type lipase; ii) a negatively charged amino acid in the region corresponding to positions 90-101 of said wild-type lipase; and iii) comprises a neutral or negative amino acid at a position corresponding to N94 or said wild-type lipase and/or has a negative or neutral net electric charge in the region corresponding to positions 90-101 of said wild-type lipase;
- 20 (f) or a mixture thereof.

25 Preferred are variants of the wild-type lipase from *Thermomyces lanuginosus* comprising one or more of the T231R and N233R mutations. The wild-type sequence is the 269 amino acids (amino acids 23 – 291) of the Swissprot accession number Swiss-Prot O59952 (derived from *Thermomyces lanuginosus* (*Humicola lanuginosa*)). Preferred lipases would include those sold under the tradenames Lipex®, Lipex Evity®, Lipolex® and Lipoclean®.

30 The lipase enzyme may be present as an encapsulated lipase or as a non-encapsulated i.e. free lipase. By encapsulated, we herein mean that the enzyme is immobilized within a particle or the like and is not 'free' within the liquid detergent composition.

The encapsulated enzyme may be of the core-shell type, absorbed onto or into a matrix or a mixture thereof, preferably the encapsulated enzyme is of the core-shell type. A core-shell

particle is one comprising an outer shell that surrounds a core, wherein the enzyme is comprised within the core.

When in encapsulated form the enzymes are typically encapsulated in a polymeric material. Methods of encapsulation of the enzymes are for example, by spray-drying a liquid composition containing the enzyme(s) and the polymer(s), or by drying a liquid composition containing the enzyme and polymer, or by emulsion polymerisation, co-acervation, precipitation or interfacial polymerisation optionally in the presence of the enzyme, optionally followed by drying and/or size reduction processes. Suitable polymers for encapsulating enzymes include: polyvinyl alcohol, polyvinylpyrrolidone, carboxymethylcellulose, guar gum, polycarboxylic acid, methylcellulose, hydroxypropyl methylcellulose, proteins, polybranched polyamines, such as polyethyleneimines (PEI), (hydrophobically modified) polysaccharide modified cellulosic polymers, derivatives or co-polymers thereof and mixtures thereof. Examples of modified cellulosic polymers include hydroxypropyl methylcellulose phthalate, cellulose acetate phthalate. Examples of modified gums include modified guar gum, gum benzoin, gum tragacanth, gum arabic and gum acacia. Examples of modified proteins are modified casein, gelatin and albumin. Examples of modified polymers may be selected from copolymers of at least one hydrophobic vinylic monomer with a least one hydrophilic vinylic monomer. Suitable hydrophilic vinylic monomer is vinylpyrrolidone. Suitable hydrophobic vinylic monomer is C1-C18 alkyl acrylates, C1-C18 alkyl methacrylates, C3-C18 cycloalkyl acrylates, C3-C18 cycloalkyl methacrylates and vinyl C1-C18 alkanoates and mixtures thereof. The polymer may comprise a polymer selected from homo- and copolymers having a C-C-backbone, wherein the C-C-backbone carries carboxylgroups, which may be present in the acidic form or in the neutralized form, and wherein the C-C- backbone comprises at least 20 % by weight, e.g. from 20 to 98 % by weight, based on the total weight of the polymer (i.e. based on the total weight of repeating units in the polymer P), of hydrophobic repeating units. The polymer may comprise branching, for example branched copolymer matrix particles formed from vinyl pyrrolidone and vinyl acetate. The polymer may comprise a copolymers, for example as described in WO2010/003934, based on maleic acid or (meth) acrylic acid. The polymer may be cross-linked.

Preferred polymers have a molecular weight from 1000 to 500,000, or 2000 to 200000 Dalton weight average. Typically, the weight ratio of enzyme to polymer is from 1:50 to 10:1.

The polymer may be selected to be substantially soluble in an aqueous solution having an ionic strength of 0 mol/kg and insoluble in an aqueous solution having an ionic strength of more

than 1 mol/kg, for example in which the polymer comprises 35-95% w/w of hydrophilic monomer units, based on the total weight of the polymer.

Hydrophobically modified polyvinyl alcohol or hydrophobically modified polyvinyl pyrrolidone may be preferred, optionally with high levels of hydrolysis, greater than 60%, or
5 even greater than 80 or 90%. Suitable hydrophobic modifying groups include keto-ester and/or butyryl groups and mixtures thereof and preferably the total degree of substitution (DS) is between about 3% and 20%.

The lipase enzyme, when present in an additive particle may be the only enzyme in the additive particle or may be present in the additive particle in combination with one or more
10 additional enzymes.

Preferably, the shell material comprises a polymeric material, preferably selected from polyvinyl alcohol, polyvinylpyrrolidone, carboxymethylcellulose, guar gum, polycarboxylic acid, methylcellulose, hydroxypropyl methylcellulose, proteins, polybranched polyamines, such as polyethyleneimines (PEI), (hydrophobically modified) polysaccharide modified cellulosic
15 polymers, derivatives or co-polymers thereof and mixtures thereof.

Preferably, the laundry detergent composition, preferably liquid laundry detergent composition comprises between 0.0001% and 0.75%, preferably between 0.0005% and 0.5%, more preferably between 0.001% and 0.5% by weight of the laundry detergent preferably liquid laundry detergent composition of the free or encapsulated lipase enzyme. Herein we mean that for the encapsulated enzyme the weight percentage of the enzyme protein only excluding the weight percentage of any other materials such as the shell that may be present in the encapsulate and 'encapsulated enzyme' refers to the enzyme present in the encapsulate as opposed to any other enzyme that may be present in the laundry detergent composition.

Preferably, the laundry preferably liquid laundry detergent composition comprises a non-soap anionic surfactant, preferably wherein the non-soap anionic surfactant comprises linear alkylbenzene sulphonate, alkoxyated alkyl sulphate or a mixture thereof, more preferably a mixture thereof wherein the ratio of linear alkylbenzene sulphonate to alkoxyated alkyl sulphate
20 preferably the ratio of linear alkylbenzene sulphonate to ethoxylated alkyl sulphate is from 1:2 to 20:1, preferably from 1.1:1 to 15:1, more preferably from 1.2:1 to 10:1, even more preferably from 1.3:1 to 5:1, even more preferably from 1.4:1 to 3:1, most preferably from 1.4:1 to 2.5:1. Preferably the ethoxylated alkyl sulphate is an alkyl ethoxy sulphate comprising a mol average of 1 to 5, preferably 2 to 4, most preferably 3 ethylene oxide units per alkyl chain.

25 The laundry preferably liquid laundry detergent composition may comprise between 10% and 60%, preferably between 15% and 50% by weight of the laundry preferably liquid laundry

detergent composition of surfactant. In terms of the present invention, the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer of the present invention is not counted as a surfactant and as such does not contribute to the total level of surfactant. More preferably, the laundry preferably liquid laundry detergent composition comprises between 5% and 50%, preferably between 15% and 45%, more preferably between 25% and 40%, most preferably between 30% and 40% by weight of the detergent composition of the non-soap anionic surfactant.

5
10 Preferably, the laundry preferably liquid laundry detergent composition comprises less than 10% preferably less than 5%, preferably less than 3%, more preferably less than 2.5% by weight of the laundry detergent composition of a fatty alcohol ethoxylate non-ionic surfactant.

15 Preferably, the laundry preferably liquid laundry detergent composition comprises between 1.5% and 20%, more preferably between 2% and 15%, even more preferably between 3% and 10%, most preferably between 4% and 8% by weight of the laundry detergent composition of soap, preferably a fatty acid salt, more preferably an amine neutralized fatty acid salt, wherein preferably the amine is an alkanolamine more preferably selected from monoethanolamine, diethanolamine, triethanolamine or a mixture thereof, more preferably monoethanolamine.

20 The laundry, preferably liquid laundry detergent composition preferably comprises a non-aqueous solvent preferably selected from 1,2-propanediol, dipropylene glycol, tripropyleneglycol, glycerol, sorbitol or a mixture thereof. More preferably the liquid laundry detergent composition comprises between 10% and 40%, preferably between 15% and 30% by weight of the liquid laundry detergent composition of the non-aqueous solvent. Preferably, the weight ratio of non-aqueous solvent selected from 1,2-propanediol, dipropylene glycol, tripropyleneglycol, glycerol, sorbitol or a mixture thereof to the ethylene oxide-propylene oxide-ethylene oxide tri-block copolymer is between 1:1 and 10:1 more preferably between 2:1 and 5:1.

25
30 The laundry, preferably liquid laundry detergent composition preferably comprises an alkanolamine preferably selected from monoethanolamine, triethanolamine, and mixtures thereof, preferably monoethanolamine. The alkanolamine preferably is present between 5% and 15% by weight of the liquid laundry detergent composition.

Preferably, the laundry, preferably liquid laundry detergent composition comprises between 0.5% and 15%, preferably between 5% and 13% by weight of the liquid laundry detergent composition of water. Most preferably the liquid laundry detergent composition is enclosed in a water soluble film.

The laundry, preferably liquid laundry detergent composition may comprise a further enzyme. Preferably, the enzyme is selected from the group comprising hemicellulases, peroxidases, proteases, cellulases, xylanases, phospholipases, esterases, cutinases, pectinases, keratanases, reductases, oxidases, phenoloxidases, lipoxygenases, ligninases, pullulanases, 5 tannases, pentosanases, malanases, β -glucanases, arabinosidases, hyaluronidase, chondroitinase, laccase, and amylases, or mixtures thereof, preferably proteases, amylases, cellulases and mixtures thereof.

The laundry, preferably liquid laundry detergent composition may comprise a further polymer selected from the group comprising an alkoxylated polyethyleneimine, preferably an 10 ethoxylated polyethyleneimine, a cationically modified polysaccharide, preferably a cationically modified hydroxyethylcellulose, a carboxymethylcellulose, preferably a hydrophobically modified carboxymethylcellulose, a polyester terephthalate soil release polymer, preferably an anionic polyester terephthalate soil release polymer, and an amphiphilic graft soil release polymer, preferably a polyethylene glycol graft polymer comprising a polyethylene glycol 15 backbone and hydrophobic vinyl acetate side chains, or a mixture thereof. Preferably, the liquid laundry detergent composition comprises independently between 0.1% and 10%, preferably between 0.25% and 7%, more preferably between 0.5% and 5% by weight of the liquid laundry detergent composition of each of these polymers.

The laundry, preferably liquid laundry detergent composition may further comprise an 20 adjunct ingredient selected from builders, dye transfer inhibiting agents, dispersants, enzyme stabilizers, catalytic materials, bleach, bleach activators, polymeric dispersing agents, antiredeposition agents, suds suppressors, aesthetic dyes, opacifiers, perfumes, perfume delivery systems, structurants, hydrotropes, processing aids, pigments and mixtures thereof.

Preferably, the laundry, preferably liquid laundry detergent composition has a pH 25 between 6 and 10, more preferably between 6.5 and 8.9, most preferably between 7 and 8. The pH of the liquid laundry detergent composition may be measured as a 10% dilution in demineralized water at 20°C.

When liquid, the liquid detergent composition preferably has a viscosity of between 100 and 1000 cPa.s, measured at a shear rate of 20/s at 20 °C on a TA instruments AR-G2 or 30 AR2000 using a 40mm plate geometry and a 500 micron gap size.

Without wishing to be bound by theory, low viscosity allows higher manufacturing line speed, however, there is an increased risk of ‘splashing’ and ‘stringing’ in which liquid detergent accidentally contaminates the seal area and so results in seal defects. Such seal defects affects the structural integrity of the unit dose article. Increasing the viscosity avoids the issues of seal

contamination but reduces manufacturing line speed. The preferred viscosity of the present invention allows for efficient manufacture line speed whilst minimizing seal contamination.

Method of washing

A further aspect of the present invention is a method of washing comprising the steps of adding the laundry composition, preferably liquid laundry composition, more preferably a laundry composition enclosed in a water-soluble unit dose article according to the present invention to sufficient water to dilute the laundry detergent composition by a factor of at least 300 fold to create a wash liquor and contacting fabrics to be washed with said wash liquor.

Without wishing to be bound by theory, when the laundry composition is added to water, the laundry detergent composition disperses in the water to create the wash liquor.

Preferably the wash liquor may comprise between 1L and 64L, preferably between 2L and 32L, more preferably between 3L and 20L of water.

Preferably, the wash liquor is at a temperature of between 5°C and 90°C, preferably between 10°C and 60°C, more preferably between 12°C and 45°C, most preferably between 15°C and 40°C.

Preferably, washing the fabrics in the wash liquor takes between 5 minutes and 50 minutes, preferably between 5 minutes and 40 minutes, more preferably between 5 minutes and 30 minutes, even more preferably between 5 minutes and 20 minutes, most preferably between 6 minutes and 18 minutes to complete.

Preferably, the wash liquor comprises between 1kg and 20 kg, preferably between 3kg and 15kg, most preferably between 5 and 10 kg of fabrics.

The wash liquor may comprise water of any hardness preferably varying between 0 gpg to 40gpg.

Use

A further aspect of the present invention is the use of an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and a lipase in a laundry detergent composition to improve the grease cleaning performance of the laundry detergent composition according to the present invention. Most preferably the copolymer has a molecular weight between 2500 and 3000, a propylene oxide content between 25 and 35 propylene oxide units, and an ethylene oxide content of between 10 and 15 ethylene oxide units per ethylene oxide block.

The dimensions and values disclosed herein are not to be understood as being strictly limited to the exact numerical values recited. Instead, unless otherwise specified, each such dimension is intended to mean both the recited value and a functionally equivalent range surrounding that value. For example, a dimension disclosed as “40 mm” is intended to mean “about 40 mm.”

EXAMPLES

Example 1

The grease cleaning performance of a laundry detergent composition comprising an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and a lipase according to the invention (Inventive composition A) has been compared with the grease cleaning performance of compositions outside the scope of the invention, single variably lacking the lipase (Comparative Composition A), the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer (Comparative Composition B) or both of them (Comparative Composition C).

Test compositions :

100% wt active	Inventive Composition A	Comparative Composition A	Comparative Composition B	Comparative Composition C
Water	As Comparative Composition C	As Comparative Composition C	As Comparative Composition C	9.8
1,2-Propanediol				12.22
DiPropyleneGlycol				4.1
Glycerine				4.1
Sorbitol				0.06
HLAS				23.2
C24 HAE3S				15.9
Nonionic alcohol ethoxylate (C24EO7/C24EO9)				3.1 / 0.9
Lutensol XL100				0.5
Citric Acid				0.9

TC Fatty Acid				6.4
Na DTPA chelant				0.9
Ethoxylated polyethyleneimine (PEI600EO20)*				3.5
Amphiphilic graft polymer**				2.2
(EO-PO-EO) triblock copolymer (Selected from table below)	+14.8ppm active through the wash	+14.8ppm active through the wash	-	-
Lipase (Lipex 100L)	+0.2ppm active enzyme through the wash	-	+0.2ppm active enzyme through the wash	-
Sodium Formate (HCOONa)	As Comparative Composition C	As Comparative Composition C	As Comparative Composition C	0.15
Na Sulfite (NaHSO3)				0.4
Hydrogenated Castor Oil				0.09
Brightener 49				0.2
Monoethanolamine (MEA)				8.6
Minors (enzymes, anti-foam, perfume, preservative, dye)				Balance to 100%

*ethoxylated polyethyleneimine having an average degree of ethoxylation of 20 per EO chain and a polyethyleneimine backbone with MW of about 600

**polyethylene glycol graft polymer comprising a polyethylene glycol backbone (Pluriol E6000)

5 and hydrophobic vinyl acetate side chains, comprising 40% by weight of the polymer system of a

polyethylene glycol backbone polymer and 60% by weight of the polymer system of the grafted vinyl acetate side chains

(EO-PO-EO) triblock copolymers according to the invention

<u>Tradename</u>	<u>Type</u>
Pluronic F127	EO50PO56EO50
Pluronic L4300	EO6PO21EO6
Pluronic L6400	EO13PO30EO13

5

Test methods:

Wash test : The grease cleaning performance of the different test samples has been assessed using a tergotometer. A Copley Tergotometer Detergent Tester or alike would be suitable. A set of stained fabrics were prepared by homogeneously distributing 200uL of lard over 5 x 5cm knitted cotton swatches (all supplied by Warwick Equest, Consett, County Durham, UK). Enough lard stains were prepared to conduct a wash experiment containing 2 internal repetitions and 4 external repetitions of the lard stain for each product treatment tested. Prior to washing, the L*a*b* colour values of the unstained fabric background and each stained fabric were measured (D65 light source, instrument model : DigiEye, supplier : VeriVide). 1L of tap water (~8 US gpg water hardness and 27°C) was then added to each tergotometer pot (internal volume ca 1L) along with 0.74g of Comparative C composition and further addition of the (EO-PO-EO) triblock copolymer and lipase for each of the test treatments at the dosages shown in the table above. Each of the product treatments was run in parallel across 8 tergotometer pots. The tergotometer was set to 208rpm for 1 minute to dissolve each of the treatments, after the dissolution stage 2 lard stained test fabrics as well as clean knitted cotton ballast (5x5cm) were added to give a total load weight of 60g per tergotometer pot/treatment. The tergotometers were then set to agitate for 20 minutes at 208rpm before being rinsed for 5 mins in 1L clean tap water (~8 US gpg water hardness and 15°C) at an agitation speed of 167rpm. This procedure was repeated a further 3 times to give a total of 8 replicates (2 internal and 4 external) of each lard stain for each treatment. The fabrics were then line dried in the lab for 24 hours. Once fabrics were dry, the L*a*b* colour values were re-measured and the % stain removal (Stain removal Index – SRI) calculated using the formula below, the data reported is the average stain removal index across the 8 replicates tested:

30

$$SRI = 100 \times (AB - AC) / AB$$

Where:

A = Initial unwashed and unstained fabric background

B = Initial unwashed fabric stained region

5 C = Washed fabric stained region

The letter pairs in the above SRI calculation refer to the Delta E's between the colours of the two different regions of the fabric.

For example:

$$AB = \Delta E = \sqrt{((L^*_A - L^*_B)^2 + (a^*_A - a^*_B)^2 + (b^*_A - b^*_B)^2)}$$

10

Test results:

Grease cleaning:

A synergistic grease cleaning performance is observed for the compositions comprising both the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and the lipase according to the invention (Inventive Compositions A) compared to Comparative Compositions A, B and C lacking the combined lipase - ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer. The synergy is observed for a range of ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymers according to the invention.

15

Grease cleaning	Pluronic F127	Pluronic L4300	Pluronic L6400
Inventive composition A	57	61	53
Comparative Composition A	43	46	49
Comparative Composition B	47	47	47
Comparative Composition C	45	45	45

20

Example 2

FIG.1 discloses a water-soluble unit dose article (1) according to the present invention. The water-soluble unit dose article (1) comprises a first water-soluble film (2) and a second water-soluble film (3) which are sealed together at a seal region (4). The laundry detergent composition according to the invention (5) is comprised within the water-soluble soluble unit dose article (1).

CLAIMS

What is claimed is:

1. A laundry detergent composition, comprising a lipase and an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer, wherein the copolymer comprises a first EO block, a second EO block and a PO block wherein the first EO block and the second EO block are linked to the PO block
wherein the laundry detergent composition comprises between 0.0001% and 0.75%, by weight of the laundry detergent composition of the lipase, based on active protein.
2. The laundry detergent composition according to claim 1 wherein the lipase is selected from a lipase which is a polypeptide having an amino acid sequence which:
 - 5 (a) has at least 90% identity with the wild-type lipase derived from *Humicola lanuginosa* strain DSM 4109; or
 - (b) compared to said wild-type lipase, comprises a substitution of an electrically neutral or negatively charged amino acid at the surface of the three-dimensional structure within 15A of E1 or Q249 with a positively charged amino acid;
 - 10 or a mixture of (a) and (b);
 - preferably wherein (a) or (b) or a mixture thereof comprises;
 - 15 (c) a peptide addition at the C-terminal; or
 - (d) a peptide addition at the N-terminal;
 - (e): i) a negative amino acid in position E210 of said wild-type lipase; ii) a negatively charged amino acid in the region corresponding to positions 90-101 of said wild-type lipase; and iii) comprises a neutral or negative amino acid at a position corresponding to 20 N94 or said wild-type lipase and/or has a negative or neutral net electric charge in the region corresponding to positions 90-101 of said wild-type lipase;
 - (f) or a mixture thereof.
3. The laundry detergent composition according to any preceding claims comprising between 0.0005% and 0.5%, more preferably between 0.001% and 0.5% by weight of the laundry detergent composition of the lipase, based on active protein.

4. The laundry detergent composition according to preceding claims comprising between 1% and 10%, preferably between 2% and 8% by weight of the composition of the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer.
5. The laundry detergent composition according to any preceding claims, wherein the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer has an average propylene oxide chain length of between 15 and 70, preferably between 20 and 60, more preferably between 25 and 50, even more preferably between 25 and 40, most preferably between 25 and 35 propylene oxide units.
10. The laundry detergent composition according to any preceding claims wherein the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer has an average molecular weight of between 1000 and 10,000, preferably between 1500 and 5000 more preferably between 2000 and 4500, even more preferably between 2500 and 4000, most preferably between 2500 and 3000.
15. The laundry detergent composition according to any preceding claims where each ethylene oxide chain independently has an average chain length of between 2 and 90, preferably between 3 and 50 more preferably between 4 and 20, even more preferably between 5 and 15, most preferably between 10 and 15 ethylene oxide units.
20. The laundry detergent composition according to any preceding claims wherein the copolymer comprises on average between 10% and 90%, preferably between 20% and 70%, most preferably between 30% and 50% by weight of the copolymer of the combined ethylene-oxide blocks, more preferably the total ethylene oxide content is split over the two ethylene oxide blocks such that each ethylene oxide block comprises on average between 40% and 60% preferably between 45% and 55%, even more preferably 25. between 48% and 52%, most preferably 50% of the total number of ethylene oxide units, wherein the percentage of both ethylene oxide blocks together accounts for 100% of the ethylene oxide units present
30. The laundry detergent composition according to any preceding claims, wherein the copolymer has an average molecular weight between 2500 and 3000, an average

propylene oxide content between 25 and 35 propylene oxide units, and an average ethylene oxide content of between 10 and 15 ethylene oxide units per ethylene oxide block.

- 5 10. The laundry detergent composition according to any preceding claims comprising between 10% and 60%, preferably between 15% and 50% by weight of the laundry detergent composition of surfactant, excluding the ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer, preferably wherein the laundry detergent composition is a liquid laundry detergent composition, preferably wherein;
- 10 a. the liquid laundry detergent composition comprises between 5% and 50%, preferably between 15% and 40%, more preferably between 25% and 40%, most preferably between 30% and 40% by weight of the detergent composition of a non-soap anionic surfactant,
- b. or wherein the liquid laundry detergent composition comprises less than 10%,
15 preferably less than 5%, more preferably less than 3%, even more preferably less than 2.5% by weight of the laundry detergent composition of a fatty alcohol ethoxylate non-ionic surfactant,
- c. or a mixture thereof.
- 20 11. The laundry detergent composition according to any preceding claims wherein the laundry detergent composition comprises a non-soap anionic surfactant, preferably wherein the non-soap anionic surfactant comprises linear alkylbenzene sulphonate, alkoxyated alkyl sulphate or a mixture thereof, more preferably a mixture thereof wherein the ratio of linear alkylbenzene sulphonate to alkoxyated alkyl sulphate
25 preferably the ratio of linear alkylbenzene sulphonate to ethoxylated alkyl sulphate is from 1:2 to 20:1, preferably from 1.1:1 to 15:1, more preferably from 1.2:1 to 10:1, even more preferably from 1.3:1 to 5:1, even more preferably from 1.4:1 to 3:1, most preferably from 1.4:1 to 2.5:1.
- 30 12. The laundry detergent composition according to any preceding claims, wherein the laundry detergent compositions is a liquid laundry detergent composition and wherein the liquid laundry detergent composition comprises a non-aqueous solvent selected from 1,2-propanediol, dipropylene glycol, tripropyleneglycol, glycerol, sorbitol, or a mixture thereof, preferably wherein the liquid laundry detergent composition comprises between


10% and 40%, preferably between 15% and 30% by weight of the liquid laundry detergent composition of the non-aqueous solvent, preferably wherein the weight ratio of the non-aqueous solvent selected from 1,2-propanediol, dipropylene glycol, tripropyleneglycol, glycerol, sorbitol, or a mixture thereof to the copolymer is between
5 1:1 and 10:1, preferably between 2:1 and 5:1.

13. The laundry detergent composition according to any preceding claims wherein the laundry detergent composition is a liquid laundry detergent composition, wherein the liquid laundry detergent composition comprises between 0.5% and 15%, preferably
10 between 5% and 13% by weight of the liquid laundry detergent composition of water.

14. The laundry detergent composition according to any preceding claims wherein the laundry detergent composition is enclosed in a water soluble film to form a water soluble unit dose article, preferably wherein the water-soluble film comprises polyvinyl alcohol,
15 preferably wherein the water-soluble film comprises polyvinyl alcohol polymer or copolymer, preferably a blend of polyvinylalcohol polymers and/or polyvinylalcohol copolymers, more preferably selected from sulphonated and carboxylated anionic polyvinylalcohol copolymers especially carboxylated anionic polyvinylalcohol copolymers, most preferably a blend of a polyvinylalcohol homopolymer and a
20 carboxylated anionic polyvinylalcohol copolymer. You can insert claim 16 in claim 15 to save a claim.

15. Use of an ethylene oxide-propylene oxide-ethylene oxide (EO/PO/EO) triblock copolymer and a lipase to improve the grease cleaning performance of a laundry detergent composition according to any preceding claims.

FIG. 1.



INTERNATIONAL SEARCH REPORT

International application No
PCT/US2019/039205

A. CLASSIFICATION OF SUBJECT MATTER
 INV. C11D1/722 C11D3/37 C11D3/386 C11D17/04
 ADD.
 According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED
 Minimum documentation searched (classification system followed by classification symbols)
 C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
 EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 2006/020010 A1 (PROCTER & GAMBLE) 23 February 2006 (2006-02-23) example E; table 1	1-15
A	WO 2017/036901 A1 (UNILEVER) 9 March 2017 (2017-03-09) page 18, line 19 - line 26; claim 2	1-15
A	EP 1 726 636 A1 (PROCTER & GAMBLE) 29 November 2006 (2006-11-29) paragraphs [0001], [0061]; claim 1	1-15

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

21 October 2019

Date of mailing of the international search report

30/10/2019

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040,
 Fax: (+31-70) 340-3016

Authorized officer

Culmann, J

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2019/039205

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 2006020010	A1	23-02-2006	CA 2573692 A1 23-02-2006
			CN 1989232 A 27-06-2007
			EP 1771536 A1 11-04-2007
			JP 2008507611 A 13-03-2008
			US 2006019851 A1 26-01-2006
			WO 2006020010 A1 23-02-2006

WO 2017036901	A1	09-03-2017	AR 105803 A1 08-11-2017
			AR 105805 A1 08-11-2017
			BR 112018003918 A2 25-09-2018
			BR 112018003921 A2 25-09-2018
			CN 107922889 A 17-04-2018
			CN 108473915 A 31-08-2018
			EP 3341458 A1 04-07-2018
			EP 3341459 A1 04-07-2018
			US 2018237729 A1 23-08-2018
			US 2018245024 A1 30-08-2018
			WO 2017036901 A1 09-03-2017
			WO 2017036902 A1 09-03-2017
			ZA 201800834 B 31-07-2019
			ZA 201800843 B 31-07-2019

EP 1726636	A1	29-11-2006	NONE
