

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
22 November 2007 (22.11.2007)

PCT

(10) International Publication Number
WO 2007/133769 A2

(51) International Patent Classification:
A61Q 19/00 (2006.01) *A61K 8/91* (2006.01)
A61K 8/06 (2006.01)

(21) International Application Number:
PCT/US2007/011617

(22) International Filing Date: 15 May 2007 (15.05.2007)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/800,554 15 May 2006 (15.05.2006) US
60/812,791 12 June 2006 (12.06.2006) US
11/607,220 1 December 2006 (01.12.2006) US

(71) Applicant (for all designated States except US): **THE PROCTER & GAMBLE COMPANY** [US/US]; One Procter & Gamble Plaza, Cincinnati, Ohio 45202 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SUGINAKA, Yasuko** [JP/JP]; Ohhara-cho, 2-6-504, Ashiya, Hyogo 659-0092 (JP). **TANAKA, Hidekazu** [JP/JP]; 11-71 Ueonoishi 2-chome, Toyonaka, Osaka 560-0011 (JP). **YOSHIMI, Naohisa** [JP/JP]; 4-10-3-1101 Nishinomiya-hama, Nishinomiya, Hyogo 662-0934 (JP).

(74) Common Representative: **THE PROCTER & GAMBLE COMPANY**; c/o Eileen L. Hughett, The Procter & Gamble Company, Winton Hill Business Center, 6250 Center Hill Avenue, Cincinnati, Ohio 45224 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: WATER IN OIL EMULSION COMPOSITIONS CONTAINING SUNSCREEN ACTIVES AND SILOXANE ELASTOMERS

(57) Abstract: The present invention relates to water in oil emulsion compositions suitable for use as sunscreen comprising: from about 0.1% to about 15% of an emulsifying crosslinked siloxane elastomer; from about 1% to about 40% of a solvent for the emulsifying crosslinked siloxane elastomer; from about 0.01% to about 5% of an additional emulsifier; from about 50% to about 99% of aqueous phase; and from about 0.01% to about 30% of a sunscreen active; wherein when shear stress is applied to the composition during spreading on skin, aqueous phase is released from the emulsion.



WO 2007/133769 A2

WATER IN OIL EMULSION COMPOSITIONS CONTAINING SUNSCREEN ACTIVES AND SILOXANE ELASTOMERS

FIELD OF THE INVENTION

The present invention relates to water in oil emulsion type skin care compositions containing sunscreen actives, emulsifying siloxane elastomers and optionally, non-emulsifying siloxane elastomers. Such compositions are useful for providing protection to the skin against sun damage and for delivering other skin care actives in products with consumer acceptable aesthetics. In particular, the amount and rate of aqueous phase released from the compositions upon spreading application to the skin can provide consumer acceptable aesthetics and non-greasy skin feel.

BACKGROUND

Many personal care products currently available to consumers are directed primarily to improving the health and/or physical appearance of the skin and/or hair. Among the skin care products, many are directed to hydration, whitening, oil control, delaying, minimizing or even eliminating skin wrinkling and other histological changes typically associated with the aging of skin or environmental damage to human skin. Numerous compounds have been described in the art as being useful for regulating skin conditions such as those listed above.

Skin is subject to insults by many extrinsic and intrinsic factors. Extrinsic factors include ultraviolet radiation (e.g., from sun exposure), environmental pollution, wind, heat, low humidity, harsh surfactants, abrasives, and the like. Intrinsic factors include chronological aging and other biochemical changes from within the skin. While delivery of specific skin care actives or compounds that can help to condition of skin and/or alleviate the damage caused by such insults is of course important, consumer acceptance of the sensory and aesthetic aspects of a particular skin care composition is also important. For example, as the level of commonly incorporated moisturizing agents such as glycerin increases, greasy skin feel also increased. Many consumers dislike heavy, oily or greasy feeling compositions and prefer compositions that can provide smooth spreadability and water-like, fresh skin feel, with silky after-feel. Many previously available sunscreen compositions have been known to be particularly greasy or sticky, and it remains desirable to formulate sunscreen-containing compositions with consumer acceptable aesthetics.

Previous skin care and cosmetic compositions incorporating silicone elastomers have been described, e.g., WO 02/03930, WO 02/03950; WO 02/03951; WO 02/03952; EP 1 166 746 A1; EP 1 068 851 A1; Japanese Laid Open Publication No. 2003-081757; and Japanese Laid Open Publication No. 2003-55141. US 6,024,944 describes the use of water-soluble and liposoluble sunscreen agents with non-emulsifying elastomeric organopolysiloxanes. Among these disclosures, compositions said to provide the impression of freshness and "splash" of the aqueous ingredients upon rubbing are described. However, such previous disclosures have shown compositions containing only silicone emulsifiers, or compositions using different silicone elastomer systems. Similarly, it is believed that previously disclosed compositions have not provided the level of aqueous content and release from the emulsion that the compositions of the present invention provide.

Based on the foregoing, there is a continuing need to formulate skin care compositions that can provide improved delivery of skin care actives, in particular sunscreen actives, while also providing sensory and aesthetic benefits, especially as related to non-greasy, fresh feeling and aqueous phase release. None of the existing art provides all of the advantages and benefits of the present invention.

SUMMARY

The present invention relates to water in oil emulsion compositions suitable for use as sunscreen comprising: from about 0.1% to about 15% of an emulsifying crosslinked siloxane elastomer; from about 1% to about 40% of a solvent for the emulsifying crosslinked siloxane elastomer; from about 0.01% to about 5% of an additional emulsifier; from about 50% to about 99% of aqueous phase; and from about 0.01% to about 30% of a sunscreen active; wherein when shear stress is applied to the composition during spreading on skin, aqueous phase is released from the emulsion.

The present invention also relates to methods of using such compositions to regulate the condition of mammalian skin, including method of protecting the skin from sun damage. Said methods generally contain the step of topically applying a safe and effective amount of the composition to the skin of a mammal needing such treatment.

These and other features, aspects, and advantages of the present invention will become evident to those skilled in the art from a reading of the present disclosure.

DETAILED DESCRIPTION

While the specification concludes with the claims particularly pointing and distinctly claiming the invention, it is believed that the present invention will be better understood from the following description.

5 All percentages and ratios used herein are by weight of the total composition and all measurements made are at 25°C, unless otherwise designated.

As used herein, the "skin care products" are those used to treat or care for, or somehow moisturize, improve, or clean the skin. Products contemplated by the phrase "skin care products" include, but are not limited to moisturizers, personal cleansing products, occlusive drug delivery patches, nail polish, powders, wipes, hair conditioners, skin treatment emulsions, shaving creams and the like.

The term "ambient conditions" as used herein refers to surrounding conditions under about one atmosphere of pressure, at about 50% relative humidity, and at about 25°C unless otherwise specified.

15 The compositions of the present invention can include, consist essentially of, or consist of, the components of the present invention as well as other ingredients described herein. As used herein, "consisting essentially of" means that the composition or component may include additional ingredients, but only if the additional ingredients do not materially alter the basic and novel characteristics of the claimed compositions or methods.

20 All percentages, parts and ratios are based upon the total weight of the skin care compositions of the present invention, unless otherwise specified. All such weights as they pertain to listed ingredients are based on the active level and, therefore, do not include carriers or by-products that may be included in commercially available materials, unless otherwise specified.

25 All publications cited herein are hereby incorporated by reference in their entirety.

The term "keratinous tissue," as used herein, refers to keratin-containing layers disposed as the outermost protective covering of mammals (e.g., humans, dogs, cats, etc.) which includes, but is not limited to, skin, lips, hair, toenails, fingernails, cuticles, hooves, etc.

30 The term "dermatologically-acceptable," as used herein, means that the compositions or components thereof so described are suitable for use in contact with mammalian keratinous tissue without undue toxicity, incompatibility, instability, allergic response, and the like.

The term "safe and effective amount" as used herein means an amount of a compound or composition sufficient to significantly induce a positive benefit, preferably a positive keratinous tissue appearance or feel benefit, or positive hair appearance or feel benefit, including

independently or in combinations the benefits disclosed herein, but low enough to avoid serious side effects, i.e., to provide a reasonable benefit to risk ratio, within the scope of sound judgment of the skilled artisan.

5 The terms "smoothing" and "softening" as used herein mean altering the surface of the keratinous tissue such that its tactile feel is improved.

It is desirable to have one or more skin care actives at high levels for skin care benefits such as regulating the condition of skin. However, when high levels of skin care actives are used in traditional skin care products, there is a downside. For example, residue caused by "salting out" of niacinamide produces an undesirable whitening effect on the skin. Likewise, high levels
10 of skin conditioning agents such as glycerin produces a greasy, sticky feeling on the skin.

Silicone elastomers are known in the art as useful components in skin care compositions. Such silicone elastomers have been used to reduce the tackiness/stickiness associated with skin conditioning agents, including glycerin, see e.g., The use of silicone emulsifiers, e.g., as described in EP 1 068 851 A1, has also been said to provide compositions that contain as much as 91%
15 aqueous phase. However, it has been found that the water in oil emulsion compositions of the present invention comprising emulsified siloxane elastomers, and optionally also comprising non-emulsified siloxane elastomers, can provide sunscreen protection benefits in skin care compositions that contain an aqueous phase which, upon release from the emulsion when applied by spreading onto the skin, provide even better sensory benefits than heretofor believed possible.
20 In addition, the rate of aqueous phase release from the emulsions of the present invention can be controlled to provide the desired consumer aesthetic and sensory benefits. In addition, increased levels of skin conditioning agents such as glycerin can be incorporated into the compositions of the present invention, without causing the compositions to feel greasy or sticky when spread upon the skin.

25 The compositions of the present invention are also useful for regulating the condition of skin and especially for providing protection from sun damage, preferably while also regulating keratinous tissue condition. Regulation of skin condition, namely mammalian and in particular human skin condition, is often required due to conditions which may be induced or caused by factors internal and/or external to the body. Examples include environmental damage, radiation
30 exposure (including ultraviolet radiation), chronological aging, menopausal status (e.g., post-menopausal changes in skin), stress, diseases, etc. For instance, "regulating skin condition" includes prophylactically regulating and/or therapeutically regulating skin condition, and may involve one or more of the following benefits: thickening of skin (i.e., building the epidermis and/or dermis and/or sub-dermal (e.g., subcutaneous fat or muscle) layers of the skin and where

applicable the keratinous layers of the nail and hair shaft) to reduce skin atrophy, increasing the convolution of the dermal-epidermal border (also known as the rete ridges), preventing loss of skin elasticity (loss, damage and/or inactivation of functional skin elastin) such as elastosis, sagging, loss of skin recoil from deformation; non-melanin skin discoloration such as under eye circles, blotching (e.g., uneven red coloration due to, e.g., rosacea) (hereinafter referred to as "red blotchiness"), sallowness (pale color), discoloration caused by telangiectasia or spider vessels.

The compositions of the present invention provide additional benefits, including stability, absence of significant (consumer-unacceptable) skin irritation and good aesthetics.

The compositions of the present invention contain an emulsifying crosslinked siloxane elastomer; a solvent for the non-emulsifying and emulsifying crosslinked siloxane elastomers; an additional emulsifier; a sunscreen active, and an aqueous phase, and may optionally further contain a non-emulsifying crosslinked siloxane elastomer;. The compositions also preferably contain one or more skin care actives.

The compositions herein may also include a wide variety of other ingredients. The compositions of the present invention are described in detail hereinafter.

Crosslinked Siloxane Elastomers

An essential component of the present invention is a crosslinked organopolysiloxane elastomer. No specific restriction exists as to the type of curable organopolysiloxane composition that can serve as starting material for the crosslinked organopolysiloxane elastomer. Examples in this respect are addition reaction-curing organopolysiloxane compositions which cure under platinum metal catalysis by the addition reaction between SiH-containing diorganopolysiloxane and organopolysiloxane having silicon-bonded vinyl groups; condensation-curing organopolysiloxane compositions which cure in the presence of an organotin compound by a dehydrogenation reaction between hydroxyl-terminated diorganopolysiloxane and SiH-containing diorganopolysiloxane; condensation-curing organopolysiloxane compositions which cure in the presence of an organotin compound or a titanate ester, by a condensation reaction between an hydroxyl-terminated diorganopolysiloxane and a hydrolyzable organosilane (this condensation reaction is exemplified by dehydration, alcohol-liberating, oxime-liberating, amine-liberating, amide-liberating, carboxyl-liberating, and ketone-liberating reactions); peroxide-curing organopolysiloxane compositions which thermally cure in the presence of an organoperoxide catalyst; and organopolysiloxane compositions which are cured by high-energy radiation, such as by gamma-rays, ultraviolet radiation, or electron beams.

Addition reaction-curing organopolysiloxane compositions are preferred for their rapid curing rates and excellent uniformity of curing. A particularly preferred addition reaction-curing organopolysiloxane composition is prepared from:

- (A) an organopolysiloxane having at least 2 lower alkenyl groups in each molecule;
- 5 (B) an organopolysiloxane having at least 2 silicon-bonded hydrogen atoms in each molecule; and
- (C) a platinum-type catalyst.

With regard to the above, component (A) is the basic component of the siloxane elastomer-generating organopolysiloxane, and curing proceeds by the addition reaction of this component with component (B) under catalysis by component (C). This component (A) must contain at least 2 silicon-bonded lower alkenyl groups in each molecule; an excellent cured product will not be obtained at few than two lower alkenyl groups because a network structure will not be formed. Said lower alkenyl groups are exemplified by vinyl, allyl, and propenyl. While the lower alkenyl groups can be present at any position in the molecular, their presence at the molecular terminals is preferred. The molecular structure of this component may be straight chain, branched straight chain, cyclic, or network, but a straight chain, possibly slightly branched, is preferred. The molecular weight of the component is not specifically restricted, and thus the viscosity may range from low viscosity liquids to very high viscosity gums. In order for the cured product to be obtained in the form of the rubbery elastomer, it is preferred that the viscosity at 25 degrees Centigrade be at least 100 centistokes. These organopolysiloxanes are exemplified by methylvinylsiloxanes, methylvinylsiloxane-dimethylsiloxane copolymers, dimethylvinylsiloxyl-terminated dimethylpolysiloxanes, dimethylvinylsiloxyl-terminated dimethylsiloxane-methylphenylsiloxane copolymers, dimethylvinylsiloxyl-terminated dimethylsiloxane-diphenylsiloxane-methylvinylsiloxane copolymers, trimethylsiloxyl-terminated dimethylsiloxane-methylvinylsiloxane copolymers, trimethylsiloxyl-terminated dimethylsiloxane-methylphenylsiloxane-methylvinylsiloxane copolymers, dimethylvinylsiloxyl-terminated methyl(3,3,3-trifluoropropyl) polysiloxanes, and dimethylvinylsiloxyl-terminated dimethylsiloxane-methyl(3,3,3-trifluoropropyl)siloxane copolymers.

Component (B) is an organopolysiloxane having at least 2 silicon-bonded hydrogen atoms in each molecule and is a crosslinker for component (A). Curing proceeds by the addition reaction of the silicon-bonded hydrogen atoms in this component with the lower alkenyl groups in component (A) under catalysis by component (C). This component (B) must contain at least 2 silicon-bonded hydrogen atoms in each molecule in order to function as a crosslinker. Furthermore, the sum of the number of alkenyl groups in each molecule of component (A) and

the number of silicon-bonded hydrogen atoms in each molecule of component (B) is to be at least 5. Values below 5 should be avoided because a network structure is then essentially not formed.

No specific restriction exists on the molecular structure of this component, and it may be any of straight chain, branch-containing straight chain, cyclic, etc. The molecular weight of this component is not specifically restricted, but it is preferred that the viscosity at 25 degrees Centigrade be 1 to 50,000 centistokes in order to obtain good miscibility with component (A). It is preferred that this component be added in a quantity such that the molar ratio between the total quantity of silicon-bonded hydrogen atoms in the instant component and the total quantity of all lower alkenyl groups in component (A) falls within the range of (1.5:1) to (20:1). It is difficult to obtain good curing properties when this molar ratio falls below 0.5:1. When (20:1) is exceeded, there is a tendency for the hardness to increase to high levels when the cured product is heated. Furthermore, when an organosiloxane containing substantial alkenyl is supplementarily added for the purpose of, for example, reinforcement, it is preferred that a supplemental addition of the instant SiH-containing component be made in a quantity offsetting these alkenyl groups. This component is concretely exemplified by trimethylsiloxy-terminated methylhydrogenpolysiloxanes, trimethylsiloxy-terminated dimethylsiloxane-methylhydrogensiloxane copolymers, and dimethylsiloxane-methylhydrogen-siloxane cyclic copolymers.

Component (C) is a catalyst of the addition reaction of silicon-bonded hydrogen atoms and alkenyl groups, and is concretely exemplified by chloroplatinic acid, possibly dissolved in an alcohol or ketone and this solution optionally aged, chloroplatinic acid-olefin complexes, chloroplatinic acid-alkenylsiloxane complexes, chloroplatinic acid-diketone complexes, platinum black, and carrier-supported platinum.

This component is added preferably at 0.1 to 1,000 weight parts, and more preferably at 1 to 100 weight parts, as platinum-type metal proper per 1,000,000 weight parts of the total quantity of components (A) plus (B). Other organic groups which may be bonded to silicon in the organopolysiloxane forming the basis for the above-described curable organopolysiloxane compositions are, for example, alkyl groups such as methyl, ethyl, propyl, butyl, and octyl; substituted alkyl groups such as 2-phenylethyl, 2-phenylpropyl, and 3,3,3-trifluoropropyl; aryl groups such as phenyl, tolyl, and xylyl; substituted aryl groups such as phenylethyl; and monovalent hydrocarbon groups substituted by, for example, the epoxy group, the carboxylate ester group, the mercapto group, etc.

The compositions of the present invention comprise an emulsifying crosslinked organopolysiloxane elastomer and may further comprise a non-emulsifying crosslinked

organopolysiloxane elastomer. The term "emulsifying," as used herein, means crosslinked organopolysiloxane elastomer having at least one polyoxyalkylene (e.g., polyoxyethylene or polyoxypropylene) unit or polyglycerin unit. The term "non-emulsifying," as used herein, defines crosslinked organopolysiloxane elastomer from which polyoxyalkylene units or polyglycerin units are absent.

Particularly useful emulsifying elastomers are polyoxyalkylene-modified elastomers formed from divinyl compounds, particularly siloxane polymers with at least two free vinyl groups, reacting with Si-H linkages on a polysiloxane backbone. Preferably, the elastomers are dimethyl polysiloxanes crosslinked by Si-H sites on a molecularly spherical MQ resin.

Non-limiting examples of preferred emulsifying crosslinked organopolysiloxane elastomers are lauryl dimethicone or dimethicone crosspolymers supplied by Shin Etsu (e.g., KSG-21, KSG-210, KSG-310, KSG-320, KSG-710 and KSG-810). More preferred are lauryl dimethicone crosspolymers such as KSG 310, 320 and 330 (PEG-15/lauryl dimethicone cross polymer) and KSG 810 (lauryl dimethicone/polyglycerin-3 crosspolymer).

The emulsifying crosslinked organopolysiloxane elastomer is present in the compositions of the present invention at concentrations of from about 0.1% to about 15%, preferably from about 0.2% to about 5%, most preferably from about 0.2% to about 2% by weight.

The non-emulsifying cross-linked organopolysiloxane elastomers of the present invention, when present, are preferably further processed by subjecting them to a high shear (approximately 5,000 psi) treatment in the presence of a solvent for the siloxane elastomer via a Sonolator with or without recycling in 10 to 60 passes. Non-limiting examples of preferred non-emulsifying crosslinked organopolysiloxane elastomers are KSG 41, KSG-42, KSG-43 and KSG-44, available from ShinEtsu.

The non-emulsifying crosslinked organopolysiloxane elastomer when present, is present in the compositions of the present invention at concentrations of from about 0.1% to about 15%, preferably from about 0.1 to about 5%, most preferably from about 0.1% to about 2% by weight.

Other suitable organopolysiloxane elastomer powders include vinyl dimethicone/methicone silesquioxane crosspolymers like Shin-Etsu's KSP-100, KSP-101, KSP-102, KSP-103, KSP-104, KSP-105, hybrid silicone powders that contain a fluoroalkyl group like Shin-Etsu's KSP-200, and hybrid silicone powders that contain a phenyl group such as Shin-Etsu's KSP-300; and Dow Corning's DC 9506.

Preferred organopolysiloxane compositions are dimethicone/vinyl dimethicone crosspolymers. Such dimethicone/vinyl dimethicone crosspolymers are supplied by a variety of suppliers including Dow Corning (DC 9040 and DC 9041), General Electric (SFE 839), Shin

Etsu (KSG-15, 16, 18 [dimethicone/phenyl vinyl dimethicone crosspolymer]), and Grant Industries (Gransil™ line of materials).

Solvent for the Emulsifying Crosslinked Siloxane Elastomer

The compositions of the present invention comprise a solvent for the emulsifying crosslinked organopolysiloxane elastomer described above. A solvent may also be provided for the non-emulsifying crosslinked organopolysiloxane elastomer when present. The solvent, when combined with the cross-linked organopolysiloxane elastomer particles of the present invention, serves to suspend and swell the elastomer particles to provide an elastic, gel-like network or matrix. The solvent for the cross-linked siloxane elastomer is liquid under ambient conditions, and preferably has a low viscosity to provide for improved spreading on the skin.

Concentrations of the solvent in the cosmetic compositions of the present invention will vary primarily with the type and amount of solvent and the cross-linked siloxane elastomer employed. Preferred concentrations of the solvent are from about 1% to about 50%, preferably from about 4% to about 50%, more preferably from about 5% to about 40%, by weight of the composition.


The solvent for the crosslinked siloxane elastomer comprises one or more liquid carriers suitable for topical application to human skin. These liquid carriers may be organic, silicone-containing or fluorine-containing, volatile or non-volatile, polar or non-polar, provided that the liquid carrier forms a solution or other homogenous liquid or liquid dispersion with the selected cross-linked siloxane elastomer at the selected siloxane elastomer concentration at a temperature of from about 28°C to about 250°C, preferably from about 28°C to about 100°C, preferably from about 28°C to about 78°C. The solvent for the cross-linked siloxane elastomer preferably has a solubility parameter of from about 3 to about 13 (cal/cm³)^{0.5}, more preferably from about 5 to about 11 (cal/cm³)^{0.5}, most preferably from about 5 to about 9 (cal/cm³)^{0.5}. Solubility parameters for the liquid carriers or other materials, and means for determining such parameters, are well known in the chemical arts. A description of solubility parameters and means for determining them are described by C. D. Vaughan, "Solubility Effects in Product, Package, Penetration and Preservation" 103 Cosmetics and Toiletries 47-69, October 1988; and C. D. Vaughan, "Using Solubility Parameters in Cosmetics Formulation", 36 J. Soc. Cosmetic Chemists 319-333, September/October, 1988, which articles are incorporated herein by reference.

The solvent preferably includes volatile, non-polar oils; non-volatile, relatively polar oils; non-volatile, non-polar oils; and non-volatile paraffinic hydrocarbon oils; each discussed more fully hereinafter. The term "non-volatile" as used herein refers to materials that exhibit a vapor pressure of no more than about 0.2 mm Hg at 25°C at one atmosphere and/or to materials that

have a boiling point at one atmosphere of at least about 300°C. The term "volatile" as used herein refers to all materials that are not "non-volatile" as previously defined herein. The phrase "relatively polar" as used herein means more polar than another material in terms of solubility parameter; i.e., the higher the solubility parameter the more polar the liquid. The term "non-polar" typically means that the material has a solubility parameter below about 6.5 (cal/cm³)^{0.5}.

1. Non-polar, Volatile Oils

The non-polar, volatile oil tends to impart highly desirable aesthetic properties to the compositions of the present invention. Consequently, the non-polar, volatile oils are preferably utilized at a fairly high level. Non-polar, volatile oils particularly useful in the present invention are selected from the group consisting of silicone oils; hydrocarbons; and mixtures thereof. Such non-polar, volatile oils are disclosed, for example, in *Cosmetics, Science, and Technology*, Vol. 1, 27-104 edited by Balsam and Sagarin, 1972. The non-polar, volatile oils useful in the present invention may be either saturated or unsaturated, have an aliphatic character and be straight or branched chained or contain alicyclic or aromatic rings. Examples of preferred non-polar, volatile hydrocarbons include polydecenes such as isododecane and isodecane (e.g., Permethyl-99A which is available from Presperse Inc.) and the C7 -C8 through C12 -C15 isoparaffins (such as the Isopar Series available from Exxon Chemicals). Non-polar, volatile liquid silicone oils are disclosed in U.S. Patent 4,781,917 issued to Luebke et al. on Nov. 1, 1988, herein incorporated by reference in its entirety. Additionally, a description of various volatile silicones materials is found in Todd et al., "Volatile Silicone Fluids for Cosmetics", *Cosmetics and Toiletries*, 91:27-32 (1976), herein incorporated by reference in its entirety. Particularly preferred volatile silicone oils are selected from the group consisting of cyclic volatile silicones corresponding to the formula:



wherein n is from about 3 to about 7; and linear volatile silicones corresponding to the formula:



wherein m is from about 1 to about 7. Linear volatile silicones generally have a viscosity of less than about 5 centistokes at 25°C, whereas the cyclic silicones have viscosities of less than about 10 centistokes at 25°C. Highly preferred examples of volatile silicone oils include cyclomethicones of varying viscosities, e.g., Dow Corning 200, Dow Corning 244, Dow

Corning 245, Dow Corning 344, and Dow Corning 345, (commercially available from Dow Corning Corp.); SF-1204 and SF-1202 Silicone Fluids (commercially available from G.E. Silicones), GE 7207 and 7158 (commercially available from General Electric Co.); and SWS-03314 (commercially available from SWS Silicones Corp.).

5 2. Relatively Polar, Non-volatile oils

The non-volatile oil is "relatively polar" as compared to the non-polar, volatile oil discussed above. Therefore, the non-volatile co-solvent is more polar (i.e., has a higher solubility parameter) than at least one of the non-polar, volatile oils. Relatively polar, non-volatile oils potentially useful in the present invention are disclosed, for example, in Cosmetics, Science, and Technology, Vol. 1, 27-104 edited by Balsam and Sagarin, 1972; U.S. Patents 10 4,202,879 issued to Shelton on May 13, 1980; and 4,816,261 issued to Luebbe et al. on Mar. 28, 1989, all of which are herein incorporated by reference in their entirety. Relatively polar, non-volatile oils useful in the present invention are preferably selected from the group consisting of silicone oils; hydrocarbon oils; fatty alcohols; fatty acids; esters of mono and dibasic carboxylic 15 acids with mono and polyhydric alcohols; polyoxyethylenes, polyoxypropylenes, mixtures of polyoxyethylene and polyoxypropylene ethers of fatty alcohols; and mixtures thereof. The relatively polar, non-volatile co-solvents useful in the present invention may be either saturated or unsaturated, have an aliphatic character and be straight or branched chained or contain alicyclic or aromatic rings. More preferably, the relatively polar, non-volatile liquid co-solvent 20 are selected from the group consisting of fatty alcohols having from about 12-26 carbon atoms; fatty acids having from about 12-26 carbon atoms; esters of monobasic carboxylic acids and alcohols having from about 14-30 carbon atoms; esters of dibasic carboxylic acids and alcohols having from about 10-30 carbon atoms; esters of polyhydric alcohols and carboxylic acids having from about 5-26 carbon atoms; ethoxylated, propoxylated, and mixtures of ethoxylated 25 and propoxylated ethers of fatty alcohols with from about 12-26 carbon atoms and a degree of ethoxylation and propoxylation of below about 50; and mixtures thereof. More preferred are propoxylated ethers of C14 -C18 fatty alcohols having a degree of propoxylation below about 50, esters of C2 -C8 alcohols and C12-C26 carboxylic acids (e.g. ethyl myristate, isopropyl palmitate), esters of C12-C26 alcohols and benzoic acid (e.g. Finsolv TN supplied by Finetex), 30 diesters of C2-C8 alcohols and adipic, sebacic, and phthalic acids (e.g., diisopropyl sebacate, diisopropyl adipate, di-n-butyl phthalate), polyhydric alcohol esters of C6 -C26 carboxylic acids (e.g., propylene glycol dicaprate/dicaprylate, propylene glycol isostearate); and mixtures thereof. Even more preferred are branched-chain aliphatic fatty alcohols having from about 12-26 carbon atoms.

3. Non-polar, Non-volatile oils

In addition to the liquids discussed above, the solvent for the cross-linked siloxane elastomer may optionally include non-volatile, non-polar oils. Typical non-volatile, non-polar emollients are disclosed, for example, in *Cosmetics, Science, and Technology*, Vol. 1, 27-104 edited by Balsam and Sagarin, 1972; U.S. Patents 4,202,879 issued to Shelton on May 13, 1980; and 4,816,261 issued to Luebbe et al. on Mar. 28, 1989. Both of which are herein incorporated by reference. The non-volatile oils useful in the present invention are essentially non-volatile polysiloxanes, paraffinic hydrocarbon oils, and mixtures thereof. The polysiloxanes useful in the present invention selected from the group consisting of polyalkylsiloxanes, polyarylsiloxanes, polyalkylarylsiloxanes, poly-ethersiloxane copolymers, and mixtures thereof. Examples of these include polydimethyl siloxanes having viscosities of from about 1 to about 100,000 centistokes at 25°C. Among the preferred non-volatile silicone emollients useful in the present compositions are the polydimethyl siloxanes having viscosities from about 2 to about 400 centistokes at 25° C. Such polyalkylsiloxanes include the Viscasil series (sold by General Electric Company) and the Dow Corning 200 series (sold by Dow Corning Corp.). Polyalkylarylsiloxanes include polymethylphenyl siloxanes having viscosities of from about 15 to about 65 centistokes at 25°C. These are available, for example, as SF 1075 methyl-phenyl fluid (sold by General Electric Company) and 556 Cosmetic Grade Fluid (sold by Dow Corning Corp.).

Non-volatile paraffinic hydrocarbon oils useful in the present invention include mineral oils and certain branched-chain hydrocarbons. Examples of these fluids are disclosed in U.S. Patent 5,019,375 issued to Tanner et al. on May 28, 1991, herein incorporated by reference in its entirety. Preferred mineral oils have the following properties:

- (1) viscosity from about 5 centistokes to about 70 centistokes at 40° C;
- (2) density between about 0.82 and 0.89 g/cm³ at 25° C;
- (3) flash point between about 138°C. and about 216°C; and
- (4) carbon chain length between about 14 and about 40 carbon atoms.

Preferred branched chain hydrocarbon oils have the following properties:

- (1) density between about 0.79 and about 0.89 g/cm³ at 20° C
- (2) boiling point greater than about 250°C; and
- (3) flash point between about 110°C and about 200°C.

Suitable branched-chain hydrocarbons include Permethyl 103 A, which contains an average of about 24 carbon atoms; Permethyl 104A, which contains an average of about 68 carbon atoms; Permethyl 102A, which contains an average of about 20 carbon atoms; all of

which may be purchased from Permethyl Corporation; and Ethylflo 364 which contains a mixture of 30 carbon atoms and 40 carbon atoms and may be purchased from Ethyl Corp.

Additional solvents useful herein are described in US Patent 5,750,096 to Gerald J. Guskey et al., issued May 12, 1998, herein incorporated by reference in its entirety.

5 Additional Emulsifier for Dispersing the Aqueous Phase

The water-in-oil emulsions of the present invention comprise an additional emulsifier in addition to an emulsifying elastomer. The composition may contain from about 0.01% to about 5% additional emulsifier, more preferably from about 0.1% to about 3%, still more preferably from about 0.1% to about 2%, emulsifier by weight of the composition. The additional
10 emulsifier helps disperse and suspend the aqueous phase within the continuous silicone phase.

A wide variety of emulsifying agents can be employed herein to form the preferred water-in-silicone emulsion. Known or conventional emulsifying agents can be used in the composition, provided that the selected emulsifying agent is chemically and physically compatible with components of the composition of the present invention, and provides the desired dispersion
15 characteristics. Suitable emulsifiers include silicone emulsifiers, non-silicon-containing emulsifiers, and mixtures thereof, known by those skilled in the art for use in topical personal care products. Preferably these emulsifiers have an HLB value of or less than about 14, more preferably from about 2 to about 14, and still more preferably from about 2 to about 10. Emulsifiers having an HLB value outside of these ranges can be used in combination with other
20 emulsifiers to achieve an effective weighted average HLB for the combination that falls within these ranges.

Silicone emulsifiers are preferred. A wide variety of silicone emulsifiers are useful herein. These silicone emulsifiers are typically organically modified organopolysiloxanes, also known to those skilled in the art as silicone surfactants. Useful silicone emulsifiers include dimethicone
25 copolyols. These materials are polydimethyl siloxanes which have been modified to include polyether side chains such as polyethylene oxide chains, polypropylene oxide chains, mixtures of these chains, and polyether chains containing moieties derived from both ethylene oxide and propylene oxide. Other examples include alkyl-modified dimethicone copolyols, i.e., compounds which contain C2-C30 pendant side chains. Still other useful dimethicone copolyols include
30 materials having various cationic, anionic, amphoteric, and zwitterionic pendant moieties.

Nonlimiting examples of dimethicone copolyols and other silicone surfactants useful as emulsifiers herein include polydimethylsiloxane polyether copolymers with pendant polyethylene oxide sidechains, polydimethylsiloxane polyether copolymers with pendant polypropylene oxide sidechains, polydimethylsiloxane polyether copolymers with pendant mixed polyethylene oxide

and polypropylene oxide sidechains, polydimethylsiloxane polyether copolymers with pendant mixed poly(ethylene)(propylene)oxide sidechains, polydimethylsiloxane polyether copolymers with pendant organobetaine sidechains, polydimethylsiloxane polyether copolymers with pendant carboxylate sidechains, polydimethylsiloxane polyether copolymers with pendant quaternary ammonium sidechains; and also further modifications of the preceding copolymers containing pendant C2-C30 straight, branched, or cyclic alkyl moieties. Examples of commercially available dimethicone copolyols useful herein sold by Dow Corning Corporation are Dow Corning® 190, 193, Q2-5220, 2501 Wax, 2-5324 fluid, and 3225C (this later material being sold as a mixture with cyclomethicone). Cetyl dimethicone copolyol is commercially available under the trade name ABIL® EM-90, and also available as a mixture with polyglyceryl-4 isostearate (and) hexyl laurate and is sold under the tradename ABIL® WE-09 (available from Degussa). Cetyl dimethicone copolyol is also commercially available as a mixture with hexyl laurate (and) polyglyceryl-3 oleate (and) cetyl dimethicone and is sold under the tradename ABIL® WS-08 (also available from Degussa). Polydimethylsiloxylethyl dimethicone copolyol is commercially available under the trade name KF-6028 and KF-6106 (from Shin-Etsu). Other nonlimiting examples of dimethicone copolyols also include lauryl dimethicone copolyol, lauryl polydimethylsiloxylethyl dimethicone copolyol, dimethicone copolyol acetate, dimethicone copolyol adipate, dimethicone copolyolamine, dimethicone copolyol behenate, dimethicone copolyol butyl ether, dimethicone copolyol hydroxy stearate, dimethicone copolyol isostearate, dimethicone copolyol laurate, dimethicone copolyol methyl ether, dimethicone copolyol phosphate, and dimethicone copolyol stearate.

Dimethicone copolyol emulsifiers useful herein are described, for example, in U.S. Patent No. 4,960,764, to Figueroa, Jr. et al., issued October 2, 1990; European Patent No. EP 330,369, to SanoGueira, published August 30, 1989; G.H. Dahms, et al., "New Formulation Possibilities Offered by Silicone Copolyols," *Cosmetics & Toiletries*, vol. 110, pp. 91-100, March 1995; M.E. Carlotti et al., "Optimization of W/O-S Emulsions And Study Of The Quantitative Relationships Between Ester Structure And Emulsion Properties," *J. Dispersion Science And Technology*, 13(3), 315-336 (1992); P. Hameyer, "Comparative Technological Investigations of Organic and Organosilicone Emulsifiers in Cosmetic Water-in-Oil Emulsion Preparations," *HAPPI* 28(4), pp. 88-128 (1991); J. Smid-Korbar et al., "Efficiency and usability of silicone surfactants in emulsions," *Provisional Communication, International Journal of Cosmetic Science*, 12, 135-139 (1990); and D.G. Krzysik et al., "A New Silicone Emulsifier For Water-in-Oil Systems," *Drug and Cosmetic Industry*, vol. 146(4) pp. 28-81 (April 1990).

Among the non-silicone-containing emulsifiers useful herein are various non-ionic and anionic emulsifying agents such as sugar esters and polyesters, alkoxylated sugar esters and polyesters, C1-C30 fatty acid esters of C1-C30 fatty alcohols, alkoxylated derivatives of C1-C30 fatty acid esters of C1-C30 fatty alcohols, alkoxylated ethers of C1-C30 fatty alcohols, polyglyceryl esters of C1-C30 fatty acids, C1-C30 esters of polyols, C1-C30 ethers of polyols, alkyl phosphates, polyoxyalkylene fatty ether phosphates, fatty acid amides, acyl lactylates, soaps, and mixtures thereof.

Aqueous Phase

The cosmetic compositions of the present invention comprise an aqueous phase comprising from about 50% to about 99%, preferably from about 50% to about 95%, more preferably from about 60% to about 90% by weight of the composition.

The compositions of the present invention are water in oil emulsions. As such, generally speaking, there is weak bonding of aqueous phase to oil phase. This can permit the composition to transform upon application, e.g., to provide a water-splash sensation during spreading or rubbing upon the skin. For example, at the initial application to the skin but before spreading upon the skin, the composition is in the form of a gel or cream. Upon spreading, the finger shear stress is believed to break the emulsion, thereby releasing the aqueous phase from the emulsion. This provides good consumer sensory benefit, as the aqueous phase so released is perceptible to the touch as well as visually.

In certain embodiments, the visually perceptible release of the aqueous phase may be characterized by phase separation after milling according to the Milling Method provided in the Test Methods. The milling method involves the in-line milling of an approximately 7-8g sample of the emulsion. In one embodiment, a visually perceptible release of a portion of the aqueous phase occurs when at least about 5.0% of water separates from the bulk material collected at the outlet of the mill when milled for about 10-15 seconds at speed of about 6500 rpm. In a further embodiment, a visually perceptible release of a portion of the aqueous phase occurs when at least about 8.0% of water separates from the bulk material collected at the outlet of the mill when milled for about 10-15 seconds at speed of about 13500 rpm.

Without being bound by theory, the amount of aqueous phase released from the emulsion and the rate at which the aqueous phase is released from the emulsion can be controlled, depending upon how the oil phase is bonded to the aqueous phase in the emulsion. In addition, it is also believed that the amount of aqueous phase released from the emulsion and the rate at which it is released from the emulsion can be controlled, for example, by changing the level of

the emulsifying crosslinked siloxane elastomer within the claimed range, by changing the level of the additional emulsifier, and by varying the water/oil phase ratio.

Sunscreen Actives

Exposure to ultraviolet light can result in excessive scaling and texture changes of the stratum corneum. Therefore, the compositions of the subject invention contain at sunscreen active, and more preferably contain a combination of sunscreen actives. As used herein, "sunscreen active" includes both sunscreen agents and physical sunblocks. Suitable sunscreen actives may be organic or inorganic. The sunscreen actives may be hydrophilic or hydrophobic, and such characteristic of the sunscreen active(s) affects the choice of elastomer system used in the composition.

When only hydrophilic sunscreen actives or only hydrophobic sunscreen actives are used, both emulsifying and non-emulsifying cross-linked siloxane elastomers may be present in the compositions. However, when combinations of hydrophilic sunscreen actives and hydrophilic sunscreen actives are included, non-emulsifying cross-linked silicone elastomers are not present in the compositions.

A wide variety of conventional organic sunscreen actives are suitable for use herein. Sagarin, et al., at Chapter VIII, pages 189 et seq., of *Cosmetics Science and Technology* (1972), discloses numerous suitable actives. Particularly preferred hydrophobic organic sunscreen actives useful in the compositions useful in the subject invention are butyl methoxy dibenzoylmethane (avobenzone), homosalate, octocrylene, 2-ethylhexyl-p-methoxycinnamate (commercially available as PARSOL MCX), 2-hydroxy-4-methoxybenzophenone (Benzophenone-3), 2-ethylhexyl-salicylate, octyltriazone, and mixtures thereof. Preferred hydrophilic organic sunscreen agents for use herein include phenyl benzimidazole sulfonic acid (PBSA), benzophenone-4, and mixtures thereof.

A safe and effective amount of the organic sunscreen active is used, typically from about 0.01% to about 30%, preferably from about 0.1% to about 30%, and still more preferably from about 5% to about 30%, by weight of the composition. Exact amounts will vary depending upon the sunscreen or sunscreens chosen and the desired Sun Protection Factor (SPF).

Inorganic sunscreens useful herein include the following metallic oxides; titanium dioxide having an average primary particle size of from about 15 nm to about 100 nm, zinc oxide having an average primary particle size of from about 15 nm to about 150 nm, zirconium oxide having an average primary particle size of from about 15 nm to about 150 nm, iron oxide having an average primary particle size of from about 15 nm to about 500nm, and mixtures thereof. When used herein, the inorganic sunscreens are present in the amount of from about 0.1% to about

20%, preferably from about 0.5% to about 10%, more preferably from about 1% to about 5%, by weight of the composition.

Skin Care Active

5 The topical compositions of the present invention preferably also include at least one skin care active. Actives that are typically characterized as "water-soluble" as well as actives that are typically characterized as "oil-soluble" are suitable for formulation herein. Without being bound by theory, it is believed the present compositions provide versatility in formulating a variety of actives.


10 In any embodiment of the present invention, however, the actives useful herein can be categorized by the benefit they provide or by their postulated mode of action. However, it is to be understood that the actives useful herein can in some instances provide more than one benefit or operate via more than one mode of action. Therefore, classifications herein are made for the sake of convenience and are not intended to limit the active to that particular application or applications listed.

15 Non-limiting examples of skin care actives suitable herein include niacinamide, hexamidine compounds, whitening actives, peptides, sugar amines, and mixtures thereof.

Niacinamide

20 Niacinamide (or another solid at ambient temperature vitamin B₃ compound that is soluble in a solvent) is a preferred skin care active for use herein. The present invention preferably includes from about 2% to about 30%, more preferably from about 2% to about 20%, even more preferably from about 2% to about 10% of a vitamin B₃ compound.

As used herein, "niacinamide" means a compound having the formula:



wherein R is - CONH₂.

25 The niacinamide may be included as the substantially pure material, or as an extract obtained by suitable physical and/or chemical isolation from natural (e.g., plant) sources. The vitamin B₃ compound is preferably substantially pure, more preferably essentially pure.

Hexamidine Compound

30 The topical compositions of the present invention comprise a safe and effective amount of one or more hexamidine and its salts. More preferably, the hexamidine is hexamidine diisethionate.

As used herein, "hexamidine" includes any isomers and tautomers of such and is commercially available as hexamidine diisethionate under the tradename Elestab® HP100 from Laboratoires Serobiologiques (Pulnoy, France).


In the composition of the present invention, the hexamidine preferably comprises from about 0.0001-25% by weight of the composition, more preferably from about 0.001% to about 10%, more preferably from about 0.01% to about 5%, and most preferably from about 0.02% to about 2.5%.

Whitening Agents

The present compositions may contain a whitening agent. The whitening agent useful herein refers to active ingredients that not only alter the appearance of the skin, but further improve hyperpigmentation as compared to pre-treatment. Useful whitening agents useful herein include ascorbic acid compounds, vitamin B₃ compounds, azelaic acid, butyl hydroxy anisole, gallic acid and its derivatives, hydroquinone, kojic acid, arbutin, mulberry extract, undecylenoyl phenylalanine, and mixtures thereof. Use of combinations of whitening agents is also believed to be advantageous in that they may provide whitening benefit through different mechanisms.

When used, the compositions preferably contain from about 0.1% to about 10%, more preferably from about 0.2% to about 5%, by weight of the composition, of a whitening agent.

Ascorbic acid compounds are useful whitening agents, and have the formula (I):




(I)

wherein V and W are independently -OH; R¹ is -CH(OH)-CH₂OH; and salts thereof.

Preferably, the ascorbic acid compound useful herein is an ascorbic acid salt or derivative thereof, such as the non-toxic alkali metal, alkaline earth metal and ammonium salts commonly known by those skilled in the art including, but not limited to, the sodium, potassium, lithium, calcium, magnesium, barium, ammonium and protamine salts which are prepared by methods well known in the art.


More preferably, the ascorbic acid salt useful herein is a metal ascorbate having the following formula (II):



wherein R^2 and R^3 are independently selected from hydrogen and linear or branched alkyl of 1 to about 8 carbons; M^1 is a metal; and x is an integer of from 1 to about 3. More preferably, R^2 and R^3 are independently selected from hydrogen and linear or branched alkyl of 1 to about 3 carbons; M^1 is sodium, potassium, magnesium, or calcium.

Examples of other preferred ascorbic acid salts having formula (II) include monovalent metal salts (e.g., sodium ascorbate, potassium ascorbate), divalent metal salts (e.g., magnesium ascorbate, calcium ascorbate) and trivalent metal salts (e.g., aluminum ascorbate) of ascorbic acid.

Preferably, the ascorbic acid salt useful herein is a water soluble ascorbyl ester having the following formula (III):



wherein A is sulfate or phosphate; R^4 and R^5 are independently selected from hydrogen and linear or branched alkyl of 1 to about 8 carbons; M^2 is a metal; and y is an integer of 1 to about 3. More preferably, R^4 and R^5 are independently selected from hydrogen and linear or branched alkyl of 1 to about 3 carbons; M^2 is sodium, potassium, magnesium, or calcium.

Another particularly preferred ascorbic acid compound is 2-o- α -D-glucopyranosyl-L-ascorbic acid, usually referred to as L-ascorbic acid 2-glucoside or ascorbyl glucoside, and its metal salts. Such compounds are available from Hayashibara.

Magnesium ascorbyl phosphate is a stable form of vitamin C. In-vivo, it is converted to Vitamin C. It is soluble and stable in a variety of solvents including water, propylene glycol, 1,3-butylene glycol, maltitol, and glycerin. Unlike vitamin C, it is percutaneously absorbed into the

skin. Magnesium ascorbyl phosphate is commercially available from Barnet Products Corp. as NIKKOL VC-PMG.

Exemplary water soluble salt derivatives include, but are not limited to, L-ascorbic acid 2-glucoside, L-ascorbyl phosphate ester salts such as sodium L-ascorbyl phosphate, potassium L-ascorbyl phosphate, magnesium L-ascorbyl phosphate, calcium L-ascorbyl phosphate, aluminum L-ascorbyl phosphate. L-ascorbyl sulfate ester salts can also be used. Examples are sodium L-ascorbyl sulfate, potassium L-ascorbyl sulfate, magnesium L-ascorbyl sulfate, calcium L-ascorbyl sulfate and aluminum L-ascorbyl sulfate.

Undecylenoyl Phenylalanine is the substituted amino acid that is also suitable for use herein as a whitening agent. It is available under the trade name Sepiwhite Msh, from Seppic. Cetyl Pyridinium Chloride and Tetrahydrocurcumin are also suitable for use herein as whitening agents.

Glycyrrhizic acid, a natural material derived from Glycyrrhiza Glabra, and its derivatives such as Glychrrhetinic Acid are also suitable for use herein. Such materials are available from Maurzen or Ichimaru Pharcos.

Peptides

Peptides, including but not limited to, di-, tri-, tetra-, and pentapeptides and derivatives thereof, may be included in the compositions of the present invention in amounts that are safe and effective. As used herein, "peptides" refers to both the naturally occurring peptides and synthesized peptides. Also useful herein are naturally occurring and commercially available compositions that contain peptides.

Suitable dipeptides for use herein include Carnosine (beta-ala-his). Suitable tripeptides for use herein include, gly-his-lys, arg-lys-arg, his-gly-gly. Preferred tripeptides and derivatives thereof include palmitoyl-gly-his-lys, which may be purchased as Biopeptide CL® (100ppm of palmitoyl-gly-his-lys commercially available from Sederma, France); Peptide CK (arg-lys-arg); PEPTIDE CK+ (ac-arg-lys-arg-NH₂); and a copper derivative of his-gly-gly sold commercially as IAMIN, from Sigma (St. Louis, Missouri). Tetrapeptides and pentapeptides are also suitable for use herein.

A preferred commercially available pentapeptide derivative-containing composition is Matrixyl®, which contains 100 ppm of palmitoyl-lys-thr-thr-lys-ser (pal-KTTKS, commercially available from Sederma, France). Other preferred peptides include palmitoyl-lysine-threonine (pal-KT) and palmitoyl-glycine-glutamine-proline-arginine (pal-GQPR, available in a composition known as RIGIN®), also available from Sederma, France.

When included in the present compositions, peptides are preferably included in amounts of from about $1 \times 10^{-6}\%$ to about 10%, more preferably from about $1 \times 10^{-6}\%$ to about 0.1%, even more preferably from about $1 \times 10^{-5}\%$ to about 0.01%, by weight of the composition. In certain compositions where the peptide is Carnosine®, the compositions preferably contain from about 0.1% to about 5%, by weight of the composition, of such peptides. In other embodiments wherein the peptide or peptide-containing composition palmitoyl-lys-thr-thr-lys-ser and/or Biopeptide CL® are included, the compositions preferably contain from about 0.0001% to about 10%, of palmitoyl-lys-thr-thr-lys-ser and/or Biopeptide CL® peptide-containing composition.

Sugar Amines

The compositions of the present invention may include a safe and effective amount of a sugar amine, which are also known as amino sugars. As used herein, "sugar amine" refers to an amine derivative of a six-carbon sugar. Preferably, the composition contains from about 0.001% to about 20%, more preferably from about 1% to about 10%, even more preferably from about 2% to about 5%, by weight of the composition, of the sugar amine.

Examples of sugar amines that are useful herein include glucosamine, N-acetyl glucosamine, mannosamine, N-acetyl mannosamine, galactosamine, N-acetyl galactosamine. Preferred for use herein is glucosamine. Additionally, combinations of two or more sugar amines may be used.

Skin Conditioning Agent

The topical compositions of the present invention include from about 1% to about 60%, by weight of the composition, of a skin conditioning agent. Preferably, the composition includes from about 2% to about 50%, more preferably from about 5% to about 40%, by weight of the composition, of the skin conditioning agent.

Suitable skin conditioning agent for use herein includes polyhydric alcohols such as polyalkylene glycols. Preferred for use herein are alkylene polyols and their derivatives. Examples of polyhydric alcohols useful herein include propylene glycol, dipropylene glycol, polypropylene glycol, polyethylene glycol, sorbitol, trehalose, hydroxypropyl sorbitol, hexylene glycol, 1,3-butylene glycol, 1,2,6-hexanetriol, glycerin, 1,2-hexanediol, pentylene glycol, ethoxylated glycerin, propoxylated glycerin, butanetriol, and mixtures thereof. A preferred polyhydric alcohol for use herein is glycerin.

The skin conditioning agent for use herein may be derived from any traditional means of manufacture and methods of purification.

Thickening Agents

The compositions of the present invention, in some embodiments, may further include one or more thickening agents. When present, the composition preferably includes from about 0.1% to about 5%, more preferably from about 0.1% to about 4%, and still more preferably from about 0.25% to about 3%, by weight of the composition of the thickening agent.

Nonlimiting classes of thickening agents include those selected from the following:

a) Carboxylic Acid Polymers

These polymers are crosslinked compounds containing one or more monomers derived from acrylic acid, substituted acrylic acids, and salts and esters of these acrylic acids and the substituted acrylic acids, wherein the crosslinking agent contains two or more carbon-carbon double bonds and is derived from a polyhydric alcohol.

Examples of commercially available carboxylic acid polymers useful herein include the carbomers, which are homopolymers of acrylic acid crosslinked with allyl ethers of sucrose or pentaerytritol. The carbomers are available as the Carbopol® 900 series from B.F. Goodrich (e.g., Carbopol® 954). In addition, other suitable carboxylic acid polymeric agents include copolymers of C₁₀₋₃₀ alkyl acrylates with one or more monomers of acrylic acid, methacrylic acid, or one of their short chain (i.e., C₁₋₄ alcohol) esters, wherein the crosslinking agent is an allyl ether of sucrose or pentaerytritol. These copolymers are known as acrylates/C₁₀₋₃₀ alkyl acrylate crosspolymers and are commercially available as Carbopol® 1342, Carbopol® 1382, PEMULEN TR-1, and PEMULEN TR-2, from B.F. Goodrich. In other words, examples of carboxylic acid polymer thickeners useful herein are those selected from carbomers, acrylates/C_{10-C30} alkyl acrylate crosspolymers, and mixtures thereof.

b) Crosslinked Polyacrylate Polymers

The compositions of the present invention can optionally contain crosslinked polyacrylate polymers useful as thickeners or gelling agents including both cationic and nonionic polymers, with the cationics being generally preferred.

c) Polyacrylamide Polymers

The compositions of the present invention can optionally contain polyacrylamide polymers, especially nonionic polyacrylamide polymers including substituted branched or unbranched polymers. More preferred among these polyacrylamide polymers is the nonionic polymer given the CTFA designation polyacrylamide and isoparaffin and laureth-7, available under the Tradename Sepigel 305 from Seppic Corporation (Fairfield, NJ).

Other polyacrylamide polymers useful herein include multi-block copolymers of acrylamides and substituted acrylamides with acrylic acids and substituted acrylic acids. Commercially available examples of these multi-block copolymers include HYPAN SR150H, SS500V, SS500W, SSSA100H, from Lipo Chemicals, Inc., (Patterson, NJ).

5 d) Polysaccharides

A wide variety of polysaccharides are useful herein. "Polysaccharides" refer to gelling agents which contain a backbone of repeating sugar (i.e., carbohydrate) units. Nonlimiting examples of polysaccharide gelling agents include those selected from cellulose, carboxymethyl hydroxyethylcellulose, cellulose acetate propionate carboxylate, hydroxyethylcellulose, hydroxyethyl ethylcellulose, hydroxypropylcellulose, hydroxypropyl methylcellulose, methyl hydroxyethylcellulose, microcrystalline cellulose, sodium cellulose sulfate, and mixtures thereof. Also useful herein are the alkyl substituted celluloses. In these polymers, the hydroxy groups of the cellulose polymer is hydroxyalkylated (preferably hydroxyethylated or hydroxypropylated) to form a hydroxyalkylated cellulose which is then further modified with a C₁₀-C₃₀ straight chain or
10 branched chain alkyl group through an ether linkage. Typically these polymers are ethers of C₁₀-C₃₀ straight or branched chain alcohols with hydroxyalkylcelluloses. Examples of alkyl groups useful herein include those selected from stearyl, isostearyl, lauryl, myristyl, cetyl, isocetyl, cocoyl (i.e. alkyl groups derived from the alcohols of coconut oil), palmityl, oleyl, linoleyl, linolenyl, ricinoleyl, behenyl, and mixtures thereof. Preferred among the alkyl hydroxyalkyl
15 cellulose ethers is the material given the CTFA designation cetyl hydroxyethylcellulose, which is the ether of cetyl alcohol and hydroxyethylcellulose. This material is sold under the tradename Natrosol® CS Plus from Aqualon Corporation (Wilmington, DE).

Other useful polysaccharides include scleroglucans which are a linear chain of (1-3) linked glucose units with a (1-6) linked glucose every three units, a commercially available
25 example of which is Clearogel™ CS11 from Michel Mercier Products Inc. (Mountainside, NJ).

 e) Gums

Other thickening and gelling agents useful herein include materials which are primarily derived from natural sources. Nonlimiting examples of these gelling agent gums include acacia, agar, algin, alginic acid, ammonium alginate, amylopectin, calcium alginate, calcium
30 carrageenan, carnitine, carrageenan, dextrin, gelatin, gellan gum, guar gum, guar hydroxypropyltrimonium chloride, hectorite, hyaluroinic acid, hydrated silica, hydroxypropyl chitosan, hydroxypropyl guar, karaya gum, kelp, locust bean gum, natto gum, potassium alginate, potassium carrageenan, propylene glycol alginate, sclerotium gum, sodium carboxymethyl dextran, sodium carrageenan, tragacanth gum, xanthan gum, and mixtures thereof.

f) Hydrophobic Thickeners

Hydrophobic thickeners can be used to thicken the oil phase. Suitable hydrophobic thickeners include Bentone Gel TNV (mixture of C12-15 isoparaffin, stearylalkonium Hectorite, propylene carbonate available from Elementis) and Dextrin (parmitate/ethylhexanoate) available under the tradename Rheopearl TT-2 from Chiba.

Particulate Material

The compositions of the present invention may, in some embodiments, contain a particulate material to modify skin feel or appearance. Particulate materials useful herein include; bismuth oxychloride, iron oxide, mica, mica treated with barium sulfate, titanium dioxide (TiO₂), zinc oxide, zirconium oxide, silica, fumed silica, nylon, polyethylene, talc, styrene, polypropylene, ethylene/acrylic acid copolymer, sericite, aluminum oxide, silicone resin, barium sulfate, calcium carbonate, cellulose acetate, polymethyl methacrylate, and mixtures thereof. One particulate material can also be combination of inorganic chemicals. Charged particulate materials are disclosed in U.S. Patent No. 5,997,887, to Ha, et al.

Inorganic particulate materials, e.g., TiO₂, ZnO, or ZrO₂ are commercially available from a number of sources. One example of a suitable particulate material contains the material available from U.S. Cosmetics (TRONOX TiO₂ series, SAT-T CR837, a rutile TiO₂). Examples of particulate material with inorganic chemical combination are, COVERLEAF AR-80 available in Catalysts and Chemicals Ind.Co.Ltd. which consists of layered inorganic chemicals, and Goddhal available in Suzuki Yushi Ind.Co.Ltd which is Silica powder encapsulating one or more inorganic chemicals. Preferably, particulate materials are present in the composition in levels of from about 0.01% to about 20%, more preferably from about 0.05% to about 15%, still more preferably from about 0.1% to about 12%, by weight of the composition. There are no specific limitations as to the pigment, colorant or filler powders used in the composition.

Preferred organic powders/fillers include, but are not limited, to polymeric particles chosen from the methylsilsesquioxane resin microspheres such as for example those sold by Toshiba silicone under the name Tospearl 145A; microspheres of polymethylmethacrylates such as those sold by Seppic under the name Micropearl M 100; the spherical particles of crosslinked polydimethylsiloxanes, especially such as those sold by Dow Corning Toray Silicone under the name Trefil E 506C or Trefil E 505C, spherical particles of polyamide and more specifically Nylon 12, especially such as those sold by Atochem under the name Orgasol 2002D Nat C05, polystyrene microspheres such as for example those sold by Dyno Particles under the name Dynospheres, ethylene acrylate copolymer sold by Kobo under the name FloBead EA209 and

mixtures thereof. Also suitable is silica dimethyl silylate, e.g., available from Degussa under the name Aerosil R972.

It is preferred that the pigments/powders are hydrophobically surface treated to provide added stability and ease of formulation. In particular, hydrophobically treated pigments may be more easily distributed into the oil phase and/or silicone phase. In addition, it may be useful to treat the pigments with a material that is compatible with a silicone phase. Particularly useful hydrophobic pigment treatments for use in water-in-silicone emulsions include polysiloxane treatments such as those disclosed in U.S. Patent 5,143,722, incorporated herein by reference in its entirety. Also preferred are pigment/powders having a primary average particle size of from about 10 nm to about 100,000 nm, more preferably from about 50nm to about 5,000nm, most preferably from about 100nm to about 1000nm. Mixtures of the same or different pigment/powder having different particle sizes are also useful herein (e.g., incorporating a TiO₂ having a primary particle size of from about 100 nm to about 400 nm with a TiO₂ having a primary particle size of from about 10 nm to about 50 nm).

Optional Ingredients

The compositions of the present invention may contain one or more additional skin care actives. In a preferred embodiment, where the composition is to be in contact with human keratinous tissue, the additional components should be suitable for application to keratinous tissue, that is, when incorporated into the composition they are suitable for use in contact with human keratinous tissue without undue toxicity, incompatibility, instability, allergic response, and the like within the scope of sound medical judgment.

Non-limiting examples of additional skin care active ingredients that may be used in the present invention include oil-soluble terpene alcohols, phytosterols, oil-soluble vitamin compounds, additional vitamin B₃ compounds, oil-soluble vitamin compounds, emollients and occlusives, dehydroacetic acid, anti-acne actives, beta-hydroxy acids, chelators, flavonoids, anti-inflammatory agents, anti-cellulite agents, topical anesthetics, anti-oxidants/radical scavengers, topical anesthetics, tanning actives, skin soothing and skin healing agents, anti-microbial and antifungal agents, and mixtures thereof.

The CTFA Cosmetic Ingredient Handbook, Eleventh Edition (2004) describes a wide variety of nonlimiting cosmetic and pharmaceutical ingredients commonly used in the skin care industry, which are suitable for use in the compositions of the present invention. Examples of these ingredient classes include: abrasives, absorbents, aesthetic components such as fragrances, pigments, colorings/colorants, essential oils, skin sensates, astringents, etc. (e.g., clove oil, menthol, camphor, eucalyptus oil, eugenol, menthyl lactate, witch hazel distillate), anti-acne

agents, anti-caking agents, antifoaming agents, antioxidants, binders, biological additives, buffering agents, bulking agents, chelating agents, chemical additives, cosmetic astringents, cosmetic biocides, denaturants, drug astringents, external analgesics, film formers or materials, e.g., polymers, for aiding the film-forming properties and substantivity of the composition (e.g.,
5 copolymer of eicosene and vinyl pyrrolidone), opacifying agents, pH adjusters, preservatives, propellants, reducing agents, sequestrants, skin bleaching and lightening agents (e.g., hydroquinone, kojic acid, ascorbic acid, ascorbyl glucosamine), skin-conditioning agents (e.g., humectants, including miscellaneous and occlusive), skin soothing and/or healing agents (e.g., panthenol and derivatives (e.g., ethyl panthenol), aloe vera, pantothenic acid and its derivatives,
10 allantoin, bisabolol, and dipotassium glycyrrhizinate), skin treating agents, thickeners, and vitamins and derivatives thereof.

In any embodiment of the present invention, however, the actives useful herein can be categorized by the benefit they provide or by their postulated mode of action. However, it is to be understood that the actives useful herein can in some instances provide more than one benefit
15 or operate via more than one mode of action. Therefore, classifications herein are made for the sake of convenience and are not intended to limit the active to that particular application or applications listed.

Oil-soluble Terpene Alcohols

As used herein, "terpene alcohol" refers to organic compounds composed of two or more
20 5-carbon isoprene units [$\text{CH}_2=\text{C}(\text{CH}_3)-\text{CH}=\text{CH}_2$] with a terminal hydroxyl group.

Examples of oil-soluble terpene alcohols that are useful herein include farnesol, derivatives of farnesol, isomers of farnesol, geraniol, derivatives of geraniol, isomers of geraniol, phytantriol, derivatives of phytantriol, isomers of phytantriol, and mixtures thereof. Preferred for use herein is farnesol.

25 Farnesol is a naturally occurring substance which is believed to act as a precursor and/or intermediate in the biosynthesis of squalene and sterols, especially cholesterol. Farnesol is also involved in protein modification and regulation (e.g., farnesylation of proteins), and there is a cell nuclear receptor which is responsive to farnesol.

Chemically, farnesol is [2E,6E]-3,7,11-trimethyl-2,6,10-dodecatrien-1-ol and as used
30 herein "farnesol" includes isomers and tautomers of such. Farnesol is commercially available, e.g., under the names farnesol (a mixture of isomers from Dragoco, 10 Gordon Drive, Totowa, New Jersey) and trans-trans-farnesol (Sigma Chemical Company, P. O. Box 14508, St. Louis, Missouri). A suitable derivative of farnesol is farnesyl acetate which is commercially available from Aldrich Chemical Company, P. O. Box 2060, Milwaukee, WI.

Geraniol is the common name for the chemical known as 3,7-dimethyl-2,6-octadien-1-ol. As used herein, "geraniol" includes isomers and tautomers of such. Geraniol is commercially available from Aldrich Chemical Company (P. O. Box 2060, Milwaukee, WI). Suitable derivatives of geraniol include geranyl acetate, geranylgeraniol, geranyl pyrophosphate, and geranylgeranyl pyrophosphate, all of which are commercially available from Sigma Chemical Company, P. O. Box 14508, St. Louis, MO. For example, geraniol is useful as a spider vessel/red blotchiness repair agent, a dark circle/puffy eye repair agent, sallowness repair agent, a sagging repair agent, an anti-itch agent, a skin thickening agent, a pore reduction agent, oil/shine reduction agent, a post-inflammatory hyperpigmentation repair agent, wound treating agent, an anti-cellulite agent, and regulating skin texture, including wrinkles and fine lines.

Phytantriol is the common name for the chemical known as 3,7,11,15-tetramethylhexadecane-1,2,3,-triol. Phytantriol is commercially available from BASF (1609 Biddle Avenue, Whyandotte, MI). For example, phytantriol is useful as a spider vessel/red blotchiness repair agent, a dark circle/puffy eye repair agent, sallowness repair agent, a sagging repair agent, an anti-itch agent, a skin thickening agent, a pore reduction agent, oil/shine reduction agent, a post-inflammatory hyperpigmentation repair agent, wound treating agent, an anti-cellulite agent, and regulating skin texture, including wrinkles and fine lines.

Phytosterols

Phytosterol and derivatives thereof are known for providing skin lightening benefits. Non-limiting examples of oil-soluble phytosterol derivatives include β -sitosterol, campesterol, brassicasterol, lupenol, α -spinasterol, stigmasterol, their derivatives, and combinations thereof. More preferably, the phytosterol derivative is selected from the group consisting of β -sitosterol, campesterol, brassicasterol, stigmasterol, their derivatives, and combinations thereof.

Oil-Soluble Vitamin Compounds


A number of vitamins known by those in the art for providing various skin benefits are oil-soluble and some or all of their derivatives are oil-soluble. As such, these oil-soluble vitamin compounds are useful as oil-soluble skin care actives herein. Non-limiting examples of such oil-soluble vitamin compounds include retinoids, additional vitamin B3 compounds, vitamin C (e.g. ascorbyl palmitate), vitamin D, vitamin K, vitamin E, and mixtures thereof. Preferred for use herein are retinoids, additional vitamin B3 compounds, vitamin E, and mixtures thereof, each of which is discussed below.

As used herein, "retinoid" includes all natural and/or synthetic analogs of Vitamin A or retinol-like compounds which possess the biological activity of Vitamin A in the skin as well as the geometric isomers and stereoisomers of these compounds. Preferred retinoids are retinol,

retinyl palmitate, retinyl acetate, retinyl propionate, retinal and combinations thereof, but any oil-soluble retinoid may be used herein.

The compositions of the present invention may also include, in some embodiments, an additional vitamin B₃ compound (other than niacinamide). When present, the composition preferably includes from about 0.01% to about 50%, more preferably from about 0.1% to about 10%, even more preferably from about 0.5% to about 10%, and still more preferably from about 1% to about 5%, by weight of the composition, of the vitamin B₃ compound.

As used herein, "additional vitamin B₃ compound" means a compound having the formula:



10

wherein R is, - COOH (i.e., nicotinic acid) or - CH₂OH (i.e., nicotiny alcohol); derivatives thereof; and salts of any of the foregoing. Exemplary derivatives of the foregoing vitamin B₃ compounds include nicotinic acid esters, including non-vasodilating esters of nicotinic acid (e.g., tocopheryl nicotinate), nicotiny amino acids, nicotiny alcohol esters of carboxylic acids, nicotinic acid N-oxide and niacinamide N-oxide.

15

Vitamin E and several derivatives thereof are known to be especially useful as antioxidants/radical scavengers. Such antioxidants/radical scavengers are especially useful for providing protection against UV radiation which can cause increased scaling or texture changes in the stratum corneum and against other environmental agents which can cause skin damage.

20

Nonlimiting examples of oil soluble vitamin E compounds include tocopherol (vitamin E), tocopherol sorbate, tocopherol acetate, and other esters of tocopherol. Preferred antioxidants/radical scavengers are selected from tocopherol sorbate, tocopherol acetate, and mixtures thereof. Also useful herein are the class of materials, tocotrienols, which are related to vitamin E.

25

Emollients and Occlusives

30

Emollients are cosmetic ingredients which help to maintain the soft, smooth, and pliable appearance of skin. Emollients function by their ability to remain on the skin surface or in the stratum corneum to act as lubricants, to reduce flaking, and to improve the skin's appearance. Occlusives are cosmetic ingredients which retard with the evaporation of water from the skin surface. By blocking the evaporative loss of water, occlusive materials increase the water content of skin. Occlusive agents are generally lipids which tend to remain on the skin surface. Emollients may also sometimes exhibit occlusive properties upon application to the skin, and

vice versa. Examples of suitable emollients and occlusives include Caprylic/Capric Glycerides, Isopropyl Isostearate, Mineral Oil, Cetyl Ricinoleate, and Petrolatum.

Dehydroacetic Acid

Dehydroacetic acid is a compound that is useful for regulating oily and/or shiny appearance of the skin, as disclosed in USP 6,150,403. Its chemical name is 3-Acetyl-6-methyl-2H-pyran-2,4(3H)-dione, and it can be commercially purchased from Universal Preserv-A-Chem of Brooklyn, NY under the tradename Unisept DHA®, from Tri-K Industries (Northvale, NJ), and under the tradename GEOGARD® 221 or GEOGARD® 361 from Lonza (Annandale, NJ).

The compositions of the present invention may comprise from about 0.1% to about 10%, more preferably from about 0.5% to about 5%, and even more preferably from about 1% to about 5% of dehydroacetic acid or dermatologically acceptable salts, derivatives, or tautomers thereof.

Hexanediol

The compositions of the present invention may comprise an effective amount of hexanediol, its isomers, tautomers, salts and derivatives. Some technical names for hexanediol suitable for use herein include 1,6-dihydroxyhexane, 1,6-hexanediol, hexamethylenediol, hexamethylene glycol, and 1,2-hexanediol.

The compositions of the present invention may comprise from about 0.0001% to about 50%, alternatively from about 0.001% to about 10%, alternatively from about 0.01% to about 5%, and alternatively from about 0.1% to about 2% hexanediol.

Anti-Acne Actives

The compositions of the present invention may contain a safe and effective amount of one or more anti-acne actives. Examples of useful anti-acne actives include resorcinol, sulfur, salicylic acid, benzoyl peroxide, erythromycin, zinc, etc.

Beta-Hydroxy Acids

Nonlimiting examples of oil-soluble beta-hydroxy acids include salicylic acid and derivatives thereof such as the octanoyl derivative. Beta-hydroxy acids are known to provide anti-acne and anti-aging benefits.

Chelators

As used herein, "chelator" or "chelating agent" means an active agent capable of removing a metal ion from a system by forming a complex so that the metal ion cannot readily participate in or catalyze chemical reactions. The inclusion of a chelating agent is especially useful for providing protection against UV radiation which can contribute to excessive scaling or skin texture changes and against other environmental agents which can cause skin damage. Preferred

oil-soluble chelators useful in compositions of the subject invention are furildioxime, furilmonoxime, and derivatives thereof.

Flavonoids

Flavonoid compounds are broadly disclosed in U.S. Patents 5,686,082 and 5,686,367, both of which are herein incorporated by reference. Nonlimiting examples of flavonoids useful herein include isoflavones, flavanones selected from the group consisting of unsubstituted flavanones, mono-substituted flavanones, and mixtures thereof; chalcones selected from the group consisting of unsubstituted chalcones, mono-substituted chalcones, di-substituted chalcones, tri-substituted chalcones, and mixtures thereof; flavones selected from the group consisting of unsubstituted flavones, mono-substituted flavones, di-substituted flavones, and mixtures thereof; one or more isoflavones; coumarins selected from the group consisting of unsubstituted coumarins, mono-substituted coumarins, di-substituted coumarins, and mixtures thereof; chromones selected from the group consisting of unsubstituted chromones, mono-substituted chromones, di-substituted chromones, and mixtures thereof; one or more dicoumarols; one or more chromanones; one or more chromanols; isomers (e.g., cis/trans isomers) thereof; and mixtures thereof. By the term "substituted" as used herein means flavonoids wherein one or more hydrogen atom of the flavonoid has been independently replaced with a hydroxyl, C1-C8 alkyl, or C1-C4 alkoxy. Mixtures of the above flavonoid compounds may also be used.

Plant-derived isoflavones such as soy isoflavones are particularly useful herein. A particularly useful type of flavonoid herein is glycoside flavonoid, preferably selected from the group consisting of glucosyl hesperidin, glucosyl rutin, glucosyl myricitrin, glucosyl isoquercitrin, glucosyl quercitrin, methyl hesperidin, and mixtures thereof. Commercially available glycoside flavonoids include hesperidin, methyl hesperidin and rutin available from Alps Pharmaceutical Industry Co. Ltd. (Japan), and glucosyl hesperidin and glucosyl rutin available from Hayashibara Biochemical Laboratories, Inc. (Japan).

Anti-Inflammatory Agents

A safe and effective amount of an anti-inflammatory agent may be added to the compositions of the present invention, preferably from about 0.1% to about 10%, more preferably from about 0.5% to about 5%, of the composition. The anti-inflammatory agent enhances the skin appearance benefits of the present invention, e.g., such agents contribute to a more uniform and acceptable skin tone or color. The exact amount of anti-inflammatory agent to be used in the compositions will depend on the particular anti-inflammatory agent utilized since such agents vary widely in potency.

Steroidal anti-inflammatory agents, including but not limited to hydrocortisone, are suitable for use herein. Nonsteroidal anti-inflammatory agents, including but not limited to ibuprofen, naproxen, flufenamic acid, etofenamate, aspirin, mefenamic acid, meclofenamic acid, piroxicam and felbinac, are also suitable for use herein. The variety of compounds encompassed by these groups is well-known to those skilled in the art. Mixtures of non-steroidal anti-inflammatory agents may also be employed, as well as the dermatologically acceptable salts and esters of these agents.

"Natural" anti-inflammatory agents are also useful in the present invention. Such agents may suitably be obtained as an extract by suitable physical and/or chemical isolation from natural sources (e.g., plants, fungi, by-products of microorganisms) or can be synthetically prepared. For example, candelilla wax, bisabolol (e.g., alpha bisabolol), aloe vera, plant sterols (e.g., phytosterol), Manjistha (extracted from plants in the genus Rubia, particularly Rubia Cordifolia), and Guggal (extracted from plants in the genus Commiphora, particularly Commiphora Mukul), kola extract, chamomile, red clover extract, and sea whip extract, may be used.

Anti-Cellulite Agents

The compositions of the present invention may also contain a safe and effective amount of an anti-cellulite agent. Suitable agents may include, but are not limited to, xanthine compounds (e.g., caffeine, theophylline, theobromine, and aminophylline).

Topical Anesthetics

The compositions of the present invention may also contain a safe and effective amount of a topical anesthetic. Examples of topical anesthetic drugs include benzocaine, lidocaine, bupivacaine, chlorprocaine, dibucaine, etidocaine, mepivacaine, tetracaine, dyclonine, hexylcaine, procaine, cocaine, ketamine, pramoxine, phenol, and pharmaceutically acceptable salts thereof.

Anti-Oxidants/Radical Scavengers

The compositions of the present invention may include a safe and effective amount of an anti-oxidant/radical scavenger. The anti-oxidant/radical scavenger is especially useful for providing protection against UV radiation which can cause increased scaling or texture changes in the stratum corneum and against other environmental agents which can cause skin damage.

A safe and effective amount of an anti-oxidant/radical scavenger may be added to the compositions of the subject invention, preferably from about 0.1% to about 10%, more preferably from about 0.1% to about 5%, of the composition.

Anti-oxidants/radical scavengers such as ascorbic acid (vitamin C) and its salts, ascorbyl esters of fatty acids, ascorbic acid derivatives (e.g., magnesium ascorbyl phosphate, sodium

ascorbyl phosphate, ascorbyl sorbate), tocopherol (vitamin E), tocopherol sorbate, tocopherol acetate, other esters of tocopherol, butylated hydroxy benzoic acids and their salts, BHT, 6-hydroxy-2,5,7,8-tetramethylchroman-2-carboxylic acid (commercially available under the tradename Trolox^R), gallic acid and its alkyl esters, especially propyl gallate, uric acid and its salts and alkyl esters, sorbic acid and its salts, lipoic acid, amines (e.g., N,N-diethylhydroxylamine, amino-guanidine), sulfhydryl compounds (e.g., glutathione), dihydroxy fumaric acid and its salts, lysine pidolate, arginine pilolate, nordihydroguaiaretic acid, bioflavonoids, curcumin, lysine, methionine, proline, superoxide dismutase, silymarin, tea extracts, grape skin/seed extracts, melanin, and rosemary extracts may be used. Preferred anti-oxidants/radical scavengers are selected from tocopherol acetate and other esters of tocopherol, more preferably tocopherol acetate. The use of tocopherol sorbate in topical compositions and applicable to the present invention is described in U.S. Patent No. 4,847,071, issued on July 11, 1989 to Donald L. Bissett, Rodney D. Bush and Ranjit Chatterjee.

Tanning Actives

The compositions of the present invention may contain a tanning active. When present, it is preferable that the compositions contain from about 0.1% to about 20%, more preferably from about 2% to about 7%, and still more preferably from about 3% to about 6%, by weight of the composition, of dihydroxyacetone as an artificial tanning active.

Dihydroxyacetone, which is also known as DHA or 1,3-dihydroxy-2-propanone, is a white to off-white, crystalline powder. This material can be represented by the chemical formula $C_3H_6O_3$.

Skin Soothing and Skin Healing Actives

The compositions of the present invention may include a skin soothing or skin healing active. Skin soothing or skin healing actives suitable for use herein include panthenoic acid derivatives (including panthenol, dexpanthenol, ethyl panthenol), aloe vera, allantoin, bisabolol, and dipotassium glycyrrhizinate. A safe and effective amount of a skin soothing or skin healing active may be added to the present composition, preferably, from about 0.001% to about 30%, more preferably from about 0.01% to about 20%, still more preferably from about 0.01% to about 10%, by weight of the composition formed.

Antimicrobial and Antifungal Actives

The compositions of the present invention may contain an antimicrobial or antifungal active. Such actives are capable of destroying microbes, preventing the development of microbes or preventing the pathogenic action of microbes and are known to those of skill in the art. A safe and effective amount of an antimicrobial or antifungal active may be added to the present

compositions, preferably, from about 0.001% to about 10%, more preferably from about 0.01% to about 5%, and still more preferably from about 0.05% to about 2%.

Solvents for Oil-Soluble Actives

If oil-soluble actives are used for purpose of sunscreen, whitening, anti-oxidant, etc, an ester may be used as a solvent to ensure efficacy of the oil-soluble active(s). A wide variety of suitable ester compounds are known and may be used herein and numerous examples can be found in "International Cosmetic Ingredient Dictionary and Handbook, 11th Edition, 2004". Examples of suitable esters include esters of amino acids and C2 -C8 alcohols such as Isopropyl Lauroyl Sarcosinate (Eldew SL205 from Ajinomoto), and esters of benzoic acid and C2 -C8 alcohols such as Phenethyl Benzoate (X-tend 226 from International Specialty Products). The level of solvent to be used will depend on the type and amount oil-soluble active to be incorporated and can readily be determined by those of skill in the art.

Other Optional Ingredients

A variety of additional ingredients can be incorporated into the compositions of the present invention. Nonlimiting examples of these additional ingredients include; colorants, dyes, pigments; agents suitable for aesthetic purposes such as essential oils, fragrances, skin sensates, opacifiers, aromatic compounds (e.g., clove oil, menthol, camphor, eucalyptus oil, and eugenol); preservatives (e.g. alkyl esters of para-hydroxybenzoic acid, hydantoin derivatives such as 1,3-bis(hydroxymethyl)-5,5-dimethylhydantoin, propionate salts, and a variety of quaternary ammonium compounds such as benzalkonium chloride, quaternium 15 [Dowicil 200], benzethonium Chloride, and methylbenzethonium chloride). Particularly preferred preservatives are disodium EDTA, phenoxyethanol, ethyl paraben, methyl paraben, propyl paraben, imidazolidinyl urea (commercially available as Germall 1157), sodium dehydroacetate, benzyl alcohol and sodium benzoate.

Composition Preparation

The compositions useful for the methods of the present invention are generally prepared by conventional methods such as are known in the art of making topical compositions. Such methods typically involve mixing of the ingredients in one or more steps to a relatively uniform state, with or without heating, cooling, application of vacuum, and the like.

The topical compositions of the present invention may be formulated into a facial skin cosmetic, eye cosmetic, lip cosmetic, scalp hair styling aid, facial hair styling aid, moisturizer, wrinkle soothing serum, lotion, mascara, skin facial mask, skin lotion, skin cream, skin gel, eye gel, eye cream, lip gel, lip cream, cosmetic, foundation, or any other commonly known skin product or treatment.

Methods of Use

Applicants have found that the compositions of the present invention are useful in a variety of applications directed to enhancement of mammalian skin. The methods of use for the compositions disclosed and claimed herein include, but are not limited to: 1) methods of increasing the substantivity of a cosmetic to skin; 2) methods of moisturizing skin; 3) methods of improving the natural appearance of skin; 4) methods of applying a color cosmetic to skin; 5) methods of preventing, retarding, and/or treating wrinkles; 6) methods of providing UV protection to skin; 7) methods of preventing, retarding, and/or controlling the appearance of oil; 8) methods of modifying the feel and texture of skin; 9) methods of providing even skin tone; 10) methods of preventing, retarding, and/or treating the appear of spider vessels and varicose veins; 11) methods of masking the appearance of vellus hair on skin; and 12) methods of concealing blemishes and/or imperfections in human skin, including acne, age spots, freckles, moles, scars, under eye circles, birth marks, post-inflammatory hyperpigmentation, etc.. Each of the methods discussed herein involve topical application of the claimed compositions to skin.

EXAMPLES

The following examples further describe and demonstrate embodiments within the scope of the present invention. The examples are given solely for the purpose of illustration and are not to be construed as limitations of the present invention, as many variations thereof are possible without departing from the spirit and scope of the invention.

Water in Oil emulsion skin care products containing sunscreen actives are prepared by conventional methods from the following components.

Ingredient	EX 1 (Wt%)	EX 2 (Wt%)	EX 3 (Wt%)	EX 4 (Wt%)
Phase 1				
KSG 320 *1	4.0	4.0	2.5	2.5
Abil EM-90 *2	1.5	1.5	1.0	0.5
KSG 43 *3	-	-	-	4.0
Aerosil R972 *4	0.1	-	-	-
Butyl methoxydibenzoylmethane	3.0	3.0	2.0	2.0
Homosalate	8.0	8.0	4.0	4.0

Ethyl Hexyl Salicylate	-	-	-	2.0
Octocrylene	2.25	2.25	1.25	1.25
Isopropyl Lauroylsarconsinate	4.0	4.0	2.0	2.0
Isononyl Isononanoate	2.0	2.0	4.0	4.0
Isopropyl Isostearate	2.0	2.0	4.0	2.0
Bentone Gel TNV *5	-	3.0	-	-
Dextrin (parmitate/ethylhexanoate)	0.5	0.5	0.3	-
Ethyl paraben	0.1	0.1	0.1	0.1
Propyl paraben	0.1	0.1	0.1	0.1
Polymethylsilesquioxane *6	4.0	3.0	3.0	3.0
Perfume	-	-	0.25	-
Phase 2				
De-Ionized Water	10.0	10.0	10.0	-
Triethanolamine	1.1	1.1	0.55	-
Phenylbenzimidazol Sulfonic Acid	2.0	2.0	1.0	-
Phase 3				
De-Ionized Water	37.15	35.25	50.75	57.25
Saccharomycopsis Ferment Filtrate	5.0	5.0	-	-
Niacinamide	4.0	4.0	4.0	4.0
Elestab HP100 *7	-	-	-	0.1
Sodium Citrate	0.2	0.2	0.2	0.2
Sodium Chloride	0.5	0.5	0.5	0.5
Glycerin	5.0	5.0	2.0	7.0
Pentylene Glycol	3.0	3.0	3.0	3.0

1,3-Butylene Glycol	-	-	3.0	-
Benzyl Alcohol	0.4	0.4	0.4	0.4
Disodium EDTA	0.1	0.1	0.1	0.1

*1. Lauryl Dimethicone Copolyol Crosspolymer (25%) and Isododecane (75%). Available from ShinEtsu.

*2. Cetyl PEG/PPG-10/1 Dimethicone. Available from Degussa

*3. Vinyl Dimethicone/Lauryl Dimethicone Crosspolymer (30%) and Triethylhexane (70%).

5 Available from ShinEtsu.

*4. Silica Dimethyl Silylate. Available from Degussa.

*5. C12-C15 Isoparaffin, Stearalkonium Hectorite, Propylene Carbonate. Available from Rheox, Inc.

*6. E.g., Tospearl 145A or CF 600. Available from GE Toshiba Silicone.

10 *7. Hexamidine Diisethionate. Available from Laboratoires Serobiologiques.

In separate suitable containers are added the ingredients of Phase 1, Phase 2 (if present) and Phase 3 and each phase is mixed using a suitable mixer (e.g., Anchor blade, propeller blade, IKA T25). When each phase is homogenous, slowly add Phase 2 (if present) and Phase 3 to Phase 1 while mixing Phase 1 with a suitable mixer (e.g., Anchor blade, propeller blade, IKA T25). Maintain mixing until batch is uniform. Pour product into suitable containers.

15

TEST METHODS

Milling Method – This method involves the in-line milling of the sample emulsion (“Sample”) to yield a visible (to the naked eye) phase separation. The milling method involves the in-line milling of an approximately 7-8g Sample placed in the inlet of an Ultra Turrax L25 mill system with a S25-KV-25GL (Shufft Generator) dispersing element and a DK 25.11 chamber available from IKA Works, Wilmington, NC. The method is conducted at a temperature of approximately 25°C. The Sample is milled for about 10-15 seconds, without circulation, at a speed of either about 6500 rpm (which corresponds to a shear rate of about 11600 s⁻¹) or about 13500 rpm (which corresponds to a shear rate of about 24000 s⁻¹). Shear rate is related to shaft speed according to the following manufacturer’s specification: Shear Rate = 1.77936 x Shaft Speed (rpm). Immediately after milling is ended, phase separation is visually observed at the outlet of the mill system. At the outlet, the bulk and the water are collected, and

20

25

the aqueous phase is removed from the collection vessel using standard separation techniques. The separated aqueous phase is weighed. The percentage of water coming out of bulk at the outlet is calculated by dividing the amount of water collected at the outlet (grams) by the amount of sample put into the inlet (grams).

5 Select examples tested according to the Milling Method provide the following water phase release:

	Example 3*	Comparative Example **
6500 rpm	5.3%	-
13500 rpm	8.7%	-

* The 0.25% of perfume shown in Example 3 may be absent from the test sample.

**In a Comparative Example, the commercially available Regenerist Daily Regenerating Serum available from The Procter & Gamble Company, no water phase release is observed.

10

It is understood that the foregoing detailed description of examples and embodiments of the present invention are given merely by way of illustration, and that numerous modifications and variations may become apparent to those skilled in the art without departing from the spirit and scope of the invention; and such apparent modifications and variations are to be included in the scope of the appended claims.

15

All documents cited in the Detailed Description of the Invention are, in relevant part, incorporated herein by reference; the citation of any document is not to be construed as an admission that it is prior art with respect to the present invention. To the extent that any meaning or definition of a term in this written document conflicts with any meaning or definition of the term in a document incorporated by reference, the meaning or definition assigned to the term in this written document shall govern.

20

While particular embodiments of the present invention have been illustrated and described, it would be obvious to those skilled in the art that various other changes and modifications can be made without departing from the spirit and scope of the invention. It is therefore intended to cover in the appended claims all such changes and modifications that are within the scope of this invention.

25

CLAIMS

What is claimed is:

1. A water in oil emulsion composition suitable for use as a sunscreen comprising:
 - a) from about 0.1% to about 15% of an emulsifying crosslinked siloxane elastomer;
 - b) from about 1% to about 40% of a solvent for the emulsifying crosslinked siloxane elastomer;
 - c) from about 0.01% to about 5% of an additional emulsifier;
 - d) from about 50% to about 99% of aqueous phase;
 - e) from about 0.01% to about 30% of a sunscreen active;wherein when shear stress is applied to the composition during spreading on skin, aqueous phase is released from the emulsion.
2. The composition according to claim 1 wherein the sunscreen active is selected from the group consisting of avobenzone, homosalate, octocrylene, 2-ethylhexyl-p-methoxycinnamate, 2-hydroxy-4-methoxybenzophenone, 2-ethylhexyl-salicylate, phenyl benzimidazole sulfonic acid, benzophenone-4, and mixtures thereof.
3. The composition according to claim 1 wherein the emulsifying crosslinked siloxane elastomer is selected from the group consisting of dimethicone copolyol crosspolymer, lauryl dimethicone copolyol crosspolymer, and mixtures thereof.
4. The composition according to Claim 1 further comprising a skin care active selected from the group consisting of niacinamide, hexamidine compounds, whitening agents, peptides, sugar amines, and mixtures thereof.
5. The composition according to Claim 4 wherein the skin care active is niacinamide.
6. The composition according to Claim 1 further comprising a skin conditioning agent.
7. A composition according to Claim 6 wherein the skin conditioning agent is selected from the group consisting of propylene glycol, dipropylene glycol, polypropylene glycol, polyethylene glycol, sorbitol, hydroxypropyl sorbitol, trehalose, hexylene glycol, 1,3-butylene glycol, 1,2,6-

hexanetriol, glycerin, 1,2-hexanediol, pentylene glycol, ethoxylated glycerin, propoxylated glycerin, and mixtures thereof.

8. A composition according to Claim 7 wherein the skin conditioning agent is glycerin.
9. A composition according to Claim 1 further comprising a particulate material.
10. The composition of Claim 1 further comprising from about 0.1% to about 15% of a non-emulsifying crosslinked siloxane elastomer.
11. The composition according to Claim 10, wherein the non-emulsifying crosslinked siloxane elastomer is selected from the group consisting of dimethicone/vinyl dimethicone crosspolymers, and mixtures thereof.
12. A composition according to Claim 1, wherein the solvent for the elastomer is selected from the group consisting of volatile, non-polar oils; non-volatile, polar oils; non-volatile, non-polar oils; non-volatile paraffinic hydrocarbon oils; and mixtures thereof.
13. A composition according to Claim 1, wherein the composition further comprises from about 0.1% to about 50% of an additional skin care active selected from the group consisting of oil-soluble terpene alcohols, phytosterol, oil-soluble vitamin compounds, emollients and occlusives, dehydroacetic acid, hexanediol, anti-acne actives, beta hydroxy acids, chelators, flavanoids, anti-inflammatory agents, anti-cellulite agents, topical anesthetics, anti-oxidants/free radical scavengers, tanning actives, skin soothing and healing agents, anti-microbial actives, anti-fungal actives, and mixtures thereof.
14. A water in oil emulsion composition suitable for use as a sunscreen comprising:
 - a) from about 0.1% to about 15% of an emulsifying crosslinked siloxane elastomer;
 - b) from about 1% to about 40% of a solvent for the emulsifying crosslinked siloxane elastomer;
 - c) from about 0.01% to about 5% of an additional emulsifier;
 - d) from about 50% to about 99% of aqueous phase;
 - e) from about 0.01% to about 30% of a sunscreen active;

wherein the composition releases at least about 5.0% of aqueous phase from the bulk material collected at the outlet of the mill after milling for about 10-15 seconds at a speed of about 6500 rpm according to the Milling Method described herein.

15. A method for protecting the skin against sun damage, said method comprising applying to the skin of a human in need of treatment, a safe and effective amount of a composition according to Claim 1 or Claim 14.