



(86) **Date de dépôt PCT/PCT Filing Date:** 2013/07/25
(87) **Date publication PCT/PCT Publication Date:** 2014/02/06
(45) **Date de délivrance/Issue Date:** 2020/03/24
(85) **Entrée phase nationale/National Entry:** 2015/01/30
(86) **N° demande PCT/PCT Application No.:** EP 2013/065766
(87) **N° publication PCT/PCT Publication No.:** 2014/019944
(30) **Priorités/Priorities:** 2012/08/03 (US61/679,377);
2013/03/14 (US13/804,209)

(51) **Cl.Int./Int.Cl. A61K 8/04** (2006.01),
A61Q 19/00 (2006.01), **A61Q 19/10** (2006.01)

(72) **Inventeurs/Inventors:**
GRIMADELL, LOUISE, GB;
CREAGHAN, DAVID MICHAEL ROSS, GB;
HINES, JOHN D., GB;
GRASCHA, PIERRE BRUNO, FR

(73) **Propriétaire/Owner:**
DEB IP LIMITED, GB

(74) **Agent:** HILL & SCHUMACHER

(54) **Titre : FORMULATION POUR DISTRIBUTEUR DE MOUSSE GRANULEUSE**

(54) **Title: FORMULATION FOR GRITTY FOAM DISPENSER**

(57) Abrégé/Abstract:

Disclosed herein are foamable gritty foam compositions that can suspend particulate mechanical scrubbers with particles sized from about 100 microns to about 800 microns that is capable of being foamed through a non- aerosol, or unpressurized pump dispenser.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(10) International Publication Number

WO 2014/019944 A3

(43) International Publication Date
6 February 2014 (06.02.2014)

(51) International Patent Classification:

<i>A61K 8/25</i> (2006.01)	<i>A61K 8/81</i> (2006.01)
<i>A61K 8/26</i> (2006.01)	<i>A61K 8/04</i> (2006.01)
<i>A61K 8/31</i> (2006.01)	<i>A61K 8/92</i> (2006.01)
<i>A61K 8/73</i> (2006.01)	<i>A61Q 19/10</i> (2006.01)

(81) **Designated States** (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(21) International Application Number:

PCT/EP2013/065766

(22) International Filing Date:

25 July 2013 (25.07.2013)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/679,377	3 August 2012 (03.08.2012)	US
13/804,209	14 March 2013 (14.03.2013)	US

(71) **Applicant:** PIBED LIMITED [GB/GB]; Denby Hall Way, Denby, Ripley, Derbyshire DE5 8JZ (GB).

(72) **Inventors:** GRIMADELL, Louise; 3 Netherwood Court, Allestree, Derby, Derbyshire, DE22 2NU (GB). CREAGHAN, David Michael Ross; 21 Abbey Lane, Darley Abbey, Derby, Derbyshire DE22 1DG (GB). HINES, John D.; Mildmays Cottage, School Lane, Audlem Cheshire CW3 0BA (GB). GRASCHA, Pierre Bruno; 14, rue des Campanules, F-51350 Cormontreuil (FR).

(74) **Agent:** LECOMTE & PARTNERS; P.O. Box 1623, L-1016 Luxembourg (LU).

(84) **Designated States** (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(88) Date of publication of the international search report:

2 October 2014



WO 2014/019944 A3

(54) **Title:** FORMULATION FOR GRITTY FOAM DISPENSER

(57) **Abstract:** Disclosed herein are foamable gritty foam compositions that can suspend particulate mechanical scrubbers with particles sized from about 100 microns to about 800 microns that is capable of being foamed through a non- aerosol, or unpressurized pump dispenser.

FORMULATION FOR GRITTY FOAM DISPENSER

FIELD

The present disclosure relates to formulations for a gritty foam
5 dispenser.

BACKGROUND

Currently, there are three (3) broad categories of hand cleansers that
form the away from home skincare market. They are: lotion soaps, lotion
10 soaps with suspended mechanical scrubbers and foam soaps. Lotion soaps
are generally dispensed from soap dispenser pumps or pump top bottles.
Lotion soaps with mechanical scrubbers are also dispensed through similar
devices. Foaming soaps are dispensed from special pumps that mix air and
liquid together through a porous media to produce foam.

15 Hand cleansers have been around for many years. The combination of
ingredients in these types of soaps can be specified to achieve a broad range
of cleaning characteristics. The viscosity of this form of soap is in the range of
5,000 to 30,000 cPoise and is generally tailored to be easily manipulated in
the user's hand or pumped through a pump.

20 With the addition of mechanical scrubbers, the cleaning performance of
lotion soaps can be enhanced. Lotion soaps with suspended mechanical
scrubbers tend to have a viscosity range at the low end that is higher than that
of basic lotion soaps. In order to provide the structure to suspend mechanical
scrubbers of an appropriate size to provide cleaning benefits, these
25 formulations must also have a critical strain force (or yield value) superior or
equal to 30 dynes / cm² associated or not to non-Newtonian rheological
behaviour, and more particularly plastic or thixotropic properties
(pseudoplastic fluids being excluded from this requirement). The rheology of
this form of soap must be viscoplastic (Casson, or Bingham, or dilatant, or
thixotropic, or rheoplectic fluids) with a critical strain force which is preferably
30 greater than or equal to 30 dynes/cm². The critical strain force is defined as
that stress which must be applied before flow will start and, although related
to viscosity, it is more dependent on the characteristics of the rheological
additive used. The critical strain force has traditionally been determined by

measuring the viscosity of the material at two speeds using a Brookfield Viscometer. As the speed of rotation of the spindle is increased materials that undergo shear thinning give a lower viscosity measurement.

5 The soap's critical strain force or the required yield value may be calculated as follows:

$$\text{Yield Value (in dynes/cm}^2\text{)} = (\text{V}_{0.5\text{rpm}} - \text{V}_{1\text{rpm}}) / 100$$

$$\text{Required Yield Value (in dynes/cm}^2\text{)} = [4/3 R(D-Do)g]$$

Where:

$$R = \text{particle radius (cm)}$$

10 $D = \text{particle density (g/cm}^3\text{)}$ $Do = \text{medium density (g/cm}^3\text{)}$

$$g = \text{acceleration due to gravity} = 980 \text{ cm/s}^2$$

15 Foaming hand cleansers offer many benefits over lotion hand cleansers. Foam products are quicker and easier to use since they are delivered into the user's hand in a lathered format. Foam hand cleansers spread more effectively than lotion hand cleansers, providing better cleaning performance with less product. Since foaming hand cleansers are already lathered, there is less water needed in the cleaning process and the user can 20 clean their hands in less time. The viscosity range of this form of hand cleanser is less than 100 cPoise and is tailored to be easily mixed with air through a porous media to produce foam from a pump.

25 The characteristics of foam soaps are such that they are not capable of suspending mechanical scrubbers of sufficient size to provide cleaning benefits. Current foam pump technologies mix air and liquid together and pass them through a porous media to make the foam. The porous media is generally very fine and would sieve out mechanical scrubbers.

30 Recently, a new type of pump capable of dispensing hand cleansers with mechanical scrubber in a foam format through a non-aerosol dispensing system has been developed (see United States Patent Nos. 8,002,151 and 8,281,958). This has allowed for the creation of a new hand cleanser category. This category is foaming hand cleansers with mechanical scrubbers. This new category will allow the leveraging of all the benefits

associated with foaming hand cleansers with the enhanced cleaning performance provided by mechanical scrubbers. Nevertheless, the requirement remains for a suitable hand cleanser.

Thus, it would be very beneficial if a hand cleanser could be formulated 5 that can suspend particulate mechanical scrubbers with particles sized from about 100 microns to about 800 microns that decreases in viscosity when exposed to high shear rates and is capable of being foamed through a non-aerosol, or unpressurized pump dispenser.

If the formulation is too thin, the mechanical scrubbers will fall out of 10 suspension. If the product is too thick, the amount of force required to foam the formulation become too high resulting in excessive operating force for the dispenser user and poor quality foam.

Prior art does not capture the requirement of the formulation to 15 generate foam when mixed and dispensed with air from a non-aerosol dispenser. The assumption from the prior art is since it is soap, it will naturally foam. While this may be true if mechanical manipulation is done (rubbing in the hand), if the formulation does not have the desired characteristics, it will not create an acceptable foam through a non aerosol pump.

20

SUMMARY

Provided herein are formulations for a gritty foam dispenser. An embodiment of a foamable gritty composition comprises constituents including 25 a solvent present in a range from about 0.5% w/w to about 30.0% w/w, in which the solvent includes any one or combination of D'limonene and sunflower oil methyl ester. The formulations include a particulate scrubbing agent present in a range from about 1.0% w/w to about 8% w/w. Included is a surfactant present in a range from about 0.5% w/w to about 30.0% w/w, skin conditioner present in a range from 0.01% w/w to about 5.00% w/w, a non-Newtonian thickening agent present in a range from about 0.05% w/w to about 10% w/w, and water. The non-Newtonian thickening agent is selected 30 to give the foamable gritty formulation a critical strain force greater than or equal to about 30 dynes/cm², and a viscosity in a range from about 500 cPoise to about 4000 cPoise such that the foamable gritty composition is dispensable as a foam from a non-aerosol foam dispenser.

The present disclosure also provides a method of producing and dispensing a gritty foam, the method comprising;

dispensing a foamable gritty composition from an unpressurized container having a dispenser pump configured to mix air with the foamable gritty composition under low pressure conditions during dispensing to form a gritty foam, the foamable gritty composition comprising

5 a) constituents including

10 a solvent present in a range from about 0.5% w/w to about 30.0% w/w, said solvent including any one or combination of D'limonene and sunflower oil methyl ester;

15 a particulate scrubbing agent present in a range from about 1.0% w/w to about 8% w/w;

a surfactant present in a range from about 0.5% w/w to about 30.0% w/w;

15.5 skin conditioner present in a range from 0.01% w/w to about 5.00% w/w; and

20 a non-Newtonian thickening agent present in a range from about 0.05% w/w to about 10% w/w;

water; and

25 b) wherein the non-Newtonian thickening agent is selected to give the foamable gritty composition a critical strain force greater than or equal to about 30 dynes/cm², and a viscosity in a range from about 500 cPoise to about 4000 cPoise such that said foamable gritty composition is dispensable as a foam from a an unpressurized foam dispenser.

25.5 A further understanding of the functional and advantageous aspects of the disclosure can be realized by reference to the following detailed description and drawings.

BRIEF DESCRIPTION OF THE TABLES

30 Embodiments will now be described, by way of example only, with reference to the drawings, in which:

Table 1 shows a broad class of constituents that can be used to produce formulations for a gritty foam dispenser in accordance with the present invention;

Table 2 shows an exemplary formulation.

DETAILED DESCRIPTION OF THE INVENTION

Various embodiments and aspects of the disclosure will be described 5 with reference to details discussed below. The following description and drawings are illustrative of the disclosure and are not to be construed as limiting the disclosure. Numerous specific details are described to provide a thorough understanding of various embodiments of the present disclosure. However, in certain instances, well-known or conventional details are not 10 described in order to provide a concise discussion of embodiments of the present disclosure.

Definitions:

As used herein, the terms, “**comprises**” and “**comprising**” are to be 15 construed as being inclusive and open ended, and not exclusive. Specifically, when used in this specification including claims, the terms, “comprises” and “comprising” and variations thereof mean the specified features, steps or components are included. These terms are not to be interpreted to exclude the presence of other features, steps or components.

As used herein, the term “**exemplary**” or “**example**” means “serving as 20 an example, instance, or illustration,” and should not be construed as preferred or advantageous over other configurations disclosed herein.

As used herein, the terms “**about**” and “**approximately**”, when used in conjunction with ranges of dimensions of particles, compositions of mixtures or other physical properties or characteristics, are meant to cover slight 25 variations that may exist in the upper and lower limits of the ranges of dimensions so as to not exclude embodiments where on average most of the dimensions are satisfied but where statistically dimensions may exist outside this region. It is not the intention to exclude embodiments such as these from the present disclosure.

As used herein, the phrase “**non-Newtonian thickener**” or “non- 30 Newtonian thickening agent” means a category of fluids whose viscosity (resistance to deformation or shear forces) is influenced by the shear stress and/or by the time this force is applied.

As used herein, the phrase “**critical strain force**” (also referred to as “**yield value**”) refers to a term used in rheology in which the ‘critical strain force’ is the minimum force that must be applied to a material to induce viscous flow. The critical strain force is a measurable quantity (expressed in 5 dynes/cm²). More particularly, both phrases are referring to the same phenomenon which is that up to a certain force exerted (the critical strain force), a visco-elastic material will exhibit “solid like” or “elastic” properties, i.e. it will not have a net flow. Above the critical strain force (or above the “yield value”) the same material will exhibit viscous properties, i.e. it will flow.

10 As an example, for beads (particulate scrubber particles in the present context) suspended in a fluid, as long as the strain force imparted by the suspended beads is less than the critical strain force (or less than the yield value), the beads will stay forever in suspension. If they exert a force higher than the critical strain (or yield value), then they will migrate over time, either 15 floating to the top of the fluid or settling to the bottom.

As used herein, the phrase “**non-aerosol dispenser**” or “**unpressurized dispenser**” means a dispenser that does not have a stored propellant as the source of gas to create the foam structure within the hand cleanser.

20 “**Foam**” as used herein means a liquid and a gas mixed to form a mass of small bubbles that has a structure that lasts for a variable length of time.

25 The phrase “**low pressure**” in the context of producing a foam as used herein means a pressure of around an atmosphere or less such as when dispensing the foam from an unpressurized container. Typically when foams are dispensed from aerosol containers the foam is considered to be being dispensed under high “**pressure**” conditions.

30 The present disclosure provides a skin cleanser, which is a foamable gritty composition that can suspend mechanical scrubber particles having a size in the range from about 100 to about 800 microns that decreases in viscosity when exposed to high shear rates and is capable of being foamed through a non-aerosol (unpressurized) pump.

If the formulation is too thin (viscosity too low) and has a Newtonian rheological behaviour, the mechanical scrubbers will fall out of suspension. If the product is too thick (too viscous), the amount of force required to foam the

formulation becomes too high resulting in excessive operating force for the dispenser user and a poor quality foam results.

While it is assumed in the field that if surfactants are present, it will naturally foam. However while this is a necessary condition, the inventors 5 have found that it is not a sufficient condition to obtain a foam when particulate scrubbing agents are present. First, the fluid must be capable of becoming aerated and second it must be capable of stabilising the entrained air bubbles divided by fluid films. The presence of surfactants in a suitable concentration broadly satisfies the second of these requirements by providing 10 a means of stabilising fluid films by setting up a surface tension gradient that acts to oppose draining forces and hence maintains the thickness of the films, avoiding collapse.

However, the presence of surfactants alone does not meet the first requirement, which requires that the fluid is sufficiently low in viscosity to allow 15 for mixing with air under the conditions provided by the pump (i.e. without the requirement for excessive force). If the fluid is too viscous, air will not mix and hence bubbles will not form (and then cannot be stabilised as foam). This issue is central to providing a fluid of sufficiently low viscosity to allow for efficient mixing and hence foam formation, and also to contribute to 20 suspending particles in the fluid when at rest.

Constituents

Solvents

In addition, the solvent can include aqueous (water) and non-aqueous components. The non-aqueous solvent is one or both of D-limonene and 25 sunflower oil methyl ester. Other optional solvents that can be added include any one or combination of glycol ethers, esters, alcohols, terpenes other than D'Limonene, aromatic-free white spirit. A total amount of non-aqueous solvent present in the composition is in the range from about 0.5% w/w to about 30.0% w/w. The water is present in an amount to balance the total 30 composition to 100% w/w weight.

Scrubbing Agent

The particulate scrubbing agent is any one or combination of a vegetable based scrubbing agent, a synthetic based scrubbing agent and a mineral based scrubbing agent, and the particles have a size in a range from

about 100 microns to about 800 microns, or in a range from about, or in a range from about 200 to about 700, or in a range from about 300 to about 500 microns. The particles may have any size in this range, or be in any narrow range than 100 to 800 microns, or there may be a mixture of any size of particles in this broad range present in the composition. The vegetable based scrubbing agent may be any one or combination of cornmeal, olive stone, walnut shells, ground fruit stones, ground corn meal, ground fruit shells. The synthetic based scrubbing agent may be any one or combination of polyethylene and polypropylene. The mineral based scrubbing agent may be any one or combination of ground shellfish, pumice, and silica. The particulate scrubbing agent present is present a range from about 1.0% w/w to about 8% w/w.

Surfactants

The surfactant may include any one or combination of i) an anionic surfactant present in a range from about 1% w/w to about 20% w/w if present alone; ii) an amphoteric surfactant present in a range from about 0.5% w/w to about 5.0% w/w if present alone; iii) a non-ionic surfactant present in a range from about 0.5% w/w to about 20% w/w if present alone. If the surfactant is any combination of two or more of i), ii) or iii), the total amount of surfactant is also in the range from about 0.5% w/w to about 30.0% w/w.

i) Amphoteric Surfactants

The amphoteric surfactant may be any one or combination of betaines, acyl ethylene diamines, amino-acids derivates, imidazolines. Alternatively, the amphoteric surfactant may be any one or combination of acylamphoacetate, acylamphodiacetate, acylamphodipropionate, sodium cocoglycinate, sodium alkyliminodipropionate, cocamidopropyl betaine, sodium cocoamphoacetate.

The betaine may be any one or combination of coco betaine and cocamidopropyl betaine.

ii) Non-ionic Surfactants

The non-ionic surfactant may be any one or combination of glucosides, ethoxylated fatty alcohols, ethoxylated fatty acids, saccharose esters, sorbitan esters, alkanolamides, glycerol alkyl esters, polyoxyethylene glycol alkylphenol ethers,

iii) Anionic Surfactants

The anionic surfactant may be any one or combination of lauryl sulphates, lauryl ether sulphates, sulphosuccinates, carboxylates (i.e. sodium oleate), carboxylic acid esters (i.e. sodium dilaureth citrate), alkyl sulfate (i.e. sodium lauryl ether sulfate, ammonium alkyl sulfate, alkyl and alkyl-aryl sulfonates (i.e. sodium dodecyl benzene sulfonate), sulfosuccinates (i.e. disodium lauryl ether sulfosuccinate), isethionates (i.e. sodium cocoyl isethionate, ammonium cocoyl isethionate), taurates (i.e. sodium methyl cocoyl taurate, sodium methyl oleoyl taurate), acyl glutamates (i.e. sodium lauroyl glutamate, sodium cocoyl glutamate, disodium cocoyl glutamate), sarcosinate (i.e. cocoyl sarcosinate), alkylpolyglucosides (i.e. decyl glucoside, sodium lauryl glucose carboxylate, caprylyl/capryl glucoside).

Skin Conditioner

The skin conditioner is any one or combination of a polyol, an anionic surfactant (examples: methyl gluceth-20, sodium laureth carboxylate, xylitylglucoside, sodium cocoyl glutamate, sodium cocoyl glycinate) a non-ionic surfactant (examples: PEG castor oil, PEG dimethicone, Glycereth cocoate), a cationic surfactant (examples: cocamidopropyl betainamide mea chloride, cocamidopropyl pg-dimonium chloride phosphate), an amphoteric surfactant (examples: lauramine oxide, undecylenamidopropyl betaine, sodium cocoamphoacetate), a cationic polymer, a quaternised gum, and a polyol.

The polyol may be any one or combination of glycerine and polyglycerin-6, propylene glycol, sorbitol, mannitol, erythritol, xylitol, arabitol, ribitol, dulcitol, lactitol, and maltitol.

The skin conditioner is present in a range from 0.01% w/w to about 5.00% w/w.

Non-Newtonian Thickening Agents

The non-Newtonian thickening agent is selected to give the foamable gritty composition a critical strain force greater than or equal to about 30 dynes / cm², and a viscosity in a range from about 500 cPoise to about 4000 cPoise, and preferably about 1000 cPoise to about 3000 cPoise, and most preferably about 2000 cPoise to about 2500 cPoise such that the foamable gritty composition is dispensable as a foam from a non-aerosol foam dispenser.

The non-Newtonian thickening agent may be any one or combination of synthetic polymers and natural thickeners. The synthetic polymer may be selected from the group consisting of acrylate copolymers. The synthetic polymer may be any one or combination of acrylates/C10-30 alkyl acrylate crosspolymer and carbomers.

5 The natural thickener may be any one or combination of xanthan gum, guar gum, quaternised guar gum, alginate, bentonite and fumed silica.

The non-Newtonian thickening agent is present in a range from about 0.05% w/w to about 10% w/w.

10 **Antioxidants**

Antioxidants may be included in the formulations which are included to limit the risk of oxidation of d-limonene (becomes a sensitizer when oxidised). The antioxidants may include, but are not limited to: butylhydroxytoluene (BHT), butylhydroxyanizole, 1,2-dihydroxybenzene, p-coumarine acid, caffeic acid, sodium sulfite, sodium metasulfite, ferrulic acid, tyrosol, quercetin, chlorogenic acid, oleuropein hydroxytyrosol, ascorbic acid, phenolic acid, propyl gallate, α -tocopherol, β -tocopherol, γ -tocopherol, δ -tocopherol, tetradibutyl-pentaerithrityl hydroxyhydrocinnamate. The antioxidants may be present in an amount ranging from about 0.01 to 1.0% w/w.

15 **Non-aerosol, Unpressurized Pump**

A useful non-aerosol, unpressurized pump that may be used is disclosed in United States Patent Nos. 8,002,151 and 8,281,958. The unpressurized container used for dispensing the present foamable gritty composition will generate pressure when the gritty composition and air are introduced into a mixing chamber by mechanical actuation of a dispensing feature(s), and this mechanical actuation can be initiated by a user actuating the dispensing feature(s) or by sensor activated dispensing feature(s) when the presence of a user is detected.

20 Using such an unpressurized pump, the present disclosure provides a method of making and dispensing a gritty foam. The method involves introducing a predetermined quantity of air under pressure to a first side of a microporous air sparging element located upstream from an outlet while

introducing, concurrently with the introduction of the air, a predetermined amount of the foamable gritty composition under pressure to a foamable gritty composition inlet of a mixing chamber located on a second side of the microporous air sparging element and located upstream from the outlet, such 5 that a ratio of air to foamable gritty composition has a greater proportion of air to foamable gritty composition. The method involves forcing the air through the microporous sparging element into the mixing chamber to form a plurality of bubbles and mixing the plurality of bubbles and the foamable gritty composition in the mixing chamber thereby creating a gritty foam and 10 dispensing the gritty foam to a user in shots through the outlet from the mixing chamber.

The air may be introduced in a predetermined quantity and the foamable gritty composition may be introduced in a predetermined quantity

15. The specific embodiments described above have been shown by way of example, and it should be understood that these embodiments may be susceptible to various modifications and alternative forms. It should be further understood that the claims are not intended to be limited to the particular forms disclosed, but rather to cover all modifications, equivalents, and alternatives falling within the spirit and scope of this disclosure.

20

Formulation to contain	In the range (%w/w)			
	Typically	Preferably	More preferably	Specific examples
Thickener/suspending agent	0.05 - 10.0	1.0 -2.0	1.5 -1.7	Acrylic thickeners such as acrylates copolymer, natural thickeners such as xanthan gum
Scrubbing agent	1.0 – 8.0	4.0 – 8.0	6.5 – 7.5	Vegetable based scrubbing agents such as cornmeal, olive stone, walnut shell
Anionic surfactants	5.5 – 11.5	8.0 – 10.0	8.0 – 10.0	Lauryl sulphates, lauryl ether sulphates, sulphosuccinates ,
Amphoteric surfactants	0.8 – 3.0	1.0 – 2.0	1.0 – 2.0	Betaines such as coco betaine
Nonionic surfactants	0.7 – 3.0	1.0 – 2.0	1.0 -2.0	Coco-glucoside, decyl glucoside
Skin conditioner	0.01 – 5.0	2.0 – 4.0	3.0 – 4.0	Polyglycerin-6, glycerine
Solvent	0.5 – 30.0	1.0 – 10.0	1.0 – 6.0	D'Limonene, sunflower oil methyl ester
Water	29.5 – 91.44	62.0 – 82.0	66.8 – 78.0	

TABLE 1

TABLE 2

CAS	INCI	Generic Name	Nominal Code	Nominal Active Level %	% w/w	Nominal Active Content %	Function
7732-18-5	Aqua	Water	11 210 355T	100.00	48.02999	75.23212	Solvent/diluent
N-4 (Polymer)	Acrylates Copolymer	Aqua SF-1	11 105 567T	30.00	5.15000	1.54500	Thickener/Suspending Agent
52-51-7	2-Bromo-2-Nitropropane-1,3-Dio			14.00		0.04200	Preservative
2-682-20-4	Methylisothiazolinone	Euxil™ K145	11 105 560T	0.12		0.00036	Preservative
29-172-55-4	Methylchloroisothiazolinone			0.37	0.30000	0.00111	Preservative
10377-40-3	Magnesium Nitrate			<1		<0.003	Preservative Stabiliser
7780-30-3	Magnesium Chloride			<1		<0.003	Preservative Stabiliser
66071-96-3	Corn (Zea Mays) Meal	Cornmeal (irradiated)	11 105 620T	100.00	7.50000	7.50000	Scrubbing Agent
144538-83-0	Tetrasodium Iminodisuccinate	Sodium Iminodisuccinate	11 105 579T	78.00	0.10000	0.07800	Chelating Agent
9004-32-4	Sodium Laureth Sulfate	SILES, Preserved	11 200 968T	27.50	18.00000	4.95000	Anionic Surfactant
139-96-8	TEA-Lauryl Sulfate	TEA Lauryl Sulphate	11 105 207T	40.00	8.00000	3.20000	Anionic Surfactant
5989-27-5	Limonene	D'Limonene	11 125 253T	99.90	1.00000	0.99900	Solvent
128-37-0	BHT			0.10		0.00100	Antioxidant
61189-40-0	Cocamidopropyl Betaine	Betaine Coco Base	11 105 204T	30.00	4.50000	1.35000	Amphoteric Surfactant
25518-55-7	Polyglycerin-6	Polyglycerin-6	11 105 631T	79.00	4.00000	3.16000	Skin Conditioner
56-81-5	Glycerin			1.00		0.04000	Skin Conditioner
1310-23-2	Sodium Hydroxide	Sodium Hydroxide	11 105 102T	47.00	0.12000	0.05600	Neutraliser
141464-42-8	Coco-Glucoside	Glucopon 650 EC	11 105 484T	51.59	3.00000	1.54500	Nonionic Surfactant
77-92-9	Citric Acid	Citric Acid	11 105 114T	100.00	0.30000	0.30000	pH Adjuster
7647-14-5	Sodium Chloride	Sodium Chloride	11 105 161T	100.00	0.00001	0.00001	Sodium chloride could possibly be needed for batch correction (Viscosity Adjuster)
			Total	100.00000	100.00000	100.00000	

THEREFORE WHAT IS CLAIMED IS:

1. A foamable gritty composition, comprising:
 - a) constituents including
 - a solvent present in a range from about 0.5% w/w to about 30.0% w/w, said solvent including any one or combination of D'limonene and sunflower oil methyl ester;
 - a particulate scrubbing agent present in a range from about 1.0% w/w to about 8% w/w;
 - a surfactant present in a range from about 0.5% w/w to about 30.0% w/w;
 - skin conditioner present in a range from 0.01% w/w to about 5.00% w/w; and
 - a non-Newtonian thickening agent present in a range from about 0.05% w/w to about 10% w/w;
 - water;
 - b) wherein the non-Newtonian thickening agent comprises acrylate copolymers, and
 - the foamable gritty composition is characterized by:
 - a critical strain force greater than or equal to 30 dynes/cm²,
 - a viscosity in a range from about 500 cPoise to about 4000 cPoise, and
 - being dispensable as a foam from a non-aerosol foam dispenser.
2. The composition according to claim 1 wherein the surfactant includes any one or combination of
 - i) an anionic surfactant present in a range from about 1% w/w to about 20% w/w if present alone;
 - ii) an amphoteric surfactant present in a range from about 0.5% w/w to about 5.0% w/w if present alone;
 - iii) a non-ionic surfactant present in a range from about 0.5% w/w to about 20% w/w if present alone; and

wherein a total amount of surfactant of any combination of surfactants present is in a range from about 0.5% w/w to about 30.0% w/w.

3. The composition according to claim 2 wherein the anionic surfactant is selected from the group consisting of lauryl sulphates, lauryl ether sulphates, sulphosuccinates, carboxylates, carboxylic acid esters, alkyl sulfate, alkyl and alkyl-aryl sulfonates, sulfosuccinates, isethionates, taurates, acyl glutamates, sarcosinate, and alkylpolyglucosides.
4. The composition according to claim 3, wherein the carboxylates are sodium oleate; the carboxylic acid esters are sodium dilaureth citrate; the alkyl sulfate is sodium lauryl ether sulfate or ammonium alkyl sulfate; the alkyl-aryl sulfonates are sodium dodecyl benzene sulfonate; the sulfosuccinates are disodium lauryl ether sulfosuccinate; the isethionates are sodium cocoyl isethionate or ammonium cocoyl isethionate; the taurates are sodium methyl cocoyl taurate or sodium methyl oleoyl taurate; the acyl glutamates are sodium lauroyl glutamate, sodium cocoyl glutamate, or disodium cocoyl glutamate; the sarcosinate is cocoyl sarcosinate; and the alkylpolyglucosides are decyl glucoside, sodium lauryl glucose carboxylate or caprylyl/capryl glucoside.
5. The composition according to claim 2 wherein the amphoteric surfactant is any one or combination of betaines, acyl ethylene diamines, amino-acids derivates, and imidazolines.
6. The composition according to claim 5 wherein said betaine is selected from the group consisting of coco betaine and cocamidopropyl betaine.
7. The composition according to claim 2 wherein the amphoteric surfactant is any one or combination of acylamphoacetate, acylamphodiacetate, acylamphodipropionate, sodium cocoglycinate, sodium alkyliminodipropionate, cocamidopropyl betaine, and sodium cocoamphoacetate.

8. The composition according to claim 2 wherein the non-ionic surfactant is any one or combination of glucosides, ethoxylated fatty alcohols, ethoxylated fatty acids, saccharose esters, sorbitan esters, alkanolamides, glycerol alkyl esters and polyoxyethylene glycol alkylphenol ethers.
9. The composition according to any one of claims 1 to 8 wherein the solvent further includes any one or combination of glycol ethers, esters, alcohols, terpenes other than D'limonene, and aromatic-free white spirit, and wherein a total amount of solvent present is in said range from about 0.5% w/w to about 30.0% w/w.
10. The composition according to any one of claims 1 to 9 wherein the particulate scrubbing agent is any one or combination of a vegetable based scrubbing agent, a synthetic based scrubbing agent and a mineral based scrubbing agent, and wherein the scrubbing agent has a size in a range from about 100 microns to about 800 microns.
11. The composition according to claim 10 wherein the vegetable based scrubbing agent is any one or combination of cornmeal, olive stone, walnut shells, ground fruit stones, ground corn meal, and ground fruit shells.
12. The composition according to claim 10 wherein the synthetic based scrubbing agent is any one or combination of polyethylene and polypropylene.
13. The composition according to claim 10 wherein the mineral based scrubbing agent is any one or combination of ground shellfish, pumice, and silica.
14. The composition according to any one of claims 1 to 13 wherein said skin conditioner is any one or combination of an anionic surfactant, a non-ionic surfactant, a cationic surfactant, an amphoteric surfactant, a cationic polymer, a quaternised gum, and a polyol.

15. The composition according to claim 14 wherein said polyol is any one or combination of glycerine and polyglycerin-6, propylene glycol, sorbitol, mannitol, erythritol, xylitol, arabinol, ribitol, dulcitol, lactitol, and maltitol.

16. The composition according to any one of claims 1 to 15 wherein said acrylate copolymers include acrylates/C10-30 alkyl acrylate crosspolymer.

17. The composition according to any one of claims 1 to 16 further including an antioxidant present in a range from about 0.01 to about 1.0% w/w.

18. The composition according to claim 17 wherein said antioxidant is any one or combination of butylhydroxytoluene (BHT), butylhydroxyanizole, 1,2-dihydroxybenzene, p-coumarine acid, caffeic acid, sodium sulfite, sodium metasulfite, ferrulic acid, tyrosol, quercetin, chlorogenic acid, oleuropein hydroxytyrosol, ascorbic acid, phenolic acid, propyl gallate, α -tocopherol, β -tocopherol, γ -tocopherol, δ -tocopherol, and tetrabutyl-pentaerithrityl hydroxyhydrocinnamate.

19. A method of producing a gritty foam, the method comprising:
placing a foamable gritty composition in an unpressurized container having a dispenser pump configured to mix air with the foamable gritty composition, and
dispensing the foamable gritty composition under low pressure conditions in the form of a gritty foam, the foamable gritty composition comprising

a) constituents including
a solvent present in a range from about 0.5% w/w to about 30.0% w/w, said solvent including any one or combination of D'limonene and sunflower oil methyl ester;
a particulate scrubbing agent present in a range from about 1.0% w/w to about 8% w/w;

a surfactant present in a range from about 0.5% w/w to about 30.0% w/w;

skin conditioner present in a range from 0.01% w/w to about 5.00% w/w; and

a non-Newtonian thickening agent present in a range from about 0.05% w/w to about 10% w/w;

water; and

b) wherein the non-Newtonian thickening agent comprises acrylate copolymers, and

the foamable gritty composition is characterized by a critical strain force greater than or equal to 30 dynes/cm², a viscosity in a range from about 500 cPoise to about 4000 cPoise, and being dispensable as a foam from an unpressurized foam dispenser.

20. The method of claim 19 wherein, prior to dispensing the gritty foam, the method further includes

introducing a predetermined quantity of air under pressure to a first side of a microporous air sparging element located upstream from an outlet;

introducing, concurrently with the introduction of the air, a predetermined amount of said foamable gritty composition under pressure to a foamable gritty composition inlet of a mixing chamber located on a second side of the microporous air sparging element that is located upstream from said outlet, such that a ratio of air to foamable gritty composition has a greater proportion of air to foamable gritty composition;

forcing the air through the microporous sparging element into the mixing chamber to form a plurality of bubbles in the foamable gritty composition in the mixing chamber thereby creating a gritty foam; and

wherein the dispensing step includes dispensing the gritty foam to a user in shots through said outlet from the mixing chamber.