PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁴ :		(1) International Publication Number: WO 87/03297
C11D 3/12, 17/00	A1	43) International Publication Date: 4 June 1987 (04.06.87)
(21) International Application Number: PCT/GF (22) International Filing Date: 21 November 1986	•	ilever PLC, Unilever House, P.O. Box 68, London
(31) Priority Application Number:	85287	(81) Designated States: BR, GB.
(32) Priority Date: 22 November 1985	(22.11.	Published
(33) Priority Country:	(With international search report.
(71) Applicant (for BR only): UNILEVER NV Burgemeester s'Jacobplein 1, P.O. Box 760, DK Rotterdam (NL).		
(71) Applicant (for GB only): UNILEVER PLC Unilever House, Blackfriars, London EC (GB).		
(72) Inventor: NEDONCHELLE, Yvon, Jacques Jacquemars Gielee, F-59000 Lille (FR).	; 108, 1	

(54) Title: LIQUID DETERGENT COMPOSITION

(57) Abstract

Liquid detergent compositions for softening and washing fabrics comprising an aqueous base, a detergent active material such as a mixture of anionic and nonionic materials, a detergency builder, such as sodium tripolyphosphate, and a special fabric softening clay which swells in water but not in sodium tripolyphosphate solution. The use of such clays enable the product to be prepared without an undesirably high viscosity.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΑT	Austria	FR	France	ML	Mali
ΑU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG.	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	· RO	Romania
BR	Brazil	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SN	Senegal
CH	Switzerland	LI	· Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
DE	Germany, Federal Republic of	LU	Luxembourg	TG	Togo
DK	Denmark	MC	Monaco	US	United States of America
FI	Finland	MG	Madagascar -		

- 1 -

LIQUID DETERGENT COMPOSITION

This invention relates to a liquid detergent

composition, in particular to a liquid detergent

composition for washing fabrics and imparting a softness
thereto.

British Patent Specification No GB 2 132 629-A

10 describes a fabric softening heavy duty liquid detergent
which contains finely divided swelling bentonite as a
fabric softening material. A number of suitable
bentonite materials is suggested for use, including
Wyoming bentonite.

15

We have found that these recommended bentonites when incorporated in liquid detergent compositions, especially those such compositions which exist as structured liquids, significantly increase the viscosity of the product.

Viscosity is an important property. Too low a viscosity can result in long term product instability when the product contains undissolved material in suspension, whereas too high a viscosity makes product processing and use by the consumer difficult.

10

15

We have surprisingly found a class of fabric softening clay materials which do not significantly increase product viscosity in such products but yet still provide a softness benefit on fabrics treated with the product.

Thus, according to the present invention, there is provided a liquid detergent composition for washing fabrics and imparting softness thereto, the composition comprising

- (i) an aqueous base;
- (ii) a detergent active material or a mixture thereof;
- (iii) at least 5% by weight of a detergent builder;
 and
- (iv) a fabric softening clay material having a swellability in water (determined as herein described) of more than 36% and a swellability in an 8% sodium tripolyphosphate solution of less than 25%.
- 25 The fabric softening clay materials which are useful in the compositions are characterised by their swelling behaviour, which is quantified by the following test.

Two dispersions are prepared at room temperature 30 containing respectively:

- A 475g water and 25g of clay material;
- B 435g of water, 40g sodium tripolyphosphate and 25g of clay material (the sodium tripolyphosphate is

completely dissolved in the water before the addition of the clay).

The dispersions are stirred for 5 minutes with a magnetic stirrer and then placed in a 1000 ml measuring cylinder. The dispersions are then left to stand, undisturbed for two weeks. After this time the dispersions are examined. Generally some separation will have occurred. A lower layer of dispersion or gel containing the clay will be visibly distinguishable from a relatively clear upper layer. The height of the lower layer (h) and the overall height of the total liquid (H) are determined and percentage swellability (S) is calculated using the expression

15

10

5

$$S = \frac{h}{H} \times 100$$

We have found that clay materials having a swellability (S) of more than 36%, preferably more than about 75% in dispersion A, and less than 25%, preferably less than about 20% in dispersion B are useful in the

25

present composition.

The following Table identifies a number of useful clay materials in this respect.

TABLE

			12001	<u>-</u>			
				S	<u>S(%)</u>		
TRAD	E NAME		CLAY TYPE	DISPERSION A	DISPERSION B		
5 CT AB:	SOL STF	١					
MKIC		,)	Kaolinite	. 9 9	14 15		
·		,		-			
CLAR	SOL ATC		Attapulgite	95	63		
10							
BENT	ONE EW		Hectorite	100	65		
CLAR	SOL W100		Na Bentonit	e 100	98		
CLAR	SOL KC1)		36	86		
	77/84)	Ca Bentonit	e 9	73		
LAUN	DROSIL DG)		1	. 75		
CP 1	03)		10	95		
MARM	ORA)		15	10		
20 CLAR	SOL KC1)	Ca Bentonit	e 100	98		
	77/84)	accurately		48		
			activated w		51		
CP10)	sodium carb		100		
MARM	ORA)	ate	100	15		
25			·				
	SOL KC2)			68		
MDO	81/84)	commerciall	y ¹ 100	36		
			activated w		25		
DOKU	M KARAKAYA)	sodium carb	onate 95	16		
30					-		
BENT	ONITE DC)	acid activa	ted 10	10		
	·)	calcium ben	tonite			
STEE	TLEY NO 1)	white	68	14		
	TLEY NO 2)	bentonite	75	20		

1 - commercial activation with sodium carbonate usually results in the presence of excess sodium carbonate in the treated material. Accurate activation is carried out with the objective of leaving no excess sodium carbonate.

5

1

Of the clay materials listed in this Table, only DOKUM KARAKAYA, accurately activated MARMORA and STEETLEY NOS 1 and 2 meet the requirements of the present invention.

10

15

20

25

We have found it indeed surprising that some clay materials which have a low swellability in sodium tripolyphosphate solutions will swell considerably in water and will, when incorporated in products as described herein, provide fabrics washed therewith with a softening benefit.

It would appear that the clay materials which are useful in the present invention are some lamella smectite clays containing exchangeable sodium and calcium cations. Clay materials which are free of these ions, such as acid activated clays, do not swell sufficiently in water and do not provide a fabric softening benefit. It will be appreciated that in a practical liquid detergent product, the exchangeable cationics of the clay will exchange with those of the electrolyte system of the product prior to its actual use in the wash process. The softening benefit will therefore relate to this exchanged form.

The level of fabric softening clay material in the product is preferably at least 1% by weight, but not more than 10% by weight. A most preferred level is from 3% to 7% by weight.

The detergent compositions of the present invention necessarily contain one or more detergent active materials.

The detergent compounds may be selected from anionic, nonionic, zwitterionic and amphoteric synthetic detergent active materials. Many suitable detergent compounds are commercially available and are fully described in the literature, for example in "Surface Active Agents and Detergents", Volumes I and II, by Schwartz, Perry and Berch.

The preferred detergent compounds which can be used are synthetic anionic and nonionic compounds. are usually water-soluble alkali metal salts of organic 15 sulphates and sulphonates having alkyl radicals containing from about 8 to about 22 carbon atoms, the term alkyl being used to include the alkyl portion of higher acyl radicals. Examples of suitable synthetic anionic detergent compounds are sodium and potassium alkyl 20 sulphates, especially those obtained by sulphating higher $(C_8-C_{18}$) alcohols produced for example from tallow or coconut oil, sodium and potassium alkyl (C_9-C_{20}) benzene sulphonates, particularly sodium linear secondary alkyl $(C_{10}-C_{15})$ benzene sulphonates; sodium alkyl glyceryl ether 25 sulphates, especially those ethers of the higher alcohols derived from tallow or coconut oil and synthetic alcohols derived from petroleum; sodium coconut oil fatty monoglyceride sulphates and sulphonates; sodium and potassium salts of sulphuric acid esters of higher 30 (C_8-C_{18}) fatty alcohol-alkylene oxide, particularly ethylene oxide, reaction products; the reaction products of fatty acids such as coconut fatty acids esterified with isethionic acid and neutralised with sodium hydroxide; sodium and potassium salts of fatty acid amides of methyl 35 taurine; alkane monosulphonates such as those derived by

15

20

reacting alpha-olefins (C_8 - C_{20}) with sodium bisulphite and those derived from reacting paraffins with SO_2 and Cl_2 and then hydrolysing with a base to produce a random sulphonate; and olefin sulphonates, which term is used to describe the material made by reacting olefins, particularly C_{10} - C_{20} alpha-olefins, with SO_3 and then neutralising and hydrolysing the reaction product. The preferred anionic detergent compounds are sodium (C_{11} - C_{15}) alkyl benzene sulphonates and sodium (C_{16} - C_{18}) alkyl sulphates.

Suitable nonionic detergent compounds which may be used include in particular the reaction products of compounds having a hydrophobic group and a reactive hydrogen atom, for example aliphatic alcohols, acids, amides or alkyl phenols with alkylene oxides, especially ethylene oxide either alone or with propylene oxide. Specific nonionic detergent compounds are alkyl (C6-C22) phenols-ethylene oxide condensates, generally 5 to 25 EO, ie 5 to 25 units of ethylene oxide per molecule, the condensation products of aliphatic (C_8-C_{18}) primary or secondary linear or branched alcohols with ethylene oxide, generally 5 to 40 EO, and products made by condensation of ethylene oxide with the reaction products of propylene oxide and ethylenediamine. Other so-called nonionic detergent compounds include long chain tertiary amine oxides, long chain tertiary phosphine oxides and dialkyl sulphoxides.

Amounts of amphoteric or zwitterionic detergent compounds can also be used in the compositions of the invention but this is not normally desired due to their relatively high cost. If any amphoteric or zwitterionic detergent compounds are used it is generally in small amounts in compositions based on the much more commonly

ž

used synthetic anionic and/or nonionic detergent compounds.

Mixtures of detergent active materials may be used. In particular, we prefer a mixture of an anionic detergent active, a nonionic detergent active and soap, particularly when the product is in the form of a structured liquid.

Where the detergent active material is soap, this is preferably selected from alkali metal salts of fatty acids having 12 to 18 carbon atoms. Typical such fatty acids are oleic acid, ricinoleic acid, and fatty acids derived from castor oil, rapeseed oil, groundnut oil, coconut oil, palmkernel oil or mixtures thereof. The sodium or potassium salts of these acids can be used.

The level of detergent active material in the product is preferably at least 2% by weight, but not more than 45% by weight, most preferably from 6% to 15% by weight.

20

25

30

The products according to the invention necessarily contain a detergency builder material to reduce the level of free calcium ions in the wash liquor and thereby improve detergency. This material may be selected from precipitating detergency builder materials such as alkali metal carbonates and ortho-phosphates, ion-exchange builder materials such as alkali metal aluminosilicates and sequestering builder materials such as alkali metal tripolyphosphates, citrates and nitrilotriacetates. Particularly preferred is sodium tripolyphosphate for reasons of product structure and building efficiency. A least 5% by weight of the detergency builder material is required to provide a noticeable effect upon detergency.

It is particularly preferred that the product be in the form of a structured liquid, that is a liquid which

10

15

20

25

30

35

contains a detergent in the lamella phase, which provides the product with rheological properties such that any undissolved material is held in stable homogeneous This enables the product to contain suspension. relatively high levels of detergency builder. lamella phase is obtained by a critical choice of detergent active materials. European patent specification No EP-A-38101 (UNILEVER) describes such a product which contains sodium tripolyphosphate and a detergent active mixture containing an anionic detergent active material, a nonionic detergent active material and a soap, the level of the sodium tripolyphosphate being more than would be soluble in the product, with the result that some of the tripolyphosphate remains undissolved but stably suspended in the product.

It is a preferred feature of the present invention that the level of detergency builder material in the product is more than would dissolve at 20°C. In the case of sodium tripolyphosphate, a preferred level is from 22 to 35% by weight, based on the weight of the product.

The liquid detergent composition of the invention may further contain any of the adjuncts normally used in fabric washing detergent compositions, eg sequestering agents such as ethylenediamine tetraacetate; buffering agents such as alkali silicates; soil suspending and anti-redepositon agents such as sodium carboxymethyl cellulose and polyvinylpyrrolidone; fluorescent agents; perfumes; germicides; and colourants.

Further, the addition of lather depressors such as silicones, and enzymes, particularly proteolytic and amylolytic enzymes; and peroxygen bleaches, such as sodium perborate and potassium dichlorocyanurate, including bleach activators, such as N,N,N',N',- tetraacetyl

ethylene diamine, may be useful to formulate a complete heavy duty detergent composition suitable for use in washing machines.

Also particularly beneficial are agents for improving the thermal stability of the product, such as sodium toluene sulphonate, xylene sulphonate or cumene sulphonate, at levels of up to 1% by weight, such as from 0.4% to 0.5%.

10

15

20

25

30

The products of the present invention may be prepared by a variety of methods. However, we have found that benefits arise from mixing ingredients in a particular Thus, it is preferable to add a portion of the detergency builder to water, before adding the clay and the detergent active material. In this way products having uniform rheological properties from batch to batch can be obtained. In particular, a preferred method is to add the necessary quantity of water at an elevated temperature of say 40°C-80°C to a mixing vessel provided with a stirrer. An amount of between one part in twenty and one part in four of the detergency builder is then added, with stirring. Where the detergency builder is water-soluble, this amount will dissolve in the water and prevent the clay material from swelling but will not be sufficient to impair the stability of the surfactant. The clay material is then added and dispersed with stirring. Anionic and nonionic detergents, including soap where this is present, are then added. The remaining part of the detergency builder is then added while maintaining this elevated temperature with stirring until a homogeneous mass is obtained.

Finally, the mixture is cooled under constant

35 agitation and water is added, if necessary, to compensate

evaporation loss. Thereafter perfume may be added when the product is at substantially ambient temperature.

When, alternatively, the clay is added to the water before any detergency builder, the clay swells producing a composition which may have a viscosity which is higher than desired. If all the detergency builder is added before the clay a product may result which separates on standing. If both the detergent active material and the detergency builder are added before the clay, the product may already have a high viscosity so that the powdered clay cannot easily be added without at the same time introducing air into the product resulting in a product having a density lower than may be desired.

15

10

5

٠,

. The compositions of the invention should have a viscosity of less than 3000, preferably less than 1500 cPs measured at 20°C and at a shear rate of 21 sec⁻¹. Most preferably the viscosity is between 650 and 850 cPs. Viscosities below 650 cPs can result in a loss of product

The invention will now be illustrated by the following examples.

25

20

stability.

EXAMPLE 1

A liquid detergent composition was prepared according to the following formulation:

30

	Ingredient	<pre>% (by weight)</pre>
	Sodium C ₁₂ -alkyl benzene sulphonate	6.5
5	Soap	1.0
	Alcohol ethoxylate 7E0	2.5
	Clay	5.0
	Sodium carboxymethyl cellulose (SCMC)	0.1
	Sodium tripolyphosphate (STP)	22.8
10	Sodium silicate	1.0
	Fluorescent agent	0.1
	Glycerol	4.85
	Borax	3.1
	Silicone	0.16
15	Perfume	0.29
	Proteolitic enzyme	0.80
	Water	balance

10

ş

This composition was made by the following method:

The water is heated to 60°C and maintained at that temperature. 2% STP is added, followed by the clay, SCMC, fluorescer, sodium hydroxide, silicate, glycerol, borax, fatty acid and sulphonic acid (which with the sodium hydroxide generate the soap and the anionic detergent active respectively) and nonionic active while stirring is continued. After 10 minutes agitation the remaining 20.8% STP was added and the mixture was then cooled with further stirring. When cool, the silicone, perfume and enzymes were added.

A number of such compositions were prepared

15 containing different clay materials. In each case the product viscosity was measured at 20°C and 21 sec⁻¹.

Each composition was used to wash cotton test cloths using the following wash method:

20 Cotton terry towelling test cloths which have been preharshened by 10 washes in a commercially available fabric washing powder product SKIP (ex Lever, France), are washed in the test product for 20 minutes at 40°C using tap water with a hardness of 48°FH. A laboratory scale apparatus having a capacity of 1 litre is used, and three test cloths of size 15cm x 15cm are washed together. After washing, the cloths are rinsed twice in tap water, wrung out and line dried for 24 hours.

After drying, the cotton test cloths were assessed for softness by a panel of 12 experts, each clay being compared against White bentonite, ex Steetley. The results were as follows:

	Clay material	supplier	<u> </u>	softening	viscosity (cPs)
	(Before incorpora	ation)			
5	BENTONITE DC	SUD-CHEMIE)		870
	CLARSOL ATC	CECA)		1700
	MKIC	KAOLINS DU)	significantly	850
		MORBIHAN)	poor	
	LAUNDROSIL DG AC	SUD-CHEMIE)		1250
10	CLARSOL STF	CECA)		750
	BENTONE EW	NATIONAL LEAD))		1800
	·				
	MDO 81/84	ECC)	-	1300
	LAUNDROSIL DG	SUD-CHEMIE)		1600
15	CLARSOL KC 1	CECA)		1500
	CLARSOL KC 2	CECA)	no	1200
	CLARSOL W 100	CECA)	significant	1500
	CP 103	LAPORTE)	difference	1800
	MDO 77/84	ECC)		1350
20	WHITE BENTONITE	STEETLEY)		850
		(contol))		
	CALCIUM	MARMORA)		750
	BENTONITE				

It will be seen from these results that a number of clay materials provide a softening benefit which is not significantly different to WHITE BENTONITE. However, in most cases the viscosity of the products is higher than desirable. Two clay materials, MKIC and CLARSOL STF provide product viscosities equal or less than WHITE BENTONITE. However, in both cases the softening benefit is less preferred.

The only clay material which is comparable to WHITE BENTONITE both in terms of softening and viscosity is the bentonite from MARMORA.

5 EXAMPLE 2

A mixture of fabric test cloths were washed with detergent compositions as set out below at 40°C in water having a hardness of $30^{\circ}FH$ (3 x 10^{-3} molar free calcium ions). Some test cloths consisted of new terry 10 towelling, some consisted of new acrylic fibres and a third group consisted of terry towelling pieces which had been pre-harshened by washing 30 times in a commercially available softener-free powder product SKIP (ex Lever, After the mixed test cloths were 15 France) in 45°FH water. washed 10 times, rinsed and dried in a conventional manner (without the use of a post-wash fabric softening agent) they were divided into fabric types and assessed for softness by a panel of expert assessors (lower softness scores indicate better softness). 20

The formulations tested and the results obtained were as follows:

	EXAMPLE NO: Ingredient (%)		2WB	2W	2P	2L
	Anionic detergent active		6.5	6.5	5.5	14.1
5	Nonionic detergent activ		2.5		2.0	
J	Soap		1.0	_	· _	15.8
	Dialkylmethylamine		-	_	3.8	-
	Coconut trimethylammoniu chlorid	m .e	_	-	1.2	-
10	Sodium tripolyphosphate		22.8	22.8		-
	Sodium perborate		-	-	11.7	
	Sodium silicate		1.0	1.0	5.7	-
	Sodium sulphate		-	-	22.6	
	Sodium carbonate		•	-	1.4	-
15	Sodium carboxymethyl cellulose		0.1	0.1	0.8	-
	Clay		5.0	-	3.4	-
	Water and miscellaneous			bal	ance-	•
20	Product form	Liquid	l Liqu	uid :	Powde	r Liquid
	Product dosage (per 20 1)g	215	215	2	34	155
25	SOFTENING SCORES					
	- New terry towelling	6	19		18	14
	 Preharshened terry towelling 	5	19		14	13
30	- New acrylic	7	22		9 .	14

Formulation 2WB is substantially identical to Example 1, utilises STEETLEY NO 1 White Bentonite as the clay component. Formulation 2W is identical except that the clay component has been omitted. Formulations 2P and 2L are intended to represent commercially available fabric washing products used at recommended dosages for those products.

As will be seen from the softening results, formulation 2WB is preferred to all other formulations tested.

\$

_-

35

 \mathfrak{F}

CLAIMS

- 1. A liquid detergent composition for washing fabrics and imparting softness thereto, the composition comprising:
 - (i) an aqueous base;
- (ii) a detergent active material or a mixture
 10 thereof;
 - (iii) at least 5% by weight of a detergency builder;
 and
- (iv) a fabric softening clay material having a swellability in water (determined as herein described) of more than 36% and a swellability in an 8% sodium tripolyphosphate solution of less than 25%..
- A liquid detergent according to claim 1, comprising from 6% to 15% by weight detergent active material.
- 3. A liquid detergent according to claim 1, wherein the detergent active material is selected from anionic, nonionic, zwitterionic and amphoteric detergent active materials and mixtures thereof.
- 4. A liquid detergent according to claim 1, comprising from 22 to 35% by weight detergency builder.
 - 5. A liquid detergent according to claim 1, wherein the detergency builder is selected from precipitating detergency builder materials, ion-exchange builder materials and sequestering builder materials.

- 6. A liquid detergent according to claim 5, wherein the detergency builder comprises sodium tripolyphosphate.
- 7. A liquid detergent according to claim 1, comprising 1% to 10% by weight of the fabric softening clay material.
 - 8. A liquid detergent according to claim 1, wherein the fabric softening clay material is a lamella smectite clay.
- 9. A process for preparing a liquid detergent composition comprising an aqueous base, one or more detergent active materials, at least 5% by weight of a detergency builder and a fabric softening clay material, said process comprising the steps of:

(i) adding at least a portion of the detergency builder to water;

- (ii) thereafter adding the fabric softening clay material and the one or more detergency active materials;
 - (iii) thereafter adding the remaining portion (if any) of the detergency builder.

25

15

20

INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 86/00712

*ASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) 4									
cording to International Patent Classification (IPC) or to both National Classification and IPC									
IPC ⁴ : C 11 D 3/12; C 11 D 17/00									
II. FIELDS	S SEARCHED								
Classification		ntation Searched 7							
4		Classification Symbols							
IPC ⁴	IPC ⁴ C 11 D								
	Documentation Searched other to the Extent that such Documents	than Minimum Documentation s are included in the Fields Searched ^a							
III. DOCU	JMENTS CONSIDERED TO BE RELEVANT								
Category *	Citation of Document, 11 with Indication, where app	propriate, of the relevant passages 12	Relevant to Claim No. 13						
A	FR, A, 2537595 (COLGATE- 15 June 1984 see the claims & GB, A, 2132629 (cited		1 .						
P,A	GB, A, 2168717 (COLGATE- 25 June 1986 see the claims	PALMOLIVE)	1						
	Il categories of cited documents: 19 ument defining the general state of the art which is not	"T" later document published after the or priority date and not in conflic	e international filing date t with the application but						
"E" earlifilm "L" doc white cotat "O" doc othe "P" doc late	or theory underlying the e; the claimed invention cannot be considered to e; the claimed invention in inventive step when the or more other such docu- bvious to a person skilled atent family								
Date of the	e Actual Completion of the International Search 2th February 1987	Date of Mailing of this International Sea 25 FEV. 198	7						
	al Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer M. VAN MOL	wol						

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON

INTERNATIONAL APPLICATION NO. PCT/GB 86/00712 (SA 15250)

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 19/02/87

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A- 2537595	15/06/84	GB-A,B 2132629 DE-A- 3344099 SE-A- 8306837 AU-A- 2229583 BE-A- 898434 NL-A- 8304289 US-A- 4469605 CA-A- 1192355 US-A- 4619774 CH-B- 658467	11/07/84 14/06/84 14/06/84 21/06/84 13/06/84 02/07/84 04/09/84 27/08/85 28/10/86 14/11/86
GB-A- 2168717	25/06/86	AU-A- 5084385 BE-A- 903942 SE-A- 8505699 FR-A- 2575177 DE-A- 3544762 NL-A- 8503550 JP-A- 61157592 LU-A- 86227	26/06/86 24/06/86 25/06/86 27/06/86 03/07/86 16/07/86 17/07/86