



(51) International Patent Classification:

A01N 33/04 (2006.01) C11D 1/645 (2006.01)

C11D 1/40 (2006.01) A01P 1/00 (2006.01)

(21) International Application Number:

PCT/US2018/035804

(22) International Filing Date:

04 June 2018 (04.06.2018)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/515,027 05 June 2017 (05.06.2017) US

(71) Applicant: LONZA INC. [US/US]; 90 Boroline Road, Allendale, New Jersey 07401 (US).

(72) Inventors: JIANG, Xiao; 90 Boroline Road, Allendale, New Jersey 07401 (US). KAZISKA, Andrew; 90 Boroline Road, Allendale, New Jersey 07401 (US).

(74) Agent: CASSIDY, Timothy, A.; Dority & Manning, P.A., PO Box 1449, Greenville, South Carolina 29602-1449 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ,

CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: FAST KILL DISINFECTANT WIPING COMPOSITION AND PREMOISTENED WIPES MADE FROM SAME




FIG. 1

(57) Abstract: Wiping compositions are disclosed well suited for destroying various different microorganism very quickly. The wiping composition contains a tertiary alkyl amine biocide in combination with one or more other components. The wiping composition, for instance, may contain a pH adjustor, chelating agent, one or more surfactants, and water as a liquid carrier. In one embodiment, the composition can be formulated to contain various organic solvents that increase efficacy against mycobacteria. The wiping composition is particularly well suited to being impregnated into a disposable wipe.



**FAST KILL DISINFECTANT WIPING COMPOSITION
AND PREMOISTENED WIPES MADE FROM SAME**

RELATED APPLICATIONS

[0001] The present application is based on and claims priority to U.S. Provisional Application Serial No. 62/515,027, having a filing date of June 5, 2017, which is incorporated herein by reference in its entirety.

BACKGROUND

[0002] Pathogenic organisms, such as bacteria, fungi, and viruses, continue to cause infections in humans as well as domestic animals and pets. Disinfectant formulations have been developed over the last several decades to reduce or destroy pathogenic organisms and accordingly, reduce the rate of infection. Literally any hard surface including floors, walls, countertops, windows, windowsills, sinks, faucets, waste containers, appliances, and cabinet surfaces can become contaminated. Disinfectants have been developed to treat hard surfaces for use in hospitals, rest homes, schools, and homes. Antimicrobial compositions for decontamination, disinfection and/or sanitization can be added to wipes in order to treat such surfaces.

[0003] One particular class of antimicrobial compositions includes quaternary ammonium compounds, also known as “quats”, as a microbial control agent. The use of quats as biocides is well known.

[0004] In hard surface cleaning/disinfecting wipe applications, a desired product should be capable of killing and destroying microorganisms with a very short contact time. Disinfecting wipes should also exhibit good cleaning performance and at the same time leave the surface visually clean of spots, streaks, and films.

[0005] In one application, the antimicrobial composition may be incorporated into a wiping product and packaged as a premoistened wipe. These products are generally inexpensive to manufacture, are easy to use, and are disposable after use. Problems with streaking and film residue, however, are exacerbated when using premoistened wipes in that the products leave the surfaces in a wet state and are not dry wiped. In addition, antimicrobial compositions used in the past typically require significant amounts of time in order to kill the microorganisms.

[0006] The present disclosure is directed to a wiping composition and/or to premoistened wipes containing a wiping composition that has dramatically improved kill rates. The wiping composition, for instance, can have relatively short contact times while having efficacy against many microorganisms. The wiping composition of the present disclosure is also capable of short contact times with reduced streaking.

SUMMARY

[0007] In general, the present disclosure is directed to a wiping composition having antimicrobial properties. The wiping composition contains a biocide comprising a tertiary amine, such as a tertiary alkyl amine. The biocide can be present within the wiping composition in combination with various other components such as organic solvents, an alkanolamine, an evaporating agent, one or more surfactants, and/or a liquid carrier. The wiping composition is for disinfecting hard surfaces. Of particular advantage, the wiping composition of the present disclosure not only demonstrates quick disinfecting performance against many hospital grade microorganisms such as *Staphylococcus aureus* and *Pseudomonas aeruginosa* but can also produces no visible streaking on hard surfaces. The wiping composition of the present disclosure has also been found to be very efficient at killing tuberculosis-causing bacteria. For instance, when combined with different organic solvents, the wiping composition can achieve quick efficacy against mycobacterium tuberculosis.

[0008] In one embodiment, for instance, the wiping composition of the present disclosure having reduced streaking characteristics comprising at least one biocide. The biocide comprises a N, N-bis(3-aminopropyl) dodecylamine, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, N-(3-aminopropyl)-N-decyl-1,3-propanediamine, N-(3-aminopropyl)-N-tetradecyl-1,3-propanediamine, or mixtures thereof. The biocide is generally present in the wiping composition in an amount from about 0.05% to about 2% by weight, such as in an amount from about 0.1% to about 2% by weight, such as in an amount from about 0.2% to about 1.5% by weight, such as in an amount from about 0.3% to about 1.2% by weight.

[0009] The biocide contained in the wiping composition can be combined with various additives and components depending upon the particular application and the desired results. In one embodiment, the composition further contains at least one organic solvent. The organic solvent, for instance, may comprise a glycol ether. The glycol ether can be present

in the composition in an amount from about 0.05% to about 25% by weight, such as in an amount from about 0.08% to about 20% by weight, such as in an amount from about 5% to about 15% weight. The glycol ether, for instance, may comprise dipropylene glycol n-propyl ether, ethylene glycol phenol ether, propylene glycol n-butyl ether, or mixtures thereof.

[00010] In one embodiment, the wiping composition contains an evaporating agent that helps the composition evaporate from hard surfaces. The evaporating agent, for instance, can have a boiling point of less than about 90°C, such as less than about 85 °C, at 1 ATM. In one embodiment, the evaporating agent comprises an alcohol. The alcohol may comprise isopropyl alcohol and/or ethanol. The evaporating agent can be present in the composition generally in an amount from about 1% to about 60% by weight, such as an amount from about 5% to about 35% by weight.

[00011] In an alternative embodiment, the composition can be alcohol-free.

[00012] In one embodiment, the wiping composition can further contain a liquid carrier. The liquid carrier, for instance, may comprise water. Water can be present in the wiping composition in an amount of greater than about 20% by weight, such as in an amount greater about 30% by weight, such as in an amount greater than about 40% by weight, such as in an amount greater than about 50% by weight. Water is generally present in an amount less than about 70% by weight, such as in an amount less than about 65% by weight.

[00013] One or more surfactants can also be present in the wiping composition. The one or more surfactants may comprise, for instance, nonionic surfactants, cationic surfactants, and mixtures thereof. In one embodiment, a surfactant is present comprising an ethoxylated alcohol. The ethoxylated alcohol, for instance, may comprise an ethoxylated C12 to C14 alkyl alcohol. In an alternative embodiment, the surfactant that may be present in the composition comprises an amine oxide nonionic surfactant, such as a cocamine oxide surfactant. The composition can contain a nonionic surfactant alone or in combination with a cationic surfactant. A suitable cationic surfactant that may be present is a quaternary ammonium compound such as an alkyl trimethyl ammonium salt. Each surfactant can generally be present in the composition in an amount from about 0.01% to about 2% by weight.

[00014] In yet another embodiment, the wiping composition may further contain a chelating agent. The chelating agent, for instance, may comprise tetrasodium EDTA. The chelating agent can generally be present in the composition in an amount from about 0.01% to about 2% by weight.

[00015] In still another embodiment of the present disclosure, the wiping composition may further contain a pH adjustor. The pH adjustor, for instance, may be added in order to increase or decrease the pH of the composition. When increasing the pH, pH adjustors that may be used in accordance with the present disclosure include alkanolamines such as monoethanolamine, hydroxides such as alkali or alkaline earth metal hydroxides, carbonates, bicarbonates, borates, silicates such as metasilicate, or mixtures thereof. Particular pH adjustors can include, for instance, sodium hydroxide, potassium hydroxide, sodium carbonate, and the like. In one embodiment, a pH adjustor is added in order to increase the pH. For example, in one embodiment, the composition can have a pH of greater than about 10, such as greater than about 10.3, such as greater than about 10.5, such as greater than about 10.7, such as greater than about 11, such as greater than about 11.3, such as greater than about 11.5, such as greater than about 11.7.

[00016] In an alternative embodiment, a pH adjustor can be added in order to decrease the pH. In this embodiment, for instance, the pH adjustor may comprise an acid, such as an organic acid. When decreasing the pH, for instance, the composition can have a pH of less than about 9, such as less than about 8.5, such as less than about 8, such as less than about 7.5, and generally greater than about 6.5, such as greater than about 7.

[00017] In one embodiment, the wiping composition is formulated so as to be free of any quaternary ammonium compounds. Alternatively, a quaternary ammonium biocide may be present.

[00018] For instance, the quaternary ammonium cation or biocide may comprise a halide salt of a quaternary ammonium cation. Particular examples of quaternary ammonium cations include an alkyl dimethyl benzyl ammonium chloride, a dialkyl dimethyl ammonium chloride, an alkyl dimethyl ethyl benzyl ammonium chloride, or mixtures thereof.

[00019] In an alternative embodiment, the quaternary ammonium cation can comprise a carbonate/bicarbonate salt of a quaternary ammonium cation.

[00020] In one embodiment, the present disclosure is directed to a premoistened wiping product containing the wiping composition described above. The premoistened wiping product may comprise a liquid absorbent substrate impregnated with the wiping composition. The liquid absorbent substrate may comprise a melt blown web, a coform web, a spunbond web, an airlaid web, and airlaced web, a hydroentangled web, a bonded carded web, or a laminate thereof.

[00021] In one embodiment, the wiping composition is particularly formulated for cleaning floors. For instance, the wiping composition can have a pH of from about 6.5 to about 9 in order to prevent the composition from adversely interfering with floor finishes. In this embodiment, the wiping composition can be applied to a liquid absorbent substrate impregnated with the wiping composition. The liquid absorbent substrate can be secured to a substrate holder connected to a handle for cleaning floors.

[00022] Other features and aspects of the present disclosure are discussed in greater detail below.

BRIEF DESCRIPTION OF THE DRAWINGS

[00023] A full and enabling disclosure of the present disclosure is set forth more particularly in the remainder of the specification, including reference to the accompanying figures, in which:

Fig. 1 is a perspective view with cutaway portions of one embodiment of a wiping product made in accordance with the present disclosure; and

Fig. 2 is a perspective view of another embodiment of a wiping product made in accordance with the present disclosure.

[00024] Repeat use of reference characters in the present specification and drawings is intended to represent the same or analogous features or elements of the present invention.

DETAILED DESCRIPTION

[00025] It is to be understood by one of ordinary skill in the art that the present discussion is a description of exemplary embodiments only, and is not intended as limiting the broader aspects of the present disclosure.


[00026] An antimicrobial composition is generally disclosed that has extremely short contact times while remaining effective against many different microorganisms. For instance, antimicrobial compositions formulated in accordance with the present disclosure can kill microorganisms almost instantaneously. In addition, the antimicrobial composition

can also be formulated to prevent or inhibit streaking. The antimicrobial composition may be used to impregnate a cleaning wipe. The antimicrobial wiping composition generally comprises a biocide comprising a tertiary amine in combination with various other components. For instance, the wiping composition can further optionally contain one or more organic solvents, such as one or more glycol ethers. The composition can also contain a pH adjustor, a chelating agent, a liquid carrier, and one or more surfactants. The composition has been found to unexpectedly and dramatically kill microorganisms very quickly with relatively short contact times.

[00027] The wiping composition of the present disclosure demonstrates quick disinfecting performance (fast kill) against many and various different types of microorganisms, such as *Staphylococcus aureus* and *Pseudomonas aeruginosa*. Of particular advantage, the wiping composition of the present disclosure has also been found to be particularly efficient at killing tuberculosis-causing bacteria in addition to providing rapid disinfecting properties after application to a surface. For instance, the wiping composition has displayed quick efficacy against mycobacterium tuberculosis.

[00028] As described above, the composition contains at least one biocide. The biocide, for instance, can comprise an amine.

[00029] Suitable amines include, but are not limited to, tertiary amines, such as (C6-C16) alkyl amines. The term "(C6-C16) alkyl amine" encompasses all amines which contain a (C6-C16) alkyl group. One (C6-C16) alkyl amine is N,N-bis(3-aminopropyl)dodecylamine, available as Lonzabac® 12.30 and 12.100 from Lonza, Inc. The chemical structure for N, N-Bis (3-aminopropyl) dodecylamine is as follows:



[00030] Other exemplary tertiary amines include, for example, N-(3-aminopropyl)-N-dodecyl propane-1,3-diamine, N-(3-aminopropyl)-N-decyl-1,3-propanediamine, N-(3-aminopropyl)-N-tetradecyl-1,3-propanediamine as well as their acid addition compounds. Other similar tertiary amines may be used.

[00031] In general, a tertiary amine is present in the composition in an amount greater than about 0.05% by weight, such as in an amount greater than about 0.1% by weight, such as in an amount greater than about 0.2% by weight, such as in an amount greater than about 0.3% by weight. The tertiary amine is generally present in an amount less than about 2% by weight, such as in an amount less than about 1.5% by weight, such as in an amount less than 1.2% by weight, such as in an amount less than about 1% by weight.

[00032] In one embodiment, the wiping composition of the present disclosure contains only a single biocide. For instance, the composition can contain a tertiary amine and can be free of any quaternary ammonium biocides. Alternatively, one or more quaternary ammonium compounds may be present in the composition in conjunction with the tertiary amine. If present in the composition, however, the quaternary ammonium compounds are included at levels that do not cause streaking to occur. For instance, one or more quaternary ammonium compounds can be present in the composition in an amount less than about 1% by weight, such as in an amount less than about 0.6% by weight, such as in an amount less than about 0.4% by weight, such as in an amount less than about 0.3% by weight, such as in an amount less than about 0.2% by weight. One or more quaternary ammonium compounds, for instance, can be present in the composition in an amount greater than about 0.01% by weight, such as in an amount greater than about 0.05% by weight, such as in an amount greater than about 0.08% by weight.

[00033] Suitable quaternary ammonium compounds include, but are not limited to, alkyldimethylbenzyl ammonium chlorides, dialkylmethylbenzyl ammonium chlorides, dialkyldimethylammonium chlorides, alkyl dimethyl ethylbenzyl quaternary ammonium chlorides, benzethonium chloride and any combination of any of the foregoing.

[00034] In one embodiment, the quaternary ammonium compound may comprise a dialkyl ammonium compound, such as a dimethyl dialkyl ammonium compound. In one embodiment, the dimethyl dialkyl ammonium compound may have between about 8 and about 12 carbon atoms, such as from about 8 to about 10 carbon atoms in each of the alkyl groups.

[00035] Examples of dimethyl dialkyl ammonium compounds include dimethyl dioctyl ammonium compounds such as dimethyl dioctyl ammonium chloride, dimethyl didecyl ammonium compounds such as dimethyl didecyl ammonium chloride and the like. Mixtures of dimethyl dialkyl ammonium compounds may also be used, and other anions,

such as those described above, may also be used. Commercially available dimethyl dialkyl ammonium compounds include, for example, compositions marketed and sold under the BARDAC,[®] BARQUAT[®] or CARBOQUAT[®] trade names by Lonza Inc.

[00036] Such commercially available examples of dimethyl dialkyl ammonium compounds include dioctyldimethylammonium chloride (available as Bardac[®] LF and LF-80 from Lonza, Inc.), octyldecyldimethylammonium chloride (available as a mixture of octyldecyldimethylammonium chloride, dioctyldimethylammonium chloride, and didecyldimethyl ammonium chloride as Bardac[®] 2050 and 2080 from Lonza, Inc.), didecyldimethylammonium chloride (available as Bardac[®] 2250 and 2280 from Lonza, Inc.), decylisononyldimethylammonium chloride (available as Bardac[®] 21 from Lonza, Inc.), diisodecyldimethylammonium chloride (available as BTC 99 from Stepan Co. of Northfield, Ill.), and any combination of any of the foregoing.

[00037] In an alternative embodiment, the quaternary ammonium compound may comprise a benzyl ammonium compound, such as an alkyl dimethyl benzyl ammonium compound. In general, the alkyl group may contain from about 10 to about 18 carbon atoms, such as from about 12 to about 16 carbon atoms.

[00038] Examples of alkyl dimethyl benzyl ammonium compounds useable as the first biocide include C₁₂ alkyl dimethyl benzyl ammonium chloride, C₁₄ alkyl dimethyl benzyl ammonium chloride, and C₁₆ alkyl dimethyl benzyl ammonium chloride. In addition, a mixture of these alkyl dimethyl benzyl ammonium compounds can be used. Commercially available alkyl dimethyl benzyl ammonium compounds include, for example, compositions marketed and sold under the BARQUAT[®] trade name by Lonza Inc. These commercially available alkyl dimethyl benzyl ammonium compounds are blends of C₁₂, C₁₄, and C₁₆ alkyl dimethyl benzyl ammonium chlorides. Generally, it is preferable that the alkyl dimethyl benzyl ammonium compound, when a blend, contains higher concentrations of C₁₂ alkyl and C₁₄ alkyl components than C₁₆ alkyl components. It is noted that other anions, including those mentioned above may also be used.

[00039] Non-limiting examples of alkyldimethylbenzyl ammonium chlorides include alkyl (C₁₄ 50%; C₁₂ 40%, C₁₆ 10%) dimethylbenzyl ammonium chloride (available as Barquat[®] MB-50 and MB-80 from Lonza Inc.), alkyl (C₁₄ 60%; C₁₆ 30%; C₁₂ 5%. C₁₈ 5%) dimethylbenzyl ammonium chloride (available as Barquat[®] 4280Z from Lonza, Inc.), (C₁₂-

C₁₈ alkyl) dimethylbenzyl ammonium chloride, and any combination of any of the foregoing.

[00040] In still another embodiment, the antimicrobial agent may comprise a quaternary ammonium carbonate. In one embodiment, the ammonium quaternary compound contained in the composition comprises a di C₈ to C₁₂ alkyl ammonium carbonate/bicarbonate. For example, in one particular embodiment, the antimicrobial agent comprises didecyl dimethyl ammonium carbonate and didecyl dimethyl ammonium bicarbonate.

[00041] In other embodiments, however, the carbonate/bicarbonate salts of quaternary ammonium cations may be selected from dioctyldimethylammonium carbonate, decyloctyldimethylammonium carbonate, benzalkonium carbonate, benzethonium carbonate, stearalkonium carbonate, cetrimonium carbonate, behentrimonium carbonate, dioctyldimethylammonium bicarbonate, decyloctyldimethylammonium bicarbonate, benzalkonium bicarbonate, benzethonium bicarbonate, stearalkonium bicarbonate, cetrimonium bicarbonate, behentrimonium bicarbonate, and mixtures of one or more such carbonate salts.

[00042] It should be understood that the quaternary ammonium compound may comprise more than one specific quaternary ammonium species and may comprise a combination of any of the above described quaternary ammonium compounds.

[00043] In addition to at least one biocide, the disinfectant composition can also include a liquid carrier. The liquid carrier, for instance, may comprise a polar solvent such as water. The liquid carrier is generally present in the composition in an amount greater than about 20 % by weight, such as an amount greater than about 30 % by weight, such as an amount greater than about 40 % by weight, such as an amount greater than about 50 % by weight, such as an amount greater than about 60% by weight, such as an amount greater than about 70% by weight, such as an amount greater than about 80% by weight, such as an even an amount greater than about 90 % by weight. In general, the liquid carrier is present in an amount less than about 99% by weight, such as an amount less than about 97% by weight, such as an amount less than about 80% by weight depending upon the particular application and formulation.

[00044] In addition to a liquid carrier, the wiping composition can also optionally contain one or more organic solvents. The organic solvent, for instance, may comprise a glycol

ether. Examples of organic solvents include, phenoxyethanol, diethylene glycol propyl ether, ethylene glycol monomethyl ether, ethylene glycol monoethyl ether, ethylene glycol monopropyl ether, ethylene glycol monoisopropyl ether, ethylene glycol monobutyl ether, diethylene glycol monomethyl ether, diethylene glycol monobutyl ether, diethylene glycol monoethyl ether, diethylene glycol n-butyl ether, ethylene glycol dimethyl ether, ethylene glycol diethyl ether, ethylene glycol dibutyl ether, propylene glycol n-butyl ether, propylene glycol n-propyl ether, tripropylene glycol methyl ether, dipropylene glycol methyl ether, dipropylene glycol butyl ether, dipropylene glycol n-propyl ether, ethylene glycol hexyl ether and combinations thereof. In one embodiment, for instance, the organic solvent present in the composition comprises dipropylene glycol n-propyl ether, ethylene glycol phenyl ether, or mixtures thereof.

[00045] The presence of one or more organic solvents can provide various advantages and benefits. For example, adding one or more organic solvents to the composition can increase the efficacy of the composition against various microorganisms and bacteria. In particular, it is believed that including organic solvents can improve the efficiency of the composition in killing tuberculosis-causing bacteria and provide rapid disinfecting properties after application to a surface. For instance, it was discovered that combining a tertiary amine with different organic solvents achieve quick efficacy against mycobacterium tuberculosis. For example, formulations made according to the present disclosure demonstrated efficient killing of mycobacteria after 3 minutes of contact time or even lower.

[00046] When present in the composition, one or more organic solvents can be included in amounts generally greater than about 0.05% by weight, such as in amounts greater than about 2% by weight, such as in amounts greater than about 4% by weight, such as in amounts greater than about 6% by weight, such as in an amount greater about 8% by weight, such as in amounts greater than about 10% by weight. One or more organic solvents are generally present in the amount less than about 25% by weight, such as in an amount less than about 20% by weight, such as in an amount less than about 15% by weight.

[00047] In addition to a glycol ether organic solvent, the wiping composition of the present disclosure can also contain an evaporating agent. The evaporating agent can be present in the composition in order to facilitate evaporation of the composition once

applied to a surface. The evaporating agent, for instance, generally has a boiling point of less than liquid water. For instance, the boiling point of the evaporating agent can be less than about 90°C, such as less than about 85°C at 1 ATM. Examples of evaporating agents include alcohols. For instance, the evaporating agent can comprise ethanol, propanol, isopropanol, and mixtures thereof. The amount of evaporating agents contained in the composition can vary widely depending upon various factors. For example the evaporating agent can be present in the composition in an amount greater than about 0.5 % by weight, such as an amount greater than about 1% by weight, such as an amount greater than about 2% by weight, such as an amount greater than about 5% by weight, such as an amount greater than about 10% by weight, such as an amount greater than about 15% by weight, such as an amount greater than about 20% by weight. The evaporating agent is generally present in amount less than about 60 % by weight, such as in an amount less than about 50 % by weight, such as in an amount less than about 40 % by weight, such as in an amount less than about 35 % by weight, such as in an amount less than about 30 % by weight, such as in an amount less than about 20 % by weight.

[00048] Although, in some applications, an evaporating agent may be desired, in other embodiments, the composition can be formulated so as to contain no evaporating agents. For instance, in one embodiment, the wiping composition can be alcohol-free.

[00049] In one embodiment, the wiping composition may also contain a pH adjustor. For example, a pH adjustor may be added to the composition in order to increase or decrease the pH. When increasing the pH, in one embodiment, the pH adjustor may comprise an alkanolamine. Other examples of pH adjustors include hydroxides such as alkali and alkaline earth metal hydroxides, carbonates, silicates, bicarbonates, and mixtures thereof. Particular alkanolamines that may be used as the pH adjustor include monoethanolamine, 1-Amino-2-Propanol, 3-Amino-1-Propanol, 2-(methylamino)ethanol, 2-(ethylamino)ethanol, 2(propylamino)ethanol, 2(isopropylamino)ethanol, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, or mixtures thereof.

[00050] The wiping composition of the present disclosure can generally have a basic pH. For instance, the pH can generally be greater than about 10, such as greater than about 10.3, such as greater than about 10.5, such as greater than about 10.6, such as greater than about 11, such as greater than about 11.2, such as greater than about 11.5, such as greater than about 11.7, such as greater than about 12, such as greater than about 12.2. The pH of

the wiping composition is generally less than about 14, such as less than about 13.8, such as less than about 13.5.

[00051] In an alternative embodiment, a pH adjustor can be added to the composition in order to decrease the pH. In this embodiment, for instance, the wiping composition can have a pH of less than about 10, such as less than about 9, such as less than about 8.5, such as less than about 8, such as less than about 7.5, and generally greater than about 6.5, such as greater than about 7. In one embodiment, for instance, the pH can be from about 7.1 to about 8.5.

[00052] Various different pH adjustors can be used in order to decrease the pH of the composition. In general, any suitable acid, acid salt, or acidic substance can be used to lower the pH. For instance, the pH adjustor may comprise an organic acid. Organic acids include, for instance, saturated, linear aliphatic fatty acids. In one embodiment, the acid is a C1 to C8 carboxylic acid. The acid can be a monocarboxylic acid, a dicarboxylic acid, a tricarboxylic acid, or a mixture thereof. In an additional embodiment, the acid may be hydroxyacid, an aromatic acid, or a mixture thereof. In another additional embodiment, the acid is methanesulfonic acid, phosphoric acid, etidronic acid, phytic acid, phosphoacetic acid,

N-(phosphonomethyl)iminodiacetic acid, diethylenetriaminepentakis(methylphosphonic acid), S,S-ethylenediamine-N,N'-disuccinic acid, their alkaline salts, or any mixture thereof.

[00053] In some embodiments, the acid is citric acid, phosphoric acid, succinic acid, lactic acid, S,S-ethylenediamine-N,N'-disuccinic acid, 1-hydroxyethane 1,1-diphosphonic acid (HEDP), dipicolinic acid (DPA), methanesulfonic acid (MSA), their alkaline salts, ethylenediaminetetra acetic acid (EDTA), or any mixture thereof.

[00054] In one embodiment, the acid is a mixture of acids. In some embodiments, the acid comprises one or more of the following organic acids: citric acid, succinic acid, phosphoric acid, and lactic acid. In another embodiment, the acid comprises one or more of the following acids: citric acid, succinic acid, phosphoric acid, and lactic acid, in combination with another acid. For example, citric acid may be used in combination with ethylenediamine-N,N'-disuccinic acid or its alkaline salt, HEDP, and/or MSA. As another example, succinic acid may be used in combination with ethylenediamine-N,N'-disuccinic acid or its alkaline salt, HEDP, and/or MSA. As another example, phosphoric acid may be

used in combination with ethylenediamine-N,N'-disuccinic acid or its alkaline salt, HEDP, and/or MSA. As another example, lactic acid may be used in combination with ethylenediamine-N,N'-disuccinic acid or its alkaline salt, HEDP, and/or MSA.

[00055] When present, one or more pH adjustors can be included in the composition in an amount greater than about 0.001% by weight, such as in an amount greater than about 0.01%, such as in an amount greater than about 0.02% by weight, such as in an amount greater than about 0.1% by weight, such as in an amount greater than about 0.2% by weight, such as in an amount greater than 0.3% by weight. One or more pH adjustors can generally be present in an amount less than about 5% by weight, such as in an amount less than 3% by weight, such as in an amount less than about 2% by weight, such as in an amount less than about 1% by weight.

[00056] In one embodiment, the wiping composition of the present disclosure may also contain a surfactant. Any suitable surfactant may be added to the composition including nonionic surfactants and/or cationic surfactants. The surfactant can generally be present in the composition in an amount greater than about 0.05 % by weight, such as an amount greater than about 0.08 % by weight. Surfactants are generally present in an amount less than about 20% by weight, such as an amount less than about 15% by weight, such as an amount less than about 10% by weight, such as an amount less than about 5% by weight, such as an amount less than about 3% by weight, such as an amount less than about 2% by weight.

[00057] In one embodiment, the disinfectant composition contains an alkoxyated alcohol surfactant. For example, the alkoxyated alcohol may comprise an alkoxyated fatty alcohol.

[00058] For example, useful alkoxyated alcohols include alkoxyates of capryl alcohol, octanol, pelargonic alcohol, decyl alcohol, capric alcohol, undecyl alcohol, 1-undecanol, undecanol, hendecanol, lauryl alcohol, tridecyl alcohol, dodecanol, myristyl alcohol, pentadecyl alcohol, cetyl alcohol, palmitoleyl alcohol, heptadecyl alcohol, or stearyl alcohol.

[00059] The degree of alkoxylation in the surfactant can vary depending upon various factors. In one embodiment, for instance, the alkoxyated alcohol contains at least about 5 mols of alkoxyate, such as at least about 8 mols of alkoxyate, such as at least about 10 mols of alkoxyate, such as at least about 12 mols of alkoxyate, such as at least about 15

mols of alkoxylate, such as at least about 18 mols of alkoxylate, such as at least about 20 mols of alkoxylate. The degree of alkoxylation is generally less than about 80 mols, such as less than about 60 mols, such as less than about 40 mols, such as less than about 30 mols.

[00060] In one embodiment, the wiping composition can contain a nonionic amine oxide surfactant. The amine oxide surfactant, for instance, may comprise an N-alkyl(C12-C16)dimethylamine oxide. In one embodiment, the surfactant may comprise cocamine oxide.

[00061] In other embodiments, the wiping composition may contain a nonionic surfactant alone, a cationic surfactant alone, or can contain a mixture of a nonionic surfactant and a cationic surfactant. In one embodiment, the cationic surfactant is a quaternary ammonium compound. The quaternary ammonium surfactant, for instance, may comprise an alkyl trimethyl ammonium salt. The salt anion may be an inorganic or an organic anion. Exemplary anions include halides, such as chloride or bromide. Other anions include carbonates, bicarbonates, carboxylates, sulfonates, phosphates or mixtures thereof. The alkyl group can contain at least eight carbon atoms. In one embodiment, the alkyl group contains from about 10 to about 28 carbon atoms. One particular cationic surfactant that may be used is N-cocoN,N,N-trimethylammonium chloride.

[00062] The composition may also contain a chelating agent. Suitable chelating agents include, but are not limited to, ethylene diamine tetra acetic acid (EDTA) and salts thereof (e.g., tetrasodium EDTA available as Versene 100® from Dow Europe S.A. of Horgen, Switzerland), diammonium ethylene diamine tetraacetate, aminocarboxylic acids, amino phosphonic acids, fatty acid salts, mixtures thereof, and the like. Amino phosphonic acids include ethylene diaminetetramethylene phosphonic acid, diethylene triamine penta (methylene phosphonic acid), ethylene diamine tri (methylene phosphonic acid), and hexamethylene diaminetetra(methylene phosphonic acid). In general, preferred chelating agents include methylglycinediacetic acid (MGDA), glutamic acid, N,N-diacetic acid (GLDA), iminodisuccinic acid (IDS); ethylenediaminetetraacetic acid (EDTA) diethylenetriaminepentaacetic acid (DTPA), diethylenethamine-penta-methylene phosphonic acid (DETPMP), hydroxyethyliminodiacetic acid (HEIDA), Nitrilothacetic acid (NTA), aspartic acid diethoxysuccinic acid (AES), aspartic acid-N,N-diacetic acid (ASDA), diethylenethaminepentamethylene-phosphonic acid (DTPMPA),

hydroxyethylenediaminetetraacetic acid (HEDTA), hydroxyethylethylenediaminetriacetic acid (HEEDTA), iminodifumaric (IDF), iminoditartaric acid (IDT), iminodimaleic acid (IDMAL), iminodimalic acid (IDM), ethylenediaminedifumaric acid (EDDF), ethylenediaminedimalic acid (EDDM), ethylenediamineditartaric acid (EDDT), ethylenediaminedimaleic acid and (EDDMAL), aminotri(methylenephosphonic acid) (ATMP). More preferably the chelating agent is selected from iminodisuccinic acid (IDS), ethylenediaminetetraacetic acid (EDTA) diethylenetriaminepentaacetic acid (DTPA), hydroxyethylenediaminetetraacetic acid (HEDTA), hydroxyethylethylenediaminetriacetic acid (HEEDTA), iminodifumaric (IDF), iminoditartaric acid (IDT), iminodimaleic acid (IDMAL), iminodimalic acid (IDM), ethylenediaminedifumaric acid (EDDF), ethylenediaminedimalic acid (EDDM), ethylenediamineditartaric acid (EDDT), ethylenediaminedimaleic acid (EDDMAL) and aminotri(methylenephosphonic acid) (ATMP).

[00063] The ability of the chelating agent to remove metal ions facilitates of the solution by preventing hardness (calcium) precipitation. The chelating agent may also serve to bind other metal ions that may adversely affect the effectiveness of the disinfecting components in the composition.

[00064] The chelating agent is preferably present in the composition in an amount of from about 0.01% to about 10%, such as from about 0.02% to about 1% based on weight of the composition.

[00065] The wiping composition of the present disclosure may optionally further contain corrosion inhibitors, complexing agents, auxiliaries, preservatives, fragrances, colorants and the like. Exemplary corrosion inhibitors include, for example, organic phosphorous compounds and blend of organic phosphorous compounds with a polymeric component. Exemplary auxiliaries include, for example, polyethylene glycol or other similar compounds. Examples of building salts that may be used include sodium metasilicate, sodium tripolyphosphate, sodium nitrilotriacetate, sodium carbonate, sodium silicate, citric acid salts and zeolites. Colorants and fragrances may be added provided they do not interfere with the function of the composition and may serve for identifying the composition. Generally, the optional further ingredients will make up less than about 20% by weight of the composition. For example, each of the above identified ingredients or components can be present in the composition generally in an amount from about 0.01 %

by weight to about 5% by weight. For instance, each of the above components can be present in the composition in an amount from about 0.1% to about 2% by weight, such as from about 0.3% to about 1% by weight. The optional additives are added in amounts conventionally used in sanitizing and disinfecting compositions.

[00066] The disinfectant wiping composition of the present disclosure can be supplied as a concentrate, which can be diluted prior to use. Alternatively, the disinfecting composition can be provided as a ready-to-use composition.

[00067] In one embodiment, when formulated as a concentrate, the wiping composition can contain a tertiary amine biocide in an amount from about 2% to about 50% by weight, such as in an amount from about 5% to about 35% by weight. Optionally, the composition can also contain a quaternary ammonium compound in an amount from about 5% to about 40% by weight, such as in an amount from about 5% to about 30% by weight. The concentrate can contain a chelating agent in an amount of from about 2% to about 15% by weight, such as in an amount of from about 3% to about 10% by weight and can contain an alkanolamine in an amount from about 0.5% to about 5% by weight, such as in an amount from about 1% to about 3% by weight. If one or more surfactants are present in the composition, the concentrate can contain a surfactant in an amount from about 2% to about 15% by weight, such as in an amount from about 3% to about 9% by weight. The remainder of the concentrate may comprise water. Water can be present in the composition, for instance, in an amount from about 20% to about 65% by weight, such as in an amount from about 50% to about 60% by weight. In one embodiment, the concentrate is formulated so as to have a dilution rate of from about 1% to about 5%, such as from about 1.5% to about 2%.

[00068] Various different microorganisms may be killed or controlled in accordance with the present disclosure. For instance, the wiping composition of the present disclosure can control gram positive bacteria, gram negative bacteria, and the like. In addition to bacteria, the anti-microbial composition of the present disclosure can also kill and control the growth of various other microorganisms, such as fungi, viruses, spores, yeast, mycobacteria, and the like.

[00069] When used as a hard surface cleaner, the disinfectant composition can be delivered to a surface to be cleaned, sanitized or disinfected by conventional means such as pouring the composition on a surface; a spray; which is applied to a surface via a spray

means, including but not limited to, pump spray applicators, pressurized spray applicators and the like; a saturated wipe; a rag and a bucket; a mop and bucket; a sponge and a bucket; or via automated cleaning equipment and other similar and conventional ways to apply an anti-microbial or disinfectant composition to a surface for the purposes of sanitizing or disinfecting the surface.

[00070] To use the disinfectant composition of the present disclosure, a surface is treated with the substrate by spraying, pouring, wiping or otherwise applying the anti-microbial composition to the surface. Once applied to the surface, the anti-microbial composition is allowed to remain on the surface for a period of time. The anti-microbial composition may be applied to the surface and allowed to dry.

[00071] Surfaces, which may be disinfected with the compositions include, but are not limited to, those located in dairies, homes, health care facilities, canneries, food processing plants, restaurants, hospitals, institutions, and industry. Any suitable hard surface may be treated in accordance with the present disclosure, particularly frequently touched hard surfaces. The hard surface, for instance, can be made from glass, a metal such as an aluminum or stainless steel, a ceramic, a stone such as granite or marble, a plastic or polymer material, or the like. Specific areas targeted for application include hard surfaces in the home such as kitchen countertops, cabinets, appliances, waste cans, laundry areas, garbage pails, bathroom fixtures, toilets, water tanks, faucets, mirrors, vanities, tubs, and showers. The compositions can also be used to sanitize floors, walls, furniture, mirrors, toilet fixtures, windows, and wood surfaces, such as fence rails, porch rails, decks, roofing, siding, window frames, and door frames. Areas in hospitals would include beds, gurneys, tables, canisters, toilets, waste cans, stands, cabinets, shower stalls, floors, door knobs, bed rails, walls or any other non-porous surface.

[00072] One particularly useful application method is to impregnate the wiping composition into a wipe substrate. In this embodiment, the wipe is a single use wipe that is impregnated with the wiping composition and is stored in a container that will dispense the wipe to a user. The container with the wipes may contain a single wipe, or several wipes. Suitable containers include a pouch containing a single wipe, such as a moist towelette which is torn open by the user, or may be a pouch with a resealable opening containing several wipes in a stacked fashion, a rolled fashion or other suitable formation that would allow a single wipe to be removed from the opening at a time. Pouches are generally

prepared from a fluid impervious material, such as a film, a coated paper or foil or other similar fluid impervious materials. In another way to dispense wipes of the present disclosure is to place the wipe in to a fluid impervious container having an opening to access the wipes in the container. Containers may be molded plastic container with lids that are fluid impervious. Generally, the lid will have an opening to access the wipes in the container. The wipe in the container may be in an interleaved stack, such that as a wipe is removed from the container, the next wipe is positioned in the opening of the container ready for the user to remove the next wipe. Alternatively, the wipe may be a continuous material which is perforated between the individual wipes of the continuous material. The continuous wipe material with perforations may be in a folded form or may be in a rolled form. Usually, in the rolled form, the wipe material is fed from the center of the rolled material. As with the interleaved stack, as a wipe is removed from the container, the next wipe is positioned in the opening to facilitate removal of the next wipe, when needed.

[00073] Disposable wipes provide advantages over other application vehicles, such as a reusable sponge, rag or the like. Unlike sponges, rags and the like, which are used repeatedly, the impregnated wipe is used a single time and disposed of. Reused sponges or rags present problems since the sponges or rags may carry microbes that are not easily killed by the disinfecting composition.

[00074] The wiping composition can be impregnated into the wipe such that the wipe is pre-moistened and will express or release the wiping composition onto the surface as the wipe is run across the surface to be treated. Generally, the wiping composition is saturated into the wipe such that the wipe will release the wiping composition to the surface through the wiping action. Generally, the wiping composition is used from about 2 parts to 6 parts by weight per 1 part by weight of the wiper substrate, more preferably from about 3 to about 5 parts by weight per 1 part by weight of the wiper substrate. In these ranges, complete saturation of the substrates can be achieved. It is noted that the amount of the wiping solution may go up or down to achieve complete saturation of the wipe substrate, depending on the particular wipe substrate.

[00075] Suitable wipe substrates include woven and nonwoven materials. Essentially any nonwoven web material may be used. Exemplary nonwoven materials may include, but are not limited to meltblown, coform, spunbond, airlaid, hydroentangled nonwovens, spunlace, bonded carded webs, and laminates thereof. Optionally, the nonwoven may be laminated

with a film material as well. The fibers used to prepare the wipe substrate may be cellulosic fiber, thermoplastic fibers and mixtures thereof. The fibers may also be continuous fibers, discontinuous fibers, staple fibers and mixtures thereof. Basis weights of the nonwoven web may vary from about 12 grams per square meter to 200 grams per square meter or more.

[00076] In one embodiment the wipe is impregnated with a liquid component containing both active and inert ingredients within the allowable tolerance levels and the wiping composition expressed from the wipe contains active ingredients within the allowable tolerance levels. Once applied to the surface, the antimicrobial wiping composition is allowed to remain on the surface for a period of time. As mentioned, it has been unexpectedly found that the described wiping composition has dramatically reduced contact times necessary for killing the targeted microorganisms.

[00077] Referring to FIGS. 1 and 2, exemplary embodiments of wiping products made in accordance with the present disclosure are illustrated. Referring to FIG. 1, for instance, a wiping product 10 is illustrated. The wiping product 10 includes a dispenser 12. The dispenser 12 includes a bottom 14 and a top 16. The top 16 defines an opening or slot 18 through which premoistened wipes are dispensed. The premoistened wipes can be contained in the dispenser 12 as a single roll of material or can be stacked as individual wipes. The wipes 20 are for cleaning any suitable hard surface and can be presaturated or premoistened with the wiping composition of the present disclosure as described above.

[00078] Referring to FIG. 2, an alternative embodiment of a wiping product 22 is illustrated. The wiping product 22 as shown in FIG. 2 is particularly well suited for cleaning floors. As described above, for instance, the wiping composition of the present disclosure can be formulated for application to floors without harming or adversely interfering with a floor coating or floor finish.

[00079] As shown in FIG. 2, the wiping product 22 includes a handle 24 attached to a substrate holder 26. The substrate holder 26 includes a plurality of attachment devices 28 that are designed to engage and attach to a premoistened wipe 30. The premoistened wipe 30 includes a liquid absorbent substrate that has been saturated or wetted with the wiping composition of the present disclosure.

[00080] The following examples are intended to provide a more complete understanding of the present invention. The examples are not intended, however, to limit the invention.

EXAMPLES

[00081] Various different disinfectant compositions were formulated and tested for streaking and other properties.

[00082] In Table 1, the formulas were loaded onto wipe substrates with a 4 part liquid and 1 part wipe (4:1) loading ratio. The wipe substrates were then wiped on black glass plates or mirrors and allowed to dry. The substrates were visually examined for streaking and graded from low to medium to high.

Table 1. Streaking performance

Ingredients	Sample No. 1 (Wt. %)	Sample No. 2 (Wt. %)	Sample No. 3 (Wt. %)	Sample No. 4 (Wt. %)	Sample No. 5 (Wt. %)	Sample No. 6 (Wt. %)
N, N-bis(3-aminopropyl) dodecylamine		0.100	0.500	0.420	0.550	0.420
Alky dimethyl benzyl and dialkyl dimethyl ammonium chloride	0.500	0.400		0.100		
Dodecyl dimethyl ammonium bicarbonate/carbonate						0.100
Tetrasodium EDTA	0.053	0.053	0.053	0.053	0.053	0.023
Monoethanolamine	0.026	0.026	0.026	0.026	0.026	0.026
Ethoxylated alkyl (C12-14) alcohol	0.105	0.105	0.105			
DI Water	q.s.	q.s.	q.s.	q.s.	q.s.	q.s.
Streaking	High	Medium to high	None	Low	None	Low

[00083] As shown above, wiping compositions containing a tertiary amine unexpectedly and dramatically produced less streaking than compositions containing a quaternary ammonium compound.

[00084] As described above, wiping compositions made according to the present disclosure can be formulated into concentrates and then diluted prior to use. Examples of concentrate formulations are shown in Table 2 below.

Table 2. Examples of concentrate formulations

Ingredients	Sample No. 7	Sample No. 8	Sample No. 9	Sample No. 10	Sample No. 11
N, N-bis(3-aminopropyl) dodecylamine	5.71	28.55	24.00	31.43	24.00
Alky dimethyl benzyl and dialkyl dimethyl ammonium chloride	28.57		7.14		
Dodecyl dimethyl ammonium bicarbonate/carbonate					11.43
Tetrasodium EDTA	8.00	8.00	8.00	8.00	3.43
Monoethanolamine	1.50	1.50	1.50	1.50	1.50
Ethoxylated alkyl (C12-14) alcohol	6.00	6.00			
DI Water	50.22	55.95	59.36	59.07	59.64
Total	100.00	100.00	100.00	100.00	100.00
Dilution rate	1.75%	1.75%	1.75%	1.75%	1.75%

[00085] Micro-efficacy testing

[00086] The antimicrobial efficacy against *S. aureus* was evaluated for wipes impregnated with various samples from Table 1. The testing was performed in accordance with the protocols outline in AOAC official method 961.02 Germicidal Spray products as Disinfectants, modified for use with wipes (Revised 2012); Standard Operating Procedure for Disinfectant Towelette Test Against *Staphylococcus aureus*, *Pseudomonas aeruginosa*, and *Salmonella enterica*. EPA MB-09-05 (revised 2013). The test formulations passed the efficacy test against *S. aureus* (Table 3).

Table 3. Micro testing results against *S. aureus* with 60 second contact time

Formulations	Sample No. 1	Sample No. 2	Sample No. 3	Sample No. 5	Sample No. 6
AOAC Modified GST Micro testing results against <i>S. aureus</i> *	0/60 Pass	1/60 Pass	0/60 Pass	0/60 Pass	1/60 Pass

*Performance standard for bactericidal activity is ≤ 1 positive carrier out of 60 for *S. aureus*.

[00087] Some of the formulations were further tested against *P. aeruginosa* using the same test protocol, and the formulations passed the test. The results are shown in Table 4.

Table 4. Micro testing results against *P. aeruginosa* with 60 second contact time

Formulations	Sample No. 1	Sample No. 2	Sample No. 5	Sample No. 6
AOAC Modified GST Micro testing results against <i>P. aeruginosa</i> *	0/60 Pass	0/60 Pass	1/60 Pass	1/60 Pass

*Performance standard for bactericidal activity is ≤ 1 positive carrier out of 60 for *P. aeruginosa*.

[00088] The tertiary amine biocide was then formulated with various organic solvents and tested for efficacy against mycobacteria. The liquid formulations were evaluated for

the efficacy against mycobacteria (*M. terrae*) using OECD Quantitative methods for evaluating the activity of Microbicides used on hard Non-Porous Surfaces. Two antimicrobial formulations were made in accordance with the present disclosure. For purposes of comparison, Sample No. 14 was also tested which is a water-based and organic solvent free product.

Table 5.

	Sample No. 12	Sample No. 13	Sample No. 14	Sample No. 15
N, N-bis(3-aminopropoyl) dodecylamine	0.500	1.000	1.4	0.500
Alky dimethyl benzyl and dialkyl dimethyl ammonium chloride	0.500			
N,N-Didecyl-N-methyl- poly(oxyethyl)ammonium propionate			1.26	
Tetrasodium EDTA	0.053	0.053		
Monoethanolamine	0.434	0.434		
Sodium hydroxide				0.030
Sodium carbonate				0.080
Ethoxylated alkyl (C12-14) alcohol	0.102	0.102		0.100
Dipropylene glycol n-propyl ether	9.250	9.250		9.000
Ethylene glycol phenyl ether	2.000	2.000		1.000
Isopropyl	25.000	25.000		
DI Water	q.s.	q.s.	q.s.	q.s.

Table 6. Micro efficacy test results against *M. terrae* at 3 min. contact time

Test samples	Average Log ¹⁰ Survivors	Average Log ¹⁰ Reduction*	Average Log ¹⁰ Control
Sample No. 12	0	6.09	6.09
Sample No. 13	0	6.09	6.09
Sample No. 14	>3.48	<2.41	5.89
Sample No. 15	0	6.62	6.62

*Performance standard for Tuberculocidal for this example is a minimum of 5 Log₁₀ reduction in selected contact time.

[00089] As shown above, Sample Nos. 12, 13 and 15 containing glycol ether solvents and isopropyl alcohol and/or ethanol exhibited much greater efficacy against mycobacteria.

[00090] Sample Nos. 12 and 13 were loaded onto wipe substrates with a 4:1 loading ratio. The efficacy of the wipes was tested based on the methodology of the AOAC Tuberculocidal Activity Method as modified by the ASTM International Standard Practice for Evaluation of Pre-saturated or Impregnated Towelettes for Hard Surface Disinfection (E2362-09). The organism studied was *Mycobacterium bovis*-BCG and the test contact time was 3 minutes. The efficacy of the formulation was evaluated by counting the visible number of carriers showing growth of *Mycobacterium bovis*-BCG in primary subcultures (in MPB medium) and secondary subcultures (in 7H9 and KM media) following a three minutes exposure to the formulation at room temperature in the presence of a 5% fetal bovine serum organic soil load. Table 7 demonstrates the test results of wipes impregnated with the test formulas. As can be seen, the testing of the wipes impregnated with the wiping compositions passed the test, with no recovery of the *Mycobacterium bovis*-BCG at 3 minute contact time.

Table 7. Test results against *Mycobacterium bovis*-BCG at a contact time of 3 min.

Wipes impregnated with	Subculture Media	Total No. Carriers/Tubes	Number Positive		
			30 days	60 days	90 days
Sample No. 12	MPB	10	0	0	0
	7H9	10	0	0	0
	KM	10	0	0	0
Sample No. 13	MPB	10	0	0	0
	7H9	10	0	0	0
	KM	10	0	0	0

[00091] Because the wiping composition of the present disclosure has dramatically low streaking characteristics, the wiping composition is well suited for disinfecting floor surfaces. Table 8 below, for instance, provides other embodiments of wiping compositions made in accordance with the present disclosure that are particularly well suited for disinfecting floors.

Table 8

Ingredients	Sample No. 16	Sample No. 17	Sample No. 18
N, N-bis(3-aminopropyl) dodecylamine	0.28	0.165	0.22
Alkyl trimethyl quaternary ammonium surfactant (35%)	0.30	0.30	0.30
Cocamine oxide surfactant (30%)	0.10	0.10	0.10

Propylene glycol n-butyl ether (PnB)	0.15	0.15	0.15
EDTA acid	0.06	0.06	0.06
Lactic acid	0.12	0.08	0.105
DI Water	98.99	99.145	99.065
Total	100.00	100.00	100.00
pH	8.00	7.32	7.32

[00092] Micro-efficacy Testing

[00093] Sample Nos. 16, 17 and 18 were loaded into wipe substrates and tested in accordance with AOAC Official Method 961.02 as described above. The wipes were tested against *S. aureus*, *P. aeruginosa* and *S. enterica*. All of the samples passed the efficacy test at a five minute contact time as shown below.

Table 9. Micro testing results against *S. aureus*, *P. aeruginosa* or *S. enterica* with 5 minute contact time

Organisms	Sample No. 16	Sample No. 17	Sample No. 18
<i>S. aureus</i> *	0/60 Pass	0/60 Pass	1/60* Pass
<i>P. aeruginosa</i>	0/60 Pass	--	--
<i>S. enterica</i>	--	0/60 Pass	0/60 Pass

Performance standard for bactericidal activity is ≤ 1 positive carrier out of 60 for *S. aureus*, *P. aeruginosa* and *S. enterica*

[00094] Three batches of Sample No. 16 were loaded onto wipe substrates with a 7.0 loading ratio. The efficacy of the wipes was tested based on the methodology described

previously of Pre-Saturated Towelettes for Hard Surface Disinfection against *S. aureus*, *P. aeruginosa* and *S. enterica*. The test results are shown in Table 10.

Table 10. Micro testing results against *S. aureus*, *P. aeruginosa* and *S. enterica* with 5 minute contact time

Organisms	Sample No. 16 Batch 1	Sample No. 16 Batch 2	Sample No. 16 Batch 3
<i>S. aureus</i> *	1/60 Pass	0/60 Pass	1/60* Pass
<i>P. aeruginosa</i>	0/60 Pass	0/60 Pass	0/60 Pass
<i>S. enterica</i>	1/60 Pass	0/60 Pass	0/60 Pass

Performance standard for bactericidal activity is ≤ 1 positive carrier out of 60 for *S. aureus*, *P. aeruginosa* and *S. enterica*

[00095] These and other modifications and variations to the present invention may be practiced by those of ordinary skill in the art, without departing from the spirit and scope of the present invention, which is more particularly set forth in the appended claims. In addition, it should be understood that aspects of the various embodiments may be interchanged both in whole or in part. Furthermore, those of ordinary skill in the art will appreciate that the foregoing description is by way of example only, and is not intended to limit the invention so further described in such appended claims.

What is Claimed:

1. A wiping composition for disinfecting surfaces, the wiping composition comprising a biocide, the biocide comprising a tertiary amine, the wiping composition further comprising a liquid carrier, the liquid carrier comprising water, the wiping composition further containing at least one of a chelating agent or a pH adjustor.
2. A wiping composition as defined in claim 1, wherein the wiping composition is effective against *S. aureus*, *P. aeruginosa*, *M. terrae*, or *M. bovis* at a three minute contact time when tested according to AOAC Method 1.02 (Revised 2012).
3. A wiping composition as defined in claim 1, wherein the wiping composition is effective against *S. aureus*, *P. aeruginosa*, or *S. enterica* at a five minute contact time when tested according to AOAC Method 1.02 (Revised 2012).
4. A wiping composition as defined in claim 1, wherein the wiping composition is effective against *S. aureus*, *P. aeruginosa*, *M. terrae*, or *M. bovis* at a one minute contact time when tested according to AOAC Method 1.02 (Revised 2012).
5. A wiping composition as defined in claim 1, wherein the composition has a pH greater than 10.
6. A wiping composition as defined in claim 1, wherein the composition has a pH of from about 6.5 to about 9.
7. A wiping composition as defined in any of the preceding claims, wherein the wiping composition is low streaking.
8. A wiping composition as defined in claim 1, wherein the tertiary amine comprising a tertiary alkyl amine with alkyl chain length from C6 to C16.
9. A wiping composition as defined in claim 1, wherein the biocide comprises N, N-bis(3-aminopropyl) dodecylamine, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, N-(3-aminopropyl)-N-decyl-1,3-propanediamine, N-(3-aminopropyl)-N-tetradecyl-1,3-propanediamine, or mixtures thereof.
10. A wiping composition as defined in any of the preceding claims, wherein the biocide is present in the composition in an amount from about 0.05% to about 2% by weight, such as in an amount from about 0.2% to about 1.5% by weight, such as in an amount from about 0.3% to about 1.2% by weight. .
11. A wiping composition as defined in any of the preceding claims, wherein the composition contains an organic solvent, the organic solvent comprising a glycol ether,

one or more organic solvents being present in the wiping composition in an amount from about 0.05% to about 15% by weight.

12. A wiping composition as defined in claim 11, wherein the organic solvent comprises dipropylene glycol n-propyl ether, propylene glycol n-butyl ether, ethylene glycol phenol ether, or mixtures thereof.

13. A wiping composition as defined in any of the preceding claims, wherein the composition contains an evaporating agent, the evaporating agent having a boiling point of less than about 90°C, such as less than about 85 °C, 1 ATM.

14. A wiping composition as defined in claim 13, wherein the evaporating agent comprises an alcohol.

15. A wiping composition as defined in claim 13 or 14, wherein the evaporating agent is present in the composition in an amount from about 1% to about 60% by weight, such as in an amount from about 5% to about 35% by weight.

16. A wiping composition as defined in claim 5, wherein the pH adjustor comprises an alkanolamine, a hydroxide, or mixtures thereof.

17. A wiping composition as defined in claim 6, wherein the wiping composition contains the pH adjustor and wherein the pH adjustor comprises an organic acid.

18. A wiping composition as defined in any of the preceding claims, wherein the composition contains the chelating agent in combination with the pH adjustor.

19. A wiping composition as defined in any of the preceding claims, wherein the composition further contains a quaternary ammonium compound, the quaternary ammonium compound being present in the composition in an amount less than about 1% by weight, such as in an amount less than about 0.8% by weight, such as in an amount less than about 0.6% by weight.

20. A wiping composition as defined in any of the preceding claims, wherein the composition contains at least one surfactant.

21. A wiping composition as defined in claim 20, wherein the at least one surfactant comprises a cationic surfactant, the surfactant comprising a quaternary ammonium compound.

22. A wiping composition as defined in claim 20 or 21, wherein the composition further contains a nonionic surfactant comprising an amine oxide.

23. A wiping composition as defined in any of claims 1-12, wherein the composition is alcohol-free.
24. A wiping composition for disinfecting surfaces, the wiping composition comprising a biocide, the biocide comprising a tertiary amine, the wiping composition further comprising an organic solvent in an amount greater than about 5% by weight.
25. A wiping composition as defined in claim 24, wherein the organic solvent comprises a glycol ether.
26. A wiping composition as defined in claim 24 or 25, wherein the biocide comprises N, N-bis(3-aminopropyl) dodecylamine, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, N-(3-aminopropyl)-N-decyl-1,3-propanediamine, N-(3-aminopropyl)-N-tetradecyl-1,3-propanediamine, or mixtures thereof.
27. A premoistened wiping product comprising;
a liquid absorbent substrate; and
a wiping composition as defined in any of the preceding claims.
28. A premoistened wiping product as defined in claim 27, wherein the product further includes a handle attached to a substrate holder, the liquid absorbent substrate being retained on the substrate holder for application to floors.




FIG.1




FIG.2

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2018/035804

A. CLASSIFICATION OF SUBJECT MATTER INV. A01N33/04 C11D1/40 C11D1/645 A01P1/00 ADD.		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) A01N C11D		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) EPO-Internal, WPI Data, CHEM ABS Data		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	WO 2017/210392 A1 (ECOLAB USA INC [US]) 7 December 2017 (2017-12-07) tables 3,5,7 -----	1-4,6-9, 16,18, 20,21
X	EP 0 848 907 A1 (BRAUN MEDICAL AG [CH]) 24 June 1998 (1998-06-24) page 1, line 38 - line 58; examples -----	1-28
X	EP 1 865 049 A1 (WAKO PURE CHEM IND LTD [JP]; SAN AI OIL CO LTD [JP]) 12 December 2007 (2007-12-12) examples -----	1-28
X	EP 3 015 538 A1 (WET WIPE AS [DK]) 4 May 2016 (2016-05-04) examples 1,3 ----- -/-	1-28
☒ Further documents are listed in the continuation of Box C. ☒ See patent family annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 17 July 2018		Date of mailing of the international search report 30/07/2018
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016		Authorized officer Bertrand, Franck

INTERNATIONAL SEARCH REPORT

International application No

PCT/US2018/035804

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 10 2009 048189 A1 (SCHUELKE & MAYR GMBH [DE]) 7 April 2011 (2011-04-07) examples -----	1-4,6-9, 16-18, 20,23
X	US 7 723 281 B1 (HERDT BRANDON L [US] ET AL) 25 May 2010 (2010-05-25) table 2 -----	1-11,17, 18,20,23
X	DE 10 2006 051559 A1 (MERZ PHARMA GMBH & CO KGAA [DE]) 8 May 2008 (2008-05-08) paragraph [0009]; examples -----	1-28
X	US 2006/247150 A1 (MOLINARO KATHERINE J [US] ET AL) 2 November 2006 (2006-11-02) example 8 -----	1-28
X	DE 196 36 114 A1 (SCHUMACHER HENNING DR [DE]) 12 March 1998 (1998-03-12) example 9 -----	1-28

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2018/035804

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 2017210392 A1	07-12-2017	US 2017347644 A1 WO 2017210392 A1	07-12-2017 07-12-2017
EP 0848907 A1	24-06-1998	AT 186624 T DE 19653785 A1 EP 0848907 A1 ES 2140179 T3 PL 323896 A1	15-12-1999 25-06-1998 24-06-1998 16-02-2000 22-06-1998
EP 1865049 A1	12-12-2007	EP 1865049 A1 JP 5148998 B2 JP WO2006093249 A1 WO 2006093249 A1	12-12-2007 20-02-2013 07-08-2008 08-09-2006
EP 3015538 A1	04-05-2016	NONE	
DE 102009048189 A1	07-04-2011	BR 112012007521 A2 CN 102573495 A CN 104970043 A DE 102009048189 A1 EP 2482664 A2 ES 2536768 T3 US 2012189603 A1 WO 2011039088 A2	15-09-2015 11-07-2012 14-10-2015 07-04-2011 08-08-2012 28-05-2015 26-07-2012 07-04-2011
US 7723281 B1	25-05-2010	EP 2389429 A2 US 7723281 B1 WO 2010084387 A2	30-11-2011 25-05-2010 29-07-2010
DE 102006051559 A1	08-05-2008	NONE	
US 2006247150 A1	02-11-2006	US 2006247150 A1 US 2010298190 A1 US 2011207649 A1	02-11-2006 25-11-2010 25-08-2011
DE 19636114 A1	12-03-1998	NONE	