



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>6</sup> : A23D 7/00, A23L 1/0562, 1/0524</p>	A1	<p>(11) International Publication Number: <b>WO 95/01101</b></p> <p>(43) International Publication Date: 12 January 1995 (12.01.95)</p>
<p>(21) International Application Number: PCT/EP94/01857</p> <p>(22) International Filing Date: 7 June 1994 (07.06.94)</p> <p>(30) Priority Data: 93305155.9 1 July 1993 (01.07.93) EP (34) Countries for which the regional or international application was filed: GB et al.</p> <p>(71) Applicant (for AU BB CA GB IE LK MN MW NZ SD only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4 4BQ (GB).</p> <p>(71) Applicant (for all designated States except AU BB CA GB IE LK MN MW NZ SD): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).</p> <p>(72) Inventors: NORTON, Ian, Timothy; 29 Croft Way, Rushden Northants NN10 9EZ (GB). BROWN, Charles, Rupert, T.; 92 Castle Road, Bedford MK40 3PS (GB). UNDERDOWN, Jeffrey; 3 Castle Mews, Wellingborough, Northants NN8 1NX (GB).</p>		<p>(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, GE, HU, JP, KG, KP, KR, KZ, LK, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> With international search report.</p>
<p>(54) Title: LOW FAT SPREAD</p>		
<p>(57) Abstract</p> <p>A fat-continuous spread comprising: (A) from 0.1 to 10 wt% of gelatin; (B) from 0.1 to 7 wt% of a gelled polysaccharide not being starch; and (C) from 10 to 60 wt% of fat. The balance of the above being traditional constituents of spreads.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

Low fat spread

The present invention is concerned with spread products, in particular with fat-  
5 continuous spread products of low fat content, and processes for their  
preparation.

Many attempts have been made to formulate low fat spread products. Amongst  
the various reasons why such products are desired is the wish to reduce the  
10 caloric content of the spread and other dietetic considerations and the wish to  
lower the production costs, in particular by reducing the raw material costs.

A substance that has widely been applied as a fat extender is water. This use of  
water has, for example, led to the introduction of so-called halvanes. If  
15 relatively high levels of water are used, often thickening agents and/or gelling  
agents are used for avoiding adverse effects of the high water level.

For example EP-A-298 561 (Unilever) describes the preparation of edible plastic  
dispersions not having a continuous fat phase, said composition including at least  
20 two gelling agents forming two gel-forming compositions.

EP-A-355 908 (Unilever) relates to thermoreversible microgels of  
polysaccharides being substantially less rigid than a gel of the same composition  
formed under quiescent conditions.

25

EP-A-432 835 (Unilever) relates to chemically set gels prepared under shear,  
said gels being substantially less rigid than the same composition prepared under  
quiescent conditions.

EP-A-441 495 (Pfizer) relates to an emulsion type low calorie fat substitute  
30 comprising an aqueous phase and a fat phase, wherein the interaction between  
the two phases results in a pourable product.

Research Disclosure Vol.352, nr 092 (Anonymous) discloses low fat spreads containing 0.5- 2.0% of either alginate or pectin in the water phase.

5 Research Disclosure Vol. 330, nr 059 (Grindsted) discloses very low fat-  
continuous spreads with gelatin, skimmed milk powder and alginate.

EP-A-387 940 (Unilever) discloses fat continuous spreads containing gelatin, hydrolysed starch and optionally pectin.

10 JP 04 278 049 (Taiyou Yushi KK) discloses spreads with gelatin, xanthan gum and 8 to 47 % polysaccharide e.g. poltdextrose.

EP-A-398 411 (Unilever N.V.) describes the production of fat-continuous spreads with high levels of gelatin and low or minor amounts of a second gelling agent  
15 by pregelation followed by phase-inversion.

For enhancing the gelation rate of gelatin, often starch is added, for example in the form of hydrolysed starch. However the disadvantage of using starch is that it often gives rise to a starchy taste or grainy appearance of the product.

20

It is the object of the present invention to formulate low fat spread products having a good flavour, texture and which do not have a grainy appearance and which have an excellent melting behaviour in the mouth. It is also an object of the present invention to select those ingredients which results in high quality  
25 products which can be produced by a relatively simple and short production process. Thus either a shorter and cheaper production line can be used or the throughput of existing equipment can be increased. Also the products according to the present invention have no off flavour as obtained with starch.

Surprisingly it has been found that these high quality, low fat fat-continuous products can be obtained without the need for long gelation times if specific gelling agents are used at specified levels.

5 Accordingly the present invention relates to a fat-continuous spread comprising:

- (A) from 0.1 to 10 wt% of gelatin;
- (B) from 0.1 to 7 wt% of a gelled polysaccharide (not being starch);
- and

10 (C) from 10 to 60 wt% of fat.

The balance of these products being traditionally used ingredients like water, salt, emulsifier, food acid, flavour, colour, and preservative.

15 In preferred embodiments of the present invention the amount of gelatin is from 2 to 6 wt%; the amount of gelled polysaccharide is from 0.2 to 2 wt% and/or the amount of fat is from 14 to 45 wt%.

Although applicants do not wish to be bound by any theory it is believed that the  
20 good quality of the product is caused by the fact that the gelling polysaccharide quickly forms a gel, providing an initial structure to the product, in the form of discrete gelled polysaccharide particles which are dispersed in the gelatin matrix which is gelled afterwards. Hence a preferred embodiment of the invention would be a fat-continuous product of the above composition, wherein the  
25 aqueous phase consists of gelled droplets, each droplet comprising polysaccharide particles dispersed in a gelatin matrix.

It has also been found that the flavour and salt release of the product can markedly be improved if the aqueous phase consists of aqueous droplets having

a volume weighted diameter of at least 5  $\mu\text{m}$ , but below 100  $\mu\text{m}$ , more preferred from 10 to 80  $\mu\text{m}$ , most preferred 15 to 50  $\mu\text{m}$ . This is, however, also to some extent dependent on the fat content of the spread.

- 5 The levels of ingredients as specified above provide the good quality of the spread and allow the production of the product without the need for long gelation times.

Compositions of the invention comprise as the first gelling agent from 0.1 to 10  
10 wt% of gelatin, more preferred from 0.5 to 8 wt%, most preferred from 2 to 7 wt%. Any commercially available gelatin capable of gelling may be used, although it is preferred to have a gelatin having a bloom strength between 100 and 300, such as 120, 150 and 250. Especially preferred is the use of gelatin having a bloom strength of about 200-300, more preferably of about 250-270  $\mu\text{m}$ .

15

In addition to the gelatin, compositions of the invention comprise from 0.1 to 7 wt% of a gelled polysaccharide not being a starch, more preferred 0.5 to 4 wt%, most preferred 0.7 to 2 wt%.

- 20 Any polysaccharide capable of forming a (weak) gel may be used. The gel may either be a thermoreversible gel or a chemically set gel. Suitable gelling polysaccharides for forming a thermoreversible gel are for example agar, alginate, pectin or a mixture thereof. Most preferably the gelling polysaccharide is pectin, especially a pectine which gels in the presence of alkaline earth ions  
25 more in particular calcium ion. The term pectin as used herein also includes esterified pectins with 5-50% of the hydroxyl groups esterified, furthermore amidated and methoxylated pectins

Although less preferred, optionally compositions of the invention may comprise  
30 in addition to the above mentioned gelatin and gelling polysaccharides minor amounts of other gelling or thickening agents. Examples of such materials are

gellan, denatured whey protein, denatured bovine serum protein, egg white, denatured vegetable storage protein and microcrystalline cellulose. Preferably, however, the total level of these gelling and/or thickening ingredients other than gelatin and the above mentioned gelled polysaccharide is from 0-5 wt%, most  
5 preferred 0-0.5 wt%. For taste reasons, however, in an especially preferred embodiment of the invention, the spread is substantially free from these ingredients. Also for taste reasons, preferred compositions according to the invention are substantially free from native or modified starch and contain 0 to 2 wt%, more preferably less than 0.5 wt% starch.

10

Compositions of the invention comprise from 10 to 60 wt% of fat, more preferred the level of fat is more than 15 wt% and less than 45%, especially 15-38 wt%.

15 Throughout this specification the terms oil and fat are used interchangeably. They are meant to include triglycerides of natural or synthetic origin such as soya bean oil, sunflower oil, palm oil, fish oil, rapeseed oil, coconut oil, and hydrogenated, fractionated and/or interesterified triglyceride mixtures as well as edible substances that are physically similar to triglycerides such as waxes, e.g.  
20 jojoba oil and poly fatty acid esters of mono- or di-saccharides, and that can be used as replacement for, or in admixture with triglycerides.

Preferably spreads of the invention are plastic in the sense that they can be spread onto bread without tearing the bread. Generally plastic spreads will have  
25 a stress strain relation with a maximum stress occurring at strain of 0.001-0.5, more preferred 0.01 to 0.3, the maximum stress at this strain being 0.01-100 kPa, more preferred 0.01 to 60 kPa and with a ratio of plastic stress and the maximum stress of 0.1 to 1. A suitable method for determining these values is given in EP 298 561.

30

In addition to the above mentioned ingredients, spreads of the invention may comprise a number of optional ingredients such as flavouring, salt, preservatives, acidifiers, vitamins, colouring materials etc.

- 5 Preferably the level of salt (sodium chloride) is from 0- 4 wt%, more preferred 0.1 to 3 wt%, most preferred 0.2 to 2 wt%. Preservatives are preferably incorporated at a level of 0- 4 wt%, more preferred 0.01 to 2 wt%, most preferred 0.05 to 0.15 wt%. Especially preferred is the use of potassium sorbate. A preferred colouring material is  $\beta$ -carotene; preferred levels of colouring material are from 0 - 1 wt%, more preferred 0.01 to 0.2 wt%. Acidifiers may be  
10 incorporated to bring the pH of the product to the desired level, preferably the pH of the product is from 3 to 10, more preferred 3.5 to 7. A suitable pH-adjuster is for example lactic acid, citric acid or sodium bicarbonate.
- 15 Another optional ingredient which may be present in compositions of the invention are proteins. Preferably the protein level (including gelatin) in spreads of the invention is from 0.5 to 15 wt%, more preferred, 2 to 6 wt%, most preferred 2.5 to 4 %. In an especially preferred embodiment of the invention the proteins are partially obtained from dairy sources. In another preferred  
20 embodiment of the invention the level of proteins other than gelatin is low, for example less than 1 wt%, more preferred less than 0.5 wt%, most preferred 0-0.1 wt%. In another preferred embodiment of the invention the protein is partially a vegetable protein, especially soy bean protein. For example if mixtures of these ingredients are used suitable weight ratios of animal protein to vegetable protein  
25 may for example be from 10 : 1 to 1 : 10.

The spread may further contain small particles such as herbs and vegetables. The total level thereof will generally be less than 10 wt%.

- 30 Spreads of the invention will generally comprise fairly high levels of water, say from 30 to 88 wt% of the composition, more preferred 40 to 80 wt%, most

preferred 50 to 70 wt%. Water may be incorporated as such, or as part of the other ingredients such as milk etc. Spreads of the invention are fat-continuous in the sense that they comprise a continuous fat phase. Fat-continuous spreads can readily be distinguished from water-continuous spreads by virtue of conductivity  
5 measurements.

Spreads of the invention can suitably be used as bread spreads to replace e.g. margarine or halvarine, but they can also suitable be used as flavoured spread, for example cheese spreads, meat spreads, nut spreads, sweet spreads or  
10 vegetable spreads.

Spreads of the invention may be prepared by any suitable method for the preparation of fat-continuous spread products. A preferred method however involves the mixing of the ingredients, optionally followed by pasteurisation  
15 followed by cooling in one or more scraped surface heat exchangers (A-units) to a temperature of 0 to 10 °C, optionally followed by processing through one or more C-units. Pasteurisation is especially preferred for extending the keepability of the product. Generally, the initial mixture is water continuous, during cooling this will be inverted (generally under shear) to a fat-continuous product.  
20 Preferably, at least the polysaccharide part of the aqueous phase is gelled prior to phase-inversion to a fat-continuous product. After preparation the spreads are generally packed in wrappers or containers, generally tubs with a content of 2-1000 g will be used, especially 5, 10, 15, 250 or 500 g. Preferably the packed product is stored at refrigerator temperatures.

25

### Experiment

An aqueous phase was prepared by mixing 5 wt% gelatin, varying levels of pectin and sufficient  $\text{CaCl}_2 \cdot \text{H}_2\text{O}$  to gel the pectin in water of 85°C. The samples  
30 were cooled to 5°C and the time was measured starting at the beginning of cooling until a gel began to form.

For 5% gelatin in the absence of gelling polysaccharides the onset of gel-formation was about 130 s after cooling began. For 5% gelatin, 0.5% pectin and  $R=0.5$  (wherein  $R=2[M^{2+}]/[COO^-]$ ) this occurred after about 60 s, with 0.8% pectin and  $R=0.5$  gel-formation started around 40 s, for 1% pectin and  $R=0.5$  gel formation started at 0 s. Also 0 s was the time for 1% pectin and  $R=1$ . M represents a divalent metal, preferably calcium or magnesium.

These results clearly show that the gelation time may markedly be improved for gelatin systems containing a gelling polysaccharide.

10

The invention is now illustrated by the following non-limiting examples in which all percentages and parts are taken by weight unless otherwise indicated.

#### Example I

15

The following formulation was made:

		<u>wt%</u>
	Pectin (DE 35 CPFX 2918 ex Hercules)*	0.8
	Calcium chloride dihydrate (R=0.5)	0.09
20	Gelatin (250 bloom)	4.0
	Sodium chloride	1.2
	Potassium sorbate	0.08
	Fat (**)	17.8
25	Soya bean oil 63.	1.98.
	Emulsifier (Hymono 4404)	0.3
	$\beta$ -Carotene (6%)	0.01
	Flavour	
	Water	balance
30	pH 4.0-4.5 (sodium bicarbonate)	5.0

- \* calcium sensitive and having a degree of esterification of 35%
- \*\* = 50 wt% soya bean oil, 13 wt% coconut oil, 17 wt% soya bean oil hardened to a slip melting point of 41°C, 20 wt% of an interesterified blend of 33 wt% coconut- and 67 wt% soya bean oil hardened to a slip melting point of 41°C.

The ingredients were pre-mixed at 65°C, passed through 3 A-units (jacket temperatures -5, -5, 0°C, speed 500, 500, 650 rpm), a C unit (jacket temperatures -5, -5, 0°C, speed 500, 500, 650 rpm), a C unit (jacket temperature 15°C, speed 1000 rpm) and a C\* (invertor unit, jacket temperature 20°C, speed 1000 rpm). The throughput was 30 g/min. The final exit temperature 24 °C. The volume weighted aqueous phase droplet diameter ( $D_{3,3}$ ) was 55  $\mu\text{m}$  and a  $\sigma=4.5$ .  $D_{3,3}$  was determined according to J. Coll. and Interface Sc. Vol.40, No 2, 206-218 (1972) and ibid Vol. 93, No 2, 521-529 (1983). This product (in accordance to the invention) was a good-tasting fat-continuous product.

As a comparison the same formulation was prepared without pectin. This comparative product, however did not form a fat-continuous system.

### Example II

According to the procedure of Example I a formulation was prepared using a similar formulation, however, 1.0 wt% of DE 35 pectin and 0.14 wt% of calcium chloride dihydrate ( $R=0.8$ ) and adjusting the pH to 5.0 using sodium bicarbonate. A good-tasting fat-continuous spread was obtained with a volume weighted aqueous phase droplet diameter ( $D_{3,3}$ ) of 55  $\mu\text{m}$  and a  $\sigma=0.5$ .

Example III

According to the procedure of Example I a formulation was prepared using a similar formulation, also using 0.8 wt% of DE 35 pectin but 0.18 wt% of calcium chloride dihydrate (R=1.0) and adjusting the pH to 5.0 using sodium bicarbonate. A good-tasting fat-continuous spread was obtained with a volume weighted aqueous phase droplet diameter ( $D_{3,3}$ ) of 90  $\mu\text{m}$  and a  $\sigma=0.4$ .

Example IV

10

The following formulation was made:

	<u>wt%</u>
Pectin (see example I)	0.76
Gelatin (250 bloom)	3.80
15 NaCl	1.50
Potassium sorbate	0.15
Calcium chloride dihydrate	0.09
Fat (see example I)	21.28
20 Soya bean oil	2.19
Emulsifier (Hymono 4404)	0.36
$\beta$ -Carotene (6%)	0.07
Flavour	0.10
Water	balance
25 pH (sodium bicarbonate)	5.0

The ingredients were premixed at 60°C followed by pasteurization at 85°C. The mixed was cooled in a cooling coil to 30°C and subsequently passed through 2 A-units (end temperatures 10°C and 5°C, speed 600 rpm) and 2 C-units (exit  
30 temperatures 10°C and 21°C, speed 300 rpm and 1200 rpm). The throughput was 60 kg/hr.

The resulting product was a good-tasting fat-continuous product. The  $D_{3,3}$  particle size of the aqueous phase droplets was  $38.74 \mu\text{m}$ ,  $\sigma = 0.5$ . Microscopy revealed that the aqueous phase droplets consisted of a continuous gelled gelatin matrix wherein gelled pectin droplets were dispersed.

5

### Example V

#### Formulation

10	Fat phase	-	Fat Blend*	24.573
			Dimodan OT	0.375
			$\beta$ -Carotene (30% concentration)	0.0009
			Lecithin	0.05
			Flavour	0.001
15				
	Aqueous phase	-	DE35 Pectin	0.375
			Calcium chloride dihydrate	0.042
			Gelatin (250 Bloom)	3.75
20			Sodium chloride	1.50
			Potassium sorbate	0.15
			Water	69.183

25 \* Fat blend used =  
56% soya bean oil, 20% coconut oil, 11% soya bean oil hardened to a slip melting point of  $41^\circ\text{C}$ , 13% of an interesterified blend of 33 wt% coconut and 67% hardened soya bean oil with a slip melting point of  $41^\circ\text{C}$ .

30 The ingredients were premixed at  $60^\circ\text{C}$  followed by pasteurisation at  $85^\circ\text{C}$ . The mixture was cooled in a cooling coil to  $17^\circ\text{C}$  and subsequently passed

through two scraped surface heat exchangers (exit temperatures 19°C and 10°C and speed 400rpm) and three pinned stirrers (exit temperatures 13°C, 14°C and 21°C speeds 250rpm, 1100rpm and 80rpm) and finally cooled to 12.5°C in a third scraped surface heat exchanger operating at 350rpm. The throughput was 60kg/hr. The product obtained was an excellent tasting spread with a volume weighted aqueous phase droplet diameter ( $D_{3,3}$ ) of 24  $\mu\text{m}$  and a  $\sigma=0.9$ .

### Example VI

10

#### Formulation

15	Fat phase	-	Fat Blend	24.573
			Dimodan OT Monoglycerede ex	
			Grindsted	0.375
			$\beta$ -Carotene (30% concentration)	0.0009
			Lecithin	0.05
			Flavour	0.001
20	Aqueous phase	-	Amidated Pectin (LM 104-AS)*	0.375
			Calcium chloride dihydrate	0.042
			Gelatin (250 Bloom)	3.75
			Sodium chloride	1.50
			Potassium sorbate	0.15
			Water	69.183

\* Amidated pectin (Genu pectin LM 104-AS) supplied by Hercules Ltd. All further other details exactly as for Example VI. The product obtained was a good tasting spread with a volume weighted aqueous phase droplet diameter ( $D_{3,3}$ ) of 29  $\mu\text{m}$  and a  $\sigma=1.0$ .

30

Example VII**Formulation**

5	Fat phase	-	Fat Blend	24.573
			Dimodan OT	0.375
			$\beta$ -Carotene (30% concentration)	0.0009
			Lecithin	0.05
			Flavour	0.001
10				
	Aqueous phase	-	Amidated pectin (LM 104-AS)	0.375
			Calcium chloride dihydrate	0.042
			Gelatin (250 Bloom)	3.75
15			Sodium chloride	1.50
			Potassium sorbate	0.15
			Skimmed milk powder	0.5
			Water	68.683

20

All other details exactly as for Example VI.

The product obtained was a spread with excellent properties and showed a volume weighted aqueous phase droplet diameter ( $D_{3,3}$ ) of 42  $\mu\text{m}$  and a  $\sigma=0.9$ .

25

CLAIMS

1. A fat-continuous spread comprising:
  - (A) from 0.1 to 10 wt% of gelatin;
  - (B) from 0.1 to 7 wt% of a gelled polysaccharide not being starch;and
  - (C) from 10 to 60 wt% of fat.
2. A fat-continuous spread according to claim 1 containing an aqueous phase consisting of droplets having a volume weighted diameter of more than 5  $\mu\text{m}$  but less than 100 $\mu\text{m}$ .
3. A fat continuous spread according to one or more of the preceding claims, wherein the gelled polysaccharide is selected from agar, alginate, pectin and mixtures thereof.
4. A fat-continuous spread according to claim 3, wherein the gelling polysaccharide is pectin.
5. A fat-continuous spread according to claim 4, wherein the pectin is a calcium sensitive pectin.
6. A fat-continuous spread according to one or more of the preceding claims wherein the level of pectin is 0.2 - 2 wt% calculated on the aqueous phase.
7. A fat-continuous spread according to one or more of the preceding claims, wherein the fat level is 15 - 38 wt%.

8. A fat-continuous spread according to one or more of the preceding claims, wherein the R-value has value between 0.3 and 1.5, preferably between 0.4 and 1.
9. A fat continuous spread according to one or more of the preceding claims, wherein the spread contains protein not being gelatin.
10. Process for the production of a fat-continuous spread according to claim 1, comprising the mixing of the ingredients, optionally followed by pasteurization, followed by cooling to a temperature of 0-10°C.
11. Process according to claim 9, wherein the polysaccharide part of the aqueous phase is gelled prior to phase inversion to a fat continuous product.

INTERNATIONAL SEARCH REPORT

Inter. nal Application No  
PCT/EP 94/01857

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 A23D7/00 A23L1/0562 A23L1/0524

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED  
Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 A23D A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	CHEMICAL ABSTRACTS, vol. 118, no. 13, 1992, Columbus, Ohio, US; abstract no. 123372, 'LOW-FAT SPREADS CONTAINING WATER-SOLUBLE POLYSACCHARIDES AND GELATION AGENTS' cited in the application see abstract	1,3,7
Y	& PATENT ABSTRACTS OF JAPAN vol. 017, no. 073 (C-1026) 15 February 1993 & JP,A,04 278 049 (TAIYOU YUSHI KK) 2 October 1992 see abstract	1-4,7, 10,11
	---	-/--

Further documents are listed in the continuation of box C.  Patent family members are listed in annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search: 30 September 1994

Date of mailing of the international search report: 10.10.94

Name and mailing address of the ISA: European Patent Office, P.B. 5818 Patentlaan 2, NL - 2280 HV Rijswijk, Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016

Authorized officer: Kanbier, D

## INTERNATIONAL SEARCH REPORT

 Int. l. Application No  
 PCT/EP 94/01857

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP,A,0 387 940 (UNILEVER NV) 19 September 1990 cited in the application see page 2, line 43 - page 3, line 2; claims 1,3-5,8,9 ---	1-4,7, 10,11
X	DATABASE WPI Week 9146, Derwent Publications Ltd., London, GB; AN 91-337367 'LOW FAT SPREAD WITH LOW CONTENT OF SKIMMED MILK POWDER ETC.' (GRINDSTED PRODUCTS) cited in the application see abstract & RESEARCH DISCLOSURE, vol.330, no.059, 10 October 1991 ---	1,3,9
A	DATABASE WPI Week 8923, Derwent Publications Ltd., London, GB; AN 89-169781 & JP,A,1 111 440 (SNOW BRAND MILK PRODUCTS) 28 April 1989 see abstract ---	1,3-6,8, 10
A	EP,A,0 380 225 (PFIZER INC.) 1 August 1990 see page 2 - page 3; claims 2,3,6-9 -----	1,3-6,8

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. l. Application No <b>PCT/EP 94/01857</b>
--

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0387940	19-09-90	AU-B- 3998793	07-10-93
		AU-A- 5131090	20-09-90
		DE-D- 69004129	02-12-93
		DE-T- 69004129	03-03-94
EP-A-0380225	01-08-90	AU-B- 615134	19-09-91
		AU-A- 4884390	02-08-90
		CA-A- 2008314	25-07-90
		JP-A- 2242656	27-09-90