



(51) International Patent Classification:

C11D 3/37 (2006.01) C11D 3/43 (2006.01)  
C11D 3/386 (2006.01) C11D 3/50 (2006.01)  
C11D 3/48 (2006.01) D06F 39/02 (2006.01)  
C11D 1/12 (2006.01)

(21) International Application Number:

PCT/US2016/028356

(22) International Filing Date:

20 April 2016 (20.04.2016)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/171,850 5 June 2015 (05.06.2015) US  
15/089,684 4 April 2016 (04.04.2016) US

(71) Applicant: ILLINOIS TOOL WORKS INC. [US/US];  
155 Harlem Avenue, Glenview, IL 60025 (US).

(72) Inventor: BRITTON, Claudia; 95 Nottingham, Aurora,  
OH 44202 (US).

(74) Agent: GOLDSTEIN, Avery, N.; Blue Filament Law  
PLLC, 450 N. Old Woodward Avenue, First Floor, Birm-  
ingham, Michigan 48009 (US).

(81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,  
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,  
HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,  
KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG,  
MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM,  
PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC,  
SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,  
TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,  
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ,  
TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU,  
TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE,  
DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU,  
LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,  
SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to the identity of the inventor (Rule 4.17(i))
- as to applicant's entitlement to apply for and be granted a  
patent (Rule 4.17(ii))
- of inventorship (Rule 4.17(iv))

Published:

- with international search report (Art. 21(3))

(54) Title: HEAVY DUTY LAUNDRY DETERGENT




FIG. 1

(57) Abstract: A laundry detergent formulation is provided that is formed as an aqueous blend of surfactants, enzymes, builders, and soil release polymers to inhibit soil re-deposition back onto other clothing or elements of the washing machine. The detergent formulation also contains additives with properties that impart a treatment to fabrics that inhibits future soil deposition onto the clothing with continued use. The detergent formulation provides cleaning of heavy duty grease and automotive soils from clothing surfaces that is superior to current detergent products.



## HEAVY DUTY LAUNDRY DETERGENT

## CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application claims priority benefit of U.S. Provisional Application Serial Number 62/171,850 filed 5 June 2015; the contents of which are hereby incorporated by reference.

## FIELD OF THE INVENTION

[0002] The present invention in general relates to cleaning compositions and in particular, to a heavy duty cleaning composition for removal of heavy duty grease and automotive soils from clothing while imparting anti soil re-deposition properties such that lifted soil does not redeposit back onto other clothing or a mechanical washing unit.

## BACKGROUND OF THE INVENTION

[0003] Laundry detergent is a cleaning agent that is added to washing machines to remove dirt from clothing. Soap has largely been displaced by branched alkylbenzenesulfonates as the main cleaning agent in laundry detergents as soap is relatively ineffective in hard water. However, branched alkylbenzenesulfonates have been found to have poor biodegradable properties, and are often replaced with linear alkylbenzenesulfonates (LABs), as more biodegradable than the branched analogs. Surfactants are often classified according to the charge of the molecule or ion, the three main classes being anionic, neutral, and cationic detergents. Anionic detergents are most commonly encountered for domestic laundry detergents. The polar component allows the detergent to dissolve in the water, whereas the nonpolar portion solubilizes greasy ("hydrophobic") materials that are the usual target of the cleaning process.

[0004] Detergent formulations, which describe an entire detergent product besides just the surfactants, generally contain several components. Three main ingredients of common detergent formulations are builders (50% by weight, approximately), the alkylbenzenesulfonate surfactant (15%), and bleaches (7%). Builders are water softeners, whose chemical compounds are agents that remove calcium ions by complexation or precipitation. Typical builders are sodium carbonate, complexation agents, soap, and zeolites. Builders function by sequestering or precipitating the problematic ions. One of the most common builders is sodium triphosphate, yet sodium triphosphate induces standing water eutrophication. Bleach refers to a number of chemicals which remove color, whiten, or disinfect, often by oxidation. Most bleaches in laundry detergents are oxidizers, e.g., sodium perborate or sodium hypochlorite. In addition, other agents are added as "bleach activators", to enhance the effectiveness of the bleaching agent; a popular bleach activator is tetraacetythylenediamine. Enzymes are macromolecular biological catalysts. Enzymes accelerate, or catalyze, chemical reactions. The amounts of enzyme typically may be up to about 2% by weight of a detergent product, and are required to degrade recalcitrant stains composed of proteins, fats, or carbohydrates, where each type of stain requires a different type of enzyme, i.e., protease for proteins, lipases for greases, and amylases for carbohydrates.

[0005] Detergent formulations include many other ingredients depending on the specific application. Such additives modify the foaming properties of the detergent product by either stabilizing or counteracting foam. Other ingredients increase or decrease the viscosity of the solution, or solubilize other ingredients. Corrosion inhibitors counteract damage to washing equipment. Dye transfer inhibitors act to prevent dyes from one article from coloring other items. Anti-redeposition agents are used to prevent fine soil particles from reattaching to the product

being cleaned. In addition, a number of ingredients affect aesthetic properties of the item to be cleaned, or the detergent itself before or during use. These agents include optical brighteners, fabric softeners, and colorants. A variety of perfumes are also components of modern detergents, provided that the perfumes are compatible with the other components and do not affect the color of the cleaned item.

[0006] In spite of the range of detergent formulations that have been developed, it remains a problem that consumer washing machines using conventional detergents are ill-equipped to contend with heavy grease stained clothing. Typical conventional detergent formulations either fail to remove the grease in a single wash cycle or suffer from re-deposition of the grease onto the components of the washing machine such as the drum from which the grease can transfer to a next load of clothes placed in the washing machine.

[0007] While there are many types of detergents available, there still exists a need for a detergent formulation for heavy duty grease stains and automotive soils that leave clothing clean while preventing the re-deposition of removed soiling material from clothing or on the washing unit itself.

#### SUMMARY OF THE INVENTION

[0008] A heavy duty detergent formulation for washing clothing in a washing machine includes one or more builders, one or more enzymes, one or more surfactants, a solvent, a biocide, and a soil release polymer present from 0.6 to 5.5 total weight percent, where the soil release polymer imparts anti soil re-deposition properties so that soil does not redeposit back onto the clothing or the washing machine once soil is removed from the clothing. Water forms a

majority of the composition such that the composition is monophasic for at least 4 months of storage at 20° Celsius.

[0009] A process for the use of the heavy duty detergent formulation for washing clothing in a washing machine is provided. The process precludes cleaning of the washing machine drum prior to reusage.

#### BRIEF DESCRIPTION OF THE DRAWINGS

[0010] The present invention is further detailed with respect to the following drawings that are intended to show certain aspects of the present invention, but should not be construed as a limit on the practice of the present invention.

[0011] FIG. 1 are photographs of cotton stained swatch and polyester/cotton stained swatch used in performance testing of embodiments of the inventive detergent versus a leading competitor.; and

[0012] FIG. 2 shows hand stained monitors on cotton and polyester used in performance testing of embodiments of the inventive detergent versus a leading competitor.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0013] The present invention has utility as laundry detergent formulations formed as an aqueous blend of surfactants, enzymes, builders, and specialty additives to impart anti soil re-deposition properties so that soil does not deposit back onto other clothing or elements of the washing machine itself once soil is removed from the clothing. Embodiments of the inventive detergent formulation also contain additives with properties that impart a treatment to fabrics that inhibits future soil deposition onto the clothing with continued use. Embodiments of the

inventive detergent formulation provide cleaning of heavy duty grease and automotive soils from clothing surfaces that is superior to current detergent products.

[0014] An illustrative listing of the formulary components of embodiments of the inventive heavy duty laundry detergent is provided in Table 1 with a range of concentration percentages provided.

[0015] Table 1. Inventive Exemplary Laundry Detergent Formula, where percentages are total weight percentages of additive component inclusive of carriers and inerts, with active component percentage provided in parentheses.

Component	Proposed Function	Concentration (total weight %)		
		Low	Nominal	High
water			Remainder	
(e.g. Methylisothiazolinone (80%)/ Quaternium 15)	Biocide (total of all biocides)	0.01	0.1	1.5
Sodium Citrate	Builder	0.1	1.8	6.0
Borax	Builder	0.1	0.9	3.2
Ethanolamine	Builder	0.1	0.5	2.0
Linear alcohol ethoxylate	Surfactant	3.0	16.0	22.0
Alkylbenzene-Sulfonic Acid	Surfactant	2.0	10.0	18.0
Sodium dodecyl diphenyl oxide disulfonate	Surfactant	1.8	7.0	15.5
Oligoesters	Soil release polymers	0.6	2.9	7.5
Cellulase (0.001%)	Enzyme	0.05	0.3	1.5
Mannase, amylase, proteases (0.001% each)	Enzyme	0	0.5	2
Blend of nonionic esters	ester solvent	0	0.9	7
D-Limonene	Fragrance/biocide	0	1.4	5
Polysorbate 80	Rheological agent	0	1.2	3

Propylene Glycol	Solvent	0	4.5	6
Citric Acid	pH stabilizer	0	0.5	8
Fatty alcohol (C <sub>9</sub> -C <sub>15</sub> ) alkoxylate	Surfactant	0	3.5	14
polyglucoside	Surfactant/hydrotrope	0	2.0	9

[0016] Biocides active in the present invention are provided to enhance shelf life of the formulation and limit bacterial and fungal growth. Biocides operative herein illustratively include methylisothiazolinone triclosan, triclocarbon, hydrogen peroxide, other oxygen bleach, para-chloro-meta-xyleneol, iodine/iodophors, selected alcohols, quaternium 15 (hexamethylenetetramine chloroallyl chloride), chlorhexidine, phenols, phospholipids, thymol, eugeniol, geraniol, oil of lemon grass, and combinations thereof. Certain quaternary surfactants may also show biocidal action and may be included as a secondary biocide agent, exemplary of these are monoalkyl and dialkyl imidazolines as detailed in US Patent 6,838,419; alone or in combination to secondary biocides; additionally, such compounds serve as soil release compounds. Typically, a biocide or a combination of biocides are present from 0.01 to 1.5 total weight percent in an inventive formulation.

[0017] Builders in the inventive detergent formulation illustratively include inorganics of: alkali metal carbonates, borates, phosphates, bicarbonates and silicates. Specific examples of such salts include borax, acid salts, sodium and potassium tetraborates, bicarbonates, carbonates, orthophosphates, pyrophosphates, tripolyphosphates and metaphosphates; and organics of: (1) water-soluble amino carboxylates and aminopolyacetates, for example, nitrilotriacetates, glycinate, ethylenediaminetetraacetates, N-(2-hydroxyethyl)nitrilo diacetates and diethylenetriamine pentaacetates; (2) water-soluble salts of phytic acid, for example, sodium and

potassium phytates; (3) water-soluble polyphosphonates, including sodium, potassium, and lithium salts of ethane-1-hydroxy-1, 1-diphosphonic acid; sodium, potassium, and lithium salts of ethylene diphosphonic acid; and the like; (4) water-soluble polycarboxylates such as the salts of lactic acid, succinic acid, malonic acid, maleic acid, citric acid (e.g. sodium citrate), oxydisuccinic acid, carboxymethyloxysuccinic acid, 2-oxa-1,1,3-propane tricarboxylic acid, 1,1,2,2-ethane tetracarboxylic acid, mellitic acid and pyromellitic acid; (5) water-soluble polyacetals as disclosed in U.S. Pat. Nos. 4,144,266 and 4,246,495; and (6) the water-soluble aminated alcohols such as 2-ethanolamine. Typically, a builder or a combination of builders are present from 0.3 to 11.2 total weight percent in an inventive formulation.

**[0018]** Enzymes in the inventive detergent formulation illustratively include enzymes for stain removal solutions that degrade a variety of common and stubborn protein, starch, mannan, pectin and grease stains, such enzymes illustratively include cellulase, mannanase, gluconase, amylase, and proteases; an enzymatic whitening solution that prevents fabric graying and maintains whiteness by disabling soil deposition on clothes and cleaving off damaged microfibrils to release trapped dirt particles that includes enzymes such as cellulase. Enzymes are individually incorporated in the detergent compositions of the present invention a level of from 0.0000005% to 0.01%, as a percentage of enzyme itself or a combination of enzymes, exclusive of carrier weight.

**[0019]** A solvent operative herein illustratively includes C<sub>4</sub>-C<sub>14</sub> ethers and diethers, glycols, alkoxyated glycols, C<sub>3</sub>-C<sub>10</sub> glycol ethers, alkoxyated aromatic alcohols, aromatic alcohols, aliphatic branched alcohols, alkoxyated aliphatic branched alcohols, alkoxyated linear C<sub>1</sub>-C<sub>5</sub> alcohols, linear C<sub>1</sub>-C<sub>5</sub> alcohols, amines, C<sub>8</sub>-C<sub>14</sub> alkyl and cycloalkyl hydrocarbons and haloalkyl hydrocarbons, and mixtures thereof. An ester solvent illustratively includes benzyl acetate,

acetate, 2-ethylhexyl acrylate, isopropyl stearate and diethyl malonate. Ether solvents include, for example, butyl phenyl ether, amyl phenyl ether and diphenyl ether. Ketone solvents include, for example, acetophenone. Typically, a solvent or a combination of solvents present from 0 to 7 total weight percent in an inventive formulation.

**[0020]** A fragrance may be added to embodiments of the inventive detergent illustratively including D- Limonene which is the major component of the oil extracted from citrus rind or other aromatic plant extracts. Typically, a fragrance is present from 0 to 5 total weight percent in an inventive formulation. It is appreciated that a fragrance may also have secondary solvent or biocide properties.

**[0021]** A rheological agent operative herein illustratively includes polysorbate 80, methylcellulose, hydroxypropylmethylcellulose, xanthan gum, guar gum and hydroxypropyl guar gum, succinoglycan, and trihydroxystearin. Typically, a rheological agent is present from 0 to 3 total weight percent in an inventive formulation.

**[0022]** A pH stabilizer may be added to embodiments of the inventive detergent and illustratively include citric acid, mineral acids, and combinations thereof. Typically, a pH stabilizer is present from 0 to 8 total weight percent in an inventive formulation.

**[0023]** Surfactants that may be added to embodiments of the inventive detergent illustratively include alkylbenzene sulfonates, (C<sub>12</sub> (Branched) Sodium Diphenyl Oxide Disulfonate), alcohol ethoxylates, alkyl polyglycoside, alcohol ethoxylates based on a C<sub>9-11</sub> synthetic alcohol), and combinations thereof.

**[0024]** Embodiments of the inventive detergent may also use sulfonic acid as part of the formulation, where sulfonic acids are often soluble in water or exhibit detergent-like properties.

[0025] It has been surprisingly found that the inclusion of a soil release polymer in embodiments of the inventive detergent impart anti soil re-deposition properties so that soil does not deposit back onto other clothing or elements of the washing unit itself once soil is removed from the clothing. A soil release polymer operative herein is a non-ionic soil release/ antistatic agent for the treatment of 100% polyester fabrics and polyester rich blends. The soil release polymers operative herein are oligoesters. These oligoesters are condensation products of at least two of: dimethyl terephthalate, ethylene glycol, propylene glycol, polyalkylene glycols, and combinations thereof alone or with other monomers. As a consequence of a molar excess of the alcohol component, these oligoesters contain terminal OH groups which may, wholly or in part, be terminated by alkoxy groups (end-caps). Oligoesters are further detailed in U.S. Pat. No. 4,116,885; and U.S. Pat. No. 4,210,417. An inventive soil release polymer imparts hydrophilic/oleophobic effect to fibers such as polyester and acts to lower soil redeposition.

[0026] Without intended to be bound to a particular theory, an inventive soil release polymer surrounds the polyester fiber with an envelope which alters the hydrophobic nature of the fiber surface. The altered fiber is able to absorb water between the fiber and the inventive soil release polymer layer, and interfacial tension between oil and fiber is increased, making oil more easily removable. After treatment, treated fibers exhibit higher conductivity, and the tendency to build-up static electricity is reduced. The generally more oleophobic nature of the inventive soil release polymer treated fiber makes it easier to remove oily and/or particulate contamination by washing.

[0027] Embodiments of an inventive detergent formulation have the property of storage stability for at least 4 months. pH storage stability is defined as a change in composition pH as measured at standard temperature and pressure that deviates less than one pH unit when the

composition is stored at standard temperature and pressure. In an embodiment standard temperature is defined as 20° Celsius.

[0028] The present invention achieves storage stability while maintaining conventional cleaning properties with respect to heavy duty grease and automotive soils. Through selection of specific additives, an inventive cleaning composition is readily formulated for heavy duty grease and automotive soils to impart anti soil re-deposition properties so that soil does not deposit back onto other clothing or elements of the washing unit itself once soil is removed from the clothing.

[0029] The present invention is further detailed with respect to the following nonlimiting examples. Unless otherwise specified, the percentages detailed herein are total weight percent of the inventive formulation.

#### Example 1

[0030] A blind comparison was performed in accordance with ASTM D4265--14 Standard Guide for Evaluating Stain Removal Performance in Home Laundering by an independent testing lab of the nominal formulation of Table 1 versus a leading detergent available on the market in the form of laundry detergent samples. Tests results confirmed comparable performance between an embodiment of the inventive detergent formulation and the leading detergent.

- Two (each) 5cm x 5cm Pre-Stained Cotton and Polyester/Cotton Swatches on Cotton and Polyester/Cotton monitors as shown in FIG. 1, respectively, were used (see stain descriptions below) to evaluate the stain removal performance of the submitted liquid laundry detergents.

- Color measurement(s) of the unstained fabric area were taken prior to cleaning using a spectrophotometer, measuring on the L\*a\*b\* color scale.
- The stained monitors (1 per load / detergent) were washed with ballast fabric (100% cotton and 50:50 Polyester:Cotton) to simulate consumer use – a large or “full wash load.”
- Color measurement(s) of each stained swatch were then evaluated after each cleaning cycle using a spectrophotometer, measuring on the L\*a\*b\* color scale.
- Residual Stain Index (RSI) was then calculated using the following formula:

$$RSI = 100 - \Delta E^*_{(WS-UF)}$$

$$\Delta E^* = \sqrt{\Delta L^{*2} + \Delta a^{*2} + \Delta b^{*2}}$$

*RSI = Residual Stain Index*

*UF = Unwashed (unstained) fabric area*

*WS = Washed Stain area*

*$\Delta E^*_{(WS-UF)}$  = Color difference between the washed stain and the unwashed fabric*

- This process was repeated two (2) additional times for a total of three (3) replicates per product per fabric type.

[0031] Manual cleaning performance test:

**1. Test Conditions:**

**Test Swatches<sup>1</sup> – Soil(s):** 100% Cotton Stained Swatches on 100% Cotton Monitor  
 50:50 Polyester:Cotton Stained Swatches on  
 50:50 Polyester:Cotton Polyester Monitor

**Ballast Fabric(s):** 100% Cotton Standard Ballast Sheets  
 50:50 Polyester:Cotton Standard Ballast Sheets

**Fabric Load:** 2.7 kg of fresh ballast per wash cycle (replicate)

**Detergent Concentration:** As per the instruction of the client the following detergent amounts were used for testing:

- 60 mL of Laundry Detergent A- Invention

- 60 mL of Laundry Detergent B- Comparative of Table 2

**Water Hardness:** 120 ppm  
**Water Temperature:** 82 ± 2°F (Warm Cycle)  
 Ambient Rinse  
**Washer Type:** Top loading washer  
**Washer Settings:** Normal/Casual cycle  
**Dryer Settings:** Normal Setting (160 ± 10°F or 71.1 ± 6°C) for 45 minutes

<sup>1</sup> All test swatches were stored in the dark prior to use and after removal from dryer until the final evaluation was performed.

[0032] The following tables summarize the test results:

[0033] Table 2.

Total Average Residual Stain Index (RSI)				
Detergent	Laundry Detergent A P44-12-19-14-1A		Laundry Detergent B P44-12-19-14-1B	
Fabric	Cotton	Polyester/Cotton	Cotton	Polyester/Cotton
Total Average RSI	88.83	96.11	87.24	89.58

[0034] Table 3.

100% Cotton Results:

Laundry Detergent A P44-12-19-14-1A				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil	82.51	83.60	82.23	82.78
Sebum with Dust	94.95	95.12	94.60	94.89
<b>Total Average RSI:</b>				<b>88.83</b>

Laundry Detergent B P44-12-19-14-1B				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil	81.26	80.85	82.17	81.43
Sebum with Dust	92.85	92.97	93.31	93.04
<b>Total Average RSI:</b>				<b>87.24</b>

[0035] Table 4.

50:50 Polyester:Cotton Results:

Laundry Detergent A P44-12-19-14-1A				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil	90.16	85.83	86.27	87.42
Sebum with Dust	92.74	92.43	93.25	92.81
Total Average RSI:				90.11

Laundry Detergent B P44-12-19-14-1B				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil	85.03	86.06	86.41	85.83
Sebum with Dust	93.26	93.15	93.57	93.33
Total Average RSI:				89.58

**Example 2**

[0036] A blind comparison was performed in accordance with ASTM D4265-14 Standard Guide for Evaluating Stain Removal Performance in Home Laundering by an independent testing lab of the nominal formulation of Table 1 versus a leading detergent available on the market in the form of laundry detergent samples and pre-spotter samples with hand applied dirty motor oil as shown in FIG. 2. The conventional detergent lacks an oligoester of the present invention and includes the following ingredients.

[0037] Table 5. Comparative conventional stain release detergent formulation lacking an oligoester.

<u>Ingredient</u>	<u>Purpose</u>
Water	Process aid
Sodium alcoholethoxy sulfate	Surfactant
Linear alkylbenzene sulfonate, sodium/MEA salts	Surfactant
MEA citrate	Captures soil
Propylene glycol	Process aid
Polyethyleneimine ethoxylate	Polymer
Ethanol	Process aid
Diethylene glycol	Process aid
Polyethyleneimine propoxyethoxylate	Polymer
Sodium fatty acids	Surfactant
Protease	Enzyme
Borax	Captures soil
Sodium cumene sulfonate	Process aid
<b>DTPA (diethylene triamine pentaacetic acid-chelant)</b>	Captures soil
Fragrance	Scent
Amylase	Enzyme
Disodium diaminostilbene disulfonate	Brightener
Calcium formate	Process aid
Sodium formate	Process aid
Gluconase	Enzyme
Dimethicone	Process aid
Liquitint Blue	Colorant
Mannanase	Enzyme

[0038] Tests results confirmed comparable performance between inventive detergent formulation and the leading detergent.

- Five (each) hand-applied dirty motor oil stains (0.5 mL of 50:50 dirty motor oil:tetradecane was deposited in the center of a 1.75" diameter staining ring on the fabric) on Cotton, Polyester, Polyester/Cotton, and \*Nylon Blend monitors were used to evaluate the stain removal performance of the submitted pre-spotters.

\*Nylon Blend – 90:10 Nylon:Spandex

- Color measurements of the unstained fabrics were taken using a spectrophotometer, measuring on the L\*a\*b\* scale.
- One mL of prespotter was applied to each stain and allowed to absorb for five minutes prior to washing.
- The stained monitors (1 per load / detergent) were washed with ballast fabric (100% Cotton, 100% Polyester, 50:50 Polyester:Cotton, and a mixed (5:1) ballast load of Polyester:Nylon Blend\* to simulate consumer use – a large or “full wash load.”
- The stained monitors were washed with 50g of AATCC Standard Detergent without Optical Brighteners.
- Color measurement(s) of each stain were then evaluated after each cleaning cycle using a spectrophotometer, measuring on the L\*a\*b\* color scale.
- Residual Stain Index (RSI) was then calculated using the following formula:

$$RSI = 100 - \Delta E^*_{(WS-UF)}$$

$$\Delta E^* = \sqrt{\Delta L^{*2} + \Delta a^{*2} + \Delta b^{*2}}$$

*RSI = Residual Stain Index*

*UF = Unwashed (unstained) fabric area*

*WS = Washed Stain area*

*$\Delta E^*_{(WS-UF)}$  = Color difference between the washed stain and the unwashed fabric*

- This process was repeated two (2) additional times for a total of three (3) replicates per product per fabric type.

[0039] Manual cleaning performance test:

**2. Test Conditions:**

**Test Swatches --** 100% Cotton Monitor  
**Soil(s):** 100% Polyester Monitor

**Ballast Fabric(s):** 50:50 Polyester/Cotton Monitor  
 Nylon Blend (90:10 Nylon:Spandex) Monitor  
 100% Cotton Standard Ballast Sheets  
 100% Polyester Standard Ballast Sheets  
 50:50 Polyester:Cotton Standard Ballast Sheets  
 Mixed Ballast Load – 5:1 100% Polyester Standard Ballast  
 Sheets:Nylon Blend (90:10 Nylon:Spandex) Ballast Sheets

**Fabric Load:** 2.7 kg of fresh ballast per wash cycle (replicate)

**Prespotter Concentration:**

- 1 mL of Pre-Spotter A P44-12-19-14-2A per stain - Invention
- 1 mL of Pre-Spotter B P44-12-19-14-2B per stain - Competitor

**Detergent Concentration:**

- 50g of AATCC Standard Detergent without Optical Brighteners

**Water Hardness:** 120 ppm

**Water Temperature:** 82 ± 2°F (Warm Cycle)  
 Ambient Rinse

**Washer Type:** Top loading washer

**Washer Settings:** Normal/Casual cycle

**Dryer Settings:** Normal Setting (160 ± 10°F or 71.1 ± 6°C) for 45 minutes

<sup>1</sup>All test swatches were stored in the dark prior to use and after removal from dryer until the final evaluation was performed.

[0040] The following tables summarize the test results:

[0041] Table 6.

Test Results:

Total Average Residual Stain Index (RSI)							
Pre-Spotter A P44-12-19-14-2A				Pre-Spotter B P44-12-19-14-2B			
Cotton	Polyester	Polyester/ Cotton	Nylon Blend	Cotton	Polyester	Polyester/ Cotton	Nylon Blend
95.59	99.15	97.08	89.73	93.67	98.58	97.58	90.48

[0042] Table 7.

100% Cotton Results:

Pre-Spotter A P44-12-19-14-2A				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	97.06	96.65	95.32	96.34
Dirty Motor Oil (2)	98.07	98.19	95.45	95.90
Dirty Motor Oil (3)	95.47	94.49	94.56	94.84
Dirty Motor Oil (4)	95.48	95.68	95.16	95.44
Dirty Motor Oil (5)	95.81	95.25	95.34	95.40
Total Average RSI:				95.89

Pre-Spotter B P44-12-19-14-2B				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	95.04	92.99	93.02	93.88
Dirty Motor Oil (2)	94.31	93.23	93.34	93.63
Dirty Motor Oil (3)	94.51	93.13	92.99	93.51
Dirty Motor Oil (4)	94.08	94.47	93.02	93.86
Dirty Motor Oil (5)	93.77	93.20	93.39	93.45
Total Average RSI:				93.67

[0043] Table 8.

100% Polyester Results:

Pre-Spotter A P44-12-19-14-2A				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	99.81	98.87	98.92	99.20
Dirty Motor Oil (2)	99.35	99.11	99.03	99.16
Dirty Motor Oil (3)	99.68	99.21	98.65	99.18
Dirty Motor Oil (4)	99.65	99.33	98.38	99.12
Dirty Motor Oil (5)	99.56	99.28	98.40	99.08
Total Average RSI:				99.15

Pre-Spotter B P44-12-19-14-2B				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	99.18	98.39	98.29	98.62
Dirty Motor Oil (2)	99.26	97.44	98.27	98.32
Dirty Motor Oil (3)	99.29	98.59	98.73	98.87
Dirty Motor Oil (4)	98.84	98.75	98.36	98.65
Dirty Motor Oil (5)	98.88	98.47	97.97	98.44
Total Average RSI:				98.58

[0044] Table 9.

50:50 Polyester:Cotton Results:

Pre-Spotter A P44-12-19-14-2A				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	97.21	97.49	96.64	97.11
Dirty Motor Oil (2)	97.92	97.44	97.26	97.54
Dirty Motor Oil (3)	98.03	96.66	97.35	97.35
Dirty Motor Oil (4)	97.50	95.75	97.52	96.92
Dirty Motor Oil (5)	96.72	95.59	97.09	96.47
<b>Total Average RSI:</b>				<b>97.08</b>

Pre-Spotter B P44-12-19-14-2B				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	97.65	97.50	97.80	97.65
Dirty Motor Oil (2)	97.33	97.70	97.30	97.44
Dirty Motor Oil (3)	97.56	97.65	97.87	97.69
Dirty Motor Oil (4)	97.33	97.50	98.10	97.64
Dirty Motor Oil (5)	97.32	97.08	97.98	97.46
<b>Total Average RSI:</b>				<b>97.68</b>

[0045] Table 10.

95:5 Nylon:Spandex Results:

Pre-Spotter A P44-12-19-14-2A				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	90.70	88.82	91.03	90.18
Dirty Motor Oil (2)	89.93	88.51	91.01	89.82
Dirty Motor Oil (3)	90.47	87.87	89.69	89.34
Dirty Motor Oil (4)	90.63	88.67	89.83	89.71
Dirty Motor Oil (5)	89.29	88.76	90.75	89.60
Total Average RSI:				89.73

Pre-Spotter B P44-12-19-14-2B				
Stain Description	Residual Stain Index (RSI)			
	Run 1	Run 2	Run 3	Average
Dirty Motor Oil (1)	90.90	90.63	90.37	90.60
Dirty Motor Oil (2)	90.65	90.48	90.17	90.43
Dirty Motor Oil (3)	90.55	90.52	90.08	90.38
Dirty Motor Oil (4)	90.72	90.44	90.27	90.48
Dirty Motor Oil (5)	90.54	90.81	90.18	90.51
Total Average RSI:				90.48

[0046] Patent documents and publications mentioned in the specification are indicative of the levels of those skilled in the art to which the invention pertains. These documents and

publications are incorporated herein by reference to the same extent as if each individual document or publication was specifically and individually incorporated herein by reference.

[0047] The foregoing description is illustrative of particular embodiments of the invention, but is not meant to be a limitation upon the practice thereof. The following claims, including all equivalents thereof, are intended to define the scope of the invention.

## CLAIMS

1. A heavy duty detergent formulation for clothing washed in a washing machine comprising:

one or more builders;

one or more enzymes;

one or more surfactants;

a solvent;

a biocide;

a soil release polymer present from 0.6 to 5.5 total weight percent, where said soil release polymer imparts anti soil re-deposition properties so that soil does not redeposit back onto the clothing or the washing machine once soil is removed from the clothing; and

water forming a majority of the composition such that the composition is monophasic for at least 4 months storage at 20° Celsius.

2. The composition of claim 1 wherein said one or more builders comprises at least one of sodium citrate, borax, or ethanolamine.

3. The composition of claim 1 wherein said one or more enzymes comprises cellulase.

4. The composition of claim 1 wherein said one or more surfactants comprises at least one of alkylbenzene sulfonate, alkyldiphenyl disulfonate, or linear alcohol ethoxylate.

5. The composition of claim 1 wherein said solvent is an ester solvent.
6. The composition of claim 1 wherein said solvent is a mixture of nonionic esters.
7. The composition of claim 1 further comprising a fragrance.
8. The composition of claim 1 further comprising a rheology agent.
9. The composition of claim 1 wherein said soil release polymer is an oligoester.
10. The composition of claim 1 wherein said soil release polymer is condensation products of at least two of: dimethyl terephthalate, ethylene glycol, propylene glycol, and polyalkylene glycols.
11. A process for cleaning clothing in a washing device comprising:
  - applying a formulation into the washing device with the clothing, the formulation comprising:
    - one or more builders;
    - one or more enzymes;
    - one or more surfactants;
    - a solvent;
    - a biocide;

a soil release polymer present from 0.6 to 5.5 total weight percent, where said soil release polymer imparts anti soil re-deposition properties so that soil does not redeposit back onto the clothing or the washing machine once soil is removed from the clothing; and

water forming a majority of the formulation such that the formulation is monophasic for at least 4 months storage at 20° Celsius; and

allowing sufficient time for the formulation to clean the clothing during operation of the washing machine.

12. The process of claim 11 further comprising washing a new article of clothing in the washing machine without cleaning the washing machine after the allowing sufficient time.




FIG. 1




FIG. 2

**A. CLASSIFICATION OF SUBJECT MATTER**

**C11D 3/37(2006.01)i, C11D 3/386(2006.01)i, C11D 3/48(2006.01)i, C11D 1/12(2006.01)i, C11D 3/43(2006.01)i, C11D 3/50(2006.01)i, D06F 39/02(2006.01)i**

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

C11D 3/37; C11D 3/386; C11D 1/12; C11D 3/48; C11D 3/00; C11D 17/00; C11D 1/83; C11D 3/43; C11D 3/50; D06F 39/02

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean utility models and applications for utility models

Japanese utility models and applications for utility models

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKOMPASS(KIPO internal) & Keywords: detergent, cloth, wash, builder, enzyme, surfactant, solvent, biocide, soil release polymer, water

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 2535401 A1 (DALLI-WERKE GMBH & CO. KG) 19 December 2012 See abstract; claims 1, 2, 4, 9-11; and paragraphs [0010], [0018], [0032], [0043].	1-12
Y	US 2014-0011726 A1 (MITCHELL, D. et al.) 9 January 2014 See abstract; and claims 1, 3, 12.	1-12
A	WO 01-23515 A1 (RHODIA INC.) 5 April 2001 See abstract; and claims 1, 12.	1-12
A	WO 2013-087284 A1 (UNILEVER PLC) 20 June 2013 See abstract; and claim 1.	1-12
A	WO 97-43374 A1 (THE PROCTER & GAMBLE COMPANY) 20 November 1997 See abstract; and claim 1.	1-12
A	US 5565135 A (DAUDERMAN, S. L. et al.) 15 October 1996 See abstract; and claims 1, 10.	1-12
A	US 5789366 A (BLOKZIJL, W. et al.) 4 August 1998 See abstract; and claim 1.	1-12

Further documents are listed in the continuation of Box C.

See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

26 July 2016 (26.07.2016)

Date of mailing of the international search report

**29 July 2016 (29.07.2016)**

Name and mailing address of the ISA/KR

International Application Division  
Korean Intellectual Property Office  
189 Cheongsa-ro, Seo-gu, Daejeon, 35208, Republic of Korea

Facsimile No. +82-42-481-8578

Authorized officer

CHO, KI YUN

Telephone No. +82-42-481-5655



**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No.

**PCT/US2016/028356**

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 2535401 A1	19/12/2012	None	
US 2014-0011726 A1	09/01/2014	AR 091680 A1 AU 2013-286998 A1 CA 2877726 A1 CL 2014003600 A1 MX 2015000175 A US 2014-150193 A1 US 2015-079140 A1 US 2016-075978 A1 US 8648027 B2 US 9006165 B2 US 9234165 B2 WO 2014-008127 A1	18/02/2015 22/01/2015 09/01/2014 22/05/2015 12/08/2015 05/06/2014 19/03/2015 17/03/2016 11/02/2014 14/04/2015 12/01/2016 09/01/2014
WO 01-23515 A1	05/04/2001	AU 7622100 A	30/04/2001
WO 2013-087284 A1	20/06/2013	AR 089147 A1 CN 103975049 A EP 2791308 A1 EP 2791308 B1 ES 2565528 T3 WO 2013-087287 A1	30/07/2014 06/08/2014 22/10/2014 16/12/2015 05/04/2016 20/06/2013
WO 97-43374 A1	20/11/1997	AU 5795796 A CA 2254919 A1 EP 0931134 A1	05/12/1997 20/11/1997 28/07/1999
US 5565135 A	15/10/1996	GB 2298211 A	28/08/1996
US 5789366 A	04/08/1998	CA 2238425 C CN 1207763 A EP 0874892 A1 EP 0874892 B1 WO 97-20022 A1	11/10/2005 10/02/1999 04/11/1998 05/04/2000 05/06/1997