

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
24 August 2006 (24.08.2006)

PCT

(10) International Publication Number
WO 2006/088665 A1

(51) International Patent Classification:
C11D 1/37 (2006.01)

(21) International Application Number:

PCT/US2006/003854

(22) International Filing Date: 3 February 2006 (03.02.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
05250781.1 11 February 2005 (11.02.2005) EP

(71) Applicant (for all designated States except US): **THE PROCTER & GAMBLE COMPANY** [US/US]; One Procter & Gamble Plaza, Cincinnati, Ohio 45202 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **DOVEY, Tony** [GB/GB]; Charnwood, Studley Drive, Swarland Northumberland NE65 9JT (GB). **SMERZNAK, Mark, Allen** [US/GB]; 54 Queens Road, Monkseaton, Whitley Bay Tyne And Wear NE26 3BB (GB). **RAMIREZ HERNANDEZ, Lourdes, Marina** [GB/GB]; 8 Laburnum Avenue, Wallsend Tyne and Wear NE2 88HQ (GB).

(74) Common Representative: **THE PROCTER & GAMBLE COMPANY**; c/o Eileen L. Hughett, The Procter & Gamble Company, Winton Hill Business Center, 6110 Center Hill Road, Cincinnati, Ohio 45224 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A SOLID LAUNDRY DETERGENT COMPOSITION

(57) Abstract: The present invention relates to a solid laundry detergent composition comprising: (a) from 0.1wt% to 5wt%, by weight of the composition, of a branched alkyl alkoxyated sulphate surfactant having an average degree of alkoxylation of from 1 to 7; (b) from 0.1wt% to 5wt% by weight of the composition, of a linear alkyl alkoxyated sulphate surfactant having an average degree of alkoxylation of from 1 to 7; (c) from 0.1wt% to 35wt% linear alkyl benzene sulphonate surfactant; (d) from 0wt% to 5wt% zeolite builder; (e) from 0wt% to 5wt% phosphate builder; and (f) optionally, adjunct components; wherein the weight ratio of the branched alkyl alkoxyated sulphate surfactant and the linear alkyl alkoxyated sulphate surfactant is in the range of from 0.2:1 to 4:1.



WO 2006/088665 A1

A SOLID LAUNDRY DETERGENT COMPOSITION

FIELD OF THE INVENTION

The present invention relates to solid laundry detergent compositions. In particular, the present invention relates to a laundry detergent composition in granular or other solid form such as a tablet, having a good fabric cleaning performance together with good product dispensing and dissolution characteristics.

5

BACKGROUND OF THE INVENTION

Solid laundry detergent compositions need to have a very good fabric-cleaning performance against a wide variety of soil types. Solid laundry detergents also need to have very good dispensing and dissolution profiles. However, a dichotomy may exist in that some reformulations of the solid laundry detergent composition to improve its fabric-cleaning performance may negatively impact its dispensing and dissolution profiles, and vice versa. It is very difficult to improve the cleaning performance, dispensing profile and dissolution profile of a solid laundry detergent composition at the same time.

15 Anionic deterative surfactants are incorporated into granular laundry detergent compositions in order to provide a good fabric-cleaning benefit. For example, GB1408969, GB1408970, US4487710, US5663136 and WO2004/041982 all relate to compositions comprising anionic deterative surfactants. However, the anionic deterative surfactant is capable of complexing with free cations, such as calcium and magnesium cations, that are present in the wash liquor in such a manner as to cause the anionic deterative surfactant to precipitate out of solution, which leads to a reduction in the anionic deterative surfactant activity. In extreme cases, these water-insoluble complexes may deposit onto the fabric resulting in poor whiteness maintenance and poor fabric integrity benefits. This is especially problematic when the laundry detergent composition is used in
25 hard-water washing conditions when there is a high concentration of calcium cations.

The anionic deterative surfactant's tendency to complex with free cations in the wash liquor in such a manner as to precipitate out of solution is mitigated by the presence of builders, such as zeolite builders and phosphate builders, which have a high binding constant with cations such as calcium and magnesium cations. These builders sequester
5 free calcium and magnesium cations and reduce the formation of these undesirable complexes. However, zeolite builders are water-insoluble and their incorporation in laundry detergent compositions leads to poor dissolution of the laundry detergent composition and can also lead to undesirable residues being deposited on the fabric. In addition, detergent compositions that comprise high levels of zeolite builder form
10 undesirable cloudy wash liquors upon contact with water. Whilst phosphate builders allegedly do not have favourable environmental profiles and their use in laundry detergent compositions is becoming less common; for example, due to phosphate legislation in many countries.

Detergent compositions comprising alkyl benzene sulphonate and alkyl ethoxylated sulphate deterative surfactants are described in GB1408969, GB1408970, US4487710 and
15 US5663136. A detergent composition comprising an anionic deterative surfactant and a non-ionic deterative surfactant that allegedly gives enhanced stain removal at a wide range of water-hardness is described in WO2004/041982. A combination of a granular detergent and a packaging system having a low moisture vapour transfer rate is described in
20 EP634484.

There remains a need for a solid laundry detergent composition comprising an anionic deterative surfactant having a good fabric-cleaning performance, especially a good greasy stain cleaning performance, good whiteness maintenance and very good dispensing and dissolution profiles.

25

SUMMARY OF THE INVENTION

The Inventors have found that an alkyl benzene sulphonate surfactant in combination with a branched and linear alkyl alkoxyated sulphate surfactant, is a
30 surfactant system that provides a good fabric-cleaning performance and very good

dispensing and dissolution profiles when it is incorporated into a solid laundry detergent composition comprising nil, or low levels of, zeolite builder and phosphate builder.

The present invention provides a solid laundry detergent composition comprising: (a) from 0.1wt% to 5wt%, by weight of the composition, of a branched alkyl alkoxyated sulphate surfactant; (b) from 0.1wt% to 5wt% by weight of the composition, of a linear alkyl alkoxyated sulphate surfactant; (c) from 0.1wt% to 35wt% linear alkyl benzene sulphonate surfactant; (d) from 0wt% to 5wt% zeolite builder; (e) from 0wt% to 5wt% phosphate builder; and (f) optionally, adjunct components; wherein the weight ratio of the branched alkyl alkoxyated sulphate surfactant and the linear alkyl alkoxyated sulphate surfactant is in the range of from 0.2:1 to 4:1.

DETAILED DESCRIPTION OF THE INVENTION

5 Branched alkyl alkoxyated sulphate surfactant

The composition comprises from 0.1wt% to 5wt%, preferably from 0.5wt%, or from 1wt%, and preferably to 3wt%, or to 2wt% by weight of the composition, of a branched alkyl alkoxyated sulphate surfactant. The branched alkyl alkoxyated sulphate surfactant preferably has an average degree of alkoxylation of from 1 to 7, preferably from
10 2, or from 3, and preferably to 5 or to 3. Preferably, branched alkyl alkoxyated sulphate surfactant has an average degree of alkoxylation of 3. The branched alkyl alkoxyated sulphate surfactant is typically branched with a C₁-C₃ alkyl moiety, preferably a methyl, or preferably an ethyl moiety. Preferably, the branched alkyl alkoxyated sulphate surfactant is a C₈-C₁₈, preferably C₁₂-C₁₅, alkyl ethoxyated sulphate surfactant that is
15 branched with a C₁-C₃ alkyl moiety.

The branched alkyl alkoxyated sulphate surfactant preferably has an alkyl chain length distribution such that (a) less than 1.2wt% by weight of the alkyl chains, are alkyl chains having a chain length of less than 12 carbon atoms; (b) from 0wt% to 30wt%, preferably 5wt% to 20wt% by weight of the alkyl chains, are alkyl chains having a chain
20 length of 12 carbon atoms; (c) from 10wt% to 60wt%, preferably from 40wt% to 50wt% by weight of the alkyl chains, are alkyl chains having a chain length of 14 carbon atoms;

and (d) less than 4wt% by weight of the alkyl chains, are alkyl chains having a chain length of greater than 15 carbon atoms.

Linear alkyl alkoxyated sulphate surfactant

5 The composition comprises from 0.1wt% to 5wt%, preferably from 0.5wt%, or from 1wt%, and preferably to 3wt%, or to 2wt% by weight of the composition, of a linear alkyl alkoxyated sulphate surfactant. The linear alkyl alkoxyated sulphate surfactant preferably has an average degree of alkoxylation of from 1 to 7, preferably from 2, or from 3, and preferably to 5 or to 3. Preferably, linear alkyl alkoxyated sulphate surfactant
10 has an average degree of alkoxylation of 3. Preferably, the linear alkyl alkoxyated sulphate surfactant is a linear C₈-C₁₈, more preferably C₁₂-C₁₅, alkyl ethoxyated sulphate surfactant.

 Preferably, the linear alkyl alkoxyated sulphate surfactant has an alkyl chain length distribution such that: (a) less than 1.2wt% by weight of the alkyl chains, are alkyl chains
15 having a chain length of less than 12 carbon atoms; (b) from 0wt% to 30wt%, preferably from 5wt% to 20wt% by weight of the alkyl chains, are alkyl chains having a chain length of 12 carbon atoms; (c) from 10wt% to 60wt%, preferably from 40wt% to 50wt% by weight of the alkyl chains, are alkyl chains having a chain length of 14 carbon atoms; and
20 (d) less than 4wt% by weight of the alkyl chains, are alkyl chains having a chain length of greater than 15 carbon atoms.

Linear alkyl benzene sulphonate surfactant

 The composition comprises from 0.1wt% to 35wt%, preferably from 5wt%, or from 10wt%, and preferably to 30wt%, or to 25wt%, or to 20wt% linear alkyl benzene
25 sulphonate. The linear alkyl benzene sulphonate may be substituted or unsubstituted. Preferably, the linear alkyl benzene sulphonate is a linear C₈-C₁₈, C₁₁-C₁₃ alkyl benzene sulphonate.

Laundry detergent composition

The solid laundry detergent composition comprises (a) from 0.1wt% to 5wt%, by weight of the composition, of a branched alkyl alkoxylated sulphate surfactant; (b) from 0.1wt% to 5wt% by weight of the composition, of a linear alkyl alkoxylated sulphate surfactant; (c) from 0.1wt% to 35wt% linear alkyl benzene sulphonate surfactant; (d) from 0wt% to 5wt% zeolite builder; (e) from 0wt% to 5wt% phosphate builder; and (f) optionally, adjunct components; wherein the weight ratio of the branched alkyl alkoxylated sulphate surfactant and the linear alkyl alkoxylated sulphate surfactant is in the range of from 0.2:1 to 4:1, preferably from 0.4:1 to 4:1.

The weight ratio of the branched alkyl alkoxylated sulphate surfactant to the linear alkyl alkoxylated sulphate surfactant is in the range of from 0.2:1 to 4:1, preferably from 0.4:1 to 4:1, even more preferably from 0.6:1, or from 0.8:1, or even from 1:1, and preferably to 3:1, or 2:1, or even to 1.5:1. A suitable commercial supply of the branched and linear alkoxylated sulphate surfactants may be a surfactant mixture that comprises both the branched alkyl alkoxylated sulphate surfactant and the linear alkyl alkoxylated sulphate surfactant; this surfactant mixture may in paste form.

Preferably, the weight ratio of the linear alkyl benzene sulphonate to the total amount of linear and branched alkyl alkoxylated sulphate surfactants is in the range of from 1:1 to 20:1, preferably from 2.3:1 to 10:1.

The composition comprises from 0wt% to 5wt%, preferably to 4wt%, or to 3wt%, or to 2wt%, or even to 1wt% zeolite builder. Preferably, the composition is substantially free of zeolite builder. By substantially free of zeolite builder, it is typically meant that no zeolite builder is deliberately incorporated into the composition. Typical zeolite builders are zeolite A, zeolite P and zeolite MAP.

The composition comprises from 0wt% to 5wt%, preferably to 4wt%, or to 3wt%, or to 2wt%, or even to 1wt% phosphate builder. Preferably, the composition is substantially free of phosphate builder. By substantially free of phosphate builder, it is typically meant that no phosphate builder is deliberately incorporated into the composition. A typical phosphate builder is sodium tri-polyphosphate.

Preferably, the branched alkyl alkoxyated sulphate surfactant, the linear alkyl alkoxyated sulphate surfactant and the linear alkyl benzene sulphonate surfactant are in the form of a co-particulate admix; typically this means that the alkyl alkoxyated sulphate surfactant, the linear alkyl alkoxyated sulphate surfactant and the linear alkyl benzene sulphonate surfactant are present in the same particle in the composition. The co-particulate admix, or particle, can be in the form of an agglomerate, an extrudate, a flake, a needle, a noodle, a spray-dried particle. Preferably the co-particulate admix, or particle, is in the form of an agglomerate. Preferably the co-particulate admix, or particle, has a particle size distribution such that no more than 10wt% by weight of the co-particulate admix, or particle, has a particle size greater than 850 micrometers, and no more than 10wt% by weight of the co-particulate admix, or particle, has a particle size less than 250 micrometers. The co-particulate admix preferably has a bulk density of from 450g/l to 1,500g/l, more preferably from 800g/l to 1,200g/l.

The composition can be in granular or other solid form, such as a tablet. Preferably the composition is in particulate form, more preferably in the form of free-flowing particles.

Preferably, the composition has a particle size distribution such that no more than 10wt% by weight of the composition, has a particle size greater than 850 micrometers, and no more than 10wt% by weight of the composition, has a particle size less than 250 micrometers.

Adjunct components

The composition optionally comprises adjunct components. The adjunct components are typically selected from the group consisting of other anionic surfactants, cationic surfactants, non-ionic surfactants, zwitterionic surfactants, other builders, polymeric co-builders such as polymeric polycarboxylates, bleach, hydrotropes, chelants, enzymes, anti-redeposition polymers, soil-release polymers, polymeric soil-dispersing and/or soil-suspending agents, dye-transfer inhibitors, fabric-integrity agents, fluorescent whitening agents, suds suppressors, fabric-softeners, flocculants, cationic fabric-softening components, perfumes and combinations thereof.

A suitable adjunct component may be an anionic surfactant other than the alkyl alkoxyated sulphate surfactant, the linear alkyl alkoxyated sulphate surfactant and the linear alkyl benzene sulphonate surfactant. Suitable other anionic surfactants are branched or linear C₈-C₁₈ alkyl sulphate surfactants. An especially suitable other anionic surfactants are methyl branched C₈-C₁₈ alkyl sulphate surfactants.

A suitable adjunct component is a polymeric polycarboxylate. Suitable polymeric polycarboxylates are co-polymers of maleic acid and acrylic acid, typically having a weight average molecular weight of from 5,000 Da to 10,000 Da, or from 50,000 Da to 90,000 Da. Preferably the molar ratio of maleic acid to acrylic acid is in the range of from 0.25:1 to 0.35:1, or from 1:1 to 0.5:1.

The composition preferably comprises a carbonate source, preferably sodium carbonate and/or sodium bicarbonate. The composition preferably comprises sodium sulphate. Preferably, the weight ratio of the sodium carbonate to sodium sulphate, if present, is in the range of from 0.1:1 to 10:1, more preferably from 0.2, or from 0.3, or from 0.4, and more preferably to 5:1, or to 2:1, or to 1:1 or to 0.8:1, or to 0.6:1.

The composition preferably comprises a hydrotrope. Suitable hydrotropes include sodium cumene sulphate, sodium toluene sulphate, sodium xylene sulphate, tallow alkyl ethoxylate having an average degree of ethoxylation of from 50 to 100.

EXAMPLES

Example 1

1.1 Anionic surfactant agglomerate

25

<u>Ingredient</u>	<u>Amount</u>
C ₁₁ -C ₁₃ linear alkyl benzene sulphonate (LAS)	20wt%
C ₁ -C ₃ branched C ₁₂ -C ₁₅ alkyl ethoxylated sulphate having an average degree of ethoxylation of 3 (branched AE ₃ S)	1.2wt%
1.2wt% C ₁₂ -C ₁₅ linear alkyl ethoxylated sulphate	

30

	having an average degree of ethoxylation of 3 (linear AE ₃ S)	1.2wt%
	Co-polymer of maleic acid and acrylic acid	
	having a weight average molecular weight	
	of from 50,000 Da to 90,000 Da,	
5	and a molar ratio of maleic acid to acrylic acid	
	of from 0.25 to 0.35 (co-polymer)	5.5wt%
	Tallow alkyl ethoxylated alcohol	
	having an average degree of ethoxylation of 80 (TAE ₈₀)	3wt%
	Sodium sulphate	40wt%
10	Sodium carbonate	20wt%
	Water and miscellaneous	9.1wt%

1.2. Agglomeration process

The above-described anionic surfactant agglomerate (described in example 1.1) is prepared by the following process:

The TAE80, co-polymer and aqueous anionic surfactant paste comprising the LAS, branched AE3S and linear AE3S are introduced into a twin screw extruder and extruded into a Lodige CB mixer. Dry material comprising the sodium sulphate and sodium carbonate is introduced into the Lodige CB mixer and mixed with the TAE80, co-polymer and anionic surfactant paste to form a mixture. The mixture is then transferred into a Lodige KM mixer, water is sprayed into the KM and the mixture is agglomerated to form intermediate agglomerates. The intermediate agglomerates exiting the Lodige KM mixer are passed through a sieve and intermediate agglomerates having a particle size greater than 5 millimeters are removed from the remainder of the intermediate agglomerates and recycled back to the Lodige CB mixer. The remaining portion of the intermediate agglomerates is transferred into a fluid bed dryer and then a fluid bed cooler. Intermediate agglomerates having a very small particle size (i.e. the fines having a particle size of less than 250 micrometers) are elutriated by the fluid bed exhaust system where they are collected and recycled back to the CB mixer. The remaining portion of the intermediate agglomerates exiting the fluid bed cooler is passed through a sieve and intermediate

agglomerates having a particle size greater than 850 micrometers are removed from the remainder of the intermediate agglomerates, passed through a grinder where they are ground into particles having a smaller particle size and are then recycled back to the fluid bed dryer. The remaining portion of the intermediate agglomerates is collected and is
 5 suitable for use in the present invention; this remaining portion is the anionic surfactant agglomerates having the above described formulation (example 1.1).

1.3. Solid laundry detergent composition

<u>Ingredient</u>	<u>Amount</u>
Anionic surfactant agglomerate (described in example 1.1)	78wt%
Sodium bicarbonate	19.3wt%
Sodium sulphite	0.5wt%
Polyvinylpyrrolidone	0.2wt%
15 Hydrophobic silica	0.5wt%
Dry-add perfume	0.5wt%
Spray-on perfume	0.2wt%
Orange Dye	0.8wt%

1.4 Finished product process

The above described anionic surfactant agglomerate (described in example 1.1) is mixed with solid material comprising sodium bicarbonate, sodium sulphite, polyvinylpyrrolidone, hydrophobic silica and dry-add perfume. The sprayed-on perfume and orange dye (in liquid form) are then sprayed on to this mixture to obtain a solid
 25 laundry detergent composition described in more detail above (example 1.3).

Example 2

As example 1, except that some of the sodium sulphate is added into the Lodige KM mixer, in addition to the Lodige CB mixer.

Example 3

As in example 1, except that the agglomerate comprises 37wt% sodium sulphate (instead of 40wt%) and 3wt% zeolite A. The zeolite A is added into the fluid bed dryer in fine particulate form having a weight average particle size of from 2 micrometers to 25 micrometers.

Example 4

As in example 1, except that the solid laundry detergent composition comprises 76wt% anionic surfactant agglomerate (described in example 1.1) and 2wt% zeolite A. The zeolite A is in fine particulate form having an average particle size of from 2 micrometers to 25 micrometers and is added to the anionic surfactant agglomerate in the finished product process along with the other dry-added materials such as the sodium bicarbonate.

What is claimed is:

1. A solid laundry detergent composition comprising:

- (a) from 0.1wt% to 5wt%, by weight of the composition, of a branched alkyl alkoxyated sulphate surfactant having an average degree of alkoxylation of from 1 to 7;
- (b) from 0.1wt% to 5wt% by weight of the composition, of a linear alkyl alkoxyated sulphate surfactant having an average degree of alkoxylation of from 1 to 7;
- (c) from 0.1wt% to 35wt% linear alkyl benzene sulphonate surfactant;
- (d) from 0wt% to 5wt% zeolite builder;
- (e) from 0wt% to 5wt% phosphate builder; and
- (f) optionally, adjunct components;

wherein the weight ratio of the branched alkyl alkoxyated sulphate surfactant and the linear alkyl alkoxyated sulphate surfactant is in the range of from 0.2:1 to 4:1.

2. A composition according to claim 1, wherein the branched alkyl alkoxyated sulphate surfactant has an alkyl chain length distribution such that:

- (a) less than 1.2wt% by weight of the alkyl chains, are alkyl chains having a chain length of less than 12 carbon atoms;
- (b) from 5wt% to 20wt% by weight of the alkyl chains, are alkyl chains having a chain length of 12 carbon atoms;
- (c) from 40wt% to 50wt% by weight of the alkyl chains, are alkyl chains having a chain length of 14 carbon atoms; and
- (d) less than 4wt% by weight of the alkyl chains, are alkyl chains having a chain length of greater than 15 carbon atoms.

3. A composition according to any preceding claim, wherein the branched alkyl alkoxyated sulphate surfactant is a C₁₂-C₁₅ alkyl ethoxyated sulphate surfactant that is branched with a C₁-C₃ alkyl moiety.

4. A composition according to any preceding claim, wherein the branched alkyl alkoxyated sulphate surfactant is predominantly branched on the 2- position.
5. A composition according to any preceding claim, wherein the linear alkyl alkoxyated sulphate surfactant has an alkyl chain length distribution such that:
 - (a) less than 1.2wt% by weight of the alkyl chains, are alkyl chains having a chain length of less than 12 carbon atoms;
 - (b) from 5wt% to 20wt% by weight of the alkyl chains, are alkyl chains having a chain length of 12 carbon atoms;
 - (c) from 40wt% to 50wt% by weight of the alkyl chains, are alkyl chains having a chain length of 14 carbon atoms; and
 - (d) less than 4wt% by weight of the alkyl chains, are alkyl chains having a chain length of greater than 15 carbon atoms.
6. A composition according to any preceding claim, wherein the linear alkyl alkoxyated sulphate surfactant is a linear C₁₂-C₁₅ alkyl ethoxyated sulphate surfactant.
7. A composition according to any preceding claim, wherein the composition is substantially free from zeolite builder and phosphate builder.
8. A composition according to any preceding claim, wherein the weight ratio of the branched alkyl alkoxyated sulphate surfactant and the linear alkyl alkoxyated sulphate surfactant is in the range of from 1:1 to 1.5:1.
9. A composition according to any preceding claim, wherein the branched alkyl alkoxyated sulphate surfactant, the linear alkyl alkoxyated sulphate surfactant and the linear alkyl benzene sulphonate surfactant are in the form of a co-particulate admix, preferably in the form of an agglomerate.

10. A composition according to any preceding claim, wherein the composition comprises a source of carbonate and sodium sulphate, and wherein the ratio of the source of carbonate to sodium sulphate is in the range of from 0.1:1 to 1:1.

11. A composition according to any preceding claim, wherein the weight ratio of the linear alkyl benzene sulphonate to the total amount of linear and branched alkyl alkoxylated sulphate surfactants is in the range of from 1:1 to 20:1.

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2006/003854

A. CLASSIFICATION OF SUBJECT MATTER
INV. C11D1/37

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB 1 408 969 A (PROCTER GAMBLE CO) 8 October 1975 (1975-10-08) cited in the application claims examples table 1 page 3, line 34 - page 4, line 11 page 1, line 45 - page 2, line 40	1-11
A	US 3 998 762 A (MURATA ET AL) 21 December 1976 (1976-12-21) claims tables 1,7	1-11



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

28 April 2006

Date of mailing of the international search report

10/05/2006

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Neys, P

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2006/003854

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
GB 1408969	A	08-10-1975	AU 477001 B2	14-10-1976
			AU 6232673 A	15-05-1975
			BE 807262 A1	13-05-1974
			CA 1005310 A1	15-02-1977
			CH 589715 A5	15-07-1977
			DE 2355940 A1	16-05-1974
			FR 2206381 A1	07-06-1974
			IE 38505 B1	29-03-1978
			IT 1006636 B	20-10-1976
			JP 49108110 A	15-10-1974
			NL 7315437 A	15-05-1974
			PH 10778 A	05-09-1977
US 3998762	A	21-12-1976	DE 2551111 A1	26-05-1976
			FR 2292038 A1	18-06-1976
			GB 1497581 A	12-01-1978
			JP 899591 C	25-02-1978
			JP 51059909 A	25-05-1976
			JP 52030409 B	08-08-1977