

(12) PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 199886425 B2
(10) Patent No. 748441

- (54) Title
Cleansing and conditioning products for skin or hair with improved deposition of conditioning ingredients
- (51)⁷ International Patent Classification(s)
A61K 007/50
- (21) Application No: **199886425** (22) Application Date: **1998.08.24**
- (87) WIPO No: **WO99/12519**
- (30) Priority Data
- | | | |
|------------------|-------------------|--------------|
| (31) Number | (32) Date | (33) Country |
| 60/058093 | 1997.09.05 | US |
- (43) Publication Date : **1999.03.29**
(43) Publication Journal Date : **1999.05.27**
(44) Accepted Journal Date : **2002.06.06**
- (71) Applicant(s)
The Procter and Gamble Company
- (72) Inventor(s)
Erik Jon Hasenoehrl; David Michael Mcatee
- (74) Agent/Attorney
PHILLIPS ORMONDE and FITZPATRICK,367 Collins Street,MELBOURNE VIC 3000
- (56) Related Art
WO 95/00116
WO 97/07781
WO 96/24723

OPI DATE 29/03/99 APPLN. ID 86425/98
AOJP DATE 27/05/99 PCT NUMBER PCT/IB98/01317



INT

AU9886425

(51) International Patent Classification ⁶ : A61K 7/50	A1	(11) International Publication Number: WO 99/12519 (43) International Publication Date: 18 March 1999 (18.03.99)
(21) International Application Number: PCT/IB98/01317 (22) International Filing Date: 24 August 1998 (24.08.98) (30) Priority Data: 60/058,093 5 September 1997 (05.09.97) US (71) Applicant: THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). (72) Inventors: HASENOEHRL, Erik, Jon; 3809 Aylesboro Av- enue, Cincinnati, OH 45208 (US). MCATEE, David, Michael; 6715 Sunny Drive, Mason, OH 45040 (US). (74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217-1087 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: CLEANSING AND CONDITIONING PRODUCTS FOR SKIN OR HAIR WITH IMPROVED DEPOSITION OF CONDI- TIONING INGREDIENTS		
(57) Abstract <p>The present invention relates to a substantially dry, disposable, personal cleansing product useful for both cleansing and consistently conditioning the skin or hair. These products are used by the consumer by wetting the dry product with water. The product comprises of a water insoluble substrate, a lathering surfactant, and a conditioning component having a lipid hardness value of at least about 0.02 kg. This invention also encompasses methods for providing consistent deposition of conditioning agents to the skin or hair. The invention also encompasses methods for cleansing and conditioning the skin or hair using these products and to methods for manufacturing these products.</p>		

**CLEANSING AND CONDITIONING PRODUCTS FOR SKIN OR HAIR WITH IMPROVED
DEPOSITION OF CONDITIONING INGREDIENTS**

TECHNICAL FIELD

The present invention relates to a substantially dry, disposable, personal cleansing product useful for both cleansing and consistently conditioning the skin or hair. These products are used by the consumer by wetting the dry product with water. The product comprises a water insoluble substrate, a lathering surfactant, and a conditioning component having a lipid hardness value of at least about 0.02 kg.

Use of the substrate enhances lathering at low surfactant levels, increases cleansing and exfoliation, and optimizes delivery and deposition of conditioning ingredients. As a result, this invention provides effective cleansing using low, and hence less irritating, levels of surfactant while providing superior conditioning benefits.

The invention also encompasses products comprising various active ingredients for delivery to the skin or hair.

The invention also encompasses a method for consistent deposition of conditioning agents to the skin or hair.

The invention also encompasses a method for cleansing and moisturizing the skin or hair using the products of the present invention and also to methods for manufacturing these products.

BACKGROUND OF THE INVENTION

Personal cleansing products have traditionally been marketed in a variety of forms such as bar soaps, creams, lotions, and gels. These cleansing formulations have attempted to satisfy a number of criteria to be acceptable to consumers. These criteria include cleansing effectiveness, skin feel, mildness to skin, hair, and ocular mucosae, and lather volume. Ideal personal cleansers should gently cleanse the skin or hair, cause little or no irritation, and not leave the skin or hair overly dry after frequent use.

However, these traditional forms of personal cleansing products have the inherent problem of balancing cleansing efficacy against delivering a conditioning benefit. One solution to this problem is to use separate cleansing and conditioning products. However, this is not always convenient or practical and many consumers would prefer to use a single product which can both cleanse and condition the skin or hair. In a typical cleansing composition the conditioning ingredients are difficult to formulate because many conditioners are incompatible with the surfactants, resulting in an undesirable non-homogenous mixture. To obtain a homogeneous mixture with conditioning ingredients, and to prevent the loss of conditioning ingredients before deposition, additional ingredients, e.g. emulsifiers, thickeners, and gellants are often added to suspend the conditioning ingredients within the surfactant mixture. This results in an aesthetically pleasing homogenous mixture, but often results in poor deposition of conditioning ingredients, because the conditioners are emulsified and not efficiently released during cleansing. Also, many conditioning agents have the disadvantage of suppressing lather generation. Lather suppression is a

problem because many consumers seek cleansing products that provide a rich, creamy, and generous lather.

Therefore, it is seen that conventional cleansing products which attempt to combine surfactants and conditioning ingredients suffer from disadvantages inherently resulting from the incompatibilities of surfactants and conditioners. A need clearly exists to develop cleansing systems which provide effective cleansing and yet consistently provide sufficient conditioning in a single product.

It is also highly desirable to deliver cleansing and conditioning benefits from a disposable, single use product. Disposable products are convenient because they obviate the need to carry cumbersome bottles, bars, jars, tubes, and other forms of both cleansing and conditioning products. Disposable products are also a more sanitary alternative to the use of a sponge, washcloth, or other cleansing implement intended for multiple reuse, because such implements develop bacterial growth, unpleasant odors, and other undesirable characteristics related to repeated use.

It has been surprisingly found in the present invention that products can be developed to provide effective cleansing and consistent conditioning in a convenient, inexpensive, and sanitary disposable personal cleansing product. The present invention provides the convenience of not needing to use both a separate cleansing and conditioning product. The present invention is highly convenient to use because it is in the form of a substantially dry product that is wetted before use.

It has additionally been found that consumer usage habits of disposable article having two surfaces vary considerably. "Lathering" is achieved by rubbing the surfaces of the article on or against each other prior to use article. If the surface containing the conditioning agents is used to lather and the same surface is used to contact the skin or hair, deposition of the conditioning agents is considerably decreased due to emulsification of the conditioning agents by the surfactant. If, however, the surface not containing the conditioning agents (e.g., a surfactant containing surface) is rubbed together to produce the lather and the surface containing the conditioning agents is then used to contact the skin or hair, maximum deposition of conditioning agents is achieved. If both surfaces of the article is treated with the conditioning agents, the same inconsistent deposition can result. Maximum deposition of conditioning agents would result only if a non-lathered surface containing conditioning agents is contacted with the skin or hair.

It has been surprisingly found that if the conditioning component (the combination of the conditioning agents) has a minimum lipid hardness value of 0.02 kg., this inconsistent deposition of conditioning agents is considerably diminished. It is believed that increasing conditioning component hardness decreases transfer within the substrate and also decreases emulsification of the conditioning agents by the surfactants during the lathering step. As a result, more of the conditioning agents remain available for mechanical transfer via contact with the skin or hair.

The present invention relates to a dry, disposable, personal cleansing product useful for both cleansing and conditioning the skin or hair. These products are used by the consumer by wetting the dry

product with water. The product consists of a water insoluble substrate, a surfactant, and a conditioning component having a lipid hardness value of at least 0.02 kg. Without being limited by theory, it is believed that the substrate enhances lathering at low surfactant levels, increases cleansing and exfoliation, and optimizes delivery and deposition of the conditioning ingredients. It is also believed that having a lipid hardness value of at least 0.02 kg provides greater efficient and consistent deposition of conditioning agents to the skin or hair. As a result, this invention provides effective cleansing using low, and hence less irritating, levels of surfactant while providing superior conditioning benefits in a consistent and efficient manner. It has also been found that these products are useful for delivering a wide range of active ingredients to the skin or hair during the cleansing process.

It would therefore be desirable to provide substantially dry products for both cleansing and conditioning the skin or hair wherein the products are used in combination with water.

It would also be desirable to provide products comprising a water insoluble substrate, a surfactant, and a conditioning component having a lipid hardness value of at least 0.02 kg.

It would further be desirable to provide products which are disposable and intended for single use.

It would yet further be desirable to provide products which are mild to the skin or hair.

It would still further be desirable to provide products useful for delivering active ingredients to the skin or hair during the cleansing and conditioning process.

It would further be desirable to provide methods of cleansing and conditioning the skin or hair.

It would yet further be desirable to provide methods of consistently providing deposition of the conditioning agents.

It would still further be desirable to provide methods of manufacturing the products of the present invention.

The advantages of this invention will become apparent in light of the following disclosure.



SUMMARY OF THE INVENTION

The present invention relates to a disposable, single use personal care
 5 cleansing and conditioning product comprising: (A) a water insoluble substrate,
 (B) at least one lathering surfactant added onto or impregnated into the substrate,
 and (C) a conditioning component added onto or impregnated into the substrate.
 The conditioning component has a lipid hardness value of greater than about 0.02
 kg, and the product is substantially dry prior to use.

10 In further embodiments, the present invention relates to disposable, single
 use personal care cleansing and conditioning product comprising:

(A) a water insoluble substrate, and

(B) a cleansing and conditioning composition added onto or impregnated
 into the substrate comprising:

15 (i) at least one lathering surfactant, and

(ii) a conditioning component having a lipid hardness value of
 greater than about 0.02 kg.

In this embodiment the lathering surfactant and the conditioning component
 are separately or simultaneously added onto or impregnated into the water insoluble
 20 substrate, and the weight ratio of the lathering surfactant to the conditioning
 component is less than about 20:1. In such an embodiment, the product is also
 substantially dry prior to use.

In further embodiments, the present invention relates to a method of
 manufacturing a disposable, single use personal care cleansing and conditioning
 25 product comprising the step of separately or simultaneously adding onto or
 impregnating into a water insoluble substrate

(A) at least one lathering surfactant, and

(B) a conditioning component having a lipid hardness value of greater than
 about 0.02 kg.

30 The weight ratio of the lathering surfactant to the conditioning component is
 less than about 20:1. The resulting product is substantially dry.

The present invention provides a method of cleansing and conditioning the
 skin or hair with a personal cleansing product, comprising the steps of:



(A) wetting with water a substantially dry, disposable, single use personal cleansing product comprising:

- 5 (i) a water insoluble substrate,
 (ii) at least lathering surfactant, and
 (iii) a conditioning component having a lipid hardness value of greater than 0.02 kg, wherein the weight ratio of the lathering surfactant to the conditioning component is less than 20:1, and

(B) contacting the skin or hair with said wetted product.

10 The present invention thus provides a method of delivering the conditioning agents in the conditioning component to the surface of the skin or hair with a deposition consistency of at least 60% using the product as herein described.

15 In further embodiments, the present invention thus relates to methods for cleansing and conditioning the skin or hair with the personal cleansing products described herein.

In even further embodiments, the present invention relates to methods of consistently depositing conditioning agents to the skin or hair.

20 All percentages and ratios used herein, unless otherwise indicated, are by weight and all measurements made are at 25°C, unless otherwise designated. The invention hereof can comprise, consist of, or consist essentially of, the essential as well as optional ingredients and components described therein.

25 Throughout the description and claims of this specification the word "comprise," and variations of the word such as "comprising" and "comprises", is not intended to exclude other additives or components or integers or steps.

DETAILED DESCRIPTION OF THE INVENTION

30 The personal cleansing products of the present invention are highly efficacious for cleansing the skin or hair, yet, provide effective deposition of conditioning agents. The products can also contain other non-conditioning active ingredients to be deposited onto the skin or hair.


Without being limited by theory it is believed that the substrate significantly contributes to generation of lather and deposition of conditioning agents and any other active ingredients. It is believed that this increase in lathering and deposition is



4b

the result of the surface action of the substrate. As a result, milder and significantly lower amounts of surfactants may be employed. The decreased amount of required surfactant is believed to relate to the decrease in the drying effect of the skin or hair

5 by the surfactants. Furthermore, the diminished amount of surfactant dramatically lowers the inhibitory action (e.g. via emulsification or direct removal by the surfactants) which surfactants exhibit regarding deposition of conditioning agents.



Without being limited by theory, the substrate also enhances deposition of conditioning agents and active ingredients. Since the invention is in dry form, the invention does not require emulsifiers, which can inhibit deposition of conditioning agents and active ingredients. Furthermore, because the skin conditioners and active ingredients are dried onto or impregnated into the substrate, they are transferred directly to the skin or hair by surface contact of the wetted product to the skin.

Finally, the substrate also enhances cleansing. The substrate can have differing textures on each side, e.g. a rough side and a smooth side. The substrate acts as an efficient lathering and exfoliating implement. By physically coming into contact with the skin or hair, the substrate significantly aids in cleansing and removal of dirt, makeup, dead skin, and other debris.

It is also believed that the minimum lipid hardness value of 0.02 kg. for the conditioning component provides consistent deposition of the conditioning agents to the skin or hair by decreasing transfer within the substrate and also decreasing emulsification of the conditioning agents by the surfactants during the lathering step.

By a "lathering surfactant" is meant a surfactant, which when combined with water and mechanically agitated generates a foam or lather. Preferably, these surfactants should be mild, which means that these surfactants provide sufficient cleansing or detergent benefits but do not overly dry the skin or hair, and yet meet the lathering criteria described above.

The terms "disposable" or "single use", are used herein in their ordinary sense to mean a product that is disposed or discarded after one usage event.

The term "conditioning component," as used herein, mean the combination of the conditioning agents.

The term "water-activated," as used herein, means that the present invention is presented to the consumer in dry form to be used after wetting with water. It is found that these products produce a lather or are "activated" upon contact with water and further agitation.

The term "substantially dry," as used herein, means that prior to use the product is substantially free of water and generally feels dry to the touch. The products of the present invention comprise less than about 10% by weight of water, preferably less than about 5% by weight of water, and more preferably less than about 1% by weight of water, the foregoing measured in a dry environment, e.g., low humidity. One of ordinary skill in the art would recognize that the water content of a product such as in the present invention can vary with the relative humidity of the environment.

The term "mild" as used herein in reference to the lathering surfactants and products of the present invention means that the products of the present invention demonstrate skin mildness comparable to a mild alkyl glyceryl ether sulfonate (AGS) surfactant based synthetic bar, i.e. synbar. Methods for measuring mildness, or inversely the irritancy, of surfactant containing products, are based on a skin barrier destruction test. In this test, the milder the surfactant, the lesser the skin barrier is destroyed. Skin barrier destruction is measured by the relative amount of radio-labeled (tritium labeled) water ($^3\text{H-H}_2\text{O}$)

which passes from the test solution through the skin epidermis into the physiological buffer contained in the diffusate chamber. This test is described by T.J. Franz in the J. Invest. Dermatol., 1975, 64, pp. 190-195; and in U.S. Patent No. 4,673,525, to Small et al., issued June 16, 1987, which are both incorporated by reference herein in their entirety. Other testing methodologies for determining surfactant mildness well known to one skilled in the art can also be used.

The term "deposition consistency," as used herein, means that deposition of the conditioning agents comprising the conditioning component will be relatively unvarying no matter how the consumer prepares to use and the actual use of the cleansing and conditioning product (e.g., lathering the side of the substrate carrying the conditioning component versus lathering the substrate side with the surfactant). The products of the present invention will have a deposition consistency of greater than about 60%, preferably greater than about 65%, more preferably greater than about 70%, and most preferably greater than about 75%. The deposition consistency measurement is the quotient obtained by dividing the amount of deposition of conditioning agents that occurs via "non-ideal lathering and use" by the amount of deposition of conditioning agents that occurs via "ideal lathering and use." Non-ideal lathering, as used herein, means that lathering is achieved by rubbing together or against itself the surface of the product containing the conditioning agents and then contacting the skin or hair with the same surface. This causes inefficient deposition of the conditioning agents because some of the conditioning agents become emulsified by the surfactant. Ideal lathering, as used herein, means that lathering is achieved by rubbing together or against itself the surface of the product containing surfactant, but not containing conditioning agents, and then contacting the skin or hair with the surface containing the conditioning component. The same reference points would apply if both surfaces of the substrate are treated with the conditioning agents (e.g. deposition obtained from lathering and contacting the skin with the same lathered surface containing emulsified conditioning agents versus contacting the skin with the non-lathered surface which contains non-emulsified conditioning agents). Deposition consistency is maximized when the lipid hardness value is greater than about 0.02 kg.

The personal care products of the present invention comprise the following essential components. The composition which is either impregnated into or applied onto the substrate consists essentially of one or more lathering surfactants and one or more conditioning agents. Additional active ingredients can also be included within the composition. An alternative, preferred method is to apply each ingredient separately to the substrate.

WATER INSOLUBLE SUBSTRATE

The products of the present invention comprise a water insoluble substrate. By "water insoluble" is meant that the substrate does not dissolve in or readily break apart upon immersion in water. The water insoluble substrate is the implement or vehicle for delivering the lathering surfactant and the conditioning component of the present invention to the skin or hair to be cleansed and conditioned. Without being

limited by theory, it is believed that the substrate, by providing mechanical forces and agitation provides a lather generating effect and also aids in the deposition of the conditioning component.

A wide variety of materials can be used as the substrate. The following nonlimiting characteristics are desirable: (i) sufficient wet strength for use, (ii) sufficient abrasivity, (iii) sufficient loft and porosity, (iv) sufficient thickness, and (v) appropriate size.

Nonlimiting examples of suitable insoluble substrates which meet the above criteria include nonwoven substrates, woven substrates, hydroentangled substrates, air entangled substrates, natural sponges, synthetic sponges, polymeric netted meshes, and the like. Preferred embodiments employ nonwoven substrates since they are economical and readily available in a variety of materials. By nonwoven is meant that the layer is comprised of fibers which are not woven into a fabric but rather are formed into a sheet, mat, or pad layer. The fibers can either be random (i.e., randomly aligned) or they can be carded (i.e. combed to be oriented in primarily one direction). Furthermore, the nonwoven substrate can be composed of a combination of layers of random and carded fibers.

Nonwoven substrates may be comprised of a variety of materials both natural and synthetic. By natural is meant that the materials are derived from plants, animals, insects or byproducts of plants, animals, and insects. By synthetic is meant that the materials are obtained primarily from various man-made materials or from natural materials which have been further altered. The conventional base starting material is usually a fibrous web comprising any of the common synthetic or natural textile-length fibers, or mixtures thereof.

Nonlimiting examples of natural materials useful in the present invention are silk fibers, keratin fibers and cellulosic fibers. Nonlimiting examples of keratin fibers include those selected from the group consisting of wool fibers, camel hair fibers, and the like. Nonlimiting examples of cellulosic fibers include those selected from the group consisting of wood pulp fibers, cotton fibers, hemp fibers, jute fibers, flax fibers, and mixtures thereof.

Nonlimiting examples of synthetic materials useful in the present invention include those selected from the group consisting of acetate fibers, acrylic fibers, cellulose ester fibers, modacrylic fibers, polyamide fibers, polyester fibers, polyolefin fibers, polyvinyl alcohol fibers, rayon fibers, polyurethane foam, and mixtures thereof. Examples of some of these synthetic materials include acrylics such as acrilan, creslan, and the acrylonitrile-based fiber, orlon; cellulose ester fibers such as cellulose acetate, arnel, and acele; polyamides such as nylons (e.g., nylon 6, nylon 66, nylon 610, and the like); polyesters such as fortrel, kodel, and the polyethylene terephthalate fiber, dacron; polyolefins such as polypropylene, polyethylene; polyvinyl acetate fibers; polyurethane foams and mixtures thereof. These and other suitable fibers and the nonwoven materials prepared therefrom are generally described in Riedel, "Nonwoven Bonding Methods and Materials," Nonwoven World (1987); The Encyclopedia Americana, vol. 11, pp. 147-153, and vol. 26, pp. 566-581 (1984); U.S. Patent No. 4,891,227, to Thaman et al., issued January 2, 1990; and U.S. Patent No. 4,891,228 which are all incorporated by reference herein in their entirety.

Nonwoven substrates made from natural materials consist of webs or sheets most commonly formed on a fine wire screen from a liquid suspension of the fibers. See C.A. Hampel et al., The Encyclopedia of Chemistry, third edition, 1973, pp. 793-795 (1973); The Encyclopedia Americana, vol. 21, pp. 376-383 (1984); and G.A. Smook, Handbook of Pulp and Paper Technologies, Technical Association for the Pulp and Paper Industry (1986); which are incorporated by reference herein in their entirety.

Substrates made from natural materials useful in the present invention can be obtained from a wide variety of commercial sources. Nonlimiting examples of suitable commercially available paper layers useful herein include Airtex^R, an embossed airlaid cellulosic layer having a base weight of about 71 gsy, available from James River, Green Bay, WI; and Walkisoft^R, an embossed airlaid cellulosic having a base weight of about 75 gsy, available from Walkisoft U.S.A., Mount Holly, NC.

Methods of making nonwoven substrates are well known in the art. Generally, these nonwoven substrates can be made by air-laying, water-laying, meltblowing, coforming, spinbonding, or carding processes in which the fibers or filaments are first cut to desired lengths from long strands, passed into a water or air stream, and then deposited onto a screen through which the fiber-laden air or water is passed. The resulting layer, regardless of its method of production or composition, is then subjected to at least one of several types of bonding operations to anchor the individual fibers together to form a self-sustaining web. In the present invention the nonwoven layer can be prepared by a variety of processes including hydroentanglement, thermally bonding or thermo-bonding, and combinations of these processes. Moreover, the substrates of the present invention can consist of a single layer or multiple layers. In addition, a multilayered substrate can include films and other nonfibrous materials.

Nonwoven substrates made from synthetic materials useful in the present invention can also be obtained from a wide variety of commercial sources. Nonlimiting examples of suitable nonwoven layer materials useful herein include HEF 40-047, an apertured hydroentangled material containing about 50% rayon and 50% polyester, and having a basis weight of about 43 grams per square yard (gsy), available from Veratec, Inc., Walpole, MA; HEF 140-102, an apertured hydroentangled material containing about 50% rayon and 50% polyester, and having a basis weight of about 56 gsy, available from Veratec, Inc., Walpole, MA; Novonet^R 149-616, a thermo-bonded grid patterned material containing about 100% polypropylene, and having a basis weight of about 50 gsy, available from Veratec, Inc., Walpole, MA; Novonet^R 149-801, a thermo-bonded grid patterned material containing about 69% rayon, about 25% polypropylene, and about 6% cotton, and having a basis weight of about 75 gsy, available from Veratec, Inc. Walpole, MA; Novonet^R 149-191, a thermo-bonded grid patterned material containing about 69% rayon, about 25% polypropylene, and about 6% cotton, and having a basis weight of about 100 gsy, available from Veratec, Inc. Walpole, MA; HEF Nubtex^R 149-801, a nubbed, apertured hydroentangled material, containing about 100% polyester, and having a basis weight of about 70 gsy, available from Veratec, Inc. Walpole, MA; Keybak^R 951V, a dry formed apertured material, containing about 75% rayon,

about 25% acrylic fibers, and having a basis weight of about 43 gsy, available from Chicopee, New Brunswick, NJ; Keybak^R 1368, an apertured material, containing about 75% rayon, about 25% polyester, and having a basis weight of about 39 gsy, available from Chicopee, New Brunswick, NJ; Duralace^R 1236, an apertured, hydroentangled material, containing about 100% rayon, and having a basis weight from about 40 gsy to about 115 gsy, available from Chicopee, New Brunswick, NJ; Duralace^R 5904, an apertured, hydroentangled material, containing about 100% polyester, and having a basis weight from about 40 gsy to about 115 gsy, available from Chicopee, New Brunswick, NJ; Sontaro 8868, a hydroentangled material, containing about 50% cellulose and about 50% polyester, and having a basis weight of about 60 gsy, available from Dupont Chemical Corp.

Alternatively, the water insoluble substrate can be a polymeric mesh sponge as described in European Patent No. EP 702550 A1 published March 27, 1996, incorporated by reference herein in its entirety. The polymeric sponge comprises a plurality of plies of an extruded tubular netting mesh prepared from a strong flexible polymer, such as addition polymers of olefin monomers and polyamides of polycarboxylic acids. Although these polymeric sponges are designed to be used in conjunction with a liquid cleanser, these types of sponges can be used as the water insoluble substrate in the present invention.

The substrate can be made into a wide variety of shapes and forms including flat pads, thick pads, thin sheets, ball-shaped implements, irregularly shaped implements, and having sizes ranging from a surface area of about a square inch to about hundreds of square inches. The exact size will depend upon the desired use and product characteristics. Especially convenient are square, circular, rectangular, or oval pads having a surface area of from about 1 in² to about 144 in², preferably from about 10 in² to about 120 in², and more preferably from about 30 in² to about 80 in², and a thickness of from about 1 mil to about 500 mil, preferably from about 5 mil to about 250 mil, and more preferably from about 10 mil to about 100 mil.

The water insoluble substrates of the present invention can comprise two or more layers, each having different textures and abrasiveness. The differing textures can result from the use of different combinations of materials or from the use of different manufacturing processes or a combination thereof. A dual textured substrate can be made to provide the advantage of having a more abrasive side for exfoliation and a softer, absorbent side for gentle cleansing. In addition, separate layers of the substrate can be manufactured to have different colors, thereby helping the user to further distinguish the surfaces.

LATHERING SURFACTANT

The products of the present invention comprise from about 0.5% to about 12.5%, preferably from about 0.75% to about 11%, and more preferably from about 1% to about 10%, based on the weight of the water insoluble substrate, of a lathering surfactant.

By a lathering surfactant is meant a surfactant, which when combined with water and mechanically agitated generates a foam or lather. Preferably, these surfactants or combinations of

surfactants should be mild, which means that these surfactants provide sufficient cleansing or deterative benefits but do not overly dry the skin or hair, and yet meet the lathering criteria described above.


A wide variety of lathering surfactants are useful herein and include those selected from the group consisting of anionic lathering surfactants, nonionic lather surfactants, amphoteric lathering surfactants, and mixtures thereof. Cationic surfactants can also be used as optional components, provided they do not negatively impact the overall lathering characteristics of the required, lathering surfactants.

Anionic Lathering Surfactants

Nonlimiting examples of anionic lathering surfactants useful in the compositions of the present invention are disclosed in McCutcheon's, Detergents and Emulsifiers, North American edition (1986), published by allured Publishing Corporation; McCutcheon's, Functional Materials, North American Edition (1992); and U.S. Patent No. 3,929,678, to Laughlin et al., issued December 30, 1975 all of which are incorporated by reference herein in their entirety.

A wide variety of anionic lathering surfactants are useful herein. Nonlimiting examples of anionic lathering surfactants include those selected from the group consisting of sarcosinates, sulfates, isethionates, taurates, phosphates, and mixtures thereof. Amongst the isethionates, the alkoyl isethionates are preferred, and amongst the sulfates, the alkyl and alkyl ether sulfates are preferred. The alkoyl isethionates typically have the formula $\text{RCO-OCH}_2\text{CH}_2\text{SO}_3\text{M}$ wherein R is alkyl or alkenyl of from about 10 to about 30 carbon atoms, and M is a water-soluble cation such as ammonium, sodium, potassium and triethanolamine. Nonlimiting examples of these isethionates include those alkoyl isethionates selected from the group consisting of ammonium cocoyl isethionate, sodium cocoyl isethionate, sodium lauroyl isethionate, and mixtures thereof.

The alkyl and alkyl ether sulfates typically have the respective formulae ROSO_3M and $\text{RO}(\text{C}_2\text{H}_4\text{O})_x\text{SO}_3\text{M}$, wherein R is alkyl or alkenyl of from about 10 to about 30 carbon atoms, x is from about 1 to about 10, and M is a water-soluble cation such as ammonium, sodium, potassium and triethanolamine. Another suitable class of anionic surfactants are the water-soluble salts of the organic, sulfuric acid reaction products of the general formula:



wherein R_1 is chosen from the group consisting of a straight or branched chain, saturated aliphatic hydrocarbon radical having from about 8 to about 24, preferably about 10 to about 16, carbon atoms; and M is a cation. Still other anionic synthetic surfactants include the class designated as succinamates, olefin sulfonates having about 12 to about 24 carbon atoms, and b-alkyloxy alkane sulfonates. Examples of these materials are sodium lauryl sulfate and ammonium lauryl sulfate.

Other anionic materials include the sarcosinates, nonlimiting examples of which include sodium lauroyl sarcosinate, sodium cocoyl sarcosinate, and ammonium lauroyl sarcosinate.

Other anionic materials useful herein are soaps (i.e. alkali metal salts, e.g., sodium or potassium salts) of fatty acids, typically having from about 8 to about 24 carbon atoms, preferably from about 10 to

about 20 carbon atoms. The fatty acids used in making the soaps can be obtained from natural sources such as, for instance, plant or animal-derived glycerides (e.g., palm oil, coconut oil, soybean oil, castor oil, tallow, lard, etc.) The fatty acids can also be synthetically prepared. Soaps are described in more detail in U.S. Patent No. 4,557,853, cited above.

Other anionic materials include phosphates such as monoalkyl, dialkyl, and trialkylphosphate salts.

Other anionic materials include alkanoyl sarcosinates corresponding to the formula $RCON(CH_3)CH_2CH_2CO_2M$ wherein R is alkyl or alkenyl of about 10 to about 20 carbon atoms, and M is a water-soluble cation such as ammonium, sodium, potassium and trialkanolamine (e.g., triethanolamine), a preferred example of which is sodium lauroyl sarcosinate.

Also useful are taurates which are based on taurine, which is also known as 2-aminoethanesulfonic acid. Examples of taurates include N-alkyltaurines such as the one prepared by reacting dodecylamine with sodium isethionate according to the teaching of U.S. Patent 2,658,072 which is incorporated herein by reference in its entirety.

Nonlimiting examples of preferred anionic lathering surfactants useful herein include those selected from the group consisting of sodium lauryl sulfate, ammonium lauryl sulfate, ammonium laureth sulfate, sodium laureth sulfate, sodium trideceth sulfate, ammonium cetyl sulfate, sodium cetyl sulfate, ammonium cocoyl isethionate, sodium lauroyl isethionate, sodium lauroyl sarcosinate, and mixtures thereof.

Especially preferred for use herein is ammonium lauryl sulfate and ammonium laureth sulfate.

Nonionic Lathering Surfactants


Nonlimiting examples of nonionic lathering surfactants for use in the compositions of the present invention are disclosed in McCutcheon's, Detergents and Emulsifiers, North American edition (1986), published by Allured Publishing Corporation; and McCutcheon's, Functional Materials, North American Edition (1992); both of which are incorporated by reference herein in their entirety.

Nonionic lathering surfactants useful herein include those selected from the group consisting of alkyl glucosides, alkyl polyglucosides, polyhydroxy fatty acid amides, alkoxylated fatty acid esters, lathering sucrose esters, amine oxides, and mixtures thereof.

Alkyl glucosides and alkyl polyglucosides are useful herein, and can be broadly defined as condensation products of long chain alcohols, e.g. C8-30 alcohols, with sugars or starches or sugar or starch polymers, i.e., glycosides or polyglycosides. These compounds can be represented by the formula $(S)_n-O-R$ wherein S is a sugar moiety such as glucose, fructose, mannose, and galactose; n is an integer of from about 1 to about 1000, and R is a C8-30 alkyl group. Examples of long chain alcohols from which the alkyl group can be derived include decyl alcohol, cetyl alcohol, stearyl alcohol, lauryl alcohol, myristyl alcohol, oleyl alcohol, and the like. Preferred examples of these surfactants include those wherein S is a glucose moiety, R is a C8-20 alkyl group, and n is an integer of from about 1 to about 9.

Commercially available examples of these surfactants include decyl polyglucoside (available as APG 325 CS from Henkel) and lauryl polyglucoside (available as APG 600CS and 625 CS from Henkel). Also useful are sucrose ester surfactants such as sucrose cocoate and sucrose laurate.

Other useful nonionic surfactants include polyhydroxy fatty acid amide surfactants, more specific examples of which include glucosamides, corresponding to the structural formula:



wherein: R^1 is H, C_1 - C_4 alkyl, 2-hydroxyethyl, 2-hydroxy-propyl, preferably C_1 - C_4 alkyl, more preferably methyl or ethyl, most preferably methyl; R^2 is C_5 - C_{31} alkyl or alkenyl, preferably C_7 - C_{19} alkyl or alkenyl, more preferably C_9 - C_{17} alkyl or alkenyl, most preferably C_{11} - C_{15} alkyl or alkenyl; and Z is a polhydroxyhydrocarbyl moiety having a linear hydrocarbyl chain with a least 3 hydroxyls directly connected to the chain, or an alkoxyated derivative (preferably ethoxylated or propoxylated) thereof. Z preferably is a sugar moiety selected from the group consisting of glucose, fructose, maltose, lactose, galactose, mannose, xylose, and mixtures thereof. An especially preferred surfactant corresponding to the above structure is coconut alkyl N-methyl glucoside amide (i.e., wherein the $\text{R}^2\text{CO}-$ moiety is derived from coconut oil fatty acids). Processes for making compositions containing polyhydroxy fatty acid amides are disclosed, for example, in G.B. Patent Specification 809,060, published February 18, 1959, by Thomas Hedley & Co., Ltd.; U.S. Patent No. 2,965,576, to E.R. Wilson, issued December 20, 1960; U.S. Patent No. 2,703,798, to A.M. Schwartz, issued March 8, 1955; and U.S. Patent No. 1,985,424, to Piggott, issued December 25, 1934; which are incorporated herein by reference in their entirety.

Other examples of nonionic surfactants include amine oxides. Amine oxides correspond to the general formula $\text{R}_1\text{R}_2\text{R}_3\text{NO}$, wherein R_1 contains an alkyl, alkenyl or monohydroxy alkyl radical of from about 8 to about 18 carbon atoms, from 0 to about 10 ethylene oxide moieties, and from 0 to about 1 glyceryl moiety, and R_2 and R_3 contain from about 1 to about 3 carbon atoms and from 0 to about 1 hydroxy group, e.g., methyl, ethyl, propyl, hydroxyethyl, or hydroxypropyl radicals. The arrow in the formula is a conventional representation of a semipolar bond. Examples of amine oxides suitable for use in this invention include dimethyl-dodecylamine oxide, oleyldi(2-hydroxyethyl) amine oxide, dimethyloctylamine oxide, dimethyl-decylamine oxide, dimethyl-tetradecylamine oxide, 3,6,9-trioxaheptadecyldiethylamine oxide, di(2-hydroxyethyl)-tetradecylamine oxide, 2-dodecoxyethyl dimethylamine oxide, 3-dodecoxy-2-hydroxypropyldi(3-hydroxypropyl)amine oxide, dimethylhexadecylamine oxide.

Nonlimiting examples of preferred nonionic surfactants for use herein are those selected from the group consisting of C8-C14 glucose amides, C8-C14 alkyl polyglucosides, sucrose cocoate, sucrose laurate, lauramine oxide, cocoamine oxide, and mixtures thereof.

Amphoteric Lathering Surfactants

The term "amphoteric lathering surfactant," as used herein, is also intended to encompass zwitterionic surfactants, which are well known to formulators skilled in the art as a subset of amphoteric surfactants.

A wide variety of amphoteric lathering surfactants can be used in the compositions of the present invention. Particularly useful are those which are broadly described as derivatives of aliphatic secondary and tertiary amines, preferably wherein the nitrogen is in a cationic state, in which the aliphatic radicals can be straight or branched chain and wherein one of the radicals contains an ionizable water solubilizing group, e.g., carboxy, sulfonate, sulfate, phosphate, or phosphonate.


Nonlimiting examples of amphoteric surfactants useful in the compositions of the present invention are disclosed in McCutcheon's, Detergents and Emulsifiers, North American edition (1986), published by Allured Publishing Corporation; and McCutcheon's, Functional Materials, North American Edition (1992); both of which are incorporated by reference herein in their entirety.

Nonlimiting examples of amphoteric or zwitterionic surfactants are those selected from the group consisting of betaines, sultaines, hydroxysultaines, alkyliminoacetates, iminodialkanoates, aminoalkanoates, and mixtures thereof.

Examples of betaines include the higher alkyl betaines, such as coco dimethyl carboxymethyl betaine, lauryl dimethyl carboxymethyl betaine, lauryl dimethyl alphacarboxyethyl betaine, cetyl dimethyl carboxymethyl betaine, cetyl dimethyl betaine (available as Lonza 16SP from Lonza Corp.), lauryl bis-(2-hydroxyethyl) carboxymethyl betaine, oleyl dimethyl gamma-carboxypropyl betaine, lauryl bis-(2-hydroxypropyl)alpha-carboxyethyl betaine, coco dimethyl sulfopropyl betaine, lauryl dimethyl sulfoethyl betaine, lauryl bis-(2-hydroxyethyl) sulfopropyl betaine, amidobetaines and amidosulfobetaines (wherein the $\text{RCONH}(\text{CH}_2)_3$ radical is attached to the nitrogen atom of the betaine), oleyl betaine (available as amphoteric Velvetex OLB-50 from Henkel), and cocamidopropyl betaine (available as Velvetex BK-35 and BA-35 from Henkel).

Examples of sultaines and hydroxysultaines include materials such as cocamidopropyl hydroxysultaine (available as Mirataine CBS from Rhone-Poulenc).


Preferred for use herein are amphoteric surfactants having the following structure:




wherein R^1 is unsubstituted, saturated or unsaturated, straight or branched chain alkyl having from about 9 to about 22 carbon atoms. Preferred R^1 has from about 11 to about 18 carbon atoms; more preferably from about 12 to about 18 carbon atoms; more preferably still from about 14 to about 18 carbon atoms; m is an integer from 1 to about 3, more preferably from about 2 to about 3, and more preferably about 3; n is either 0 or 1, preferably 1; R^2 and R^3 are independently selected from the group consisting of alkyl having from 1 to about 3 carbon atoms, unsubstituted or mono-substituted with hydroxy, preferred R^2 and R^3 are CH_3 ; X is selected from the group consisting of CO_2 , SO_3 and SO_4 ; R^4 is selected from the group consisting of saturated or unsaturated, straight or branched chain alkyl, unsubstituted or monosubstituted with hydroxy, having from 1 to about 5 carbon atoms. When X is CO_2 , R^4 preferably has 1 or 3 carbon atoms, more preferably 1 carbon atom. When X is SO_3 or SO_4 , R^4 preferably has from about 2 to about 4 carbon atoms, more preferably 3 carbon atoms.

Examples of amphoteric surfactants of the present invention include the following compounds:

Cetyl dimethyl betaine (this material also has the CTFA designation cetyl betaine)




Cocamidopropylbetaine



wherein R has from about 9 to about 13 carbon atoms

Cocamidopropyl hydroxy sultaine



wherein R has from about 9 to about 13 carbon atoms,

Examples of other useful amphoteric surfactants are alkyliminoacetates, and iminodialkanoates and aminoalkanoates of the formulas $\text{RN}[(\text{CH}_2)_m \text{CO}_2\text{M}]_2$ and $\text{RNH}[(\text{CH}_2)_m \text{CO}_2\text{M}]$ wherein m is from 1 to 4, R is a C_8 - C_{22} alkyl or alkenyl, and M is H, alkali metal, alkaline earth metal ammonium, or

alkanolammonium. Also included are imidazolinium and ammonium derivatives. Specific examples of suitable amphoteric surfactants include sodium 3-dodecyl-aminopropionate, sodium 3-dodecylamino-propane sulfonate, N-higher alkyl aspartic acids such as those produced according to the teaching of U.S. Patent 2,438,091 which is incorporated herein by reference in its entirety; and the products sold under the trade name "Miranol" and described in U.S. Patent 2,528,378, which is incorporated herein by reference in its entirety. Other examples of useful amphoterics include amphoteric phosphates, such as coamidopropyl PG-dimonium chloride phosphate (commercially available as Monaquat PTC, from Mona Corp.). Also useful are amphotoacetates such as disodium lauroamphodiacetate, sodium lauroamphoacetate, and mixtures thereof.

Preferred lathering surfactants for use herein are the following, wherein the anionic lathering surfactant is selected from the group consisting of ammonium lauroyl sarcosinate, sodium trideceth sulfate, sodium lauroyl sarcosinate, ammonium laureth sulfate, sodium laureth sulfate, ammonium lauryl sulfate, sodium lauryl sulfate, ammonium cocoyl isethionate, sodium cocoyl isethionate, sodium lauroyl isethionate, sodium cetyl sulfate, and mixtures thereof; wherein the nonionic lathering surfactant is selected from the group consisting of lauramine oxide, cocoamine oxide, decyl polyglucose, lauryl polyglucose, sucrose cocoate, C12-14 glucosamides, sucrose laurate, and mixtures thereof; and wherein the amphoteric lathering surfactant is selected from the group consisting of disodium lauroamphodiacetate, sodium lauroamphoacetate, cetyl dimethyl betaine, cocoamidopropyl betaine, cocoamidopropyl hydroxy sultaine, and mixtures thereof.

CONDITIONING COMPONENT

The products of the present invention comprise a conditioning component which is useful for providing a conditioning benefit to the skin or hair during the use of the product. The conditioning component comprises from about 1% to about 99%, preferably from about 2% to about 50%, and more preferably from about 3% to about 25% by weight of said water insoluble substrate.

The conditioning component of the present invention can comprise: a water soluble conditioning agent; an oil soluble conditioning agent; conditioning emulsion; or any combination or permutation of the three. The oil soluble conditioning agent is selected from one or more oil soluble conditioning agents such that the weighted arithmetic mean solubility parameter of the oil soluble conditioning agent is less than or equal to 10.5. The water soluble conditioning agent is selected from one or more water soluble conditioning agents such that the weighted arithmetic mean solubility parameter of the water soluble conditioning agent is greater than 10.5. It is recognized, based on this mathematical definition of solubility parameters, that it is possible, for example, to achieve the required weighted arithmetic mean solubility parameter, i.e. less than or equal to 10.5, for an oil soluble conditioning agent comprising two or more compounds if one of the compounds has an individual solubility parameter greater than 10.5. Conversely, it is possible to achieve the appropriate weighted arithmetic mean solubility parameter, i.e.

greater than 10.5, for a water soluble conditioning agent comprising two or more compounds if one of the compounds has an individual solubility parameter less than or equal to 10.5.

Solubility parameters are well known to the formulation chemist of ordinary skill in the art and are routinely used as a guide for determining compatibilities and solubilities of materials in the formulation process.

The solubility parameter of a chemical compound, δ , is defined as the square root of the cohesive energy density for that compound. Typically, a solubility parameter for a compound is calculated from tabulated values of the additive group contributions for the heat of vaporization and molar volume of the components of that compound, using the following equation:

$$\delta = \left[\frac{\sum_i E_i}{\sum_i m_i} \right]^{1/2}$$

wherein $\sum_i E_i$ = the sum of the heat of vaporization additive group contributions, and

$\sum_i m_i$ = the sum of the molar volume additive group contributions

Standard tabulations of heat of vaporization and molar volume additive group contributions for a wide variety of atoms and groups of atoms are collected in Barton, A.F.M. Handbook of Solubility Parameters, CRC Press, Chapter 6, Table 3, pp. 64-66 (1985), which is incorporated by reference herein in its entirety. The above solubility parameter equation is described in Fedors, R.F., "A Method for Estimating Both the Solubility Parameters and Molar Volumes of Liquids", Polymer Engineering and Science, vol. 14, no. 2, pp. 147-154 (February 1974), which is incorporated by reference herein in its entirety.

Solubility parameters obey the law of mixtures such that the solubility parameter for a mixture of materials is given by the weighted arithmetic mean (i.e. the weighted average) of the solubility parameters for each component of that mixture. See, Handbook of Chemistry and Physics, 57th edition, CRC Press, p. C-726 (1976-1977), which is incorporated by reference herein in its entirety.

Formulation chemists typically report and use solubility parameters in units of $(\text{cal}/\text{cm}^3)^{1/2}$. The tabulated values of additive group contributions for heat of vaporization in the Handbook of Solubility Parameters are reported in units of kJ/mol. However, these tabulated heat of vaporization values are readily converted to cal/mol using the following well-known relationships:

$$1 \text{ J/mol} = 0.239006 \text{ cal/mol} \quad \text{and} \quad 1000 \text{ J} = 1 \text{ kJ}.$$

See Gordon, A.J. et al., The Chemist's Companion, John Wiley & Sons, pp. 456-463, (1972), which is incorporated by reference herein in its entirety.

Solubility parameters have also been tabulated for a wide variety of chemical materials. Tabulations of solubility parameters are found in the above-cited Handbook of Solubility Parameters. Also, see "Solubility Effects In Product, Package, Penetration, And Preservation", C.D. Vaughan, Cosmetics and Toiletries, vol. 103, October 1988, pp. 47-69, which is incorporated by reference herein in its entirety.

Nonlimiting examples of conditioning agents useful as oil soluble conditioning agents include those selected from the group consisting of mineral oil, petrolatum, C7-C40 branched chain hydrocarbons, C1-C30 alcohol esters of C1-C30 carboxylic acids, C1-C30 alcohol esters of C2-C30 dicarboxylic acids, monoglycerides of C1-C30 carboxylic acids, diglycerides of C1-C30 carboxylic acids, triglycerides of C1-C30 carboxylic acids, ethylene glycol monoesters of C1-C30 carboxylic acids, ethylene glycol diesters of C1-C30 carboxylic acids, propylene glycol monoesters of C1-C30 carboxylic acids, propylene glycol diesters of C1-C30 carboxylic acids, C1-C30 carboxylic acid monoesters and polyesters of sugars, polydialkylsiloxanes, polydiarylsiloxanes, polyalkarylsiloxanes, cyclomethicones having 3 to 9 silicon atoms, vegetable oils, hydrogenated vegetable oils, polypropylene glycol C4-C20 alkyl ethers, di C8-C30 alkyl ethers, and mixtures thereof.

Mineral oil, which is also known as petrolatum liquid, is a mixture of liquid hydrocarbons obtained from petroleum. See The Merck Index, Tenth Edition, Entry 7048, p. 1033 (1983) and International Cosmetic Ingredient Dictionary, Fifth Edition, vol. 1, p.415-417 (1993), which are incorporated by reference herein in their entirety.

Petrolatum, which is also known as petroleum jelly, is a colloidal system of nonstraight-chain solid hydrocarbons and high-boiling liquid hydrocarbons, in which most of the liquid hydrocarbons are held inside the micelles. See The Merck Index, Tenth Edition, Entry 7047, p. 1033 (1983); Schindler, Drug. Cosmet. Ind., 89, 36-37, 76, 78-80, 82 (1961); and International Cosmetic Ingredient Dictionary, Fifth Edition, vol. 1, p. 537 (1993), which are incorporated by reference herein in their entirety.

Straight and branched chain hydrocarbons having from about 7 to about 40 carbon atoms are useful herein. Nonlimiting examples of these hydrocarbon materials include dodecane, isododecane, squalane, cholesterol, hydrogenated polyisobutylene, docosane (i.e. a C₂₂ hydrocarbon), hexadecane, isohexadecane (a commercially available hydrocarbon sold as Permethyl® 101A by Presperse, South Plainfield, NJ). Also useful are the C7-C40 isoparaffins, which are C7-C40 branched hydrocarbons.

Also useful are C1-C30 alcohol esters of C1-C30 carboxylic acids and of C2-C30 dicarboxylic acids, including straight and branched chain materials as well as aromatic derivatives. Also useful are esters such as monoglycerides of C1-C30 carboxylic acids, diglycerides of C1-C30 carboxylic acids,

triglycerides of C1-C30 carboxylic acids, ethylene glycol monoesters of C1-C30 carboxylic acids, ethylene glycol diesters of C1-C30 carboxylic acids, propylene glycol monoesters of C1-C30 carboxylic acids, and propylene glycol diesters of C1-C30 carboxylic acids. Straight chain, branched chain and aryl carboxylic acids are included herein. Also useful are propoxylated and ethoxylated derivatives of these materials. Nonlimiting examples include diisopropyl sebacate, diisopropyl adipate, isopropyl myristate, isopropyl palmitate, myristyl propionate, ethylene glycol distearate, 2-ethylhexyl palmitate, isodecyl neopentanoate, di-2-ethylhexyl maleate, cetyl palmitate, myristyl myristate, stearyl stearate, cetyl stearate, behenyl behenrate, dioctyl maleate, dioctyl sebacate, diisopropyl adipate, cetyl octanoate, diisopropyl dilinoleate, caprylic/capric triglyceride, PEG-6 caprylic/capric triglyceride, PEG-8 caprylic/capric triglyceride, and mixtures thereof.

Also useful are various C1-C30 monoesters and polyesters of glycerin and related materials. These esters are derived from glycerin and one or more carboxylic acid moieties. Depending on the constituent acid and glycerin, these esters can be in either liquid or solid form at room temperature. Nonlimiting examples of solid esters include: glyceryl tribehenate, glyceryl stearate, glyceryl palmitate, glyceryl distearate, glyceryl dipalmitate.

Also useful are various C1-C30 monoesters and polyesters of sugars and related materials. These esters are derived from a sugar or polyol moiety and one or more carboxylic acid moieties. Depending on the constituent acid and sugar, these esters can be in either liquid or solid form at room temperature. Examples of liquid esters include: glucose tetraoleate, the glucose tetraesters of soybean oil fatty acids (unsaturated), the mannose tetraesters of mixed soybean oil fatty acids, the galactose tetraesters of oleic acid, the arabinose tetraesters of linoleic acid, xylose tetralinoleate, galactose pentaoleate, sorbitol tetraoleate, the sorbitol hexaesters of unsaturated soybean oil fatty acids, xylitol pentaoleate, sucrose tetraoleate, sucrose pentaoleate, sucrose hexaoleate, sucrose hepatoleate, sucrose octaoleate, and mixtures thereof. Examples of solid esters include: sorbitol hexaester in which the carboxylic acid ester moieties are palmitoleate and arachidate in a 1:2 molar ratio; the octaester of raffinose in which the carboxylic acid ester moieties are linoleate and behenate in a 1:3 molar ratio; the heptaester of maltose wherein the esterifying carboxylic acid moieties are sunflower seed oil fatty acids and lignocerate in a 3:4 molar ratio; the octaester of sucrose wherein the esterifying carboxylic acid moieties are oleate and behenate in a 2:6 molar ratio; and the octaester of sucrose wherein the esterifying carboxylic acid moieties are laurate, linoleate and behenate in a 1:3:4 molar ratio. A preferred solid material is sucrose polyester in which the degree of esterification is 7-8, and in which the fatty acid moieties are C18 mono- and/or di-unsaturated and behenic, in a molar ratio of unsaturates:behenic of 1:7 to 3:5. A particularly preferred solid sugar polyester is the octaester of sucrose in which there are about 7 behenic fatty acid moieties and about 1 oleic acid moiety in the molecule. Other materials include cottonseed oil or soybean oil fatty acid esters of sucrose. The ester materials are further described in, U.S. Patent No. 2,831,854, U.S. Patent No. 4,005,196, to Jandacek, issued January 25, 1977; U.S. Patent No. 4,005,195, to Jandacek, issued January

25, 1977, U.S. Patent No. 5,306,516, to Letton et al., issued April 26, 1994; U.S. Patent No. 5,306,515, to Letton et al., issued April 26, 1994; U.S. Patent No. 5,305,514, to Letton et al., issued April 26, 1994; U.S. Patent No. 4,797,300, to Jandacek et al., issued January 10, 1989; U.S. Patent No. 3,963,699, to Rizzi et al., issued June 15, 1976; U.S. Patent No. 4,518,772, to Volpenhein, issued May 21, 1985; and U.S. Patent No. 4,517,360, to Volpenhein, issued May 21, 1985; all of which are incorporated by reference herein in their entirety.

Nonvolatile silicones such as polydialkylsiloxanes, polydiarylsiloxanes, and polyalkarylsiloxanes are also useful oils. These silicones are disclosed in U.S. Patent No. 5,069,897, to Orr, issued December 3, 1991, which is incorporated by reference herein in its entirety. The polyalkylsiloxanes correspond to the general chemical formula $R_3SiO[R_2SiO]_xSiR_3$ wherein R is an alkyl group (preferably R is methyl or ethyl, more preferably methyl) and x is an integer up to about 500, chosen to achieve the desired molecular weight. Commercially available polyalkylsiloxanes include the polydimethylsiloxanes, which are also known as dimethicones, nonlimiting examples of which include the Vicasil[®] series sold by General Electric Company and the Dow Corning[®] 200 series sold by Dow Corning Corporation. Specific examples of polydimethylsiloxanes useful herein include Dow Corning[®] 225 fluid having a viscosity of 10 centistokes and a boiling point greater than 200°C, and Dow Corning[®] 200 fluids having viscosities of 50, 350, and 12,500 centistokes, respectively, and boiling points greater than 200°C. Also useful are materials such as trimethylsiloxysilicate, which is a polymeric material corresponding to the general chemical formula $[(CH_3)_3SiO_{1/2}]_x[SiO_2]_y$, wherein x is an integer from about 1 to about 500 and y is an integer from about 1 to about 500. A commercially available trimethylsiloxysilicate is sold as a mixture with dimethicone as Dow Corning[®] 593 fluid. Also useful herein are dimethiconols, which are hydroxy terminated dimethyl silicones. These materials can be represented by the general chemical formulas $R_3SiO[R_2SiO]_xSiR_2OH$ and $HOR_2SiO[R_2SiO]_xSiR_2OH$ wherein R is an alkyl group (preferably R is methyl or ethyl, more preferably methyl) and x is an integer up to about 500, chosen to achieve the desired molecular weight. Commercially available dimethiconols are typically sold as mixtures with dimethicone or cyclomethicone (e.g. Dow Corning[®] 1401, 1402, and 1403 fluids). Also useful herein are polyalkylaryl siloxanes, with polymethylphenyl siloxanes having viscosities from about 15 to about 65 centistokes at 25°C being preferred. These materials are available, for example, as SF 1075 methylphenyl fluid (sold by General Electric Company) and 556 Cosmetic Grade phenyl trimethicone fluid (sold by Dow Corning Corporation).

Vegetable oils and hydrogenated vegetable oils are also useful herein. Examples of vegetable oils and hydrogenated vegetable oils include safflower oil, castor oil, coconut oil, cottonseed oil, menhaden oil, palm kernel oil, palm oil, peanut oil, soybean oil, rapeseed oil, linseed oil, rice bran oil, pine oil, sesame oil, sunflower seed oil, hydrogenated safflower oil, hydrogenated castor oil, hydrogenated coconut oil, hydrogenated cottonseed oil, hydrogenated menhaden oil, hydrogenated palm kernel oil, hydrogenated palm oil, hydrogenated peanut oil, hydrogenated soybean oil, hydrogenated rapeseed oil, hydrogenated

linseed oil, hydrogenated rice bran oil, hydrogenated sesame oil, hydrogenated sunflower seed oil, and mixtures thereof.

Also useful are C4-C20 alkyl ethers of polypropylene glycols, C1-C20 carboxylic acid esters of polypropylene glycols, and di-C8-C30 alkyl ethers. Nonlimiting examples of these materials include PPG-14 butyl ether, PPG-15 stearyl ether,, dioctyl ether, dodecyl octyl ether, and mixtures thereof.

Nonlimiting examples of conditioning agents useful as water soluble conditioning agents include those selected from the group consisting of polyhydric alcohols, polypropylene glycols, polyethylene glycols, ureas, pyrrolidone carboxylic acids, ethoxylated and/or propoxylated C3-C6 diols and triols, alpha-hydroxy C2-C6 carboxylic acids, ethoxylated and/or propoxylated sugars, polyacrylic acid copolymers, sugars having up to about 12 carbons atoms, sugar alcohols having up to about 12 carbon atoms, and mixtures thereof. Specific examples of useful water soluble conditioning agents include materials such as urea; guanidine; glycolic acid and glycolate salts (e.g. ammonium and quaternary alkyl ammonium); lactic acid and lactate salts (e.g. ammonium and quaternary alkyl ammonium); sucrose, fructose, glucose, eruthrose, erythritol, sorbitol, mannitol, glycerol, hexanetriol, propylene glycol, butylene glycol, hexylene glycol, and the like; polyethylene glycols such as PEG-2, PEG-3, PEG-30, PEG-50, polypropylene glycols such as PPG-9, PPG-12, PPG-15, PPG-17, PPG-20, PPG-26, PPG-30, PPG-34; alkoxylated glucose; hyaluronic acid; and mixtures thereof. Also useful are materials such as aloe vera in any of its variety of forms (e.g., aloe vera gel), chitin, starch-grafted sodium polyacrylates such as Sanwet (RTM) IM-1000, IM-1500, and IM-2500 (available from Celanese Superabsorbent Materials, Portsmouth, VA); lactamide monoethanolamine; acetamide monoethanolamine; and mixtures thereof. Also useful are propoxylated glycerols as described in propoxylated glycerols described in U.S. Patent No. 4,976,953, to Orr et al., issued December 11, 1990, which is incorporated by reference herein in its entirety.

The conditioning component of the present invention may also comprise a conditioning emulsion which is useful for providing a conditioning benefit to the skin or hair during the use of the product. The term "conditioning emulsion" as used herein means the combination of an internal phase comprising a water soluble conditioning agent that is enveloped by an external phase comprising an oil soluble agent. In preferred embodiments, the conditioning emulsion would further comprise an emulsifier. The conditioning emulsion comprises from about 0.25% to about 150%, preferably from about 0.5% to about 100%, and more preferably from about 1% to about 50% by weight of said water insoluble substrate. By a conditioning emulsion is meant a combination of an internal phase comprising a water soluble conditioning agent that is enveloped by an external phase comprising an oil soluble agent. In preferred embodiments, the conditioning emulsion would further comprise an emulsifier.

The conditioning emulsion comprises (i) an internal phase comprising water soluble conditioning agents as described above, and (ii) an external phase comprising oil soluble agents as described above. In further embodiments, the conditioning emulsion further comprises an emulsifier capable of forming an emulsion of said internal and external phases. Although an emulsifier capable of forming an emulsion of

the internal and external phases is preferred in the present invention, it is recognized in the art of skin care formulations that a water soluble conditioning agent can be enveloped by an oil soluble agent without an emulsifier. As long as the water soluble conditioning agent is enveloped by the oil soluble agent, thereby protected from being rinsed away during the cleansing process, the composition would be within the scope of the present invention.

The internal phase can optionally comprise other water-soluble or dispersible materials that do not adversely affect the stability of the conditioning emulsion. One such material is a water-soluble electrolyte. The dissolved electrolyte minimizes the tendency of materials present in the lipid phase to also dissolve in the water phase. Any electrolyte capable of imparting ionic strength to the internal phase can be used. Suitable electrolytes include the water soluble mono-, di- or trivalent inorganic salts such as water-soluble halides, e.g., chlorides, nitrates and sulfates of alkali metals and alkaline earth metals. Examples of such electrolytes include sodium chloride, calcium chloride, sodium sulfate, magnesium sulfate, and sodium bicarbonate. The electrolyte will typically be included in a concentration in the range of from about 1 to about 20% of the internal phase.

Other water-soluble or dispersible materials that can be present in the internal phase include thickeners and viscosity modifiers. Suitable thickeners and viscosity modifiers include water-soluble polyacrylic and hydrophobically modified polyacrylic resins such as Carbopol and Pemulen, starches such as corn starch, potato starch, tapioca, gums such as guar gum, gum arabic, cellulose ethers such as hydroxypropyl cellulose, hydroxyethyl cellulose, carboxymethyl cellulose, and the like. These thickeners and viscosity modifiers will typically be included in a concentration in the range of from about 0.05 to about 0.5% of the internal phase.

Other water soluble or dispersible materials that can be present in the internal water phase include polycationic polymers to provide steric stabilization at the water-lipid interface and nonionic polymers that also stabilize the water-in-lipid-emulsion. Suitable polycationic polymers include Reten 201, Kymene 557H® and Acco 7112. Suitable nonionic polymers include polyethylene glycols (PEG) such as Carbowax. These polycationic and nonionic polymers will typically be included in a concentration in the range of from about 0.1 to about 1.0% of the internal phase.

Preferred embodiments of the present invention which contain conditioning emulsions comprise an emulsifier capable of forming an emulsion of the internal and external phases. In the emulsions of the present invention, the emulsifier is included in an effective amount. What constitutes an "effective amount" will depend on a number of factors including the respective amounts of the oil soluble agents, the type of emulsifier used, the level of impurities present in the emulsifier, and like factors. Typically, the emulsifier comprises from about 0.1% to about 20%, preferably from about 1% to about 10%, and more preferably from about 3% to about 6% by weight of the conditioning emulsion.

The emulsifiers useful in the present invention typically are oil soluble or miscible with the oil soluble external phase materials, especially at the temperature at which the lipid material melts. It also

should have a relatively low HLB value. Emulsifiers suitable for use in the present invention have HLB values typically in the range of from about 1 to about 7 and can include mixtures of different emulsifiers. Preferably, these emulsifiers will have HLB values from about 1.5 to about 6, and more preferably from about 2 to about 5.

A wide variety of emulsifiers are useful herein and include, but not limited to, those selected from the group consisting of sorbitan esters, glyceryl esters, polyglyceryl esters, methyl glucose esters, sucrose esters, ethoxylated fatty alcohols, hydrogenated castor oil ethoxylates, sorbitan ester ethoxylates, polymeric emulsifiers, and silicone emulsifiers.

Sorbitan esters are useful in the present invention. Preferable are sorbitan esters of C16-C22 saturated, unsaturated and branched chain fatty acids. Because of the manner in which they are typically manufactured, these sorbitan esters usually comprise mixtures of mono-, di-, tri-, etc. esters. Representative examples of suitable sorbitan esters include sorbitan monooleate (e.g., SPAN® 80), sorbitan sesquioleate (e.g., Arlacel® 83), sorbitan monoisostearate (e.g., CRILL® 6 made by Croda), sorbitan stearates (e.g., SPAN® 60), sorbitan triooleate (e.g., SPAN® 85), sorbitan tristearate (e.g., SPAN® 65), sorbitan dipalmitates (e.g., SPAN® 40), and sorbitan isostearate. Sorbitan monoisostearate and sorbitan sesquioleate are particularly preferred emulsifiers for use in the present invention.

Other suitable emulsifiers for use in the present invention include, but is not limited to, glyceryl monoesters, preferably glyceryl monoesters of C16-C22 saturated, unsaturated and branched chain fatty acids such as glyceryl oleate, glyceryl monostearate, glyceryl monopalmitate, glyceryl monobehenate, and mixtures thereof; polyglyceryl esters of C16-C22 saturated, unsaturated and branched chain fatty acids, such as polyglyceryl-4 isostearate, polyglyceryl-3 oleate, diglycerol monooleate, tetraglycerol monooleate and mixtures thereof; methyl glucose esters, preferably methyl glucose esters of C16-C22 saturated, unsaturated and branched chain fatty acids such as methyl glucose dioleate, methyl glucose sesquiisostearate, and mixtures thereof; sucrose fatty acid esters, preferably sucrose esters of C12-C22 saturated, unsaturated and branched chain fatty acids such as sucrose stearate, sucrose trilaurate, sucrose distearate (e.g., Crodesta® F10), and mixtures thereof; C12-C22 ethoxylated fatty alcohols such as oleth-2, oleth-3, steareth-2, and mixtures thereof; hydrogenated castor oil ethoxylates such as PEG-7 hydrogenated castor oil; sorbitan ester ethoxylates such as PEG-40 sorbitan peroleate, Polysorbate-80, and mixtures thereof; polymeric emulsifiers such as ethoxylated dodecyl glycol copolymer; and silicone emulsifiers such as laurylmethicone copolyol, cetyldimethicone, dimethicone copolyol, and mixtures thereof.

In addition to these primary emulsifiers, the compositions of the present invention can optionally contain a coemulsifier to provide additional water-lipid emulsion stability. Suitable coemulsifiers include, but is not limited to, phosphatidyl cholines and phosphatidyl choline-containing compositions such as lecithins; long chain C16-C22 fatty acid salts such as sodium stearate; long chain C16-C22 dialiphatic, short chain C1-C4 dialiphatic quaternary ammonium salts such as ditallow dimethyl ammonium chloride

and ditallow dimethyl ammonium methylsulfate; long chain C16-C22 dialkoyl(alkenoyl)-2-hydroxyethyl, short chain C1-C4 dialiphatic quaternary ammonium salts such as ditallowoyl-2-hydroxyethyl dimethyl ammonium chloride; the long chain C16-C22 dialiphatic imidazolinium quaternary ammonium salts such as methyl-1-tallow amido ethyl-2-tallow imidazolinium methylsulfate and methyl-1-oleyl amido ethyl-2-oleyl imidazolinium methylsulfate; short chain C1-C4 dialiphatic, long chain C16-C22 monoaliphatic benzyl quaternary ammonium salts such as dimethyl stearyl benzyl ammonium chloride, and synthetic phospholipids such as stearamidopropyl PG-dimonium chloride (Phospholipid PTS from Mona Industries).

LIPID HARDNESS VALUE

The conditioning component of the present invention will have a minimum lipid hardness value about 0.02 kg. The lipid hardness value is a physical hardness measurement of the combination of all conditioning agents within the conditioning component. It is believed that increasing the lipid hardness value increases deposition consistency of the conditioning agents despite variations in lathering techniques employed by the consumer. It is believed that increasing conditioning component hardness decreases transfer within the substrate and also decreases emulsification of the conditioning agents by the surfactants during the lathering step. As a result, more of the conditioning agents remain available for mechanical transfer via contact with the skin or hair.

The conditioning component of the present invention has a lipid hardness value of greater than about 0.02 kg, preferably greater than about 0.05, and more preferably greater than about 0.10. Preferably, the lipid hardness value of the conditioning component should not be greater than about 5.00 kg., more preferably about 4.00 kg, most preferably 3.00, because hardness levels beyond this point can negatively affect deposition of the conditioning agents in the conditioning component to the skin or hair.

Lipid Hardness Test

The lipid hardness value is measured by a test traditionally used to measure bar soap hardness. A Chatillon force gauge is employed to measure the hardness value of a 5-8 oz. sample of the conditioning component. Several readings are taken, each on a fresh sample, to obtain an average value. The Chatillon force gauge model no. DFIS100 is manufactured by Chatillon Corporation which is located in Greensboro, North Carolina.

Materials Used to Increase Lipid Hardness Value

The cleansing and conditioning articles of the present invention comprise a hardening material used in combination with the conditioning agents comprising the conditioning component described hereinbefore. Many materials can be used as both a conditioning agent and as a lipid hardening material. In fact, any solid conditioning agent, described hereinbefore, may be used as a lipid hardening material. The amount of the hardening material needed to achieve the minimum lipid hardness value of 0.02 kg. is dependent upon the particular material used and can be easily determined by one of ordinary skill in the art. The hardening material can be used as an individual hardening material or a combination of hardening

materials, and is included at concentrations ranging from about 0.1% to about 99.9%, preferably from about 0.5% to about 75%, more preferably from about 1% to about 50%, even more preferably from about 2% to about 25%, by weight of the conditioning component.

As used herein the term "hardening materials" refers to those materials which have a melting point above about 30°C, preferably above about 30°C to about 250°C, more preferably from about 37°C to about 100°C, even more preferably from about 37°C to about 80°C.

Any material may be used to increase the lipid hardness value of the conditioning component provided that the following criteria are met: (i) the material must be soluble in the conditioning agents of the conditioning component and (ii) the material must have a melting point of greater than 20° C (e.g., be a solid at room temperature). Examples of suitable hardening materials include, but are not limited to, petrolatum, highly branched hydrocarbons, fatty alcohols, fatty acid esters, vegetable oils, hydrogenated vegetable oils, polypropylene glycols, alpha-hydroxy fatty acids, fatty acids having from about 10 to about 40 carbon atoms, alkyl amides of di and/or tri-basic carboxylic acids, n-acyl amino acid derivatives, and mixtures thereof. Hardening materials useful in the present invention are further described in U.S. Patent No. 4,919,934, to Deckner et al., issued April 24 1990, which is incorporated herein by reference in its entirety.

Suitable highly branched hydrocarbons for use herein include hydrocarbon compounds having from about 17 to about 40 carbon atoms. Nonlimiting examples of these hydrocarbon compounds include squalane, cholesterol, lanolin, docosane (i.e. a C₂₂ hydrocarbon), and isoparaffins.

Suitable fatty alcohols for use herein include monohydric alcohols, ethoxylated fatty alcohols, and fatty alcohol esters, excluding the ethoxylated fatty alcohols and fatty alcohol esters useful as emulsifiers herein. Specific examples of commercially available fatty alcohols include, but are not limited to, Unilin 550, Unilin 700, Unilin 425, Unilin 400, Unilin 350, and Unilin 325, all supplied by Petrolite. Suitable ethoxylated fatty alcohols include, but are not limited, Unithox 325, Unithox 400, and Unithox 450, Unithox 480, Unithox 520, Unithox 550, Unithox 720, Unithox 750, all of which are available from Petrolite. Non-limiting examples of suitable esters of fatty alcohols include tri-isostearyl citrate, ethyleneglycol di-12-hydroxystearate, tristearylcitrate, stearyl octanoate, stearyl heptanoate, trilaurylcitrate.

Suitable fatty acid esters for use herein include ester waxes, monoglycerides, diglycerides, triglycerides and mixtures thereof. Non-limiting examples of suitable ester waxes include stearyl stearate, stearyl behenate, palmityl stearate, stearyl octyldodecanol, cetyl esters, cetearyl behenate, behenyl behenate, ethylene glycol distearate, ethylene glycol dipalmitate, and beeswax. Examples of commercial ester waxes include Kester waxes from Koster Keunen, Crodamol SS from Croda and Demalcare SPS from Rhone Poulenc.

Vegetable oils and hydrogenated vegetable oils which are solid or semi-solid at ambient temperatures of from about 20°C to about 25°C are also useful herein as hardening materials. Examples of

suitable vegetable oils and hydrogenated vegetable oils include butterfat, chicken fat, goose fat, horse fat, lard (fatty tissue) oil, rabbit fat, sardine oil, tallow (beef), tallow (mutton), chinese vegetable tallow, babassu oil, cocoa butter, coconut oil, palm oil, palm kernel oil, hydrogenated safflower oil, hydrogenated castor oil, hydrogenated coconut oil, hydrogenated cottonseed oil, hydrogenated menhaden oil, hydrogenated palm kernel oil, hydrogenated palm oil, hydrogenated peanut oil, hydrogenated soybean oil, hydrogenated rapeseed oil, hydrogenated linseed oil, hydrogenated rice bran oil, hydrogenated sesame oil, hydrogenated sunflower seed oil, derivatives thereof and mixtures thereof.

Suitable polypropylene glycols for use herein include C₄-C₁₆ alkyl ethers of polypropylene glycols, and C₁-C₁₆ carboxylic acid esters of polypropylene glycols. Nonlimiting examples of these materials include PPG-14 butyl ether, PPG-15 stearyl ether, PPG-9, PPG-12, PPG-15, PPG-17, PPG-20, PPG-26, PPG-30, PPG-34, and mixtures thereof.

Examples of suitable alpha-hydroxy fatty acids and fatty acids having from about 10 to about 40 carbon atoms include 12-hydroxystearic acid, 12-hydroxylauric acid, 16-hydroxyhexadecanoic acid, behenic acid, eurcic acid, stearic acid, caprylic acid, lauric acid, isostearic acid, and mixtures thereof. Examples of some suitable fatty acids are further described in U.S. Patent 5,429,816, issued to Hofrichter et al. on July 4, 1995; and U.S. Patent 5,552,136, issued to Motley on September 3, 1996, which descriptions are incorporated herein by reference.

Suitable alkyl amides of di and/or tri-basic carboxylic acids for use herein include disubstituted or branched monoamides, monosubstituted or branched diamides, triamides, and mixtures thereof. Some specific examples of alkyl amides of di- and tri-basic carboxylic acids include, but are not limited to, alkyl amides of citric acid, tricarballic acid, aconitic acid, nitrilotriacetic acid and itaconic acid such as 1,2,3-propane tributylamide, 2-hydroxy-1,2,3-propane tributylamide, 1-propene-1,2,3-trioctylamide, N,N',N"-tri(methyldecylamide)amine, 2 docecyl-N,N'-dibutylsuccinamide, and mixtures thereof. Other suitable amides include the n-acyl amino acid derivatives described in U.S. Patent 5,429,816, issued to Hofrichter et al. on July 4, 1995.

Also suitable for use in the present invention are waxes having a HLB of from about 1 to about 10, preferably from about 6 and most preferably from about 5. The HLB (short for "Hydrophile-Lipophile Balance") value system is fully described, and values for various materials are provided, in the publication *The Time-Saving Guide to Emulsifier Selection* (published by ICI Americas Inc., Wilmington, Del.; 1984), the disclosure of which are incorporated herein by reference in their entirety.

Useful ester waxes include C₁₀-C₄₀ fatty acid, diesters, of C₁₀-C₄₀ fatty acids where the alcohol is propylene glycol, ethylene glycol, polyethylene glycol, polypropylene glycol, polyglycerin, or glycerin, triglycerides or diglycerides of C₁₀-C₄₀ fatty acids, pentaerythritol tri- or tetra- esters of C₁₀-C₄₀ fatty acids, C₁₀-C₄₀ fatty acids of sorbitan triesters, C₁₀-C₄₀ fatty acids of sucrose polyesters having 3-8 moles of substitution, myristyl myristate, paraffin, synthetic waxes such as Fischer-Tropsche waxes,

microcrystalline waxes, castor wax, partially hydrogenated vegetable oils, behenyl behenrate and myristyl propionate and mixtures thereof.

Useful diester waxes include Synchrowax ERL-C (C18-36 acid glycolester) (available from Croda) and propylene glycol diester waxes including ethylene glycol distearate and glycol distearate. Useful triglyceride waxes include Shea Butter, Cocoa Butter, Synchrowax HGL-C (C18-36 acid triglyceride), Synchrowax HRC (tribehenin), Synchrowax HRS-C [tribehenin (and) calcium behenate] (all available from Croda Inc.), Tristearin, trimyristate and fully hydrogenated vegetable oils and mixtures thereof. Preferred is a mixture of diester and triglyceride waxes in a ratio of from about 5:1 to about 1:1 and more preferably from about 4:1 to about 1:1.

Waxes useful in the compositions of this invention are disclosed in the following, all of which are incorporated by reference herein in their entirety: U.S. Pat No. 5,219,558 to Woodin, Jr. et al., issued June 15, 1993; U.S. Pat. No. 4,049,792, to Elsnau, issued Sept. 20, 1977; U.S. Pat. No. 4,151,272, to Geary et al., issued Apr. 24, 1975; U.S. Pat. No. 4,229,432, to Geria, issued Oct. 21, 1980; U.S. Pat No. 4,280,994, to Turney, issued Jul. 28, 1981; U.S. Pat. No. 4,126,679, to Davy et al., issued Nov. 21, 1978; and European Patent Application Publication Number 117,070 to May, published Aug. 29, 1984, "The Chemistry and Technology of Waxes", A. H. Warth, 2nd Edition, reprinted in 1960, Reinhold Publishing Corporation, pp. 391-393 and 421; "The Petroleum Chemicals Industry", R. F. Goldstein and A. L. Waddeam, 3rd Edition (1967), E & F. N. Span Ltd., pp. 33-40; "The Chemistry and Manufacture of Cosmetics", M. G. DeNavarre, 2nd Edition (1970), Van Nostrand & Company, pp. 354-376; and in "Encyclopedia of Chemical Technology", Vol. 24, Kirk-Othmer, 3rd Edition (1979) pp. 466-481.

Additional non-limiting examples of useful hardening materials are those selected from the group consisting of sorbitan esters, glyceryl esters, polyglyceryl esters, methyl glucose esters, sucrose esters, ethoxylated fatty alcohols, hydrogenated castor oil ethoxylates, sorbitan ester ethoxylates, polymeric emulsifiers, and silicone emulsifiers.

Sorbitan esters are useful in the present invention. Preferable are sorbitan esters of C16-C22 saturated, unsaturated and branched chain fatty acids. Because of the manner in which they are typically manufactured, these sorbitan esters usually comprise mixtures of mono-, di-, tri-, etc. esters. Representative examples of suitable sorbitan esters include sorbitan monooleate (e.g., SPAN® 80), sorbitan sesquioleate (e.g., Arlacel® 83), sorbitan monoisostearate (e.g., CRILL® 6 made by Croda), sorbitan stearates (e.g., SPAN® 60), sorbitan triooleate (e.g., SPAN® 85), sorbitan tristearate (e.g., SPAN® 65), sorbitan dipalmitates (e.g., SPAN® 40), and sorbitan isostearate. Sorbitan monoisostearate and sorbitan sesquioleate are particularly preferred emulsifiers for use in the present invention.

Other suitable hardeners for use in the present invention include, but is not limited to, glyceryl monoesters, preferably glyceryl monoesters of C16-C22 saturated, unsaturated and branched chain fatty acids such as glyceryl oleate, glyceryl monostearate, glyceryl monopalmitate, glyceryl monobehenate, and mixtures thereof; polyglyceryl esters of C16-C22 saturated, unsaturated and branched chain fatty acids,

such as polyglyceryl-4 isostearate, polyglyceryl-3 oleate, diglycerol monooleate, tetraglycerol monooleate and mixtures thereof; methyl glucose esters, preferably methyl glucose esters of C16-C22 saturated, unsaturated and branched chain fatty acids such as methyl glucose dioleate, methyl glucose sesquiisostearate, and mixtures thereof; sucrose fatty acid esters, preferably sucrose esters of C12-C22 saturated, unsaturated and branched chain fatty acids such as sucrose stearate, sucrose trilaurate, sucrose distearate (e.g., Crodesta® F10), and mixtures thereof; C12-C22 ethoxylated fatty alcohols such as oleth-2, oleth-3, steareth-2, and mixtures thereof; hydrogenated castor oil ethoxylates such as PEG-7 hydrogenated castor oil; sorbitan ester ethoxylates such as PEG-40 sorbitan peroleate, Polysorbate-80, and mixtures thereof; polymeric emulsifiers such as ethoxylated dodecyl glycol copolymer; and silicone emulsifiers such as laurylmethicone copolyol, cetyldimethicone, dimethicone copolyol, and mixtures thereof.

Other useful hardeners include, but is not limited to, phosphatidyl cholines and phosphatidyl choline-containing compositions such as lecithins; long chain C16-C22 fatty acid salts such as sodium stearate; long chain C16-C22 dialiphatic, short chain C1-C4 dialiphatic quaternary ammonium salts such as ditallow dimethyl ammonium chloride and ditallow dimethyl ammonium methylsulfate; long chain C16-C22 dialkoyl(alkenoyl)-2-hydroxyethyl, short chain C1-C4 dialiphatic quaternary ammonium salts such as ditallowoyl-2-hydroxyethyl dimethyl ammonium chloride; the long chain C16-C22 dialiphatic imidazolinium quaternary ammonium salts such as methyl-1-tallow amido ethyl-2-tallow imidazolinium methylsulfate and methyl-1-oleyl amido ethyl-2-oleyl imidazolinium methylsulfate; short chain C1-C4 dialiphatic, long chain C16-C22 monoaliphatic benzyl quaternary ammonium salts such as dimethyl stearyl benzyl ammonium chloride, and synthetic phospholipids such as stearamidopropyl PG-dimonium chloride (Phospholipid PTS from Mona Industries).

WEIGHT RATIOS AND WEIGHT PERCENTAGES

In the present invention, the weight ratio of the lathering surfactant to the conditioning component is less than about 40:7, preferably less than about 5:1, more preferably less than about 2.5:1, and more preferably less than about 1:1.

In certain embodiments of the present invention, the cleansing and conditioning component, which is defined as comprising a lathering surfactant and a conditioning component further comprising an oil soluble conditioning agent and a water soluble conditioning agent, the lathering surfactant comprises from about 1% to about 75%, preferably from about 10% to about 65%, and more preferably from about 15% to about 45%, by weight of the cleansing and conditioning component, and the conditioning component comprises from about 15% to about 99%, preferably from about 20% to about 75%, and more preferably from about 25% to about 55%, by weight of the cleansing and conditioning component.

ADDITIONAL INGREDIENTS

The products of the present invention can comprise a wide range of optional ingredients. Some of these ingredients are listed in more detail herein. Particularly useful are various active ingredients useful for delivering various non-conditioning or non-cleansing benefits of the skin or hair during the cleansing and conditioning process. In these compositions, the product is useful for delivering the active ingredient to the skin or hair.

ACTIVE INGREDIENTS

The compositions of the present invention can comprise a safe and effective amount of one or more active ingredients or pharmaceutically-acceptable salts thereof.

The term "safe and effective amount" as used herein, means an amount of an active ingredient high enough to modify the condition to be treated or to deliver the desired skin benefit, but low enough to avoid serious side effects, at a reasonable benefit to risk ratio within the scope of sound medical judgment. What is a safe and effective amount of the active ingredient will vary with the specific active, the ability of the active to penetrate through the skin, the age, health condition, and skin condition of the user, and other like factors.

The active ingredients useful herein can be categorized by their therapeutic benefit or their postulated mode of action. However, it is to be understood that the active ingredients useful herein can in some instances provide more than one therapeutic benefit or operate via more than one mode of action. Therefore, classifications herein are made for the sake of convenience and are not intended to limit the active ingredient to that particular application or applications listed. Also, pharmaceutically-acceptable salts of these active ingredients are useful herein. The following active ingredients are useful in the compositions of the present invention.

Anti-Acne Actives: Examples of useful anti-acne actives include the keratolytics such as salicylic acid (o-hydroxybenzoic acid), derivatives of salicylic acid such as 5-octanoyl salicylic acid, and resorcinol; retinoids such as retinoic acid and its derivatives (e.g., cis and trans); sulfur-containing D and L amino acids and their derivatives and salts, particularly their N-acetyl derivatives, a preferred example of which is N-acetyl-L-cysteine; lipoic acid; antibiotics and antimicrobials such as benzoyl peroxide, octopirox, tetracycline, 2,4,4'-trichloro-2'-hydroxy diphenyl ether, 3,4,4'-trichlorobanilide, azelaic acid and its derivatives, phenoxyethanol, phenoxypropanol, phenoxyisopropanol, ethyl acetate, clindamycin and meclocycline; sebastats such as flavonoids; and bile salts such as scymnol sulfate and its derivatives, deoxycholate, and cholate.

Anti-Wrinkle and Anti-Skin Atrophy Actives: Examples of antiwrinkle and anti-skin atrophy actives include retinoic acid and its derivatives (e.g., cis and trans); retinol; retinyl esters; niacinamide, salicylic acid and derivatives thereof; sulfur-containing D and L amino acids and their derivatives and salts, particularly the N-acetyl derivatives, a preferred example of which is N-acetyl-L-cysteine; thiols, e.g. ethane thiol; hydroxy acids, phytic acid, lipoic acid; lysophosphatidic acid, and skin peel agents (e.g., phenol and the like).

Non-Steroidal Anti-Inflammatory Actives (NSAIDS): Examples of NSAIDS include the following categories: propionic acid derivatives; acetic acid derivatives; fenamic acid derivatives; biphenylcarboxylic acid derivatives; and oxicams. All of these NSAIDS are fully described in U.S. Patent 4,985,459 to Sunshine et al., issued January 15, 1991, incorporated by reference herein in its entirety. Examples of useful NSAIDS include acetyl salicylic acid, ibuprofen, naproxen, benoxaprofen, flurbiprofen, fenoprofen, fenbufen, ketoprofen, indoprofen, piroprofen, carprofen, oxaprozin, pranoprofen, miroprofen, tioxaprofen, suprofen, alminoprofen, tiaprofenic acid, fluprofen and bucloxic acid. Also useful are the steroidal anti-inflammatory drugs including hydrocortisone and the like.

Topical Anesthetics: Examples of topical anesthetic drugs include benzocaine, lidocaine, bupivacaine, chlorprocaine, dibucaine, etidocaine, mepivacaine, tetracaine, dyclonine, hexylcaine, procaine, cocaine, ketamine, pramoxine, phenol, and pharmaceutically acceptable salts thereof.

Artificial Tanning Agents and Accelerators: Examples of artificial tanning agents and accelerators include dihydroxyacetone, tyrosine, tyrosine esters such as ethyl tyrosinate, and phospho-DOPA.

Antimicrobial and Antifungal Actives: Examples of antimicrobial and antifungal actives include β -lactam drugs, quinolone drugs, ciprofloxacin, norfloxacin, tetracycline, erythromycin, amikacin, 2,4,4'-trichloro-2'-hydroxy diphenyl ether, 3,4,4'-trichlorobanilide, phenoxyethanol, phenoxy propanol, phenoxyisopropanol, doxycycline, capreomycin, chlorhexidine, chlortetracycline, oxytetracycline, clindamycin, ethambutol, hexamidine isethionate, metronidazole, pentamidine, gentamicin, kanamycin, lineomycin, methacycline, methenamine, minocycline, neomycin, netilmicin, paromomycin, streptomycin, tobramycin, miconazole, tetracycline hydrochloride, erythromycin, zinc erythromycin, erythromycin estolate, erythromycin stearate, amikacin sulfate, doxycycline hydrochloride, capreomycin sulfate, chlorhexidine gluconate, chlorhexidine hydrochloride, chlortetracycline hydrochloride, oxytetracycline hydrochloride, clindamycin hydrochloride, ethambutol hydrochloride, metronidazole hydrochloride, pentamidine hydrochloride, gentamicin sulfate, kanamycin sulfate, lineomycin hydrochloride, methacycline hydrochloride, methenamine hippurate, methenamine mandelate, minocycline hydrochloride, neomycin sulfate, netilmicin sulfate, paromomycin sulfate, streptomycin sulfate, tobramycin sulfate, miconazole hydrochloride, amantadine hydrochloride, amantadine sulfate, octopirox, parachlorometa xylenol, nystatin, tolnaftate, zinc pyrithione and clotrimazole.

Preferred examples of actives useful herein include those selected from the group consisting of salicylic acid, benzoyl peroxide, 3-hydroxy benzoic acid, glycolic acid, lactic acid, 4-hydroxy benzoic acid, acetyl salicylic acid, 2-hydroxybutanoic acid, 2-hydroxypentanoic acid, 2-hydroxyhexanoic acid, cis-retinoic acid, trans-retinoic acid, retinol, phytic acid, N-acetyl-L-cysteine, lipoic acid, azelaic acid, arachidonic acid, benzoylperoxide, tetracycline, ibuprofen, naproxen, hydrocortisone, acetaminophen, resorcinol, phenoxyethanol, phenoxypropanol, phenoxyisopropanol, 2,4,4'-trichloro-2'-hydroxy diphenyl ether, 3,4,4'-trichlorocarbanilide, octopirox, lidocaine hydrochloride, clotrimazole, miconazole, neocycin sulfate, and mixtures thereof.

Sunscreen Actives: Also useful herein are suncreening actives. A wide variety of suncreening agents are described in U.S. Patent No. 5,087,445, to Haffey et al., issued February 11, 1992; U.S. Patent No. 5,073,372, to Turner et al., issued December 17, 1991; U.S. Patent No. 5,073,371, to Turner et al. issued December 17, 1991; and Segarin, et al., at Chapter VIII, pages 189 et seq., of Cosmetics Science and Technology, all of which are incorporated herein by reference in their entirety. Nonlimiting examples of sunscreens which are useful in the compositions of the present invention are those selected from the group consisting of 2-ethylhexyl *p*-methoxycinnamate, 2-ethylhexyl *N,N*-dimethyl-*p*-aminobenzoate, *p*-aminobenzoic acid, 2-phenylbenzimidazole-5-sulfonic acid, octocrylene, oxybenzone, homomenthyl salicylate, octyl salicylate, 4,4'-methoxy-*t*-butyldibenzoylmethane, 4-isopropyl dibenzoylmethane, 3-benzylidene camphor, 3-(4-methylbenzylidene) camphor, titanium dioxide, zinc oxide, silica, iron oxide, and mixtures thereof. Still other useful sunscreens are those disclosed in U.S. Patent No. 4,937,370, to Sabatelli, issued June 26, 1990; and U.S. Patent No. 4,999,186, to Sabatelli et al., issued March 12, 1991; these two references are incorporated by reference herein in their entirety. Especially preferred examples of these sunscreens include those selected from the group consisting of 4-*N,N*-(2-ethylhexyl)methylaminobenzoic acid ester of 2,4-dihydroxybenzophenone, 4-*N,N*-(2-ethylhexyl)methylaminobenzoic acid ester with 4-hydroxydibenzoylmethane, 4-*N,N*-(2-ethylhexyl)methylaminobenzoic acid ester of 2-hydroxy-4-(2-hydroxyethoxy)benzophenone, 4-*N,N*-(2-ethylhexyl)methylaminobenzoic acid ester of 4-(2-hydroxyethoxy)dibenzoylmethane, and mixtures thereof. Exact amounts of sunscreens which can be employed will vary depending upon the sunscreen chosen and the desired Sun Protection Factor (SPF) to be achieved. SPF is a commonly used measure of photoprotection of a sunscreen against erythema. See Federal Register, Vol. 43, No. 166, pp. 38206-38269, August 25, 1978, which is incorporated herein by reference in its entirety.

Nonlimiting examples of preferred actives useful herein include those selected from the group consisting of salicylic acid, benzoyl peroxide, niacinamide, *cis*-retinoic acid, *trans*-retinoic acid, retinol, retinyl palmitate, phytic acid, *N*-acetyl L-cysteine, azelaic acid, lipoic acid, resorcinol, lactic acid, glycolic acid, ibuprofen, naproxen, hydrocortisone, phenoxyethanol, phenoxypropanol, phenoxyisopropanol, 2,4,4'-trichloro-2'-hydroxy diphenyl ether, 3,4,4'-trichlorocarbanilide, 2-ethylhexyl *p*-methoxycinnamic acid, oxybenzone, 2-phenylbenzimidazole-5-sulfonic acid, dihydroxyacetone, and mixtures thereof.


Cationic Surfactants

The products of the present invention can also optionally comprise one or more cationic surfactants, provided these materials are selected so as not to interfere with the overall lathering characteristics of the required, lathering surfactants. Cationic surfactants are useful as anti-static agents or as emulsifiers.

Nonlimiting examples of cationic surfactants useful herein are disclosed in McCutcheon's, Detergents and Emulsifiers, North American edition (1986), published by allured Publishing Corporation;

and McCutcheon's, Functional Materials, North American Edition (1992); both of which are incorporated by reference herein in their entirety.

Nonlimiting examples of cationic surfactants useful herein include cationic alkyl ammonium salts such as those having the formula:



wherein R_1 is selected from an alkyl group having from about 12 to about 18 carbon atoms, or aromatic, aryl or alkaryl groups having from about 12 to about 18 carbon atoms; R_2 , R_3 , and R_4 are independently selected from hydrogen, an alkyl group having from about 1 to about 18 carbon atoms, or aromatic, aryl or alkaryl groups having from about 12 to about 18 carbon atoms; and X is an anion selected from chloride, bromide, iodide, acetate, phosphate, nitrate, sulfate, methyl sulfate, ethyl sulfate, tosylate, lactate, citrate, glycolate, and mixtures thereof. Additionally, the alkyl groups can also contain ether linkages, or hydroxy or amino group substituents (e.g., the alkyl groups can contain polyethylene glycol and polypropylene glycol moieties).

More preferably, R_1 is an alkyl group having from about 12 to about 18 carbon atoms; R_2 is selected from H or an alkyl group having from about 1 to about 18 carbon atoms; R_3 and R_4 are independently selected from H or an alkyl group having from about 1 to about 3 carbon atoms; and X is as described in the previous paragraph.

Most preferably, R_1 is an alkyl group having from about 12 to about 18 carbon atoms; R_2 , R_3 , and R_4 are selected from H or an alkyl group having from about 1 to about 3 carbon atoms; and X is as described previously.

Alternatively, other useful cationic surfactants include amino-amides, wherein in the above structure R_1 is alternatively $R_5CO-(CH_2)_n$, wherein R_5 is an alkyl group having from about 12 to about 22 carbon atoms, and n is an integer from about 2 to about 6, more preferably from about 2 to about 4, and most preferably from about 2 to about 3. Nonlimiting examples of these cationic emulsifiers include stearamidopropyl PG-dimonium chloride phosphate, stearamidopropyl ethyldimonium ethosulfate, stearamidopropyl dimethyl (myristyl acetate) ammonium chloride, stearamidopropyl dimethyl cetearyl ammonium tosylate, stearamidopropyl dimethyl ammonium chloride, stearamidopropyl dimethyl ammonium lactate, and mixtures thereof.

Nonlimiting examples of quaternary ammonium salt cationic surfactants include those selected from the group consisting of cetyl ammonium chloride, cetyl ammonium bromide, lauryl ammonium chloride, lauryl ammonium bromide, stearyl ammonium chloride, stearyl ammonium bromide, cetyl dimethyl ammonium chloride, cetyl dimethyl ammonium bromide, lauryl dimethyl ammonium chloride, lauryl dimethyl ammonium bromide, stearyl dimethyl ammonium chloride, stearyl dimethyl ammonium bromide, cetyl trimethyl ammonium chloride, cetyl trimethyl ammonium bromide, lauryl trimethyl

ammonium chloride, lauryl trimethyl ammonium bromide, stearyl trimethyl ammonium chloride, stearyl trimethyl ammonium bromide, lauryl dimethyl ammonium chloride, stearyl dimethyl cetyl ditallow dimethyl ammonium chloride, dicetyl ammonium chloride, dicetyl ammonium bromide, dilauryl ammonium chloride, dilauryl ammonium bromide, distearyl ammonium chloride, distearyl ammonium bromide, dicetyl methyl ammonium chloride, dicetyl methyl ammonium bromide, dilauryl methyl ammonium chloride, dilauryl methyl ammonium bromide, distearyl methyl ammonium chloride, distearyl dimethyl ammonium chloride, distearyl methyl ammonium bromide, and mixtures thereof. Additional quaternary ammonium salts include those wherein the C12 to C22 alkyl carbon chain is derived from a tallow fatty acid or from a coconut fatty acid. The term "tallow" refers to an alkyl group derived from tallow fatty acids (usually hydrogenated tallow fatty acids), which generally have mixtures of alkyl chains in the C16 to C18 range. The term "coconut" refers to an alkyl group derived from a coconut fatty acid, which generally have mixtures of alkyl chains in the C12 to C14 range. Examples of quaternary ammonium salts derived from these tallow and coconut sources include ditallow dimethyl ammonium chloride, ditallow dimethyl ammonium methyl sulfate, di(hydrogenated tallow) dimethyl ammonium chloride, di(hydrogenated tallow) dimethyl ammonium acetate, ditallow dipropyl ammonium phosphate, ditallow dimethyl ammonium nitrate, di(coconutalkyl)dimethyl ammonium chloride, di(coconutalkyl)dimethyl ammonium bromide, tallow ammonium chloride, coconut ammonium chloride, stearamidopropyl PG-dimonium chloride phosphate, stearamidopropyl ethyldimonium ethosulfate, stearamidopropyl dimethyl (myristyl acetate) ammonium chloride, stearamidopropyl dimethyl cetearyl ammonium tosylate, stearamidopropyl dimethyl ammonium chloride, stearamidopropyl dimethyl ammonium lactate, and mixtures thereof.

Preferred cationic surfactants useful herein include those selected from the group consisting of dilauryl dimethyl ammonium chloride, distearyl dimethyl ammonium chloride, dimyristyl dimethyl ammonium chloride, dipalmityl dimethyl ammonium chloride, distearyl dimethyl ammonium chloride, and mixtures thereof.

Other Optional Ingredients

The compositions of the present invention can comprise a wide range of other optional components. These additional components should be pharmaceutically acceptable. The CTFA Cosmetic Ingredient Handbook, Second Edition, 1992, which is incorporated by reference herein in its entirety, describes a wide variety of nonlimiting cosmetic and pharmaceutical ingredients commonly used in the skin care industry, which are suitable for use in the compositions of the present invention. Nonlimiting examples of functional classes of ingredients are described at page 537 of this reference. Examples of these and other functional classes include: abrasives, absorbents, anticaking agents, antioxidants, vitamins, binders, biological additives, buffering agents, bulking agents, chelating agents, chemical additives, colorants, cosmetic astringents, cosmetic biocides, denaturants, drug astringents, external analgesics, film

formers, fragrance components, humectants, opacifying agents, pH adjusters, preservatives, propellants, reducing agents, skin bleaching agents, and sunscreens agents.

Also useful herein are aesthetic components such as fragrances, pigments, colorings, essential oils, skin sensates, astringents, skin soothing agents, and skin healing agents.

METHODS OF MANUFACTURE

The disposable, single use personal care cleansing and conditioning products of the present invention are manufactured by separately or simultaneously adding onto or impregnating into a water insoluble substrate a lathering surfactant and a conditioning agent, wherein said resulting product is substantially dry. By "separately" is meant that the surfactants and conditioning agents can be added sequentially, in any order without first being combined together. By "simultaneously" is meant that the surfactants and conditioning agents can be added at the same time, with or without first being combined together.

For example, the lathering surfactants can first be added onto or impregnated into the water insoluble substrate followed by the conditioning agents, or vice versa. Alternatively, the lathering surfactants and conditioning agents can be added onto or impregnated into the water insoluble substrate at the same time. Alternatively, the lathering surfactants and the conditioning agents can be combined together before adding onto or impregnating into the water insoluble substrate.

The surfactant, conditioning agents, and any optional ingredients can be added onto or impregnated into the water insoluble substrate by any means known to those skilled in the art: for example, by spraying, laser printing, splashing, dipping, soaking, or coating.

When water or moisture is used or present in the manufacturing process, the resulting treated substrate is then dried so that it is substantially free of water. The treated substrate can be dried by any means known to those skilled in the art. Nonlimiting examples of known drying means include the use of convection ovens, radiant heat sources, microwave ovens, forced air ovens, and heated rollers or cans. Drying also includes air drying without the addition of heat energy, other than that present in the ambient environment. Also, a combination of various drying methods can be used.

METHODS OF CLEANSING AND CONDITIONING THE SKIN OR HAIR

The present invention also relates to a method of cleansing and conditioning the skin or hair with a personal cleansing product of the present invention. These methods comprise the steps of wetting with water a substantially dry, disposable, single use personal cleansing product comprising a water insoluble substrate, a lathering surfactant, and a conditioning component, and contacting the skin or hair with such wetted product. In further embodiments, the present invention is also useful for delivering various active ingredients to the skin or hair.

The products of the present invention are substantially dry and are intended to be wetted with water prior to use. The product is wetted by immersion in water or by placing it under a stream of water. Lather is generated from the product by mechanically agitating and/or deforming the product either prior

to or during contact of the product with the skin or hair. The resulting lather is useful for cleansing and conditioning the skin or hair. During the cleansing process and subsequent rinsing with water, the conditioning agents and active ingredients are deposited onto the skin or hair. Deposition of conditioning agents and active ingredients are enhanced by the physical contact of the substrate with the skin or hair.

METHOD OF CONSISTENTLY DEPOSITING CONDITIONING AGENTS AND ANY ACTIVE INGREDIENTS ONTO THE SKIN OR HAIR

The articles of the present invention are useful for consistently depositing the conditioning agents of the present invention to the skin or hair. In further embodiments where an active ingredient is present, the compositions are also useful for consistently depositing the active ingredient to the skin or hair.

The products of the present invention have a deposition consistency of greater than about 60%, preferably greater than about 65%, more preferably greater than about 70%, and most preferably greater than about 75%.

The deposition consistency measurement is the quotient obtained from dividing the deposition of conditioning agents via "non-ideal lathering and use" by deposition of conditioning agents via "ideal lathering and use." Non-ideal lathering, as used herein, means that lathering is achieved by rubbing the surface of the product containing the conditioning agents and then contacting the skin or hair with the same surface. This causes inefficient deposition of the conditioning agents because some of the conditioning agents become emulsified by the surfactant. Ideal lathering, as used herein, means that lathering is achieved by rubbing the surface of the product not containing conditioning agents and then contacting the skin or hair with the surface containing the conditioning component. The same reference points would apply if both surfaces of the substrate are treated with the conditioning agents (e.g. deposition obtained from lathering and contacting the skin with the same lathered surface containing emulsified conditioning agents versus contacting the skin with the non-lathered surface which contains non-emulsified conditioning agents). Deposition consistency is maximized when the lipid hardness value is greater than about 0.02 kg.

Quantification of the conditioning component deposited on the skin or hair can be measured using a variety of standard analytical techniques well known to the chemist of ordinary skill in the art. Such methods include for instance extraction of an area of the skin or hair with a suitable solvent followed by analysis by chromatography (i.e. gas chromatography, liquid chromatography, supercritical fluid chromatography, etc.), IR spectroscopy, UV/VIS spectroscopy, mass spectrometry, etc. Direct measurements can also be made on the skin or hair by techniques such as IR spectroscopy, UV/VIS spectroscopy, opacity measurements, fluoresce spectroscopy, ESCA spectroscopy, and the like.

In a typical method for measuring deposition, a product of the present invention is wetted with water and squeezed and agitated to generate a lather. The product is then rubbed for approximately 15 seconds on a site, approximately about 25 cm² to about 300 cm², preferably about 50 cm² to about 100 cm², on the skin or head which has been demarcated using an appropriate indelible marker. The site is

then rinsed for approximately 10 seconds and then allowed to air dry for approximately 10 minutes. The site is then either extracted and the extracts analyzed, or analyzed directly using any techniques such as those exemplified above.

EXAMPLES

The following examples further describe and demonstrate embodiments within the scope of the present invention. In the following examples, all ingredients are listed at an active level. The examples are given solely for the purpose of illustration and are not to be construed as limitations of the present invention, as many variations thereof are possible without departing from the spirit and scope of the invention.

Ingredients are identified by chemical or CTFA name, and all weights are in percent actives.

I. Surfactant Phase

In a suitable vessel, the following ingredients are mixed at room temperature. Once the polyquaternium is dispersed, the mixture is heated to 65°C.

<u>Ingredients</u>	<u>Weight Percent</u>				
	Example 1	Example 2	Example 3	Example 4	Example 5
Water	QS 100	QS 100	QS 100	QS 100	QS 100
Polyquaternium-10	0.25	0.25	0.25	0.25	0.25

While the above mixture is being heated to 65°C the following ingredients are added to the mixture.

Disodium EDTA	0.10	0.10	0.10	0.10	0.10
Glycerin	3.00	3.00	3.00	3.00	3.00
Sodium Lauroyl Lactylate	3.33	3.33	3.33	3.33	3.33
Cocamidopropyl Betaine	3.33	3.33	3.33	3.33	3.33
Decyl Polyglucoside	3.33	3.33	3.33	3.33	3.33

Once the above ingredients are thoroughly mixed begin cooling the mixture to 45°C. In a separate mixing vessel add the following:

Water	2.0	2.0	2.0	2.0	2.0
Butylene Glycol	2.0	2.0	2.0	2.0	2.0
Glydant Plus	0.2	0.2	0.2	0.2	2.0

Once the Glydant Plus is dissolved add this mixture to the first mixing vessel and cool to room temperature. Once cooled, apply 1.5 g of this solution to a non-woven substrate and then dry.

PHASE 2: CONDITIONING PHASE:

In a suitable vessel, the following ingredients are mixed at room temperature and heated to 70°C during mixing.

SEFA* Cottonate	48.00	75.00	80.00	70.00	80.00
SEFA* Behenate	12.00	25.00—	---	10.00	10.00
Petrolatum	10.00		—	—	—
Glyceryl Tribehenate	5.00				
Stearyl Alcohol	---		20.00	5.00	
Paraffin	---			15.00	
Cholesterol Ester	25.00				
Ozokerite Wax					10.00

¹ Available as Abil WE-09 from Glodschmidt

* SEFA is an acronym for sucrose esters of fatty acids

Cool to Room Temperature while mixing. Then add 0.17 g of this phase to the substrate already containing the surfactants from the Surfactant Phase. The resulting cleansing product is used by wetting with water and is useful for cleansing the skin or hair and for depositing the conditioning agents onto the skin or hair in a consistent manner.

The resulting lipid hardness values and the deposition consistencies are as follows:

	Example 1	Example 2	Example 3	Example 4	Example 5
Lipid Hardness Value	0.20	2.00	0.025	5.00	1.00
Deposition Consistency	66%	75%	61%	82%	67%

In alternative manufacturing procedures, the lathering surfactants, conditioning emulsions, and optional ingredients are separately or simultaneously added onto or impregnated into the water insoluble substrate by spraying, printing, splashing, dipping, or coating.

In alternative embodiments, other substrates such as woven substrates, hydroentangled substrates, natural sponges, synthetic sponges, or polymeric netted meshes are substituted for the present substrate.

- The discussion of the background to the invention herein is included to explain the context of the invention. This is not to be taken as an admission that any of the material
- 5 referred to was published, known or part of the common general knowledge in Australia as at the priority date of any of the claims.

8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A disposable, single use personal care cleansing and conditioning product
 5 which, upon wetting, can be used to simultaneously cleanse and deposit conditioning agents onto the skin or hair, which product comprises:

- (A) a water insoluble substrate,
- (B) at least one lathering surfactant added onto or impregnated into said substrate, and
- 10 (C) a conditioning component added onto or impregnated into said substrate, separately from said lathering surfactant, said conditioning component having a lipid hardness value of greater than about 0.02 kg, wherein said product is substantially dry prior to use.

15 2. A product according to claim 1, wherein said lathering surfactant comprises from about 0.5% to about 12.5% by weight of said water insoluble substrate, said conditioning component comprises from about 1% to about 99% by weight of said water insoluble substrate, and said lipid hardness value of the conditioning component is greater than about 0.05 kg.

20 3. A product according to claim 1, wherein said water insoluble substrate comprises at least one material selected from the group consisting of silks, keratins, celluloses, acetates, acrylics, cellulose esters, modacrylics, polyamides, polyesters, polyolefins, polyvinyl alcohols, wood pulp, cotton, hemp, jute, flax, acrylics, nylons,
 25 polyesters, polypropylenes, polyethylenes, polyvinyl acetates, polyurethanes, rayon, and mixtures thereof.

4. A product according to claim 3, wherein said water insoluble substrate is selected from the group consisting of nonwoven substrates, woven substrates,
 30 hydroentangled substrates, natural sponges, synthetic sponges, polymeric netted meshes, formed films, and mixtures thereof.




5. A product according to claim 4, wherein said water insoluble substrate comprises at least two sheets of fibers each in turn having different textures.

5 6. A product according to claim 1, wherein said lathering surfactant is selected from the group consisting of anionic lathering surfactants, nonionic lathering surfactants, amphoteric lathering surfactants, and mixtures thereof.

7. A product according to claim 6, wherein said anionic lathering surfactant is
10 selected from the group consisting of sarcosinates, sulfates, isethionates, phosphates, taurates, and mixtures thereof; wherein said nonionic lathering surfactant is selected from the group consisting of amine oxides, alkyl glucosides, alkyl polyglucosides, polyhydroxy fatty acid amides, alkoxylated fatty acid esters, sucrose esters, and mixtures thereof; and wherein said amphoteric lathering
15 surfactant is selected from the group consisting of betaines, sultaines, hydroxysultaines, alkyliminoacetates, iminodialkanoates, aminoalkanoates, and mixtures thereof.

8. A product according to claim 7, wherein said anionic lathering surfactant is
20 selected from the group consisting of ammonium lauroyl sarcosinate, sodium trideceth sulfate, sodium lauroyl sarcosinate, ammonium laureth sulfate, sodium laureth sulfate, ammonium lauryl sulfate, sodium lauryl sulfate, ammonium cocoyl isethionate, sodium cocoyl isethionate, sodium lauroyl isethionate, sodium cetyl sulfate, and mixtures thereof; wherein said nonionic lathering surfactant is selected
25 from the group consisting of lauramine oxide, cocoamine oxide, decyl polyglucose, lauryl polyglucose, C12-14 glucose amides, sucrose cocoate, sucrose laurate, and mixtures thereof; and wherein said amphoteric lathering surfactant is selected from the group consisting of disodium lauroamphodiacetate, sodium lauroamphoacetate, cetyl dimethyl betaine, cocoamidopropyl betaine, cocoamidopropyl hydroxy sultaine,
30 and mixtures thereof.

9. A product according to claim 1, wherein said conditioning component comprises at least one oil soluble conditioning agent and at least one lipid hardening



material such that the weighted arithmetic mean solubility parameter of said oil
5 soluble conditioning agent is less than or equal to 10.5.

10. A product according to claim 9, wherein said oil soluble conditioning agent and
lipid hardening material is selected from the group consisting of fatty acids, esters of
fatty acids, fatty alcohols, ethoxylated alcohols, polyol polyesters, glycerin mono-
10 esters, glycerin polyesters, epidermal and sebaceous hydrocarbons, lanolin, straight
and branched hydrocarbons, silicone oil, silicone gum, vegetable oil, vegetable oil
adduct, hydrogenated vegetable oils, non-ionic polymers, natural waxes, synthetic
waxes, polyolefinic glycols, polyolefinic monoester, polyolefinic polyesters,
cholesterols, cholesterol esters and mixtures thereof.

15 11. A product according to claim 10, wherein said oil soluble conditioning agent
and lipid hardening material is selected from the group consisting of C7-C100 straight
and branched chain hydrocarbons, C1-C30 monoesters and polyesters of sugars,
polyol polyesters, C1-C30 fatty acids, C1-C30 fatty alcohols, C1-C30 ethoxylated
20 alcohols, glycerin mono and tri-esters, cholesterols, cholesterol esters, natural
waxes, synthetic waxes and mixtures thereof.

12. A product according to claim 11, wherein said oil soluble conditioning agent
and lipid hardening material is selected from the group consisting of paraffin, mineral
25 oil, petrolatum, cholesterols, cholesterol esters, stearyl alcohol, cetyl alcohol, cetearyl
alcohol, behenyl alcohol, C10-30 polyesters of sucrose, stearic acid, palmitic acid,
behenic acid, oleic acid, linoleic acid, myristic acid, lauric acid, ricinoleic acid,
steareth-1-100, cetereath 1-100, cholesterols, cholesterol esters, glyceryl
tribehenate, glyceryl dipalmitate, glyceryl monostearate, trihydroxystearin, ozokerite
30 wax, jojoba wax, lanolin wax, ethylene glycol distearate, candelilla wax, carnauba
wax, beeswax, and silicone waxes.



13. A product according to claim 1, wherein said conditioning component is a conditioning emulsion comprising,

- 5 (A) an internal phase comprising a water soluble conditioning agent selected from one or more water soluble agents such that the weighted arithmetic mean solubility parameter of said water soluble conditioning agent is greater than 10.5, and
- 10 (B) an external phase comprising an oil soluble agent selected from one or more oil soluble agents such that the weighted arithmetic mean solubility parameter of said water soluble conditioning agent is greater than 10.5.

14. A product according to claim 1, wherein said cleansing product further comprises a safe and effective amount of one or more active ingredients selected from the group consisting of anti-acne actives, anti-wrinkle and anti-skin actives, non-
 15 stearoidal anti-inflammatory actives, topical anesthetics, artificial tanning agents and accelerators, anti-microbial and anti-fungal agents, sunscreen actives, anti-oxidants and mixtures thereof.

20 15. A product according to claim 14, wherein said active ingredient is selected from the group consisting of salicylic acid, niacinamide, benzoyl peroxide, cis-retinoic acid, trans-retinoic acid, retinol, retinyl palmitate, phytic acid, N-acetyl L-cysteine, azelaic acid, lipoic acid, resorcinol, lactic acid, glycolic acid, ibuprofen, naproxen, hydrocortisone, phenoxyethanol, phenoxypropanol, phenoxyisopropanol, 2,4,4,'-
 25 trichloro-2'-hydroxy diphenyl ether, 3,4,4'-trichlorocarbanilide, 2-ethylhexyl p-methoxycinnamic acid, oxybenzone, 2-phenylbenzimidazole-5-sulfonic acid, dihydroxyacetone, and mixtures thereof.

16. A disposable, single use personal care cleansing and conditioning product
 30 which, upon wetting, can be used to simultaneously cleanse and deposit conditioning agents onto the skin or hair, which product comprises:



- (A) a water insoluble substrate, and
- (B) a cleansing and conditioning composition comprising:
 - (i) at least one lathering surfactant added onto or impregnated into said substrate, and
 - (ii) a conditioning component added onto or impregnated into said substrate separately from said lathering surfactant, said conditioning component having a lipid hardness value of greater than about 0.02 kg,

wherein the weight ratio of the lathering surfactant to the conditioning component is less than about 20:1, and wherein said product is substantially dry prior to use.

17. A product according to claim 16, wherein said lathering surfactant comprises from about 1% to about 75% by weight of said cleansing and conditioning composition, and said conditioning component comprises from about 5% to about 99% by weight of said cleansing and conditioning composition.

18. A method of manufacturing a disposable, single use personal care cleansing and conditioning product which upon wetting, can be used to simultaneously cleanse and deposit conditioning agents onto the skin or hair, comprising the steps of adding

- (A) at least one lathering surfactant added onto or impregnated into said substrate, and
 - (B) a conditioning component added onto or impregnated into said substrate separately from said lathering surfactant, having a lipid hardness value of greater than about 0.02 kg, wherein the weight ratio of the lathering surfactant to the conditioning component is less than about 20:1, and
- wherein said resulting product is substantially dry prior to use.

19. A method of manufacturing a product according to claim 18, wherein said lathering surfactant is added onto or impregnated into said substrate separately from



said conditioning component by spraying, laser printing, splashing, dipping, or coating.

5

20. A method of cleansing and conditioning the skin or hair with a personal cleansing product which upon wetting, can be used to simultaneously cleanse and deposit conditioning agents onto the skin or hair, said method comprising the steps of:

10 (A) wetting with water a substantially dry, disposable, single use personal cleansing product comprising:

- (i) a water insoluble substrate,
- (ii) at least one lathering surfactant added onto or impregnated into said substrate, and

15 (iii) a conditioning component added onto or impregnated into said substrate separately from said lathering surfactant, having a lipid hardness value of greater than about 0.02 kg, wherein the weight ratio of the lathering surfactant to the conditioning component is less than about 20:1, and

20 (B) contacting the skin or hair with said wetted product.

21. A product according to claim 1, substantially as hereinbefore described with reference to any one of the Examples.

25 22. A product according to claim 16, substantially as hereinbefore describe with reference to any one of the Examples.

23. A method according to claim 18, substantially as hereinbefore described with reference to any one of the Examples.



24. A method according to claim 20, substantially as hereinbefore described with
5 reference to any one of the Examples.

DATED: 27 December, 2001

10 PHILLIPS ORMONDE & FITZPATRICK

Attorneys for:

THE PROCTER & GAMBLE COMPANY

