



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>7</sup> : C11D 1/83, 3/02 // 3/20, 3/34, 1:14, 1:75</p>	A1	<p>(11) International Publication Number: <b>WO 00/32725</b></p> <p>(43) International Publication Date: 8 June 2000 (08.06.00)</p>
<p>(21) International Application Number: PCT/US99/28376</p> <p>(22) International Filing Date: 1 December 1999 (01.12.99)</p> <p>(30) Priority Data: 09/204,406 2 December 1998 (02.12.98) US 09/343,985 29 June 1999 (29.06.99) US</p> <p>(71) Applicant: COLGATE-PALMOLIVE COMPANY [US/US]; 300 Park Avenue, New York, NY 10022 (US).</p> <p>(72) Inventors: GAMBOGI, Joan; 5 Manor Drive, Belle Mead, NJ 08502 (US). ARVANITIDOU, Evangelia; 40 Curtis Court, Kendall Park, NJ 08824 (US). ZYZYCK, Leonard; 25 Honeysuckle Court, Skillman, NJ 08558 (US).</p> <p>(74) Agent: NANFELDT, Richard, E.; Colgate-Palmolive Com- pany, 909 River Road, Piscataway, NJ 08855-1343 (US).</p>	<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	
<p>(54) Title: HIGH FOAMING, GREASE CUTTING LIGHT DUTY LIQUID DETERGENT</p>		
<p>(57) Abstract</p>		
<p>A light duty, liquid comprising: a paraffin sulfonate, an alpha olefin sulfonate, an amine oxide, a magnesium containing inorganic compound, and water.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## HIGH FOAMING, GREASE CUTTING LIGHT DUTY LIQUID DETERGENT

Background of the Invention

5           The present invention relates to novel light duty liquid detergent compositions with high foaming and good grease cutting properties.

          The prior art is replete with light duty liquid detergent compositions containing nonionic surfactants in combination with anionic and/or betaine surfactants wherein the nonionic detergent is not the major active surfactant. In U.S. Patent No. 3,658,985 an  
10    anionic based shampoo contains a minor amount of a fatty acid alkanolamide. U.S. Patent No. 3,769,398 discloses a betaine-based shampoo containing minor amounts of nonionic surfactants. This patent states that the low foaming properties of nonionic detergents renders its use in shampoo compositions non-preferred. U.S. Patent No. 4,329,335 also discloses a shampoo containing a betaine surfactant as the major  
15    ingredient and minor amounts of a nonionic surfactant and of a fatty acid mono- or di-ethanolamide. U.S. Patent No. 4,259,204 discloses a shampoo comprising 0.8 to 20% by weight of an anionic phosphoric acid ester and one additional surfactant which may be either anionic, amphoteric, or nonionic. U.S. Patent No. 4,329,334 discloses an anionic-amphoteric based shampoo containing a major amount of anionic surfactant  
20    and lesser amounts of a betaine and nonionic surfactants.

          U.S. Patent No. 3,935,129 discloses a liquid cleaning composition containing an alkali metal silicate, urea, glycerin, triethanolamine, an anionic detergent and a nonionic detergent. The silicate content determines the amount of anionic and/or nonionic detergent in the liquid cleaning composition. However, the foaming properties of these  
25    detergent compositions are not discussed therein.

          U.S. Patent No. 4,129,515 discloses a heavy duty liquid detergent for laundering fabrics comprising a mixture of substantially equal amounts of anionic and nonionic

surfactants, alkanolamines and magnesium salts, and, optionally, zwitterionic surfactants as suds modifiers.

U.S. Patent No. 4,224,195 discloses an aqueous detergent composition for laundering socks or stockings comprising a specific group of nonionic detergents,  
5 namely, an ethylene oxide of a secondary alcohol, a specific group of anionic detergents, namely, a sulfuric ester salt of an ethylene oxide adduct of a secondary alcohol, and an amphoteric surfactant which may be a betaine, wherein either the anionic or nonionic surfactant may be the major ingredient.

The prior art also discloses detergent compositions containing all nonionic  
10 surfactants as shown in U.S. Patent Nos. 4,154,706 and 4,329,336 wherein the shampoo compositions contain a plurality of particular nonionic surfactants in order to affect desirable foaming and deterative properties despite the fact that nonionic surfactants are usually deficient in such properties.

U.S. Patent No. 4,013,787 discloses a piperazine based polymer in conditioning  
15 and shampoo compositions which may contain all nonionic surfactant or all anionic surfactant.

U.S. Patent No. 4,450,091 discloses high viscosity shampoo compositions containing a blend of an amphoteric betaine surfactant, a polyoxybutylenepolyoxyethylene nonionic detergent, an anionic surfactant, a fatty acid  
20 alkanolamide and a polyoxyalkylene glycol fatty ester. But, none of the exemplified compositions contain an active ingredient mixture wherein the nonionic detergent is present in major proportion which is probably due to the low foaming properties of the polyoxybutylene polyoxyethylene nonionic detergent.

U.S. Patent No. 4,595,526 describes a composition comprising a nonionic  
25 surfactant, a betaine surfactant, an anionic surfactant and a C<sub>12</sub>-C<sub>14</sub> fatty acid monoethanolamide foam stabilizer.

### Summary of the Invention

It has now been found that a high foaming liquid detergent properties can be formulated with a paraffin sulfonate, an alpha olefin sulfonate, an amine oxide, and magnesium ions.

5 Accordingly, one object of this invention is to provide novel, high foaming, light duty liquid detergent compositions containing an alpha olefin sulfonate surfactant.

To achieve the foregoing and other objects and in accordance with the purpose of the present invention, as embodied and broadly described herein the novel, high foaming, light duty liquid detergent of this invention comprises an alpha olefin sulfonate,  
10 an amine oxide, magnesium ions and water wherein the composition does not contain an alkyl benzene sulfonate surfactant, an ethoxylated alkyl ether sulfate surfactant, a glycol ether solvent, an ethoxylated and/or propoxylated nonionic surfactant, a zwitterionic surfactant, a mono- or di-saccharides a polyoxyalkylene glycol fatty acid, a builder, a polymeric thickener, an acid, a clay, a fatty acid alkanol amide, abrasive,  
15 silicas, triclosan, alkaline earth metal carbonates, alkyl glycine surfactant, cyclic imidinium surfactant, or more than 0.2 wt. % of a perfume or water insoluble hydrocarbon other than trichlorocarbanilibe.

### Detailed Description of the Invention

The present invention relates to a light duty liquid detergent which comprises by  
20 weight:

- (a) 6% to 30% of a paraffin sulfonate surfactant;
- (b) 12% to 22% of an alpha olefin sulfonate surfactant;
- (c) 3% to 12% of an amine oxide surfactant;
- (d) 0.25% to 13% of magnesium containing inorganic compound; and
- 25 (e) the balance being water wherein the composition does not contain a glycol ether solvent, an ethoxylated and/or propoxylated nonionic surfactant, a zwitterionic surfactant, an alkyl benzene sulfonate surfactant, an ethoxylated alkyl ether sulfate surfactant, a polyoxyalkylene glycol fatty acid, a mono- or di-saccharides, a

builder, a polymeric thickener, an acid, a clay, a fatty acid alkanol amide, abrasive, silicas, triclosan, alkaline earth metal carbonates, alkyl glycine surfactant, cyclic imidinium surfactant, or more than 0.2 wt. % of a perfume or water insoluble hydrocarbon other than trichlorocarbanilibe.


5           The C<sub>12</sub>-C<sub>20</sub> paraffin sulfonates used at a concentration of 6 wt. % to 30 wt. %, more preferably 8 wt. % to 14 wt. % in the instant compositions may be monosulfonates or di-sulfonates and usually are mixtures thereof, obtained by sulfonating paraffins of 10 to 20 carbon atoms. Preferred paraffin sulfonates are those of C<sub>12</sub>-18 carbon atoms chains, and more preferably they are of C<sub>14</sub>-17 chains.

10          Paraffin sulfonates that have the sulfonate group(s) distributed along the paraffin chain are described in U.S. Patents 2,503,280; 2,507,088; 3,260,744 and 3,372,188 and also in German Patent 735,096. Such compounds may be made to specifications and desirably the content of paraffin sulfonates outside the C<sub>14</sub>-17 range will be minor and will be minimized, as will be any contents of di- or poly-sulfonates.

15           The present invention also contains 12 wt. % to 30 wt. %, more preferably 20 wt. % to 24 wt. % of an alpha olefin sulfonates, including long-chain alkene sulfonates, long-chain hydroxyalkane sulfonates or mixtures of alkene sulfonates and hydroxyalkane sulfonates. These alpha olefin sulfonate surfactants may be prepared in a known manner by the reaction of sulfur trioxide (SO<sub>3</sub>) with long-chain olefins


20          containing 8 to 25, preferably 12 to 21 carbon atoms and having the formula RCH=CHR<sub>1</sub> where R is a higher alkyl group of 6 to 23 carbons and R<sub>1</sub> is an alkyl group of 1 to 17 carbons or hydrogen to form a mixture of sultones and alkene sulfonic acids which is then treated to convert the sultones to sulfonates. Preferred alpha olefin sulfonates contain from 14 to 16 carbon atoms in the R alkyl group and are obtained by  
25          sulfonating an a-olefin.

          The amine oxides used at a concentration of 3 to 10 wt. %, more preferably 4 wt. % to 8 wt. % in forming the light duty liquid compositions are depicted by the formula:



5

wherein R<sub>1</sub> is a C<sub>10</sub>-C<sub>18</sub> a linear or branched chain alkyl group, R<sub>2</sub> is a C<sub>1</sub>-C<sub>16</sub> linear alkyl group and R<sub>3</sub> is a C<sub>1</sub>-C<sub>16</sub> linear alkyl group, or the amido radical:



10

wherein R is an alkyl group having 9 to 19 carbon atoms and a is the integer 1 to 4; R<sub>2</sub> and R<sub>3</sub> are each alkyl groups having 1 to 3 carbons and preferably 1 carbon;

The magnesium inorganic compound used at a concentration of 0.25 wt. % to 3 wt. %, more preferably 0.5 wt. % to 2 wt. % of the instant composition is a magnesium oxide, sulfate or chloride. The magnesium salt or oxide provides several benefits including improved cleaning performance in dilute usage, particularly in soft water areas. Magnesium sulfate, either anhydrous or hydrated (e.g., heptahydrate), is especially preferred as the magnesium salt. Good results also have been obtained with magnesium oxide, magnesium chloride, magnesium acetate, magnesium propionate and magnesium hydroxide. These magnesium salts can be used with formulations at neutral or acidic pH since magnesium hydroxide will not precipitate at these pH levels.

15

20

The water is present at a concentration of 40 wt. % to 83 wt. %.

In addition to the previously mentioned essential and optional constituents of the light duty liquid detergent, one may also employ normal and conventional adjuvants, provided they do not adversely affect the properties of the detergent. Thus, there may be used various coloring agents and perfumes; ultraviolet light absorbers such as the Uvinuls, which are products of GAF Corporation; sequestering agents such as ethylene diamine tetraacetates; magnesium sulfate heptahydrate; pH modifiers; etc. The proportion of such adjuvant materials, in total will normally not exceed 15% by weight of

25

30

the detergent composition, and the percentages of most of such individual components will be a maximum of 5% by weight and preferably less than 2% by weight. Sodium formate or formalin can be included in the formula as a preservative at a concentration of 0.1 to 4.0 wt. %. Sodium bisulfite can be used as a color stabilizer at a concentration  
5 of 0.01 to 0.2 wt. %.

The present light duty liquid detergents such as dishwashing liquids are readily made by simple mixing methods from readily available components which, on storage, do not adversely affect the entire composition. Solubilizing agent such as ethanol, sodium chloride and/or sodium xylene or sodium xylene sulfonate are used to assist in  
10 solubilizing the surfactants. The viscosity of the light duty liquid composition desirably will be at least 100 centipoises (cps) at room temperature, but may be up to 1,000 centipoises as measured with a Brookfield Viscometer using a number 21 spindle rotating at 20 rpm. The viscosity of the light duty liquid composition may approximate those of commercially acceptable light duty liquid compositions now on the market.  
15 The viscosity of the light duty liquid composition and the light duty liquid composition itself remain stable on storage for lengthy periods of time, without color changes or settling out of any insoluble materials. The pH of the composition is substantially neutral to skin, e.g., 4.5 to 8 and preferably 5.0 to 7.0. The pH of the composition can be adjusted by the addition of Na<sub>2</sub>O (caustic soda) to the composition.

20 The instant compositions have a minimum foam volume of 350 mls after 40 rotation at 25°C as measured by the foam volume test using 0.033 wt. % of the composition in 150 ppm of water. The foam test is an inverted cylinder test in which 100 ml. of a 0.033 wt. % LDL formula in 150 ppm of H<sub>2</sub>O is placed in a stoppered graduate cylinder (500 ml) and inverted 40 cycles at a rate of 30 cycles/minute. After  
25 40 inversions, the foam volume which has been generated is measured in mls inside the graduated cylinder. This value includes the 100 ml of LDL solution inside the cylinder.



The following examples illustrate liquid cleaning compositions of the described invention. Unless otherwise specified, all percentages are by weight. The exemplified compositions are illustrative only and do not limit the scope of the invention. Unless otherwise specified, the proportions in the examples and elsewhere in the specification are by weight.

#### Description of the Preferred Embodiments

##### Example 1

The following formulas were prepared at room temperature by simple liquid mixing procedures as previously described

	A	B
C14/C16 Sodium alpha olefin sulfonate	16	24
Cocoamido propyl amine oxide	5.5	10
C14-C17 Paraffin Sulfonate	22.5	12
Magnesium Chloride 6-Hydrate	4.2	4.2
Water	Bal.	Bal.
Foam Volume (ml)	362	398

WHAT IS CLAIMED IS

1. A light duty liquid detergent composition comprising by weight:
  - (a) 6% to 30% of a C<sub>10</sub>-C<sub>20</sub> paraffin sulfonate;
  - (b) 12% to 26% of an alpha olefin sulfonate;
  - 5 (c) 3% to 10% of an amine oxide;
  - (d) 0.25% to 3% of a magnesium containing inorganic compound; and
  - (e) the balance being water.
2. A light duty liquid composition according to Claim 1 which includes, in addition, 1% to 15% by weight of a solubilizing agent which is ethanol, sodium chloride  
10 and/or a water soluble salts of C<sub>1</sub>-C<sub>3</sub> substituted benzene sulfonate hydrotropes and mixtures thereof.
3. A light duty liquid composition according to Claim 1 further including a preservative.
4. A light duty liquid composition according to Claim 1 further including a  
15 color stabilizer.
5. A light duty liquid cleaning composition according to Claim 1 wherein said magnesium containing inorganic compound is magnesium sulfate.

# INTERNATIONAL SEARCH REPORT

Inter national Application No

PCT/US 99/28376

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC 7 C11D1/83 C11D3/02 //C11D3/20,C11D3/34,C11D1:14,C11D1:75

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	US 5 858 955 A (STRINGER ET AL) 12 January 1999 (1999-01-12) claim 1 column 13, line 37 -column 14, line 29 ---	1-5
P, X	US 5 922 672 A (STRINGER ET AL) 13 July 1999 (1999-07-13) claims 1-3 column 14, line 29 - line 48 ---	1-5
X	US 5 415 801 A (OFOSU-ASANTE KOFI) 16 May 1995 (1995-05-16)	1,2,5
Y	column 1, line 34 -column 2, line 48 column 9, line 1 - line 27 column 9, line 38 -column 11, line 35 claims 1,4,8,9,11 --- -/--	1,3,4

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

\* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

10 April 2000

Date of mailing of the international search report

18/04/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Serbetsoglou, A

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/28376

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 629 279 A (ERILLI RITA ET AL) 13 May 1997 (1997-05-13) claims 1,2,4,7,8 ----	1,3,4
X	US 4 297 251 A (BERNARDINO LOWELL W) 27 October 1981 (1981-10-27) column 2, line 14 -column 3, line 26 claim 1; example I ----	1,2
X	WO 95 07971 A (PROCTER & GAMBLE) 23 March 1995 (1995-03-23) claims 1,3,8,9; examples page 13, line 19 - line 35 page 15, line 28 - line 35 ----	1,2
X	GB 2 292 562 A (PROCTER & GAMBLE) 28 February 1996 (1996-02-28) claims 1,10; examples page 23, paragraph 1 - paragraph 2 page 4 -page 5 ----	1,2
X	WO 95 20028 A (PROCTER & GAMBLE) 27 July 1995 (1995-07-27) claims 1,3,6,10 ----	1,2
X	WO 95 20027 A (PROCTER & GAMBLE) 27 July 1995 (1995-07-27) claims 1,3,4,8,9 ----	1,2
A	WO 97 47717 A (COLGATE PALMOLIVE CO) 18 December 1997 (1997-12-18) claims 1-3,5 -----	1,2

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/28376

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5858955 A	12-01-1999	US 5939378 A	17-08-1999
US 5922672 A	13-07-1999	NONE	
US 5415801 A	16-05-1995	AU 7452694 A WO 9506107 A	21-03-1995 02-03-1995
US 5629279 A	13-05-1997	AT 145934 T AU 6774094 A DE 69401066 D DE 69401066 T DK 699228 T EP 0699228 A WO 9425554 A	15-12-1996 21-11-1994 16-01-1997 03-07-1997 02-06-1997 06-03-1996 10-11-1994
US 4297251 A	27-10-1981	NONE	
WO 9507971 A	23-03-1995	AT 178649 T AU 705510 B AU 4510397 A AU 685844 B AU 7643894 A BR 9407498 A CA 2170024 A CN 1133610 A CZ 9600760 A DE 69417755 D DE 69417755 T EP 0719321 A ES 2131703 T FI 961173 A GR 3030286 T HU 74045 A JP 2904930 B JP 9502758 T NO 961001 A NZ 273214 A PL 313441 A SK 31996 A US 5599400 A US 5952278 A	15-04-1999 27-05-1999 05-02-1998 29-01-1998 03-04-1995 25-06-1996 23-03-1995 16-10-1996 14-08-1996 12-05-1999 11-11-1999 03-07-1996 01-08-1999 13-03-1996 30-09-1999 28-10-1996 14-06-1999 18-03-1997 12-03-1996 27-04-1998 08-07-1996 09-07-1997 04-02-1997 14-09-1999
GB 2292562 A	28-02-1996	NONE	
WO 9520028 A	27-07-1995	NONE	
WO 9520027 A	27-07-1995	AT 178934 T DE 69509068 D DE 69509068 T EP 0741772 A ES 2132631 T JP 9508166 T US 5698505 A	15-04-1999 20-05-1999 18-11-1999 13-11-1996 16-08-1999 19-08-1997 16-12-1997
WO 9747717 A	18-12-1997	US 5834417 A AU 3388497 A CA 2257250 A	10-11-1998 07-01-1998 18-12-1997