

(12) **UK Patent Application** (19) **GB** (11) **2 248 038** (13) **A**

(43) Date of A publication 25.03.1992

(21) Application No 9117281.7

(22) Date of filing 09.08.1991

(30) Priority data

(31) 02213337	(32) 10.08.1990	(33) JP
02213338	10.08.1990	
02219808	20.08.1990	
02298184	02.11.1990	
02306526	13.11.1990	
02306527	13.11.1990	
03148865	20.06.1991	

(51) INT CL⁵
G03G 15/24

(52) UK CL (Edition K)
B6C CWG C1200 C1241
G2A AALB AG2B AG23 AG3A AG4A
G2X XFK

(56) Documents cited
US 4780744 A

(58) Field of search
UK CL (Edition K) B6C CVE CVK CWE CWG CWK
INT CL⁵ G03G 15/00 15/02 15/04 15/06 15/22 15/24

(71) Applicant
Ricoh Company Ltd

(Incorporated in Japan)

3-6 1-chome Nakamagome, Ota-ku, Tokyo, Japan

(74) Agent and/or Address for Service

J A Kemp & Co
14 South Square, Gray's Inn, London, WC1R 5LX,
United Kingdom


(72) Inventors
Takayuki Maruta
Noboru Sawayama
Katsuhiro Aoki

(54) **Condition responsive optimisation of photoelectrostatic printing machine**

(57) A photoelectrostatic printing machine is optimised for rapid environmental changes (e.g. in humidity) by:-

- (a) exposing the photoconductor to a test pattern
- (b) developing the test pattern
- (c) examining reflection from the developed pattern
- (d) using the results of the examination to control at least one of (i) charge potential
(ii) exposure
(iii) developer bias.

Fig. 14



At least one drawing originally filed was informal and the print reproduced here is taken from a later filed formal copy.

GB 2 248 038 A



Fig. 1

Fig. 2



3/26

Fig. 3




Fig. 4




Fig. 5





Fig. 6



7/26

Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13





Fig. 14






Fig. 16




Fig. 17





Fig. 18

19/26

Fig. 19




Fig. 20




Fig. 21





Fig. 22



DEVELOP BIAS CORRECTION CONTROL *Fig. 23*




Fig. 24

Fig. 24A
Fig. 24B

Fig. 24A




Fig. 24B





Fig. 25



COLOR IMAGE FORMING EQUIPMENT

BACKGROUND OF THE INVENTION

The present invention relates to color image forming equipment and, more particularly, to a digital color copier of the type using a developer made up of a toner and a carrier, i. e. , a two-component developer.

A prerequisite with a digital color copier of the type described is that the toner concentration of the two-component developer be adequately regulated to enhance the reproducibility of tones, especially halftone, of images. To meet this requirement, various toner concentration control methods have heretofore been proposed. The conventional methods may generally be classified into two types, as follows:

Type A: sensing toner concentration or a substitute characteristic and controlling it to a predetermined one; and

Type B: sensing the developing ability of a developer or a substitute characteristic and controlling toner concentration such that the developing ability remains constant.

The type A method consists in, for example, detecting changes in the volume density of a developer (Japanese Patent Laid-Open Publication No. 5487/1972), detecting changes in the

volume density of a developer in terms of changes in magnetic permeability or reactance (Japanese Patent Laid-Open Publication No. 5138/1972), detecting changes in the volume of a developer (Japanese Patent Laid-Open Publication No. 19459/1975), detecting changes in the volume of a developer in terms of changes in torque (Japanese Patent Laid-Open Publication No. 6598/1972), detecting changes in the tone of a developer (Japanese Patent Laid-Open Publication No. 69527/1973), detecting changes in the electric resistance of a developer (Japanese Patent Laid-Open Publication No. 38157/1973), or detecting a voltage induced by the counter charge (on a carrier) of a developed toner (Japanese Patent Laid-Open Publication Nos. 57638/1973 and 42739/1973). The type B methods include one in which a charge pattern immune to a photoconductive body is formed and then developed to optically sense the density of the resulting toner image.

Such a prior art method, whether it be of type A or type B, cannot satisfactorily reproduce halftone images. Specifically, toner concentration generally changes with the ambient conditions and due to aging. Hence, the type A method which maintains toner concentration constant causes the developing characteristic of the developer to change due to changes in ambient conditions and aging. This type of method, therefore, is not directly applicable to a color copier which attaches importance to the reproducibility of halftone. In the light of

this, there have also been proposed a control method which controls the quantity of exposing light by sensing ambient conditions as well as other factors (Japanese Patent Laid-Open Publication No. 177153/1988), and a control method which
5 develops a plurality of potential patterns, optically senses the densities of the resulting toner images, and selects adequate one of exposing potential data which were measured in various environments (Japanese Patent Laid-Open Publication No. 296061/1988). These methods, however, cannot cope
10 with changes in the charging characteristic of a developer due to aging. Although they will be capable of coping with such changes if provided with data covering both the aging and the ambient conditions, preparing such an amount of data is not practical. Moreover, optimizing the developing characteristic by
15 any of the above-mentioned methods is almost impracticable since toner concentration is susceptible to operation modes as well as to aging and ambient conditions.

The type A method is no satisfactory not only from the standpoint of the above-discussed optimization of developing
20 characteristic but also from the standpoint of adequate toner concentration. Specifically, the limit of toner concentration at which the contamination of background and the scattering of toner sharply increase is also susceptible to changes in ambient conditions and aging. It follows that controlling the toner
25 concentration to a predetermined one as with the type A method

is apt to bring about the contamination of background and the scattering of toner due to changes in ambient conditions and aging. As a result, even when the developer is still usable, it is often determined that it should be replaced with fresh one.

5 Concerning the type B method which so controls the toner concentration as to maintain the developing ability constant, all the changes in the developer ascribable to the environment and aging are fed back to the toner concentration, broadening the range over which the toner concentration is varied.
10 Consequently, the developing ability of the developer is increased in a high humidity environment or in an aged condition. In this condition, should the toner concentration be reduced to control the developing ability to a usual one, the resulting toner concentration would be excessively low to in turn reduce the
15 maximum amount of development, i. e., saturation image density. For this reason, the halftone reproducibility achievable with the type B method is as poor as the type A method.

We have already proposed control methods capable of eliminating the above problems in copending U. S. Patent
20 Application Serial No. 07/545,508 filed June 29, 1990 and Japanese Patent Application No. 238107/1989. With such methods, it is possible to achieve a stable image density, especially halftone reproducibility, despite the changes in ambient conditions and aging.

25 However, the problem with the above proposals is that

they cannot immediately follow sharp changes in ambient conditions and, therefore, allow the toner concentration to uncontrollably increase due to the excessive supply of toner, failing to insuring a stable image density over a long period of
5 time.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide color image forming equipment capable of insuring a
10 stable image quality over a long period of time by immediately responding to changes in ambient conditions.

It is another object of the present invention to provide color image forming equipment which determines whether or not the quantity of exposing light on a photoconductive element is
15 adequate so as to make the detection conditions for density correction constant and, if the amount of correction needed is extremely great, substitutes the data particular to such a condition for a target value, thereby eliminating the adverse effect otherwise brought about by the correction of the actual
20 density to a target density.

It is another object of the present invention to provide generally improved image forming equipment.

In accordance with the present invention, image forming equipment for electrostatically forming a latent image on an
25 image carrier and developing the latent image by a developer

containing at least a toner to produce a corresponding toner
image on the image carrier comprises a photosensor for sensing
a reflection from a predetermined toner image pattern formed on
the image carrier, a first and a second variable dynamic range
5 control device responsive to the output signal of the photosensor
for varying at least one of a developing bias, charge potential
and amount of exposure to thereby variably control a dynamic
range which is a difference between the maximum and minimum
values of the surface potential of the image carrier, an
10 outputting unit for outputting an information value relating to
the amount of toner deposition on the image carrier which varies
with the variation in an ambient condition, a comparing unit for
comparing the information value with a reference value which
defines a first environment and a second environment, and a
15 switching unit responsive to the output of the comparing unit for
selecting either one of the first and second variable dynamic
range control devices which are optimal for the first and second
environments.

Also, in accordance with the present invention, image
20 forming equipment of the type described comprises a photosensor
for sensing a reflection from a predetermined toner image
pattern formed on the image carrier, and a controller responsive
to the output signal of the photosensor for varying at least one
of a developing bias, charge potential, and amount of exposure.
25 The controller shifts, when the amount of toner supply to the

developer and the dynamic range for electrostatically forming a latent image on the image carrier are to be controlled in combination in response to the output signal of the photosensor, the developing bias such that the amount of toner deposition on the image carrier becomes constant and, based on the resulted shift, variably controls the dynamic range.

Further, in accordance with the present invention, image forming equipment of the type described comprises a photosensor for sensing a reflection from a predetermined toner image pattern formed on the image carrier, and a controller responsive to the output signal of the photosensor for varying at least one of a developing bias, charge potential, and amount of exposure. The controller determines whether or not the amount of exposure is adequate by determining whether or not a difference between the surface potential of the image carrier and a potential representative of the density of a toner image having been formed by a predetermined density adjustment lies in a predetermined range with respect to a target value, and controls, if the amount of exposure is adequate and if a difference between the output signal of the photosensor responsive to a toner supply control pattern and a predetermined reference output is smaller than a predetermined value, at least one of a charge potential, developing bias and amount of exposure relating to the formation of an image in response to the output signals of the photosensor associated with at least two of

the toner image patterns while, if the difference is greater than the predetermined value, controls at least one of the charge potential, developing bias and amount of exposure in matching relation to a target density.

5

BRIEF DESCRIPTION OF THE DRAWINGS

The above and other objects, features and advantages of the present invention will become more apparent from the following detailed description taken with the accompanying drawings in which:

10

FIG. 1 is a graph representative of a developing characteristic;

FIG. 2 is a graph indicating the dependency of a developing characteristic on toner concentration;

15

FIG. 3 is a graph indicating the dependency of background contamination and other occurrences on toner concentration;

FIG. 4 is a graph showing the variation of toner concentration due to the variation of an ambient condition;

20

FIG. 5 is a graph representative of the variation of toner concentration due to aging;

FIG. 6 is a section showing a color copier to which a preferred embodiment of the color image forming equipment in accordance with the present invention is applicable;

25

FIG. 7 is a graph showing a developing characteristic in

terms of developing amounts and developing potentials of two different patterns;

FIG. 8 is a graph indicating how the developing characteristic changes in association with the adjustment of the dynamic range of a latent image;

FIG. 9 is a graph comparing an illustrative embodiment of the present invention and the prior art with respect to variation in toner concentration;

FIG. 10 is a graph indicating the response characteristic of a photosensor;

FIG. 11 is a graph indicating the change in the characteristic of a photosensor ascribable to the amount of toner deposition;

FIG. 12 is a graph showing the response characteristic of a photosensor in relation to a color toner;

FIG. 13 is a graph indicative of a relation between a relation between a sensed potential and a developing density with respect to two different kinds of toner image patterns;

FIG. 14 is a block diagram schematically showing a control section included in the embodiment of the present invention;

FIG. 15 is a graph useful for understanding V_k control to be executed by a control section shown in FIG. 14; and

FIGS. 16 through 25 are flowcharts demonstrating a specific operation of the control section depicted in FIG. 14.

DESCRIPTION OF THE PREFERRED EMBODIMENT

To better understand the present invention, a developing system of the type using a two-component developer will be described generically. FIG. 1 shows a developing characteristic particular to this type of developing system. As shown, the developing characteristic has two different ranges, i. e., a linear range in which the developing amount M linearly increases with the increase in the developing potential V_p , and a saturation range in which the former gradually approaches the limit developing amount M_{lim} away from the line in the linear range with the increase in the latter. The gradient dM/dV_p of the linear range is generally referred to as development gamma. As shown in FIG. 2, both the gamma and the limit developing amount M_{lim} are dependent on the concentration of toner in a developer, i. e., the former increases with the increase in the latter. Regarding the reproducibility of a halftone image, a prerequisite with this type of developing system is that limit developing amount M_{lim} be sufficiently greater than the developing amount M_{max} corresponding to the maximum developing potential of the system. Specifically, the system has to be used in the linear range in order to enhance the reproducibility of tones. The lower limit of toner concentration, therefore, should be limited by some means or method.

On the other hand, as FIG. 3 indicates, toner concentrations higher than a certain value $TC(BG)$ cause toner

particles to deposit on and contaminate the background and to scatter around off the developer to the outside of a developing unit, for the following reasons. Carrier and toner particles constituting a two-component developer rub against each other and are charged thereby. Hence, when the amount of toner is excessive relative to the limited effective charging area of the carrier, the toner cannot be sufficiently charged and are, therefore, separated from the carrier to cause the above-mentioned undesirable occurrence. It follows that the toner concentration has to be provided with an upper limit by some means or methods.

Generally, the developing characteristic of and the background contamination by a two-component type developer stated above changes every moment depending on ambient conditions in which the machine is operated or left non-operated, the duration of non-operation, the number of times that copies are produced, etc. Presumably, this is ascribable to the amount of adsorption of water molecules by the surface of toner and carrier which varies with temperature and humidity, the amount of deposition of impurities on the carrier surface which varies with duration of operation, and the variation of the charging and discharging amounts of toner (and carrier). FIGS. 4 and 5 show how the toner concentration which determines the characteristic points of developing characteristic varies with the ambient conditions and due to aging, by using

specific values determined by experiments. FIG. 4 shows the toner concentration in relation to the variation in humidity which is one typical ambient condition. The characteristic shown in FIG. 4 was measured with the number of copies produced being fixed to a particular number represented by III in FIG. 5. FIG. 5 shows a characteristic measured by taking account of aging, i. e., with the number copies produced being increased. The curves of FIG. 5 were attained with the ambient conditions being maintained constant, i. e., with the humidity being fixed at I shown in FIG. 4. Actually, these variations are combined with each other as well as with other variations such as one ascribable to the operation modes including the area ratio of a document, how many copies should be produced with a single copy, how many copies should be produced by one operation, and how long the machine has been left non-operated as counted from the last copying operation.

In FIGS. 2, 4 and 5, a curve TC (Mmin) indicates toner concentrations which prevents the developing amount Mmax associated with the maximum potential of the developing system from becoming less than the minimum necessary developing amount of the system. A curve TC (γ) indicates toner concentrations which allow the gamma to coincide with the target value. A curve TC (γ U) is representative of the upper limit of gamma required with the system; higher toner concentrations would thicken characters and/or result in short resolutions.

Further, a curve TC (γ_L) is the lower limit of gamma which is required with the system; lower toner concentration would lower the image density beyond an allowable range. It is to be noted that the curve TC (γ_L) was estimated by using the linear portion of the developing characteristic and, in practice, the image density will be further lowered due to the previously mentioned saturation.

In any case, in the developing system using a two-component type developer, the toner concentration has a critical effect on the developing characteristic and, therefore, has to be adequately controlled. While the previously stated control methods A and B have been proposed in the past, they are not fully satisfactory for the reasons discussed earlier.

A reference will be made to FIGS. 6 through 9 for describing the method which we proposed in previously mentioned U. S. Patent Application Serial No. 07/545,508. FIG. 6 schematically shows digital color image forming equipment (color copier) to which the proposed method is applicable. As shown, the equipment is generally made up of a scanner section 1 for scanning a document, an image processing section 2 for electrically processing a digital image signal outputted by the scanning section 1, and a printer section 3 for printing out an image on the basis of color-by-color image recording information outputted by the image processing section 2. The scanner section 1 has a fluorescent lamp or similar lamp 5 for

illuminating a document on a glass platen 4. A reflection from
the document is incident to a focusing lens 9 via mirrors 6, 7
and 8. The lens 9 focuses the incident light onto a dichroic
prism 10 with the result that the light is spectrally separated into
5 three components each having a different wavelength, i. e. , red
(R), green (G), and blue (B) components. These color
components are incident to individual light-sensitive devices such
as CCD (Charge Coupled Device) arrays 11R, 11G and 11B and
thereby transformed into digital signals. The image processing
10 section 2 effects necessary processing with the outputs of the CCD
arrays 11R, 11G and 11B to convert them into recording
information of different colors, e. g. , black (BK), yellow (Y),
magenta (M) and cyan (C) signals.

While the equipment of FIG. 6 is shown as forming a
15 color image in four colors BK, Y, M and C, it may form a color
image in only three colors by having on of four recording
devices, which will be described, omitted.

The individual color signals from the image processing
section 2 are fed to associated laser writing units 12BK, 12C,
20 12M and 12R which are incorporated in the printer section 3. In
the specific arrangement shown in FIG. 6, four recording devices
13BK, 13C, 13M and 13Y are arranged side by side in the
printer section 3. Since all the recording devices 13BK to 13Y
have identical structural parts and elements, the following
25 description will concentration on the device 13C adapted for cyan

C by way of example. The structural parts and elements of the other recording devices are identical with those of the device 13C and are designated by the same reference numerals with suffixes BK, M and Y.

5 The recording device 13C has a photoconductive element 14C in the form of a drum, for example, in addition to the laser writing unit 12C. Sequentially arranged around the drum 14C are a main charger, 15C, an exposing position where a laser beam issuing from the laser writing unit 12C will scan the drum
10 14C, a developing unit 16C, a transfer charger 17C, and so forth. While the main charger 15C uniformly charges the surface of the drum 14C, the laser writing device 12Cd scans the charged drum surface with a laser beam with the result that a latent image representing a cyan component is electrostatically
15 formed on the drum 14C. Then, the developing unit 16C develops the latent image to produce a toner image. A paper feeding section 19 is implemented as two paper cassettes, for example. A paper sheet fed from either one of the paper cassettes by an associated feed roller 18 is driven to a register
20 roller pair 20 and, at a predetermined timing, driven away from the register roller pair 20 to a transfer belt 21. The transfer belt 21 transports the paper sheet sequentially to the drums 14BK, 14C, 14M and 14Y each carrying a toner image of a particular color thereon. The transfer chargers 17BK through
25 17Y associated with the drums 13BK-14Y, respectively, transfer


such toner images sequentially to the paper sheet. The paper sheet carrying the resultant toner image thereon is driven out of the equipment by a discharge roller pair 23 after having the image fixed thereon. In this instance, the paper sheet is electrostatically retained by the transfer belt 21 and, therefore, transported with accuracy. Reflection type photosensors or P sensors 24BK, 24C, 24M and 24Y are associated with the drums 14BK, 14C, 14M and 14Y, respectively, and each optically senses the amount of toner deposited on a toner image pattern which will be described. The P sensors 24BK-24Y are operable in the same manner as one another with their associated drums 14BK-14Y and, in the following description, they will be represented by the reference numeral 24 without suffix.

In the proposed method described above, sensor pattern forming means forms toner density patterns to be sensed by the P sensor 24 and is also implemented with the charger 15, laser writing unit 12, and developing unit 16. Specifically, the toner image patterns each has a particular image density. Such toner image patterns may be formed by any of some different implementations, as follows. For example, an arrangement may be made such that the quantity of exposing light issuing from the laser writing unit 12 is changed in two steps to form latent image patterns having two different potentials, while the potential of a developing sleeve 25, i. e., a developing bias is maintained constant. Conversely, the quantity of exposing light

from the laser writing unit 12 may be maintained constant to form latent images of the same potential (latent image patterns of the same kind), in which case the developing bias of the sleeve 25 will be changed in two steps. Another alternative implementation is to form two latent image patterns having different potentials and developing them by different developing biases. The toner image patterns are not limited to solid images each having a substantial area and may even be dot or line patterns representing desired tones.

10 Assume that the developing potentials of the two latent image patterns ascribable to the differences between the surface potentials and the developing bias are PL and PH ($PL < PH$), and that, among tones 9-7, tones 3 and 7 are assigned to PL and PH, respectively. Further, assume that when the dynamic range
15 I of a latent image (difference between the maximum and minimum values of the surface potential of a drum formed by a latent image) has a certain value, a developing characteristic G(1a) shown in FIG. 7 is the optimal characteristic. Then, the developing amounts of the patterns whose developing potentials
20 are PL and PH are M(L1) and M(H1a), respectively. When the toner concentration is increased in the above environment, i. e., at the same time, the developing characteristic is shifted from G(1a) to G(2a), FIG. 7, causing the developing amounts associated with the developing potentials PL and PH to change to
25 M(L2) and M(H2a), respectively. Conversely, a decrease in the

toner concentration shifts developing characteristic from G(1a) to G(3a), FIG. 7, while the developing amounts associated with PL and PH change to M(L3) and M(H3a), respectively. With the developing characteristic of FIG. 7, therefore, it is possible to control the toner concentration such that the actual developing characteristic approaches the target characteristic G(1a), if the P sensor 24 senses either one of the developing amounts associated with PL and PH. This is the same as the system using a P sensor. In the proposed method, the above control is effected by using the pattern image having the lower developing potential PL.



The above description has concentrated on the same environment and the same time point. How the developing characteristic changes with the environment will be described hereinafter. Assume that the ambient humidity is increased while the developing amount of the pattern associated with the developing potential PL is sensed by the P sensor 24 and controlled to a target value. As shown in FIG. 4, as the ambient humidity increases, toner concentration for maintaining the adequate gamma decreases with the result that, as FIG. 2 indicates, the saturation developing amount increases. Hence, the developing characteristic varies as represented by a curve G(1b), FIG. 7, whereby the developing amount M(1b) associated with the developing potential PH is made smaller than the amount M(H1a) associated with usual humidity. It follows that the dynamic range I is adjustable by detecting the difference between M(1b) and M(H1a).

To facilitate an understanding of the adjustment of the dynamic range I, let it be assumed that the maximum quantity of light of a light image and the developing potential PH are equal to each other, although not necessarily equal in practice. Referring again to FIG. 1, on the change of the developing characteristic from G(1a) to G(1b), the tone reproducibility is degraded and the maximum amount of toner deposition (= M(1b)) is reduced. In the light of this, the dynamic range I of the latent image is reduced with the ratio of the developing

potentials PL and PH being held constant. Then, since the toner concentration is so controlled as to maintain $M(L1)$ constant, it sequentially increases with the decrease in developing potential $PL \rightarrow PL'$ with the result that the curve representative of the developing characteristic rises away from $G(1b)$. Such an adjustment is continued until the developing amount $M(H1b)$ coincides with the target value $M(H1a)$, i.e., until the developing characteristic $G(1b')$ holds, on the basis of the output of the P sensor 24 associated with the developing potentials $PH-PH'$. This is successful in maintaining the developing amount associated with the image signal constant. Therefore, the color copier shown in FIG. 6 is capable of recording halftone in a desired manner. It will be seen that the proposed method is characterized in that when the target developing characteristic $G(1a)$, FIG. 8, is changed to $G(1b)$ due to the highly humid environment, control is effected to shift the characteristic $G(1a)$ to the characteristic $G(1b')$.

When the humidity is low, a procedure opposite to the above-stated procedure will be executed. The control described above in relation to humidity is also true with aging. While the proposed method changes the dynamic range by changing the quantity of light issuing from the exposing means 12, the quantity may be replaced with the charging potential of the main charger 15 or may be changed along with the latter.

FIG. 9 compares the proposed method and the prior art

methods A and B with respect to the variation of toner concentration. While the curves of FIG. 9, like those of FIG. 5, pertain to aging as defined by the number of copies produced, they are representative of changes in a high humidity environment II, FIG. 4, as distinguished from the usual humidity environment of FIG. 5. As shown, the method A which controls the toner concentration to a predetermined value fails to achieve high image quality and wastes the developer unless the developer is replaced at a time T_1 at which time the toner concentration coincides with the concentration $TC(\gamma U)$. In this connection, some black-and-white printers available today allow the developer to be used until a time T_2 at which time the toner concentration coincides with the toner density $TC(BG)$. The method B which controls the developing ability to a predetermined one determines that the life of the developer has expired at a time T_3 at which time the toner concentration $TC(\gamma)$ coincides with $TC(Mmin)$, requiring the developer to be replaced, as indicated by dotted lines in the figure. In contrast, with the proposed method which controls the toner concentration $TC(\gamma)$ constant while preventing it from decreasing beyond the initial value, it is possible to use the developer until the toner concentration $TC(BG)$ reaches the target concentration $TC(\gamma)$ at a time T_5 . Concerning the proposed method, FIG. 9 indicates a case wherein the dynamic range is sequentially reduced from the time T_4 . The curves of FIG. 9 show that the proposed method is

capable of insuring high image quality over a long period of time and extends the life of the developer, compared to the prior art methods.

Referring to FIGS. 10 through 12, the method we
5 proposed in Japanese Patent Application No. 238107/1989 will
be described. In the figures, the same parts and elements as
those shown in FIGS. 1 through 9 are designated by the same
reference numerals, and redundant description will be avoided
for simplicity. This proposed method constitutes an
10 improvement over the previously described proposed method of
ours. Specifically, by using the fact that the response
characteristic of the P sensor 24 differs from a solid toner
pattern having a substantial area to a line toner image, the
proposed method which will be described grasps the change in
15 developing characteristic with accuracy.

The background art of the proposed method will be
described first. The developing characteristic is hard to grasp
accurately when the maximum developing amount M_{max} should
be such that one or more toner layers cover the surface of a
20 photoconductive element. This is because, as shown in FIG. 11,
the sensing characteristic of the P sensor 24 is substantially
saturated when the toner is deposited in one layer on a
photoconductive element (0.5 mg/cm^2), and the sensitivity is
almost zero when it comes to two or more toner layers. More
25 specifically, since the P sensor 24 is responsive to the quantity

of light (ratio) by which a reflection from the surface of a photoconductive element is intercepted by the toner deposition, the sensing range is just up to the instant when the toner covers the surface of a photoconductive element in one layer.

5 The condition wherein the toner cannot sufficiently absorb the light from the P sensor 24 such as when the toner is a color toner is another problem. The absorption ratio of a color toner is less than 30 % for the light of 900 and several nm which is the detectable range of the P sensor 24. Specifically,
10 since a diffused reflection from a color toner increases with the amount of toner deposition, there exists a range wherein, as shown in FIG. 11, the quantity of sensed light (reflection) increases with the increase in the amount of toner deposition (slightly rising to the right).

15 Moreover, the condition wherein a photoconductive element has a layer which diffuses or absorbs more than one half of the light from the P sensor 24 is another problem. Actually, some photoconductive elements for use with laser printers are provided with a layer for diffused reflection in order to prevent a
20 laser beam from being reflected multiple times between the surface of the photoconductive element and the substrate to form an interference pattern. Then, the quantity of reflection from the photoconductive element is reduced, compared to the quantity of diffused reflection from the toner. As a result, the
25 signal-to-noise (S/N) ratio is lowered to aggravate erroneous

detection, as represented by "WITH DIFFUSED REFLECTION LAYER" in FIG. 11.

In light of the above, our proposed method which will be described uses at least two different kinds of toner image patterns including a solid image having a substantial area and an image other than a solid image, i. e., a line image. Here, assume three different kinds of toner image patterns, i. e., a solid image pattern having a medium density (P sensor output V_{sp}), a line image pattern having a medium density (P sensor output V_l), and a line image pattern having the maximum density (P sensor output V_{lh}). Assuming a given constant V_{spo} , the toner is supplied when the value V_{sp} measured with the solid image pattern is smaller than the constant V_{spo} or not supplied when the former is greater than the latter.

The control over the image forming conditions particular to the proposed method is as follows. Table 1 shown below lists charge potentials V_o , developing bias voltages V_b , potentials V_p of a toner image pattern portion, and toner control constants V_{spo} which are stored in a memory together with pointers P.




Table 1

POINTER P	VO	Vb	V1	VO-Vb
0	3 5 3	2 7 5	1 8 8	7 5
1	3 6 9	2 9 0	1 9 5	7 8
2	3 8 4	3 0 6	2 0 8	7 8
3	4 0 0	3 1 8	2 1 6	8 2
4	4 1 6	3 2 9	2 2 4	8 6
5	4 3 1	3 4 5	2 3 5	8 6
6	4 4 7	3 5 7	2 4 3	9 0
7	4 6 3	3 6 9	2 5 5	9 4
8	4 7 8	3 8 0	2 6 3	9 8
9	4 9 4	3 9 5	2 7 5	9 8
10	5 1 0	4 0 8	2 8 2	1 0 2
11	5 2 5	4 2 0	2 9 4	1 0 6
12	5 4 1	4 3 1	3 0 2	1 1 0
13	5 5 7	4 4 7	3 1 4	1 1 0
14	5 7 3	4 5 9	3 2 2	1 1 4
15	5 8 8	4 7 1	3 2 9	1 1 8
16	6 0 4	4 8 5	3 4 1	1 1 8
17	6 2 0	4 9 8	3 4 9	1 2 2
18	6 3 5	5 1 0	3 6 1	1 2 6
19	6 5 1	5 2 2	3 6 9	1 2 9
20	6 6 7	5 3 7	3 8 0	1 2 9
21	6 8 2	5 4 9	3 8 8	1 3 3
22	6 9 8	5 6 1	3 9 5	1 3 7
23	7 1 4	5 7 6	4 0 8	1 3 7
24	7 2 9	5 8 8	4 1 5	1 4 1
25	7 4 5	6 0 0	4 2 7	1 4 5
26	7 6 1	6 1 2	4 3 5	1 4 9
27	7 7 6	6 2 7	4 4 7	1 4 9
28	7 9 2	6 3 9	4 5 5	1 5 3
29	8 0 8	6 5 1	4 6 3	1 5 7
30	8 2 4	6 6 7	4 7 5	1 5 7
31	8 3 9	6 7 8	4 8 2	1 5 1

The control is effected by using Table 1 and the target value V_{d0} of $V_{ll}-V_{lh}$, the lower limit P_1 of pointer, the upper limit P_2 of pointer, a given constant P_0 which is greater than P_1 and smaller than P_2 , the increment or decrement D_i ($= 0, 1, 2$) of pointer ($D_0 \leq D_1 \leq D_2$), a constant V_{dn} for determining the unvariable range of pointer, and the running mean V_{da} of the differences between measured values V_{ll} and V_{lh} .

Table 2

10

15

20

POINTERS P OF CONDITION TABLE STORED IN MEMORY	POINTERS P OF CONDITION TABLE (CONDITION FOR NEXT IMAGE FORMING)				
INCREASE → DYNAMIC RANGE → INCREASE ← DYNAMIC RANGE ← INCREASE	$P = P_2$	DECREASE BY D_2	DECREASE BY D_0	NO CHANGE	NO CHANGE
	$P_0 < P < P_1$	DECREASE BY D_2	DECREASE BY D_0	NO CHANGE	INCREASE BY D_1
	$P = P_0$	DECREASE BY D_0	NO CHANGE	NO CHANGE	INCREASE BY D_1
	$P_1 > P > P_0$	DECREASE BY D_1	NO CHANGE	INCREASE BY D_0	INCREASE BY D_2
	$P = P_1$	NO CHANGE	NO CHANGE	INCREASE BY D_0	INCREASE BY D_2
ESTIMATED CURRENT DYNAMIC RANGE VS. PROPER ONE BASED ON V_{da}	BROAD	SOMEWHAT BROAD OR ADEQUATE	SOMEWHAT NARROW OR ADEQUATE	NARROW	
RUNNING MEAN V_{da} OF ($V_{ll} - V_{lh}$) (MEASURED)	$V_{da} < V_{d0} - V_{dn}$	$V_{d0} - V_{dn}$ $\leq V_{da} < V_{d0}$	$V_{d0} \leq V_{da}$ $< V_{d0} - V_{dn}$	$V_{d0} + V_{dn}$	$\leq V_{da}$

25

It is to be noted that while the toner supply control is effected every time a copying cycle is completed, the control over the image forming conditions is effected when a copy button is pressed again after a sequence of copying operations.

5 FIG. 10 is indicative of the response characteristic of the P sensor 24 particular to the proposed method with respect to a relation between the developing amount and the P sensor output, a relation between the exposing energy and the P sensor output, a relation between the exposing energy and the surface potential
10 of a photoconductive element, and a relation between the developing amount and the surface potential. The characteristic of FIG. 10 was determined with a black toner. Regarding a solid image pattern, the developing amount is dependent only on the developing ability of a developer (= amount of charge Q/M
15 of toner) and the developing potential (= difference between pattern potential and developing bias). Hence, with a solid image pattern, it is possible to readily grasp the developing ability of a developer only if the developing potential is maintained constant. More specifically, the P sensor output
20 associated with the solid image pattern having a medium density is $V_{sp} \div V_{sp}^*$. However, the problem is that the P sensor sensitivity decreases to zero when the amount of toner deposition is great (black toner; $V_{sp} \div V_{sp}'$, FIG. 10); in the worst case, the sensitivity is reversed (the sensor output increases with the
25 increase in the amount of toner deposition), as shown in FIG. 12

corresponding to FIG. 10.

On the other hand, an advantage particular to a line image pattern is that even when the amount of toner deposition is great, V_{lh} is not equal to V_{lh}' and, therefore, the sensitivity of the P sensor 24 is insured. However, the problem with a line image pattern is that the absolute value of the sensor output is not fully reliable since the developing amount changes ($V_{ll} \neq V_{ll}''$ or $V_{lh} \neq V_{lh}'$) with the background potential (= difference between background potential and developing bias) and the quality of the latent image of the line image pattern in addition to the developing potential. The quality of the latent image includes the focus and flare in the case of analog, the spread of a laser spot and the ringing of rise and fall of ON and OFF in the case of digital laser writing, or the amount by which the light is intercepted, the open/close speed, the restriction of a beam and the flare light in the case of a liquid crystal shutter scheme.

In light of the above, our proposed method uses the advantages particular to the sensor response characteristics derived from a solid image and a line image in grasping the change in developing characteristic with accuracy, as shown in Table 2. The toner density and dynamic range are variably controlled on the basis of the change in developing characteristic. Specifically, when the relative value of exposing energy is "7" which causes a great amount of toner to deposit,

changes in ambient conditions are sensed on the basis of the sensed output V_{lh} associated with the line image pattern having the maximum density. When the relative value of exposing energy is "3", the toner density is sensed on the basis of the solid image pattern and line image pattern each having a medium density. This kind of control will be referred to as DIF control hereinafter.

We have also proposed in Japanese Patent Laid-Open Publication No. 113093/1990 an implementation which, in the event of correcting the dynamic range with respect to the charge potential, quantity of exposing light and developing bias for forming an image in matching relation to the density level sensed by the photosensor, variably controls the developing bias to maintain the photosensor output on the photoconductive element constant.

In the above-described DIF control, when the control is effected with respect to consecutive tones "0" to "7", a great number of data are averaged to enhance the reliability of sensor outputs. Therefore, the DIF control consumes a substantial period of time in collecting data and sometimes fails to adjust the dynamic range by immediately following a sharp change in surrounding conditions. For example, when a copier is moved from a relatively hot and humid room to a relatively cool and dry room, the toner is apt to deposit on the sleeve to reduce the effect achievable with a developing bias. In light of this, the

developing bias is changed in such a manner as to maintain the output of the photosensor constant. Specifically, the developing bias is shifted by $(V_b = \text{target } V_b \text{ at current stage} + V_{bs})$ such that the toner deposition on the sleeve tends to decrease, resulting in the increase in toner concentration. No correction is effected against such a change until all the data from the photosensor have been inputted, resulting in slow adjustment.


FIG. 13 shows a relation between the toner concentration (TC) and V_{do} ($V_{ll} - \text{target } V_{lh}$) pertaining to the DIF control. As shown, target V_{do} values have an identical distribution at opposite sides with respect to the peak of the curve. Therefore, it is likely with the DIF control that the toner concentration uncontrollably increases since the control associated with the target value is different at opposite sides with respect to the peak and since the correcting direction is entirely different from the actual one.

When any one of the dynamic range control schemes selects a dynamic range or changes over the developing bias, it sets the subject of control at all of the several predetermined tones. This brings about a drawback that when the toner concentration on the photoconductive element, for example, is greatly different from the target concentration, the period of time necessary for the actual concentration to reach the target concentration is apt to increase since the step changes or the concentration is apt to sharply change since the shift of

developing bias increases. Moreover, for the dynamic range control, the density detection necessary for a particular dynamic range to be selected is performed on condition that the quantity of exposing light as measured on the photoconductive element be maintained constant. Actually, however, a toner image pattern is sometimes formed even when an adequate quantity of light is not attainable due to, for example, the contamination of optics. Then, the selected dynamic range would erroneous and prevent an adequate toner concentration from being set up on the photoconductive element.

Referring to FIGS. 14 through 25, color image forming equipment embodying the present invention will be described. As shown in FIG. 14, a control section included in the embodiment is shown. As shown, the control section, generally 100, has a microcomputer (CPU) 100A to which a ROM 100B and a RAM 100C are connected. The ROM 100B stores basic programs for executing arithmetic and control processing as well as basic data for such processing. An external arrangement is connected to the RAM 100C via an I/O interface 100D. Specifically, a photosensor 101 is connected to the input side of the I/O interface 100D and representative of the sensors 24BK, 24C, 24M and 24Y, FIG. 6. Comprising a light emitting element and a light-sensitive element, the photosensor 101 is responsive to the amount of toner deposition on a pattern formed on a photoconductive element, i. e., a toner concentration TC.

Connected to the output side of the I/O interface 100D are a developing bias control unit 102, a charge control unit 103, a clutch driver 104 associated with a toner supply section, a bias potential control unit 105 also associated with the toner supply section, and a lamp control unit 106 for exposure. The developing bias unit 102 of the external arrangement plays the role of a driver for setting the bias potential of a toner on a developing sleeve. The charge control unit 103 serves as a driver for setting the charge potential of the background of a photoconductive element. The clutch driver 104 drives a clutch associated with a paddle when the density of the developed pattern on a photoconductive element (i. e. density V_{sp} of solid image pattern) is related with a given constant V_{spo} as $V_{sp} > V_{spo}$. The bias potential control unit 105 sets up a potential when a bias is to be applied to the toner. Further, the lamp control unit 108 controls the quantity of light to issue from a lamp.



In the illustrative embodiment, the CPU 100A performs correction in the case wherein the developing bias is variable and the effective bias voltage is to be maintained constant relative to the charge potential of a photoconductive element. Such control
5 for maintaining the effective bias constant is executed after or before an image forming operation, as follows. As shown in FIG. 15, a developing bias V_b with a small potential difference ΔV_{ob} such as one-fifth or less of an image forming potential is applied to a developing sleeve in the opposite direction to the
10 relation to the background potential V_o of a photoconductive element particular to the ordinary image forming operation (V_b indicated by a solid line is greater than negative potential V_o). In this condition, a toner is caused to deposit on the photoconductive element. The developing bias V_b is sequentially
15 shifted in the direction indicated by arrows S_1 and S_2 until the output V_k (potential when an extremely low potential is sensed) of the photosensor for sensing the density of the toner image becomes constant. The illustrative embodiment considers the shift V_{bs} as a difference between the effective developing bias
20 and the output developing bias and adds it to a developing bias at the time of actual image forming operation. More specifically, the embodiment considers the developing bias V_b as a sum of the developing bias V_b (target value) and the value V_{bs} for cancelling the difference between the bias V_b (target
25 value) and the effective developing bias. A shift of the

developing bias with respect to the background potential V_0 of the photoconductive drum is produced by:

$$V_b = V_b \text{ (target value)} + V_{bs} \quad \dots (1)$$

5 $V_b \text{ (target value)} = V_0 + V_{bk} \quad \dots (2)$

$$V_b = V_0 + V_{bk} + V_{bs} \quad \dots (3)$$

where V_{bk} is equal to the image forming potential V_k (e. g. 24 V).

10 Assuming that the photosensor output under the above condition is V_k , shifting V_b such that the photosensor output V_k reaches a target value V_{k0} thereof is successful in determining a deviation of the effective developing bias, i. e. , an optimal shift.

In this embodiment, the running mean of eight V_k 's is produced and compared with V_{k0} . When the difference between the resulted mean V_k and V_{k0} is less than 0.1 V (or 0.2 V in the case of black development), the V_k control is not effected in order to reduce the influence of the irregularity of charge:

20 $|V_k - V_{k0}| < 0.1 \text{ V} \quad \dots (4)$

More specifically, assume that the target potential of the control image pattern portion with a toner concentration TC is V_{tc} , that the target potential of bias shift is V_{k0} , and that the n-th potential sensed by the photosensor is $V_{sp}(n)$ regarding the TC

25

control pattern portion and $V_k(n)$ regarding the bias shift. Then, so long as the toner concentration control is normal, the following relation holds with most of n 's:

5 $|V_{sp} - V_{tcl}| < 0.2 \text{ V} \quad \dots (5)$
(or 0.4 V in the case of black development)

In this case, the running mean of the bias shift detection potentials $V_k(n)$ is produced as a shift V_k , as follows:

$$V_k = (1/8) \sum_{n=2}^8 V_k(n) \quad \dots (6)$$

15 On the other hand, when the toner concentration control is not normal, the relation (4) does not hold, i. e., the following relation holds with some or all of n 's :

20 $|V_{sp}(n) - V_{tcl}| < 0.2 \text{ V} \quad \dots (7)$
(or 0.4 V in the case of black development)

In such a condition, for all of n 's with which the relation (7) holds, the target value V_{ko} of V_k is substituted for $V_k(n)$:

$$V_k(n) = V_{k0} \quad \dots \quad (8)$$

Then, the running mean of the shifts V_k is produced with $V_k(n)$ by use of the equation (6).

5 Also, in the illustrative embodiment, the V_k image forming potential V_{bk} is conditioned such that an electric field acts in the forward direction, i. e., a direction for developing an ordinary latent image so as to reduce the effect of a reversely charged toner (negatively charged toner does not develop a
10 latent image under the forward electric field). In addition, V_{bk} is set at a higher level than the amount of deposition of an ordinary small amount of non-charged toner to thereby eliminate the influence of the background contamination of the photoconductive drum. This is successful in preventing the bias
15 shift and, therefore, the toner concentration from uncontrollably increasing when the background is contaminated too much to be cleaned by the increase in developing bias (due to reversely charged toner), and in reducing the sensing errors of the photosensor.

20 Assume that the toner concentration has deviated from a predetermined one (V_{sp} deviated from T_{tc} , FIG. 15) due to the inaccurate detection of a toner end condition which will occur when the toner supply is incomplete or when the equipment runs out of toner. Then, the developing ability and, therefore, V_k is
25 lowered. In such a case, the embodiment reduces the correction

of V_k (i. e. shift of bias V_b) or, if the deviation is noticeable, does not execute the correction at all. Specifically, when the toner concentration control undergoes a transition from a normal state to an abnormal state, the embodiment sequentially
5 changes the amount of V_k correction in association with the degree of abnormality. When the actual toner concentration is entirely different from the predetermined value due to, for example, the incomplete detection of a toner end condition, the amount of correction is reduced to zero. However, when simply
10 the ripple is great such as when the equipment is operated in a hot and humid environment with a fatigued developer, the degree of correction is reduced although the correction is effected. In this kind of control, the toner is fed to the photoconductive drum by a developing bias V_b slightly different from the
15 background potential V_o of the drum and opposite in direction to the relation particular to an image forming operation. The developing bias V_b is shifted such that the output V_k of the photosensor associated with the resulted toner image remains constant. As a result, the developing bias V_b is maintained
20 constant relative to the background potential V_o of the drum to in turn eliminate the deviation of effective developing bias, whereby the image quality is enhanced. For such a control procedure, a reference may be made to our Japanese Patent Application No. 113093/1989.

25 When the ambient conditions are changed, especially

when temperature and humidity are lowered, the amount of charge deposited on the toner and, therefore, the ability of the carrier to retain the toner is lowered with the result that the toner accumulates on the developing sleeve. The charge of the toner so deposited on the sleeve causes the effective developing bias to change. Such a change in effective bias can be detected if the previously stated value V_{bs} is detected. As stated earlier, since this deviation of effective developing bias is ascribable to the changes in ambient conditions, the latter can be detected, although not directly, if the effective bias is detected.

The DIF control described above becomes unstable as the temperature and humidity lower, i. e., as the toner concentration increases. Specifically, since the DIF control relies on the output of the photosensor representative of the amount of toner deposition on the photoconductive element, an increase in toner concentration prevents the output of the photosensor from accurately representing the amount of toner deposition. More specifically, the sensitivity of the photosensor is not reliable in a high concentration area, compared to a solid image pattern. Then, the V_{bs} control which prevents fluctuations in low temperature and low humidity environments is applicable to high concentration areas.

The CPU 100A changes over the variable control over the dynamic range depending on whether the value V_{bs} , i. e., the correction amount of the sensed bias shift potential is higher or

lower than a predetermined reference value. Here, the developing bias V_b , charge potential V_o and quantity of light V_l are set by use of the pointers shown in Table 1. Specifically, when V_b is higher than a reference voltage of -100 V which is represented by pointer #23 in Table 1, the dynamic range for forming an image is corrected by the DIF control shown in Table 3 below. Conversely, when V_b is lower than the above-mentioned reference value, the developing bias is corrected by the V_b control shown in Table 4 below.

10

Table 3

15

20

25

	BELOW DIF0 - α	DIF0 - α	DIF DIF0 + α	ABOVE DIF
0	0	0	1	4
1				
2	-4	-1	1	4
22				
23	-4	-1	0	0

Note: α is 0.32 V in the case of black development or 0.16 V in the case of color development.


Table 4

5

V _{bs}	-104	-112	-120	-128	-136	-140	-152	-160	-168
	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
23	0	+4	+16	+32	+64	-128	+128	+128	+128
24	-4	0	-4	+16	+32	+64	+128	+128	+128
25	-16	-4	0	-4	-16	+32	+64	+128	+128
26	-32	-16	-4	0	-4	-16	+32	+64	+128
27	-64	-32	-16	-4	0	+4	+16	+32	+64
28	-128	-64	-32	-16	-4	0	+4	+16	+32
29	-128	-128	-64	-32	-16	-4	0	-4	-16
30	-128	-128	-128	-64	-32	-16	-4	0	-4
31	-128	-128	-128	-128	-64	-32	-16	-4	0

10

15



The operation of the embodiment having the above construction will be described with reference to FIGS. 16 through 25.

FIG. 16 is representative of sequence control meant for the operations of the entire copier. As shown, the procedure begins with a step of determining whether or not a power switch has been turned on and, if it has been turned on, whether or not a copy start switch or print start switch has been turned on. Depending on the answer of this decision, the CPU 100A sets the background potential of the photoconductive drum by either one of pointer controls 1 and 2, as follows. As shown in FIG. 17, in the pointer control 1, the CPU 100A determines whether or not the shift V_{bs} of the developing bias is smaller than a predetermined value and, if the answer is positive, determines whether or no a flag representative of such a state has been set. If the flag of interest has been set, the CPU 100A executes V_{bs} control. If the flag has not been set, the CPU 100A fixes the pointer at pointer #23 and fixes the subpointer at subpointer #64. As shown in FIG. 18, in the pointer control 2, pointers are determined as in the pointer control 1, and then the shift of developing bias, charge potential and targe quantity of light are set on the basis of the pointers.

In FIG. 17 wherein the pointer and subpointers are fixed, whether or not the current pointer setting is adequate is determined on the basis of the amount of toner deposition due to

temperature and humidity, as in FIG. 18. Specifically, as shown in FIG. 19, the CPU 100A causes a toner image pattern to be formed on the photoconductive element while maintaining the existing toner density and by fixing the developing bias B_b s and charge potential V_o at, for example, 500 V and 600 V, respectively. Then, the CPU 100A determines whether or not pointer correction is necessary in response to the resulted concentration output and, if it is necessary, selects a particular pointer matching the concentration, as shown in Table 5 below.

10

Table 5

TEMP • HUMID	10°C 15%	23°C 65%	30°C 90%
DEVELOP CONDITION			
(v_b) 500V	2.8V	1.5V	0.5V
(v_o) 600V			
POINTER	30	16	0

15

20


The decision and correction of pointer stated above is to correct the amount of toner deposition on the photoconductive element which decreases in low temperature and low humidity environments and increases in the opposite environments, as shown in FIG. 4.

25

As shown in FIG. 20, in the Vbs control, the CPU 100A selects ΔSP in a pointer (P)-Vbs table and determines whether or not the subpointer is greater than or equal to "128". Based on the result of decision, the CPU 100A updates the pointer and subpointer. Then, the CPU 100A determines whether or not the subpointer is smaller than or equal to zero and, if the answer is positive, selects a pointer one step lower than the existing pointer while updating the subpointer accordingly. Assume that the developing bias is shifted in the event when the first copy is to be executed. Then, in the Vbs control, the embodiment sets the shift in the range of, for example, 20 V by neglecting the range of, for example, 8 V which is usually the limit of shift, thereby reducing the time necessary for the toner to reach a predetermined concentration.

On the other hand, when the shift Vbs of the developing bias is not smaller than the predetermined value, the CPU 100A determines whether or not a flag representative of such a state has been set. If the answer of this decision is positive, the CPU 100A executes the DIF control; if otherwise, the CPU 100A fixes the pointer and subpointer as in the above-stated Vbs control. As shown in FIG. 21, in the DIF control, the CPU 100A produces a difference α between a detected DIF value resulted from the previously stated $V_{ll} - V_{lh}$ and a set DIF value. Then, the CPU 100A determines whether or not the difference α is smaller than 0.24 V in the case of black development or smaller than 0.12 V

in the case of color development. If the answer is positive, the CPU 100A determines which of the detected value and the set value is greater than the other and, based on the resulted relation, carries down or carries up the subpointer. This is also
5 true when the answer of the decision on the above-mentioned difference is negative. Then, the CPU 100A corrects the pointer and subpointer by determining whether the updated subpointer is smaller or greater than "128" on the basis of a relation between the pointer and Vbs shown in Table 6 below.



As shown in FIG. 22, DIF detection in the above-stated DIF control consists in updating the above-mentioned VII-VIh, updating the initial value, determining whether or not the detection has completed with all of the tones, producing, if the answer is positive, a difference between the detected value
5 associated with the toner pattern and the target value, and determining a relation between the difference and the predetermined value. If the difference is smaller than the predetermined value, the CPU 100A inputs the data determining
10 that DIF detection has completed, sums the output data, and then uses the sum to set a pointer for DIF control.

After the CPU 100A has determined a shift of developing bias by the Vbs control or a correction amount of charge potential by the DIF control, it selects a standard developing
15 bias, a standard charge potential and a standard amount of exposing light in a pointer table, FIG. 17. Then, the CPU 100A corrects the standard values to effective values. Subsequently, the charger and the drive section associated with the developing sleeve are turned on while, at the same time, the
20 photoconductive element is driven to form an image thereon. The photosensor senses the density of the resultant toner pattern on the photoconductive element to allow the developing bias to be corrected. Specifically, so-called Vk control is executed. Since the Vk control has been stated previously, only a flowchart
25 representative of such control is shown in FIG. 23.

As shown in FIG. 24, the CPU 100A starts on the toner supply control by determining whether or not the time for the photosensor to operate has been reached, i. e., whether or not the photosensor has faced the background of the photoconductive element. If the answer of this decision is positive, the CPU 100A detects the background potential V_{sg} of the photoconductive element via the photosensor and the density (V_{sp}) of the toner image pattern having formed on the background by an ordinary image forming procedure. The CPU 100A compares the instantaneous background potential with the mean background potential and, based on the result of comparison, updates the initial value of the background potential. Then, the CPU 100A compares the updated background potential with the potential of the toner image pattern. If the ratio of the background potential and toner image pattern is greater than a predetermined one, i. e., if the density of the toner image pattern is low, the CPU 100A executes processing for starting on the supply of toner.

The sequence of steps described above is continuously executed while the copying cycle is repeated, as shown in FIG. 16.

Further, in the illustrative embodiment, the CPU 100A determines whether or not the quantity of exposing light is adequate as measured on the photoconductive element and, if it is adequate, performs the toner density control by controlling

the dynamic range on the basis of the sensed density of the toner image pattern, as stated above. Specifically, assume that a toner image is formed on the photoconductive element by, for example, the relative value "3" of exposing energy shown in
5 FIG. 15 and which renders a tone of medium density. The CPU 100A executes density control which will be described only if the difference between the surface potential of the photoconductive element, i. e. , the background potential (V_0) and the potential (V_I) representative of the density of the above-mentioned toner
10 image lies in a predetermined range (± 20 V) with respect to a target value.

In detail, in the sequence control shown in FIG. 16, the CPU 100A sequentially determines whether or not the power switch and the print switch have been turned on and then selects
15 a dynamic range for forming an image by pointer control. As shown in FIG. 25, the CPU 100A starts on the pointer control by determining whether or not the difference between the output (V_{sp}) representative of the density of the toner image pattern and the the target output (V_{tc}) of the toner image pattern for
20 toner density control is greater than 0.2 V, for example. If the answer of this decision is positive, the CPU 100A substitutes a value corresponding to the target density for the density output (V_{sp}) determining that the dynamic range or the shift of developing bias is excessive. Thereafter, the operation is
25 transferred to the previously stated DIF control or the V_{bs}

control. On completing the decision on the density of the toner image pattern, the CPU 100A determines whether or not the correction of the shift of developing bias is greater than a predetermined value and, based on the result of decision,
5 executes processing for correcting the toner density by the Vbs control or the DIF control.

In summary, the present invention controls the toner supply to a developer in response to the output of an optical sensor responsive to at least two kinds of toner image patterns
10 which are formed on a photoconductive element, together with the dynamic range for electrostatically forming a latent image on the photoconductive element. Specifically, the present invention executes such control by shifting the developing bias such that the amount of toner deposition on the photoconductive element
15 becomes constant, comparing the resulted shift with a reference value, and, based on the result of comparison, variably controls the dynamic range in matching relation to a potential difference between the toner image patterns or variably controls the dynamic range in matching relation to the shift of developing
20 bias. Therefore, the dynamic range for development can be immediately corrected even when the ambient conditions are sharply changed. By checking the shift of developing bias, it is possible to determine the direction of the shift and, therefore, to prevent the toner density from running out of control when the
25 output of the photosensor is maintained constant.

More accurate density control is achievable if whether or the current dynamic range associated with image forming matches the ambient conditions is determined and if they are corrected, as needed.

5 Further, when the voltage representative of the background changes due to contamination which occurred while a developing sleeve was in a halt, the present invention controls the dynamic range as well as the toner supply on the basis of the voltage which was detected while the developing sleeve was in
10 operation. This prevents the toner density from uncontrollably increasing due to excessive toner supply which is apt to occur when the toner density is corrected on the basis of the above-mentioned changed voltage representative of the background and the voltage representative of the toner image pattern.

15 When the present invention detects the density of the exclusive toner image pattern for toner density control, it determines whether or not the amount of exposing light which is one condition for density dection is adequate and, only if it is adequate, detects the density of the toner image pattern. If the
20 density of the toner image pattern does not correspond to a target density, i. e., the former differs from the latter by an unusual degree, the toner density control matching the detected value is not effected at all. This is successful in preventing the dynamic range from varying over a broader range during image
25 forming operation which would increase the time necessary for

the actual density to reach the target density. The broader range of variation would also cause the dynamic range to effect the subsequence correction and thereby make adequate toner density control impossible.

5 Moreover, by making maintaining the conditions for density detection appropriate, the present invention insures accurate parameters which are necessary for the control over the dynamic range particular to toner density control

10 Various modifications will become possible for those skilled in the art after receiving the teachings of the present disclosure without departing from the scope thereof.

CLAIMS

1 1. Image forming equipment for electrostatically forming
a latent image on an image carrier and developing said latent
image by a developer containing at least a toner to produce a
corresponding toner image on said image carrier, said equipment
5 comprising:

 photosensor means for sensing a reflection from a
predetermined toner image pattern formed on said image
carrier;

 first and second variable dynamic range control means
10 responsive to the output signal of said photosensor means for
varying at least one of a developing bias, a charge potential and
an amount of exposure to thereby variably control a dynamic
range which is a difference between the maximum and minimum
values of the surface potential of said image carrier;

15 outputting means for outputting an information value
relating to the amount of toner deposition on said image carrier
which varies with the variation in an ambient condition;

 comparing means for comparing said information value
with a reference value which defines a first environment and a
20 second environment; and

 switching means responsive to the output of said
comparing means for selecting either one of said first and second
variable dynamic range control means which are optimal for said
first and second environments, respectively.

2. Equipment as claimed in claim 1, wherein said information value comprises a shift (Vbs) of the developing bias, said first variable dynamic range control means controlling said Vbs, said second variable dynamic range control means effecting DIF control for controlling a difference (DIF) between the output of said photosensor means associated with a line pattern having medium density and the output of said photosensor means associated with a line pattern having maximum density.

10 3. Equipment as claimed in claim 2, wherein said Vbs control is effected when said Vbs is smaller than a predetermined value while said DIF control is effected when said Vbs is greater than said predetermined value.

15 4. Equipment as claimed in claim 2 or 3, wherein when the amount of toner supply to the developer and the dynamic range for electrostatically forming a latent image on said image carrier are to be controlled in combination in response to the output signal of said photosensor means, said Vbs control shifts the developing bias such that the amount of toner deposition on said image carrier becomes constant and, based on the resulted shift, 20 variably controls said dynamic range.

25 5. Equipment as claimed in claim 2, 3 or 4 wherein said DIF control uniformly charges the surface of said image carrier by a predetermined surface potential, electrostatically forms a latent image on said image carrier by illuminating said image carrier,

develops a toner image pattern by developing said latent image,
senses toner densities each being associated with respective one
of at least two toner image patterns formed on said image
carrier so as to determine the amount of toner deposited on
5 respective one of said toner image patterns, and variably
controls the amount of toner supply and the dynamic range
which is a difference between the maximum and minimum values
of the surface potential of said latent image for electrostatically
forming a latent image such that the difference between the
10 densities of said two toner image patterns reaches a
predetermined value.

6. Equipment as claimed in claim 5, wherein said DIF
control determines whether or not the amount of exposure is
adequate by determining whether or not a difference between the
15 surface potential of said image carrier and a potential
representative of the density of a toner image having been
formed by a predetermined density adjustment lies in a
predetermined range with respect to a target value, and controls,
if said amount of exposure is adequate and if a difference
20 between the output signal of said photosensor means responsive
to a toner supply control pattern and a predetermined reference
output is smaller than a predetermined value, at least one of a
charge potential, a developing bias and an amount of exposure
relating to the formation of an image in response to the output
25 signals of said photosensor associated with at least two of said

toner image patterns.

7. Equipment as claimed in claim 5 or 6, wherein said DIF control senses the densities of two patterns a plurality of times and produces the running mean of sensed densities.

5 8. Equipment as claimed in claim 4, further comprising means for determining a pointer on the basis of said Vbs, and means for determining a charge potential, a developing bias and an amount of exposure matching said pointer, said dynamic range being variably controlled in response to the decisions of
10 said two means.

9. Equipment as claimed in claim 5,6 or 7 further comprising means for determining a pointer on the basis of said DIF value, and means for determining a charge potential, a developing bias and an amount of exposure matching said pointer, said dynamic
15 range being variably controlled in response to the decisions of said two means.

10. Image forming equipment for electrostatically forming a latent image on an image carrier and developing said latent image by a developer containing at least a toner to
20 produce a corresponding toner image on said image carrier, said equipment comprising:

 photosensor means for sensing a reflection from a predetermined toner image pattern formed on said image carrier; and

25 control means responsive to the output signal of said

photosensor means for varying at least one of a developing bias,
a charge potential, and an amount of exposure;

said control means shifting, when the amount of toner
supply to the developer and the dynamic range for
5 electrostatically forming a latent image on said image carrier are
to be controlled in combination in response to the output signal
of said photosensor means, the developing bias such that the
amount of toner deposition on said image carrier becomes
constant and, based on the resulted shift, variably controlling
10 said dynamic range.

11. Image forming equipment for electrostatically
forming a latent image on an image carrier and developing said
latent image by a developer containing at least a toner to
produce a corresponding toner image on said image carrier, said
15 equipment comprising:

photosensor means for sensing a reflection from a
predetermined toner image pattern formed on said image
carrier; and

control means responsive to the output signal of said
20 photosensor means for varying at least one of a developing bias,
a charge potential, and an amount of exposure;

said control means determining whether or not the
amount of exposure is adequate by determining whether or not a
difference between the surface potential of said image carrier and
25 a potential representative of the density of a toner image having

been formed by a predetermined density adjustment lies in a predetermined range with respect to a target value, and controls, if the amount of exposure is adequate and if a difference between the output signal of said photosensor means responsive to a toner supply control pattern and a predetermined reference output is smaller than a predetermined value, at least one of a charge potential, a developing bias and an amount of exposure relating to the formation of an image in response to the output signals of said photosensor means associated with at least two of said toner image patterns while, if said difference is greater than said predetermined value, controlling at least one of said charge potential, said developing bias and said amount of exposure in matching relation to a target density.

12. Image forming equipment constructed and arranged to operate substantially as hereinbefore described with reference to and as illustrated in the accompanying drawings.