



US008242666B2

(12) **United States Patent**
Yamada

(10) **Patent No.:** **US 8,242,666 B2**
(45) **Date of Patent:** **Aug. 14, 2012**

(54) **CONTOUR RESONATOR AND METHOD FOR ADJUSTING CONTOUR RESONATOR**

(75) Inventor: **Akinori Yamada**, Ina (JP)

(73) Assignee: **Seiko Epson Corporation**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 436 days.

(21) Appl. No.: **12/528,550**

(22) PCT Filed: **Feb. 18, 2008**

(86) PCT No.: **PCT/JP2008/000247**

§ 371 (c)(1),

(2), (4) Date: **Aug. 25, 2009**

(87) PCT Pub. No.: **WO2008/105145**

PCT Pub. Date: **Sep. 4, 2008**

(65) **Prior Publication Data**

US 2010/0096951 A1 Apr. 22, 2010

(30) **Foreign Application Priority Data**

Feb. 26, 2007 (JP) 2007-045057

Nov. 8, 2007 (JP) 2007-290450

(51) **Int. Cl.**
H01L 41/06 (2006.01)

(52) **U.S. Cl.** 310/361; 310/312; 310/346

(58) **Field of Classification Search** 310/312,
310/346, 361

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,227,904 A * 1/1941 Hight 310/355

3,573,672 A * 4/1971 Fair et al. 333/191

4,259,607 A * 3/1981 Noguchi et al. 310/364

5,233,261 A * 8/1993 Wajid 310/364

6,707,234 B1 3/2004 Kawashima

7,019,605 B2 3/2006 Larson, III

7,408,428 B2 * 8/2008 Larson, III 333/187

7,424,772 B2 9/2008 Larson, III

7,579,762 B2 * 8/2009 Takahashi 310/364

FOREIGN PATENT DOCUMENTS

CN 2109663 U 7/1992

CN 1902819 A 1/2007

JP U-54-25085 2/1979

JP A-2004-135357 4/2004

JP A-2005-94733 4/2005

JP A-2006-186462 7/2006

JP 2008-199438 A * 2/2007

OTHER PUBLICATIONS

Kawashima et al, *Lame-Mode Quartz-Crystal Resonator Formed by an Etching Process*, Symposium, May 1995, Chiba-shi, Japan.

Mizumoto et al, *Development of a Small-Sized Lame-mode Quartz-Crystal Resonators*, Symposium, May 2006, Tokyo, Japan.

International Search Report issued in International Application No. PCT/JP2008/000247 on May 20, 2008.

* cited by examiner


Primary Examiner — Thomas Dougherty

(74) *Attorney, Agent, or Firm* — Oliff & Berridge, PLC


(57) **ABSTRACT**

A contour resonator is provided with a vibrating body formed from a flat plate in a square shape, excitation electrodes formed on both front and back surfaces of the vibrating body and regulating a resonance frequency, and temperature characteristic adjustment films formed on surfaces of the excitation electrodes and adjusting a temperature characteristic.


12 Claims, 5 Drawing Sheets




[Fig. 1]




[Fig. 2]




[Fig. 3]




[Fig. 4]




[Fig. 5]




[Fig. 6]




[Fig. 7]



[Fig. 8]



[Fig. 9]



CONTOUR RESONATOR AND METHOD FOR ADJUSTING CONTOUR RESONATOR

TECHNICAL FIELD

The present invention relates to a contour resonator including a temperature characteristic adjustment film formed on a surface of an excitation electrode and adjusting a temperature characteristic only, and a method for adjusting the contour resonator.

BACKGROUND ART

A reference signal source in a several MHz frequency band used for electronic devices such as a portable device, an information communication device, and a measuring device includes: an AT cut quartz crystal resonator; a DT cut quartz crystal resonator (a contour shear mode quartz crystal resonator); and a contour resonator such as a Lamé mode quartz crystal resonator and a quasi Lamé mode quartz crystal resonator.

Conventionally, as a frequency adjustment for a contour resonator, a method to adjust a resonance frequency by sputtering a metal film of a vibrating portion using atomic particles and/or molecular particles, or ion particles, and a method to adjust a resonance frequency by attaching a metal film to the vibrating portion have been employed (e.g. refer to Patent Citation 1).

Further, Non Patent Citation 1 shows that in a Lamé mode quartz crystal resonator indicated by YX1t ϕ/θ of IRE (abbreviation of Institute of Radio Engineers, that is, current IEEE) standard, a resonance frequency (contour vibration frequency) f of an individual quartz substrate is derived by a frequency equation shown in Math (9) in the citation. In addition, by this frequency equation, a resonance frequency of an individual excitation electrode can also be derived. This is also shown in Non Patent Citation 2.

Patent Citation 1: Japanese Unexamined Patent Publication No. 2005-94733 (page 23, FIG. 5)

Non Patent Citation 1: "Lamé-mode quartz-crystal resonator formed by an etching method" by Hirofumi Kawashima, and Masaru Matsuyama in the 24th EM symposium, page 11 to 16, Math (2), conditional clause and Math (9)

Non Patent Citation 2: "Development of a small-sized Lamé-mode quartz-crystal resonator" by Katsuya Mizumoto, Masashi Akino, Tsuyoshi Nishizuka, Hideki Ashizawa, Masahide Marumo, and Masato Amemiya in the 35th EM symposium, page 31 to 34

DISCLOSURE OF INVENTION

Technical Problem

In a method for adjusting a resonance frequency of a contour resonator according to Patent Citation 1 as above, a metal film of a vibrating portion is sputtered or attached to change a thickness or an area of the metal film, so that the resonance frequency is adjusted. However, this method has an issue in which a desired temperature characteristic is not obtained because the temperature characteristic is also changed in accordance with the resonance frequency by changing the thickness or the area of the metal film.

The present invention aims to provide a contour resonator having a desired resonance frequency and a desired temperature characteristic, and a method for adjusting this contour resonator.

Technical Solution

A contour resonator of the invention characterized by including a vibrating body formed from a flat plate made of quartz crystal and having a square shape in a plan view, an excitation electrode formed on both front and back surfaces of the vibrating body and regulating a resonance frequency, and a temperature characteristic adjustment film formed on at least one surface of the excitation electrode and adjusting a temperature characteristic.

According to the invention, the resonance frequency is adjusted by increasing or decreasing a thickness or an area of the excitation electrode, and the temperature characteristic adjustment film is formed on the surface of the excitation electrode, enabling adjustment of the temperature characteristic of the contour resonator without affecting the resonance frequency.

Further, when the resonance frequency of the vibrating body is a desired frequency, it is preferable that a resonance frequency F_r of the temperature characteristic adjustment film be nearly equal to a resonance frequency F_b of the vibrating body.

This enables the temperature characteristic adjustment film to be set in an appropriate dimension without changing the resonance frequency. And if the dimension is set this way, only the temperature characteristic can be adjusted without changing the resonance frequency even when a thickness of the temperature characteristic adjustment film is changed.

Further, when the resonance frequency of the vibrating body is a desired frequency, it is preferable that the resonance frequency F_r of the temperature characteristic adjustment film be nearly equal to the resonance frequency F_b of the vibrating body, and a resonance frequency F_e of the excitation electrode.

The resonance frequency F_b of the vibrating body nearly equals the resonance frequency F_e of the excitation electrode, enabling a dimension of the excitation electrode that can minimize a change of the resonance frequency caused by adding the excitation electrode to be set. In addition, this can be adaptable by corresponding to a material used for the excitation electrode. Furthermore, to make F_r nearly equal to F_b , and F_b nearly equal to F_e enables adjustment of the temperature characteristic while suppressing variation of the resonance frequency in accordance with variation of thicknesses of the excitation electrode and the temperature characteristic adjustment film that are added to the vibrating body.

Further, it is preferable that the resonance frequency F_r of the temperature characteristic adjustment film be nearly equal to a desired resonance frequency F_0 of the contour resonator.

In a case where the resonance frequency F_b of the new conductor is different from the desired resonance frequency, this enables the temperature characteristic adjustment film to be set in an appropriate dimension that cannot fluctuate the resonance frequency of the contour resonator after a frequency adjustment process to obtain the desired resonance frequency. And if the dimension is set this way, only the temperature characteristic can be adjusted without changing the resonance frequency even when the film thickness of the temperature characteristic adjustment film is changed.

Further, it is desirable that an intermediate layer be formed between the temperature characteristic adjustment film and the vibrating body. As above, if conditions of the invention described above are satisfied even when the intermediate layer is formed, the temperature characteristic is adjustable without affecting the resonance frequency of the vibrating body. This presents that the temperature characteristic adjustment film may be a stacked body with the intermediate layer.

3

Further, a method for adjusting a contour resonator according to the invention is characterized by including a process to form a vibrating body formed from a flat plate made of quartz crystal and having a square shape in a plan view, a process to form an excitation electrode on both front and back surfaces of the vibrating body, a process to adjust a resonance frequency by changing at least one of a thickness and an area of the excitation electrode, and a process to adjust a temperature characteristic by forming a temperature characteristic adjustment film on at least one surface of the excitation electrode. Preferably, a resonance frequency F_r of the temperature characteristic adjustment film may be nearly equal to a resonance frequency F_b of the vibrating body, and more preferably, F_r may be nearly equal to F_b , and F_b may be nearly equal to a resonance frequency F_e of the excitation electrode. Further, it is desirable that an intermediate layer be formed between the temperature characteristic adjustment film and the vibrating body.

According to the invention, the resonance frequency is adjusted by increasing or decreasing a thickness or an area of the excitation electrode, and only the temperature characteristic can be adjusted by forming the temperature characteristic adjustment film, so that the contour resonator having the desired resonance frequency and temperature characteristic can be easily produced.

BEST MODE FOR CARRYING OUT THE INVENTION

A mode for the present invention will now be described with reference to the accompanying drawings.

FIGS. 1 through 7 show a contour resonator according to a mode for the invention 1, and FIG. 8 shows a modification example of the mode for the invention 1, while FIG. 9 shows a Lamé-mode quartz-crystal resonator regarding Non Patent Citation 1.

MODE FOR THE INVENTION 1

FIG. 1 schematically shows the contour resonator according to the mode for the invention 1 of the invention. (a) is a plan view and (b) is a side view. In FIGS. 1(a) and 1(b), a contour resonator 10 is a Lamé mode quartz crystal resonator including excitation electrodes 30 and 31 on both front and back sides of a vibrating body 20 in a square shape, and temperature characteristic adjustment films 41 and 42 on surfaces of the excitation electrodes 30 and 31. The vibrating body 20 is described by exemplifying an LQ2T cut quartz crystal that is cut out in a square plate having a cutting angle expressed by $YX1t \phi/\theta$ of the IRE standard. Further, a case where each element is in a square shape in which a side length of the vibrating body 20 is L_b , and a side length of the excitation electrodes 30 and 31 is L_e , while a side length of the temperature characteristic adjustment films 41 and 42 is L_r is exemplified.

For the excitation electrodes 30 and 31, metal materials such as Al, Au, Ag, Cu, Pd, and Ni can be used. However, Pd and Ni have electrical resistivity about four times as large as that of Al, Au, Ag, and Cu, so that a sheet resistance of the excitation electrodes 30 and 31 increases, increasing a resistance loss. Thus it is not practically preferable to use Pd and Ni in a single layer. Therefore, in this mode for the invention, Al, Au, and Ag having low resistivity are described as examples.

Further, although a material for the temperature characteristic adjustment films 41 and 42 is not limited, a metal material such as Al, Au, Ag, Cu, Pd, and Ni is preferable, and a

4

nonmetallic material is also possible. Furthermore, the material can be either same as or different from that of the excitation electrodes.

Next, driving of the contour resonator 10 will be described.

FIG. 2 is an explanatory diagram schematically showing the driving of the contour resonator. If an excitation signal is applied to the excitation electrodes 30 and 31 of the contour resonator 10, Lamé mode vibration is excited. The Lamé mode vibration has vibration nodes at four corners 20a to 20d of the vibrating body 20, and repeats an area vibration shown in a two-dot chain line and a dashed line. Therefore, though the illustration is omitted, a support beam is provided to some of the nodes at the four corners 20a to 20d. Then, a resonance frequency of this contour resonator 10 is affected by an area and a film thickness of the excitation electrodes 30 and 31.

Further, a frequency equation for evaluating a resonance frequency f of the Lamé mode quartz crystal resonator is provided by Non Patent Citation 1 described above (Non Patent Citation 1, page 12, Math (9)).

FIG. 9 is a perspective view schematically showing the Lamé-mode quartz-crystal resonator regarding Non Patent Citation 1.

[Math. 1]

$$f = \frac{m}{2(2x_0)} \sqrt{\frac{c'_{11} - c'_{13}}{\rho}} = \frac{n}{2(2z_0)} \sqrt{\frac{c'_{11} - c'_{13}}{\rho}} \quad (1)$$

Here, ρ represents a density of quartz crystal, while C'_{11} and C'_{13} represent elastic constants (constant numbers obtained by converting elastic stiffness constants C_{pq} in accordance with Non Patent Citation 1 (page 11, conditional clause of Math (2)), and $m=n=1$. While $2x_0$ is a lateral side length of a quartz substrate (corresponding to the vibrating body 20 in this mode for the invention), $2z_0$ is a longitudinal side length. In addition, an individual resonance frequency of the excitation electrodes can also be evaluated by the same frequency equation. Further, the side length of the vibrating body 20 is indicated by $L_b=2x_0=2z_0$, and the side length of the excitation electrodes 30 and 31 is indicated by $L_e=2x_e=2z_e$ in the mode (refer to FIG. 9).

Furthermore, Math 1 shows that it satisfies even in a case where the vibrating body 20 and the excitation electrodes 30 and 31 are in rectangular shapes (even if the lateral side length is integral multiplication as large as the longitudinal side length, for example).

First, by using this frequency equation, a relation between the thickness of the excitation electrodes 30 and 31 and a change of the resonance frequency, and a change of a temperature characteristic will be described.

In the Lamé-mode quartz-crystal resonator (LQ2T cut quartz crystal), when the side length L_b of the vibrating body 20 is 600 micrometers, a resonance frequency of about 4 MHz is obtained from Math 1. However, if variation in dimensional accuracy caused by variation in manufacturing is plus/minus 2%, the resonance frequency f will be shifted by about plus/minus 2% with respect to a desired resonance frequency. A case where this shifted amount of plus/minus 2% in the resonance frequency (amount of frequency variation) is adjusted by changing the thickness of the excitation electrodes 30 and 31 was tentatively evaluated by using FEM (Finite Element Method).

As evaluation conditions, quartz crystal cut out in LQ2T cut (in $YX1t \phi/\theta$ of the IRE standard, when a cutting

5

angle ϕ is -50 degrees, and a cutting angle θ is 45 degrees) including the vibrating body **20** in a square shape whose one side length L_b is 600 micrometers and thickness T_b is 50 micrometers, and the excitation electrodes **30** and **31** in a square shape whose one side length L_e is 500 micrometers formed in each center of both front and back surfaces of the vibrating body **20** was formed. The results of the evaluation are shown in FIGS. **3** through **5**. It is also described with reference to FIG. **1**.

FIG. **3** is a graph showing the frequency variation (unit: %) when an electrode film thickness T_e of each of electrode materials that are Al, Au, and Ag was changed. In FIG. **3**, when the electrode material is Al, the frequency variation is small with respect to the electrode thickness T_e . However, when the electrode material is Au or Ag, the frequency variation changes toward a minus side.

Further, FIG. **3** shows that when the electrode material is Au, the electrode film thickness T_e of the excitation electrodes on the both front and back surfaces has to be adjusted by about 0.25 micrometers in order to correct the frequency variation of 2% . If the correction is performed to the excitation electrode on one side only, it has to be adjusted by about 0.5 micrometers. In a case of Ag, an amount for adjusting the electrode film thickness T_e needs to be even larger.

Next, a change amount of the electrode film thickness T_e and a frequency variation (unit: ppm) when a temperature is changed will be described.

FIG. **4** is a graph showing the frequency variation in accordance with a temperature change when the change amount of the electrode film thickness T_e was 0.1 micrometers, 0.2 micrometers, and 0.3 micrometers. Note that FIG. **4** exemplifies a case where Au is employed as the electrode material. In FIG. **4**, the frequency variation in accordance with the temperature change, that is, a curve of a second order showing the temperature characteristic moves by corresponding to the change amount of the electrode film thickness T_e . When the adjustment amount of the electrode film thickness to correct the frequency variation of 2% in the example described above is 0.25 micrometers, it is found that a peak temperature is shifted by 30 degrees centigrade.

Results from this will be described by putting them into a relation of the electrode film thickness T_e and a first-order temperature coefficient α .

FIG. **5** is a graph showing the relation between the electrode film thickness T_e of each electrode material and the first-order temperature coefficient α when the electrode material is Al, Au, and Ag. FIG. **5** shows that the first-order temperature coefficient α changes in a minus direction in accordance with increase of the electrode film thickness T_e of every electrode material.

That is, FIGS. **4** and **5** show that the resonance frequency is adjusted to be a desirable resonance frequency by changing the electrode film thickness T_e , resulting in variation of a temperature characteristic indicated by a peak temperature and the first-order temperature coefficient α . Therefore, the temperature characteristic fluctuated by adding excitation electrodes are corrected to be in a desirable range of the temperature characteristic by forming the temperature characteristic adjustment films **41** and **42** without affecting the resonance frequency.

Subsequently, a method for adjusting the contour resonator **10** of the invention, specifically, a method for adjusting a resonance frequency and a temperature characteristic will be explained.

FIG. **6** is a process chart showing main processes for the method for adjusting the contour resonator. Further, FIG. **7** is a graph showing the temperature characteristic (indicating a

6

frequency variation corresponding to a temperature change) in each process. It will be described with reference to FIGS. **6**, **7**, and **1**. In FIG. **6**, first, the vibrating body **20** is formed from a quartz substrate (quartz wafer) indicated by YX1t ϕ /theta of the IRE standard with a photolithography technique or the like (process **S01**). Although the illustration is omitted, the vibrating body **20** formed by arranging a plurality number of them on the quartz wafer includes a support beam and a base portion continuing to the support beam, and is connected to the quartz wafer by a support portion extending from the base portion.

The vibrating body **20** exemplified in this mode for the invention is in a square shape in which the cutting angle ϕ is -51.05 degrees, while the θ is 45 degrees, and the side length of the vibrating body L_b is 600 micrometers. In consideration of reduction of the first-order temperature coefficient α due to a frequency adjustment process **S03** and a temperature characteristic adjustment film forming process **S04** later, the cutting angle ϕ is preliminarily set to be larger than a desired first-order temperature coefficient α 0 . Note that the desired first-order temperature coefficient α 0 is set to be 0 , the peak temperature is 25 degrees centigrade, and a resonance frequency F_0 is set to be 3.75872 MHz in this mode for the invention.

Subsequently, the excitation electrodes **30** and **31** are formed in a process **S02**. The excitation electrodes **30** and **31** are formed from Au as the electrode material on a whole of the both front and back surfaces of the vibrating body **20** by vapor deposition, sputtering, or the like so that the electrode film thickness T_e is 0.1 micrometers. Hereinafter, the description is continued on the assumption that a resonance frequency F is 3.85614 MHz, and the first-order temperature coefficient α is 9.49×10^{-7} /degrees centigrade are obtained at this time (refer to FIG. **7**).

That is, the resonance frequency F when the excitation electrodes **30** and **31** of the vibrating body **20** were formed is 0.09742 MHz higher than the desired resonance frequency F_0 (corresponding to plus 2.5%). The frequency adjustment is required for this increased amount of the resonance frequency.

Subsequently, the frequency adjustment is performed in the process **S03** so as to obtain the desired resonance frequency. As the frequency adjustment, a method by increasing or decreasing the electrode film thickness T_e , or a method by increasing or decreasing an electrode area can be employed. In this mode for the invention, since the resonance frequency is 0.09742 MHz higher than the resonance frequency F_b of the vibrating body, the electrode film thickness T_e is added by 0.2 micrometers by vapor deposition or the like so as to be 0.3 micrometers, adjusting the resonance frequency so as to make the desired resonance frequency F_0 be 3.75872 MHz.

At this time, the electrode film thickness T_e is increased to adjust the frequency, changing the first-order temperature coefficient α to 3.18×10^{-7} /degrees centigrade and the peak temperature to 35 degrees centigrade (refer to FIG. **7**).

Subsequently, the temperature characteristic adjustment films **41** and **42** are formed so as to adjust the temperature characteristic (process **S04**). Each of the temperature characteristic adjustment films **41** and **42** is formed by Al in this mode for the invention and is set to have a dimension in which the resonance frequency F_r of the temperature characteristic adjustment film is nearly equal to the desired resonance frequency F_0 . If the resonance frequency of the vibrating body is the desired frequency, the dimension is set so as to be nearly equal to the resonance frequency F_b of the vibrating body. Accordingly, after the process **S04** is completed, a relation should be that F_0 is nearly equal to F_r (in a case where the

resonance frequency of the vibrating body is the desired frequency, F_b is nearly equal to F_r). Even if the temperature characteristic adjustment films **41** and **42** are added, the resonance frequency does not change, but only the temperature characteristic changes. More specifically, F_0 nearly equals F_r is that 0.995 multiplied by F_0 is less than or equal to F_r , and 1.005 multiplied by F_0 is more than or equal to F_r , while F_b nearly equals F_r is that 0.995 multiplied by F_b is less than or equal to F_r , and 1.005 multiplied by F_b is more than or equal to F_r . If these are satisfied, the change of the resonance frequency by adding the temperature characteristic adjustment films can be dramatically lessened.

Accordingly, as shown in FIG. 7, the contour resonator **10** after the process **S04** is completed has the resonance frequency F that is 3.75872 MHz, the first-order temperature coefficient α that is 0 , and the peak temperature of 25 degrees centigrade that is a temperature of the desired temperature characteristic in a condition in which the excitation electrodes **30** and **31** and the temperature characteristic adjustment films **41** and **42** are added.

Note that it is possible to use metal materials such as Al, Ag, Cu, and the like as the material of the excitation electrodes **30** and **31** other than Au. Further, it is possible to use nonmetal materials for the temperature characteristic adjustment films **41** and **42** other than Al or the metal materials such as Al, Ag, Cu, and the like. And either the same material as or different material from that of the excitation electrodes **30** and **31** can be used.

After the temperature characteristic adjustment (process **S04**), inspection on the resonance frequency F and the temperature characteristic is performed (process **S05**), and then segmentation (process **S06**) by cutting is performed so as to complete a single piece of the contour resonator **10**.

Meanwhile, after the temperature characteristic adjustment, it is considered that a slight departure in the resonance frequency due to production tolerance is generated. In such a case, only a thickness of an exposed portion of the excitation electrodes **30** and **31** can be adjusted, or a final adjustment of the resonance frequency can be performed by adding a process to eliminate an outer circumferential portion (area adjustment) or the like.

Therefore, according to the mode for the invention 1 described above, the resonance frequency is adjusted by adjusting the thickness or the area of the excitation electrodes **30** and **31**, and the temperature characteristic adjustment films **41** and **42** are formed on the surfaces of the excitation electrodes **30** and **31**, enabling adjustment of the temperature characteristic of the contour resonator **10** without affecting the resonance frequency.

Further, in a case where the resonance frequency of the vibrating body is the desired frequency, by arranging the resonance frequency F_r of the temperature characteristic adjustment films **41** and **42** and the resonance frequency F_b of the vibrating body **20** so that F_r nearly equals F_b , an appropriate dimension of the temperature characteristic adjustment films **41** and **42** to correspond to the material of the temperature characteristic adjustment films **41** and **42** and not to make the resonance frequency fluctuate can be arranged. Furthermore, to make F_r nearly equal to F_b enables adjustment of the temperature characteristic without affecting the resonance frequency even if the thickness of the temperature characteristic adjustment films **41** and **42** is changed.

Further, in a case where the resonance frequency of the vibrating body is the desired frequency, by arranging the resonance frequency F_r of the temperature characteristic adjustment films **41** and **42**, the resonance frequency F_b of the vibrating body **20**, the resonance frequency F_e of the excita-

tion electrodes **30** and **31** so that F_r nearly equals F_b , and F_b nearly equals F_e , a dimension of the excitation electrodes minimizing the change of the resonance frequency caused by adding the excitation electrodes **30** and **31** can be arranged. In addition, this can be adaptable by corresponding to the material used for the excitation electrodes **30** and **31**. Furthermore, to make F_r nearly equal to F_b , and F_b nearly equal to F_e enables adjustment of the temperature characteristic while suppressing variation of the resonance frequency in accordance with the variation of each thickness of the excitation electrodes added to the vibrating body and the temperature characteristic adjustment films. More specifically, F_r nearly equals F_b and F_b nearly equals F_e is that 0.995 multiplied by F_b is less than or equal to F_r , and 1.005 multiplied by F_b is more than or equal to F_r , while 0.995 multiplied by F_e is less than or equal to F_r , and 1.005 multiplied by F_e is more than or equal to F_r . If these are satisfied, the change of the resonance frequency caused by adding the temperature characteristic adjustment films can be dramatically lessened.

Further, by arranging the resonance frequency F_r of the temperature characteristic adjustment films **41** and **42**, and the desired resonance frequency F_0 so that F_r nearly equals F_0 , an appropriate dimension of the temperature characteristic adjustment films **41** and **42** to correspond to the material of the temperature characteristic adjustment films **41** and **42** and not to make the resonance frequency fluctuate can be arranged. Furthermore, to make F_r nearly equal to F_0 enables adjustment of the temperature characteristic without affecting the resonance frequency even if the thickness of the temperature characteristic adjustment films **41** and **42** is changed.

In addition, in the method for adjustment according to the mode for the invention 1, the resonance frequency is adjusted by adjusting the thickness and the area of the excitation electrodes **30** and **31**, and the temperature characteristic is adjusted to be desirable while eliminating an effect on the variation of the resonance frequency caused by the temperature characteristic adjustment films **41** and **42**, so that the contour resonator **10** with high precision can be easily produced.

MODIFICATION EXAMPLE OF MODE FOR THE INVENTION 1

Subsequently, a modification example of the mode for the invention 1 will be described. The modification example is characterized by having an intermediate layer formed between a temperature characteristic adjustment film and an excitation electrode.

FIG. 8 is a perspective view schematically showing a contour resonator according to the modification example of the mode for the invention 1. In FIG. 8, the excitation electrodes **30** and **31** are formed on the both front and back surfaces of the vibrating body **20**, and intermediate layers **50** and **51** are formed on the respective surfaces of the excitation electrodes **30** and **31**, and the temperature characteristic adjustment films **41** and **42** are formed on respective surfaces of the intermediate layers **50** and **51**.

The intermediate layers **50** and **51** are formed as stacked bodies of either the temperature characteristic adjustment films **41** and **42**, or the excitation electrodes **30** and **31**. Further, a configuration in which the intermediate layer is formed between the vibrating body **20** and the excitation electrodes **30** and **31** is possible, and the excitation electrodes **30** and **31** can also be stacked bodies (not illustrated).

As above, even when the intermediate layers **50** and **51** are formed, if the conditions in the mode for the invention 1 described above are satisfied, the temperature characteristic is

adjustable by forming the temperature characteristic adjustment films **41** and **42** without changing the resonance frequency.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. **1** schematically shows a contour resonator according to a mode for the invention 1 of the invention, while (a) is a plan view and (b) is a side view.

FIG. **2** is an explanatory diagram schematically showing driving of the contour resonator according to the mode for the invention 1 of the invention.

FIG. **3** is a graph showing a frequency variation when an electrode film thickness of each electrode material is changed if the material of the excitation electrode is Al, Au, and Ag according to the mode for the invention 1 of the invention.

FIG. **4** is a graph showing a frequency variation in accordance with a temperature change when a change amount of the electrode film thickness according to the mode for the invention 1 of the invention is 0.1 micrometers, 0.2 micrometers, and 0.3 micrometers.

FIG. **5** is a graph showing a relation between the electrode film thickness of each electrode material and a first-order temperature coefficient α if the material of the excitation electrode is Al, Au, and Ag according to the mode for the invention 1 of the invention.

FIG. **6** is a process chart showing main processes of a method for adjusting the contour resonator according to the mode for the invention 1 of the invention.

FIG. **7** is a graph showing a temperature characteristic in each process according to the mode for the invention 1 of the invention.

FIG. **8** is a perspective view schematically showing a contour resonator according to a modification example of the mode for the invention 1 of the invention.

FIG. **9** is a perspective view schematically showing a Lamé mode quartz crystal resonator according to Non Patent Citation 1.

EXPLANATION OF REFERENCE

10 Contour resonator

20 Vibrating body

30, 31 Excitation electrode

41, 42 Temperature characteristic adjustment film

The invention claimed is:

1. A contour resonator, comprising:

a vibrating body formed from a flat plate made of quartz crystal and having a square shape in a plan view;

an excitation electrode formed on both front and back surfaces of the vibrating body and regulating a resonance frequency; and

a temperature characteristic adjustment film formed on at least one surface of the excitation electrode and adjusting a temperature characteristic,

wherein a resonance frequency F_r of the temperature characteristic adjustment film is nearly equal to a resonance frequency F_b of the vibrating body.

2. The contour resonator according to claim **1**, wherein the resonance frequency F_r of the temperature characteristic

adjustment film is nearly equal to the resonance frequency F_b of the vibrating body, and the resonance frequency F_b of the vibrating body is nearly equal to a resonance frequency F_e of the excitation electrode.

3. The contour resonator according to claim **1**, wherein the resonance frequency F_r of the temperature characteristic adjustment film is nearly equal to a desired resonance frequency F_0 of the contour resonator.

4. The contour resonator according to claim **1**, wherein an intermediate layer is formed between the temperature characteristic adjustment film and the vibrating body.

5. The contour resonator according to claim **1**, wherein an intermediate layer is formed between the temperature characteristic adjustment film and the vibrating body.

6. The contour resonator according to claim **3**, wherein an intermediate layer is formed between the temperature characteristic adjustment film and the vibrating body.

7. A method for adjusting a contour resonator, comprising:
a process to form a vibrating body formed from a flat plate made of quartz crystal and having a square shape in a plan view;

a process to form an excitation electrode on both front and back surfaces of the vibrating body;

a process to adjust a resonance frequency by changing at least one of a thickness and an area of the excitation electrode; and

a process to adjust a temperature characteristic by forming a temperature characteristic adjustment film on at least one surface of the excitation electrode,

wherein a resonance frequency F_r of the temperature characteristic adjustment film is nearly equal to a resonance frequency F_b of the vibrating body.

8. The method for adjusting a contour resonator according to claim **7**, wherein the resonance frequency F_r of the temperature characteristic adjustment film is nearly equal to the resonance frequency F_b of the vibrating body, and the resonance frequency F_b of the vibrating body is nearly equal to a resonance frequency F_e of the excitation electrode.

9. The method for adjusting a contour resonator according to claim **7**, wherein an intermediate layer is formed between the temperature characteristic adjustment film and the vibrating body.

10. The contour resonator according to claim **2**, wherein an intermediate layer is formed between the temperature characteristic adjustment film and the vibrating body.

11. The method for adjusting a contour resonator according to claim **7**, wherein an intermediate layer is formed between the temperature characteristic adjustment film and the vibrating body.

12. The method for adjusting a contour resonator according to claim **8**, wherein an intermediate layer is formed between the temperature characteristic adjustment film and the vibrating body.

* * * * *