

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION-TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A01N 25/00, 25/02, 25/08, 25/12, 25/14, 25/30, 57/00</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 97/02742</b> <b>(43) International Publication Date:</b> 30 January 1997 (30.01.97)
<b>(21) International Application Number:</b> PCT/US96/11593 <b>(22) International Filing Date:</b> 11 July 1996 (11.07.96) <b>(30) Priority Data:</b> 08/500,711 11 July 1995 (11.07.95) US <b>(71) Applicant:</b> MONSANTO COMPANY [US/US]; 800 Lindberg Boulevard, St. Louis, MO 63167 (US). <b>(72) Inventors:</b> KAJIKAWA, Akira; 4-2, C-9-2 Koshiba Ryugasaki, Ibaraki (JP). KUCHIKATA, Masuo; 158-1 Sanuki Ryugasaki, Ibaraki (JP). RICHARDSON, Ronald, O.; 1231 Field Avenue, Ellisville, MO 63011 (US). SATO, Tatsuo; 1-36-38 Midori Gaoka, Tokyo (JP). <b>(74) Agent:</b> SZCZEPANSKI, Steven, Z.; P.O. Box 4433, Houston, TX 77210 (US).		<b>(81) Designated States:</b> AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> IMPROVED FORMULATIONS HAVING ENHANCED WATER DISSOLUTION  <b>(57) Abstract</b>  This invention relates to dry, water soluble, pesticidally acceptable particulate compositions, to a method of use thereof for killing or controlling pests including weeds and to a process for preparing such compositions. This invention also relates to dry, water soluble and/or water dispersible, pesticidally acceptable particulate herbicidal compositions containing one or more herbicides, a herbicidal method of use thereof and to a process for preparing such compositions. The dissolution or dispersible rates of particulate pesticidal compositions in water are enhanced by the presence of a small but effective amount of an organosilicone block copolymer wetting agent or a fluorocarbon wetting agent.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

-1-

IMPROVED FORMULATIONS  
HAVING ENHANCED WATER DISSOLUTION

Field of the Invention

5        This invention relates to a pesticide-containing formulation in particulate form having enhanced water dissolution and to a process for preparing such compositions. More particularly, this invention relates to dry, water soluble or water dispersible, agriculturally acceptable herbicidal  
10       compositions containing one or more herbicides, to herbicidal methods of use of such compositions and to a process for preparing such compositions.

Description of the Prior Art

15       N-phosphonomethylglycine, whose common name is glyphosate, is well known in the art as a highly effective herbicide. It is also known that glyphosate, an organic acid, has low solubility in water. Glyphosate is typically formulated as a water-soluble salt, especially as the mono-isopropylamine (IPA) salt  
20       to kill or control weeds or plants. Glyphosate is sold commercially as an aqueous concentrate in the form of its IPA salt by Monsanto Company under the trademark Roundup.

25       Various salts of glyphosate, methods for preparing salts of glyphosate, formulations of glyphosate and methods of use for killing and controlling weeds and plants are disclosed in U.S. Patents 3,799,758 and 4,405,531 issued to John E. Franz on March 26, 1974 and September 20, 1983, respectively.

-2-

Other U.S. Patents which disclose salts of glyphosate include US 4,315,765 issued to George B. Large on February 16, 1982, US 4,507,250 issued to Izak Bakel on March 26, 1985, US 4,397,676 issued to Izhak Bakel on August 9, 1983, US Patent 4,481,026 issued to Michael P. Prisbylla on November 6, 1984 and, US 4,140,513 issued to Erhard J. Prill on February 20, 1979. The aforementioned patents are incorporated herein in their entireties by reference thereto.

10                   European Patent Application 0 204 146  
discloses a herbicidal composition comprising (a)  
2-(4-chloro-2-fluoro 5-propargyloxyphenyl)-5,6,7,  
8-tetrahydro-1H-1,2,4-triazolo (1,2-s)pyridazine -1,3,  
-2H-dione (I), and (b) glyphosate, glufosinate,  
15   bialaphos, and/or paraquat or their salts and an inert  
carrier or diluent.

                  European Patent Application 0 244 760  
discloses an agricultural composition in granular form  
prepared by introducing to the top of a drying tower,  
20   a mixture of the agricultural chemical, an anionic  
surfactant and optionally one or more additives in the  
form of a concentrated solution or an aqueous slurry.

                  Published Japanese patent applications  
J62175407 and J62175408 disclose a herbicide  
25   containing a solid carrier, additives and herbicidal  
component and having a particle size of 48-150 mesh.  
Disclosed herbicidal components are [(3-amino-3-  
carboxy)propyl-1]methylphosphonic acid, N-phosphono-  
methylglycine, (2-amino-4-methylphosphino-butyril)  
30   alanylalanine and their salts.


                  European Patent Application 0 206 537  
discloses a solid, substantially non-hygroscopic,

-3-

phytoactive composition comprising an intimate mixture of a phytoactive N-phosphonomethyl-N-carboxymethyl compound and a surfactant which is solid at ambient temperatures.

5 European Patent Application 0 256 608 discloses a method for the preparation of a solid, phytoactive composition comprising the steps of (a) reacting an acid form of a phytoactive N-phosphonomethyl-N-carboxymethyl compound with a liquid amine to  
10 form the amine salt of said N-phosphonomethyl-N-carboxymethyl compound, (b) admixing said amine salt of said N-phosphonomethyl-N-carboxymethyl compound with a molten surfactant, the surfactant being solid at ambient temperature and (c) cooling the resulting  
15 mixture to a temperature below the melting point of the surfactant to form a composition comprising the surfactant and the amine salt of N-phosphonomethyl-N-carboxymethyl compound interdispersed in the matrix thereof and which is solid at ambient temperatures.

20 PCT Publication No. WO 87/04595 discloses a herbicidal water-soluble dry particulate glyphosate formulation comprising the sodium salt of glyphosate and a surface active agent of the formula:



30 wherein  $R_1$  and  $R_2$  are independently methyl or ethyl,  $R_3$  is methyl, ethyl benzyl or  $C_{10}$  to  $C_{18}$  alkyl,  $R_4$  is  $C_{10}$  to  $C_{18}$  alkyl and  $X$  is chlorine or bromine.

-4-

The use of an organosilicone surfactant, such as Silwet® L-77 sold by Union Carbide Company, in tank mixes with commercially purchased Roundup herbicide improves the rainfastness of the resulting formulation of Roundup on some species of weeds.

Monsanto Company sells Pulse brand penetrant (which contains Silwet L-77) for use with Roundup herbicide. The label of Pulse penetrant discloses that the addition of Pulse penetrant can reduce the rainfree period after application of Roundup herbicide for best activity from 4-6 hours to 2 hours on perennial ryegrass when recommended rates of Roundup herbicide and Pulse penetrant are sprayed on dry foliage.

L. Jansen, "Enhancement of Herbicides by Silicone Surfactants" Volume 21, Issue 2 (March) 1983, *WEED SCIENCE*, discloses that in a comparative evaluation of adjuvant effects in eight species, nonionic silicone glycol surfactants enhanced the activity of six herbicides to a greater extent than a standard organic surfactant, whereas cationic amino silicone surfactants enhanced to a lesser extent.

Japanese LOP 145 205-88 discloses an aqueous concentrate herbicidal formulation comprising a water soluble glyphosate salt, ammonium sulfate and a quaternary ammonium salt.

PCT Publication No. WO 87/04,712 discloses a method of preparing a particulate alkali metal salt of N-phosphonomethylglycine which comprises adding a

-5-

solid alkali metal base with agitation to N-phosphonomethylglycine containing up to 25% water.

Research Disclosure Publication 27161

November 1986 entitled "Novel Glyphosate Acid Wettable Powder Formulation Effective in Control of Weeds"  
5 discloses a formulation comprising N-phosphonomethylglycine, nonionic surfactant, diatomaceous earth, inorganic salt (e.g., ammonium sulfate) and an anti-foaming agent.

10 Chemical Abstracts 103: 191395K (1985)  
Davydov, A.M.; Vechtomova, T.N.; Banzunova, G.G. (USSR). Sashch. Rast. (Moscow) 1985, (9), 40-1 (Russ) discloses that the 36% aq. soln. Utal (I) [96638-41-4] and the 50% wettable powder Fosulen (II) are Soviet  
15 brands of glyphosate.

As mentioned above, organosilicones are sold commercially under the trademark Silwet® by Union Carbide. In particular, SILWET Surfactants L-77, L-720, L-7001, L-7500, L-7600, L-7602, L-7604, L-7605,  
20 and L-7607 are exempted by the Environmental Protection Agency (EPA) [40 CFR 180,1001(c)] from the requirement of a residue tolerance, when used in accordance with good agricultural practice as inert ingredients in pesticide formulations applied to growing crops or to  
25 raw agricultural commodities after harvest.

Summary of the Invention

There is provided a novel and useful composition containing a pesticide, including herbicides, insecticides, fungicides and the like, and sufficient  
30 silicone copolymer wetting agent, fluoroaliphatic wetting agent or mixtures thereof such that a cylindrical pellet of the composition having a

-6-

diameter of one millimeter and a length of the three millimeters shaped from the composition becomes essentially fully dissolved or dispersed when tumbled in water in at least 50% quicker or less time than a  
5 pellet of the same size and of the same composition but having no such wetting agent.

The amount of wetting agent in the pesticide-containing composition is in the range of about 0.1 to about 5.0% by weight of the composition, preferably in  
10 the range of about 0.2 to about 4.0% by weight of the composition.

The invention provides a dry, agriculturally acceptable composition comprising in particulate form a water-dispersible granule, water soluble granule, or  
15 water-dispersible powder or water soluble powder (although water soluble granules are preferred) containing a dissolution enhancing amount of an organosilicone and/or fluorochemical wetting agent.

Compositions of this invention may further  
20 comprise ammonium sulfate, potassium sulfate, potassium chloride, sodium sulfate, urea, ammonium phosphate mixtures thereof and the like. The composition may optionally include a synergist, quick-burn additive, a humectant, a co-herbicide, a dye, pigment,  
25 corrosion inhibitor, thickener, dispersing agent, calcium sequestrant, defoamer, mixtures thereof and like additaments. When employing two or more herbicides in the composition, the composition of this invention may be a water soluble or a water dispersible granule. If at least one of two or more  
30 herbicides employed herein is relatively insoluble in water, a water dispersible composition is preferred.



-7-

In one embodiment of this invention a process for preparing a composition of this invention, a dry, water soluble or water dispersible, granular, agriculturally acceptable composition is prepared by  
5 pan, extrusion, fluid bed (or equivalent) granulation of N-phosphonomethylglycine, or a water soluble salt of N-phosphonomethylglycine, together with the necessary organosilicone and/or fluorochemical wetting agent and optionally with a surfactant.

10 In another embodiment of this invention, the novel composition is prepared by admixing an agriculturally acceptable salt of N-phosphonomethylglycine with one or more liquid or solid surfactants and an organosilicone block copolymer and/or fluoro-  
15 chemical wetting agent. The salt preferably is the ammonium salt or an alkali metal salt with sodium being the preferred alkali metal.

In another method of preparing the composition of this invention, one may admix ingredients  
20 including an organosilicone wetting agent or a fluorochemical wetting agent or mixture thereof with water and thereafter spray dry the resulting admixture to give a granular product.

In another method of preparing the compositions of this invention, one may admix the ingredients including an organosilicone wetting agent or  
25 fluorochemical wetting agent or mixture thereof with water and drum dry on a flaking roll and grind the flaked composition to give a granular composition.

30 Yet another method of preparing the granular compositions of this invention involves admixing glyphosate salt, ammonium bicarbonate, organosilicone

-8-

wetting agent or fluorochemical wetting agent or mixtures thereof with water, crystallizing, centrifuging and blending in the wetting agent and drying the granular product.

5                   Compositions of the present invention may be optionally mixed with ammonium sulfate and optionally with one or more additional herbicides and thereafter these ingredients blended to form said admixed composition. The order of addition of the ingredients to  
10 the starting material, typically glyphosate or a water soluble salt thereof, is not critical. The admixed composition is optionally granulated with equivalent means or in an equivalent manner to form a composition of this invention.

15                   Objects of the Invention

It is an object of this invention to provide a dry, water soluble and/or water dispersible, pesticide-containing composition and a process for preparing said composition.

20                   It is yet another object of this invention to provide a pesticidal method of use for killing and controlling pests by applying a pesticidally effective amount of a pesticidal composition of the present inventions to the locus of the pest, such as a plant  
25 or weed to be killed or controlled.

It is a further object of this invention to provide a dry, water soluble and highly water dispersible agriculturally acceptable herbicidal composition which has relatively low shipping costs,  
30 mix compatibility with various co-herbicides, mix compatibility with various additives which can be packaged in low cost, combustible biodegradable

-9-

containers and is easy to use with minimum user contact with the composition.

These and other objects such as a uniform particle size distribution, high water dissolution noncaking features are achieved in this invention as  
5 hereinafter described in more detail.

An advantage offered by this invention is where a worker exposure is an issue. Dry formulations are excellent candidates for packaging in  
10 water-soluble bags that would substantially reduce user exposure from handling and mixing.

#### Detailed Description of the Invention

The invention comprises a dry, water soluble or water dispersible, pesticidal composition containing an effective amount of an organosilicone  
15 and/or fluorochemical dissolution enhancer or wetting agent such that a pellet of such composition becomes essentially fully dissolved or dispersed in less than about three minutes when tumbled in water and will so  
20 dissolve in about one half the time that a similar pellet without the wetting agent would dissolve or disperse under like conditions. The rapid dissolution or dispersion can be formed under low or no shear.


As employed herein as to the wetting agent,  
25 the term "liquid" means a substance in a flowable state at room temperature (about 25° C) and includes waxes and liquid compositions containing solid surfactants.

The compositions of this invention are  
30 typically greater than about 60 mesh and contain the wetting agent in the range from about 0.1% to about

-10-


5.0% weight and preferably less than about 2% weight percent water, although greater or lesser amounts of water may be present depending on the composition ingredients.

5 One preferred class of wetting agent has the average formula



15 where each R is independently a monovalent hydrocarbyl radical, R<sup>1</sup> is a divalent hydrocarbylene radical, R<sup>2</sup> is independently hydrogen or a lower hydroxyalkyl radical, R<sup>3</sup> is hydrogen or a monovalent hydrocarbyl radical, x, y, a and b are integers independently greater than or equal to zero, with the proviso that a has a sufficient value and b is small enough so that  
 20 the composition of the invention has the desired dissolution rate of less than five minutes. Preferably in compounds of Formula I, R and R<sup>3</sup> are -CH<sub>3</sub>, R<sup>1</sup> is -C<sub>3</sub>H<sub>6</sub>-, R<sup>2</sup> is hydrogen, x is zero or one, y is one to  
 25 five, a is five to 20 and b is zero.

Another preferred class of organosilicone wetting agents has the average formula



-11-


where R, R<sup>2</sup>, R<sup>3</sup>, x, a and b are as defined immediately above. Preferably in compounds of Formula II, R and R<sup>3</sup> are -CH<sub>3</sub>, R<sup>2</sup> is hydrogen, a is five to 20 and b is zero.

5                    Organosilicones of Formulas I and II above are generally described in the above-mentioned Union Carbide Corp. product literature and in U.S. Pat. Nos. 3,505,377, 3,980,688, and 4,431,789, the disclosures of which are incorporated herein by reference.

10       Several of such ethoxylated wetting agents are available from Union Carbide Corp. as SILWET surface active copolymers. Preferred SILWET surface active copolymers include SILWET L-77, L-7600, L-7602 and L-7607. SILWET L-77 is an especially preferred

15       ethoxylated wetting agent. It is believed to have Formula I above, where R and R<sup>3</sup> are -CH<sub>3</sub>, R<sup>1</sup> is -C<sub>3</sub>H<sub>6</sub>-, R<sup>2</sup> is hydrogen, x is zero or one, y is one or two, a is about seven and b is zero.

20                    An additional preferred class of organo-silicone wetting agents has the average formula




25       where R<sup>2</sup> and R<sup>3</sup> are defined above, each R<sup>4</sup> group is independently a monovalent hydrocarbyl radical with the proviso that at least a majority of the R<sup>4</sup> groups are sterically hindered alkyl radicals having at least three carbon atoms, c is at least four, d is greater than or equal to zero, with the further

30       proviso that c has a sufficient value and d is small enough so that a composition of the invention has the desired dissolution rate of less than five minutes,

-12-


and T is hydrogen, a monovalent alkyl or alkenyl radical, or a group of the formula  $-\text{Si}(\text{R}^3)[\text{OSi}(\text{OR}^4)_3]_2$ . Preferably in compounds of Formula III,  $\text{R}^2$  is hydrogen,  $\text{R}^3$  and T are  $-\text{CH}_3$ ,  $\text{R}^4$  is sec-butyl, c is five or more and d is zero. Representative ethoxylated wetting agents of Formula III are described in Olin Corp. product literature and in U.S. Pat. Nos. 4,160,776, 4,226,794, and 4,337,168, the disclosures of which are incorporated herein by reference.

10 An additional preferred class of organo-silicone wetting agents has the average formula



where  $\text{R}^2$  and  $\text{R}^4$  are as defined immediately above, e is at least four, f is greater than or equal to zero, with the further proviso that e has a sufficient value and f is small enough so that the composition of the invention has the desired dissolution rate of less than five minutes, and  $\text{T}^1$  is hydrogen, a monovalent alkyl or alkenyl radical, or a group of the formula  $-\text{Si}(\text{OR}^4)_3$ . Preferably in compounds of Formula IV,  $\text{R}^2$  is hydrogen,  $\text{R}^4$  is sec-butyl, e is ten to 20, f is zero and  $\text{T}^1$  is  $-\text{Si}(\text{sec-butoxy})_3$ .

Suitable organosilicone wetting agents containing hydrocarbyl solubilizing groups are shown in "Surfactants and Detersive Systems", *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd Ed., 22, 360-377 (1983), the disclosure of which is incorporated herein by reference. Another preferred class of such organosilicone wetting agents has the average formula



-13-

where  $R^2$  is as defined above,  $R^5$  is a saturated or unsaturated alkyl or alkylphenyl radical having at least seven carbon atoms, and  $g$  has a sufficient value so that the composition of the invention has the  
5 desired dissolution rate. Preferably, in compounds of Formula V,  $R^5$  is alkyl and  $g$  is at least about five.

Fluoroorganic wetting agents useful in this invention are organic molecules containing at least about 30 percent by weight fluorine in the form of  
10 carbon-bonded fluorine in at least one fluoroaliphatic radical  $R_f$  and at least one cationogenic group which is the radical of a base having an ionization constant (the logarithm of the reciprocal of said ionization constant being referred to as  $pK_b$ ) in water at 25°C of  
15 at least about  $10^{-6}$ . Fluoroaliphatic wetting agents for use in this invention can also contain at least one anionogenic group which is the radical of an acid having an ionization constant (the logarithm of the reciprocal of said ionization constant being referred  
20 to as  $pK_a$ ) in water at 25°C of at least about  $10^{-6}$ . Fluoroaliphatic wetting agents which contain the above-mentioned cationogenic groups but do not contain such anionogenic groups in the same molecule will be referred to herein as cationic fluoroaliphatic wetting  
25 agents. Fluoroaliphatic wetting agents will contain such cationogenic and such anionogenic groups in the same molecule will be referred to herein as amphoteric fluoroaliphatic wetting agents. Cationic, amphoteric, or mixtures of cationic and amphoteric fluoroaliphatic  
30 wetting agents can be used in this invention, with amphoteric fluoroaliphatic wetting agents and mixtures of cationic and amphoteric fluoroaliphatic wetting agents being preferred.

-14-

$R_f$  is a fluorinated, monovalent, aliphatic, preferably saturated organic radical containing at least 4 carbon atoms. The skeletal chain of  $R_f$  can be straight, branched, or, if sufficiently large, cyclic, and can include divalent oxygen atoms or trivalent nitrogen atoms bonded only to carbon atoms. Preferably,  $R_f$  is fully fluorinated, but hydrogen or chlorine atoms can be present as substituents on the skeletal chain, provided that not more than one atom of either hydrogen or chlorine is present for every two carbon atoms in the skeletal chain, and  $R_f$  contains at least a terminal perfluoromethyl group. While radicals containing a large number of carbon atoms will function adequately, compounds containing not more than about 20 carbon atoms are preferred since larger radicals usually represent a less efficient utilization of fluorine than is possible with shorter skeletal chains. Preferably,  $R_f$  contains about 5 to 14 carbon atoms.

The cationogenic groups in said cationic and said amphoteric fluoroaliphatic wetting agents are radicals of quaternary ammonium salts or radicals of cation-generating amines. Such amines can be oxygen-free (e.g.,  $-NH_2$ ) or oxygen-containing (e.g., amine oxides). Such cationogenic groups can have formulas such as  $-NH_2$ ,  $-(NH_3)X$ ,  $-(NH(R^2)_2)X$ ,  $-(N(R^2)_3)X$ , or  $-N(R^2)_2 \rightarrow O$  where X is a co-anion, such as halogen, hydroxide, sulfate, bisulfate or carboxylate,  $R^2$  is H or  $C_{1-18}$  and preferably  $C_{1-6}$  alkyl, and each  $R^2$  can be the same as or different from other  $R^2$ . Preferably  $R^2$  is H or unsubstituted or substituted hydrocarbyl. Preferably, X is chloride, hydroxide, or bisulfate. Preferably, such wetting agents contain a cationogenic group which is a quaternary ammonium salt.



-15-

The anionogenic groups in said amphoteric fluoroaliphatic wetting agents are radicals of anions or are radicals which by ionization can become radicals of anions. The anionogenic groups can have formulas such as  $-\text{COOM}$ ,  $-\text{SO}_3\text{M}$ ,  $-\text{OSO}_3\text{M}$ ,  $-\text{PO}_3\text{HM}$ , or  $-\text{OPO}_3\text{HM}$ , where M is H, a metal ion, or  $\text{N}^+(\text{R}^1)_4$  where each  $\text{R}^1$  is independently H or substituted or unsubstituted  $\text{C}_1\text{-}_6$  alkyl. Preferably M is  $\text{Na}^+$  or  $\text{K}^+$ . Preferably such anionogenic groups have the formulas  $-\text{COOM}$ ,  $-\text{SO}_3\text{M}$  or  $-\text{PO}_3\text{HM}$ .


Such cationic fluoroaliphatic wetting agents include those cationic fluorochemicals described, for example, in Guenther and Vietor, *I & EC Product Res. & Dev.*, 1 (3) 165-9 (1962), and U.S. Pat. Nos. 2,732,398, 2,764,602, 2,764,603, 2,803,656, 2,809,990, 3,255,131, 4,000,168, 4,042,522, 4,069,158, 4,069,244, 4,090,967, 4,161,590, and 4,161,602.

Such amphoteric fluoroaliphatic wetting agents include those amphoteric fluorochemicals described, for example, in Guenther and Vietor, *id.*, Australian patent specification No. 432,809, and U.S. Pat. Nos. 2,764,602, 3,147,064, 3,450,755, 4,042,522, 4,069,158, 4,090,967, 4,161,590, and 4,161,602.


Representative fluoroaliphatic wetting agents containing the above-mentioned cationogenic groups (and the above-mentioned anionogenic groups, if such wetting agents are amphoteric) can be represented by several structural formulas, including formulas of nonionized (i.e., neutral) compounds and salts, including internal salts. Such representative wetting agents include those of Formula VI shown below (in the form of salts):

-16-

5



wherein: a is independently 0 or 1; b is 1 or 2;  $R_f$  is a fluorinated, monovalent, aliphatic, preferably saturated organic radical containing at least 4 carbon atoms, with the proviso that the molecule contains at least about 30 weight percent fluorine in the form of carbon-bonded fluorine in  $R_f$ ; Q is independently a polyvalent.




generally divalent (e.g.,  $-CH_2-$ ,  $-C_2H_4-$ ,  $-C_3H_6-$ ,  $-C_6H_4-$ ,  $-CH_2SCH_2-$ , and  $-CH_2OCH_2-$ ), hydrocarbylene linking group of 1 to 12 carbon atoms which can contain catenary oxygen or sulfur, is unsubstituted or substituted by halogen, hydroxyl, or aryl, and is preferably free of aliphatic unsaturation, with the proviso that at least one Q group is present in the molecule;  $R^3$  is independently:  $R^4$  wherein  $R^4$  is H or alkyl which is unsubstituted or substituted with halogen, hydroxyl, or aryl and contains no more than a total number of 18 carbon atoms, with  $R^4$  preferably being saturated, unsubstituted  $C_{1-6}$  alkyl;  $(Q)_a$  AM wherein A is  $-COO-$ ,  $-SO_3-$ ,  $-OSO_3-$ ,  $-PO_3H-$ , or  $-OPO_3H-$ , and M is as defined above; or  $QNR^5R^6R^7$  wherein  $R^5$  and  $R^6$  are independently H, substituted or unsubstituted alkyl of 1 to 18 carbon atoms (preferably 1 to 6 carbon atoms), or together with the N atom form a cyclic aliphatic or aromatic


-17-

ring which can contain additional O, S, or N atoms,  
 and R<sup>7</sup> is R<sup>4</sup>, a quarternary ammonium group containing  
 no more than 20 carbon atoms, or (Q)<sub>a</sub> AM;  
 Z is -CO- or -SO<sub>2</sub>-; and X is a coion such a halogen,  
 5 hydroxide, sulfate, bisulfate or carboxylate.

Useful subgenera of Formula VI include  
 compounds of the formula (shown as internal salts)



wherein R<sub>f</sub> contains 4 to 8 carbon atoms, Q is alkylene  
 or hydroxyalkylene, A is -COO- or -SO<sub>3</sub>- and R<sup>5</sup>, R<sup>6</sup>  
 15 and R<sup>7</sup> are alkyl or hydroxalkyl; and




wherein R<sub>f</sub> contains about 4 to 12 carbon atoms, Q is  
 alkylene, R<sup>5</sup> and R<sup>6</sup> are lower alkyl and R<sup>7</sup> is  
 carboxalkylene.

Representative cationic fluoroaliphatic  
 25 wetting agents useful in this invention include those  
 listed below. While particular structures are shown,  
 in strongly acidic aqueous solution, such as electro-  
 winning electrolyte, the cationogenic group of such  
 structures will exist primarily in the protonated or  
 30 salt form; and, in neutral or basic solution the


-18-

cationogenic group of such structures tends to be in the form of the free base. Such solution-form structures are equivalents for purposes of the present invention.

- 5  $C_6F_{13}SO_2NHC_3H_6N(CH_3)_2$ ,  
 $[C_6F_{13}SO_2NHC_3H_6N^+(CH_3)_3]Cl^-$ ,  
 $C_6F_{13}SO_2NHC_3H_6N(CH_3)_2 \rightarrow O$ ,  
 $[C_6F_{13}SO_2NHC_3H_6N^+(CH_3)_2C_2H_4OH]OH^-$ ,  
 $C_6F_{13}SO_2N(C_2H_4OH)C_3H_6N(CH_3)_2$ ,  
10  $[C_6F_{13}SO_2N(C_2H_4OH)C_3H_6N^+(CH_3)_2C_2H_4OH]OH^-$ ,  
 $[C_6F_{13}C_2H_4SO_2NHC_3H_6N^+(CH_3)_3]OH^-$ ,  
 $[C_7F_{15}CONHC_3H_6N^+(CH_3)_2H]Cl^-$ ,  
 $[C_8F_{17}SO_2NHC_3H_6N^+(CH_3)_3]I^-$ ,  
 $[C_8F_{17}SO_2NHC_3H_6N^+(CH_3)_3]_2SO_4^{2-}$ ,  
15  $[C_8F_{17}SO_2NHC_3H_6N^+(CH_3)_3]O_3SOCH_3^-$ ,  
 $[C_8F_{17}C_2H_4N^+(CH_3)_2C_2H_4OH]OH^-$ ,  
 $[C_8F_{17}C_2H_4SC_2H_4CONHC_2H_4N^+(CH_3)_3]Cl^-$ ,



20



25

- $C_{10}F_{19}OC_6H_4SO_2NHC_3H_6N(CH_3)_2$ ,  
 $(CF_3)_2CFOC_2F_4CONHC_3H_6N(CH_3)_2$ , and mixtures thereof.


-19-

The cationic fluoroaliphatic wetting agents used in this invention can be prepared using methods known in the art, such as those described in the above references relating to cationic fluorochemicals.


5 Representative amphoteric fluoroaliphatic wetting agents useful in the practice of this invention are listed below. While particular structures are shown, in strongly acidic aqueous solution such as electrowinning electrolyte, the anionogenic group of  
 10 such structures may be partly or completely protonated and the cationogenic group of such structures will exist primarily in the protonated or salt form, and, in neutral or basic solution the anionogenic group of such structures tends to be negatively ionized and the  
 15 cationogenic group of such structures tends to be in the form of the free base; such solution-form structures are equivalents for purposes of the present invention. For example, a compound of the formula  $R_fSO_2N(CH_2COONa)C_3H_6N(CH_3)_2$  will have the formula  
 20  $R_fSO_2N(CH_2COOH)C_3H_6N^+H(CH_3)_2 HSO_4^-$  in aqueous sulfuric acid solution, and the formula  $R_fSO_2N(CH_2COO^-Na^+)C_3H_6N(CH_3)_2$  in aqueous sodium hydroxide solution.

$C_4F_9SO_2NHC_3H_6N^+(CH_3)_2CH_2COO^-$ ,  
 $C_4F_9CON(C_3H_6SO_3^-)C_3H_6N^+(CH_3)_2C_2H_4COOH$ ,  
 25  $C_6F_{13}C_2H_4SC_2H_4N^+(CH_3)_2CH_2COO^-$ ,  
 $C_6F_{13}SO_2NHC_3H_6N^+(CH_3)_2CH_2COO^-$ ,  
 $C_6F_{13}SO_2NHC_3H_6N^+(CH_3)_2C_2H_4COO^-$ ,  
 $C_6F_{13}SO_2NHC_3H_6N^+(CH_3)_2C_3H_6SO_3^-$ ,  
 $[C_6F_{13}SO_2N(CH_2COONa)C_3H_6N^+(CH_3)_3]OH^-$ ,  
 30  $C_6F_{13}SO_2N(C_2H_4COONa)C_3H_6N^+(CH_3)_2C_2H_4COO^-$ ,

-20-




- $\text{C}_6\text{F}_{13}\text{SO}_2\text{N}(\text{C}_3\text{H}_6\text{SO}_3\text{Na})\text{C}_3\text{H}_6\text{N}(\text{CH}_3)_2,$   
 5  $\text{C}_6\text{F}_{13}\text{SO}_2\text{N}(\text{C}_3\text{H}_6\text{SO}_3^-)\text{C}_3\text{H}_6\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{OH},$   
 $\text{C}_6\text{F}_{13}\text{SO}_2\text{N}(\text{CH}_2\text{CHOHCH}_2\text{SO}_3\text{Na})\text{C}_3\text{H}_6\text{N}(\text{CH}_3)_2,$   
 $\text{C}_6\text{F}_{13}\text{SO}_2\text{N}(\text{CH}_2\text{CHOHCH}_2\text{SO}_3^-)\text{C}_3\text{H}_6\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{OH},$   
 $[\text{C}_6\text{F}_{13}\text{SO}_2\text{N}(\text{CH}_2\text{CHOHCH}_2\text{SO}_3\text{Na})\text{C}_3\text{H}_6\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{OH}]\text{OH}^-,$   
 $\text{C}_6\text{F}_{13}\text{C}_2\text{H}_4\text{SO}_2\text{N}(\text{CH}_3)\text{C}_2\text{H}_4\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{COO}^-,$   
 10  $\text{C}_7\text{F}_{15}\text{CONHC}_3\text{H}_6\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{COO}^-,$   
 $\text{C}_7\text{F}_{15}\text{CON}(\text{CH}_2\text{COO}^-)\text{C}_3\text{H}_6\text{N}^+(\text{CH}_3)_3,$



- 15  $\text{C}_7\text{F}_{15}-\text{CON} \begin{array}{c} \text{C}_2\text{H}_4 \\ \diagup \quad \diagdown \\ \text{C}_2\text{H}_4 \end{array} \text{N}^+ \begin{array}{c} \text{C}_2\text{H}_4\text{OH} \\ \diagup \quad \diagdown \\ \text{C}_2\text{H}_4\text{COO}^- \end{array},$

- $\text{C}_7\text{F}_{15}\text{C}_2\text{H}_4\text{SC}_2\text{H}_4\text{N}^+(\text{CH}_3)_2\text{CH}_2\text{COO}^-,$   
 $\text{C}_8\text{F}_{17}\text{CH}_2\text{CH}(\text{COO}^-)\text{N}^+(\text{CH}_3)_3,$   
 $\text{C}_8\text{F}_{17}\text{SO}_2\text{NHC}_3\text{H}_6\text{N}^+(\text{CH}_3)_2\text{C}_3\text{H}_6\text{SO}_3^-,$   
 $\text{C}_8\text{F}_{17}\text{SO}_2\text{N}(\text{C}_2\text{H}_4\text{PO}_2\text{OCH}_3)^-\text{C}_3\text{H}_6\text{N}^+(\text{CH}_3)_3,$   
 20  $\text{C}_8\text{F}_{17}\text{C}_2\text{H}_4\text{CONHC}_3\text{H}_6\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{COO}^-,$




-21-

$(\text{CF}_3)_2\text{CFOC}_3\text{F}_6\text{CONHC}_2\text{H}_4\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{COO}^-$ ,  
 $\text{C}_{10}\text{F}_{19}\text{OC}_6\text{H}_4\text{SO}_2\text{N}(\text{CH}_2\text{COONa})\text{C}_3\text{H}_6\text{N}(\text{CH}_3)_2$ , and mixtures thereof.

5 The amphoteric fluoroaliphatic wetting agents used in this invention can be prepared using methods known in the art, such as those described in the above references relating to amphoteric fluorochemicals.

10 A preferred class of such nonionic wetting agents has the average formula



15 where  $\text{R}^2$  is hydrogen or lower hydroxyalkyl radical and  $\text{R}^3$  is hydrogen or a monovalent hydrocarbyl radical,  $\text{R}_f$  is a fluorinated, monovalent or divalent, aliphatic, preferably saturated organic radical containing at least four carbon atoms and at least a terminal perfluoromethyl group, Q is a polyvalent (e.g., divalent) hydrocarbylene linking group (e.g.,  $-\text{C}_2\text{H}_4-$ , or  $-\text{SO}_2\text{NR}-$  where R is as defined above), h is greater than or equal to one, and i is greater than or equal to zero, with the proviso that h has a sufficient value and i is small enough so that the composition of the invention has the desired dissolution rate.


25 Preferred fluorochemical surfactants in the compositions of the present invention also include perfluoroalkyl sulfonyl compounds, perfluorocarboxyl compounds and perfluoroorganics including:

-22-


	<u>TRADE DESIGNATION</u>	<u>CHEMICAL NAME OR STRUCTURE</u>
	EFTOP® EF-112	N-n-Propyl-N-perfluoro-octanesulfonyl-glycine K salt
5	EFTOP® EF-121	N-n-Propyl-N-perfluoro-octanesulfonamide-ethanol
	EFTOP® EF-122C	Polyoxyethylene-N-n-perfluoro-octanesulfonamide- ethanol
	EFTOP® EF-123A	Di-(N-n-Propyl-N-perfluoro-octanesulfonamide- ethyl-phosphate
10	EFTOP® EF-123B	Ammonium di(N-n-propyl-N-perfluoro-octane- sulfonamide-phosphate
	EFTOP® EF-132	Perfluoro-octanesulfonamide-ethyl-trimethylamine- iodide
	EFTOP® EF-305	Perfluoroalkyl alcohol
15	EFTOP® EF-102	$R_fSO_3K$
	EFTOP® EF-103	$R_fSO_3Na$
	EFTOP® EF-104	$R_fSO_3NH_4$
	EFTOP® EF-105	$R_fSO_3Li$
20	EFTOP® EF-122A	$\begin{array}{c} R \\   \\ R_fSO_2N(C_2H_4O)_nH \end{array}$ (n=20; R=C <sub>3</sub> H <sub>7</sub> ; and R <sub>f</sub> =perfluoro- acetyl)



-23-



5



-24-

	EFTOP®	EF-124	$\text{R}_f\text{SO}_2\text{NC}_2\text{H}_4\text{OSO}_3\text{H}$
	EFTOP®	EF-126	$\text{R}_f\text{SO}_2\text{NC}_2\text{H}_4\text{OCOC}_2\text{H}_5$
5	EFTOP®	EF-127	$\text{R}_f\text{SO}_2\text{NCH}_2\text{COOC}_2\text{H}_5$
	EFTOP®	EF-132	$\text{R}_f\text{SO}_2\text{NC}_3\text{H}_6\text{N}^+(\text{CH}_3)_3 \text{I}^-$
	EFTOP®	EF-204	$\text{R}_f\text{COONH}_4$
10	EFTOP®	EF-302	$\begin{array}{c} \text{R}_f\text{SO}_2\text{NC}_2\text{H}_4\text{OH} \\   \\ \text{CH}_2 \\   \end{array}$
15	EFTOP®	EF-700	$\text{R}_f\text{SO}_2\text{NC}_3\text{H}_6\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_4\text{COO}^-$
	EFTOP®	EF-305	$\text{R}_f\text{-OH}$

In the above listing of suitable fluoroalkyl surfactants  $\text{R}_f$  refers to perfluoroalkyl ( $\text{C}_1\text{-C}_{20}$ ) or fluoroalkyl ( $\text{C}_1\text{-C}_{20}$ ). R may be hydrogen or lower alkyl ( $\text{C}_1\text{-C}_6$ ). Certain of the fluoroalkyl chemicals may be available from the 3M Company.

-25-

Fluorochemical wetting agents of Asahi Glass Co., Ltd. are also usable in the present invention and include the following:

	<u>TRADE DESIGNATION</u>	<u>IONIC NATURE</u>	<u>CHEMICAL NAME</u>
5	S-111	Anionic	Salt of perfluoroalkyl carboxylic acid
	S-112	Anionic	Perfluoroalkyl phosphate
10	S-113	Anionic	Salt of perfluoroalkyl carboxylic acid
	S-121	Cationic	Perfluoroalkyltrimethyl ammonium salt
	S-131	Amphoteric	Perfluoroalkyl betaine
	S-141	Amphoteric	-
15	S-141	Nonionic	-
	S-145	Nonionic	Perfluoroalkyl EO adduct

-26-

Fluorochemical wetting agents of Dainippon Ink & Chem. Inc. are also usable in the present invention. These include:

	<u>TRADE DESIGNATION</u>	<u>CHEMICAL NAME</u>
5	Megafac®F-110	Salt of perfluoroalkyl sulfonic acid (C <sub>8</sub> )
	Megafac®F-113	ditto (C <sub>5</sub> -C <sub>8</sub> )
	Megafac®F-120	Salt of perfluorocarboxylic acid
	Megafac®F-142D	Perfluoroalkyl ethyleneoxide adduct (EO=10)
10	Megafac®F-144D	ditto (EO =20)
	Megafac®F-150	Perfluoroalkyl trimethyl ammonium salt
	Megafac®F-160	Salt of perfluoroalkyl aminosulfonic acid
15	Megafac®F-171	Perfluoroalkyl (hydrophilic group containing) oligomer
	Megafac®F-172	Perfluoroalkyl (hydrophobic group containing) oligomer
	Megafac®F-173	ditto
	Megafac®F-177	Perfluoroalkyl (hydrophilic group containing) oligomer
20	Megafac®F-183	Perfluoroalkyl (hydrophilic group containing) urethane
	Megafac®F-184	Perfluoroalkyl (hydrophobic group containing) urethane
	Megafac®F-191	Perfluoroalkyl phosphoric acid ester
25	Megafac®F-812	Salt of perfluoroalkyl carboxylic acid (F-120) 15% solution
	Megafac®F-815	Blended emulsifier of fluorochemical surfactant
30	Megafac®F-824	ditto
	Megafac®F-833	ditto
	Megafac®F-851	Blended emulsifier of fluorochemical
	Megafac®F-854	ditto
	Megafac®F-855	ditto

-27-

The following fluorochemical wetting agents of the 3M Company are also usable in the present invention.

	<u>TRADE DESIGNATION</u>	<u>CHEMICAL NAME</u>
5	Fluorad FC-93	Ammonium salt of perfluoroalkylsulfonic acid
	Fluorad FC-95	Potassium salt of perfluoroalkylsulfonic acid
	Fluorad FC-98	Potassium salt of perfluoroalkylsulfonic acid
10	Fluorad FC-129	Potassium salt of perfluoroalkylcarboxylic acid
	Fluorad FC-135	Perfluoroalkyl ammonium salt
	Fluorad FC-170C	Perfluoroalkyl polyoxyethyleneethanol
15	Fluorad FC-430	Fluoroalkylester
	Fluorad FC-431	Fluoroalkylester

-28-

Fluorochemical wetting agents of Daikin Ind. Ltd. are also useful in the present invention. These include:

	<u>TRADE DESIGNATION</u>	<u>CHEMICAL NAME</u>
5	UNIDYNE DS-101	Salt of perfluoroalkyl carboxylic acid
	UNIDYNE DS-102	Salt of perfluoroalkyl carboxylic acid
	UNIDYNE DS-202	Perfluoroalkyl ammonium salt
	UNIDYNE DS-301	Perfluoroalkyl betaine
	UNIDYNE DS-401	Perfluoroalkyl betaine
10	UNIDYNE DS-451	Perfluoroalkyl oligomer
	UNIDYNE DS-403	Perfluoroalkyl ethylene oxide adduct

It may be preferred to include in the rapidly soluble or dispersible compositions of the present invention additionally one or more herbicides including, for  
15 example,

-29-

2,4-D (2,4-dichlorophenoxyacetic acid); endothal  
(7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid);  
mecoprop ([2-(2-methyl-4-chlorophenoxy)propionic  
acid]; picloram (4-amino-3,5,6-trichloropicolinic  
5 acid), 2,4,5-T (2,4,5-trichlorophenoxyacetic acid),  
benzac (2,3,6-trichlorobenzoic acid); dicamba  
(3,6-dichloro-o-anisic acid), MCPA (4-chloro-o-  
tolyloxyacetic acid); dalapon (2,2-dichloropropionic  
acid); dichlorprop (2-(2,4-dichlorophenoxy)propionic  
10 acid); MCPB (4-(4-chloro-o-tolyloxy)butyric acid;  
bialaphos (dl-homoalanin-4-yl-methylphosphinate);  
glufosinate (ammonium (3-amino-3-carboxypropyl)-  
methylphosphinate; Pursuit (2-[4,5-dihydro-4-methyl-  
4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-ethyl-3-  
15 pyridine carboxylic acid); Scepter (2-[4,5-dihydro-4-  
methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-  
quinolinecarboxylic acid); mixtures thereof and the  
like.

It may be preferred to utilize a solid,  
20 water insoluble co-herbicide. In such embodiment, the  
co-herbicide is present in the composition as a fine  
powder. Illustrative coherbicides include sulfonyl-  
ureas such as Oust (2-[3-(4,6-dimethylpyrimidin-2-  
yl)ureidosulphonyl]benzoic acid); Glean (1-(2-chloro-  
25 phenylsulphonyl)-3-(4-methoxy-6-methyl-1,3,5-triazin-  
2-yl)urea)]; Ally (methyl 2-[[[4-methoxy-4-methyl-1,  
3,5-triazin-2-yl)amino]carbonyl]-amino]sulfonyl]-  
benzoate); Classic (ethyl 2-[(4-chloro-6-methoxy-  
pyrimidin-2-yl)amino]-carbonyl]amino]sulfonyl]-  
30 benzoate); diuron (3-(3,4-dichlorophenyl)-1,2-di-  
methylurea); linuron (3-(3,4-dichlorophenyl)-1-  
methoxy-1-methylurea); atrazine (2-chloro-4-(ethyl-  
amino)-6-(isopropylamino)-s-triazine; simazine  
(2-chloro-4,6-bis(ethylamino)-s-triazine), mixtures  
35 thereof and the like.

-30-

The water insoluble co-herbicide may be liquid or solid present in said composition as a water dispersible granule such as atrazine; fomesafen (5-[2-chloro-4-(trifluoromethyl)-phenoxy]-N-methyl-sulfonyl)-2-nitrobenzamide); oxyfluorfen (2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)benzene); feroe ([fenoxaprop-ethyl:( $\pm$ )-ethyl-2,4-(6-chloro-2-benzoxazolyl) oxy + phenoxy]propanoate); simazine; diuron; Ally; Classic; linuron; Oust; Glean mixtures thereof and the like.

The glyphosate salt component of a compositions of this invention may be preferably prepared by admixing various bases (acid acceptors) including those selected from those listed below with glyphosate wet cake or moistened glyphosate. Ammonium hydroxide, ammonium and alkali metal carbonates, bicarbonates, meta borates, citrates, formates, oxalates, phosphates, propionates, pyrophosphates, metasilicates, orthosilicates, sulfites, thiosulfates, tetraborate, monoacid phosphates, tripolyphosphates, metaphosphates, sodium hydroxide, potassium hydroxide, tetrasodium EDTA, mixtures thereof and the like. Mixtures of glyphosate and salts thereof may be employed as starting materials.

As employed herein, the term "admixed" includes reaction, neutralization and partial neutralization of glyphosate as well as mixed with and sprayed on, combined with or added to at least one other ingredient.

Suitable additional or secondary wetting agents include nonionic surfactants, anionic surfactants, cationic surfactants and amphoteric surfactants, mixtures thereof and the like, preferably



-31-

those surfactants that provide increased herbicidal activity of N-phosphonomethylglycine. A most preferred surfactant is an ethoxylated tallow amine containing 15-18 moles of ethylene oxide.

5                   Examples of nonionic secondary wetting agents to be used together with the organosilicone block copolymer or the fluorinated compound as the primary wetting agent are polyoxyethylene alkyether, polyoxyethylene alkylarylether, polyoxyalkylene alkyl  
10   arylether formaldehyde condensates, polyoxyethylene-alkylene arylether, polyoxyalkylene alkylester, polyoxyalkylene alkyl sorbitan ester, polyoxyalkylene alkyl sorbitol ester, polyoxyalkylene alkyl glycerol ester, polyoxyalkylene block copolymer, polyoxy-  
15   alkylene block copolymer alkyl glycerol ester, polyoxyalkylene alkyl sulfonamides, polyoxyalkylene rosin ester, polyoxypropylene block copolymers, polyoxyethylene oleyl ether, polyoxyalkylene alkylphenol, mixtures thereof and the like.

20                   Examples of secondary liquid cationic wetting agents are polyoxyalkylene alkylamines such as ethoxylated tallow amine, ethoxylated oleylamine, ethoxylated soyamine, ethoxylated cocoamine, ethoxylated synthetic alkyl amines, ethoxylated III°  
25   octyl amine, etc. and mixtures thereof.

                  Examples of secondary anionic wetting agents (typically solids unless dissolved in water) are sodium alkyl sulfate, sodium mono- and di-alkyl  
30   naphthalene sulfonates, sodium alpha-olefin sulfonate, sodium alkane sulfonates, alkylsulfates, polyoxy-alkylene alkyether sulfate, polyoxyalkylene alkyl-arylether sulfates, polyoxyalkylene styrylphenylether sulfate, mono- and di-alkylbenzene sulfonates,

-32-

alkylnaphthalene sulfonate, alkylnaphthalene sulfonate  
formaldehyde condensate, alkyl diphenylether sulfon-  
ates, olefinic sulfonates, alkylphosphates, polyoxy-  
alkylene alkyl phosphates, polyoxyalkylene phenylether  
5 phosphate, polyoxyalkylphenol phosphates, poly-  
carboxylates, fatty acids salts, stearic acid and  
salts thereof, oleic acid and salts thereof, N-methyl  
fatty acid taurides, mixtures thereof and the like,  
including sodium, potassium, ammonium and amine salts.

10               Examples of suitable secondary amphoteric  
wetting agents are lauryldimethylamine oxide, Armox  
C/12, amine oxides, Monaterics, Miranols, betaines,  
Lonzaines, other amine oxides, mixtures thereof and  
the like.

15               Preferable agriculturally acceptable salts  
of N-phosphonomethylglycine include the ammonium,  
isopropylamine, trimethylsulfonium, imminourea salts,  
sodium, potassium, mixtures thereof and the like. The  
sodium potassium and ammonium salts of N-phosphono-  
20 methylglycine are especially preferred in this  
invention. Mixtures of water soluble salts of  
N-phosphonomethylglycine may be employed herein, as  
well as surfactant salts of N-phosphonomethylglycine  
including, for example, a N,N-bis(hydroxyethylcoco-  
25 amine) salt of N-phosphonomethylglycine,

                  Most preferred water-soluble granules (WSG)  
are those made with the ammonium salt or sodium salt  
of N-phosphonomethylglycine and an ethoxylated  
tallowamine surfactant (tallowamine + 15-20 moles of  
30 ethylene oxide) as the surfactant.

                  In another embodiment the composition of  
this invention further comprises ammonium sulfate,

-33-

potassium sulfate, potassium chloride, sodium sulfate, urea, ammonium phosphate mixtures thereof and the like.

5 If desired, a dry, water soluble, agriculturally acceptable composition comprising a water soluble, agriculturally acceptable salt of N-phosphonomethylglycine may be prepared by pan granulation or extrusion granulation of the salt of glyphosate itself. If pan granulation is to be employed, an  
10 intermediate drying step after preparing the salt may be necessary before pan granulation is carried out.

The salt of N-phosphonomethylglycine may be prepared by admixing an acid acceptor with N-phosphonomethylglycine (containing in the range from about  
15 10 to about 15 wt % water) to neutralize the N-phosphonomethylglycine. A slight excess of acid acceptor may be preferred, however it is not required when ammonia, ammonium, hydroxide or ammonium bicarbonate is the base.

20 When the composition of this invention comprises a water soluble salt of N-phosphonomethylglycine, the process of preparation comprises preparing said water soluble salt of N-phosphonomethylglycine followed by granulation (pan, extrusion,  
25 fluidized bed, or equivalent such as spray drying, drum drying, flaking, crystallizing and centrifuging) to form a composition of this invention.

In this embodiment, water is added in a pan granulation step to promote granulation and is thereafter  
30 removed in subsequent drying. If extrusion granulation is employed then a water removal step is usually but not always necessary.

-34-

A fluidized bed drying step is usually carried out following granulation to form a composition of this invention. Reworking of the granules may be necessary at times to take into account various parameters such as temperature, ingredient quality, and the like.

When the composition of this invention includes a liquid wetting agent the process of preparation comprises admixing said water soluble, agriculturally acceptable salt of N-phosphonomethylglycine and said one or more liquid wetting agents optionally with ammonium sulfate and thereafter blending these ingredients singly or collectively to form an admixed composition as a composition of this invention.

The wetting agent or mixture of wetting agent may be admixed with the water soluble salt of N-phosphonomethylglycine by spraying the wetting agent on the water soluble salt of N-phosphonomethylglycine while the water soluble salt of N-phosphonomethylglycine is being pan granulated to form a composition of this invention. The one or more liquid wetting agent may be admixed with the water soluble salt of N-phosphonomethylglycine as in a blender prior to granulation. In the latter embodiment, water is typically added to the granulator to promote granulation in forming a composition of this invention.

If desired, in another embodiment water may be sprayed onto the admixed composition comprising water soluble salt of N-phosphonomethylglycine and optionally wetting agent while said admixed composition is being pan granulated to form a composition of this invention.

-35-

Typically the admixed composition will have an appearance (depending on the amount of water present at that time) which ranges from a damp or moist powder, even fluffy, to that of a dough like substance after the admixing is completed in a kneader, blender or other mixer type device. Thereafter, additional water present in the mixed composition may be removed to a satisfactory level for granulation (pan, extrusion, fluid bed or equivalent) which may in turn be followed by fluidized bed drying. Carbon dioxide and water may be removed in the drying process.

If extrusion granulation is desired, an admixed composition may be fed to an extruder without an intermediate drying and thereafter the extrusion product, the extruded admixed composition, may be further dried in a fluidized bed dryer or other drying equipment (drying oven, flash or vacuum dryer, etc.) to form a composition of this invention.

This invention also includes a method of killing or controlling weeds by applying a herbicidally effective amount of the composition of this invention to the locus of the plant or weed to be killed or controlled. Dilution with water before application to the locus of the plant or weed is desirable, although perhaps not necessary in all cases, as for example when the plants contain dew. In general when killing or controlling weeds or plants using this invention, the methods of use generally disclosed in U.S. Patent 3,799, 458 for salts and compositions employing N-phosphonomethylglycine and the other patents referred to hereinabove will be useful to those of skill in the art.

-36-

The application of an effective amount of the herbicidally effective compounds used in the compositions of this invention to the plant is essential for the practice of the present invention.

5 The exact amount of herbicide containing N-phosphonomethylglycine as the active ingredient to be employed is dependent upon the response desired in the plant, as well as such other factors as the plant species and stage of development thereof, and the amount of

10 rainfall, as well as the specific salt employed. In foliar treatment for the control of vegetative growth, the active ingredients are applied in amounts from about 0.01 to about 20 or more pounds per acre. In applications for the control of aquatic plants, the

15 active ingredients are applied in amounts of from about 0.01 parts per million to about 1000 parts per million, based on the aquatic medium. An effective amount for phytotoxic or herbicidal control is that amount necessary for overall or selective control,

20 i.e. a phytotoxic or herbicidal amount. It is believed that one skilled in the art can readily determine from the teachings of this specification, and patents referred herein the approximate application rate. Granules may also be applied using

25 conventional broadcast techniques.

The following examples are presented to illustrate the present invention, as well as some of the various embodiments of the invention. These examples are presented as being illustrative of the

30 novel formulations, process for preparing the invention and and herbicidal use thereof and are not intended to be a limitation of the scope of this invention. All percentages in the following examples are on a weight basis unless otherwise indicated.

-37-

## GENERAL ADMIXING PROCESS:

In a typical process for preparing the ammonium salt water soluble granules (or other water soluble salts of N-phosphonomethylglycine) of this invention, the process comprises first neutralizing N-phosphonomethylglycine wet cake (contains about 1 to about 15 % water) with ammonium bicarbonate (or sodium carbonate or sodium bicarbonate) by admixing process in a mixer such as a ribbon blender or a Hobart type mixer to form a suitable water soluble salt of N-phosphonomethylglycine (e.g., ammonium or sodium salt).

The products of the reaction include the ammonium salt of N-phosphonomethylglycine, carbon dioxide and water. As the reaction proceeds there is a loss in weight of the formulation. If desired, the reaction can be monitored by the rate of carbon dioxide formation and consequential weight loss. The time involved for the reaction to proceed to completion may range from about twenty to thirty minutes to about one hour. The optimum particle size is about 20 mesh for the admixed composition.

After the N-phosphonomethylglycine-ammonium bicarbonate reaction has been completed, a fluffy wet cake or white powder of ammonium salt of N-phosphonomethylglycine has formed. At the time, the ammonium salt of N-phosphonomethylglycine can either be subsequently formulated into a water soluble granule to form a composition of this invention or dried, or used as is for some other use such as in package mixes to also form a composition of this invention.

### Wetting Agent Addition and Mixing

After making the salt of N-phosphonomethylglycine as described just above, one optionally adds at least one surfactant. The preferred surfactant is an ethoxylated fatty tallow amine with an average ethylene oxide content of about 15-18 moles (MON-0818). The addition of a surfactant typically produces a stiff dough. The mixing equipment is appropriately selected to be capable of mixing such a dough; and the equipment should also be steam jacketed to allow heating of the contents to drive off excess water to form a damp powder in the event pan granulation is to follow as a further processing step. Depending on the amount of water present, the admixed composition at this step may be a composition of this invention.

### Pan Granulation

If desired, the moist but free flowing mixture of active and surfactant is fed into a typical pan granulator and granulated to form a composition of this invention. Water may be added in the granulation step. In order to achieve the most desired granule characteristics, it may be desirable to experiment with the granulator's operating characteristics.

Another approach is to granulate the water soluble salt of N-phosphonomethylglycine in a piece of equipment known as a turbulator which is basically a modified pug mixer that mixes thoroughly. The powder is added at one end. Liquid is sprayed on during mixing which forms granules that come out the other end and are ready for drying. This approach could be used in place of the surfactant addition and mixing step to combine the mixing step with the granulating step. Other suitable methods of granulating include



-39-

the use of fluid bed granulation, tumble granulation techniques, or granulating using Schugi granulation equipment.

#### METHODS OF GRANULATION:

5           A number of different methods may be used to make WSG. Some WSG may be made by spraying a liquid wetting agent directly on the active-containing powder in a pan granulator (or disk pelletizer). The wetting agent can be mixed with the active-containing powder  
10   in a blender and this mixture granulated by spraying water onto the powder. Little difference in the granule quality was noted. Other equipment suitable for making the granules include: Patterson-Kelley V-blenders, extruders, ribbon blenders, and fluid  
15   beds.

#### Extrusion Granulation

          If desired, one may proceed from the first step to extrusion granulation. In such embodiment, the product from the admixing device is fed to an  
20   extruder and the extruded product of this invention is typically a cylindrical shaped particle, typically having a diameter in the range from about 0.4 to about 2.0 mm and preferably in the range from about 0.7 to 1.2 mm and having a length in the range from about 1  
25   to 10 mm and preferably from about 2 mm. to about 5 mm.

          After granulation, further drying of the composition is typically desired to form a composition of this invention.

#### 30   METHODS OF DRYING:

          A preferred method of drying is the use of a fluid bed drier which allows drying to occur quickly

-40-

under more temperate conditions than other methods. For small size samples, drying can be accomplished at a 60°C to 70°C in a few hours or in an oven overnight.

5 The water content of the active salt powder was also found to have an effect on the size granules formed in a pan granulator and on the quality of the WSG. The active-containing powder can be a free flowing powder while containing as much as about 18-20% water. It was found that a minimum water  
10 content of about 5-7% was needed to form granules of good quality. About 10 to 15% were found to be the optimum water content. When the water content was below about 5-7% for pan granulation, the sodium and ammonium active salt granules may be noticeably soft  
15 and powdery on the inside.

Water may be added in the active-containing powder to be granulated or, if desired, the wetting agent can be mixed with water that is sprayed on the powder. Even when the water was contained in the  
20 wetting agent, an optimum water content for granulation was one in which the total amount of water amounted to approximately 10% of the weight of the active.

A minimum water content was found to be  
25 necessary even when the process to make the granules was changed such that the wetting agent was blended in a mixer with the active-containing powder and the resultant powder granulated. When "bone dry" ammonium salt of N-phosphonomethylglycine was mixed with Sterox  
30 NJ (nonylphenol + 9.5 moles EO) and the resulting powder granulated, the granules were soft. When the ammonium salt contained about 10% water when the

-41-

surfactant was mixed in, the granules formed were of very good quality.

5 It is advantageous that water be present while the granules are forming. Once the granules are formed, excess water can be removed by drying and the granules will be high quality, sturdy granules.

The water can be removed either in an oven or fluid bed drier.

10 The following examples were prepared in general accordance with the above general procedures although departures were employed to adjust for batch size and general equipment availability. The identity and quantity of ingredients are provided for each composition.

15 In the examples, particles of a water soluble salt of N-phosphonomethylglycine and organo-silicone and/or fluorocarbon wetting agents were prepared as follows.

20 Selected quantities of the water soluble salt of N-phosphonomethylglycine, and optional ingredients, such as ammonium sulfate and a secondary wetting agent, were ground and mixed using a mortar and pestle. After thorough mixing, selected quantities of the organosilicone or fluoroorganic compound  
25 were added and mixed with the mixture for about thirty (30) minutes. The resulting mixture was a solid powder.

To the powder selected quantities of water were kneaded at room temperature for fifteen (15)  
30 minutes. The kneaded product was a dough-like

-42-

material. The dough was then fed into an extruder and through holes of 1.0mm diameter. The extrudate was cut into rods having a diameter of 1.0mm and lengths of 1-5mm. The average length was 3mm. The rods were  
5 dried in an electrical oven equipped with a fan for 1-2 hours at 60-70°C. The dried rods were screen by a sifter to 12/48 mesh.

To test the time of dissolution one gram of the shaped solid rods was placed in 100ml of 3° hard  
10 water at 20°C contained in a 100ml graduated cylinder. The cylinder was stopped and gently rotated in one direction from being right side up to down side up. The rotation was continued until the shaped rods were completely dissolved or completely dispersed in the  
15 water. The time taken to obtain complete dissolution was noted. In the following tables test data of various compositions of the present invention are provided showing the time of dissolution versus the same composition to which no silicone copolymer  
20 wetting agent or fluoroorganic wetting agent had been added.

In the examples the term "ae" means acid equivalent. The term "ai" means active ingredient. The Dissolution Rate in the tables is the time given  
25 in minutes required to dissolve or disperse a one gram sample in 100ml 3° hard water at 20°C in a stoppered 100ml graduate cylinder by rotating the cylinder and contents around its short axis at a rate of about one rotation every two seconds.

-43-

EXAMPLE 1

21 g of the ammonium salt of glyphosate,  
71 g of ammonium sulfate and 5 g of Sorpol 7553  
(surfactant) were mixed with a pestle in a mortar; and  
5 then 2 g of silicone surfactant was added and mixed  
for about 30 minutes.

The resultant mixture was solid powder.  
About 6 g of water was added to the admixture and the  
mixture was kneaded at room temperature for 15  
10 minutes. The resultant mixture is dough like  
material. The dough was then fed into the extruder  
and was extruded through holes of 1.0 mm diameter.  
The extruded granules (diameter 1.0 mm, length 1-5 mm)  
were dried in a fan electrical oven for 1-2 hours at  
15 60-70°C. The dried granules were screened by a sifter  
to 12/48 mesh. The results using the tested silicone  
copolymer wetting agents are set forth in Tables 1-2.  
The results using the tested fluorochemical wetting  
agents are set forth in Table 3. The term "WSG"  
20 refers to water soluble granules.

**Table 1. Effect of Silicone Wetting Agents on Dissolution of WSG of Glyphosate**

Ingredients	Example No.									
	1-1	1-2	1-3	1-4	1-5	1-6	1-7	1-8	1-9	Control
5										
MON-8750 (88%ae)	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
Sorpol 7553	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
Ammonium sulfate	71.0	71.0	71.0	71.0	71.0	71.0	71.0	71.0	71.0	73.0
Silwet FZ-2104	2.0	-	-	-	-	-	-	-	-	-
" L-5310	-	2.0	-	-	-	-	-	-	-	-
" L-7001	-	-	2.0	-	-	-	-	-	-	-
" L-7600	-	-	-	2.0	-	-	-	-	-	-
" L-7604	-	-	-	-	2.0	-	-	-	-	-
" L-7607	-	-	-	-	-	2.0	-	-	-	-
" F-218-02	-	-	-	-	-	-	2.0	-	-	-
" F-218-05	-	-	-	-	-	-	-	2.0	-	-
" F-218-06	-	-	-	-	-	-	-	-	2.0	-
Total, w/w, % 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Water for Kneading	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
Dissolution Rate	3.0	2.0	1.5	1.0	2.0	0.5	0.5	1.0	0.5	8.0
20										
MON-8750 is the monoammonium salt of glyphosate.										
Sorpol 7553 is ethoxylated alkylamine obtained from Toho.										

Table 2. Effect of Silicone Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.		
		1-10	1-11	Control
5	MON-8750 (88%ae)	21.0	21.0	21.0
	Sorpol 7553	6.0	6.0	6.0
	Ammonium sulfate	71.0	71.0	73.0
	Silwet F-218-06A	2.0	-	-
	F-218-10	-	2.0	-
10	Total, w/w, %	100.00	100.00	100.00
	Water for Kneading	6.0	6.0	6.0
	Dissolution Rate	0.5	0.5	8.0

-46-

Table 3. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.									
		1-12	1-13	1-14	1-15	1-16	1-17	1-18	1-19	1-20	Control
5	MON-8750 (88%ae)	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
	Sorpol 7553	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
	Ammonium sulfate	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	73.0
	Megafac F-110 (100% ai)	1.0	-	-	-	-	-	-	-	-	-
10	" F-120 (")	-	1.0	-	-	-	-	-	-	-	-
	" F-142D (")	-	-	1.0	-	-	-	-	-	-	-
	" F-150 (")	-	-	-	1.0	-	-	-	-	-	-
	" F-177 (")	-	-	-	-	1.0	-	-	-	-	-
	" F-191 (")	-	-	-	-	-	1.0	-	-	-	-
	Eftop EF-112	-	-	-	-	-	-	1.0	-	-	-
15	" EF-121	-	-	-	-	-	-	-	1.0	-	-
	" EF-123A	-	-	-	-	-	-	-	-	1.0	-
	Total, w/w, % 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
20	Water for Kneading	7.0	6.0	6.0	7.0	7.0	6.0	6.0	6.0	6.0	6.0
	Dissolution Rate	3.0	1.0	1.5	3.0	3.0	1.5	1.5	1.5	2.5	8.0



-47-

EXAMPLE 2

21 g of MON 8750 (the monoammonium salt of glyphosate), 72 g of ammonium sulfate Powder and 6 g of Sorpol 7553 (surfactant) were mixed with a pestle in a mortar; and then 1 g of fluorochemical wetting agent was added and mixed with a pestle for about 30 minutes.

The resultant mixture is solid powder. About 6 g of water was added to the admixture and the same was kneaded at room temperature for 15 minutes. The resultant mixture was a dough like material. The dough was then fed into the extruder and was extruded through holes of 1.0 mm diameter. The extruded granules (diameter 1.0 mm, length 1-5 mm) were dried in a fan electrical oven for 1-2 hrs at 60-70°C. The dried granules were screened by a sifter to 12/48 mesh. The results using the tested fluorochemical wetting agents are given in Tables 4-6.

Table 4. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.									
		2-1	2-2	2-3	2-4	2-5	2-6	2-7	2-8	2-9	Control
5	MON-8750 (88%ae)	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
	Sorpol 7553	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
	Ammonium sulfate	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	73.0
	ETOP® EF-123B	1.0	-	-	-	-	-	-	-	-	-
	ETOP® EF-132	-	1.0	-	-	-	-	-	-	-	-
10	ETOP® EF-305	-	-	1.0	-	-	-	-	-	-	-
	Fluorad FC-95 (100% ai)	-	-	-	1.0	-	-	-	-	-	-
	" FC-98 (100% ai)	-	-	-	-	1.0	-	-	-	-	-
15	" FC-129 (50% ai)	-	-	-	-	-	1.0	-	-	-	-
	" FC-135 (50% ai)	-	-	-	-	-	-	1.0	-	-	-
	" FC-170C (95% ai)	-	-	-	-	-	-	-	1.0	-	-
20	" FC-430 (100% ai)	-	-	-	-	-	-	-	-	1.0	-
	Total, w/w, % 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
25	Water for Kneading	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
	Dissolution Rate	1.0	3.0	0.5	3.0	2.5	0.5	1.5	1.0	0.5	8.0

-49-

Table 5. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

		Example No.										
Ingredients		2-10	2-11	2-12	2-13	2-14	2-15	2-16	2-17	2-18	Control	
5	MON-8750 (88%ae)	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	
	Sorpol 7553	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
	Ammonium sulfate	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	73.0	
	Surflon S-111 (30% ai)	1.0	-	-	-	-	-	-	-	-	-	
10	Surflon S-112 (15% ai)	-	1.0	-	-	-	-	-	-	-	-	
	Surflon S-113 (30% ai)	-	-	1.0	-	-	-	-	-	-	-	
	Surflon S-121 (30% ai)	-	-	-	1.0	-	-	-	-	-	-	
15	Surflon S-131 (30% ai)	-	-	-	-	1.0	-	-	-	-	-	
	Surflon S-132 (30% ai)	-	-	-	-	-	1.0	-	-	-	-	
	Surflon S-141 (30% ai)	-	-	-	-	-	-	1.0	-	-	-	
20	Surflon S-145 (30% ai)	-	-	-	-	-	-	-	-	-	-	
	Unidyne DS-102 (100% ai)	-	-	-	-	-	-	-	1.0	-	-	
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
25	Water for Kneading	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
	Dissolution Rate	2.5	2.0	1.5	2.0	2.5	0.5	2.0	2.0	5.0	8.0	

Table 6. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.			
		2-19	2-20	2-21	Control
5	MON-8750 (86%ae)	21.0	21.0	21.0	21.0
	Sorpol 7553	6.0	6.0	6.0	6.0
	Ammonium sulfate	72.0	72.0	72.0	73.0
	Unidyne DS-202	1.0	-	-	-
	" DS-401	-	1.0	-	-
10	" DS-403	-	-	1.0	-
	Total, w/w, %	100.0	100.0	100.0	100.00
	Water for Kneading	6.0	6.0	6.0	
	Dissolution Rate	1.5	1.5	1.5	8.0

-51-

EXAMPLE 3

Ninety six (96) grams of the monoammonium salt of glyphosate and 2 grams of tallowamine ethoxylated (20 moles EO per mole of amine) as a surfactant were mixed with a pestle in a mortar. After thorough mixing of the salt and amine, two (2) grams of the tested organosilicone or fluorochemical (as a water dissolution enhancing aid) was added and mixed with the mixture of salt and amine for about thirty (30) minutes. The resulting mixture was a solid powder.

To the powder six (6) grams of water were kneaded at room temperature for fifteen (15) minutes. The kneaded product was a dough like material. The dough was then fed into an extruder and through holes of 1.0mm diameter. The extrudate was cut into rods having lengths of 1-5mm. The rods were dried in an electrical oven equipped with a fan for 1-2 hours at 60-70°C. The dried rods were screened by a sifter to 12/48 mesh. The results of the tested organosilicone and fluorochemical wetting agents are given in Tables 7-13.

-52-

Table 7. Effect of Silicone Wetting Agents on Dissolution of WSG of Glyphosate

		Example No.								
Ingredients		3-1	3-2	3-3	3-4	3-5	3-6	3-7	3-8	Control
5	MON-8750 (88%ae)	96.0	96.0	96.0	96.0	96.0	96.0	96.0	96.0	98.0
	Sorpol 7553	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
	Silwet L-7600 (100% ai)	2.0	-	-	-	-	-	-	-	-
10	" L-7001 (")	-	2.0	-	-	-	-	-	-	-
	" L-5310 (")	-	-	2.0	-	-	-	-	-	-
	" L-7604 (")	-	-	-	2.0	-	-	-	-	-
	" F-218-05 (")	-	-	-	-	2.0	-	-	-	-
	" F-218-06 (")	-	-	-	-	-	2.0	-	-	-
15	" F-218-10 (")	-	-	-	-	-	-	2.0	-	-
	" F-218-02	-	-	-	-	-	-	-	2.0	-
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
Dissolution Rate		4	3	3	3	1	1	2	1	8

Table 8. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.									
		3-9	3-10	3-11	3-12	3-13	3-14	3-15	3-16	Control	
5	MON-8750 (88%ae)	97.5	97.5	97.5	97.5	97.5	97.5	97.5	97.5	98.0	
	Sorpol 7553	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	Fluorad FC-83 (25%ai)	0.5(ai)	-	-	-	-	-	-	-	-	
	" FC-85 (100%ai)	-	0.5	-	-	-	-	-	-	-	
	" FC-88 (100% ai)	-	-	0.5(ai)	-	-	-	-	-	-	
10	" FC-128 (50%ai)	-	-	-	0.5(ai)	-	-	-	-	-	
	" FC-135 (50% ai)	-	-	-	-	0.5(ai)	-	-	-	-	
	" FC-170C (85%ai)	-	-	-	-	-	0.5(ai)	-	-	-	
	" FC-430 (100%ai)	-	-	-	-	-	-	0.5	-	-	
	" FC-431 (50%ai)	-	-	-	-	-	-	-	0.5(ai)	-	
15	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	Water for Kneading	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
	Dissolution Rate	2	2	4	1	1	1	3	1	8	

-54-

Table 9. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.					
		3-17	3-18	3-19	3-120	3-21	3-22 Control
5	MON-8750 (88%ae)	97.5	97.5	97.5	97.5	97.5	97.5 98.0
	Sorpol 7553	2.0	2.0	2.0	2.0	2.0	2.0 2.0
	ETOP® EF-112 (100%ai)	0.5	-	-	-	-	- -
	" EF-121 "	-	0.5	-	-	-	- -
	" EF-123A "	-	-	0.5	-	-	- -
10	" EF-123B "	-	-	-	0.5	-	- -
	" EF-132 "	-	-	-	-	0.5	- -
	" EF-305 "	-	-	-	-	-	- -
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0 100.0
15	Water for Kneading	7.5	7.5	7.5	7.5	7.5	7.5 8.0
	Dissolution Rate	2	2	4	4	1	2 8



Table 10. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.				
		3-23	3-24	3-25	3-26	3-27 Control
5	MON-8750 (88%ae)	97.5	97.5	97.5	97.5	98.0
	Sorpol 7553	2.0	2.0	2.0	2.0	2.0
	MEGAFAC F-120 (100%ai)	0.5	-	-	-	-
	" F-142D "	-	0.5	-	-	-
10	" F-150 "	-	-	0.5	-	-
	" F-177 "	-	-	-	0.5	-
	" F-181 "	-	-	-	-	-
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	7.5	7.5	7.5	7.5	8.0
	Dissolution Rate	1	2	2	3	8

Table 11. Effect of Fluorochemical Wetting Agents on Dissolution of WSG of Glyphosate

	Ingredients	Example No.				Control
		3-28	3-29	3-30	3-31	
5	MON-8750 (88%ae)	97.5	97.5	97.5	97.5	98.0
	Sorpol 7553	2.0	2.0	2.0	2.0	2.0
	UNIDYNE DS-102 (100%ai)	0.5	-	-	-	-
	" DS-202 "	-	0.5	-	-	-
10	" DS-401 "	-	-	0.5	-	-
	" DS-403 "	-	-	-	0.5	-
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	7.5	7.5	7.5	7.5	8.0
	Dissolution Rate	1	2	2	2	8

-57-

Table 12. Effect of Silicone Wetting Agents and Various Carriers  
on Dissolution of WSG of Glyphosate

		Example No.											
		3-32	Control	3-33	Control	3-34	Control	3-35	Control	3-36	Control	3-37	Control
5	<u>Ingredients</u>												
	MON-8750 (86%ae)	58	58	58	58	58	58	58	58	58	58	58	58
	Sorpol 7553	3	3	3	3	3	3	3	3	3	3	3	3
	Silwet L-77	4	-	4	-	4	-	4	-	4	-	4	-
	Sodium sulphate	35	38	-	-	-	-	-	-	-	-	-	-
10	Diammonium phosphate	-	-	35	38	-	-	-	-	-	-	-	-
	Potassium sulfate	-	-	-	-	35	38	-	-	-	-	-	-
	Potassium chloride	-	-	-	-	-	-	35	38	-	-	-	-
	Urea	-	-	-	-	-	-	-	-	35	38	-	-
	Starch	-	-	-	-	-	-	-	-	-	-	-	-
15	Total w/w, %	100	100	100	100	100	100	100	100	100	100	100	100
	Water for Kneading	6	8	6	8	6	8	6	8	6	8	6	8
	Dissolution Rate	5	18	1	8	4	12	2	8	1	5	4	1

Table 13. Effect of Silicone and Fluorochemical Wetting Agents with Various Types of Surfactants on the Dissolution of Glyphosate

	Ingredients	Example No.							
		3-38	Control	3-39	Control	3-40	Control	3-41	Control
5	MON-8750 (86%ae)	21.0	21.0	41.0	41.0	21.0	21.0	21.0	21.0
	Silwet L-77	-	-	-	-	3.0	-	3.0	-
	Surflon S-113 (100%ai)	1.0	-	1.0	-	-	-	-	-
	Amphitol 20N (35%ae)	11.00(ai)	4.0(ai)	-	-	-	-	-	-
10	Texopan K-1286	-	-	6.0	6.0	-	-	-	-
	Sorpol 7373	-	-	-	-	6.0	6.0	-	-
	Emalgen 809	-	-	-	-	-	-	6.0	6.0
	Ammonium sulfate powder	74.0	76.0	26.0	27.0	70.0	73.0	70.0	73.0
	Diammonium phosphate	-	-	26.0	26.0	-	-	-	-
15	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	0.0	0.0	8.0	8.0	4.0	7.0	4.0	7.0
	Dissolution Rate	1	6	1	5	2	8	1	7
	Amphitobon	=							
	Sorpol 7373	=							
	Texopan K-1286	=							
20	Emalgen 809	=							

Amphoteric surfactant of alkyl dimethylamino oxide  
 Cationic surfactant of methyl dihydroxyethyl  
 Anionic surfactant of Sodium lauryl sulfate  
 Nonionic surfactant of polyoxyethyl (EO = mole) nonyl phenylether

-59-

EXAMPLE 4

5 This example illustrates the preparation of improved water soluble granules (WSG) of glyphosate/ ammonium sulfate with different Silwet L-77 concentra-  
10 tions and the dissolution rate of WSG with Silwet L-77 and without Silwet L-77 (control). WSG formulations according to the invention were made as follows. MON-8750 and ammonium sulfate powder were weighed into a pestle and mortar (automatic type: Nitto Model  
15 ANM-1000) and ground well for 1/2 hour. The Sorpol 7553 surfactant and Silwet L-77 wetting agent were then added and mixed for 5 minutes. Next, water for mixing and kneading was added; and the mixture was kneaded under room temperature for 10 minutes to make  
20 a dough like material. The dough like material from an automatic kneader was fed to an extruder equipped with a 1.0mm extrusion port. The extruder product of this invention was typically a cylindrical shaped particle, having 1.0mm diameter and having a length in the range from about 0.3 to about 5mm.

After granulation, the drying of the extruder granules was carried out by using a fan dryer at 60°C over a period of two hours.

25 Finally, the dried product was sieved by using a siever (micro siever model 100 type of TUTU1 Co.) equipped 12 and 48 mesh sieves. The results of the tested organosilicone wetting agents are given in Tables 14-16.

Table 14. Effect of A Silicone Wetting Agent on Dissolution of WSG of Glyphosate

		Example No.								
		4-1	4-2	4-3	4-4	4-5	4-6	4-7	4-8	Control
5	<u>Ingredients</u>									
	MON-8750 (88%ae)	21.00	21.00	21.00	21.00	21.00	21.00	21.00	21.00	21.00
	Sorpol 7553	5.95	5.90	5.70	5.50	5.00	4.00	2.00	-	6.00
	Silwet L-77	0.05	0.10	0.30	0.50	1.00	2.00	4.00	6.00	-
10	Ammonium Sulfate									
	powder	73.00	73.00	73.00	73.00	73.00	73.00	73.00	73.00	73.00
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	10.00	10.00	9.70	9.50	9.00	8.00	6.00	4.00	10.00
Dissolution Rate		4	3	2	2	2	2	1	1	8

Table 15. Effect of Various Ratios of a Surfactant and a Silicone Wetting Agent on the Dissolution of WSG of Glyphosate

	Ingredients	Example No.			
		4-9	4-10	4-11	Control
5	MON-8750 (86%ae)	42.00 (36%ae)	42.00	42.00	42.00
	Sorpol 7553	1.00	1.00	1.00	1.00
	Silwet L-77	3.30	5.00	10.00	-
	Ammonium sulfate powder	53.70	52.00	48.00	57.00
	Total, w/w, %	100.0	100.0	100.0	100.00
10	Water for Kneading	6.70	4.00	1.00	9.00
	Dissolution Rate	1	1	1	8

Table 16. Effect of Various Ratios of a Surfactant and a Silicone Wetting Agent on the Dissolution of WSG of Glyphosate

	Example No.		
	4-12	4-13	Control
5			
<u>Ingredients</u>			
MON-8750 (86%ae)	58.10 (50%ae)	58.10	58.10
Sorpol 7553	2.00	2.00	2.00
Silwet L-77	4.60	10.00	-
Ammonium sulfate powder	35.30	29.90	39.90
Total, w/w, %	100.00	100.00	100.00
10			
Water for Kneading	3.40	1.00	8.00
Dissolution Rate	1	1	6



-63-

EXAMPLE 5

5 This example illustrates the preparation of improved water soluble granules (WSG) of glyphosate/ ammonium sulfate with different Surflon S-145 concentration and the dissolution rate of WSG with Surflon S-145 wetting agent and without Surflon S-145 wetting agent (control). WSG formulations according to the invention were made from the following ingredients.

10 MON-8750 and ammonium sulfate powder were weighed into a pestle and a mortar (automatic type: Nitto model ANM-1000) and ground well for 1/2 hour. The Sorpol 7553 and Surflon S-145 were then added and mixed for 5 minutes. Next water for mixing and kneading was added and the mixture was kneaded under  
15 room temperature for 10 minutes to make dough like material. The dough like material from automatic type a pestle and a mortar was fed to an extruder (handy type) equipped 1.0mm screen and the extruder product of this invention is typically a cylindrical  
20 shaped particle, having 1.0mm diameter and having a length in the range from about 0.3 to about 5mm.

After granulation, the drying of the extruder granules was carried out by using fan dryer at 60°C over a period of two hours hours.

25 Finally, the dried product was sieved by using a siever (Micro Siever Model 100 type of TUTU1 Co.) equipped with 12 and 48 mesh sieves. The results of the tested wetting agents are given in Table 17.

Table 17. Effect of Varying Amounts of Fluorochemical Wetting Agent  
Agent on Dissolution Rate of WSG of Glyphosate

	Ingredients	Example No.					
		5-1	5-2	5-3	5-4	5-5	5-6 Control
5	MON-8750 (88%ae)	21.00	21.00	21.00	21.00	21.00	21.00 (XXX)
	Sorpol 7553	5.99	5.90	5.89	5.60	5.00	6.0
	Surflon S-145 (30%ai)	0.01(ai)	0.10(ai)	0.20(ai)	0.40(ai)	1.00(ai)	-
	Ammonium sulfate powder	73.00	73.00	73.00	73.00	73.00	73.00
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0
10	Water for Kneading	4.00	4.00	4.00	3.00	2.00	4.00
	Dissolution Rate	-	2	2	2	1	8

-65-

EXAMPLE 6

5 This example illustrates the preparation of improved water soluble granules (WSG) of glyphosate with different Silwet L-77 concentrations and relates to the dissolution rate of WSG with Silwet L-77 and without Silwet L-77 (control). WSG formulations according to the invention were made from the following ingredients.

10 MON-8750 was weighed into a pestle and a mortar (automatic type: Nitto model ANM-1000) and ground well for 1/2 hour. The Sorpol 7553 and Silwet L-77 were then added and mixed for 5 minutes. Next, water for mixing and kneading was added; and the mixture was kneaded under room temperature for 10  
15 minutes to make dough like material. The dough like material from automatic type a pestle and a mortar was fed to an extruder (handy type) equipped 1.0mm screen and the extruder product of this invention is typically a cylindrical shaped particle, having 1.0mm diameter  
20 and having a length in the range from about 0.3 to about 4mm.

After granulation, the drying of the extruder granules was carried out by using fan dryer at 60°C for a period of two hours.

25 Finally, the dried product was sieved by using a siever (Micro Siever Model 100 type of TUTU1 Co.) equipped 12 and 48 mesh sieves. The results of the tested wetting agents are given in Table 18.

Table 18. Effect of Various Amounts of Silicone Wetting Agents  
on Dissolution of WSG of Glyphosate

5	Ingredients	Example No.				
		6-1	6-2	6-3	6-4	Control
10	MON-8750 (88%ae)	85.0 (84%ae)	82.0 (81%ae)	87.0 (77%ae)	70.0 (62%ae)	87.0 (85%ae)
	Sorpol 7553	3.0	3.0	3.0	-	3.0
	Silwet L-77	2.0	5.0	10.0	30.0	-
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	5.0	2.0	1.0	1.0	7.0
	Dissolution Rate	2	1	1	1	7

-67-

EXAMPLE 7

Improved water soluble granular formulations of a commercial insecticide, fungicide and herbicide were prepared as follows.

5                   99 parts of a commercial pesticidal water  
soluble powder (WSP) or water soluble granules (WSG)  
was mixed with 2 parts of Silwet L-77 until a uniform  
mixture was obtained, using an automatic type pestle  
and a mortar. To the resultant mixture 10 parts of  
10 water was added slowly. The mixture was kneaded well  
for 20 minutes to form a dough like material. The  
dough like material was extruded through a 1.0mm  
extrusion port and cut to size. The extruded granules  
were dried with a fan dryer at 40 - 50°C over a period  
15 of two hours and sieved with 12 - 48 mesh sieve to  
give water soluble powders and granules of pesticide  
which dissolved remarkably fast compared with WSG of  
the same pesticide but without Silwet L-77.

20                   The results of the tested wetting agents are  
given in Table 19.

Table 19. Effect of Silicone Wetting Agents on Dissolution of Other Pesticides

	Ingredients	Example No.							
		7-1	Control	7-2	Control	7-3	Control	7-4	Control
5	Paden water soluble powder (WSP)® (Insecticide)	98.0	100.0	-	-	-	-	-	-
10	Cycloser water soluble granules (WSG)® (Insecticide)	-	-	98.0	100.00	-	-	-	-
	Polyoxin WSP® (Fungicide)	-	-	-	-	98.0	100.0	-	-
15	Kusagard WSP® (Herbicide)	-	-	-	-	-	-	99.0	100.0
	Silwet L-77	2.0	-	2.0	-	2.0	-	2.0	-
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
	Dissolution Rate	1	16	2	28	3	>30	4	>30

EXAMPLE 8

Procedures for preparing water soluble granules of glyphosate/Bialaphos, glyphosate/basta, bialaphos and basta were as follows.

- 5                   21 parts of MON-8750, 10.5 parts of Bialaphos, and 59.5 parts of ammonium sulfate powder were added to a pestle and a mortar and mixed well for 20 minutes. Next, to the resulting powder, 6 parts of Sorpol 7553 was added and mixed well for 20 minutes.
- 10       Then, 3 parts of Silwet L-77 and 13 parts of water were added slowly. The mixture was kneaded at room temperature for 20 minutes to make a dough like material. The dough like material was extruded through a 1.0mm extrusion port and the extrudate was
- 15       cut to size. The resulting granules were dried with fan dryer at 50 - 60°C over a period of two hours and sieved using a siever with 12 to 48 mesh siever to give improved water soluble granules of glyphosate/ Bialaphos which dissolved remarkably fast compared
- 20       with control WSG without Silwet L-77.

The results of the tested wetting agents are given in Tables 20-21.

-70-

Table 20. Effect of Silicone Wetting Agents on Glyphosate/Bialaphos and Glyphosate/Dicamba Formulations

	Ingredients	Example No.		
		8-1	Control	8-2
5	MON-8750 (86%ae)	21.0	21.0	21.0
	Na-Bialaphos (86%ai)	10.5	10.5	-
	Na-Dicamba (86%ai)	-	-	10.5
	Sorpol 7553	6.0	6.0	6.0
	Silwet L-77	3.0	-	3.0
10	Ammonium Sulfate Powder	58.5	62.5	58.5
	Total, w/w, %	100.0	100.0	100.0
	Water for Kneading	3.0	6.0	3.0
	Dissolution Rate	1	7	1
				8
				6.0
				100.00
				62.5
				-
				6.0
				10.5
				-
				21.0
				21.0
				10.5
				6.0
				3.0
				58.5
				100.0
				6.0
				1
				7
				1
				8



Table 21. Effect of Silicone Surfactant on Bialaphos and Glyphosinate WSG

	Ingredients	Example No.		
		8-3	Control	8-4
5	Na-Bialaphos (80%ai)	21.0	21.0	-
	NH <sub>4</sub> -Glyphosinate	-	-	21.0
	Sorpol 7553	6.0	6.0	6.0
	Silwet L-77	3.0	-	3.0
	Ammonium sulfate powder	70.0	73.0	70.0
10	Total, w/w, %	100.0	100.0	100.0
	Water for Kneading	3.0	6.0	3.0
	Dissolution Rate	2	8	2
				8

-72-

EXAMPLE 9

This example illustrates a preparation of the granules using a spray dryer and mixer.

16.0 parts of MON-8750, 20.0 part of Sorpol  
5 5115, 61.0 parts of ammonium sulfate and 300 parts of  
water were added into the vessel and mixed well with  
heating to make a clear solution. The resulting  
solution was evaporated using a spray dryer to give a  
spray dried product of glyphosate, surfactant and  
10 ammonium sulfate.

Next, 97 parts of the spray dried product  
was charged to a vertical agitation mixing type  
granulator, and mixed with spraying of 60 parts of 50%  
Silwet L-77 water solution for 10 minutes. The  
15 granules were dried in a laboratory fluid bed dryer  
and sieved with a 12 and 80 mesh sieve.

The results of the tested wetting agents are  
given in Table 22.

Table 22. Effect of Silicone Wetting Agent on Glyphosate WSG Prepared with Spray Dryer and Vertical Granulator

	Example No.	
	9	Control
5	<u>Ingredients</u>	
	MON-8750 (86%ae)	16.0
	Sorpol 5115	20.0
	Silwet L-77	3.0
	Ammonium sulfate	-
	Total, w/w, %	64.0
10		100.0
	Water for Granulation	3.0
	Particle Size (mesh)	6.0
	Dissolution Rate	12-80
		8
		>30

-74-

EXAMPLE 10

It was also found that Silwet L-77 wetting agent improves the dissolution rate of trimethylsulfonium glyphosate significantly. Silwet L-77 also  
5 decreases the dissolution rate of water soluble salt of glyphosate, e.g., Na salt, K salt, ammonium salt, trimethylsulfonium salt, etc.

Considering the mechanism of the dissolution improvement by Silwet L-77 (increase of the wettability with water), the effect of Silwet L-77 is  
10 believed to be independent of the salt.

The results of this example are given in Table 23.

-75-

TABLE 23

		Example No.			
		10-1	Control	10-2	Control
<u>Ingredients</u>					
5	Trimethylsulfonium glyphosate (tech)	10.5	10.5	21.0	21.0
	Sorpol 7553	3.0	6.0	3.0	6.0
	Silwet L-77	3.0	-	3.0	-
	Ammonium sulfate powder	83.5	83.5	73.0	73.0
10	Total w/w %	100.0	100.0	100.0	100.0
	Water for kneading	4.0	4.0	2.0	2.0
	Dissolution rate in water	1	3	3	8

-76-

EXAMPLE 11

It was also found that Silwet L-77 improves the dissolution rate of the 1,1,3,3-tetramethyl-guanidinium salt of glyphosate significantly. The results of this example are in Table 24.

TABLE 24  
Effect of Silwet L-77 on 1,1,3,3-tetramethyl-  
guanidinium glyphosate/Sorpol/AS WSG

10		Example No.	
		11-1	Control
	<u>Ingredients</u>		
	1,1,3,3 tetramethylguanidinium glyphosate (Tech)	10.5	10.5
	Sorpol 7553	2.0	5.0
15	Silwet L-77	3.0	-
	Ammonium sulfate powder	84.5	84.5
	Total w/w %	100.0	100.0
	Water for kneading	5.0	5.0
	Dissolution Rate	1	5

-77-

EXAMPLE 12

Water dispersible granules (WDG) of formulated glyphosate and Goal mixtures were prepared as follows.

5           A vessel was charged with 8 parts of water,  
3.2 parts of Goal herbicide technical and 1.5 parts of  
Sorpel 3005C. The vessel was heated gently in a water  
bath. The mixture was stirred for 1/2 hour at 60°C to  
make a suspension. The suspension was mixed with 37.7  
10 parts of MON-8750 and 53 parts of ammonium sulfate  
powder in a pestle and a mortar. The mixture was  
mixed with various amounts of Silwet L-77 and kneaded  
for 20 minutes to make dough like materials. The  
dough like material was extruded through a 1.0mm  
15 extrusion port and the extrudate was cut to size. The  
resulting granules were dried with a fan dryer at 60 -  
70°C and sieved with 12 - 48 mesh sieves.

The results of this example are given in  
Table 25.

Table 25. Effect of Silwet L-77 on Glyphosate/Goal® WSG


	<u>Ingredients</u>	<u>Example No.</u>		
		13-1	13-2	Control
5	MON-8750 (88% ae)	37.7	41.0	37.7
	Goal Tech (70% ai)	3.2	3.4	3.2
	Sorpol 3005C	1.5	2.0	1.5
	Silwet L-77	4.6	1.0	-
	Ammonium sulfate powder	53.0	53.6	57.6
10	Total, w/w, %	100.0	100.0	100.0
	Water for Kneading	8.0	8.0	8.0
	Dispersion Rate	2	2	>10



-79-

EXAMPLE 13

It was also found that Silwet L-77 improves the dissolution rate of glyphosate sulfonimide derivative (M.K. MAO NBP 4130620 J. A. Sikorski 1/18/89), significantly. L-77 increases the dissolution rate of salts of glyphosate sulfonimide, e.g.,



21g of glyphosate sulfonimide derivatives, 71g of ammonium sulfate powder and 6g of Sorpol 7553 (Tallowamine EO 15 mole adduct) were added together and mixed for about 10 minutes.

The resultant mixture was a solid powder. About 6g of water was added to the admixture and the mixture was kneaded at room temperature for 15 minutes. The resultant mixture was a dough like material. The dough was then fed into the extruder and is extruded through holes of 1.0 mm diameter. The extruded granules (diameter 1.0 mm, length 1-5 mm) were dried in a fan electrical oven over a period of 1-2 hours at 60-70°C. The dried granule was screened by a shifter to 12/48 mesh.

The results of this example are given in Table 26.

-80-

TABLE 26  
Effect of Silicone Wetting Agent on  
Glyphosate Sulfonimide WSG

5		Example No.	
		15	Control
	<u>Ingredients</u>		
	Glyphosate Sulfonimide derivatives	21.0g	21.0g
	Sorpol 7553	6.0	6.0
	Silwet L-77	2.0	-
10	Ammonium sulfate powder	71.0	73.0
	Total w/w %	100.0	100.0
	Water for kneading	6.0	8.0
	Dispersion rate in water	5	>10

-81-

EXAMPLE 14

Improvements of dispersibility of water dispersible granule (WDG) of glyphosate, such as mixtures - glyphosate/Sumitomo S-275 WDG and Glyphosate/Atrazine WDG, were noted. The dispersibility in water increases significantly, because the glyphosate salt dissolves quickly.

MON-8740 (21 g), S-275 tech (2 g) and ammonium sulfate (70 g) were mixed in a mortar and was ground with a pestle for 20 minutes.

Then, surfactant (Sorpel 7553, 6 g) surfon S-145 (1 g as ai), and water (4 g) were added to the mixture and mixed in a kneader for 10 minutes. The resultant dough like material was extruded through holes of 1 mm diameter and the extrudate was cut to a length of 1-5mm. The granules were dried in a fan oven for 2 hours at 50°C.

The results of this example are given in Tables 27-28.

TABLE 27

Effect of Fluorochemical Wetting Agent on the  
Dispersion Rate of Glyphosate/Sumitomo S-275  
(Herbicide) Water Dispersible Granules (WDG)

5	<u>Ingredients</u>	Example No.	
		<u>14-1</u>	<u>Control</u>
10	MON-8750 (88% ae)	21.0	21.0
	Sorpol 7553	6.0	6.0
	Sumitomo S-275 (97% ai)	2.0	2.0
	Surflon S-145 (30% ai)	1.0	-
	Ammonium sulfate powder	70.0	71.0
	Total w/w %	100.0	100.0
	Water for kneading	4.0	4.0
15	Dispersion Rate	1	>20

Table 28. Effect of Fluorochemical Wetting Agents on Glyphosate/Sumitomo S-275 (Herbicide) WDG

	Ingredients	Example No.					
		14-2	14-3	14-4	14-5	14-6	14-7 Control
5	MON-8750 (88%ae)	21.0	21.0	21.0	21.0	21.0	21.0
	Sorpol 7553	6.0	6.0	6.0	6.0	6.0	6.0
	Sumitomo S-275 Tech (97%ai)	2.0	2.0	2.0	2.0	2.0	2.0
	Surflon S-111 (30%ai)	1.0(ai)	-	-	-	-	-
	" S-112 (15%ai)	-	1.0(ai)	-	-	-	-
10	" S-113 (30%ai)	-	-	1.0(ai)	-	-	-
	" S-121 "	-	-	-	1.0(ai)	-	-
	" S-131 "	-	-	-	-	1.0(ai)	-
	" S-135 "	-	-	-	-	-	1.0(ai)
	" S-145 "	-	-	-	-	-	-
15	Ammonium Sulfate Powder	70.0	70.0	70.0	70.0	70.0	71.0
	Total, w/w, %	100.0	100.0	100.0	100.0	100.0	100.0
	Water for Kneading	4.0	2.0	4.0	4.0	4.0	4.0
	Dispersion Rate	3	4	2	2	2	>20

-84-

EXAMPLE 14

The effect of Silwet L-77 on the dispersion rate of glyphosate/atrazine WDG was tested. The results of this example are given in Table 29.

5

TABLE 29

		Example No.	
		14	Control
<u>Ingredients</u>			
10	MON-8750 (88% ae)	16.2	16.2
	Sorpol 7553	5.0	5.0
	Atrazine Tech. (95% ai)	20.0	20.0
	Silwet L-77	3.0	-
	Ammonium sulfate	55.8	58.0
Total w/w %		100.0	100.0
15	Water for kneading	5.0	8.0
Dispersion Rate		8	>20

-85-

EXAMPLE 16

With the practice of the present invention improvements of the dispersibility of wettable powder (WP) were noted. The results of this example are set forth in Table 30. A mixture of a herbicide and a fungicide was used.

Dithane® Z-78 fungicide wettable powder (98 g) and Silwet L-77 (2 g) were mixed and ground together in a mortar for one hour.

The mixed WP dispersed more quickly than the mixture prepared without L-77.

TABLE 30

Effect of Silwet L-77 on the Dispersion Rate  
of Wettable Powder (WP)

15	Example No	16-1	Control	16-2	Control
	<u>Ingredient</u>				
	Dithane Z-78®WP	98.0	100.0	-	-
	GL-861 WP	-	-	98.0	100.0
	Silwet L-77	2.0	-	2.0	-
20	Total w/w %	100.0	100.0	100.0	100.0
	Dispersion Rate	5	150	6	18

GL-861 WP is a glyphosate-linuron wettable powder mixture.

-86-

## WHAT IS CLAIMED IS:

1. A solid composition comprising at least one pesticide and sufficient silicone copolymer wetting agent or a fluoroorganic wetting agent or a mixture of said wetting agents.

2. A solid composition comprising a pesticide and sufficient silicone copolymer wetting agent, or fluoroorganic wetting agent or a mixture of said wetting agents such that a cylindrical pellet having a diameter of about 1mm and an average length of about 3mm shaped from said composition becomes fully dissolved or dispersed in at least 50% quicker time than a pellet of the said same composition and size but having no such wetting agent or lacking an effective amount of said wetting agent when said pellet is tumbled in water.

3 A solid particulate composition of a pesticide and a silicone copolymer wetting agent, or a fluoroaliphatic wetting agent or a mixture of said wetting agents in the range of about 0.1 to about 4.0% by weight of the composition.

4. The composition of claims 1 and 2 wherein the amount of wetting agent comprises about 0.2% to about 5.0% by weight of the composition.

5. The composition of claims 1 and 2 wherein the wetting agent is a silicone block copolymer.

6. The composition of claims 1 and 2 wherein the wetting agent is a silicone block copolymer.



-87-

7. The composition of claim 3 wherein the wetting agent is a silicone block copolymer.

8. The composition of claim 1 wherein the wetting agent is a nonionic fluoroaliphatic compound.

9. The composition of claim 2 wherein the wetting agent is a nonionic fluoroaliphatic compound.

10. The composition of claim 3 wherein the wetting agent is a nonionic fluoroaliphatic compound.

11. The composition of claim 1 wherein the wetting agent is a cationic fluoroaliphatic compound.

12. The composition of claim 2 wherein the wetting agent is a cationic fluoroaliphatic compound.

13. The composition of claim 3 wherein the wetting agent is a cationic fluoroaliphatic compound.

14. The composition of claim 1 wherein the wetting agent is an amphoteric fluoroaliphatic compound.

15. The composition of claim 2 wherein the wetting agent is an amphoteric fluoroaliphatic compound.

16. The composition of claim 3 wherein the wetting agent is an amphoteric fluoroaliphatic compound.

17. The composition of claims 1 and 2 wherein the pesticide is a herbicide, insecticide or fungicide.

-88-

18. The composition of claim 16 wherein said pesticide is a herbicide.

19. A solid composition comprising glyphosate in water soluble form and sufficient silicone block copolymer wetting agent, or fluoroaliphatic wetting agent or mixture of said wetting agents that a pellet having a diameter of about one millimeter shaped from the composition becomes fully wetted in less than about five minutes upon being contacted with water under low or no shear conditions.

20. The composition of claim 18 wherein the wetting agent is a silicone block copolymer.

21. The composition of claim 18 wherein the wetting agent is a nonionic fluoroaliphatic compound.

22. The composition of claim 18 wherein the wetting agent is a cationic fluoroaliphatic compound.

23. The composition of claim 18 wherein the wetting agent is an amphoteric fluoroaliphatic compound.

24. An aqueous solution of a pesticide and a silicone copolymer wetting agent.

25. An aqueous solution of a pesticide and a fluoroaliphatic wetting agent.

26. The aqueous solution of claim 23 wherein the pesticide is a herbicide.

27. The aqueous solution of claim 24 wherein the pesticide is a herbicide.

28. The aqueous solution of claim 25 wherein the pesticide is glyphosate in water soluble form.

29. The aqueous solution of claim 26 wherein the pesticide is glyphosate in water soluble form.

30. The aqueous solution of claim 27 additionally containing ammonium sulfate.

31. The aqueous solution of claim 28 additionally containing ammonium sulfate.

32. The aqueous solution of claim 27 wherein glyphosate is in the form of an ammonium salt.

33. The aqueous solution of claim 28 wherein glyphosate is in the form of an ammonium salt.

34. The aqueous solution of claim 29 wherein glyphosate is in the form of an ammonium salt.

35. The aqueous solution of claim 30 wherein the glyphosate is in the form of an ammonium salt.

36. The aqueous solution of claim 27 wherein glyphosate is in the form of an alkali metal salt.

-90-

37. The aqueous solution of claim 28 wherein glyphosate is in the form of an alkali metal salt.

38. The aqueous solution of claim 29 wherein glyphosate is in the form of an alkali metal salt.

39. The aqueous solution of claim 30 wherein glyphosate is in the form of an alkali metal salt.

40. The aqueous solution of claim 35 wherein the alkali metal is sodium.


41. The aqueous solution of claim 36 wherein the alkali metal is sodium.

42. The aqueous solution of claim 37 wherein the alkali metal is sodium.

43. The aqueous solution of claim 38 wherein the alkali metal is sodium.

44. The composition of claim 2 wherein the composition is in the form of a granule.

45. The composition of claim 1 wherein the wetting agent is a silicone copolymer having the formula




-91-

where each R is independently a monovalent hydrocarbyl radical, R<sup>1</sup> is a divalent hydrocarbylene radical, R<sup>2</sup> is independently hydrogen or a lower hydroxyalkyl radical, R<sup>3</sup> is hydrogen or a monovalent hydrocarbyl radical, and x, y, a and b are integers independently greater than or equal to zero.

46. The composition of claim 45 wherein R and R<sup>3</sup> are -CH<sub>3</sub>, R<sup>1</sup> is -C<sub>3</sub>H<sub>6</sub>-, R<sup>2</sup> is hydrogen, x is zero or one, y is one to five, a is five to twenty and b is zero.


47. The composition of claim 1 wherein the wetting agent is a silicone copolymer having the formula



wherein R is a monovalent hydrocarbyl radical, R<sup>2</sup> is hydrogen or lower hydroalkyl radical, R<sup>3</sup> is hydrogen or a monovalent hydrocarbyl, and x, y, a and b are each integers independently greater than or equal to zero.

48. The composition of claim 46 wherein R and R<sup>3</sup> are -CH<sub>3</sub>, R<sup>2</sup> is hydrogen, a is five to twenty and b is zero.

49. The composition of claim 1 wherein the wetting agent is a fluoroaliphatic wetting agent having the formula



wherein: a is independently 0 or 1; b is 1 or 2;  $R_f$  is a fluoroaliphatic radical is a fluorinated, mono-valent, saturated aliphatic radical, with the proviso that the molecule contains at least about 30 weight percent fluorine in the form of carbon-bonded fluorine in  $R_f$ ; Q is independently a linking group;

$R^3$  is independently:  $R^4$  wherein  $R^4$  is H or alkyl;  $(Q)_a$  AM wherein A is  $-\text{COO}-$ ,  $-\text{SO}_3-$ ,  $-\text{OSO}_3-$ ,  $-\text{PO}_3\text{H}-$ , or  $-\text{OPO}_3\text{H}-$ , and M is  $\text{H}^+$ , a metal ion or  $\text{N}^+ (\text{R}^1)_4$  where  $\text{R}^1$  is H or alkyl; or  $\text{QNR}^5\text{R}^6\text{R}^7$  wherein  $\text{R}^5$  and  $\text{R}^6$  are independently H, substituted or unsubstituted alkyl of 1 to 18 carbon atoms, or together with the N atom form a cyclic aliphatic or aromatic ring which can contain additional O, S, or N atoms, and  $\text{R}^7$  is  $\text{R}^4$ , a quarternary ammonium group containing no more than 20 carbon atoms, or  $(Q)_a$  AM; Z is  $-\text{CO}-$  or  $-\text{SO}_2-$ ; and X is halogen, hydroxide, sulfate, bisulfate or carboxylate.

50. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 25 to kill or control weeds.

51. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 24 to kill or control weeds.

-93-

52. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 26 to kill or control weeds.

53. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 27 to kill or control weeds.

54. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 28.

55. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 29.

56. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 30.

57. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 31.

58. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 32.

59. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 33.

60. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 34.

-94-

61. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 35.

62. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 36.

63. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 37.

64. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 38.

65. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 39.

66. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 40.

67. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 41.

68. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 42.

69. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 43.



70. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 44.

71. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 45.

72. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 46.

73. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 47.

74. A herbicidal method comprising applying to a plant a herbicidally effective amount of the aqueous solution of claim 48.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US96/11593

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) :A01N 25/00, 25/02, 25/08, 25/12, 25/14, 25/30, 57/00

US CL :504/116, 189, 206; 71/Dig.1; 424/405, 408, 409, 489, 497

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 504/116, 189, 206; 71/Dig.1; 424/405, 408, 409, 489, 497

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 3,799,758 A (FRANZ) 26 March 1974, see columns 1-4, column 8, line 12, columns 12-13, in particular, column 13, lines 1-5, 37-39, 44-50.	1-3, 7-16, 19-74
Y	Farm Chemicals Handbook, published 1987, by Meister Publishing Co., see page C131 under "Granular Formulation".	1-3, 7-16, 19-74
Y	US 4,936,901 A (SURGANT, SR. et al.) 26 June 1990, columns 4-6, column 13, lines 22-41.	1-3, 7-16, 19-74
Y	JP 62-175408 A (ISHIHARA SANGYO CO., LTD.) 01 August 1987, see pages 5-8 of the English translation, which is provided herewith.	1-3, 7-16, 19-74



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:		*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A	document defining the general state of the art which is not considered to be of particular relevance		
*E	earlier document published on or after the international filing date	*X	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*L	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Y	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*O	document referring to an oral disclosure, use, exhibition or other means		
*P	document published prior to the international filing date but later than the priority date claimed	*&	document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
25 SEPTEMBER 1996	31 OCT 1996
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231	Authorized officer <i>John Pak</i> JOHN PAK
Facsimile No. (703) 305-3230	Telephone No. (703) 308-1235

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US96/11593

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Surface Active Copolymer, published 1983 by Union Carbide Corp. (CT), see pages 2, 4, 6-12, in particular, page 8, table 2.	1-3, 7-16, 19-74
Y	Silicones for the Agricultural Industry, published 1984 by Union Carbide Corp. (CT), see pages 4, 11.	1-3, 7-16, 19-74
Y	BALNEAVES, The effect of added surfactant on the performance of scrubweed herbicides. Proceedings of the Thirtyeighth New Zealand Weed and Pest Control Conference. 1985, pages 98-101.	1-3, 7-16, 19-74
Y	JANSEN, Enhancement of Herbicides by Silicone Surfactants. Weed Science. March 1973, Vol. 21, Issue 2, pages 130-135.	1-3, 7-16, 19-74
Y	Database CA on STN International, Abstract No. 102:144741, AHRENS, et al. 'Evaluation of postemergence grass herbicides in conifer seedbeds and Christmas trees,' abstract, Proc. Annu. Meet. Northeast. Weed Sci. Soc., 1985.	1-3, 7-16, 19-74

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US96/11593

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☒ Claims Nos.: 4-6, 17, 18  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

☐  
☐

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.