

(19)



(11)

EP 2 242 827 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention of the grant of the patent:
10.07.2013 Bulletin 2013/28

(51) Int Cl.:
C11D 3/00 (2006.01) **C11D 3/37** (2006.01)
C11D 1/04 (2006.01) **C11D 1/29** (2006.01)
C11D 10/04 (2006.01)

(21) Application number: **09706862.1**

(86) International application number:
PCT/IB2009/050251

(22) Date of filing: **22.01.2009**

(87) International publication number:
WO 2009/095823 (06.08.2009 Gazette 2009/32)

(54) **FABRIC SOFTENING LAUNDRY DETERGENT**

GEWEBEWEICHMACHENDES WASCHMITTEL

DETERGENT POUR LESSIVE ADOUCISSANT LES TISSUS

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK TR

- **PANANDIKER, Rajan, Keshav**
West Chester
Ohio 45069 (US)
- **DEPOORTERE, Johan**
B-9820 Merelbeke (BE)
- **DEPOOT, Karel, Jozef Maria**
B-8570 Anzegem - Vichte (BE)
- **VETTER, Kerry, Andrew**
Cincinnati
Ohio 45233 (US)

(30) Priority: **01.02.2008 US 25469**

(43) Date of publication of application:
27.10.2010 Bulletin 2010/43

(73) Proprietor: **The Procter & Gamble Company**
Cincinnati, OH 45202 (US)

(74) Representative: **Goodier, Claire-Louise**
N.V.Procter & Gamble Services Company S.A.
Temselaan 100
1853 Strombeek-Bever (BE)

- (72) Inventors:
- **VANPACHTENBEKE, Tim, Roger Michael**
B-2870 Puurs (BE)
 - **DE BUZZACCARINI, Francesco**
B-2870 Breendonk (BE)

(56) References cited:
EP-A- 0 522 756 EP-A- 1 767 554
EP-A- 1 847 172 US-B2- 6 949 498

EP 2 242 827 B1

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

FIELD OF THE INVENTION

5 [0001] The present invention relates to the field of domestic fabric laundering compositions that provide softness to fabrics through the wash and contain polymers.

BACKGROUND OF THE INVENTION

10 [0002] Numerous consumer products are available for the laundering of household/domestic fabrics. Similarly, many products exist that may be added during the rinse cycle of standard washing machine cycles or in domestic dryers that will deposit softening and/or other care actives onto the fabrics. This type of two or three step process has become very common for those consumers looking for both excellent cleaning and fabric softening. However, this two or three step process is more time-consuming and costly than a single wash-added product. More recently, due to consumer demands, 15 manufacturers of laundry detergent products have sought to provide one product that provides both cleaning and fabric care benefits such as softness, through the wash.

[0003] It is important to realize, however, that these two goals (cleaning and softness) are traditionally diametrically opposed. Cleaning of fabrics typically results in the *removal* of dirt, allergens, stains, and other deposited materials. In contrast, providing a care benefit (such as a soft fabric feel) typically results from the *deposition* of beneficial care actives 20 onto the fabrics. It is therefore difficult to simultaneously clean (remove) and soften (deposit) fabrics through the wash. In the past, it has been recognized in through the wash cleaning and care products that deposited care actives may entrap dirt or other materials onto the fabrics, resulting in a dingy appearance that is obviously undesirable to consumers. The deposited care actives may also themselves leave visible residue if they do not deposited evenly over the fabric surface. Similarly, it has been seen that the care actives are not deposited at all or are removed by the cleaning ingredients.

25 [0004] More recently, it has been recognized that low levels of cationic polymers, termed "cationic deposition aids" are capable of improving deposition onto fabrics of a range of desirable benefit agents, for fabric softening, perfumes, anti-wrinkle agents, hueing dyes, and the like. Such cationic deposition aids are described the art and fall generally into two classes: (1) "natural" types comprising a carbohydrate moiety, such as cationic hydroxyethylcellulose or cationic guar gum; and (2) "synthetic types" comprising cationic moieties but no carbohydrate. These "synthetic types" are 30 exemplified by copolymers of polyacrylamide (PAM) and methacrylamidopropyltrimethylammonium chloride (MAPTAC). One difficulty with the "natural" types is their incompatibility with laundry detergent enzymes, especially enzymes having some degree of cellulase activity.

[0005] Furthermore, it has now been discovered that synthetic cationic deposition aids comprising cationic and un- 35 charged (nonionic) monomers in the absence of anionic monomers at the pH of laundry washing tend to leave unsightly residues on laundered fabrics. These residues are easily visualized by the human eye when the laundered fabrics have a dark color. However, these findings are surprising in that prior disclosures of similar materials, such as U.S. Patent 6,949,498, provide only indiscriminate lists of cationic polymers in liquid laundry detergents. Such disclosures only provide a measure of fabric softness benefits associated with the cationic polymers without any suggestion of visible residues, much less any disclosures of how to remedy such problems.

40 [0006] Accordingly, it would be highly desirable to identify improved laundry detergents comprising selected polymers capable of providing care benefits through the wash to fabrics while maintaining good cleaning and avoiding unsightly residues.

[0007] US 6,949,498 relates to laundry cleansing and cleaning compositions comprising a mix of cationic polymer and anionic surfactant. 45

SUMMARY OF THE INVENTION

[0008] It has now been surprisingly and unexpectedly discovered that a select group of polymers, containing monomeric units derived from a combination of cationic monomers, nonionic monomers, and anionic monomers in a particular ratio, 50 when incorporated into laundry detergent products, are capable of providing care benefits through the wash to fabrics while maintaining good cleaning and avoiding unsightly residues. Without intending to be limited by theory, it is believed that at a laundry wash pH, such as from 6 to 11, the present polymers are capable of depositing on fabrics in the laundering operation, but do so without leaving visible residue on laundry fabrics.

55 DETAILED DESCRIPTION OF THE INVENTION

[0009] All measurements referenced herein are at room temperature (21.1°C) and at atmospheric pressure, unless otherwise indicated.

[0010] "Ampholytic" and "amphoteric" may be used interchangeably, and describe a polymer that comprises anionic monomeric units and cationic monomeric units. An ampholytic polymer may be: anionic at a pH that is higher than its isoelectric point; and cationic at a pH that is lower than its isoelectric point; wherein the isoelectric point is the pH at which the net charge on a polymer is zero.

5 [0011] "Net charge" as used herein refers to the sum of the electric charges of the monomeric units comprising a polymer. The net charge of ampholytic and other ionic polymers may be dependant upon conditions including, but not limited to the pH, temperature and soluble salt concentration of the carrier containing the polymers, such as the continuous phase of an aqueous dispersion.

10 [0012] "Monomer" as used herein refers to a molecule that may be capable of reacting to form polymers by chemical union with monomers such as itself, or other monomers or monomeric units. "Monomeric unit" as used herein refers to a chemically bound unit in a polymer that is derived from a monomer.

[0013] "Composition" as used herein may encompass the terms: dispersion, solution, melt (such as of a pure liquid substance), or fluid. "Dispersion" as used herein refers to a system of particles that may be evenly distributed in a medium, which is in turn referred to herein as the "continuous phase". The term "aqueous dispersion" as used herein may comprise a dispersion of particles (which may comprise the present polymers) distributed in a continuous phase comprising water.

[0014] "Viscosity" as used herein refers to the resistance of a fluid to flow due to a shearing force. The viscosity of a fluid may be dependent upon the conditions under which it is measured, such as fluid temperature.

20 [0015] "Comprising" as used herein means that various components, ingredients or steps can be conjointly employed in practicing the present invention. Accordingly, the term "comprising" encompasses the more restrictive terms "consisting essentially of" and "consisting of". The present compositions can comprise, consist essentially of, or consist of any of the required and optional elements disclosed herein.

[0016] Markush language as used herein encompasses combinations of the individual Markush group members, unless otherwise indicated.

25 [0017] All percentages, ratios and proportions used herein are by weight percent of the composition, unless otherwise specified. All average values are calculated "by weight" of the composition or components thereof, unless otherwise expressly indicated.

[0018] Mole percent (mol %) as used herein may mean either the percent of a monomeric unit in relation to all monomeric units of the polymer; or the mole fraction of reagents or reactants based upon other reagents or reactants.

30 [0019] All numerical ranges disclosed herein, are meant to encompass each individual number within the range and to encompass any combination of the disclosed upper and lower limits of the ranges.

[0020] The laundry detergent compositions according to the present invention contain water, a deposition polymer, fatty acid, and electrolyte and have a pH of from about 6 to about 11. Each of these components as well as optional ingredients for such compositions and methods of using such compositions are described in detail as follows.

35 Laundry Detergent Composition

[0021] The laundry detergent compositions of the present invention contain from about 5% to about 95%, alternatively from about 10% to about 95%, by weight of the composition, of water. In one embodiment, they may contain from about 40% to about 90%, by weight of the composition, of water, alternatively from about 50% to about 90%. The compositions have a pH of from about 6 to about 11, alternatively from about 7 to about 9.

[0022] Other types of water-miscible liquids, such alkanols, diols, other polyols, ethers, amines, and the like, may also be added to the detergent compositions of the present invention as cosolvents or stabilizers. However, these should generally be minimized for cost purposes.

45 [0023] The detergent compositions of the present invention may be in any convenient form. In one embodiment, the compositions are in the form of a liquid, a gel, a unit dose (pouched) product, or are part of a laundry kit.

Deposition Polymer

50 [0024] The laundry compositions of the present invention from 0.02% to 2%, by weight of the composition, of a deposition polymer having a number average molecular weight of from 700,000 to 4,000,000. In one embodiment, the molecular weight is from about 800,000 to about 3,000,000, alternatively from about 1,000,000 to about 2,500,000. In one embodiment, the laundry compositions of the present invention contain from about 0.05% to about 1%, by weight of the composition, of the deposition polymer, alternatively from about 0.1% to about 0.5%. In one embodiment, the deposition polymer has a charge density of less than 1 meq/gram.

55 [0025] The deposition polymer includes monomeric units, wherein the monomeric units are derived from monomers. The monomers include nonionic monomers, cationic monomers and anionic monomers wherein the overall mole ratio of the monomers, according to the following equation,

mole anionic monomer

 (mole anionic monomer + mole cationic monomer)

5

is from 0.25 to 0.8. In one embodiment, the overall mole ratio is from about 0.28 to 0.8, alternatively is from about 0.3 to about 0.8, alternatively is from about 0.35 to about 0.7, alternatively is from 0.35 to 0.6.

Nonionic Monomer

10

[0026] The deposition polymer according to the present invention includes at least 50%, by mole, of monomeric units derived from nonionic monomers selected from acrylamide, N,N-dialkyl acrylamide, methacrylamide, N,N-dialkylmethacrylamide, hydroxyalkyl acrylate and vinyl pyrrolidone, vinyl acetate, vinyl alcohol, and mixtures thereof.

15

[0027] In one embodiment, the deposition polymer contains at least 70% of monomeric units derived from nonionic monomers. In one embodiment, the nonionic monomer is selected from acrylamide, vinyl pyrrolidone, and mixtures thereof, alternatively is acrylamide.

Cationic Monomer

20

[0028] The deposition polymer according to the present invention includes from 3% to 30%, by mole, of monomeric units derived from cationic monomers selected from N,N-dialkylaminoalkyl methacrylate, N,N-dialkylaminoalkyl acrylate, N,N-dialkylaminoalkyl acrylamide, N,N-dialkylaminoalkylmethacrylamide, methacrylamidoalkyl trialkylammonium chloride, acrylamidoalkyltrialkylammonium chloride, vinylamine, quaternized vinyl imidazole and diallyl dialkyl ammonium chloride, and mixtures thereof.

25

[0029] In one embodiment, the deposition polymer contains from about 3% to about 10%, by mole, of monomeric units derived from cationic monomers. In one embodiment, the cationic monomers are selected from [(3-methylacrylamido)alkyl] trialkylammonium chloride, diallyldimethylammonium chloride, and mixtures thereof, alternatively is 3-methylacrylamidopropyltrimethyl ammonium chloride.

30

Anionic Monomer

[0030] The deposition polymer according to the present invention includes from 1% to 20%, by mole, of monomeric units derived from anionic monomers selected from acrylic acid, methacrylic acid, maleic acid, vinyl sulfonic acid, styrene sulfonic acid, acrylamidopropylmethane sulfonic acid (AMPS), salts thereof, and mixtures thereof.

35

[0031] In one embodiment, the deposition polymer includes from about 2.5% to about 6%, by mole, of monomeric units derived from anionic monomers. In one embodiment, the anionic monomer is selected from acrylic acid, methacrylic acid, and mixtures thereof, alternatively is acrylic acid.

40

[0032] In one embodiment, the polymer is formed from monomeric units derived from (on a mole basis) 90% acrylamide, 5% MAPTAC and 5% acrylic acid. In another embodiment, the polymer is formed from monomeric units derived from (on a mole basis) 92% acrylamide, 1.6% acrylic acid, 1.4% methacrylic acid, and 5% MAPTAC.

Counterion

45

[0033] The polymers of the present invention may also contain counterions. "Counterions", as used herein refers to any innocuous ions which do not adversely affect the functioning of the invention and serve only to balance the charge of otherwise non-neutral monomers or other actives. When not otherwise specified, and a monomer or other active material of the present compositions is anionic, suitable counterions include sodium, potassium, alkanolammonium and mixtures thereof. When not otherwise specified and a monomer or other active material of the present compositions is cationic, suitable counter-ions include nitrate, sulphate, chloride, carbonate, bicarbonate and mixtures thereof.

50

Surfactant System

55

[0034] The detergent compositions herein include from 5% to 60%, alternatively from about 5% to 40%, by weight of the composition, of a surfactant system containing from about 1% to about 25%, by weight of the surfactant system, of fatty acid, alternatively from about 3% to about 15%, alternatively from about 3% to about 10%. The laundry detergent compositions of the present invention may contain from about 75% to about 99%, by weight of the surfactant system, of a deterative surfactant.

[0035] Deterative surfactants utilized can be of the anionic, nonionic, zwitterionic, ampholytic or cationic type or can

comprise compatible mixtures of these types. Detergent surfactants useful herein are described in U.S. Patent 3,664,961, Norris, issued May 23, 1972; U.S. Patent 3,919,678, Laughlin et al., issued December 30, 1975; U.S. Patent 4,222,905, Cockrell, issued September 16, 1980; U.S. Patent No. 4,285,841, Barrat et al., issued August 25, 1981; U.S. Pat. No. 4,285,841, Barrat et al, issued Aug. 25, 1981; U.S. Pat. No. 4,284,532, Leikhim et al, issued Aug. 18, 1981; and in U.S. Patent 4,239,659, Murphy, issued December 16, 1980. Anionic and nonionic surfactants are preferred

[0036] Fatty acids useful herein include those commonly commercially available. Such fatty acids may contain from about 8 to about 20 carbon atoms and can also contain from about 1 to about 10 ethylene oxide units in the hydrocarbon chain.

[0037] Suitable fatty acids are saturated and/or unsaturated and can be obtained from natural sources such a plant or animal esters (e.g., palm kernel oil, palm oil, coconut oil, babassu oil, safflower oil, tall oil, castor oil, tallow and fish oils, grease, and mixtures thereof), or synthetically prepared (e.g., via the oxidation of petroleum or by hydrogenation of carbon monoxide via the Fisher Tropsch process). Examples of suitable saturated fatty acids for use in the compositions of this invention include capric, lauric, myristic, palmitic, stearic, arachidic and behenic acid. Suitable unsaturated fatty acid species include: palmitoleic, oleic, linoleic, linolenic and ricinoleic acid. Examples of preferred fatty acids are saturated C₁₂ fatty acid, saturated C₁₂-C₁₄ fatty acids, and saturated or unsaturated C₁₂ to C₁₈ fatty acids, and mixtures thereof.

Electrolyte

[0038] The laundry detergent compositions of the present invention may contain at least 0.1 %, by weight of the compositions, of an electrolyte.

[0039] Electrolytes useful herein include non-surface active electrolytes (as opposed to surfactants separately described herein). Examples of electrolytes useful herein include (i) polycarboxylic acid salts such as salts of citric acid, succinic acid, tartaric acids; salts of phosphonic acids or aminocarboxylic acids (which could also be chelating agents); (iii) salts of boric acids, and (iv) mixtures thereof.

Fatty Acid Crystal Modifier

[0040] The laundry detergent compositions of the present invention may contain a fatty acid crystal modifier.


[0041] The fatty acid crystal modifier is selected from sodium alkyl ethoxysulfate; quaternary ammonium surfactant; polyethyleneimine having a molecular weight of from about 300 to about 6000 and an average alkoxylation of from about 3 to about 30 moles of alkylene oxide per nitrogen; ethoxylated tetraethylene-pentaimines having an average ethoxylation of from 15 to 18; zwitterionic surfactants (such as alkyldimethylamine N-oxides, including dodecyl dimethylamine N-oxide); chelating agents; zwitterionic amine-based soil release polymers; nonionic alkyldiethoxysulfate; and mixtures thereof.

Sodium alkyl ethoxysulfate

[0042] The fatty acid crystal modifier may be selected from at least 5%, by weight of the composition, of sodium alkyl ethoxysulfate. In one embodiment, the composition contains from about 5% to about 25%, by weight of the composition, of sodium alkyl ethoxysulfate. Sodium alkyl ethoxysulfate is commonly used as a surfactant in laundry detergent compositions.

Quaternary ammonium surfactant

[0043] The fatty acid crystal modifier may be selected from about 0.1% to about 10%, by weight of the composition of a quaternary ammonium surfactant having the formula



wherein R₁ and R₂ are individually selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ hydroxy alkyl, benzyl, and -(C₂H₄O)_xH where x has a value from about 2 to about 5; X is an anion; and (1) R₃ and R₄ are each a C₈-C₁₄ alkyl or (2) R₃ is a C₈-C₂₂ alkyl and R₄ is selected from the group consisting of C₁-C₁₀ alkyl, C₁-C₁₀ hydroxy alkyl, benzyl, and -(C₂H₄O)_xH where x has a value from about 2 to about 5.

Zwitterionic surfactants

5 [0044] The fatty acid crystal modifier may be selected from about 0.1% to about 10%, by weight of the composition, of a zwitterionic surfactant. Zwitterionic surfactants useful herein include those commonly known in the art such as alkyl amine oxides.

Chelating agents

10 [0045] The fatty acid crystal modifier may be selected from about 0.05% to about 3%, by weight of the composition, alternatively from about 0.1 % to about 1% of a chelating agent. Chelating agents useful herein include diethylene triamine penta acetate (DTPA).

Zwitterionic amine-based soil-release polymers

15 [0046] The fatty acid crystal modifier may be selected from about 0.1 % or more, by weight of the composition, of a zwitterionic amine-based soil-release polymer.

Fabric Care Benefit Agents

20 [0047] The laundry detergent compositions useful herein may include a fabric care benefit agent. As used herein, "fabric care benefit agents" refers to detergent ingredients which are water dispersible or water insoluble and can provide fabric care benefits such as fabric softening, color protection, pill/fuzz reduction, anti-abrasion, anti-wrinkle, perfume longevity and the like, to garments and fabrics, particularly on cotton garments and fabrics.

25 [0048] These fabric care benefit agents typically have the solubility in distilled water of less than 100g/L, preferably less than 10g/L at 25°C. It is believed that if the solubility of the fabric care benefit agent is more than 10g/L, it will remain soluble in the wash liquor and consequently will not deposit onto the fabrics.

30 [0049] Examples of water insoluble fabric care benefit agents useful herein include dispersible polyolefins, polymer latexes, organosilicones, perfume or other active microcapsules, and mixtures thereof. The fabric care benefit agents can be in the form of emulsions, latexes, dispersions, suspensions, micelles and the like, and preferably in the form of microemulsions, swollen micelles or latexes. As such, they can have a wide range of particle sizes from about 1 nm to 100 um and preferably from about 5 nm to 10 um. The particle size of the microemulsions can be determined by conventional methods, such as using a Leeds & Northrup Microtrac UPA particle sizer.

35 [0050] Emulsifiers, dispersing agents and suspension agents may be used. The weight ratio of emulsifiers, dispersing agents or suspension agents to the fabric care benefit agents is about 1:100 to about 1:2. Preferably, the weight ratio ranges from about 1:50 to 1:5. Any surfactants suitable for making polymer emulsions or emulsion polymerizations of polymer latexes can be used to make the water insoluble fabric care benefit agents of the present invention. Suitable surfactants include anionic, cationic, and nonionic surfactants or mixtures thereof. Nonionic and anionic surfactants are preferred.

40 Typically, the emulsification of the care agent is achieved in situ in the liquid detergent. In such case, the benefit agent is slowly added to the liquid detergent with vigorous mixing.

Organosilicones

45 [0051] Suitable organosilicones, include, but not limited to (a) non-functionalized silicones such as polydimethylsiloxane (PDMS); and (b) functionalized silicones such as silicones with one or more functional groups selected from the group consisting of amino, amido, alkoxy, alkyl, phenyl, polyether, acrylate, silicenehydride, mercaptopropyl, carboxylate, sulfate phosphate, quaternized nitrogen, and combinations thereof.


50 [0052] In typical embodiments, the organosilicones suitable for use herein have a viscosity ranging from about 10 to about 700,000 CSt (centistokes) at 20°C. In other embodiments, the suitable organosilicones have a viscosity from about 10 to about 100,000 CSt.

(a) Polydimethylsiloxanes (PDMS) have been described in Cosmetics and Toiletries. They can be linear, branched, cyclic, grafted or cross-linked or cyclic structures. In some embodiments, the detergent compositions comprise PDMS having a viscosity of from about 100 to about 700,000 CSt at 20 °C.

55 (b) Exemplary functionalized silicones include but are not limited to aminosilicones, amidosilicones, silicone polyethers, alkylsilicones, phenyl silicones and quaternary silicones.

[0053] The functionalized silicones suitable for use in the present invention have the following general formula:


EP 2 242 827 B1




wherein

m is from 4 to 50,000, preferably from 10 to 20,000;
 k is from 1 to 25,000, preferably from 3 to 12,000;
 each R is H or C₁-C₈ alkyl or aryl group, preferably C₁-C₄ alkyl, and more preferably a methyl group;
 X is a linking group having the formula:

- i) $-(\text{CH}_2)_p-$ wherein p is from 2 to 6, preferably 2 to 3;
 ii)




wherein q is from 0 to 4, preferably 1 to 2;
 iii)




Q has the formula:

- i) $-\text{NH}_2$, $-\text{NH}-(\text{CH}_2)_r-\text{NH}_2$, wherein r is from 1 to 4, preferably 2 to 3; or
 ii) $-(\text{O}-\text{CHR}_2-\text{CH}_2)_s-\text{Z}$, wherein s is from 1 to 100, preferably 3 to 30;
 wherein R₂ is H or C₁-C₃ alkyl, preferably H or CH₃; and Z is selected from the group consisting of $-\text{OR}_3$, $-\text{OC}(\text{O})\text{R}_3$, $-\text{CO}-\text{R}_4$, $-\text{COOH}$, $-\text{SO}_3$, $-\text{PO}(\text{OH})_2$, and mixtures thereof; further wherein R₃ is H, C₁-C₂₆ alkyl or substituted alkyl, C₆-C₂₆ aryl or substituted aryl, C₇-C₂₆ alkylaryl or substituted alkylaryl groups, preferably R₃ is H, methyl, ethyl propyl or benzyl groups; R₄ is $-\text{CH}_2-$ or $-\text{CH}_2\text{CH}_2-$ groups; and
 iii)




iv)



wherein n is from 1 to 4, preferably 2 to 3; and R₅ is C₁-C₄ alkyl, preferably methyl.

EP 2 242 827 B1




5

wherein R₈ is C1- C22 alkyl and A- is an appropriate anion, preferably Cl⁻;

vi.

10



15

wherein R₈ is C1- C22 alkyl and A- is an appropriate anion, preferably Cl⁻.

[0058] Another class of silicones is cationic silicones. These are typically produced by reacting a diamine with an epoxide. They are described in WO 02/18528 and WO 04/041983 (both assigned to P&G), WO 04/056908 (assigned to Wacker Chemie) and US 5,981,681 and US 5,807,956 (assigned to OSi Specialties). These are commercially available under the trade names Magnasoft® Prime, Magnasoft® HSSD, Silsoft® A-858 (all from GE Silicones) and Wacker SLM21200®.

[0059] One embodiment of the composition of the present invention contains organosilicone emulsions, which comprise organosilicones dispersed in a suitable carrier (typically water) in the presence of an emulsifier (typically an anionic surfactant).

[0060] In another embodiment, the organosilicones are in the form of microemulsions. The organosilicone microemulsions may have an average particle size in the range from about 1 nm to about 150 nm, or from about 10 nm to about 100 nm, or from about 20 nm to about 50 nm. Microemulsions are more stable than conventional macroemulsions (average particle size about 1-20 microns) and when incorporated into a product, the resulting product has a preferred clear appearance. More importantly, when the composition is used in a typical aqueous wash environment, the emulsifiers in the composition become diluted such that the microemulsions can no longer be maintained and the organosilicones coalesce to form significantly larger droplets which have an average particle size of greater than about 1 micron. Since the selected organosilicones are water insoluble or have limited solubility in water, they will crash out of the wash liquor, resulting in more efficient deposition onto the fabrics and enhanced fabric care benefits. In a typical immersive wash environment, the composition is mixed with an excess of water to form a wash liquor, which typically has a weight ratio of water : composition ranging from 10:1 to 400:1.

[0061] A typical embodiment of the composition comprising from about 0.01% to about 10%, by weight of composition of the organosilicones and an effective amount of an emulsifier in a carrier. The "effective amount" of emulsifier is the amount sufficient to produce an organosilicone microemulsion in the carrier, preferably water. In some embodiments, the amount of emulsifiers ranges from about 5 to about 75 parts, or from about 25 to about 60 parts per 100 weight parts organosilicone.

[0062] The microemulsion typically comprises from about 10 to about 70%, or from about 25 to about 60%, by weight of the microemulsion of the dispersed organosilicones; from about 0.1 to about 30%, or from about 1 to about 20%, by weight of the microemulsion of anionic surfactant; optionally, from about 0 to about 3 %, or from about 0.1 to about 20%, by weight of the microemulsion of nonionic surfactant; and the balance being water, and optionally other carriers. Selected organosilicone polymers (all those disclosed herein above, excluding PDMS and cationic silicones) are suitable for forming microemulsions; these organosilicones are sometimes referred to as the "self emulsifying silicones". Emulsifiers, particularly anionic surfactants, may be added to aid the formation of organosilicone microemulsions in the composition. Optionally, nonionic surfactants useful as laundry adjuncts to provide deterative benefits can also aid the formation and stability of the microemulsions. In a typical embodiment, the amount of emulsifiers is from about 0.05% to about 15% by weight of the composition.

[0063] Nonlimiting examples of anionic surfactants include the following: alkyl sulfonates, such as C₁₁-C₁₈ alkyl benzene sulfonates (LAS) or C₁₀-C₂₀ branched-chain and random alkyl sulfates (AS); C₁₀-C₁₈ alkyl ethoxy sulfates (AE_xS) wherein x is from 1-30; mid-chain branched alkyl sulfates (US 6,020,303 and US 6,060,443) or mid-chain branched alkyl alkoxy sulfates (US 6,008,181 and US 6,020,303); C₁₀-C₁₈ alkyl alkoxy carboxylates comprising 1-5 ethoxy units; modified alkylbenzene sulfonate (MLAS) as discussed in WO 99/05243, WO 99/05242, WO 99/05244, WO 99/05082, WO 99/05084, WO 99/05241, WO 99/07656, WO 00/23549, and WO 00/23548; C₁₂-C₂₀ methyl ester sulfonate (MES); C₁₀-C₁₈ alpha-olefin sulfonate (AOS); and C₆-C₂₀ sulfosuccinates.

Dispersible Polyolefins

[0064] All dispersible polyolefins that provide fabric care benefits can be used as a fabric care benefit agents in the compositions of the present invention. The polyolefins can be in the form of waxes, emulsions, dispersions or suspensions.

Examples of polyolefins useful herein are discussed below.

[0065] The polyolefin may be a polyethylene, polypropylene, or a mixture thereof. The polyolefin may be at least partially modified to contain various functional groups, such as carboxyl, alkylamide, sulfonic acid or amide groups. In one embodiment, the polyolefin is at least partially carboxyl modified or, in other words, oxidized.

[0066] For ease of formulation, the dispersible polyolefin may be introduced as a suspension or an emulsion of polyolefin dispersed in an aqueous medium by use of an emulsifying agent. When an emulsion is employed, the emulsifier may be any suitable emulsification agent including anionic, cationic, or nonionic surfactants, or mixtures thereof. Almost any suitable surfactant may be employed as the emulsifier of the present invention. The dispersible polyolefin is dispersed by use of an emulsifier or suspending agent in a ratio 1:100 to about 1:2. Preferably, the ratio ranges from about 1:50 to 1:5.

[0067] The polyolefin suspension or emulsion may comprise from about 1% to about 60%, alternatively from about 10% to about 55%, and still alternatively from about 20 to about 50% by weight of polyolefin.

[0068] The polyolefin may have a wax dropping point (see ASTM D3954-94, volume 15.04 "Standard Test Method for Dropping Point of Waxes", the method incorporated herein by reference) from about 20 to 170°C and more preferably from about 50 to 140°C. Suitable polyethylene waxes are available commercially from suppliers including but not limited to Honeywell (A-C polyethylene), Clariant (Velustrol emulsion), and BASF (LUWAX).

Polymer Latexes

[0069] Polymer latex is typically made by an emulsion polymerization process which includes one or more monomers, one or more emulsifiers, an initiator, and other components familiar to those of ordinary skill in the art. All polymer latexes that provide fabric care benefits can be used as water insoluble fabric care benefit agents of the present invention. Non-limiting examples of suitable polymer latexes include those disclosed in WO 02/018451 published in the name of Rhodia Chimie.

[0070] Polymer latexes suitable for use herein as fabric care benefit agents include those having a glass transition temperature of from about -120°C to about 120°C and preferably from about -80°C to about 60°C. Suitable emulsifiers include anionic, cationic, nonionic and amphoteric surfactants. Suitable initiators include all initiators that are suitable for emulsion polymerization of polymer latexes. The particle size of the polymer latexes can be from about 1 nm to about 10 μm and is preferably from about 10 nm to about 1 μm.

Microencapsulated Actives

[0071] The laundry compositions herein may contain microcapsules or microencapsulates containing one or more fabric care active materials. The terms "microcapsules" and "microencapsulates" are used interchangeably herein.

[0072] Microcapsules useful herein include urea/formaldehyde microcapsules, melamine/formaldehyde microcapsules, more generally aminoplast or polyamide microcapsules, and other types of core-shell microcapsules or microencapsulates having median particle sizes ranging from below 1 micron to 100 micron or higher can be used in the present compositions, suitably at levels of from 0.01% to 5% of the composition by weight. Smaller particle sizes, e.g., 10 microns or below (median) are preferred for incorporation into nonviscous liquid formulations, whereas in more viscous or thickened formulations, larger particle sizes can be employed and may offer desirable visual attributes. Such microcapsules can be colored or uncolored, e.g., by use of dyes and/or pigments, and further, can contain any useful compatible detergent adjunct including perfumes, anti-fungals, odor control agents, antistatic agents, fluorescent whitening agents, antimicrobial actives, emollients, UV protection agents, flame retardants, brighteners, enzymes and the like, enclosed in the core of the microencapsulate. Such materials are most commonly derived from technology and processes long ago established for making carbonless copy paper, and are available from a range of commercial suppliers such as Ciba, Givaudan/Quest BASF, IFF, Cognis, Appleton Papers, Chemitech and others. See for example WO-200274430 A1 (Quest International); US-20070202063 A1 (Appleton Papers); DE--10000223 A1 (BASF); WO2003002699 A1 (Colgate); WO03054125 (Henkel); US-2004138093 A1 or US--2004142828 A1 or EP-----1533415 A1 or US20060287205 A1 or US20070004610 A1 (IFF); EP-----1640063 A1 (Cognis); WO--2006056357 A1 (Innovacel); WO--2007063001 A1 (Ciba).

[0073] A perfume microcapsule contains an encapsulated perfume composition to provide a latent source of perfume. The perfume composition that is encapsulated may be comprised of 100% perfume, which encompasses individual perfume ingredients or perfume accords; optionally, the perfume composition may include non-volatile materials such as diluents. The diluent may be present from 0% to 50% of the perfume formulation. Exemplary diluents include isopropyl myristate, polyethylene glycol, propanediol, and combinations thereof.

Optional Fabric Adjuncts

5 [0074] The detergent compositions of the present invention can also include any number of additional optional ingredients. These include conventional laundry detergent composition components such as deterative builders, enzymes, enzyme stabilizers (such as propylene glycol, boric acid and/or borax), suds suppressors, soil suspending agents, soil release agents, other fabric care benefit agents, pH adjusting agents, smectite clays, solvents, hydrotropes and phase stabilizers, structuring agents, dye transfer inhibiting agents, optical brighteners, perfumes and coloring agents. The various optional detergent composition ingredients, if present in the compositions herein, should be utilized at concentrations conventionally employed to bring about their desired contribution to the composition or the laundering operation. 10 Frequently, the total amount of such optional detergent composition ingredients can range from about 5% to about 50%, alternatively from about 30% to about 40%, by weight of the composition. A few of the optional ingredients which can be used are described in greater detail as follows:

Pearlescent agent

15 [0075] The laundry detergent compositions of the present invention may comprise from about 0.02% to about 0.5%, by weight of the composition, of a pearlescent agent. Examples of pearlescent agents useful herein include mica, metal oxide coated mica, bismuth oxy chloride coated mica, bismuth oxychloride, glass, metal oxide coated glass, ethylene glycol distearate, fish scales, and mixtures thereof. In one embodiment, the pearlescent agent has an average particle size of from 0.1 to 50 microns and has a platelet or spherical geometry. 20

Methods of Use

25 [0076] The compositions herein are contemplated for using in traditional machine-washing or hand-washing methods. The compositions may also be used on a commercial scale for laundering commercial quantities of fabrics or textiles. Use of the laundry compositions herein to launder or pre-treat fabrics is contemplated herein. Such use to impart an improved fabric feel and/or cleaning benefit to fabrics is further contemplated herein.

Encapsulated composition

30 [0077] The compositions of the present invention may be encapsulated within a water soluble film. The water-soluble film may be made from polyvinyl alcohol or other suitable variations, carboxy methyl cellulose, cellulose derivatives, starch, modified starch, sugars, PEG, waxes, or combinations thereof.

35 [0078] In another embodiment the water-soluble may include other adjuncts such as co-polymer of vinyl alcohol and a carboxylic acid. US patent 7,022,656 B2 (Monosol) describes such film compositions and their advantages. One benefit of these copolymers is the improvement of the shelf-life of the pouched detergents thanks to the better compatibility with the detergents. Another advantage of such films is their better cold water (less than 10°C) solubility. Where present the level of the co-polymer in the film material, is at least 60% by weight of the film. The polymer can have any weight average molecular weight, preferably from 1000 daltons to 1,000,000 daltons, more preferably from 10,000 daltons to 300,000 daltons, even more preferably from 15,000 daltons to 200,000 daltons, most preferably from 20,000 daltons to 150,000 daltons. Preferably, the co-polymer present in the film is from 60% to 98% hydrolysed, more preferably 80% to 95% hydrolysed, to improve the dissolution of the material. In a highly preferred execution, the co-polymer comprises from 0.1 mol% to 30 mol%, preferably from 1 mol% to 6 mol%, of said carboxylic acid. 40

45 [0079] The water-soluble film of the present invention may further comprise additional co-monomers. Suitable additional co-monomers include sulphonates and ethoxylates. An example of preferred sulphonic acid is 2-acrylamido-2-methyl-1-propane sulphonic acid (AMPS). A suitable water-soluble film for use in the context of the present invention is commercially available under tradename M8630™ from Mono-Sol of Indiana, US. The water-soluble film herein may also comprise ingredients other than the polymer or polymer material. For example, it may be beneficial to add plasticisers, for example glycerol, ethylene glycol, diethyleneglycol, propanediol, 2-methyl-1,3-propane diol, sorbitol and mixtures thereof, additional water, disintegrating aids, fillers, anti-foaming agents, emulsifying/dispersing agents, and/or antiblocking agents. It may be useful that the pouch or water-soluble film itself comprises a detergent additive to be delivered to the wash water, for example organic polymeric soil release agents, dispersants, dye transfer inhibitors. Optionally the surface of the film of the pouch may be dusted with fine powder to reduce the coefficient of friction. Sodium aluminosilicate, silica, talc and amylose are examples of suitable fine powders. 50

55 [0080] The encapsulated pouches of the present invention can be made using any conventionally known techniques. In one embodiment, the pouches are made using horizontal form filling thermoforming techniques.

EXAMPLES**Example I - Residue Testing**

5 **[0081]** *The presence of residues is assessed in a full scale washing machine test using Miele Novotronic W527.*

Residue Protocol:**[0082]**

- 10 1. The fabric used to assess residues on fabrics is a black velvet (Material source: Denholme Velvets, Halifax Road, Denholme, Bradford, West Yorkshire, England BD13 4EZ - tel. (01274) 832 646, with the specifications 150 cm C.R. Cotton Pile Velvet, quality 8897, black, 72% Cotton, 28% Modal).
- 15 2. A pouch is made by sewing a rectangle of black velvet (dimensions 23.5 cm x 47 cm that is folded to make a square with the velvet on the inside) using an overlock stitch, sewing along two sides leaving one open edge. The pouch is turned inside out so that the velvet is on the outside.
3. A dosing ball is filled using the recommended dosage for each product according to packaging instructions for normal/median soil and normal/median water hardness (125g). For every experiment, a new and unused dosing ball is filled. The dosing ball is placed inside the black velvet pouch.
- 20 4. The pouch is then closed by making a 2 cm wide fold across the open side and is secured with 3 plastic stitches.
5. For the wash test, the black pouch is placed in the back of the washing machine (Miele Novotronic W527) with the opening of the dosing ball up, without any further ballast load. The washing machine is switched on using the wool wash program at 40°C, using city water (2.5mmol/L). At end of the wash cycle, the pouches are immediately removed from the washing machine. The pouches are opened along the three sides (all stitched and sewed sides),
- 25 except the folded side. For every test product, a run with a reference product is performed at the same time (for comparison). Every experiment is repeated 2 times to have 3 replicates per test product.
6. The pouches are graded after drying over night (horizontally on a flat surface), by 2 qualified graders, using the following grading instructions and scale (relative scale to reference product results):

Table 1- Residue Grading Scale

SCORE (PSU)	MEANING
0	There is no difference
-1	I think this one has more residues (unsure)
-2	This one has somewhat more residues (sure)
-3	This one has a lot more residues
-4	This one has hugely more residues (a "day and night" difference)

35 **[0083]** To indicate less residues (instead of more residues), the signs of the scale above are inverted to positive numbers.

40 **[0084]** Each item is assessed by the two graders, and the grades are averaged; if the grades given by the two judges differ by more than 1 PSU (except -1 and +1), the grading is repeated. Three replicates are assessed and their results averaged to obtain the final grade.

45 **[0085]** The residues test described above was carried out using the standard composition described below in Table 2 as a reference composition against the same composition containing one of the different copolymers listed in Table 3.

Table 2 - Standard Composition

Ingredients (% by weight)	
Copolymer (see Table 3)	0.19
Alkylbenzene sulfonic acid	1.2
C14-15 alcohol 8-ethoxylate	4.0
C12-14 alcohol 3-ethoxylate sulphate, Na salt	6.8

EP 2 242 827 B1

(continued)

Ingredients (% by weight)	
Citric acid	2.4
C12-18 fatty acid	4.5
Detergent enzymes	0.2
Trans-sulphated ethoxylated hexamethylene diamine quat	0.7
Pentamethylene triamine pentaphosphonic acid	0.1
Hydrogenated castor oil	0.3
Ethanol	1.0
Boric acid	1.2
Sodium hydroxide	3.0
Perfume	0.6
Water	72
Dyes, miscellaneous minors	balance

The copolymers used and the results obtained are summarized in Table 3

Table 3 - Copolymers and Test Results

	Material	Mole %				Overall Mole Ratio	Residue Results
		Acr. Amide	Acr. Acid	MetAcr. Acid	Maptac	An/(An+Cat)	PSU
R	Table 2 formulation	None	None	None	None	NA	0.0
1	PamMAPTAC	88	0	0	12	0.00	-4.0
2	Merquat 5300	90	5	0	5	0.50	0.0
3	45D (77/3/20)	88.7	3.4	0	7.9	0.30	-1.3
4	45C (79/1/20)	91	1.1	0	7.5	0.13	-2.3
5	50D (35/60/5)	36	62	0	1.7	0.97	0.5
6	Tetrapolymer 1	93.5	1.5	0	5	0.23	-2.1
7	Tetrapolymer 2	92	1.6	1.4	5	0.38	0.0

The overall mole ratio is defined as: (% Acrylic acid + % methacrylic acid) / (% Acrylic acid + % methacrylic acid + % PamMAPTAC)

[0086] Based on consumer input, a residue grade difference of 2 PSU from the reference composition (i.e., a PSU of -2 or less) in this test will deliver consumer noticeable, unsatisfactory, residues levels. Therefore, the polymers which provide acceptable residues levels when included in the standard composition are the Table 2 polymers 2, 3, 5, and 7.

Example II - Softness Testing

[0087] *The relative softness of fabrics washed in laundry products containing polymers is assessed in a full scale washing machine test using Miele Novotronic W527.*

Softness Protocol

[0088] Fabric softness is a relative characteristic that in this protocol is evaluated by trained human softness graders that tactically examine a range of white fabric swatches washed in commercially available washing machines with

EP 2 242 827 B1

standard dosages of laundry detergent. Identical sets of fabric swatches are separately washed in a reference detergent product and in a test product. The softness results are a comparison of the resulting fabric swatches from each test product wash with the fabrics from the reference detergent product wash using the PSU score described below. All data are generated by using commercially available washing machines manufactured by Miele and sold as the Novatronic W527 model and commercially available laundry dryers manufactured by Miele and sold as the Novotronic T490 model.

Fabric Swatches

[0089] Multiple types of fabrics cut into swatches and used to assess the softness. The fabrics used are:

- 1) White terries with a swatch size of 30cm x 30cm and a weight of 450g/m², supplied by Maes Textiles - Brabantstraat117, 8790 Waregem, Belgium
- 2) White knitted 100% cotton with a swatch size of 50cm x 40cm and a weight of 165-175g/m², having a rib of 1/1, supplied by Abanderado Industriepark West 61, 9100 Sint Niklaas, Belgium, and
- 3) White polycotton (50% polyester blended with 50% cotton) with a swatch size of 100cm x 120cm and a weight of 130g/m², supplied by Dewerchin Vruchtendreef 19, 8520 Kuurne), Belgium

De-sizing

[0090] All fabric swatches used in the testing protocol, including reference fabric swatches are washed (before beginning testing) three times each with commercially available Ariel Liquid (at the recommended dosage for medium soil, medium water hardness of 75ml, dosed via a dosing ball) at 60°C using the short ("wit/bont") standard program with city water (2.5mmol/l) in order to remove any sizing applied by the manufacturers.

[0091] In addition to the fabric swatches, in each washing cycle an extra ballast load is added to get to a total weight of approximately 3kg of fabrics in the washing cycle (see Table 4, below). The ballast load consists of two large terry towels (80cm x 50cm, supplied by Maes Textiles) and six pieces of knitted cotton (50cm x 50cm, supplied by Abanderado). After completion of the three washing cycles, all fabrics are then tumble dried in a commercially available dryer. Upon drying, the fabrics are then ready to use in softness testing.

Test Load

[0092] For the reference product and for each of the test compositions, a test load of fabrics as shown in Table 4 is utilized.

Table 4 - Test Load

Fabric type	Number of swatches used per load	Total weight of swatches/ballast	Drying process used
Swatches:			
Terry swatches	16	Approx. 660g	8 line dry 8 tumble dry
Knitted cotton	8	Approx. 280g	8 line dry
Polycotton	8	Approx. 1260g	8 tumble dry
Ballast load (not examined):			
Terry towels	2	Approx. 340g	irrelevant
Knitted cotton	6	Approx. 450g	irrelevant
		Total load weight: Approx. 3 kg	

Testing of Fabric Swatches

[0093] A test load of fabrics is then washed three times each in succession (cycles 1, 2, and 3) with 75ml (recommended dosage for medium water hardness, medium soil) of the laundry product to be analyzed, dispensing with a dosing ball. Reference laundry product is washed under the same conditions as test products.

[0094] The washing machines are fed with city water (2.5mmol/L) at 40°C and are set to the short ("widbont") standard program with spinning at 1200rpm. The washing machines are not rotated to avoid contamination between the products.

EP 2 242 827 B1

All three cycles for each laundry product test load must be completed on the same day with tumble drying of all fabrics in between cycles 1 and 2, and in between cycles 2 and 3, using the setting "Kastdroog" on the dryer.

[0095] After cycle 3, the fabrics that need to be line dried (as shown in Table 4) are taken out and line dried overnight in a controlled temperature and humidity room set at 21°C, 50% relative humidity. The other fabrics are dried in a tumble dryer, using the "Extra dry" setting.

[0096] The day after drying, the fabric swatches are graded for softness by two different trained softness graders, utilizing a PSU scale. The PSU scale as referenced herein is a paired comparison between a fabric swatch treated with test product and the same type of fabric swatch treated with the reference product, using a grading scale going from -4 to 4. This paired comparison PSU grading scale is shown below in Table 5.

Table 5 - PSU Grading Scale

SCORE	MEANING
0	There is no difference
1	I think this one is softer (unsure)
2	I know this one is softer (sure)
3	This one is a lot more softer
4	This one is a whole lot softer

[0097] A positive grading scale number indicates that the fabric swatch treated with the test product is softer than the one of the reference product, a negative grading scale number indicates that the reference swatch is softer. If for a particular set of swatches, the grades given by the two softness graders differ by more than 1 PSU (except -1 and +1), regrading occurs.

[0098] For each test product, each of the swatches from the load (except the ballast load) is compared with one swatch of the same fabric type washed with the reference product. As such, 32 PSU gradings are completed per grader for each test product (8 gradings for terry swatches line dry, 8 gradings for terry swatches tumble dry, 8 gradings for knitted cotton line dry and 8 numbers for polycotton tumble dry).

[0099] At the end, an average softness score is calculated by averaging all 32 gradings from both graders.

Tested Formulations

[0100] The softness test described above was carried out using a standard commercially available fabric softening laundry detergent composition shown in Table 6 as a reference product, and comparing it to test compositions according to the formulation set forth in Table 2 containing in turn one of each of the different copolymers listed in Table 3.

Table 6 - Reference Formulation for Softness Data

<u>Active Material</u>	<u>Weight %</u>
Composition pH : 7.5 - 8.5	
C12 - C14 alkyl polyethoxylate (7)	1.2
Alkylbenzene sulfonic acid	9.0
Citric Acid	1.5
C12-18 fatty acid	4.38
Rapeseed fatty acid	2.46
Enzymes	0.4
Boric Acid	0.79
Diethylene triamine penta methylene phosphonic acid	0.4
Brightener	0.09
Hydrogenated Castor Oil structurant	0.2
Ethanol	2.38
1, 2 propanediol	3.68

EP 2 242 827 B1

(continued)

5
10
15

Active Material	Weight %
Composition pH : 7.5 - 8.5	
Sodium hydroxide	3.34
Sodium cumene sulphonate	0.8
Polyethyleneimine	0.06
Silicone suds suppressor	0.15
Dye	0.003
Perfume	0.62
Bentonite softening clay	3.36
Water	Up to 100

[0101] The copolymers used in the test composition and the softness results obtained are summarized in Table 7.

20
25
30
35

Table 7

Material	Mole %				Maptac	Relative Softness	Overall Mole Ratio
	Acrylamide	Acrylic Acid	Methacrylic				
			Acid	PSU			
Table 1 formulation	None	None	None	None	0	NA	
1 PamMAPTAC	88	0	0	12	+ 1.0	0.00	
2 Merquat 5300	90	5	0	5	+ 0.5	0.50	
3 45D (77/3/20)	8.7	3.4	0	7.9	+ 1.2	0.30	
4 45C (79/1/20)	91	1.1	0	7.5	+ 0.9	0.13	
5 50D (35/60/5)	36	62	0	1.7	- 1.5	0.97	
6 Tetrapolymer 1	93.5	1.5	0	5	0.8	0.23	
7 Tetrapolymer 2	92	1.6	1.4	5	0.9	0.38	

[0102] As may be seen by comparing the data outlined in Tables 3 and 7, incorporation of polymers 2, 3 or 7 into the test composition of Table 2 provides both good softness benefits and an acceptable amount of residues on fabrics. The other polymers, when incorporated into the test composition of Table 2 are included as comparative examples.

EXAMPLE III - Detergent Compositions

[0103] Additional detergent composition examples according to the present invention are shown as compositions 3A and 3B, below. It is predicted that these formulations will provide good cleaning, softness and acceptably low visible residues on fabrics when used in traditional consumer washing machines.

45
50
55

Ingredients (% by weight)	3A	3B
Alkylbenzene sulfonic acid	-	3.0
C14-15 alcohol 8-ethoxylate	-	2.5
C12-14 alcohol 3-ethoxylate sulphate, Na salt	22	12
N-C10-12 alkyl, N-2-hydroxyethyl, N,N-dimethyl ammonium chloride	3.0	1.5
Citric acid	3.5	1.0
C12-18 fatty acid	2.0	7.0
Copolymers 2, 3 and/or 7 from Table 7 above	0.25	0.28

EP 2 242 827 B1

(continued)

	Ingredients (% by weight)	3A	3B
5	Silicone polyether	2.0	2.0
	Detergent enzymes	0.4	1.1
	Ethoxylated polyimine	1.3	2.0
10	Pentamethylene triamine pentaphosphonic acid	-	0.3
	Hydrogenated castor oil	-	0.2
	1,2 propandiol	5.5	0.2
	Cumene sulfonic acid, Na salt	1.5	-
15	Ethanol	3.0	2.2
	Monoethanolamine (MEA)	2.7	10
	Boric acid	0.9	1.5
	Sodium hydroxide	3.0	3.0
20	Perfume	0.6	0.7
	Water	47	59
	Dyes, miscellaneous minors	balance	balance

25 **EXAMPLE IV**

[0104] Additional laundry detergent composition examples according to the present invention are shown as compositions 4A to 4E, below. It is predicted that these formulations will provide good cleaning, softness and acceptably low visible residues on fabrics when used in traditional consumer washing machines.

Active Material in weight %	4A	4B	4C	4D	4E
Composition pH : 7.5 - 8.5					
35 C14 - C15 alkyl poly ethoxylate (8)	4.4	6.25	4.0	4.0	6.25
C12 - C14 alkyl poly ethoxylate (3) sulfate Na salt	7.46	10.6	6.78	6.78	10.6
Alkylbenzene sulfonic acid	1.19	0.79	1.19	1.19	0.79
Citric Acid	2.64	3.75	2.4	2.4	3.75
40 C12-18 fatty acid	4.93	7.02	4.48	4.48	7.02
Enzymes	0.2	0.32	0.4	0.4	0.61
Boric Acid	1.35	1.93	1.23	1.23	1.93
45 Trans-sulphated ethoxylated hexamethylene diamine quat	0.78	1.11	0.71	0.71	1.11
Diethylene triamine penta methylene phosphonic acid	0.12	0.17	0.11	0.11	0.17
N-C10 alkyl, N-2-hydroxyethyl,N,N-dimethyl ammonium chloride	-	-	1.0	-	-
50 Hydrogenated Castor Oil structurant	0.300	0.2	0.3	0.3	0.2
Ethanol	1.55	2.2	1.41	1.41	2.2
1, 2 propanediol	0.07	0.16	0.15	0.15	0.16
55 Sodium hydroxide	3.41	4.8	3.1	3.1	4.8
Silicone PDMS emulsion	0.0030	0.003	0.003	0.003	0.003

EP 2 242 827 B1

(continued)

Active Material in weight % Composition pH : 7.5 - 8.5	<u>4A</u>	<u>4B</u>	<u>4C</u>	<u>4D</u>	<u>4E</u>
Dye	0.00084	0.00084	0.00084	0.00084	0.00084
Mica/TiO ₂ (ex BASF)	0.05		-	0.05	-
Perfume	0.65	0.65	0.65	0.65	1.0
Merquat 5300*	0.19	0.3	0.19	0.19	0.3
Perfume microcapsules**	-	-	0.325	0.325	0.52
Water	Up to 100	Up to 100	Up to 100	Up to 100	Up to 100
** Level expressed as perfume oil delivered via capsules					
* Merquat 5300 is terpolymer with mole ratio : 90% PAM/5% AA/5%MAPTAC produced by Nalco.					

EXAMPLE V

[0105] Additional laundry detergent composition examples according to the present invention are shown as compositions 5A to 5E, below. It is predicted that these formulations will provide good cleaning, softness and acceptably low visible residues on fabrics when used in traditional consumer washing machines.

Active Material in weight % Composition pH : 7.5 - 8.5	<u>5A</u>	<u>5B</u>	<u>5C</u>	<u>5D</u>	<u>5E</u>
C14 - C15 alkyl poly ethoxylate (8)	-	15.57	-	15.57	15.57
C12 - C14 alkyl poly ethoxylate (7)	15.57	-	15.57	-	-
Alkylbenzene sulfonic acid	19.43	19.43	19.43	19.43	19.43
Citric Acid	0.5	0.5	0.5	0.5	0.5
C12-18 fatty acid	15.54	15.54	15.54	15.54	15.54
Enzymes	2.1	2.1	2.1	2.1	2.1
Boric Acid	-	1.0	1.0	1.0	1.0
Trans-sulphated ethoxylated hexamethylene diamine quat	2.75	2.75	2.75	2.75	2.75
PEI 600 EO20	1.0	1.0	1.0	1.0	1.0
HEDP	1.0	1.0	1.0	1.0	1.0
FWA - Brightener	0.28	-	-	-	-
Hydrogenated Castor Oil Structurant	0.2	0.2	0.2	0.2	0.2
Glycerol	-	-	-	-	8
1, 2 propanediol	8.0	8.0	8.0	8.0	9.0
Sodium hydroxide	0.1	0.1	0.1	0.1	0.1
Silicone PDMS emulsion	-	-	-	0.003	0.003
Mono Ethanol Amine (MEA)	8.84	8.84	8.84	8.84	8.84
Mica/TiO ₂ pearl (ex BASF)	-	0.1	0.05	-	-
Perfume	1.40	1.40	1.40	1.40	1.40
Merquat 5300	0.60	0.5	0.35	0.80	0.80
Perfume micro capsules	-	-	0.86	0.86	0.86
Water (with dyes and other minors)	Up to 100	Up to 100	Up to 100	Up to 100	Up to 100

EXAMPLE VI

[0106] Additional laundry detergent composition examples according to the present invention are shown as compositions 6A to 6D, below. It is predicted that these formulations will provide good cleaning, softness and acceptably low visible residues on fabrics when used in traditional consumer washing machines.

Active Material	Weight %			
	6A	6B	6C	6D
C14 - C 15 alkyl poly ethoxylate (8)	3.7	3.7	3.7	3.7
C12 - C14 alkyl poly ethoxylate (3) sulfate Na salt	15.0	15.0	15.0	15.0
Alkylbenzene sulfonic acid	16.3	16.3	16.3	16.3
Citric Acid	4.1	4.1	4.1	4.1
C12-18 fatty acid	7.2	7.2	7.2	7.2
Enzymes as raw material solution	2.4	2.4	2.4	2.4
Boric Acid	0.5	0.5	0.5	0.5
PEI 600 EO20	3	3	3	3
HEDP	1.6	1.6	1.6	1.6
FWA - Brightener	0.28	-	-	-
CaCl ₂	0.03	0.03	0.03	0.03
1,2 propanediol	4.0	4.0	4.0	4.0
Sodium hydroxide	to pH 8.0	to pH 8.0	to pH 8.0	to pH 8.0
Mono Ethanol Amine (MEA)	10.31	10.31	10.31	10.31
Dye	0.001	0.001	0.001	0.001
Mica/TiO ₂ pearl (ex BASF)	-	0.05	-	0.05
Perfume	1.5	1.5	1.5	1.5
Merquat 5300	0.6	0.5	0.35	0.8
Perfume microcapsules	-	-	0.86	0.86
Water	Up to 100	Up to 100	Up to 100	Up to 100

EXAMPLE VII

[0107] Additional laundry detergent composition examples according to the present invention are shown as compositions 7A to 7F, below. It is predicted that these formulations will provide good cleaning, softness and acceptably low visible residues on fabrics when used in traditional consumer washing machines.

	7A	7B	7C	7D	7E	7F
Ingredient (assuming 100% activity)	Weight %					
AExS	21.0	12.6	21.0	12.6	21.0	5.7
LAS	--	1.7	--	1.7	--	4.8
Branched Alkyl sulfate	--	4.1	--	4.1	--	1.3
NI 23-9	0.4	0.5	0.4	0.5	0.4	0.2

EP 2 242 827 B1

(continued)

	7A	7B	7C	7D	7E	7F						
5	Ingredient (assuming 100% activity)						Weight %					
	C12 trimethylammonium chloride	3.0	--	3.0	--	3.0	--					
10	Citric Acid	2.5	2.4	2.5	2.4	2.5	--					
	C ₁₂₋₁₈ Fatty Acids	3.4	1.3	3.4	1.3	3.4	0.3					
	Protease B	0.4	0.4	0.4	0.4	0.4	0.1					
15	Carezyme	0.1	0.1	0.1	0.1	0.1	--					
	Tinopal AMS-X	0.1	0.1	0.1	--	0.1	0.3					
	TinopalCBS-X	--	--	--		0.1	--					
20	ethoxylated (EO ₁₅) tetraethylene pentamine	0.3	0.4	0.3	0.4	0.3	0.4					
	PEI 600 EO ₂₀	0.6	0.8	0.6	0.8	0.6	0.3					
25	Zwitterionic ethoxylated quaternized sulfated hexamethylene diamine	0.8	--	0.8	--	0.8	--					
30	PP-5495 ¹	3.4	3.0	3.4	3.0	3.4	2.7					
	KF-889 ²	--	--	--	--	3.4	--					
	Merquat 5300	0.2	0.2	0.2	0.2	--	0.3					
35	Diethylene triamine penta acetate, MW = 393	0.2	0.3	0.2	0.2	0.2	--					
	Mica/TiO ₂ pearl (ex BASF)	0.2	0.1	--	--	--	0.1					
40	Ethylene glycol distearate (EGDS) pearl	--	--	1.0	1.0		--					
	Hydrogenated castor oil	0.1	0.1	-	-	-	0.1					
45	Sodium hydroxide	To pH 8.0	To pH 8.0	To pH 8.0	To pH 8.0	To pH 8.0	To pH 8.0					
50	water, perfumes, dyes, and other optional agents/ components	to 100% balance	to 100% balance	to 100% balance	To 100% balance	to 100% balance	to 100% balance					
1: supplied by Dow Corning Corporation, Midland, MI												
2: supplied by Shin-Etsu Silicones, Akron, OH												

EXAMPLE VIII

[0108] Additional laundry detergent composition examples according to the present invention are shown as compositions 8A to 8C, below. It is predicted that these formulations will provide good cleaning, softness and acceptably low

EP 2 242 827 B1

visible residues on fabrics when used in traditional consumer washing machines.

	8A	8B	8C
Ingredient (assuming 100% activity)	weight %	weight %	weight %
5 AExS	21.0	12.6	21.0
LAS	--	1.7	--
10 Branched Alkyl sulfate	--	4.1	--
NI 23-9	0.4	0.5	0.4
C12 trimethylammonium chloride	3.0	--	3.0
Citric Acid	2.5	2.4	2.5
15 C ₁₂₋₁₈ Fatty Acids	3.4	1.3	3.4
Protease B	0.4	0.4	0.4
Carezyme	0.1	0.1	0.1
20 Tinopal AMS-X	0.1	0.1	0.1
TinopalCBS-X	--	--	--
ethoxylated (EO ₁₅) tetraethylene pentaimine	0.3	0.4	0.3
PEI 600 EO ₂₀	0.6	0.8	0.6
25 Zwitterionic ethoxylated quaternized sulfated hexamethylene diamine	0.8	--	0.8
PP-5495 ¹	3.4	3.0	3.4
Merquat 5300	0.2	0.2	0.2
30 Diethylene triamine penta acetate, MW = 393	0.2	0.3	0.2
Mica/TiO ₂ pearl (ex BASF)	0.2	--	0.1
Ethylene glycol distearate (EGDS pearl)		1.0	--
35 Hydrogenated castor oil	0.1	--	0.1
Sodium Hydroxide	To pH 8.0	To pH 8.0	To pH 8.0
water, perfumes, dyes, and other optional agents/ components	to 100% balance	to 100% balance	to 100% balance
40 1: supplied by Dow Corning Corporation, Midland, MI			

EXAMPLE IX - Water Soluble Unit Dose Detergent

45 **[0109]** An example of a laundry detergent composition useful for inclusion in a water soluble (unit dose) detergent package is found below. To form the water soluble package, approximately 45ml of the composition is enclosed within a Monosol M8630 soluble film by a traditional thermoforming process.

Active Material	Weight %
50 Glycerol	7.00
Propylene glycol	13.30
Monoethanolamine	6.90
55 Caustic soda	1.00
Potassium sulfite	0.18
C24EO7 alcohol ethoxylate	16.90

(continued)

Active Material	Weight %
Optical brightener FWA36	0.28
Alkylbenzenesulfonic acid	22.30
C 12-18 fatty acid	18.20
Protease	1.10
Perfume	1.50
Dyes	ppm
Minors	<0.1%
TiO2 coated mica	0.10
Silicone softener	2.00
Hydrogenated castor oil	0.20
Merquat 5300	0.2
Water	8.83
Total	100

[0110] The citation of any document is not to be construed as an admission that it is prior art with respect to the present invention. To the extent that any meaning or definition of a term in this written document conflicts with any meaning or definition of the term in a document incorporated by reference, the meaning or definition assigned to the term in this written document shall govern.

[0111] While particular embodiments of the present invention have been illustrated and described, it would be obvious to those skilled in the art that various other changes and modifications can be made without departing from the scope of the invention. It is therefore intended to cover in the appended claims all such changes and modifications that are within the scope of this invention.

Claims

1. A laundry detergent composition comprising from 5% to 90% , by weight of the composition, of water and having a pH of from 6 to 11, wherein the composition further comprises:

a) from 0.02% to 2%, by weight of the composition, of a polymer having a number average molecular weight of from 700,000 to 4,000,000 and comprising monomeric units, wherein the monomeric units are derived from monomers, said monomers comprising:

i) at least 50%, by mole, of nonionic monomers selected from acrylamide, N,N-dialkyl acrylamide, methacrylamide, N,N-dialkylmethacrylamide, hydroxyalkyl acrylate and vinyl pyrrolidone, vinyl acetate, vinyl alcohol, and mixtures thereof; preferably selected from acrylamide, vinyl pyrrolidone, and mixtures thereof;

ii) from 3% to 30%, by mole, of cationic monomers selected from N,N-dialkylaminoalkyl methacrylate, N,N-dialkylaminoalkyl acrylate, N,N-dialkylaminoalkyl acrylamide, N,N-dialkylaminoalkylmethacrylamide, methacrylamidoalkyl trialkylammonium chloride, acrylamidoalkyltrialkylammonium chloride, vinylamine, quaternized vinyl imidazole and diallyl dialkyl ammonium chloride, and mixtures thereof; preferably from [(3-methylacrylamido) alkyl] trialkylammonium chloride, diallyldimethylammonium chloride, and mixtures thereof; more preferably is 3-methacrylamidopropyltrimethyl ammonium chloride;

iii. from 1% to 20%, by mole, of anionic monomers selected from acrylic acid, methacrylic acid, maleic acid, vinyl sulfonic acid, styrene sulfonic acid, acrylamidopropylmethane sulfonic acid (AMPS), salts thereof, and mixtures thereof; preferably from acrylic acid, methacrylic acid, and mixtures thereof; more preferably acrylic acid;

wherein the overall mole ratio of the monomers, according to the following equation,

mole anionic monomer

 (mole anionic monomer + mole cationic monomer)

is from 0.25 to 0.8, preferably from 0.35 to 0.6; and

b) from 5% to 60%, by weight of the composition, of a surfactant system comprising from 1 % to 25%, by weight of the surfactant system, of fatty acid.

2. A laundry detergent composition according to Claim 1 wherein the monomeric units are derived from at least 70%, by mole, of acrylamide.


3. A laundry detergent composition according to any one of the preceding claims wherein the surfactant system comprises from 3% to 15% fatty acid.

4. A laundry detergent composition according to any one of the preceding claims wherein the composition further comprises from 5% to 25% sodium alkyl ethoxysulfate.

5. A laundry detergent composition according to any one of the preceding claims wherein the detergent composition further comprises a fatty acid crystal modifier; preferably wherein the fatty acid crystal modifier is selected from:

a) at least 5%, by weight of the composition of sodium alkyl ethoxysulfate;

b) from 0.1% to 10% of a quaternary ammonium surfactant having the formula



wherein R_1 and R_2 are individually selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 hydroxy alkyl, benzyl, and $-(C_2H_4O)_xH$ where x has a value from 2 to 5; X is an anion; and (1) R_3 and R_4 are each a C_8 - C_{14} alkyl or (2) R_3 is a C_8 - C_{22} alkyl and R_4 is selected from the group consisting of C_1 - C_{10} alkyl, C_1 - C_{10} hydroxy alkyl, benzyl, and $-(C_2H_4O)_xH$ where x has a value from about 2 to about 5;

c) from 0.1% to 5%, by weight of the composition, of alkoxyated polyethyleneimines having a molecular weight of from 300 to 6000 and an average alkoxylation of from 3 to 30 moles of alkylene oxide per nitrogen;

d) from 0.1 % to 5%, by weight of the composition, of ethoxylated tetraethylene-pentamine having an average ethoxylation of from 15 to 18;

e) from 1% to 10% of zwitterionic surfactant;

f) from 0.05% to 2% of a chelating agent;

g) from 0.1% to 5% of a zwitterionic amine-based polymer;

h) from 1% to 10% of a nonionic alkylpolyethoxylate; and

i) mixtures thereof.

6. A laundry detergent composition according to any one of the preceding claims wherein the composition further comprises a water insoluble fabric care benefit agent selected from dispersible polyolefins, polymer latexes, organosilicones, perfume or other active microcapsules, and mixtures thereof.

7. A laundry detergent composition according to Claim 6 wherein the organosilicones are selected from polydimethylsiloxanes, aminosilicones, amidosilicones, silicone polyethers, alkylsilicones, phenyl silicones, quaternary silicones and mixtures thereof.

8. A laundry detergent composition according to any one of the preceding claims wherein the composition further comprises from 0.02% to 0.5%, by weight of the composition, of a pearlescent agent; preferably wherein the pearlescent agent is selected from the group consisting of mica, metal oxide coated mica, bismuth oxy chloride coated

mica, bismuth oxychloride, glass, metal oxide coated glass, ethylene glycol distearate, fish scales, and mixtures thereof.

9. A laundry detergent composition according to claim 1, comprising from 10% to 90% water, wherein the composition comprises:

b) from 0.05% to 2%, by weight of the composition, of the polymer, said monomers comprising:

- i) at least 70%, by mole, of acrylamide;
 ii) from 3% to 30%, by mole, of [(3-methylacrylamido) propyl] trimethylammonium chloride;
 iii) from 1% to 20%, by mole, of acrylic acid; and optionally from 0% to 10%, by mole, of methacrylic acid; wherein the mole ratio of the monomers, according to the following equation,

$$\frac{\text{mole anionic monomer}}{\text{(mole anionic monomer + mole cationic monomer)}}$$

is from 0.3 to 0.8;

b) the surfactant system comprising from 3% to 15% fatty acid; and

c) at least 0.1%, by weight of the composition, of an electrolyte.

10. Use of a laundry composition according to Claim 1 to launder or pre-treat fabrics.

11. Use of a laundry composition according to Claim 1 to provide softness to fabrics through the wash.

Patentansprüche

1. Wäschewaschmittelzusammensetzung, umfassend zu 5 Gew.-% bis 90 Gew.-% der Zusammensetzung Wasser und aufweisend einen pH-Wert von 6 bis 11, wobei die Zusammensetzung ferner Folgendes umfasst:

a) zu 0,02 Gew.-% bis 2 Gew.-% der Zusammensetzung ein Polymer mit einer zahlenmittleren Molmasse von 700.000 bis 4.000.000 und umfassend Monomereinheiten, wobei die Monomereinheiten aus Monomeren abgeleitet sind, wobei die Monomere Folgendes umfassen:

I) zu mindestens 50 Mol-% nichtionogene Monomere, ausgewählt aus Acrylamid, N,N-Dialkylacrylamid, Methacrylamid, N,N-Dialkylmethacrylamid, Hydroxyalkylacrylat und Vinylpyrrolidon, Vinylacetat, Vinylalkohol und Mischungen davon, vorzugsweise ausgewählt aus Acrylamid, Vinylpyrrolidon und Mischungen davon,

II) 3 Mol-% bis 30 Mol-% kationische Monomere, ausgewählt aus N,N-Dialkylaminoalkylmethacrylat, N,N-Dialkylaminoalkylacrylat, N,N-Dialkylaminoalkylacrylamid, N,N-Dialkylaminoalkylmethacrylamid, Methacrylamidoalkyltrialkylammoniumchlorid, Acrylamidoalkyltrialkylammoniumchlorid, Vinylamin, quaternisiertem Vinylimidazol und Diallyldialkylammoniumchlorid und Mischungen davon, vorzugsweise aus [(3-Methylacrylamido)alkyl]trialkylammoniumchlorid, Diallyldimethylanioniumchlorid und Mischungen davon, stärker bevorzugt ist 3-Methacrylamidopropyltrimethylammoniumchlorid,

III. 1 Mol-% bis 20 Mol-% anionische Monomere, ausgewählt aus Acrylsäure, Methacrylsäure, Maleinsäure, Vinylsulfonsäure, Styrolsulfonsäure, Acrylamidopropylmethansulfonsäure (AMPS), Salzen davon und Mischungen davon, vorzugsweise aus Acrylsäure, Methacrylsäure und Mischungen davon, stärker bevorzugt Acrylsäure,

wobei das Gesamtmolverhältnis der Monomere nach der folgenden Gleichung

Mol anionisches Monomer

(Mol anionisches Monomer + Mol kationisches Monomer)

0,25 bis 0,8, vorzugsweise 0,35 bis 0,6 beträgt, und

b) 5 Gew.-% bis 60 Gew.-% der Zusammensetzung ein Tensidsystem, umfassend 1 Gew.-% bis 25 Gew.-% des Tensidsystems Fettsäure.

2. Wäschewaschmittelzusammensetzung nach Anspruch 1, wobei die Monomereinheiten von mindestens 70 Mol-% Acrylamid abgeleitet sind.


3. Wäschewaschmittelzusammensetzung nach einem der vorstehenden Ansprüche, wobei das Tensidsystem 3 % bis 15 % Fettsäure umfasst.

4. Wäschewaschmittelzusammensetzung nach einem der vorstehenden Ansprüche, wobei die Zusammensetzung ferner 5 % bis 25 % Natriumalkylethoxysulfat umfasst.

5. Wäschewaschmittelzusammensetzung nach einem der vorstehenden Ansprüche, wobei die Waschmittelzusammensetzung ferner ein Fettsäurekristall-Modifikationsmittel umfasst, wobei das Fettsäurekristall-Modifikationsmittel vorzugsweise ausgewählt ist aus:

a) mindestens 5 Gew.-% der Zusammensetzung Natriumalkylethoxysulfat,

b) 0,1 % bis 10 % einem quartären Ammoniumtensid mit der Formel



worin R_1 und R_2 unabhängig voneinander ausgewählt sind aus der Gruppe bestehend aus C_1 - C_4 -Alkyl, C_1 - C_4 -Hydroxyalkyl, Benzyl und $-(C_2H_4O)_xH$, wobei x einen Wert von 2 bis 5 hat, X ein Anion ist, und (1) R_3 und R_4 jeweils ein C_8 - C_{14} -Alkyl sind oder (2) R_3 ein C_8 - C_{22} -Alkyl ist und R_4 ausgewählt ist aus der Gruppe bestehend aus C_1 - C_{10} -Alkyl, C_1 - C_{10} -Hydroxyalkyl, Benzyl und $-(C_2H_4O)_xH$, wobei x einen Wert von etwa 2 bis etwa 5 hat,

c) von zu 0,1 Gew.-% bis 5 Gew.-% der Zusammensetzung alkoxylierten Polyethylenimininen mit einer Molmasse von 300 bis 6000 und einer durchschnittlichen Alkoxylierung von 3 bis 30 Molen Alkylenoxid pro Stickstoff,

d) 0,1 Gew.-% bis 5 Gew.-% der Zusammensetzung ethoxyliertem Tetraethylenpentamin mit einer durchschnittlichen Ethoxylierung von 15 bis 18,

e) von zu 1 % bis 10 % zwitterionischem Tensid,

f) 0,05 % bis 2 % einem Chelatbildner,

g) 0,1 % bis 5 % einem zwitterionischen aminbasierten Polymer,

h) 1 % bis 10 % einem nichtionogenen Alkylpolyethoxylat, und

i) Mischungen davon.

6. Wäschewaschmittelzusammensetzung nach einem der vorstehenden Ansprüche, wobei die Zusammensetzung ferner einen wasserunlöslichen Stoffpflegewirkstoff umfasst, ausgewählt aus dispergierbaren Polyolefinen, Polymerlatizes, Organosilikon, Duftstoff- oder anderen Wirkstoff-Mikrokapseln und Mischungen davon.

7. Wäschewaschmittelzusammensetzung nach Anspruch 6, wobei die Organosilikone ausgewählt sind aus Polydimethylsiloxanen, Aminosilikon, Amidosilikon, Silikonpolyethern, Alkylsilikon, Phenylsilikon, quartären Silikon und Mischungen davon.

8. Wäschewaschmittelzusammensetzung nach einem der vorstehenden Ansprüche, wobei die Zusammensetzung

ferner 0,02 Gew.-% bis 0,5 Gew.-% der Zusammensetzung ein Perlglanzmittel umfasst, wobei das Perlglanzmittel vorzugsweise ausgewählt ist aus der Gruppe bestehend aus Glimmer, metalloxidbeschichtetem Glimmer, Bismutoxychlorid-beschichtetem Glimmer, Bismutoxychlorid, Glas, metalloxidbeschichtetem Glas, Ethylenglycoldistearat, Fischschuppen und Mischungen davon.

9. Wäschewaschmittelzusammensetzung nach Anspruch 1, umfassend 10 % bis 90 % Wasser, wobei die Zusammensetzung Folgendes umfasst:

b) 0,05 Gew.-% bis 2 Gew.-% der Zusammensetzung das Polymer, wobei die Monomere Folgendes umfassen:

- I) zu mindestens 70 Mol-% Acrylamid,
- II) 3 Mol-% bis 30 Mol-% [(3-Methylacrylamido)propyl]trimethylammoniumchlorid,
- III) 1 Mol-% bis 20 Mol-% Acrylsäure, und wahlweise 0 Mol-% bis 10 Mol-% Methacrylsäure,

wobei das Molverhältnis der Monomere nach der folgenden Gleichung

Mol anionisches Monomer

(Mol anionisches Monomer + Mol kationisches Monomer)

0,3 bis 0,8 beträgt,

b) das Tensidsystem, umfassend 3 % bis 15 % Fettsäure, und

c) zu mindestens 0,1 Gew.-% der Zusammensetzung einen Elektrolyten.

10. Verwendung einer Wäschewaschzusammensetzung nach Anspruch 1 zum Waschen oder Vorbehandeln von Stoffen.

11. Verwendung einer Wäschewaschzusammensetzung nach Anspruch 1, um Stoffen Weichheit durch die Wäsche zu verleihen.

Revendications

1. Composition détergente pour le lavage du linge comprenant de 5 % à 90 %, en poids de la composition, d'eau et ayant un pH allant de 6 à 11, où la composition comprend en outre :

a) de 0,02 % à 2 % en poids de la composition, d'un polymère ayant une masse moléculaire moyenne en nombre allant de 700 000 à 4 000 000 et comprenant des motifs monomères, dans laquelle les motifs monomères sont dérivés de monomères, lesdits monomères comprenant :

i) au moins 50 %, en moles, de monomères non ioniques choisis parmi acrylamide, N,N-dialkyl acrylamide, méthacrylamide, N,N-dialkylméthacrylamide, acrylate d'hydroxyalkyle et vinyl-pyrrolidone, acétate de vinyle, alcool vinylique, et leurs mélanges ; choisi de préférence parmi acrylamide, vinyl-pyrrolidone, et leurs mélanges ;

ii) de 3 % à 30 %, en moles, de monomères cationiques choisis parmi méthacrylate de N,N-dialkylaminoalkyle, acrylate de N,N-dialkylaminoalkyle, N,N-dialkylaminoalkyl acrylamide, N,N-dialkylaminoalkylméthacrylamide, chlorure de méthacrylamidoalkyl trialkylammonium, chlorure d'acrylamidoalkyl trialkylammonium, vinylamine, vinylimidazole quaternaire et chlorure de diallyl-dialkyl-ammonium, et leurs mélanges ; de préférence parmi le chlorure de [(3-méthylacrylamido) alkyl] trialkylammonium, le chlorure de diallyldiméthylammonium, et leurs mélanges ; plus préférentiellement est le chlorure de 3-méthacrylamidopropyltriméthyl-ammonium ;

iii. de 1 % à 20 %, en moles, de monomères anioniques choisis parmi l'acide acrylique, l'acide méthacrylique,

l'acide maléique, l'acide vinylsulfonique, l'acide styrène sulfonique, l'acide acrylamidopropylméthane-sulfonique (AMPS), leurs sels, et leurs mélanges ; de préférence parmi l'acide acrylique, l'acide méthacrylique, et leurs mélanges ; plus préférablement l'acide acrylique ; dans laquelle le rapport molaire global des monomères, selon l'équation suivante,

5

mole de monomère anionique

10 (mole de monomère anionique + mole de monomère cationique)

va de 0,25 à 0,8, de préférence de 0,35 à 0,6 ; et

15 b) de 5 % à 60 % en poids de la composition, d'un système tensioactif comprenant de 1 % à 25 % en poids du système tensioactif, d'acide gras.

2. Composition détergente pour le lavage du linge selon la revendication 1, dans laquelle les motifs monomères sont dérivés d'au moins 70 %, en moles, d'acrylamide.

20 3. Composition détergente pour le lavage du linge selon l'une quelconque des revendications précédentes, dans laquelle le système tensioactif comprend de 3 % à 15 % d'acide gras.


4. Composition détergente pour le lavage du linge selon l'une quelconque des revendications précédentes, où la composition comprend, en outre, de 5 % à 25 % de sodium alkyl-éthoxysulfate.

25 5. Composition détergente pour le lavage du linge selon l'une quelconque des revendications précédentes, où la composition détergente comprend, en outre, un agent de modification de cristal d'acide gras ; de préférence dans laquelle l'agent de modification de cristal d'acide gras est choisi parmi :

30 a) au moins 5 % en poids de la composition de sodium alkyl-éthoxysulfate ;

b) de 0,1 % à 10 % d'un agent tensioactif de type ammonium quaternaire de formule

35



40 dans laquelle R_1 et R_2 sont individuellement choisis dans le groupe constitué d'un alkyle en C_1 à C_4 , un hydroxyalkyle en C_1 à C_4 , un benzyle, et $-(C_2H_4O)_xH$ où x a une valeur allant de 2 à 5 ; X est un anion ; et (1) R_3 et R_4 sont chacun un alkyle en C_8 à C_{14} ou (2) R_3 est un alkyle en C_8 à C_{22} et R_4 est choisi dans le groupe constitué d'un alkyle en C_1 à C_{10} , un hydroxyalkyle en C_1 à C_{10} , un benzyle, et $-(C_2H_4O)_xH$ où x a une valeur allant d'environ 2 à environ 5 ;

45 c) de 0,1 % à 5 % en poids de la composition, de polyéthylène-imines alcoxylées ayant une masse moléculaire allant de 300 à 6000 et une alcoxylation moyenne allant de 3 à 30 moles d'oxyde d'alkylène par azote ;

d) de 0,1 % à 5 % en poids de la composition, de tétraéthylène-penta-imine éthoxylée ayant une éthoxylation moyenne allant de 15 à 18 ;

e) de 1 % à 10 % d'agent tensioactif zwitterionique ;

50 f) de 0,05 % à 2 % d'un agent chélatant ;

g) de 0,1 % à 5 % d'un polymère à base d'amine zwitterionique ;

h) de 1 % à 10 % d'un alkylpolyéthoxylate non ionique ; et

i) leurs mélanges.

55 6. Composition détergente pour le lavage du linge selon l'une quelconque des revendications précédentes, où la composition comprend, en outre, un agent bénéfique pour le soin des tissus insoluble dans l'eau choisi parmi les polyoléfines dispersibles, les latex polymères, les organosilicones, un parfum ou d'autres microgélules actives, et leurs mélanges.

EP 2 242 827 B1

7. Composition détergente pour le lavage du linge selon la revendication 6, dans laquelle les organosilicones sont choisies parmi des polydiméthylsiloxanes, des aminosilicones, des amidosilicones, des silicone polyéthers, des alkylsilicones, des phénylsilicones, des silicones quaternaires et leurs mélanges.

5 8. Composition détergente pour le lavage du linge selon l'une quelconque des revendications précédentes, où la composition comprend, en outre, de 0,02 % à 0,5 % en poids de la composition, d'un agent nacrant ; de préférence dans laquelle l'agent nacrant est choisi dans le groupe constitué de mica, mica enrobé à l'oxyde métallique, mica enrobé à l'oxychlorure de bismuth, oxychlorure de bismuth, verre, verre revêtu d'oxyde métallique, éthylène glycol distéarate, écailles de poisson, et leurs mélanges.

10 9. Composition détergente pour le lavage du linge selon la revendication 1, comprenant de 10 % à 90 % d'eau, où la composition comprend :

15 b) de 0,05 % à 2 % en poids de la composition, du polymère, lesdits monomères comprenant :

i) au moins 70 %, en moles, d'acrylamide ;

ii) de 3 % à 30 %, en moles, de chlorure de [(3-méthylacrylamido) propyl] triméthylammonium ;

iii) de 1 % à 20 %, en moles, d'acide acrylique ; et facultativement de 0 % à 10 %, en moles, d'acide méthacrylique ;

20 dans laquelle le rapport molaire des monomères, selon l'équation suivante,

mole de monomère anionique

25
$$\frac{\text{mole de monomère anionique}}{\text{(mole de monomère anionique + mole de monomère cationique)}}$$

va de 0,3 à 0,8 ;

30 b) le système tensioactif comprenant de 3 % à 15 % d'acide gras ;

et

c) au moins 0,1 % en poids de la composition, d'un électrolyte.

35 10. Utilisation d'une composition de lavage du linge selon la revendication 1 pour laver ou prétraiter des tissus.

40 11. Utilisation d'une composition de lavage du linge selon la revendication 1 pour fournir de la douceur à des tissus au cours du lavage.

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 6949498 B [0005] [0007]
- US 3664961 A, Norris [0035]
- US 3919678 A, Laughlin [0035]
- US 4222905 A, Cockrell [0035]
- US 4285841 A, Barrat [0035]
- US 4284532 A, Leikhim [0035]
- US 4239659 A, Murphy [0035]
- WO 0218528 A [0058]
- WO 04041983 A [0058]
- WO 04056908 A [0058]
- US 5981681 A [0058]
- US 5807956 A [0058]
- US 6020303 A [0063]
- US 6060443 A [0063]
- US 6008181 A [0063]
- WO 9905243 A [0063]
- WO 9905242 A [0063]
- WO 9905244 A [0063]
- WO 9905082 A [0063]
- WO 9905084 A [0063]
- WO 9905241 A [0063]
- WO 9907656 A [0063]
- WO 0023549 A [0063]
- WO 0023548 A [0063]
- WO 02018451 A [0069]
- WO 200274430 A1 [0072]
- US 20070202063 A1 [0072]
- DE 10000223 A1 [0072]
- WO 2003002699 A1 [0072]
- WO 03054125 A [0072]
- US 2004138093 A1 [0072]
- US 2004142828 A1 [0072]
- EP 1533415 A1 [0072]
- US 20060287205 A1 [0072]
- US 20070004610 A1 [0072]
- EP 1640063 A1 [0072]
- WO 2006056357 A1 [0072]
- WO 2007063001 A1 [0072]
- US 7022656 B2 [0078]