

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
9 December 2004 (09.12.2004)

PCT

(10) International Publication Number
WO 2004/105710 A1

(51) International Patent Classification⁷: **A61K 7/06**

(21) International Application Number:
PCT/US2004/016233

(22) International Filing Date: 21 May 2004 (21.05.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/447,966 29 May 2003 (29.05.2003) US

(71) Applicant (for all designated States except US): **COLGATE-PALMOLIVE COMPANY** [US/US]; 300 Park Avenue, New York, NY 10022 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **HARDY, Eugene** [US/US]; 29 Morsell Place, Old Bridge, NJ 08857 (US). **PSIHOULES, Anthony** [US/US]; 167 Bywater Way, Hillsborough, NJ 08844 (US).

(74) Agent: **MIANO, Rosemary, M.**; Colgate-Palmolive Company, 909 River Road, P.O. Box 1343, Piscataway, NJ 08855 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,

CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: TRANSPARENT CONDITIONING SHAMPOO

(57) Abstract: A conditioning shampoo comprising: (a) 8-18 weight % of an anionic surfactant; (b) 0.5-0.8 weight % of a conditioning system comprising: (i) 0.1-0.75 weight % of silicone Quaternium-8; (ii) 0.1-0.5 weight % of a low molecular weight guar gum with a molecular weight less than 100,000 centipoise as an aqueous clear cationic solution of a modified polysaccharide clear cationic solution; and (iii) 0.1-0.5 weight % of Polyquaternium-10; (c) 1.0-6.0 weight % of an amphoteric surfactant; (d) 0.5-5.0 weight % of a member selected from the group consisting of cocodiethanol amide, and cocomonethanol amide; and (e) the remainder as water.

WO 2004/105710 A1

TRANSPARENT CONDITIONING SHAMPOO

Field of the Invention

This invention relates to hair cleansing and/or conditioning with the use of a
5 selected guar gum. A clear shampoo is obtained.

Background of the Invention

The use of silicone conditioning ingredients is frequently seen in the art and in
commercial products. Such ingredients provide a high degree of both wet and dry
combing ability to a variety of hair types. The use of such silicone materials requires
10 the presence of a stabilizing agent such as ethylene glycol distearate, C20-40 alcohols,
behenyl alcohol, to name a few. While the stabilizing agents provide stability, they
also add to the opaqueness of the final product. The opaqueness can be desirable if a
pearlized product is desired, but it makes it impossible to achieve clear products. In
addition, the use of dimethicone at typical use levels delivers unacceptable translucency
15 and typically poor stability profiles. Further, the use of alternatives to dimethicone
such as dimethicone copolyols, amodimethicone, or PEG silicone surfactants, or the
exclusive use of polyquaterniums as polymeric conditioning agents can provide
transparent shampoo systems but they do not provide the required beneficial
conditioning properties to hair as evaluated with wet and dry combing tests.

20 Previous attempts at formulating hair care compositions include the following
references.

U.S. Patent Number 5,114,706 to Duvel describes hair conditioning shampoos
comprising cationic dialkyl conditioning agents in combination with long chain fatty
alcohols and non-volatile silicones that are suspended by cross-linked polymeric
25 suspending agents.

U.S. Patent Number 5,302,322 to Birtwistle describes a shampoo comprising a
cationic deposition polymer, a surfactant, and a water-insoluble end-functionalized
quaternary silicone polymer capable of dissolving in the surfactant.

U.S. Patent Number 6,194,363 to Murray describes small particle size
30 emulsified silicone in combination with amino functional silicones to boost
conditioning properties of the conditioning shampoo.

U.S. Patent Number 6,495,498 to Niemiec et al describes a 2-in-1 detergent
system comprising a water soluble silicone agent, a cationic conditioning agent and a
detergent.

35

US Patent Number 5,326,483 to Halloran et al describes a clear shampoo product which contains a cationic oil-in-water emulsion of an amine functional polydimethyl silicone and a method of making a clear and stable shampoo composition with the absence of a pearling agent.

5 PCT Publication WO 02/22085 describes a method for treating the hair with a transparent concentrated hair conditioning composition.

Brief Summary of the Invention

This invention relates to the use of a selected quaternized silicone conditioning agent in combination with a selected guar gum and Polyquaternium-10. The
10 quaternized silicone is recognized under the INCI designation-silicone Quaternium-8 (tradename Ultrasil Q-8 and Ultrasil Q8 Plus), both from Noveon, Inc. Cleveland OH. All three ingredients are necessary for forming products according to the invention. The omission of the guar gum reduces wet comb-ability and poorer lathering properties while also reducing the viscosity of the final product. The omission of the silicone
15 quaternary materials reduces dry comb-ability and there is less of a smooth feel to washed hair. Omission of the Polyquaternium-10 reduces formulation viscosity and foam slip and results in a less desirable coated feel to the hair. If the level of cationic guar gum is raised to improve the lesser desired properties without Polyquaternium-10, the formulation becomes slightly hazy. Thus, all the ingredients listed above are critical
20 to the formulation of an acceptable product.

Detailed Description of the Invention

The conditioning shampoos of the invention comprise:

- (a) 8-18 weight % (particularly 8-12%) of an anionic surfactant;
- 25 (b) 0.5-0.8 weight % of a conditioning system comprising:
- (i) 0.1-0.75 weight % (particularly 0.3-0.6% and, more particularly, 0.5%) of a silicone quaternium material which is silicone Quaternium-8 (INCI designation) (tradename Ultrasil Q-8 and Ultrasil Q8Plus);
- (ii) 0.1-0.5 weight % (particularly 0.15-0.3%) of a low molecular weight
30 (less than 100,000 centipoise, more particularly in the range 40,000-65,000 cps) guar gum as an aqueous clear cationic solution of modified polysaccharide (such as AquaCat™ CG-518 clear cationic solution from Hercules Inc., Wilmington, DE); and
- (iii) 0.1-0.5 weight % (particularly 0.15-0.3%) of Polyquaternium-10 (also sometimes referred to as Polymer JR);
- 35 (c) 1.0-6.0 weight % (particularly 3-5%) of an amphoteric surfactant;

(d) 0.5-5.0 weight % (particularly 1-3%) of a member selected from the group consisting of cocodiethanol amide ("CDEA") and cocomonoethanol amide ("CMEA") (useful as foam stabilizer and/or rheology modifier); and

(e) the remainder as water;

5 provided that if CDEA is used with betaine, a salt such as NaCl or an equivalent or similar salt (such as, for example, ammonium chloride) is included in an amount of 0.1%-2.00 weight % to thicken the product to 3,500 cps or greater if a liquid non-aerosol product is to be formed. Viscosity is typically measured using a Brookfield RVT viscometer using spindle #4 and 20 r.p.m. with the sample being equilibrated to
10 25C.

The hair care composition of the invention comprises at least one surfactant which may be selected from anionic, nonionic, amphoteric and zwitterionic surfactants and mixtures thereof. Examples of required surfactants include at least 8 weight % of an anionic surfactant, and at least one of the following: 1) at least 0.1 weight %
15 (particularly 1-2 weight %) amphoteric or semipolar surfactant or 2) at least 0.5 weight % (particularly 1-2 weight %) of a nonionic surfactant.

Optionally other ingredients may be included such as other types of surfactants (zwitterionic, semi-polar, nonionic) rheology modifiers, coloring agents, UV
absorbers, protein derivatives, fragrance (≤ 0.1 weight %), and vitamins (≤ 0.1 weight
20 %), may be added provided that clarity is maintained.

The clarity of the final product may be ascertained by being able to read 12 pitch typed print through a clear bottle approximately 4-5 cm (about 1.5-1.75 inches) thick using naked eye evaluation.

The conditioning shampoos of this invention are also unique since they are
25 transparent to clear even with the use of guar gum as described above. The use of the type of guar gum as described above is important to the invention. It should also be noted that the formulations of this invention are able to achieve the required clarity without the use of microsponges. Finally, the present compositions do not require the presence of stabilizers. Thus, the formulations of this invention can (i) include silicone-
30 free microsponges or (2) be both microsphere-free and stabilizer-free; or (3) include stabilizers not principally as stabilizers but to control foam aesthetics (add creaminess, slip, etc.).

The products of this invention may be used as liquids, placed in a pressurized container with a propellant added, or used in a pump spray form. The viscosity of the product will be selected to accommodate the form desired with a liquid having a modified viscosity in the range of 500-3000 centipoise, a non-aerosol pump spray
5 having a viscosity in the range of -300-2000 centipoise, and an aerosol foam using a liquid material having a viscosity in the range of 300-2500 centipoise.

The low molecular weight quaternized guar gum comprising guar hydroxypropyltrimonium chloride was obtained from Hercules under the tradename - Aquacat™ CG518. For this product generally, the weight average molecular weight is
10 between 5,000 and an upper limit of 200,000 and the light transmittance is greater than 80% at a wavelength of 600 nm in a 10% aqueous solution. Both the chemical description and method for manufacture are described in detail in U.S. patent application serial number 10/139,858 filed May 6, 2002.

The water soluble silicone quaternary compound ingredient is commercially
15 available from Noveon Inc. of Cleveland, OH under the tradename of Ultrasil Plus and is described in U.S. Patent Number 5,166,297. The preferred material has an average charge density of 0.35 meq/g and is supplied as a 100% active water soluble ingredient that is prepared by the reaction of a hydroxyl containing silicone polymer with a quaternized alkylamido dimethylamine. It is a cationic silicone quat that confers to the
20 INCI designation Silicone Quaternium-8.

The hair care invention also includes a specific cationic deposition polymer which is a cationic cellulose derivative. Suitable cationic cellulose derivatives include Polymer JR series, from Union Carbide.

Suitable anionic surfactants include the alkyl sulfates, alkyl ether sulfates,
25 alkaryl sulfonates, alkyl sulfosuccinates, n-alkyl sarcosinates, alkyl phosphates, alkyl ether phosphates, alkyl ether carboxylates and alpha-olefin sulfonates, especially their ammonium, sodium, magnesium and mono-, di- and triethanolamine salts. The alkyl groups generally contain from 8 to 18 carbon atoms and may be saturated or unsaturated. The alkyl ether sulfates, alkyl ether phosphates and alkyl ether
30 carboxylates may contain from 1 to 10 ethylene oxide units per molecule. One particular group of anionic surfactants are members selected from the group consisting of sodium lauryl sulfate, sodium laureth sulfate, ammonium lauryl sulfate, ammonium

laureth sulfate, disodium laureth sulfosuccinate; disodium ricinoleamido
monoethanolamide ("MEA") sulfosuccinate, sodium cocoyl isethionate, sodium methyl
oleoyl taurate, sodium methyl cocoyl taurate, sodium laureth-13 carboxylate, sodium
C14-16 olefin sulfonate, sodium laureth-4 phosphate, laureth-3 phosphate,
5 triethanolamine lauryl sulfate, magnesium lauryl sulfate, sodium tridecyl sulfate, and
alpha-olefin sulfate. Another specific group includes ammonium laureth sulfate,
ammonium lauryl sulfosuccinate and triethanolamine lauryl sulfate. The most preferred
anionic surfactants are ammonium lauryl sulfate and sodium lauryl ether sulfate. The
most preferred anionic surfactants are sodium lauryl sulfate, triethanolamine lauryl
10 sulfate, sodium lauryl ether sulfate 1 EO, 2EO and 3EO and ammonium lauryl ether
sulfate 1EO, 2EO and 3EO.

Suitable amphoteric surfactants are those selected from the group consisting of
sultaines (such as cocamidopropyl hydroxy sultaine); glycines (such as
cocoamphocarboxyglycinates); glycines (such as cocoamidopropyldimethylglycine);
15 propionates (such as sodium lauriminodipropionate, sodium cocamphopropionate,
disodium cocoamphodipropionate, and cocoamphocarboxypropionate). In addition,
Pseudo amphoteric (ampholytic) surfactants such as betaines are also commonly
grouped within the designation-Amphoteric surfactants and can be used for similar
purposes. Useful betaines include cocamidopropyl, coco, and oleamidopropyl.

20 Nonionic surfactants suitable for use in the composition of the invention may
include condensation products of aliphatic (C8-18) primary or secondary linear
branched chain alcohols with alkylene oxides or phenols with alkylene oxides, usually
ethylene oxide and generally having from 6 to 30 ethylene oxide groups. Nonionic
surfactants suitable for use in the compositions of the present invention can include
25 fatty acid alkanolamides. Representative fatty acid alkanolamides include those having
C10-C18 carbons. For example, fatty acid diethanolamides such as isostearic acid
diethanolamide and coconut fatty acid diethanolamide. Suitable fatty acid
monoethanolamides which may be used include coconut fatty acid monoethanolamide
and coco mono-isopropanolamide. A particularly suitable nonionic surfactant includes
30 cocodiethanolamide sold under the tradename Standamid KD from Cognis Company.

Semi-polar surfactant surfactants such as amine oxides are also suitable for use in the present invention. These include N-alkyl amine oxide, and N-stearyl dimethylamine oxide. A suitable N-acyl amide oxide includes N-cocamidopropyl dimethylamine oxide. The hydrophobic portion of the amine oxide surfactant may be provided by a fatty hydrocarbon chain having from about 10-21 carbon atoms.

While not required as a stabilizer in the invention, thickeners can be used to facilitate the application of the shampoo composition to the hair, and are preferably added in sufficient quantities to provide a more luxurious effect. Representative thickening agents which may be used are cellulose derivatives and acrylates copolymers.

A special group of thickeners useful in the invention are nonionic thickeners such as condensation products of aliphatic (C8-18) primary or secondary linear or branched chain alcohols or phenols with alkylene oxides, oxyethylcellulose, hydroxypropyl cellulose, starch and starch derivatives such as hydroxyethylamylose and starch amylose, locust bean gum bean, sodium and ammonium chloride, saccharides such as fructose and glucose and derivatives of polysaccharides such as PET-120 methyl glucose dioleate. A particularly suitable thickener is acrylates copolymer sold under the tradename AQUA SF-1 by Noveon Inc. of Brecksville, Ohio-USA.

Additional conditioners, may be added to the shampoo composition in the form of organic cationic conditioning agents for the purpose of providing more hair grooming if deemed necessary such as cationic conditioning agents that may include homopolymers of dimethyldiallyl ammonium chloride; copolymers of acrylamide and dimethyldiallyl ammonium chloride; homopolymers or copolymers derived from acrylic acid or methacrylic acid which contain cationic nitrogen functional groups attached to the polymer by ester or amide linkages and copolymers of vinylpyrrolidone and acrylic acid esters with quaternary nitrogen functionality. Specific materials include Polyquaterniums 7 and, 11 Other possible candidates include Polyquaterniums 8 and 23 provided that clarity can be maintained.

Cationic anti-static agents that may have some surfactant character such as cetyl trimethylammonium chloride, cetyl trimethylammonium bromide and stearyltrimethylammonium chloride may also be employed if deemed advantageous as

additional cationic antistatic conditioning agents. Also included in this category are salts of primary fatty amines. The alkyl groups of such amines preferably have from about 12 to 22 carbons atoms and may be substituted or unsubstituted. Suitable amine salts include phosphate, citrate lactate and alkyl sulfate salts used at less than 1% in the
5 formulation and should not interfere with the clarity of the final formulation.

The hair care compositions of the invention will be optically clear. However, opaque or pearlized formulations in accordance with the invention may be made by the specific addition of a pearlizing agent to the clear formula. Such agents include those known in the industry to provide a pearlizing appearance such as glycol stearate
10 (preferably added in a vehicle to allow for the addition of a liquid such as Euperlan PK4000 from Cognis Corp.) or ethylene glycol distearate.

The hair care compositions of the invention may contain other components in minor amounts (for example less than 1%) commonly found in standard shampoo formulations such as antibacterial agents, antidandruff agents such as zinc
15 pyridinethione, pearlizing agents, perfumes, dyes, coloring agents, preservatives, viscosity modifiers, proteins, polymers, buffering agents, polyols and other moisturizing ingredients, plant extracts, herb extracts, marine extracts and the like. The minor amounts should not interfere with the clarity.

In a further aspect of the present invention there is provided a method for
20 preparing the hair care shampoo compositions defined below.

EXAMPLES

The following Examples are offered as illustrative of the invention and are not to be construed as limitations thereon. In the Examples and elsewhere in the description of the invention, chemical symbols and terminology have their usual and
25 customary meanings. In the Examples as elsewhere in this application values for molecular weights are averages. Temperatures are in degrees C unless otherwise indicated. The amounts of the components are in weight percents based on the standard described; if no other standard is described then the total weight of the composition is to be inferred. Various names of chemical components include those listed in the
30 CTFA International Cosmetic Ingredient Dictionary (Cosmetics, Toiletry and Fragrance Association, Inc., 7th ed. 1997).

General Example

Formation of shampoo - Charge deionized water to a kettle of suitable size and begin mixing. Add acrylates copolymer to main mixing kettle until completely
5 dispersed. Add anionic surfactant and mix until dispersed, clear and uniform composition is obtained. Add NaOH or other neutralizing agent to the main kettle, and mix until the composition is completely clear and batch appears noticeably thicker and uniform. Add water-soluble silicone quaternary ingredient to surfactant/water phase and mix until clear and uniform. In a separate vessel combine the quaternized cellulosic
10 conditioning polymer with additional deionized water equal to or greater than 10 times the quantity of the polymer and mix until the polymer is dispersed. The dispersed polymer is then added to the main mixing kettle with moderate agitation until the mixture appears clear and uniform. Add the amphoteric, semipolar or ampholytic surfactant to main mixing kettle with moderate agitation until the composition is clear
15 and uniform. Add the low molecular weight quaternized guar gum (AquaCat™ CG518 clear cationic solution) to the main mixing kettle and mix until completely dispersed and uniform. In a separate vessel, combine the nonionic surfactant with fragrance (if used) and mix until the composition is clear and homogeneous. If other water insoluble ingredients are used in the formula they are also added to the nonionic surfactant phase.
20 Fragrance may also be added directly to the batch if desired. Add the separate mixtures to the main kettle and mix until the composition is clear and homogeneous. Add preservatives, extract and color as desired and any other water soluble ingredients used at low use levels to the main mixing kettle with moderate agitation to prevent heavy aeration of batch until the composition is clear and uniform. If desired, additional
25 ingredients such as citric acid may be added to the main kettle to allow for pH adjustment such as to decrease the pH of the final formulation solution to a desired range. Typical batch sizes prepared in the laboratory are between 1 and 5 kilograms.

Use of shampoo - Use of the hair care shampoo composition entails the wetting of the hair, adding shampoo to the hair typically approaching 5 grams of product that is
30 massaged onto the hair fibers and scalp to generate a dense lather. The hair is then rinsed until the foam is removed. The process may be repeated if deemed appropriate.

Examples 1-3

The following hair conditioning shampoo compositions were prepared according to the method described above in the General Example. All formulas were found to be optically clear with the exception of Example 3 to which is added a separate pearling agent as listed in Part 5 of that Example. Note that Example 3 also uses multiple surfactants.

Example 1		
10	<u>Component</u>	<u>Weight%</u>
	Part 1	
	Deionized water	q.s.
	Sodium phosphate monobasic	0.100
	Acrylates copolymer (Aqua SF-1)	1.500
15	Ammonium lauryl sulfate-28%	28.571
	NaOH (50% solution)	0.280
	Cocamidopropyl betaine (30%)	6.000
	Silicone Quaternium-8 (100% AI)	0.500
20	Part 2	
	Deionized water	15.00
	Polyquaternium-10 (100%AI)	0.150
	Part 3	
25	Deionized water	10.00
	Tetrasodium EDTA-62%	0.120
	Part 4	
30	Guar hydroxypropyltrimonium chloride (AquaCat™CG518 (18%AI) from Hercules)	0.150
	Part 5	
	Cocodiethanolamide-90%	1.300
	Fragrance	0.400
35	Benzophenone-3	0.100
	Part 6	
	Color solution (0.1%)	0.500
	Formalin	0.100
40	Water soluble Extract	0.150
	Citric acid (50% solution)	0.200

45

Example 2		
	<u>Component</u>	<u>Weight%</u>
5	Part 1	
	Deionized water	q.s.
	Sodium phosphate monobasic	0.100
	Acrylates copolymer (Aqua SF-1)	3.000
	Ammonium lauryl sulfate	28.571
10	Ammonium laureth (2EO) sulfate -25%	8.000
	NaOH (50% solution)	0.280
	Silicone Quaternium-8 (Ultrasil Q-Plus-100%Al)	0.500
	Part 2	
15	Deionized water	15.00
	Polyquaternium-10	0.150
	Part 3	
	Deionized water	10.00
20	Tetrasodium EDTA-62%	0.120
	Part 4	
	Guar hydroxypropyltrimonium chloride (AquaCat™-CG518 (18%Al))	0.833
25	Part 5	
	Cocodiethanolamide-90%	1.300
	Fragrance	0.400
	Benzophenone-3	0.100
30	Part 6	
	Color solution (0.1%)	0.500
	DMDM Hydantoin	0.450
	Kathon CG	0.070
35	Water soluble Extract	0.100
	NaCl	0.250
	Citric acid (50% solution)	0.250
40	Example 3	
	<u>Component</u>	<u>Weight%</u>
	Deionized water	q.s.
	Sodium phosphate monobasic	0.100
	-Sodium lauryl ether (2EO) sulfate (28%)	35.715
45	NaOH solution (50%)	0.280
	Cocamidopropyl betaine (30%)	6.000
	Silicone Quaternium-8 (Ultrasil Q- Plus-100%Al)	0.700
	Part 2	

	Deionized water	15.00
	Polyquaternium-10 (100% AI)	0.150
	Part 3	
5	Deionized water	10.00
	Tetrasodium EDTA-62%	0.120
	Part 5	
	Glycol distearate (and)	2.000
10	Laureth-4 (and) cocamidopropyl betaine (Euperlan PK4000 from Cognis)	
	Part 6	
15	Guar hydroxypropyltrimonium chloride (AquaCat-CG518 (18% AI))	0.150
	Part 7	
	Fragrance	0.400
20	Part 8	
	Color solution (0.1% solution)	0.500
	DMDM Hydantoin (Glydant from Lonza)	0.450
	Kathon CG (from Rohm& Haas)	0.070
	Water soluble Extract	0.100
25	NaCl +/-	1.200
	Citric acid (50% solution)	0.300

30 Comparative Examples A-C

The General Method described above was adapted to make Formulations A-C.

35 Comparative Formula A is also a conditioning shampoo but is different from the invention in that the Comparative Formula A contains the silicone quaternium-8 and cellulosic quaternary conditioning ingredient in combination with a typical commercially available higher molecular weight guar hydroxypropyl trimonium chloride available from Cognis Inc. This version is substantially higher than the molecular weight range called for in this invention.

40 Comparative Formula B is also a conditioning shampoo with Silicone Quaternium-8 and cellulosic quaternary conditioning ingredient maintaining the same amount of total quaternized conditioning ingredients in the formula but omitting any cationic guar gum.

Comparative Formula C is also a conditioning shampoo exclusive use of the AquaCat™ CG-518 clear cationic solution and Silicone Quaternium-8 conditioning ingredient maintaining the same amount of total quaternized conditioning ingredients in the formula but with additional low molecular weight quaternary guar gum.

5

Comparative Formula A

	<u>Component</u>	<u>Weight%</u>
	Part 1	
10	Deionized water	q.s.
	Sodium phosphate monobasic	0.100
	Acrylates copolymer (Aqua SF-1)	1.500
	Ammonium lauryl sulfate	
	NaOH (50% solution)	28.571
15	Cocamidopropyl betaine (30%)	6.000
	Silicone Quaternium-8 (100%AI)	0.500
	Part 2	
	Deionized water	15.00
20	Polyquaternium-10 (100%AI)	0.150
	Part 3	
	Deionized water	10.00
	Tetrasodium EDTA-62%	0.120
25	Part 4	
	Guar hydroxypropyltrimonium chloride (Cosmedia Guar-Cognis -100%AI)	0.150
	Cocodiethanolamide-90%	1.300
30	Fragrance	0.400
	Benzophenone-3	0.100
	Part 6	
	Color solution (0.1%)	0.500
35	Formalin	0.100
	Water soluble Extract	0.150

Comparative Formula Example B

	<u>Component</u>	<u>Weight%</u>
40	Part 1	
	Deionized water	q.s.
	Sodium phosphate monobasic	0.100
	Acrylates copolymer (Aqua SF-1)	1.500
	Ammonium lauryl sulfate	
45	NaOH (50% solution)	28.571
	Silicone Quaternium-8 (Ultrasil Q-Plus)	0.500
	Cocamidopropyl betaine (30%)	6.000

	Part 2	
5	Deionized water	15.00
	Polyquaternium-10	0.300
	Part 3	
	Deionized water	10.00
10	Tetrasodium EDTA-62%	0.120
	Part 4	
	Cocodiethanolamide-90%	1.300
	Fragrance	0.400
15	Benzophenone-3	0.100
	Part 6	
	Color solution (0.1%)	0.500
	Formalin	0.100
20	Water Soluble Extract	0.150

Comparative Formula C

	Component	Weight%
25	Part 1	
	Deionized water	q.s.
	Sodium phosphate monobasic	0.100
	Acrylates copolymer (Aqua SF-1)	1.500
	Ammonium lauryl sulfate	
30	NaOH (50% solution)	28.571
	Cocamidopropyl betaine (30%)	6.000
	Silicone Quaternium-8 (Ultrasil Q-Plus)	0.500
	Part 2	
35	Deionized water	10.00
	Tetrasodium EDTA-62%	0.120
	Part 3	
40	Guar hydroxypropyltrimonium chloride (AquaCat™ CG518 clear cationic solution)	3.611
	Part 4	
	Cocodiethanolamide-90%	1.300
	Fragrance	0.400
45	Benzophenone-3	0.100
	Part 5	
	Color solution (0.1%)	0.500
	Formalin	0.100

Water Soluble Extract

0.150

Comparison to Example 1: Physical Appearance - Example 1 of the invention was compared to Comparative Formula Example A, B and C. The composition from
5 Example 1 containing the AquaCat™ CG-518 clear cationic solution (which was optically clear) was in accordance with the invention, while Comparative Formula Example A was found to be very hazy and deemed translucent in appearance (incapable of reading 12-point font through the formula contained in a standard transparent polyethylene shampoo bottle of 4 cm thickness) with the naked eye.
10 Comparative Formula B was found to be optically clear in appearance as expected due to Comparative Formula B not containing any type of cationic guar gum. Comparative Formula Example C was found to be hazy in appearance (incapable of reading 12-point font through the formula contained in a standard transparent polyethylene shampoo bottle of 4 cm thickness) (AquaCat™ CG-518) with the naked
15 eye. This level of the low molecular weight quaternary guar gum in the Comparative Formula Example C is above the level defined in this invention did not maintain the required clarity of the formulation and was deemed unacceptable. Further, Comparative Formula Example C displayed a grainy, mucous-like texture that was also deemed unacceptable aesthetically. No further comparative testing was conducted on
20 Comparative Formula Example C to determine hair conditioning benefits due to the unacceptable appearance.

Comparison to Example 1: Performance - Comparisons were done with Example 1 and Comparative Formula A, and Example 1 and Comparative Example B using paired comparison salon tests for the following attributes to assess overall
25 conditioning attributes of the formulas. To evaluate hair attributes and conditioning properties each test used a salon half-head single session double-blind shampoo testing method. Example 1 of the invention was evaluated versus Comparative Example A. The studies used twenty participants all of whom were female, minimum age 18 with normal to dry hair. Monadic evaluations were performed by a trained, licensed
30 cosmetologist. Examples were evaluated on foam attributes after first and second applications, wet hair attributes and dry hair attributes.

Summary of Results for Formula A:

Results of this study showed that Example 1 provide parity level of hair conditioning attributes on both wet and dry hair characteristics vs. Comparative Formula A. In

- 5 addition, Example 1 of the invention provided an improved foam volume and an overall less coated feel on hair. The following data reflects the means for each attribute. An 1 to 15 Unipolar rating Scale was utilized where 1=not at all evident and 15=extremely evident. Results were analyzed statistically and those qualities marked with an asterisk were found to be better at a 95% confidence level.

10

	<u>Comparative Example A</u>	<u>Example 1</u>
	<u>Foam Attribute</u>	
	First Foam-ease of distribution	10.60
	First Foam-flash foam	9.10
15	First Foam-volume	6.23
	First Foam-thickness	8.70*
	Second Foam-flash foam	10.80
	Second Foam-volume	10.50
	Second Foam-thickness	8.18
20	<u>Wet Hair Attributes</u>	
	Ease of snag removal	4.08
	Ease of comb slip	11.50
	Foam generation	0.30
	Coated feel	2.90
25	Drag resistance	4.05
	Smooth feel scalp	14.90
	Smooth feel hair ends	14.50
	<u>Dry Hair Attributes</u>	
	Ease of snag removal	13.40
30	Ease of comb slip	12.20
	Coated feel	3.43
	Drag resistance	1.38
	Smooth feel scalp	15.00
	Smooth feel hair ends	13.80
35	Course ends	0.00
	Tackiness	1.13
	Curl hold	12.40
		11.50

Summary of Results for Formula B:

- 40 Results of this study showed that Example 1 provided a higher level of wet combability (less drag resistance) hair conditioning attributes on wet hair characteristics vs. Comparative Formula B. Other hair attributes were considered statistical parity for both Example 1 and Comparative Formula B with the exception of a more coated feel

displayed by Example 1. In addition, Example 1 of the invention provided an improved foam volume vs. Comparative Formula B.

	<u>Comparative Example B</u>	<u>Example 1</u>
5	<u>Foam Attribute</u>	
	First Foam-ease of distribution	10.60
	First Foam-flash foam	9.10
	First Foam-volume	6.23
	First Foam-thickness	8.70
10	Second Foam-flash foam	10.80
	Second Foam-volume	10.50
	Second Foam-thickness	8.18
	<u>Wet Hair Attributes</u>	
	Ease of snag removal	4.88
15	Ease of comb slip	11.50
	Foam generation	0.00
	Coated feel	2.48
	Drag resistance	4.05
	Smooth feel scalp	15.00
20	Smooth feel hair ends	14.00
	<u>Dry Hair Attributes</u>	
	Ease of snag removal	12.80
	Ease of comb slip	11.90
	Coated feel	2.80
25	Drag resistance	1.83
	Smooth feel scalp	15.00
	Smooth feel hair ends	13.10
	Course ends	0.10
	Tackiness	3.23
30	Curl hold	11.80

35 The compositions of the invention are substantially and surprisingly better than the prior art composition in numerous hair care properties.

40

45

Claims

What is claimed is:

- 5 1. A conditioning shampoo comprising:
- (a) 8-18 weight % of an anionic surfactant;
 - (b) 0.5-0.8 weight % of a conditioning system comprising:
 - (i) 0.1-0.75 weight % of a silicone quaternium material which is silicone
 - 10 Quaternium-8;
 - (ii) 0.1-0.5 weight % of a low molecular weight guar gum with a
 - molecular weight less than 100,000 centipoise as an aqueous clear cationic solution of a
 - modified polysaccharide clear cationic solution; and
 - (iii) 0.1-0.5 weight % of Polyquaternium-10;
 - (c) 1.0-6.0 weight % of an amphoteric surfactant;
 - 15 (d) 0.5-5.0 weight % of a member selected from the group consisting of
 - cocodiethanol amide, and cocomonoethanol amide; and
 - (e) the remainder as water;
- provided that (1) the viscosity of the shampoo is at least 3500 cps; and (2) if
- 20 2.00 weight % to obtain a viscosity of at least 3500 cps.
2. A conditioning shampoo according to Claim 1 comprising 8-14 weight % of the
- anionic surfactant.
- 25 3. A conditioning shampoo according to Claim 1 wherein the low molecular
- weight guar gum has a molecular weight in the range of 40,000-65,000 cps.
4. A conditioning shampoo according to Claim 1 comprising 1-3 weight % of the
- 30 cocodiethanol amide or cocomonoethanol amide.

5. A conditioning shampoo according to Claim 1 comprising (a) 1-3 weight % amphoteric or semipolar surfactant or (b) 1-3 weight % of a nonionic surfactant.
6. A conditioning shampoo according to Claim 1 which further comprises
5 silicone-free microsponges.
7. A conditioning shampoo according to Claim 1 which is free of both microsphere-free and stabilizers.
- 10 8. A conditioning shampoo according to Claim 1 which further comprises stabilizers to control foam aesthetics.
9. A conditioning shampoo according to Claim 1 which has a modified viscosity in the range of 500-3000 centipoise.
15
10. A conditioning shampoo according to Claim 1 which has a modified viscosity in the range of 300-2000 centipoise.
11. A conditioning shampoo according to Claim 1 which is made as an aerosol
20 foam using a liquid material having a viscosity in the range of 300-2500 centipoise.
12. A conditioning shampoo according to Claim 1 wherein the low molecular weight quaternized guar gum comprises guar hydroxypropyltrimonium chloride having a weight average molecular weight between 5,000- 200,000 and a light transmittance
25 greater than 80% at a wavelength of 600 nm in a 10% aqueous solution.
13. A conditioning shampoo according to Claim 1 wherein the anionic surfactant is selected from the group consisting of C8-18 alkyl sulfates, alkyl ether sulfates, alkaryl sulfonates, alkyl sulfosuccinates, n-alkyl sarcosinates, alkyl phosphates, alkyl ether
30 phosphates, alkyl ether carboxylates and alpha-olefin sulfonates, and ammonium, sodium, magnesium and mono-, di- and triethanolamine salts thereof, wherein the alkyl

ether sulfates, alkyl ether phosphates and alkyl ether carboxylates contain from 1 to 10 ethylene oxide units per molecule.

14. A conditioning shampoo according to Claim 13 wherein the anionic surfactant
5 is a member selected from the group consisting of sodium lauryl sulfate, sodium laureth sulfate, ammonium lauryl sulfate, ammonium laureth sulfate, disodium laureth sulfosuccinate, disodium ricinoleamido monoethanolamide sulfosuccinate, sodium cocoyl isethionate, sodium methyl oleoyl taurate, sodium methyl cocoyl taurate, sodium laureth-13 carboxylate, sodium C14-16 olefin sulfonate, sodium laureth-4
10 phosphate, laureth-3 phosphate, triethanolamine lauryl sulfate, magnesium lauryl sulfate, sodium tridecyl sulfate, and alpha-olefin sulfate.

15. A conditioning shampoo according to Claim 13 wherein the anionic surfactant is a member selected from the group consisting of ammonium laureth sulfate,
15 ammonium lauryl sulfosuccinate and triethanolamine lauryl sulfate.

16. A conditioning shampoo according to Claim 13 wherein the anionic surfactant is a member selected from the group consisting of sodium lauryl sulfate, triethanolamine lauryl sulfate, sodium lauryl ether sulfate 1 EO, 2EO and 3EO and
20 ammonium lauryl ether sulfate 1EO, 2EO and 3EO.

17. A conditioning shampoo according to Claim 1 wherein the amphoteric surfactant is a member selected from the group consisting cocamidopropyl hydroxy sultaine, cocoamphocarboxyglycinates, glycines cocoamidopropyldimethylglycine,
25 sodium lauriminodipropionate, sodium cocamphopropionate, disodium cocoamphodipropionate, cocoamphocarboxypropionate, cocamidopropyl betaine, cocobetaine, and oleamidopropyl betaine.

30

18. A conditioning shampoo according to Claim 1 wherein the nonionic surfactant is a member selected from the group consisting of (a) condensation products of C8-18

aliphatic primary or secondary linear branched chain alcohols with alkylene oxide units selected from the group consisting of ethylene oxide and propylene oxide, and
(b) phenols with alkylene oxide units selected from the group consisting of ethylene oxide and propylene oxide, wherein the alkylene oxide units have 6 to 30 alkylene
5 oxide groups.

19. A conditioning shampoo according to Claim 1 wherein the nonionic surfactant is a member selected from the group consisting of C10-C18 fatty acid alkanolamides.
- 10 20. A conditioning shampoo according to Claim 1 wherein the semi-polar surfactant is an amine oxide having a hydrophobic portion wherein the hydrophobic portion of the amine oxide surfactant is a fatty hydrocarbon chain having from about 10-21 carbon atoms.

INTERNATIONAL SEARCH REPORT

PCT/US2004/016233

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K7/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 326 483 A (HALLORAN DANIEL J ET AL) 5 July 1994 (1994-07-05) example I; table III -----	1-20
A	US 5 747 435 A (PATEL AMRIT M) 5 May 1998 (1998-05-05) examples 21-24 -----	1-20
A	US 6 451 300 B1 (ROYCE DOUGLAS ALLAN ET AL) 17 September 2002 (2002-09-17) examples VII, VIII, IX, X, XI -----	1-20
A	US 5 876 705 A (OKUYAMA YOSHINARI ET AL) 2 March 1999 (1999-03-02) examples I-V -----	1-20
A	US 6 090 773 A (ALLAN WILLIAM D ET AL) 18 July 2000 (2000-07-18) examples -----	1-20

 Further documents are listed in the continuation of box C. Patent family members are listed in annex.

° Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * & * document member of the same patent family

Date of the actual completion of the international search

30 September 2004

Date of mailing of the international search report

19/10/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Mitchell, G

INTERNATIONAL SEARCH REPORT

PCT/US2004/016233

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5326483	A	05-07-1994	NONE	
US 5747435	A	05-05-1998	AU 699741 B2 AU 6679996 A BR 9609909 A CN 1196675 A ,B WO 9704743 A1 ZA 9606404 A	10-12-1998 26-02-1997 15-06-1999 21-10-1998 13-02-1997 26-01-1998
US 6451300	B1	17-09-2002	AU 759514 B2 AU 4689100 A CA 2370939 A1 CN 1353601 T EP 1175202 A1 JP 2002543105 T WO 0066081 A1	17-04-2003 17-11-2000 09-11-2000 12-06-2002 30-01-2002 17-12-2002 09-11-2000
US 5876705	A	02-03-1999	AT 204738 T AU 7435596 A BR 9611006 A CA 2234851 A1 DE 69614870 D1 EP 0859583 A1 ES 2160261 T3 JP 11513687 T WO 9714396 A1	15-09-2001 07-05-1997 13-07-1999 24-04-1997 04-10-2001 26-08-1998 01-11-2001 24-11-1999 24-04-1997
US 6090773	A	18-07-2000	ID 18376 A US 2003158065 A1 US 6489286 B1 AU 718594 B2 AU 1709997 A CA 2245010 A1 CN 1214628 A DE 69714016 D1 DE 69714016 T2 EP 0879047 A1 WO 9726860 A1	02-04-1998 21-08-2003 03-12-2002 20-04-2000 20-08-1997 31-07-1997 21-04-1999 22-08-2002 13-03-2003 25-11-1998 31-07-1997