

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
18 June 2015 (18.06.2015)

(10) International Publication Number
WO 2015/088434 A1

- (51) International Patent Classification:
A23G 1/36 (2006.01)
- (21) International Application Number:
PCT/SE2014/051480
- (22) International Filing Date:
10 December 2014 (10.12.2014)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
1351477-3 10 December 2013 (10.12.2013) SE
- (71) Applicant: **AAK AB** [SE/SE]; Jungmansgatan 12, S-211
19 Malmö (SE).
- (72) Inventor: **ANDERSEN, Morten Daugaard**; Egebæksvej
37, DK-8270 Højbjerg (DK).
- (74) Agent: **PATENTGRUPPEN A/S**; Aaboulevarden 31, 4th
floor, DK-8000 Aarhus C (DK).
- (81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,
KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG,
MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM,
PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC,
SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,
TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ,
TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU,
TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE,
DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU,
LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,
SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— of inventorship (Rule 4.17(iv))

Published:

— with international search report (Art. 21(3))



WO 2015/088434 A1

(54) Title: HEAT STABLE CHOCOLATE

(57) Abstract: Heat stable chocolate comprising a fat phase, said fat phase of said heat stable chocolate comprising: 0.1 -15% by weight of crystalline seed, 0.01 - 5% by weight of an emulsifier not being lecithin, said fat phase of said heat stable chocolate further comprising 25 -94.9% by weight of a cocoa butter, a cocoa butter equivalent or combinations thereof, and at least 5% by weight of a cocoa butter improver, wherein said crystalline seed comprises SatOSat-triglycerides in an amount of between 40 - 95% by weight of said crystalline seed and StOst-triglycerides in an amount of 30 - 85% by weight of said crystalline seed, and the main endotherm melt peak position of said crystalline seed is about 40° C or higher when measured by Differential Scanning Calorimetry, wherein Sat stands for a saturated fatty acid, St stands for stearic acid and O stands for oleic acid.

Heat Stable Chocolate

FIELD OF THE INVENTION

The invention relates to the field of chocolate products. In particular, the invention
5 relates to chocolate products having improved heat stability, a method to produce
such heat stable chocolate products and the use thereof.

BACKGROUND

Chocolate is throughout the world regarded as being one of the finest types of
10 confectionary and various types and shapes of chocolate confectionary have been
developed over the years. The innovation within the field of chocolate has been
much focused on sensory aspects, such as taste, and mouth feel. However, also the
visual appearance is an important aspect in the consumer's overall perception of
the quality of a chocolate confectionary. Accordingly, the visual appearance of a
15 chocolate confectionary plays a key role for the chocolate manufacturer because a
less attractive appearance of the confectionary will easily be judged by the
consumer to relate to a confectionary of inferior quality.

An important problem relating to the visual appearance of a chocolate
confectionary is the bloom effect which may be easily recognisable on the surface
20 of the chocolate. In case blooming has occurred, the surface of the chocolate
confectionary will have a rather dull appearance having less gloss and often
having clearly visible bloom crystals on the surface. The appearance of bloom, if
any, typically takes place after weeks or months of storage.

Especially storage at high temperatures in warmer regions may be problematic
25 with respect to the stability of the chocolate product.

Chocolate generally comprises cocoa butter, cocoa solids and sugar. Milk fat and
other ingredients may be present in chocolate compositions as well.

In the manufacturing process of chocolate, the ingredients are mixed. The mixture
is subjected to a tempering process in a tempering apparatus in which the
30 chocolate is subjected to a carefully pre-programmed temperature profile.

Subsequently, the chocolate is used for making the chocolate confectionary and the resulting confectionary is cooled following a predetermined cooling program. The tempering process serves the purpose of making a sufficient amount of a desired type of seed crystals, which in turn is responsible for obtaining a rather stable chocolate product less prone to changes in the crystal composition of the solid fats.

Bloom in chocolate is a well-studied phenomenon and among chocolate manufactures it is agreed that the bloom effect somehow is related to solid fat crystal transformations that may take place in the chocolate.

10 In the prior art various ways of diminishing the bloom effect in chocolates have been suggested.

Sato et al., JAOCS, Vol. 66, no.12, 1989, describe the use of crystalline seed to accelerate the crystallization going on in cocoa butter and dark chocolate upon solidification.

15 JP 2008206490 discloses a tempering promoter in the form of SUS-type triglycerides, where S is a saturated fatty acid having 20 or more carbon atoms and U is an unsaturated fatty acid such as oleic acid.

EP 0 294 974 A2 describes a powdery tempering accelerator also based on SUS-type triglycerides having a total number of carbon atoms of the constituent fatty acid residues of between 50 and 56. The tempering accelerator is added, for example, as dispersion in a dispersion medium, as a seed for desired crystal formation to the chocolate during the production.

Also the addition of anti-blooming agents having specific tri-glyceride compositions is known. These anti-blooming agents may typically be based on vegetable fats obtained by chemical interesterification of triglyceride oils using certain catalysts.

25 Accordingly, in the art of manufacturing chocolate or chocolate-like products, there still exists a need for improving the heat stability of such products.

SUMMARY OF THE INVENTION

The invention pertains to a heat stable chocolate comprising a fat phase, said fat phase of said heat stable chocolate comprising:

- 5 0.1 -15% by weight of crystalline seed,
0.01 – 5% by weight of an emulsifier not being lecithin,
said fat phase of said heat stable chocolate further comprising
25 -94.9% by weight of a cocoa butter, a cocoa butter equivalent or combinations thereof, and
- 10 at least 5% by weight of a cocoa butter improver,
wherein said crystalline seed comprises SatOSat-triglycerides in an amount of between 40 – 95% by weight of said crystalline seed and StOSt-triglycerides in an amount of 30 – 85% by weight of said crystalline seed,
wherein the main endotherm melt peak position of said crystalline seed is about
15 40 °C or higher when measured by Differential Scanning Calorimetry (DSC) by heating samples of 10 ± 1 mg of crystalline seed from 20 °C to 50 °C at a rate of 3 °C/min to produce a melting thermogram defining said main endotherm melt peak position, and
wherein Sat stands for a saturated fatty acid, St stands for stearic acid and O
20 stands for oleic acid.

- In an embodiment of the invention said emulsifier not being lecithin is selected from the group consisting of polysorbates, mono-glycerides, di-glycerides, poly-glycerol esters, propylene glycol esters, sorbitan esters and any combination
25 thereof.

In an embodiment of the invention said emulsifier not being lecithin comprises sorbitan-tri-stearate.

- 30 In a further embodiment of the invention said fat phase of said heat stable chocolate comprises cocoa butter, a cocoa butter equivalent or any combination

thereof in an amount of 30 -94% by weight of said fat phase, such as 40 – 92% by weight of said fat phase or 50 – 90% by weight of said fat phase.

According to embodiments of the invention said cocoa butter equivalent
5 comprises an interesterified fat blend, a fraction of an interesterified fat blend or combinations thereof consisting of one or more of palm oil, shea butter, sal oil, fractions thereof and mixtures thereof in an amount of 0.1 – 15% by weight of said fat phase of said heat stable chocolate.

10 According to further embodiments of the invention said cocoa butter improver is selected from the group consisting of shea, sal, mango, mowra, kokum, illipe, cupuacu, fractions thereof and any combination thereof.

In an embodiment of the invention said cocoa butter improver comprises or
15 consists of shea butter or a shea butter fraction.

According to further embodiments of the invention said cocoa butter improver is present in amount of 10 – 40% by weight of said fat phase, such as 12 – 30% by weight of said fat phase.

20

According to embodiments of the invention said crystalline seed comprises SatOSat in an amount of 50 – 93%, by weight of said crystalline seed, such as 60 – 90% by weight of said crystalline seed.

25 In further embodiments of the invention said crystalline seed comprises StOSt in an amount of 40- 80% by weight of said crystalline seed, such as 45 – 75% by weight of said crystalline seed or 50 – 70% by weight of said crystalline seed.

In an embodiment of the invention said crystalline seed comprises or consists of
30 shea stearin.

According to further embodiments of the invention the main endotherm melt peak position of said crystalline seed is 41 °C or higher, such as 42 °C or higher when measured by Differential Scanning Calorimetry by heating samples of 10 ± 1 mg of crystalline seed from 20 °C to 50 °C at a rate of 3 °C/min to produce a melting thermogram.

- The invention also pertains to a method of producing a heat stable chocolate according to any of the embodiments described here above, the method comprising the steps of:
- 10 a) melting a chocolate composition comprising a fat phase, said fat phase comprising
0.01 – 5% by weight of an emulsifier not being lecithin,
25 -94.9% by weight of a cocoa butter, a cocoa butter equivalent or combinations thereof, and
 - 15 at least 5% by weight of a cocoa butter improver,
 - b) cooling said chocolate composition to 25 °C-39 °C, and
 - c) adding 0.1 -15% by weight of said fat phase of crystalline seed during stirring to produce a seeded chocolate.
- 20 In an embodiment of the invention the crystalline seed is added as crystalline powder, a partly molten suspension or a combination thereof.

The invention further pertains to the use of the heat stable chocolate according to any of the embodiments described here above in moulding, coating, enrobing or filling applications.

DETAILED DISCRPTION

The invention is now described in more detail and specific embodiments of the invention are described by way of examples.

30

The following definitions and abbreviations apply throughout the description:

Sat = saturated fatty acid/acyl-group

U = unsaturated fatty acid/acyl-group

St = stearic acid/stearate

O = oleic acid/oleate

5 CB = cocoa butter

CBE = Cocoa butter equivalent

CBI = Cocoa butter improver

BR = Bloom retarding component

STS = Sorbitan-tri-stearate

10 MC = Milk Chocolate

DC = Dark Chocolate

DSC = Differential Scanning Calorimetry

ref = reference

co = comparative

15

In the present context amounts given as percentage (%) are by weight (w/w%, wt %, wt.% etc.) unless stated otherwise.

20 In chocolate production, tempering is a troublesome process requiring specialized equipment and may be time consuming.

If a heat stable chocolate is required, subjecting the chocolate composition to a tempering process is the main route to obtain a solid fat phase that is at least somewhat heat stable with respect to, for example, bloom.

25 According to the present invention, such tempering process may be partly or fully omitted by using a crystalline seed together with emulsifier and a cocoa butter improver in the chocolate composition whereby heat stability is obtained even without tempering.

30 The invention relates to a heat stable chocolate comprising a fat phase, said fat phase of said heat stable chocolate comprising:

0.1 -15% by weight of crystalline seed,

- 0.01 – 5% by weight of an emulsifier not being lecithin,
said fat phase of said heat stable chocolate further comprising
25 -94.9% by weight of a cocoa butter, a cocoa butter equivalent or combinations thereof, and
- 5 at least 5% by weight of a cocoa butter improver,
- wherein said crystalline seed comprises SatOSat-triglycerides in an amount of between 40 – 95% by weight of said crystalline seed and StOSt-triglycerides in an amount of 30 – 85% by weight of said crystalline seed,
- 10 wherein the main endotherm melt peak position of said crystalline seed is about 40 °C or higher when measured by Differential Scanning Calorimetry by heating samples of 10 ± 1 mg of crystalline seed from 20 °C to 50 °C at a rate of 3 °C/min to produce a melting thermogram defining said main endotherm melt peak position, and
- 15 wherein Sat stands for a saturated fatty acid, St stands for stearic acid and O stands for oleic acid.

It has been found that a heat stable chocolate can be obtained by adjusting the fat phase of the chocolate to comprise crystalline seed based on SatOSat

20 triglycerides. The best results with respect to heat stability are obtained when the fat phase of the chocolate also comprises a cocoa butter improver and an emulsifier not being lecithin.

Surprisingly, a synergy with respect to obtaining heat stability of the chocolate exists between different components in the chocolate. This has been discovered by

25 the present inventor. By combining crystalline seed based on SatOSat-triglycerides of which at least a part is StOSt with emulsifier not being lecithin and a cocoa butter improver in the chocolate, an improved heat stability of the resulting chocolate may be obtained when compared to standard tempered chocolate or chocolate comprising only one or two of the mentioned chocolate

30 components.

Thus, according to the invention, the crystalline seed comprises StOSt-triglycerides in an amount of between 30 – 85% by weight of the crystalline seed. The StOSt-triglycerides are a part of the SatOSat-triglycerides, the SatOSat-triglycerides comprising 40 – 95 % by weight of the crystalline seed.

5 This means that, for example, in an embodiment where the SatOSat-content in the crystalline seed is 50% by weight of the crystalline seed, and the StOSt-content in the crystalline seed is 45% by weight of the crystalline seed, there are 5% by weight of the crystalline seed of SatOSat-triglycerides other than StOSt-triglycerides in the crystalline seed.

10

The improved heat stability is observed for chocolate comprising cocoa butter, a cocoa butter equivalent or combinations thereof.

The improvement becomes evident when comparing heat stable chocolate according to embodiments of the invention with prior art chocolate or chocolate
15 not comprising all three of seed, emulsifier (not being lecithin) and CBI. This comparison may be made for example by comparing the tendency for surface bloom for the different chocolates.

The crystalline seed material may be manufactured in different ways as long as the main endotherm melt peak position of said crystalline seed is about 40 °C or
20 higher when measured by Differential Scanning Calorimetry by heating samples of 10 ± 1 mg of crystalline seed from 20 °C to 50 °C at a rate of 3 °C/min to produce a melting thermogram defining said main endotherm melt peak position. If the melting temperature of the crystalline seed is considerably lower than about 40 °C, the heat stability of the chocolate may be compromised.

25

Seeding technology is known within the chocolate art. Crystalline seed as described herein may be obtained by various processes known to the skilled person.

One method for obtaining suitable seed material having a main endotherm melt
30 peak position of about 40 °C or higher may be to melt the vegetable fat comprised in the seed composition or fractions thereof by applying heat, followed by

storage of the vegetable fat or fractions thereof at a temperature lower than about 40 °C, for example at about 37 °C, for about 20 hours.

5 Samples of crystalline seed were analyzed by METTLER TOLEDO DSC 823^e with a HUBER TC45 immersion cooling system.
10 ± 1 mg of sample were hermetically sealed in a 40 µL aluminum pan, with an empty pan as reference. Samples were initially held at 20.0 °C for 2 min. Samples were then heated to 50.0 °C at 3 °C/min to produce a melting thermogram defining the main endotherm melt peak position.

10 Since the main endotherm melt peak position is an objective physical property of the crystalline seed material, the exact DSC-method is not critical. Other methods known in the art may be used.

In an embodiment of the invention said emulsifier not being lecithin is selected from the group consisting of polysorbates, mono-glycerides, di-glycerides, poly-
15 glycerol esters, propylene glycol esters, sorbitan esters and any combination thereof.

In an embodiment of the invention said emulsifier not being lecithin comprises sorbitan-tri-stearate.

20 It has surprisingly been found that sorbitan-tri-stearate promotes the heat stability when applied together with crystalline seed and CBI in a chocolate.

In an embodiment of the invention said fat phase of said heat stable chocolate comprises cocoa butter, a cocoa butter equivalent or any combination thereof in an amount of 30 -94% by weight of said fat phase, such as 40 – 92% by weight of
25 said fat phase or 50 – 90% by weight of said fat phase.

The heat stable chocolate may comprise CB and/or CBE making up a substantial part of the fat phase of the heat stable chocolate.

According to embodiments of the invention said cocoa butter equivalent
30 comprises an interesterified fat blend, a fraction of an interesterified fat blend or combinations thereof consisting of one or more of palm oil, shea butter, sal oil,

fractions thereof and mixtures thereof in an amount of 0.1 – 15% by weight of said fat phase of said heat stable chocolate.

In some embodiments the CBE comprises interesterified fat. The interesterification may be done by chemical interesterification or enzymatic
5 interesterification.

Intesterification may produce particularly useful fats promoting a better shelf life.

According to further embodiments of the invention said cocoa butter improver is selected from the group consisting of shea, sal, mango, mowra, kokum, illipe,
10 cupuacu, fractions thereof and any combination thereof.

Several natural sources are available to establish a CBI. Functions of the CBI can be many, including improvements of the chocolate with respect to heat stability and sensory properties. CBI may raise the melting point of the chocolate due to a higher solid fat content when compared to CB.

15

According to an embodiment of the invention said cocoa butter improver comprises or consists of shea butter or a shea butter fraction.

CBI based on shea butter or fractions thereof may have excellent properties with respect to improving the heat stability of seeded chocolate.

20 CBI alone may often have a heat stabilizing effect when added to chocolate.

Surprisingly, when the CBI is used in seeded chocolate together with emulsifier not being lecithin, advantageous embodiments of the invention are obtained, wherein the heat stability of the chocolate is further improved.

25 In an embodiment of the invention said cocoa butter improver is present in amount of 10 – 40% by weight of said fat phase, such as 12 – 30% by weight of said fat phase.

According to the invention, CBI should always be present in an amount of at least 5% of the fat phase in the chocolate. In some embodiments CBI may be added up
30 to 40% by weight of the fat phase or 35% by weight of the fat phase.

Among other things, texture parameters may play a role in deciding the optimum amount of CBI in the chocolate. Below 5% of CBI in the fat phase of the chocolate, the obtainable heat stability may be compromised. Above 40% of CBI in the fat phase, the chocolate may become too hard and provide an unpleasant
5 mouth-feel.

In an embodiment of the invention said crystalline seed comprises SatOSat in an amount of 50 – 93%, by weight of said crystalline seed, such as 60 – 90% by weight of said crystalline seed.

10 The role of the crystalline seed in the chocolate is to promote heat stability of the chocolate. It has been found that desired crystallization of chocolate fats rich in SatOSat may be best promoted by crystalline seed of a similar tri-glyceride composition.

15 In an embodiment of the invention said crystalline seed comprises StOSt in an amount of 40- 80% by weight of said crystalline seed, such as 45 – 75% by weight of said crystalline seed or 50 – 70% by weight of said crystalline seed. It has been found that crystalline seed rich in StOSt is well suited for the heat stable chocolate according to advantageous embodiments of the invention. The
20 reason for this may be that both CB and also many CBE's are rich in StOSt.

In an embodiment of the invention said crystalline seed comprises or consists of shea stearin.

Crystalline seed comprising or consisting of shea stearin may be particularly
25 advantageous. It has been found that there is an excellent compatibility of such crystalline seed with both CB and CBE and an excellent texture of the chocolate may be provided.

In further embodiments of the invention the main endotherm melt peak position of
30 said crystalline seed is 41 °C or higher, such as 42 °C or higher when measured by

Differential Scanning Calorimetry by heating samples of 10 ± 1 mg of crystalline seed from $20\text{ }^{\circ}\text{C}$ to $50\text{ }^{\circ}\text{C}$ at a rate of $3\text{ }^{\circ}\text{C}/\text{min}$ to produce a melting thermogram. The main endotherm melt peak position of the crystalline seed indicates the heat stability of the seed crystals and thereby indirectly may reflect the heat stability obtainable when the crystalline seed is added to chocolate.

The invention also relates to a method of producing a heat stable chocolate according to claim 1 comprising the steps of:

- a) melting a chocolate composition comprising a fat phase, said fat phase comprising
0.01 – 5% by weight of an emulsifier not being lecithin,
25 -94.9% by weight of a cocoa butter, a cocoa butter equivalent or combinations thereof, and
at least 5% by weight of a cocoa butter improver,
- b) cooling said chocolate composition to $25\text{-}39\text{ }^{\circ}\text{C}$, and
- c) adding 0.1 -15% by weight of said fat phase of crystalline seed during stirring to produce a seeded chocolate.

When melting the chocolate composition, all fat crystals in the composition may be melted. When cooling, new fat crystals may form and by adding crystalline seed, the formation of more heat-stable crystals may be promoted.

According to embodiments of the invention the crystalline seed is added as crystalline powder, a partly molten suspension or a combination thereof. The addition of crystalline seed may pose some technical challenges on the process design. In principle, the crystalline seed may be added in any way that can be conveniently integrated in the process design for producing the chocolate.

The invention further relates to the use of the heat stable chocolate according to any of the embodiments described herein or produced by the method described herein for moulding, coating, enrobing or filling applications.

The heat stable chocolate according to embodiments of the present invention is useful in any application, where heat stability may be an advantage or an important feature. This may particularly be true for applications where the chocolate is used or stored in environments above ambient temperatures of about
5 20 °C or 25 °C.

Especially, if storage temperatures intermittently become very high, such as above about 33 °C or above about 35 °C or even above about 37 °C, for example when the chocolate is stored in a car on a hot summer day, the heat stable chocolate according to embodiments of the invention may perform exceptionally well and
10 preserve a good product when temperatures get lower again and the chocolate is to be consumed.

EXAMPLES

The invention is now illustrated by way of examples.

15

Example 1

Milk chocolate (=MC) and Dark chocolates (=DC) of reference- (=ref), comparative- (=co) and inventive compositions

Tables 1 and 2 below show the recipes and the fat compositions for milk
20 chocolates and dark chocolates, respectively.

The sum deviation from precisely 100% is due to round offs of the amount of individual components.

The total fat content in the recipe is calculated as the sum of shea stearin, CB, fat
25 content of the cocoa mass (approx. 56% CB in cocoa mass), milk fat and the fat content of skim milk powder.

Emulsifier (here STS), when added, is thus present in an amount of approx. 2 % by weight of the total fat content.

30 The BR (=Bloom retarding component) is an interesterified palm and shea based fraction.

The milk chocolates I, II, III and dark chocolates I, II, III were all hand tempered on marble table and used for 20 gram chocolate bars.

- 5 The molten milk chocolates IV, V, VI, VII and dark chocolate IV were stirred in an open bowl with water jacket at 33 °C. The seed, in a powdery state with a mean particle of approx. 20 µm, was added to the chocolates and mixing commenced for 20 minutes. Thereafter, the chocolates were poured into 20 gram chocolate bar moulds

10

The moulds were subsequently cooled in a three zones cooling tunnel for 30 minutes at a temperature of 15 °C followed by a temperature at 12 °C followed by a temperature of 15 °C.

- 15 Weight percentages in the below tables 1 and 2 refer to the total recipe and to the fat composition, respectively.

Recipe	MC I (ref)	MC II (co)	MC III (co)	MC IV	MC V (co)	MC VI (co)	MC VII
Overall Fat	CB	CB+ CBI	CB+CBI +STS	CB+CBI+ Seed+STS	CB+CBI+ Seed	CB+ Seed+ STS	CB+CBI+ BR+ Seed+STS
Seed (% w/w)				1	1	1	1
Shea Stearin (% w/w)		6	6	4	4		4
BR (% w/w)							1

CB (% w/w)	18	12	12	13	13	17	12
Cocoa mass (% w/w)	10	10	10	10	10	10	10
Sugar (% w/w)	49	49	49	49	49	49	49
Skim milk powder (% w/w)	17	17	17	17	17	17	17
Milk fat (% w/w)	5	5	5	5	5	5	5
Leci- thin (% w/w)	0.5	0.5	0.5	0.5	0.5	0.5	0.5
STS (% w/w)			0.6	0.6		0.6	0.6
Sum	(99.5)	(99.5)	(100.1)	(101.1)	(99.5)	(100.1)	(100.1)
Fat compo sition							
Seed (% w/w)				3	3	3	3

Shea Stearin (% w/w)		20	20	15	15		15
BR (% w/w)							3
CB (% w/w)	82	62	62	64	64	79	61
Milk fat (% w/w)	18	18	18	18	18	18	18
Total fat content (% w/w)	29.4	29.4	29.4	30.0	30.0	30.0	30.0

Table 1: Recipes and fat compositions for milk chocolates

5

10

15

Recipe	DC I (ref)	DC II (co)	Dark C III (co)	DC IV
Overall fat composition	CB	CB+CBI	CB+CBI+STS	CB+CBI+Seed+STS
Seed (% w/w)				1
Shea Stearin (% w/w)		6	6	4
CB (% w/w)	7	1	1	2
Cocoa mass (% w/w)	40	40	40	40
Sugar (% w/w)	50	50	50	50
Milk fat (% w/w)	2	2	2	2
Lecithin (% w/w)	0.5	0.5	0.5	0.5
STS (% w/w)			0.6	0.6
Sum	(99.5)	(99.5)	(100.1)	(100.1)
Fat composition				
Seed (%)				3
Shea Stearin (%)		20	20	15
CB (%)	93	73	73	75
Milk fat (%)	7	7	7	7
Total fat content (% w/w)	32.1	32.1	32.1	32.8

Table 2: Recipes and the fat compositions for the dark chocolates.

Example 2

5 *Bloom stability of chocolate bars of milk- and dark chocolate*

After 7 days storage at 20 °C chocolate bars from Example 1 were placed in a programmable temperature cabinet and subjected to heat treatment at a high temperature for 8 hours followed by a low temperature for 16 hours. This heat treatment were performed either once or five consecutive times. The high

temperatures were between 35 to 37 ± 0.5 °C and the low temperatures were between 20 to 25 ± 0.5 °C.

The chocolate bars were examined for bloom after one and five heat treatments.

5

Table 3 below illustrates the test result in respect of bloom effect observed for milk chocolate bars of Example 1, table 1, after one heat treatment under different high- and low temperature settings.

Heat treatment	MC I (ref)	MC II (co)	MC III (co)	MC IV	MC V (co)	MC VI (co)	MC VII
37 -25 °C	-	-	-	++	-	-	++
37 -24 °C	-	-	-	++	-	-	++
37 -23 °C	-	+	-	++	-	-	++
37 -20 °C	-	++	-	++	-	-	++
35 -25 °C	-	+	-	++	-	+	++
35 -24 °C	-	+	+	++	-	+	++
35 -23 °C	-	++	++	++	-	++	++
35 -20 °C	-	++	++	++	-	++	++

10

Table 3: Bloom on milk chocolate samples

Table 4 below illustrates the test result in respect of bloom effect observed for dark chocolate bars of table 2 after one heat treatment under different high- and

15 low temperature settings.

Heat treatment	DC I (ref)	DC II (co)	DC III (co)	DC IV
37 -25 °C	-	-	-	++
37 -24 °C	-	+	-	++
37 -23 °C	-	+	-	++
37 -20 °C	-	++	-	++
35 -25 °C	-	++	++	++
35 -24 °C	+	++	++	++
35 -23 °C	+	++	++	++
35 -20 °C	++	++	++	++

Table 4: Bloom on dark chocolate samples

In tables 3 and 4,

“++” denotes a glossy and un-bloomed chocolate surface

5 “+” denotes a dull but un-bloomed chocolate surface

“-“ denotes a bloomed chocolate surface

The data in Table 3 show that samples MC IV and MC VII exhibit very good bloom stability under all tested conditions. Clearly, the presence of all three of
 10 CBI, emulsifier (in this case STS) and seed is required to obtain consistently good results.

The data in Table 4 confirm that the presence of all three of CBI, emulsifier (in this case STS) and seed is required to obtain consistently good results, see sample
 15 DC IV.

It should be noted that in this experiment, DC II had better bloom stability than DC III, indicating the presence of a synergy between CBI, emulsifier (in this case STS) and seed when incorporated together as is the case in DC IV. Purely additive effects would suggest that DC III should obtain better results than DC II.

A similar observation holds for samples MC II and MC III in table 3 when compared to MC IV and MC VII.

Furthermore, selections of the un-bloomed chocolate bars after heat treatments at 37 -25 °C were placed in bloom cabinets for bloom tests. The samples were tested under isothermal temperature conditions of 25 °C.

Table 5 below illustrates the test result in respect of bloom effect observed for milk chocolate bars after one and five consecutive heat treatments at 37 – 25 °C stored at 25 °C isothermal condition.

	MC IV	MC VII
	Number of weeks until first appearance of bloom	Number of weeks until first appearance of bloom
One 37 -25 °C heat treatment		
25 °C isotherm.	>26	>26
Five 37 -25 °C heat treatments		
25 °C isotherm.	>26	>26

Table 5: Bloom data for milk chocolate samples after heat cycle treatments followed by isothermal storage.

15

The data in table 5 indicate very good bloom resistance of MC IV and MC VII after heat cycle treatment followed by isothermal storage at 25 °C.

Even after 26 weeks, no visible bloom is observed on the samples.

CLAIMS

1. Heat stable chocolate comprising a fat phase, said fat phase of said heat stable chocolate comprising:
- 5 0.1 -15% by weight of crystalline seed,
0.01 – 5% by weight of an emulsifier not being lecithin,
said fat phase of said heat stable chocolate further comprising
25 -94.9% by weight of a cocoa butter, a cocoa butter equivalent or combinations thereof, and
10 at least 5% by weight of a cocoa butter improver,
- wherein said crystalline seed comprises SatOSat-triglycerides in an amount of between 40 – 95% by weight of said crystalline seed and StOSt-triglycerides in an amount of 30 – 85% by weight of said crystalline seed,
- 15 wherein the main endotherm melt peak position of said crystalline seed is about 40 °C or higher when measured by Differential Scanning Calorimetry by heating samples of 10 ± 1 mg of crystalline seed from 20 °C to 50 °C at a rate of 3 °C/min to produce a melting thermogram defining said main endotherm melt peak
20 position, and
- wherein Sat stands for a saturated fatty acid, St stands for stearic acid and O stands for oleic acid.
- 25 2. Heat stable chocolate according to claim 1, wherein said emulsifier not being lecithin is selected from the group consisting of polysorbates, mono-glycerides, di-glycerides, poly-glycerol esters, propylene glycol esters, sorbitan esters and any combination thereof.
- 30 3. Heat stable chocolate according to any of the claims 1-2, wherein said emulsifier not being lecithin comprises sorbitan-tri-stearate.

4. Heat stable chocolate according to any of the claims 1-3, wherein said fat phase of said heat stable chocolate comprises cocoa butter, a cocoa butter equivalent or any combination thereof in an amount of 30 -94% by weight of said fat phase,
5 such as 40 – 92% by weight of said fat phase or 50 – 90% by weight of said fat phase.
5. Heat stable chocolate according to any of the claims 1-4, wherein said cocoa butter equivalent comprises an interesterified fat blend, a fraction of an
10 interesterified fat blend or combinations thereof consisting of one or more of palm oil, shea butter, sal oil, fractions thereof and mixtures thereof in an amount of 0.1 – 15% by weight of said fat phase of said heat stable chocolate.
6. Heat stable chocolate according to any of the claims 1-5, wherein said cocoa
15 butter improver is selected from the group consisting of shea, sal, mango, mowra, kokum, illipe, cupuacu, fractions thereof and any combination thereof.
7. Heat stable chocolate according to any of the claims 1-6, wherein said cocoa
butter improver comprises or consists of shea butter or a shea butter fraction.
20
8. Heat stable chocolate according to any of the claims 1-7, wherein said cocoa butter improver is present in amount of 10 – 40% by weight of said fat phase, such as 12 – 30% by weight of said fat phase.
- 25 9. Heat stable chocolate according to any of the claims 1-8, wherein said crystalline seed comprises SatOSat in an amount of 50 – 93%, by weight of said crystalline seed, such as 60 – 90% by weight of said crystalline seed.
- 30 10. Heat stable chocolate according to any of the claims 1-9, wherein said crystalline seed comprises StOSt in an amount of 40- 80% by weight of said

crystalline seed, such as 45 – 75% by weight of said crystalline seed or 50 – 70% by weight of said crystalline seed.

11. Heat stable chocolate according to any of the claims 1-10, wherein said
5 crystalline seed comprises or consists of shea stearin.

12. Heat stable chocolate according to any of the claims 1-11, wherein the main
endotherm melt peak position of said crystalline seed is 41 °C or higher, such as
42 °C or higher when measured by Differential Scanning Calorimetry by heating
10 samples of 10 ± 1 mg of crystalline seed from 20 °C to 50 °C at a rate of 3 °C/min
to produce a melting thermogram.

13. Method of producing a heat stable chocolate according to any of the claims 1-
12, said method comprising the steps of:

- 15 a) melting a chocolate composition comprising a fat phase, said fat phase
comprising
0.01 – 5% by weight of an emulsifier not being lecithin,
25 -94.9% by weight of a cocoa butter, a cocoa butter equivalent or combinations
thereof, and
20 at least 5% by weight of a cocoa butter improver,
b) cooling said chocolate composition to 25-39 °C, and
c) adding 0.1 -15% by weight of said fat phase of crystalline seed during stirring
to produce a seeded chocolate.

25 14. Method according to claim 13, wherein the crystalline seed is added as
crystalline powder, a partly molten suspension or a combination thereof.

15. Use of the heat stable chocolate according to any of the claims 1-12 or
produced by a method according to any of the claims 13 –14 for moulding,
30 coating, enrobing or filling applications.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/SE2014/051480

A. CLASSIFICATION OF SUBJECT MATTER

IPC: see extra sheet

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC: A23G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE, DK, FI, NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, PAJ, WPI data, BIOSIS, CHEM ABS Data, COMPENDEX, EMBASE, INSPEC, MEDLINE, PUBCHEM

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	HACHIYA, I., KOYANO, T., SATO, K., 'Seeding Effects on Solidification Behavior of Cocoa Butter and Dark Chocolate. 1. Kinetics of Solidification' JAOCS. 1989, Dec., Vol. 66, No. 12, p. 1757-1762, ISSN 0003-021X.; page 1758, column 2, line 8 - line 15; page 1759, column 1, line 24 - line 28; figure 2; Table 1 --	1-3, 9, 10
A	EP 1477071 A1 (MEIJI SEIKA KAISHA), 17 November 2004 (2004-11-17); claims 1-9; Exempel 1-4 --	1-15
A	WO 2012139574 A1 (AARHUSKARLSHAMN DENMARK AS ET AL), 18 October 2012 (2012-10-18); page 2, line 27 - page 3, line 7; claims 1, 12, 22, 25, 31, 32 -- -----	1-15

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

27-03-2015

Date of mailing of the international search report

30-03-2015

Name and mailing address of the ISA/SE

Patent- och registreringsverket
Box 5055
S-102 42 STOCKHOLM
Facsimile No. + 46 8 666 02 86

Authorized officer

Niclas Sandström

Telephone No. + 46 8 782 25 00

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/SE2014/051480

EP	1477071 A1	17/11/2004	CN	1625339 A	08/06/2005
			KR	100662717 B1	28/12/2006
			KR	20040072662 A	18/08/2004
			US	20050084598 A1	21/04/2005
			WO	03063602 A1	07/08/2003
WO	2012139574 A1	18/10/2012	CN	103561580 A	05/02/2014
			EP	2696698 A1	19/02/2014
			US	20140120236 A1	01/05/2014

Continuation of: second sheet
International Patent Classification (IPC)
A23G 1/36 (2006.01)