

Office de la Propriété Intellectuelle du Canada

Un organisme d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of Industry Canada

CA 2728978 A1 2009/12/23

(21) 2 728 978

(12) DEMANDE DE BREVET CANADIEN CANADIAN PATENT APPLICATION

(13) **A1**

(86) Date de dépôt PCT/PCT Filing Date: 2009/06/04

(87) Date publication PCT/PCT Publication Date: 2009/12/23

(85) Entrée phase nationale/National Entry: 2010/12/20

(86) N° demande PCT/PCT Application No.: EP 2009/056886

(87) N° publication PCT/PCT Publication No.: 2009/153169

(30) Priorité/Priority: 2008/06/18 (US12/141,561)

(51) Cl.Int./Int.Cl. *A61K 8/36* (2006.01), *A61Q 19/02* (2006.01)

(71) Demandeur/Applicant: UNILEVER PLC, GB

(72) Inventeur/Inventor: MADISON, STEPHEN ALAN, US

(74) Agent: BERESKIN & PARR LLP/S.E.N.C.R.L., S.R.L.

(54) Titre: COMPOSITION D'ECLAIRCISSEMENT DE LA COULEUR DE LA PEAU

(54) Title: COMPOSITIONS FOR LIGHTENING SKIN COLOR

(57) Abrégé/Abstract:

Skin lightening additives and skin lightening compositions having at least one of a heterosu bstituted, saturated or unsaturated aliphatic acid are described. The compositions are suitable for topical application and may comprise 12-hydroxystearic acid, ricinoleic acid or both.





(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau







(10) International Publication Number WO 2009/153169 A1

(51) International Patent Classification: *A61K 8/36* (2006.01) *A61Q 19/02* (2006.01)

(21) International Application Number:

PCT/EP2009/056886

(22) International Filing Date:

4 June 2009 (04.06.2009)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

12/141,561


18 June 2008 (18.06.2008) US

- (71) Applicant (for AE, AG, AU, BB, BH, BW, BZ, CA, CY, EG, GB, GD, GH, GM, IE, IL, KE, KN, LC, LK, LS, MT, MW, MY, NA, NG, NZ, OM, PG, SC, SD, SG, SL, SZ, TT, TZ, UG, VC, ZA, ZM, ZW only): UNILEVER PLC [GB/GB]; a company registered in England and Wales under company no. 41424, Unilever House, 100 Victoria Embankment, London Greater London EC4P 4BQ (GB).
- (71) Applicant (for all designated States except AE, AG, AU, BB, BH, BW, BZ, CA, CY, EG, GB, GD, GH, GM, IE, IL, IN, KE, KN, LC, LK, LS, MT, MW, MY, NA, NG, NZ, OM, PG, SC, SD, SG, SL, SZ, TT, TZ, UG, US, VC, ZA, ZM, ZW): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).
- (71) Applicant (for IN only): HINDUSTAN UNILEVER LIMITED [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, Mumbai 400 020 (IN).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): MADISON, Stephen, Alan [US/US]; Conopco, Inc. d/b/a UNILEVER, 40 Merritt Boulevard, Trumbull, Connecticut 06611 (US).

- (74) Agent: ACHAM, Nicholas, Clive; Unilever PLC, Unilever Patent Group, Colworth House, Sharnbrook, Bedford Bedfordshire MK44 1LQ (GB).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))



(57) Abstract: Skin lightening additives and skin lightening compositions having at least one of a heterosu bstituted, saturated or unsaturated aliphatic acid are described. The compositions are suitable for topical application and may comprise 12-hydroxystearic acid, ricinoleic acid or both.

WO 2009/153169 PCT/EP2009/056886

- 1 -

COMPOSITIONS FOR LIGHTENING SKIN COLOR

5

10

20

FIELD OF THE INVENTION

The present invention is directed to a skin lightening additive as well as compositions comprising the same. More particularly the present invention is directed to a cosmetic composition comprising a skin lightening additive whereby the skin lightening additive comprises a heterosubstituted, saturated or unsaturated aliphatic acid, or a mixture thereof. The skin lightening additive, when used, results in a cosmetic composition that can provide moisturizing benefits. Moreover it has been unexpectedly discovered that such aliphatic acids have skin lightening benefits when topically applied.

15 BACKGROUND OF THE INVENTION

Many consumers are concerned with the characteristics of their skin. For example consumers are concerned with the degree of pigmentation of their skin, freckles and/or age spots. Other consumers wish to reduce skin darkening caused by exposure to sunlight. To meet the needs of consumers, many attempts have been made to develop products that improve skin characteristics. The products developed thus far often tend to have low efficacy, undesirable side effects or both. Furthermore such products can be expensive and are often not an alternative for lower income consumers.

There is an increasing interest to develop a cosmetic composition that comprises new skin lightening additives. This invention is directed to cosmetic compositions that comprise new skin lightening additives. The cosmetic compositions of the present invention preferably comprise, as a lightening additive, compounds like 12-hydroxystearic acid, ricinoleic acid or both. The cosmetic compositions of this invention result in a decrease in melanin content which is at least 8% lower (preferably at least about 11% lower) when comparing MelanoDerm[™] cultures treated with the same to MelanoDerm cultures that have not been subjected to a composition with the newly discovered skin lightening additives of this invention.

ADDITIONAL INFORMATION

Efforts have been disclosed for making skin care cosmetic compositions. In US 6 875 425, skin lightening agents with 4-substituted resorcinol derivative compounds are described.

5

Other efforts have been disclosed for making skin treatment compositions. In US 7 250 158 and US 7 247 294, methods for treating with skin lightening agents are described.

10 Still other efforts have been disclosed for treating skin. In US 5 998 423, compositions with polycyclic nitrogen heterocycles are described.

None of the additional information above describes skin lightening compositions that comprise, as a lightening additive, a heterosubstituted, saturated or unsaturated aliphatic acid, or mixture thereof.

SUMMARY OF THE INVENTION

In a first aspect, the present invention is directed to a skin lightening additive, the skin lightening additive comprising a heterosubstituted, saturated or unsaturated aliphatic acid, or both.

In a second aspect, the present invention is directed to a cosmetic composition for skin lightening, the cosmetic composition comprising a skin lightening agent comprising the skin lightening additive of the first aspect of this invention.

25

15

20

In a third aspect, the present invention is directed to a method for lightening skin with the cosmetic composition of the second aspect of this invention.

All other aspects of the present invention will more readily become apparent upon considering the detailed description and examples which follow.

As used herein, a decrease in melanin content means a melanin content decrease when comparing two (2), three week old MatTek MelanoDerm cultures that have not

been treated with a composition comprising the skin lightening additive of this invention to two (2), three week old MatTek MelanoDerm cultures that have been treated with a composition comprising the skin lightening additive of this invention wherein treated means:

5

10

15

20

25

30

- (a) placing the MelanoDerm culture within a six (6) well tissue culture dish and set about 0.3 cm off of the tissue culture dish;
- (b) subjecting the MelanoDerm culture to 0.1 and 5 micromolar compositions having the skin lightening additive of this invention, the composition being one prepared from a 10 millimolar solution of skin lightening additive and carrier (e.g. dimethyl sulfoxide) having been diluted with Dulbecco's Modified Eagle Media; and
- (c) comparing the treated and untreated cultures by obtaining average melanin content (expressed in micrograms) by extracting melanin from MelanoDerm and obtaining absorbance readings at 490 nm (OD490) using a commercially available spectrophotometer like a Hach spectrophotometer.

Cosmetic composition, as used herein, is meant to include a composition for topical application to skin of mammals, especially humans. Such a composition may be generally classified as leave-on or rinse off, and is meant to include conditioners or tonics, lipsticks, color cosmetics, and general topical compositions that in some fashion and at the very least reduces the effect of melanin on keratinocytes. Lightening and whitening as used herein are meant to mean the same and they include the lightening of skin directly as well as the lightening of spots on the skin, like age spots and freckles. Dulbecco's Modified Eagle Media means the nutrient solution sold by MatTek Corporation and treated and used according to instructions supplied with the product commercially identified as MEL30010BBLLMM. Skin lightening additive means a component suitable to result in physical, but especially biological whitening (i.e. a reduction in melanin production) whereby the skin lightening additive can comprise, consist essentially of or consist of the skin lightening additive. MelanoDerm means the product having normal, human-derived epidermal keratinocytes and melanocytes which have been cultured to form a multilayered, highly differentiated model of the human epidermis, all of which is made commercially available by MatTek Corporation.

Unsaturated, as used herein, means having at least one bond that is not sp³ hybridized. Comprising, as used herein, is meant to include consisting essentially of and consisting of.

The cosmetic composition of the present invention can be in the form of a liquid, lotion, cream, serum, gel, soap bar or toner, or applied via a face mask or patch. The composition of this invention is one that at the very least, lightens skin when skin is meant to include skin on the face, neck, chest, back, arms, hands, legs and scalp. All ranges identified herein are meant to implicitly include all ranges subsumed therein, if, for example, reference to the same is not explicitly made.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The only limitation with respect to the skin lightening additive that may be used in this invention is that the same may be used in a topical composition suitable for use on humans. The preferred additive is a heterosubstituted, saturated or unsaturated aliphatic acid or a mixture thereof.

In a most preferred embodiment, the skin lightening additive employed in the present invention comprises a compound having the formulae:

$$CR_{3}-(CR_{2})_{n}-CR_{2}^{1}-C$$

$$OH$$

$$CR_{3}-(CR_{2})_{s}-(CR^{1})=(CR^{1})-(CR_{2})_{e}-C$$

$$OH$$

$$CR_{3}-(CR_{2})_{t}-(CR^{1}=CR^{1})_{r}-(CR_{2})_{t}-(C)_{x}-(CR^{1}=CR^{1})_{r}-(CR_{2})_{q}-C$$

$$OH$$

$$II$$

$$CR_{3}-(CR_{2})_{t}-(CR_{2})_{t}-(CR_{2})_{t}-(CR_{2})_{t}-(CR_{2})_{q}-C$$

$$OH$$

or a mixture thereof,

15

20

wherein each R is independently hydrogen, hydroxyl, C_{1-6} alkoxy, C_{1-6} alkyl, arylalkyl or an amine, with the proviso that at least one R group comprises a heteroatom; each R^1

- 5 -

is independently hydrogen, C_{1-6} alkoxy, C_{1-6} alkyl, arylalkyl or an amine; n is an integer from 7 to 19; and s and e are each independently an integer from 0 to 8, where $s+e \ge 6$; q is an integer from 6 to 11; each r is independently an integer from 0 to 1, with the proviso that each r is not 1 when x is 1; x is an integer from 0 to 1 with the proviso that x is 0 when at least one r is 1; and each t is independently an integer from 1 to 7.

5

10

15

20

25

30

The preferred compounds suitable for use in this invention (either alone or in a mixture) are aleuritic acid; phloionolic acid; 9, 10, 13-trihydroxy-11-octadecenoic acid; 9, 13-dihydroxy-12-ethoxy-10-octadecenoic acid; 9-hydroxy-10,12-octadecadienoic 14-dihydroxy-octadecanoic acid; 12-hydroxystearic (12acid; hydroxyoctadecanoic acid); lesquerolic acid; ricinelaidic acid; ambrettolic acid, and rincinoleic acid (12-hydroxy-9-cis-octadecanoic acid) as represented by either formula I or II. Other preferred compounds suitable for use in this invention include betadimorphecolic acid; densipolic acid; 8-methoxy-13-hydroxy-9, 11-octadecadienoic acid; 7-oxo-octadecanoic acid; 9-oxo-octadecanoic acid; 12-oxo-octadecanoic acid and 10oxo-14-methyl-pentadecanoic acid as represented by formula III. Furthermore it is within the scope of the present invention to include any derivative (like an ester derivative) and/or salt of the acid represented by formulae I-III, and especially, Mg, Na and/or Ca salts thereof. Such compounds are commercially available from suppliers like Vertellus Specialties Inc. Welch, Home & Clark Co. Inc. as well as Croda Chemicals.

The cosmetic compositions of the present invention typically comprise from 0.001 to 15% by weight, and preferably from 0.1 to 12%, and most preferably from 1 to 10% by weight skin lightening additive based on total weight of the cosmetic composition and including all ranges subsumed therein.

While it is within the scope of this invention for the skin lightening additive to consist essentially of and to consist of heterosubstituted, saturated or unsaturated aliphatic acid or a mixture thereof, in an often desired embodiment, the skin lightening additive of this invention comprises from 0.2 to 95%, and preferably from 10 to 85%, and most preferably from 30 to 65% by weight heterosubstituted saturated or unsaturated aliphatic acid or a mixture thereof based on total weight of skin lightening additive and including all ranges subsumed therein.

- 6 -

In yet another desired embodiment, the cosmetic composition of this invention comprises from 2 to 9%, and preferably from 3 to 8%, and most preferably from 3 to 6% by weight heterosubstituted, saturated or unsaturated aliphatic acid, or a mixture thereof based on total weight of the cosmetic composition and including all ranges subsumed therein.

5

10

15

20

25

30

When used in combination the weight ratio of heterosubstituted, saturated or unsaturated aliphatic acid to heterosubstituted, saturated aliphatic acid is from 5:95 to 95:5, and preferably from 20:80 to 80:20, and most preferably from 40:60 to 60:40 including all ratios subsumed therein.

It should be known that commercially acceptable and conventional vehicles may be used acting as diluents, dispersants and/or carriers for the skin lightening agents and additives described herein and for any other optional but often preferred additives. Therefore the cosmetically acceptable vehicle suitable for use in this invention may be aqueous-based, anhydrous or an emulsion whereby a water-in-oil or oil-in-water emulsion is generally preferred. If the use of water is desired, water typically makes up the balance of the cosmetic composition, and preferably makes up from 5 to 99%, and most preferably from 40 to 80% by weight of the cosmetic composition including all ranges subsumed therein.

In addition to water, organic solvents may be optionally included to act as carriers or to assist carriers within the compositions of the present invention. Illustrative and non-limiting examples of the types of organic solvents suitable for use in the present invention include alkanols like ethyl and isopropyl alcohol, mixtures thereof or the like.

Other optional additives suitable for use include ester oils like isopropyl myristate, cetyl myristate, 2-octyldodecyl myristate, avocado oil, almond oil, olive oil, neopentylglycol dicaprate, mixtures thereof or the like. Typically such ester oils assist in emulsifying the cosmetic composition of this invention, and an effective amount is often used to yield a stable, and most preferably water-in-oil emulsion.

- 7 -

Emollients may also be used, if desired, as carriers within the cosmetic composition of the present invention. Alcohols like 1-hexadecanol (i.e. cetyl alcohol) and phenoxyethanol are often desired as are the emollients generally classified as silicone oils and synthetic esters. Silicone oils suitable for use include cyclic or linear polydimethylsiloxanes containing from 3 to 9, preferably from 4 to 5, silicon atoms. Non-volatile silicone oils useful as an emollient material in the inventive cosmetic composition described herein include polyalkyl siloxanes, polyalkylaryl siloxanes and polyether siloxane copolymers. The essentially non-volatile polyalkyl siloxanes useful herein include, for example, polydimethylsiloxanes.

10

5

The ester emollients that may optionally be used are:

- (1) Alkenyl or alkyl esters of fatty acids having 10 to 20 carbon atoms. Examples thereof include isoarachidyl neopentanoate, isononyl isonanonoate, oleyl myristate, oleyl stearate and oleyl oleate.
- 15 (2) Ether-esters such as fatty acid esters of ethoxylated fatty alcohols.
 - (3) Polyhydric alcohol esters. Ethylene glycol mono- and di-fatty acid esters, diethylene glycol mono- and di-fatty acid esters, polyethylene glycol (200-6000) mono- and di-fatty acid esters, propylene glycol mono- and di-fatty acid esters, polypropylene glycol 2000 monostearate, ethoxylated propylene glycol monostearate, glyceryl mono- and di-fatty acid esters, polyglycerol poly-fatty esters, ethoxylated glyceryl mono-stearate, 1,3-butylene glycol monostearate, 1,3-butylene glycol distearate, polyoxyethylene polyol fatty acid ester, sorbitan fatty acid esters, and polyoxyethylene sorbitan fatty acid esters are satisfactory polyhydric alcohol esters.
- 25 (4) Wax esters such as beeswax, spermaceti, stearyl stearate and arachidyl behenate.
 - (5) Sterols esters, of which cholesterol fatty acid esters are examples.

Emollients when used, typically make up from 0.1 to 50% by weight of the cosmetic composition including all ranges subsumed therein.

30

20

Fatty acids having from 10 to 30 carbon atoms may also be included as cosmetically acceptable carriers within the composition of the present invention. Illustrative examples of such fatty acids include pelargonic, lauric, myristic, palmitic, stearic,

-8-

isostearic, oleic, linoleic, arachidic, behenic or erucic acid and mixtures thereof. Compounds that are believed to enhance skin penetration, like dimethyl sulfoxide, may also be used as an optional carrier.

5

10

15

20

25

30

Humectants of the polyhydric alcohol type may also be employed in the cosmetic compositions of this invention. The humectant often aids in increasing the effectiveness of the emollient, reduces scaling, stimulates removal of built-up scale and improves skin feel. Typical polyhydric alcohols include glycerol, polyalkylene glycols and more preferably alkylene polyols and their derivatives, including propylene glycol, dipropylene glycol, polypropylene glycol, polyethylene glycol and derivatives thereof, sorbitol, hydroxypropyl sorbitol, hexylene glycol, 1,3-butylene glycol, 1,2,6-hexanetriol, ethoxylated glycerol, propoxylated glycerol and mixtures thereof. For best results the humectant is preferably propylene glycol or sodium hyaluronate. The amount of humectant may range anywhere from 0.2 to 25%, and preferably from 0.5 to 15% by weight of the cosmetic composition based on total weight of the cosmetic composition and including all ranges subsumed therein.

Thickeners may also be utilized as part of the cosmetically acceptable carrier in the cosmetic compositions of the present invention. Typical thickeners include cross-linked acrylates (e.g. Carbopol 982), hydrophobically-modified acrylates (e.g. Carbopol 1382), cellulosic derivatives and natural gums. Among useful cellulosic derivatives are sodium carboxymethylcellulose, hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, ethyl cellulose and hydroxymethyl cellulose. Natural gums suitable for the present invention include guar, xanthan, sclerotium, carrageenan, pectin and combinations of these gums. Amounts of the thickener may range from 0.0 to 5%, usually from 0.001 to 1%, optimally from 0.01 to 0.5% by weight.

Collectively, the water, solvents, silicones, esters, fatty acids, humectants and/or thickeners will constitute the cosmetically acceptable carrier in amounts from 1 to 99.9%, preferably from 80 to 99% by weight.

Surfactants may also be present in cosmetic compositions of the present invention. Total concentration of the surfactant will range from 0 to 40%, and preferably from 0 to 20%,

- 9 -

optimally from 0 to 5% by weight of the composition. The surfactant may be selected from the group consisting of anionic, nonionic, cationic and amphoteric actives. Particularly preferred nonionic surfactants are those with a C_{10} - C_{20} fatty alcohol or acid hydrophobe condensed with from 2 to 100 moles of ethylene oxide or propylene oxide per mole of hydrophobe; C_2 - C_{10} alkyl phenols condensed with from 2 to 20 moles of alkylene oxide; mono- and di- fatty acid esters of ethylene glycol; fatty acid monoglyceride; sorbitan, mono- and di- C_8 - C_{20} fatty acids; block copolymers (ethylene oxide/propylene oxide); and polyoxyethylene sorbitan as well as combinations thereof. Alkyl polyglycosides and saccharide fatty amides (e.g. methyl gluconamides) are also suitable nonionic surfactants.

Preferred anionic surfactants include soap, alkyl ether sulfate and sulfonates, alkyl sulfates and sulfonates, alkylbenzene sulfonates, alkyl and dialkyl sulfosuccinates, C_8 - C_{20} acyl isothionates, acyl glutamates, C_8 - C_{20} alkyl ether phosphates and combinations thereof.

15

10

5

Perfumes may be used in the cosmetic composition of this invention. Illustrative non-limiting examples of the types of perfumes that may be used include those comprising terpenes and terpene derivatives like those described in Bauer, K., et al., <u>Common Fragrance and Flavor Materials</u>, VCH Publishers (1990).

20

Illustrative yet non-limiting examples of the types of fragrances that may be used in this invention include myrcene, dihydromyrenol, citral, tagetone, cis-geranic acid, citronellic acid, or cis-geranic acid nitrile, mixtures thereof or the like.

25

Preferably, the amount of fragrance employed in the cosmetic composition of this invention is in the range from 0.0% to 10%, more preferably 0.00001% to 5 wt %, most preferably 0.0001% to 2%.

30

Various types of optional additional active ingredients may be used in the cosmetic compositions of the present invention. Actives are defined as skin benefit agents other than emollients and other than ingredients that merely improve the physical characteristics of the composition. Although not limited to this category, general

WO 2009/153169 PCT/EP2009/056886

- 10 -

examples include talcs and silicas, as well as alpha-hydroxy acids, beta-hydroxy acids, peroxides, zinc salts and sunscreens.

Beta-hydroxy acids include salicylic acid, for example. Zinc pyrithione is an example of the zinc salts useful in the cosmetic composition of the present invention.

5

10

15

20

25

30

Sunscreens include those materials commonly employed to block ultraviolet light. Illustrative compounds are the derivatives of PABA, cinnamate and salicylate. For example avobenzophenone (Parsol 1789®), octyl methoxycinnamate and 2-hydroxy-4-methoxyl benzophenone (also known as oxybenzone) can be used. Octyl methoxycinnamate and 2-hydroxy-4-methoxy benzophenone are commercially available under the trademarks Parsol MCX and Benzophenone-e respectively. The exact amount of sunscreen employed in the compositions can vary depending upon the degree of protection desired from the sun's UV radiation. Additives that reflect or scatter the suns rays may also be employed. These additives include oxides like zinc oxide and titanium dioxide.

Many cosmetic compositions, especially those containing water, should be protected against the growth of potentially harmful microorganisms. Anti-microbial compounds, such as triclosan, and preservatives are typically necessary. Suitable preservatives include alkyl esters of p-hydroxybenzoic acid, hydantoin derivatives, propionate salts and a variety of quaternary ammonium compounds. Particularly preferred preservatives of this invention are methyl paraben, propyl paraben, phenoxyethanol and benzyl alcohol. Preservatives will usually be employed in amounts ranging from 0.1% to 2% by weight of the composition.

Still other optional ingredients that may be used with the cosmetic composition of this invention include dioic acids (e.g. malonic acid and sebacic acid), antioxidants like vitamin E, vitamins like niacinamide and vitamin C and its derivatives, recorcinols and its derivatives (including those esterified with, for example, ferulic acid, vanillic acid or the like) and retinoids, including retinoic acid, retinal, retinol and retinyl esters, conjugated linoleic acid, petroselinic acid and mixtures thereof, as well as any other

- 11 -

conventional ingredients well known for wrinkle-reducing, skin whitening, anti-acne effects and reducing the impact of sebum.

The cosmetic compositions of the present invention are intended for use primarily as a product for topical application to human skin, especially and at least as a product for lightening the skin. Thus the inventor has discovered that the described aliphatic acids have excellent skin lightening capabilities whereby the same may be employed as skin lightening additives in topical cosmetic compositions that are applied topically to areas of the skin where lightening or whitening is desired. Other benefits may include skin moisturizing, decreasing the effect of sebum on the skin and skin wrinkle reducing. Often the cosmetic composition of the present invention has a melting point from 30°C to 45°C, including all ranges subsumed therein. In an especially preferred embodiment, the cosmetic composition of the present invention has a pH from 4.5 to 7.5 including all ranges subsumed therein.

15

10

5

When making the cosmetic composition of the present invention, the desired ingredients are mixed in no particular order and usually at temperatures from 70 to 80°C and under atmospheric pressure.

20

The packaging for the composition of this invention can be a patch, bottle, tube, roll-ball applicator, propellant driven aerosol device, squeeze container or lidded jar.

The examples which follow are provided to illustrate and facilitate an understanding of the invention. The examples are not intended to limit the scope of the claims.

25

30

Examples

Commercially available human skin equivalents (MelanoDermTM from MatTek) were obtained for testing the impact of heterosubstituted, saturated or unsaturated aliphatic acid on melanogenesis. Solutions having a final concentration of 0.1 to 5 micromolar were prepared from a 10 millimolar dimethyl sulfoxide stock solution and dosed ten (10) times in a three (3) week period into the media of the MelanoDerm cultures. The media consisted of commercially available basal Dulbecco's Modified Eagles media prepared and treated in the manner set forth in the manufacturer's

instructions. For long term maintenance of the MelanoDerms, the basal media was supplemented with basic fibroblast growth factor (bFGF) and alpha melanocyte stimulating hormone (MSH) to stimulate melanocyte growth and melanogenesis. Each treatment condition was done in duplicate and three (3) sets were made for each treatment as well as for a control (culture not treated with the aliphatic acid). The cultures were maintained at a temperature of 37°C and incubated in a humidified, 5% CO₂ incubator during the dosing period, but removed while being dosed.

After a three (3) week period, the MelanoDerm cultures were removed and solubilized in a centrifuge tube containing 250 microliters of Solvable reagent (GNE9100, Packard) for sixteen (16) hours (overnight) in a 60°C oven. Following solubilization, the centrifuge tube containing the sample was spun at 12,000 g for five (5) minutes. Two hundred (200) microliters of supernatant were removed and placed in a ninety-six (96) well plate. A spectrophotometer was used to measure the absorbance of the supernatant at 490 nm. A standard curve using synthetic melanin was set up in parallel to allow quantitation of melanin, in micrograms, of the samples. The results are provided below:

Т	a	b	les
	ч	\sim	. ~ ~

5

10

15

20	<u>Active</u>	MC* Value Range	<u>Average MC</u>	<u>ΔMC</u>
	Control	76.0 – 78.4	77.2	
	Aliphatic acid ⁱ	67.9 – 69.2	68.6	8.6
25	<u>Active</u>	MC Value Range	<u>Average MC</u>	<u>ΔMC</u>
	Control	76.0 – 78.4	77.2	
30	Aliphatic acid ⁱⁱ	69.9 – 67.6	68.8	8.4

i = ricinoleic acid (0.1uM)

ii = 12-hydroxystearic acid (5uM)

* MC = melanin content

WO 2009/153169 PCT/EP2009/056886

- 13 -

The results, as they relate to MelanoDerm cultures, show that cosmetic compositions with the aliphatic acids of this invention unexpectedly result in skin lightening.

CA 02728978 2010-12-20

- 14 -

CLAIMS

10

- 1. A cosmetic composition comprising:
 - a. a skin lightening additive which is 12-hydroxystearic acid and/or a salt thereof
- 5 b. a cosmetic carrier; and
 - c. niacinamide and/or a dioic acid.
 - 2. A cosmetic composition according to claim 1 wherein the dioic acid is malonic acid or sebacic acid.
 - 3. A cosmetic composition according to claim 1 or claim 2 wherein the cosmetic composition further comprises an alpha-hydroxy, beta-hydroxy acid, sunscreen or a mixture thereof.
- 4. A cosmetic composition according to any one of the preceding claims wherein the composition further comprises conjugated linoleic acid, petroselinic acid or both.
 - 5. A cosmetic composition according to any one of the preceding claims wherein the composition further comprises antioxidant.
- A cosmetic composition according to anyone of the preceding daims additionally comprising a skin lightening additive which is an unsaturated aliphatic acid selected from the group consisting of lesquerolic acid; ricinelaidic acid; ambrettolic acid; ricinelaidic acid; beta-dimorphecolic acid; densipolic acid; 8-methoxy-13-hydroxy-9, 11-octadecadienoic acid; 7-oxo-octadecanoic acid; 9-oxo-octadecanoic acid; 12-oxo-octadecanoic acid; 10-oxo-14-methyl-pentadecanoic acid; and a mixture thereof.
 - 7. A cosmetic composition according to claim 6 wherein the unsaturated aliphatic acid is 12-oxo-octadecanoic acid.
- 30 8. A cosmetic composition according to claim 6 or claim 7 wherein the weight ratio of 12-hydroxystearic acid and/or a salt thereof and the unsaturated aliphatic acid is from 5:95 to 95:5, preferably 10:90 to 90:10, most preferably 40:60 to 60:40.

P.05

CA 02728978 2010-12-20

- 15 -

- 9. A cosmetic composition according to any one of the preceding daims wherein the 12-hydroxystearic acid and/or a salt thereof and the unsaturated aliphatic acid comprises 2-9, preferably 3-8, most preferably 3-6% by weight of the composition.
- 10. A cosmetic composition according to any one of claims 1 to 8 wherein the amount of skin lightening additive is 0.001–15, preferably 0.1–12, most preferably 1-10% by weight of the composition.
- 11. A cosmetic composition according to daim 10 wherein the skin lightening additive comprises from 0.2 to 95%, preferably from 10 to 85% and most preferably from 30 to 65% by weight 12-hydroxystearic acid and/or a salt thereof, and/or the unsaturated aliphatic acid based on total weight of the skin lightening additive.
- 12. A cosmetic composition according to any one of the preceding claims wherein the composition additionally comprises a skin lightening additive which is an ester of 12-hydroxystearic acid.
 - 13. A method for lightening skin color comprising the step of contacting skin with a composition according to any one of the preceding claims.

EMPEANGSZEIT 20. 3EP. 16 15

13707800K07E17 19 E5 K 6 6 FITTION IN THE