



(51) International Patent Classification:

A23G 1/48 (2006.01) A24B 15/24 (2006.01)  
A24B 13/00 (2006.01)

(21) International Application Number:

PCT/US20 12/070543

(22) International Filing Date:

19 December 2012 (19.12.2012)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

13/330,929 20 December 2011 (20.12.2011) US

(71) Applicant: **R. J. REYNOLDS TOBACCO COMPANY**  
[US/US]; 401 North Main Street, Winston-Salem, North  
Carolina 27101-3804 (US).

(72) Inventors: **CANTRELL, Daniel, Verdin**; 4125 Winding  
Oaks Trail, Lewisville, North Carolina 27023 (US).  
**CHEN, Gong**; 3558 Meadow Glen Drive, Clemmons,  
North Carolina 27012 (US). **JACKSON, Thaddeus, J.**;  
3733 Pemberton Way, High Point, North Carolina 27265  
(US). **BENFORD, Matthew, William**; 588 Garden Valley  
Drive, Winston-Salem, North Carolina 27107 (US).

(74) Agent: **HUMPHREY, Christopher, M.**; Womble Carlyle  
Sandridge & Rice, LLP, P.O. Box 7037, Atlanta, Georgia  
30357-0037 (US).

(81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,  
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,  
HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,  
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,  
ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI,  
NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU,  
RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ,  
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA,  
ZM, ZW.

(84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,  
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,  
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,  
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,  
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,  
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,  
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,  
ML, MR, NE, SN, TD, TG).

**Declarations under Rule 4.17:**

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(H))
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(in))

**Published:**

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))



WO 2013/096408 A1

(54) Title: MELTABLE SMOKELESS TOBACCO COMPOSITION

(57) Abstract: A meltable smokeless tobacco composition configured for insertion into the mouth of a user is provided. The smokeless tobacco composition includes a tobacco extract and a lipid. An associated process is also provided. The process includes melting a lipid to form a molten lipid composition, mixing a tobacco extract with the molten lipid composition to form a molten smokeless tobacco composition, and cooling the molten smokeless tobacco composition to form a solidified smokeless tobacco composition.

## MELTABLE SMOKELESS TOBACCO COMPOSITION

## FIELD OF THE DISCLOSURE

The present disclosure relates to products made or derived from tobacco, or that otherwise incorporate tobacco, and are intended for human consumption. In particular, the disclosure relates to compositions or formulations incorporating tobacco, and that are intended to be employed in a smokeless form.

5

## BACKGROUND OF THE DISCLOSURE

Cigarettes, cigars, and pipes are popular smoking articles that employ tobacco in various forms. Such smoking articles are employed by heating or burning tobacco to generate aerosol (e.g., smoke) that may be inhaled by the smoker. Tobacco may also be enjoyed in a so-called "smokeless" form. Particularly popular smokeless tobacco products are employed by inserting some form of processed tobacco or tobacco-containing formulation into the mouth of the user. See for example, the types of smokeless tobacco formulations, ingredients, and processing methodologies set forth in US Pat. Nos. 1,376,586 to Schwartz; 3,696,917 to Levi; 4,513,756 to Pittman et al.; 4,528,993 to Sensabaugh, Jr. et al.; 4,624,269 to Story et al.; 4,991,599 to Tibbetts; 10 4,987,907 to Townsend; 5,092,352 to Sprinkle, III et al.; 5,387,416 to White et al.; 6,668,839 to Williams; 6,834,654 to Williams; 6,953,040 to Atchley et al.; 7,032,601 to Atchley et al.; and 7,694,686 to Breslin et al; US Pat. Pub. Nos. 2004/0020503 to Williams; 2005/01 15580 to Quinter et al; 2005/0244521 to Strickland et al.; 2006/0191548 to Strickland et al; 2007/0062549 to Holton, Jr. et al.; 2007/0186941 to Holton, Jr. et al.; 2007/0186942 to Strickland et al.; 20 2008/00291 10 to Dube et al.; 2008/00291 16 to Robmson et al.; 2008/00291 17 to Mua et al.; 2008/0173317 to Robinson et al.; 2008/0196730 to Engstrom et al.; 2008/0209586 to Neilsen et al.; 2008/0305216 to Crawford et al.; 2009/0065013 to Essen et al.; and 2009/0293889 to Kumar et al.; PCT WO 04/095959 to Arnarp et al.; and US Pat. Appl. Serial No. 12/638,394, filed December 15, 2009, to Mua et al. (now published as US 201 1/0139164 to Mua et al.); each of which is 25 incorporated herein by reference. Exemplary smokeless tobacco products include CAMEL Snus, CAMEL Orbs, CAMEL Strips and CAMEL Sticks by R. J. Reynolds Tobacco Company; REVEL Mint Tobacco Packs and SKOAL Snus by U.S. Smokeless Tobacco Company; and MARLBORO Snus and Taboka by Philip Morris USA.

It would be desirable to provide an enjoyable form of a tobacco product, such as a smokeless tobacco product, and to provide processes for preparing tobacco-containing compositions suitable for use in smokeless tobacco products.

30

## SUMMARY OF THE DISCLOSURE

The present disclosure relates to a meltable smokeless tobacco product configured for insertion into the mouth of a user and processes for preparing a smokeless tobacco composition suitable for use in a meltable smokeless tobacco product. The smokeless tobacco composition of the disclosure utilizes a lipid substance to provide a meltable smokeless tobacco product. In one aspect, the smokeless tobacco product is in the form of a solid object including a tobacco material and a lipid substance. The smokeless tobacco composition preferably includes a lipid and a tobacco extract, and may include other ingredients, such as sweeteners, binders, fillers, flavoring agents, disintegration aids, preservatives, and the like. According to one aspect, the tobacco extract is an aqueous tobacco extract in spray-dried or freeze-dried particulate form. The meltable smokeless tobacco composition of the disclosure can be packaged as a plurality of product units in a handheld smokeless tobacco container.

In certain embodiments, it is advantageous to mix a tobacco extract with an extender before drying to improve handling and mixing properties of the dried product. For example, the tobacco extract can be used in the form of a particulate mixture of spray-dried or freeze-dried tobacco extract particles and a second spray-dried or freeze-dried particulate material, such as any of a variety of filler or binder materials (e.g., maltodextrin, cyclodextrin, and natural gums such as gum arabic). The weight ratio of tobacco extract to second particulate material in the final dried product can vary, but typically is about 7:1 to about 1:1, such as about 5:1 to about 2:1.

In one aspect, the disclosure provides a meltable smokeless tobacco composition configured for insertion into the mouth of a user of the product, the tobacco product comprising a tobacco material and a lipid having a melting point of about 36°C to about 45°C, such as about 38°C to about 41°C. Suitable lipids for providing melting properties of the meltable smokeless tobacco product include animal or plant derived fat, wax, and oil substances, and the like. An exemplary lipid composition is a plant-derived fat comprising a plurality of saturated or unsaturated fatty acid chains having a carbon length of about 14 to about 20 carbon atoms. In one embodiment, the lipid is a blend of palm kernel oil and palm oil.

The smokeless tobacco composition can further include one or more additional components, such as flavorants, fillers, binders, buffering agents, colorants, humectants, oral care additives, preservatives, syrups, disintegration aids, antioxidants, additives derived from an herbal or botanical source, flow aids, and mixtures thereof. Certain embodiments of the invention include fillers (e.g., isomalt or other sugar alcohols), artificial sweeteners (e.g., sucralose), flavorants (e.g., vanillin, spray-dried menthol), salts (e.g., sodium chloride), and combinations thereof. In certain embodiments, the smokeless tobacco composition comprises a sugar alcohol, such as isomalt, in an

amount of at least about 20 dry weight percent or at least about 40 dry weight percent, based on die total weight of the composition.

Exemplary compositions of the invention include a composition including at least about 2 dry weight percent of tobacco extract; at least about 30 dry weight percent of lipid; at least about  
5 0.1 dry weight percent of at least one sweetener; at least about 30 dry weight percent of at least one filler; and at least about 0.5 dry weight percent of at least one flavorant, based on the total weight of the composition. In another embodiment, the composition include at least about 2 dry weight percent of tobacco extract; at least about 35 dry weight percent of lipid; at least about 0.25 dry weight percent of at least one sweetener; at least about 50 dry weight percent of at least one filler;  
10 at least about 0.25 dry weight percent of a salt; and at least about 1.0 dry weight percent of at least one flavorant, based on the total weight of the composition. In a still further embodiment, the invention provides a smokeless tobacco composition including about 2 to about 10 dry weight percent of tobacco extract; about 30 to about 50 dry weight percent of lipid; about 0.1 to about 1 dry weight percent of artificial sweetener; about 30 to about 60 dry weight percent filler; a flavorant  
15 in an amount up to about 5 dry weight percent; and sodium chloride in an amount up to about 10 dry weight percent, based on the total dry weight of the smokeless tobacco composition. With respect to any of the composition embodiments set forth herein, one could add a second tobacco material in the form of a particulate tobacco material (e.g., a milled tobacco material), typically in an amount of about 1 to about 10 dry weight percent, based on the total weight of the composition.  
20 In certain embodiments, any of the compositions noted herein can further include lecithin, which can act as a binder or emulsifier.

In yet another aspect, the disclosure provides a process for preparing a meltable smokeless tobacco composition configured for insertion into the mouth of a user and suitable for use as a smokeless tobacco product. The process includes melting a lipid having a melting point of about  
25 36°C to about 45°C to form a molten lipid composition; mixing the tobacco material and optional additional components (e.g., flavorants, binders, fillers, disintegration aids, humectants, and mixtures thereof) with the molten lipid to form a molten smokeless tobacco composition; and cooling the molten smokeless tobacco composition to form a solidified smokeless tobacco composition. In certain embodiments, the method includes mixing one or more of a salt and a  
30 sugar alcohol with the molten lipid composition. The process can include depositing the molten smokeless tobacco composition in a mold so as to form the molten smokeless tobacco composition into a predetermined shape.

As noted previously, the tobacco material can be an aqueous tobacco extract, which can be in spray-dried or freeze-dried particulate form. The spray-dried extract can also comprise a second

particulate material. In such embodiments, the process of the invention can further include the step of preparing a spray-dried or freeze-dried mixture of the tobacco extract and the second particulate material by mixing the aqueous tobacco extract with an amount of the second particulate material sufficient to provide a mixture with a solids content of at least about 18 weight percent, and  
5 thereafter subjecting the mixture to spray-drying or freeze-drying to form a dry particulate material.

Aspects of the present disclosure thus provide advantages as otherwise detailed herein.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present disclosure now will be described more fully hereinafter. The disclosure may be  
10 embodied in many different forms and should not be construed as limited to the aspects set forth herein; rather, these aspects are provided so that this disclosure will satisfy applicable legal requirements. Like numbers refer to like elements throughout. As used in this specification and the claims, the singular forms "a," "an," and "the" include plural referents unless the context clearly dictates otherwise.

15 The disclosure provides a smokeless tobacco composition suitable for oral use. The smokeless tobacco composition generally includes a particulate tobacco material and a lipid. Such a composition may be used to provide a meltable smokeless tobacco product for oral use. As used herein, "melt," "melting," and "meltable" refer to the ability of the smokeless tobacco product to change from a solid state to a liquid state. That is, melting occurs when a substance (e.g., the  
20 smokeless tobacco product) changes from solid to liquid, usually by the application of heat. The application of heat in regard to the smokeless tobacco product of the present invention is provided by the internal temperature of a user's mouth. Thus, the term "meltable" refers to a product that is capable of liquefying in the mouth of the user as the product changes phase from solid to liquid, and is intended to distinguish products that merely disintegrate in the oral cavity through loss of  
25 cohesiveness within the product or products that merely dissolve in the oral cavity as aqueous-soluble components of the product interact with moisture.

In this regard, the melting characteristics of the smokeless tobacco composition  
embodiments described herein may generally be attributed to a lipid component, such as, for  
example, a fat, oil, or wax substance (or combination thereof), forming a portion of the smokeless  
30 tobacco composition. The lipid components used in the invention can be derived from animal or plant material and typically comprise mostly triglycerides along with lesser amounts of free fatty acids and mono- or di-glycerides. In certain embodiments, the lipid used in the invention is a plant-derived fat material that is solid or semi-solid at room temperature (i.e., at about 25°C) and which at least partially liquefies when subjected to the temperature of the oral cavity of the user. Such

plant-derived fats are comprised primarily of saturated or unsaturated fatty acid chains (most of which are bound within triglyceride structures) having a carbon length of about 10 to about 26 carbon atoms, more typically about 14 to about 20 carbon atoms, and most often about 14 to about 18 carbon atoms. Exemplary fats that can be used include palm oil, palm kernel oil, soybean oil, cottonseed oil, and mixtures thereof. According to some aspects, the lipid substance may be hydrogenated, partially hydrogenated, or non-hydrogenated. In some instances, the lipid substance may include a blend of lipid components. For example, the lipid substance may include a blend of palm oil and palm kernel oil. The lipid substance is typically an individual ingredient separate and distinct from the particulate tobacco material used to form the smokeless tobacco composition.

A variety of methods exist for determining the melting point of lipids. However, many naturally-occurring lipids are not chemically homogenous and, therefore, do not have a true single melting point, i.e., the temperature of transition from the solid to the liquid state. Thus, lipids are sometimes characterized by a melting range. One test for determining the melting point of lipids is the Mettler dropping point method (ASTM Standard D3954, 2010, "Standard Test Method for Dropping Point of Waxes," ASTM International, West Conshohocken PA, 2003, DOI 10.1520/D3954-94R10, www.astm.org.). Melting temperatures for lipids described herein, or smokeless tobacco products containing such lipids, refer to melting temperature points or ranges determined based on the Mettler dropping point method, unless otherwise specified.

The melting point of the lipid component may be chosen so that the resulting smokeless tobacco product composition has a melting point in an appropriate range to provide the desired melting characteristics when the smokeless tobacco product is placed in the oral cavity of the user. In some embodiments, it may be desirable to use a lipid with a higher melting point so that the final smokeless tobacco product remains substantially solid in the oral cavity during use, meaning the user must chew the product in order to break the product into smaller pieces. In other embodiments, a lower melting point can be selected such that the final product readily melts in the mouth of the user during use. Typically, the melting point of the lipid component will be about 29°C to about 49°C, often about 36°C to about 45°C, and most often about 38°C to about 41°C. In certain embodiments, the melting point of the smokeless tobacco product made using the lipid component will also have a melting point within the above ranges. Use of lipids with a melting point of less than about 36°C is typically less preferred due to handling concerns. That is, transportation and storage of the smokeless tobacco product made using such a lipid may subject the product to high temperatures that could result in a prematurely melted product. In addition, lipid components (and meltable smokeless tobacco products made therefrom) with a melting point

of more than about 41°C are less preferred in certain embodiments due to less desirable mouthfeel characteristics, such as mouthfeel that can be characterized as waxy.

Lipid substances capable of use pursuant to the present invention are available from, for example, Loders Croklaan and AarhusKarlshamn USA Inc. Exemplary lipid substances include  
5 108-24-B from AarhusKarlshamn USA Inc. (a non-hydrogenated lauric coating fat containing a blend of palm kernel oil and palm oil); PARAMOUNT X from Loders Croklaan (a partially hydrogenated vegetable oil containing a blend of palm kernel oil, soybean oil, and cottonseed oil); CENTERNAL 625 from Loders Croklaan (a vegetable fat); PARAMOUNT C from Loders Croklaan (a lauric coating fat containing partially hydrogenated palm kernel oil with lecithin);  
10 KAKOTE 102 from Loders Croklaan (a lauric coating fat containing partially hydrogenated palm kernel oil); SILKO 35-08 from AarhusKarlshamn USA Inc. (an interesterified hydrogenated lauric fat containing palm kernel oil); CEBES 27-70 from AarhusKarlshamn USA Inc. (a fractionated lauric cocoa butter substitute containing hydrogenated palm kernel oil); CISAO 82-53 from AarhusKarlshamn USA Inc. (a non-hydrogenated palm oil); CEBES 29-21 from AarhusKarlshamn  
15 USA Inc. (a fractionated cocoa butter substitute containing palm kernel oil and palm oil); CEBES 27-55 from AarhusKarlshamn USA Inc. (a lauric based fat containing partially hydrogenated palm kernel oil and hydrogenated soybean oil); 108-48-B from AarhusKarlshamn USA Inc. (a non-hydrogenated lauric fat which is a blend of palm kernel oil and palm oil); CEBES 29-07 from AarhusKarlshamn USA Inc. (a fractionated non-hydrogenated cocoa butter substitute); CEBES 21-  
20 20 from AarhusKarlshamn USA Inc. (a fractionated lauric cocoa butter substitute); CEBES 29-07 from AarhusKarlshamn USA Inc. (a fractionated lauric cocoa butter substitute); and CISAO 78-33 from AarhusKarlshamn USA Inc. (a non-hydrogenated structuring fat).

The relative amount of lipid substance within the smokeless tobacco composition may vary. Preferably, the amount of lipid substance within the smokeless tobacco composition is at least  
25 about 10 percent, at least about 20 percent, or at least about 30 percent, on a dry weight basis of the composition. In certain aspects, the amount of lipid material is less than about 60 percent, less than about 50 percent, or less than about 40 weight percent, on a dry weight basis. Exemplary lipid weight ranges include about 10 to about 60 dry weight percent, more typically about 20 to about 40 dry weight percent.

30 The products of the disclosure incorporate some form of a plant of the *Nicotiana* species, and most preferably, those compositions or products incorporate some form of tobacco. The selection of the *Nicotiana* species can vary; and in particular, the selection of the types of tobacco or tobaccos may vary. Tobaccos that can be employed include flue-cured or Virginia (e.g., K326), burley, sun-cured (e.g., Indian Kurnool and Oriental tobaccos, including Katerini, Prelip, Komotini,

Xanthi and Yambol tobaccos), Maryland, dark, dark-fired, dark air cured (e.g., Passanda, Cubano, Jatin and Bezuki tobaccos), light air cured (e.g., North Wisconsin and Galpao tobaccos), Indian air cured, Red Russian and *Rustica* tobaccos, as well as various other rare or specialty tobaccos.

5 Descriptions of various types of tobaccos, growing practices and harvesting practices are set forth in *Tobacco Production, Chemistry and Technology*, Davis et al. (Eds.) (1999), which is incorporated herein by reference. Various representative other types of plants from the *Nicotiana* species are set forth in Goodspeed, *The Genus Nicotiana*, (Chonica Botanica) (1954); US Pat. Nos. 4,660,577 to Sensabaugh, Jr. et al.; 5,387,416 to White et al. and 7,025,066 to Lawson et al.; US Patent Appl. Pub. Nos. 2006/0037623 to Lawrence, Jr. and 2008/0245377 to Marshall et al.; each  
10 of which is incorporated herein by reference. Exemplary *Nicotiana* species include *N. tabacum*, *N. rustica*, *N. alata*, *N. arentsii*, *N. excelsior*, *N. forgetiana*, *N. glauca*, *N. glutinosa*, *N. gossei*, *N. kawakamii*, *N. knightiana*, *N. langsdorffi*, *N. otophora*, *N. setchelli*, *N. sylvestris*, *N. tomentosa*, *N. tomentosiformis*, *N. undulata*, *N. x sanderae*, *N. africana*, *N. amplexicaulis*, *N. benavidesii*, *N. bonariensis*, *N. debneyi*, *N. longiflora*, *N. maritima*, *N. megalosiphon*, *N. occidentalis*, *N.*  
15 *paniculata*, *N. plumbaginifolia*, *N. raimondii*, *N. rosulata*, *N. simulans*, *N. stocktonii*, *N. suaveolens*, *N. umbratica*, *N. velutina*, *N. wigandioides*, *N. acaulis*, *N. acuminata*, *N. attenuata*, *N. benthamiana*, *N. cavicola*, *N. clevelandii*, *N. cordifolia*, *N. corymbosa*, *N. fragrans*, *N. goodspeedii*, *N. linearis*, *N. miersii*, *N. nudicaulis*, *N. obtusifolia*, *N. occidentalis* subsp. *Hersperis*, *N. pauciflora*, *N. petunioides*, *N. quadrivalvis*, *N. repanda*, *N. rotundifolia*, *N. solanifolia*, and *N. spegazzinii*.

20 *Nicotiana* species can be derived using genetic-modification or crossbreeding techniques (e.g., tobacco plants can be genetically engineered or crossbred to increase or decrease production of components, characteristics or attributes). See, for example, the types of genetic modifications of plants set forth in US Pat. Nos. 5,539,093 to Fitzmaurice et al.; 5,668,295 to Wahab et al.; 5,705,624 to Fitzmaurice et al.; 5,844,119 to Weigl; 6,730,832 to Dominguez et al.; 7,173,170 to  
25 Liu et al.; 7,208,659 to Colliver et al. and 7,230,160 to Benning et al.; US Patent Appl. Pub. No. 2006/0236434 to Conkling et al.; and PCT WO 2008/103935 to Nielsen et al.

For the preparation of smokeless and smokable tobacco products, it is typical for harvested plant of the *Nicotiana* species to be subjected to a curing process. Descriptions of various types of curing processes for various types of tobaccos are set forth in *Tobacco Production, Chemistry and*  
30 *Technology*, Davis et al. (Eds.) (1999). Exemplary techniques and conditions for curing flue-cured tobacco are set forth in Nestor et al., *Beitrag Tabakforsch. Int.*, 20, 467-475 (2003) and US Pat. No. 6,895,974 to Peele, which are incorporated herein by reference. Representative techniques and conditions for air curing tobacco are set forth in US Pat. No. 7,650,892 to Groves et al.; Roton et al., *Beitrag Tabakforsch. Int.*, 21, 305-320 (2005) and Staaf et al., *Beitrag Tabakforsch. Int.*, 21,



321-330 (2005), which are incorporated herein by reference. Certain types of tobaccos can be subjected to alternative types of curing processes, such as fire curing or sun curing. Preferably, harvested tobaccos that are cured are then aged. As such, tobaccos used for the preparation of tobacco compositions or products most preferably incorporate components of tobaccos that have  
5 been cured and aged.

At least a portion of the plant of the *Nicotiana* species (e.g., at least a portion of the tobacco portion) can be employed in an immature form. That is, the plant, or at least one portion of that plant, can be harvested before reaching a stage normally regarded as ripe or mature. As such, for example, tobacco can be harvested when the tobacco plant is at the point of a sprout, is  
10 commencing leaf formation, is commencing flowering, or the like.

At least a portion of the plant of the *Nicotiana* species (e.g., at least a portion of the tobacco portion) can be employed in a mature form. That is, the plant, or at least one portion of that plant, can be harvested when that plant (or plant portion) reaches a point that is traditionally viewed as being ripe, over-ripe or mature. As such, for example, through the use of tobacco harvesting  
15 techniques conventionally employed by farmers, Oriental tobacco plants can be harvested, burley tobacco plants can be harvested, or Virginia tobacco leaves can be harvested or primed by stalk position.

After harvest, the plant of the *Nicotiana* species, or portion thereof, can be used in a green form (e.g., tobacco can be used without being subjected to any curing process). For example,  
20 tobacco in green form can be frozen, subjected to irradiation, yellowed, dried, cooked (e.g., roasted, fried or boiled), or otherwise subjected to storage or treatment for later use. Such tobacco also can be subjected to aging conditions.

The tobacco material may be cased and dried, and then ground to the desired form. For example, in some instances, the tobacco material formulation may be cased with an aqueous casing  
25 containing components such as sugars (e.g., fructose, glucose, and sucrose), humectants (e.g., glycerin and propylene glycol), flavoring ingredients (e.g., cocoa and licorice), and the like. Non-aqueous casing components may be applied to the tobacco in amounts of about 1 percent to about 15 percent, based on the dry weight of the tobacco.

The tobacco material is typically used in a form that can be described as particulate (i.e.,  
30 shredded, ground, granulated, or powder form). The manner by which the tobacco material is provided in a finely divided or powder type of form may vary. Preferably, plant parts or pieces are comminuted, ground or pulverized into a particulate form using equipment and techniques for grinding, milling, or the like. Most preferably, the plant material is relatively dry in form during grinding or milling, using equipment such as hammer mills, cutter heads, air control mills, or the

like. For example, tobacco parts or pieces may be ground or milled when the moisture content thereof is less than about 15 weight percent to less than about 5 weight percent. Most preferably, the tobacco material is employed in the form of parts or pieces that have an average particle size less than about 50 microns. In one embodiment, the average particle size of the tobacco particles may be less than or equal to about 25 microns. In some instances, the tobacco particles may be sized to pass through a screen mesh. If desired, air classification equipment may be used to ensure that small sized tobacco particles of the desired sizes, or range of sizes, may be collected. If desired, differently sized pieces of granulated tobacco may be mixed together.

At least a portion of the tobacco material employed in the tobacco composition or product (e.g., the tobacco component) can have the form of an extract. Tobacco extracts can be obtained by extracting tobacco using a solvent having an aqueous character such as distilled water or tap water. As such, aqueous tobacco extracts can be provided by extracting tobacco with water, such that water insoluble pulp material is separated from the aqueous solvent and the water soluble and dispersible tobacco components dissolved and dispersed therein. The tobacco extract can be employed in a variety of forms. For example, the aqueous tobacco extract can be isolated in an essentially solvent free form, such as can be obtained as a result of the use of a spray drying or freeze drying process, or other similar types of processing steps. Alternatively, the aqueous tobacco extract can be employed in a liquid form, and as such, the content of tobacco solubles within the liquid solvent can be controlled by selection of the amount of solvent employed for extraction, concentration of the liquid tobacco extract by removal of solvent, addition of solvent to dilute the liquid tobacco extract, or the like. Exemplary techniques for extracting components of tobacco are described in US Pat. Nos. 4,144,895 to Fiore; 4,150,677 to Osborne, Jr. et al.; 4,267,847 to Reid; 4,289,147 to Wildman et al.; 4,351,346 to Brummer et al.; 4,359,059 to Brummer et al.; 4,506,682 to Muller; 4,589,428 to Kei tsis; 4,605,016 to Soga et al.; 4,716,911 to Poulouse et al.; 4,727,889 to Niven, Jr. et al.; 4,887,618 to Bernasek et al.; 4,941,484 to Clapp et al.; 4,967,771 to Fagg et al.; 4,986,286 to Roberts et al.; 5,005,593 to Fagg et al.; 5,018,540 to Grabbs et al.; 5,060,669 to White et al.; 5,065,775 to Fagg; 5,074,319 to White et al.; 5,099,862 to White et al.; 5,121,757 to White et al.; 5,131,414 to Fagg; 5,131,415 to Munoz et al.; 5,148,819 to Fagg; 5,197,494 to Kramer; 5,230,354 to Smith et al.; 5,234,008 to Fagg; 5,243,999 to Smith; 5,301,694 to Raymond et al.; 5,318,050 to Gonzalez-Parra et al.; 5,343,879 to Teague; 5,360,022 to Newton; 5,435,325 to Clapp et al.; 5,445,169 to Brinkley et al.; 6,131,584 to Lauterbach; 6,284,875 to Turpen et al.; 6,298,859 to Kierulff et al.; 6,772,767 to Mua et al.; 6,817,970 to Berit et al.; 6,906,172 to Bratcher et al.; 7,034,128 to Turpen et al.; 7,048,211 to Bratcher et al.; and 7,337,782 to Thompson; and US Patent Appl. Pub. Nos. 2008/0029110 to Dube et al.; 2008/0173317 to

Robinson et al.; 2009/0025738 to Mua et al.; 201 1/0139164 to Mua et al.; 201 1/0247640 to Beeson et al., all of which are incorporated by reference herein.

In some embodiments utilizing a tobacco extract in spray-dried or freeze-dried particulate form, it is useful to mix the tobacco extract with an extender component (e.g., any of the filler or binder components noted herein such as maltodextrin, cyclodextrin, or a natural gum such as gum arabic) prior to the drying process to form a particulate dried mixture that can exhibit improved mixing properties, resulting in a more homogeneous final product. Spray-dried tobacco extracts tend to have a low density and poor flowability, which makes handling of the extract more challenging in a manufacturing process. Accordingly, in certain embodiments, an extender component can be added to the aqueous tobacco extract in an amount sufficient to raise the pre-drying solids content of the aqueous composition to about 18 to about 22 percent by weight (e.g., at least about 18 or at least about 20 percent by weight). Thereafter, the combined mixture can be spray-dried or freeze-dried, and the resulting material will typically have a weight ratio of extract to extender of about 7:1 to about 1:1, more often about 5:1 to about 2:1 (e.g., about 3:1).

The relative amount of tobacco material (e.g., a milled tobacco material or an aqueous tobacco extract) within the smokeless tobacco composition may vary, but tobacco material is typically the predominate ingredient. Preferably, the amount of tobacco material formulation within the smokeless tobacco composition is at least about 25 percent or at least about 30 percent, on a dry weight basis of the composition. In certain instances, the amounts of other components within the smokeless tobacco composition may exceed about 40 percent, on a dry weight basis. A typical range of tobacco material formulation within the smokeless tobacco composition is about 25 to about 60 dry weight percent, more typically about 30 to about 40 dry weight percent.

However, smaller amounts of tobacco material can be employed, particularly where the tobacco is used in the form of a concentrated tobacco extract. For example, some embodiments of the present invention comprises at least about 1 dry weight percent, at least about 2 dry weight percent, or at least about 3 dry weight percent of tobacco extract (e.g., about 1 to about 10 dry weight percent of tobacco extract).

The moisture content of the tobacco material formulation prior to mixing with the lipid substance to form the smokeless tobacco composition may vary. Most preferably, the moisture content of the tobacco material formulation is less than about 10 weight percent, and may be less than about 6 percent, and is often less than about 3 weight percent. The manner by which the moisture content of the tobacco material formulation is controlled may vary. For example the tobacco material formulation may be subjected to thermal or convection heating. As a specific example, the tobacco material formulation may be oven-dried, in warmed air at temperatures of

about 40°C to about 95°C for a length of time appropriate to attain the desired moisture content. For example, the tobacco material formulation may be dried for about 12 hours to about 24 hours at about 54°C to about 60°C.

In some instances, prior to preparation of the tobacco material formulation, **the tobacco** parts or pieces may be irradiated, or those parts **and** pieces may be pasteurized, or otherwise subjected to controlled heat treatment. Additionally, if desired, after preparation of **all** or a portion of the tobacco material formulation, the component materials maybe irradiated, or those component materials may be pasteurized, or otherwise subjected to controlled heat treatment. For example, a tobacco material formulation may be prepared, followed by irradiation or pasteurization, and then flavoring ingredient(s) may be applied to **the** formulation. Representative **processes** are set forth in US Pat. Pub. Nos. 2009/0025738 to Mua et al; 2009/0025739 to Brinkley et al.; and 2011/0247640 to Beeson et al., which are incorporated herein by reference.

In one embodiment, a moist tobacco material is subjected to a heat treatment (e.g., heating the moist tobacco material at a temperature of at least about 100°C) after mixing the tobacco material with one or more additives selected from the group consisting of lysine, glycine, histidine, alanine, methionine, glutamic acid, aspartic acid, proline, phenylalanine, valine, arginine, compositions incorporating di- and trivalent cations, asparaginase, certain **non**-reducing saccharides, certain reducing agents, phenolic compounds, certain compounds having at least **one** free thiol group or functionality (e.g., cysteine), oxidizing agents, oxidation catalysts, natural plant extracts (e.g., rosemary extract), and combinations thereof. Such a heat treatment process is described in US Pat. Pub. No. 2010/0300463 to Chen et al., which is incorporated by reference herein.

In certain embodiments, the tobacco extract used in the invention **is a heat-treated tobacco** extract that has been treated prior to inclusion **in** the smokeless **tobacco** product **by** heating **the** tobacco extract in an aqueous solution comprising lysine, cysteine, asparaginase, or hydrogen peroxide. The aqueous solution can comprise additional additives; for example, in some embodiments, the aqueous solution further comprises NaOH. In one exemplary embodiment, a smokeless tobacco product is provided, wherein the tobacco extract is **a heat-treated tobacco** extract that has been treated prior to inclusion in the smokeless tobacco product **by** heating **the tobacco** extract in an aqueous solution comprising L-lysine and NaOH.

The tobacco material formulation used for the manufacture of the smokeless **tobacco** product also can be processed, blended, formulated, combined and mixed with other materials or ingredients. See, for example, those representative components, combination of components, relative amounts of those components and ingredients relative to tobacco, and manners and

methods for employing those components, set forth in US Pat. Pub. Nos. 2007/0062549 to Holton, et al. and 2007/01 86941 to Holton, et al. and, each of which is incorporated herein by reference.

The additives can be artificial, or can be obtained or derived from herbal or biological sources. Exemplary types of additives include salts (e.g., sodium chloride, potassium chloride, sodium citrate, potassium citrate, sodium acetate, potassium acetate, and the like), natural  
5 sweeteners (e.g., fructose, sucrose, glucose, maltose, vanillin, ethylvanillin glucoside, mannose, galactose, lactose, and the like), artificial sweeteners (e.g., sucralose, saccharin, aspartame, acesulfame K, neotame and the like), organic and inorganic fillers (e.g., grains, processed grains, puffed grains, maltodextrin, cyclodextrin, dextrose, calcium carbonate, calcium phosphate, corn  
10 starch, lactose, sugar alcohols such as isomalt, mannitol, erythritol, xylitol, or sorbitol, finely divided cellulose, and the like), binders (e.g., povidone, sodium carboxymethylcellulose and other modified cellulosic types of binders, sodium alginate, xanthan gum, starch-based binders, gum arabic, lecithin, and the like), pH adjusters or buffering agents (e.g., metal hydroxides, preferably alkali metal hydroxides such as sodium hydroxide and potassium hydroxide, and other alkali metal  
15 buffers such as metal carbonates, preferably potassium carbonate or sodium carbonate, or metal bicarbonates such as sodium bicarbonate, and the like), colorants (e.g., dyes and pigments, including caramel coloring, titanium dioxide, and the like), humectants (e.g., glycerin, propylene glycol, and the like), oral care additives (e.g., thyme oil, eucalyptus oil, and zinc), preservatives (e.g., potassium sorbate and the like), syrups (e.g., honey, high fructose corn syrup, and the like),  
20 disintegration or compressibility aids (e.g., microcrystalline cellulose, croscarmellose sodium, crospovidone, sodium starch glycolate, pregelatinized corn starch, and the like), flavorant and flavoring mixtures, antioxidants, and mixtures thereof.

Such additives may be preferably provided in a powder or granulated form for mixing with the tobacco material, prior to mixing with the lipid substance. Most preferably, the additive is  
25 employed in the form of parts or pieces that have an average particle size less than about 50 microns. According to some aspects, the average particle size of the additive may be about 25 microns or less. The moisture content of additives may vary. Most preferably, the moisture content of the additive is less than about 10 weight percent, and may be less than about 6 percent, and is often less than about 3 weight percent. The additive may be admixed with the particulate  
30 tobacco material in, for example, a Hobart mixer with a paddle prior to mixing with the lipid substance. The relative amounts of the various additive components within the smokeless tobacco composition may vary.

The aforementioned types of additives can be employed together (e.g., as additive formulations) or separately (e.g., individual additive components can be added at different stages

involved in the preparation of the final tobacco product). The relative amounts of the various components within the smokeless tobacco formulation may vary, and typically are selected so as to provide the desired sensory and performance characteristics to the tobacco product.

As used herein, a "flavorant" or "flavoring agent" is any flavorful or aromatic substance capable of altering the sensory characteristics associated with the smokeless tobacco composition. Exemplary sensory characteristics that can be modified by the flavorant include, taste, mouthfeel, moistness, coolness/heat, and/or fragrance/aroma. The flavorants can be natural or synthetic, and the character of these flavors can be described as, without limitation, fresh, sweet, herbal, confectionary, floral, fruity or spice. Specific types of flavors include, but are not limited to, vanilla, coffee, chocolate, cream, mint, spearmint, menthol, peppermint, wintergreen, lavender, cardamom, nutmeg, cinnamon, clove, cascarilla, sandalwood, honey, jasmine, ginger, anise, sage, licorice, lemon, orange, apple, peach, lime, cherry, and strawberry. Flavorants utilized in the invention also can include components that are considered moistening, cooling or soothing agents, such as eucalyptus. These flavors may be provided neat (i.e., alone) or in a composite (e.g., spearmint and menthol or orange and cinnamon). In some instances, the flavorant may be provided in a spray-dried form. In other instances, the flavorant may be provided in liquid form. Flavorants are typically present in an amount of about 0.5 to about 10 dry weight percent, often about 1 to about 6 dry weight percent, and most often about 2 to about 5 dry weight percent.

Sweeteners can be used in natural or artificial form or as a combination of artificial and natural sweeteners. In one embodiment, sucralose is a primary sweetener ingredient. When present, a representative amount of sweetener, whether an artificial sweetener and/or natural sugar, may make up at least about 1 percent to at least about 5 percent, of the total dry weight of the composition. Preferably, the amount of sweetener within the composition will not exceed about 40 percent, often will not exceed about 35 percent, and frequently will not exceed about 30 percent, of the total dry weight of the composition.

A non-sweetener flavorant preferably may be employed in amounts sufficient to provide desired sensory attributes to the smokeless tobacco composition. When present, a representative amount of flavorant (e.g., vanillin) may make up less than about 1 percent of the total dry weight of the composition.

The smokeless tobacco compositions of the invention will typically include at least one filler ingredient. Such components of the composition often fulfill multiple functions, such as enhancing certain organoleptic properties such as texture and mouthfeel, enhancing cohesiveness or compressibility of the product, and the like. Certain aspects of the disclosure utilize sugar alcohol components such as isomalt. When present, a representative amount of filler, whether an organic

and/or inorganic filler, may make up at least about 20 percent to at least about 40 percent, of the total dry weight of the composition. Preferably, the amount of filler within the composition will not exceed about 60 percent, and frequently will not exceed about 40 percent, of the total dry weight of the composition. In one embodiment, a sugar alcohol such as isomalt is provided as a  
5 filler.

A salt (e.g., sodium chloride) may be employed in amounts sufficient to provide desired sensory attributes to the smokeless tobacco composition. When present, a representative amount of salt will typically be used in an amount up to about 10 percent of the total dry weight of the composition, more typically up to about 5 percent or up to about 2 percent.

10 Any of the above-noted classes of ingredients for the smokeless tobacco composition of the disclosure can be derived from tobacco material by subjecting at least a portion of a tobacco plant (e.g., leaves, seeds, flowers, stalks, roots, or stems) to a separation process, which typically can include multiple sequential extraction steps, in order to isolate desired components of the tobacco material. Exemplary separation processes include chromatography, distillation, filtration,  
15 recrystallization, solvent-solvent partitioning, cold pressing, solvent extraction (e.g., using solvents such as water, alcohols or hydrocarbons such as heptane or hexane), or a combination thereof. The resulting isolated tobacco component can be chemically transformed prior to use in the compositions of the disclosure. Exemplary chemical transformations include hydrogenation, esterification, transesterification, isomeric conversion, acetal formation, acetal decomposition,  
20 acid/base reaction, hydrolysis, thermal treatment, enzymatic treatment, and combinations of such steps. Techniques for preparing tobacco isolates for use in the compositions of the disclosure are set forth, for example, in U.S. Pat. Pub. Nos. 2011/0174323 to Coleman, III et al, and 2011/0259353 to Coleman, III et al., which are incorporated by reference herein in their entirety. Examples of the types of compounds that may be present in the tobacco isolate include  
25 hydrocarbons, cellulose, alcohols, aldehydes, ketones, carboxylic acids, amino acids, esters, lactones, anhydrides, carbohydrates (e.g., reducing sugars), phenols, quinones, ethers, nitriles, amines, amides, imides, plastid pigments, proteins, coenzyme-Q, pectin, starch, lignin, and lipids. Additional examples are described as natural tar diluents in PCT WO 2007/012980 to Lipowicz, which is incorporated by reference herein in its entirety. The type or function of a smokeless  
30 tobacco ingredient prepared from a tobacco isolate will vary depending on the composition of the isolate, which can vary in part based on the extraction process employed, the portion of the tobacco plant involved, the type of chemical transformation utilized, and the like. Certain tobacco isolates can provide sugars, fillers, binders, disintegration or compressibility aids, or flavorants for the smokeless tobacco composition of the disclosure.

Representative smokeless tobacco compositions may incorporate about 25 to about 45 percent tobacco, about 10 to about 50 percent lipid component, about 0 to about 1 percent artificial sweetener, about 20 to about 40 percent filler, a flavorant in an amount of up to about 10 percent, and salt in an amount up to about 10 percent, based on the total dry weight of the smokeless tobacco composition. The particular percentages and choice of ingredients will vary depending upon the desired flavor, texture, and other characteristics.

The manner by which the various components of the smokeless tobacco composition are combined may vary. The various components of the smokeless tobacco composition may be contacted, combined, or mixed together in conical-type blenders, mixing drums, ribbon blenders, or the like, such as a Hobart mixer. As such, the overall mixture of various components with the powdered tobacco components may be relatively uniform in nature. See also, for example, the types of methodologies set forth in US Pat. Nos. 4,148,325 to Solomon et al.; 6,510,855 to Korte et al.; and 6,834,654 to Williams, each of which is incorporated herein by reference.

The manner by which the various components of the meltable smokeless tobacco composition are combined may vary. In one embodiment, the particulate tobacco material and any additives admixed therewith are provided in a dry form. That is, the particulate tobacco material and any additives preferably have a moisture content of less than about 10 percent, and preferably less than about 6 percent. All dry ingredients, in powder form, as well the dried particulate tobacco material, are added together and thoroughly mixed.

The lipid is typically melted in a mixing vessel to form a molten lipid composition. While maintaining heat to the mixing vessel having the molten lipid composition, the mixed dry formulation is added while vigorous mixing occurs, thereby forming a molten smokeless tobacco composition slurry having a moisture content of less than about 10 percent, and preferably less than about 5 percent. The slurry may be deposited in a mold (plastic, metal, etc.) to achieve a desired product size such as about 0.5 to about 1 gram weight per piece of smokeless tobacco product. In some instances, a Racine Depositor and a piston type jacketed depositor may be used for this type of application. The slurry may be deposited at varying temperatures, depending on the lipid substance used. Typically, in non-tempered lipid substances, the depositing temperature may be about 0.5 to about 1 degree Celsius above the melting point of the lipid substance. In some preferred embodiments, the depositing temperature of the slurry may be about 38°C to about 41°C. According to some aspects, the mold trays may be placed into a cooling tunnel at about 10°C to about 15°C for approximately 5-10 minutes. The slurry may then be allowed to harden by ambient air drying, after which the individual pieces of smokeless tobacco product may be removed from the mold. According to some aspects, the rate of hardening of the smokeless tobacco composition



can be increased by using refrigerated temperatures, such as, for example, about 4°C to cool the slurry.

According to some embodiments, the smokeless tobacco composition may be coated with a coating substance. For example, a glazing or anti-sticking coating substance, such as, for example, CAPOL 410 (available from Centerchem, Inc.), may be applied to the smokeless tobacco  
5 composition to provide free-flowing properties. Outer coatings can also help to improve storage stability of the smokeless tobacco products of the present disclosure as well as improve the packaging process by reducing friability and dusting. Devices for providing outer coating layers to the products of the present disclosure include pan coaters and spray coaters, and particularly  
10 include the coating devices available as CompuLab 24, CompuLab 36, Accela-Cota 48 and Accela-Cota 60 from Thomas Engineering.

An exemplary outer coating comprises a film-forming polymer, such as a cellulosic polymer, an optional plasticizer, and optional flavorants, colorants, salts, sweeteners or other additives of the types set forth herein. The coating compositions are usually aqueous in nature and  
15 can be applied using any pellet or tablet coating technique known in the art, such as pan coating. Exemplary film-forming polymers include cellulosic polymers such as methylcellulose, hydroxypropyl cellulose (HPC), hydroxypropyl methylcellulose (HPMC), hydroxyethyl cellulose, and carboxy methylcellulose. Exemplary plasticizers include aqueous solutions or emulsions of glyceryl monostearate and triethyl citrate. Exemplary coating compositions and methods of  
20 application are described in U.S. Application No. 12/876,785 to Hunt et al.; filed September 7, 2010, and which is incorporated by reference herein.

Although the foregoing description focuses on compositions that are uniform throughout each product unit, products can also be formed with multiple different formulations having different properties in the same product unit. For example, two different compositions could be co-  
25 extruded to form a product with different characteristics across its cross-section. Such a process could be used to provide a product with two different compositions featuring different melting rates such that a first portion of the product melts at a first rate (e.g., a faster rate) and a second portion melts at a second, slower rate.

According to some aspects, the tobacco component of the smokeless tobacco composition  
30 can be replaced or supplemented with other suitable botanical components such as, for example, tea particulates, coffee particulates, herbal particulates, spice particulates and/or combinations thereof. The particulates may be typically provided in a powder form, which may be extracted from an appropriate botanical source.

The smokeless tobacco composition can be provided in any suitable predetermined shape or form, and most preferably is provided as a molded product (e.g., formed in the general shape of a pill, pellet, tablet, sheet, coin, bead, ovoid, obloid, cylinder, bean, stick, rod, cube, or the like). The mouthfeel of certain embodiments of the smokeless tobacco product can be characterized by a smooth and creamy texture. According to one aspect, the smokeless tobacco product is capable of lasting in the user's mouth without chewing for about 2-3 minutes, meaning the user of the product is formulated for enjoyment in the oral cavity of about 2 to about 3 minutes before swallowing.

Certain smokeless tobacco compositions can incorporate tobacco as the major component thereof. In certain embodiments, those compositions do not, to any substantial degree, leave any residue in the mouth of the user thereof. In addition, certain embodiments of those compositions do not provide the user's mouth with a slick, waxy or slimy sensation, but instead provide a smooth and creamy sensation when in the mouth of the user.

Products of the present invention may be packaged and stored in any suitable packaging. See, for example, the various types of containers for smokeless types of products that are set forth in US Pat. Nos. 7,014,039 to Henson et al.; 7,537,110 to Kutsch et al.; 7,584,843 to Kutsch et al.; 7,946,450 to Gelardi et al.; 8,033,425 to Gelardi; 8,066,123 to Gelardi; D592,956 to Thiellier; D594,154 to Patel et al.; and D625,178 to Bailey et al.; US Pat. Pub. Nos. 2008/0173317 to Robinson et al.; 2009/0014343 to Clark et al.; 2009/0014450 to Bjorkholm; 2009/0250360 to Bellamah et al.; 2009/0230003 to Thiellier; 2010/0084424 to Gelardi; 2010/0133140 to Bailey et al.; 2010/0264157 to Bailey et al.; 2011/0168712 to Gelardi et al.; and 2011/0204074 to Bailey et al., which are incorporated herein by reference.

The following examples are provided to illustrate further aspects associated with the present disclosure, but should not be construed as limiting the scope thereof. Unless otherwise noted, all parts and percentages are by dry weight.

## EXPERIMENTAL

### Example 1

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), a salt (sodium chloride), a sweetener (sucralose), and flavorants (vanillin, spray-dried peppermint, spray-dried menthol). All dry ingredients, in powder

form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 38°C to about 42°C is provided (available as 108-24-B from AarhusKarlshamn USA Inc.). The lipid substance is a non-hydrogenated lauric coating fat containing a blend of palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34 parts lipid substance, 25.5 parts filler, 36 parts tobacco material, 0.5 parts salt, 0.45 parts sweetener, and 3.55 parts flavorant.

#### Example 2

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), a salt (sodium chloride), a sweetener (sucralose), and flavorants (vanillin, spray-dried peppermint, spray-dried menthol). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 38°C to about 42°C is provided (available as 108-24-B from AarhusKarlshamn USA Inc.). The lipid substance is a non-hydrogenated lauric coating fat containing a blend of palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from

the mold. The mixture of the smokeless tobacco composition is about 34 parts lipid substance, 24.5 parts filler, 36 parts tobacco material, 0.5 parts salt, 0.45 parts sweetener, and 4.55 parts flavorant.

### Example 3

5 A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), a salt (sodium chloride), a sweetener (sucralose), and 10 flavorants (vanillin, spray-dried peppermint, spray-dried menthol). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 38°C to about 42°C is provided (available 15 as 108-24-B from AarhusKarlshamn USA Inc.). The lipid substance is a non-hydrogenated lauric coating fat containing a blend of palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of 20 less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34 parts lipid substance, 23.5 parts filler, 36 parts tobacco material, 0.5 parts salt, 0.45 parts sweetener, and 5.55 parts flavorant.

25

### Example 4

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucrose powder), and a flavorant (mint oil). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 43°C to about 47°C is provided (available as PARAMOUNT X from Loders Croklaan). The lipid substance is a partially hydrogenated vegetable oil containing a blend of palm kernel oil, soybean oil, and cottonseed oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing  
5 vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from  
10 the mold. The mixture of the smokeless tobacco composition is about 40 parts lipid substance, 29.15 parts filler, 30 parts tobacco material, 0.5 parts sweetener, and 0.35 parts flavorant.

#### Example 5

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product  
15 for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucrose powder), and a flavorant (mint oil).  
20 All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 31°C to about 33°C is provided (available as CENTERNAL 625 from Loders Croklaan). The lipid substance is a vegetable fat.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing  
25 vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from  
30 the mold. The mixture of the smokeless tobacco composition is about 40 parts lipid substance, 29.15 parts filler, 30 parts tobacco material, 0.5 parts sweetener, and 0.35 parts flavorant.

Example 6

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

5 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), additives (sodium chloride, flour), a sweetener (sucralose), an emulsifier (Polyglycerol Polyricinoleate (PGPR)), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly  
10 mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 37°C to about 40°C is provided (available as PARAMOUNT C from Loders Croklaan). The lipid substance is a lauric coating fat containing partially hydrogenated palm kernel oil with lecithin.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing  
15 vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from  
20 the mold. The mixture of the smokeless tobacco composition is about 32.6 parts lipid substance (0.4 parts lecithin), 33.2 parts filler, 31.9 parts tobacco material, 1.72 parts additive, 0.43 parts sweetener, 0.08 parts emulsifier, and 0.04 parts flavorant.

Example 7

25 A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are  
30 provided, which include a filler (isomalt), additives (sodium chloride, flour), a sweetener (sucralose), an emulsifier (Polyglycerol Polyricinoleate (PGPR)), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 37°C to about 40°C is provided (available as PARAMOUNT C from Loders Croklaan). The lipid substance is a lauric coating fat containing partially hydrogenated palm kernel oil with lecithin.

5 The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from  
10 the mold. The mixture of the smokeless tobacco composition is about 41.5 parts lipid substance (0.4 parts lecithin), 24.5 parts filler, 31.5 parts tobacco material, 1.8 parts additive, 0.45 parts sweetener, 0.08 parts emulsifier, and 0.05 parts flavorant.

#### Example 8

15 A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a  
20 filler (isomalt), additives (sodium chloride, flour), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 37°C to about 40°C is provided (available  
25 as PARAMOUNT C from Loders Croklaan). The lipid substance is a lauric coating fat containing partially hydrogenated palm kernel oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of  
30 less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 33.78 parts lipid substance,

24.48 parts filler, 40 parts tobacco material, 1.25 parts additive, 0.45 parts sweetener, and 0.04 parts flavorant.

#### Example 9

5 A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), additives (sodium chloride, flour), a sweetener  
10 (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 37°C to about 40°C is provided (available  
15 as PARAMOUNT C from Loders Croklaan). The lipid substance is a lauric coating fat containing partially hydrogenated palm kernel oil with lecithin.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of  
20 less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 36.58 parts lipid substance (0.45 parts lecithin), 24.56 parts filler, 36.56 parts tobacco material, 1.81 parts additive, 0.45 parts  
25 sweetener, and 0.04 parts flavorant.

#### Example 10

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

30 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder



form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 39°C to about 40°C is provided (available as KAOKOTE 102 from Loders Croklaan). The lipid substance is a non-lauric fat containing  
5 partially hydrogenated soybean or cottonseed oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per  
10 piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 24.79 parts filler, 40.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

#### 15 Example 11

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content  
20 from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 39°C to about 40°C is provided (available  
25 as KAOKOTE 102 from Loders Croklaan). The lipid substance is a non-lauric fat containing partially hydrogenated soybean or cottonseed oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of  
30 less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 24.49 parts filler, 40.51 parts tobacco material, 0.75 parts sweetener, and 0.04 parts flavorant.

Example 12

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

5 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart  
10 mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 39°C to about 40°C is provided (available as KAOKOTE 102 from Loders Croklaan). The lipid substance is a non-lauric fat containing partially hydrogenated soybean or cottonseed oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing  
15 vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from  
20 the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 24.24 parts filler, 40.51 parts tobacco material, 1 part sweetener, and 0.04 parts flavorant.

Example 13

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product  
25 for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 3.4 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder  
30 form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 38°C to about 40°C is provided (available as SILKO 35-08 from AarhusKarlshamn USA Inc.). The lipid substance is a lauric cocoa butter substitute containing hydrogenated palm kernel oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per  
5 piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 24.79 parts filler, 40.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

10 Example 14

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content  
15 from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 36°C to about 40°C is provided (available  
20 as CEBES 27-70 from AarhusKarlshamn USA Inc.). The lipid substance is a fractionated lauric cocoa butter substitute containing hydrogenated palm kernel oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of  
25 less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 24.79 parts filler, 40.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

30

Example 15

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance blend is provided. A first lipid substance having a melting point of about 36°C to about 40°C is provided (available as CEBES 27-70 from AarhusKarlshamn USA Inc.). The first lipid substance is a fractionated lauric cocoa butter substitute containing hydrogenated palm kernel oil. A second lipid substance having a melting point of about 53°C to about 57°C is provided (available as CISA0 82-53 from AarhusKarlshamn USA Inc.). The second lipid substance is a non-hydro genated palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 32.71 parts first lipid substance, 1.5 parts second lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

#### Example 16

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance blend is provided. A first lipid substance having a melting point of about 36°C to about 40°C is provided (available as CEBES 27-70 from AarhusKarlshamn USA Inc.). The first lipid substance is a fractionated lauric cocoa butter substitute containing hydrogenated

palm kernel oil. A second lipid substance having a melting point of about 53°C to about 57°C is provided (available as CISA0 82-53 from AarhusKarlshamn USA Inc.). The second lipid substance is a non-hydrogenated palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing  
5 vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from  
10 the mold. The mixture of the smokeless tobacco composition is about 31.21 parts first lipid substance, 3 parts second lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

#### Example 17

15 A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a  
20 filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance blend is provided. A first lipid substance having a melting point of about 36°C to about 40°C is provided (available as CEBES 27-70 from AarhusKarlshamn USA Inc.).  
25 The first lipid substance is a fractionated lauric cocoa butter substitute containing hydrogenated palm kernel oil. A second lipid substance having a melting point of about 53°C to about 57°C is provided (available as CISA0 82-53 from AarhusKarlshamn USA Inc.). The second lipid substance is a non-hydrogenated palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing  
30 vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from

the mold. The mixture of the smokeless tobacco composition is about 30.21 parts first lipid substance, 4 parts second lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

5 Example 18

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

10 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

15 A lipid substance blend is provided. A first lipid substance having a melting point of about 36°C to about 40°C is provided (available as CEBES 27-70 from AarhusKarlshamn USA Inc.). The first lipid substance is a fractionated lauric cocoa butter substitute containing hydrogenated palm kernel oil. A second lipid substance having a melting point of about 53°C to about 57°C is provided (available as CISAO 82-53 from AarhusKarlshamn USA Inc.). The second lipid substance is a non-hydrogenated palm oil.

20 The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for  
25 about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 29.21 parts first lipid substance, 5 parts second lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

30 Example 19

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content

from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

5 A lipid substance blend is provided. A first lipid substance having a melting point of about 36°C to about 40°C is provided (available as CEBES 27-70 from AarhusKarlshamn USA Inc.). The first lipid substance is a fractionated lauric cocoa butter substitute containing hydrogenated palm kernel oil. A second lipid substance having a melting point of about 53°C to about 57°C is provided (available as CISA0 82-53 from AarhusKarlshamn USA Inc.). The second lipid  
10 substance is a non-hydro genated palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per  
15 piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 24.21 parts first lipid substance, 10 parts second lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

20

#### Example 20

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

25 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 60°C to reduce the moisture content from about 50 percent to about 6.5 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

30 A lipid substance blend is provided. A first lipid substance having a melting point of about 36°C to about 40°C is provided (available as CEBES 27-70 from AarhusKarlshamn USA Inc.). The first lipid substance is a fractionated lauric cocoa butter substitute containing hydrogenated palm kernel oil. A second lipid substance having a melting point of about 53°C to about 57°C is

provided (available as CISA0 82-53 from AarhusKarlshamn USA Inc.). The second lipid substance is a non-hydro genated palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, 5 thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 14.21 parts first lipid 10 substance, 20 parts second lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

#### Example 21

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product 15 for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 54°C for about 24 hours to reduce the moisture content from about 50 percent to less than about 3 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All 20 dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 40°C to about 44°C is provided (available as CEBES 29-21 from AarhusKarlshamn USA Inc.). The lipid substance is a fractionated cocoa butter substitute containing palm kernel oil and palm oil.

25 The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for 30 about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 24.79 parts filler, 40.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.



Example 22

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

5 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 54°C for about 24 hours to reduce the moisture content from about 50 percent to less than about 3 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

10 A lipid substance having a melting point of about 34°C to about 37°C is provided (available as CEBES 27-55 from AarhusKarlshamn USA Inc.). The lipid substance is a partially hydrogenated palm kernel oil and soybean oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, 15 thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 20 24.79 parts filler, 40.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

Example 23

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

25 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 54°C for about 24 hours to reduce the moisture content from about 50 percent to less than about 3 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and 30 thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 40°C to about 44°C is provided (available as CEBES 29-21 from AarhusKarlshamn USA Inc.). The lipid substance is a fractionated cocoa butter substitute containing palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per  
5 piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

#### 10 Example 24

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 54°C for about 24 hours to reduce the  
15 moisture content from about 50 percent to less than about 3 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 34°C to about 37°C is provided (available  
20 as CEBES 27-55 from AarhusKarlshamn USA Inc.). The lipid substance is a partially hydrogenated palm kernel oil and soybean oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of  
25 less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts flavorant.

30

#### Example 25

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 54°C for about 24 hours to reduce the moisture content from about 50 percent to less than about 3 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 40°C to about 44°C is provided (available as CEBES 29-21 from AarhusKarlshamn USA Inc.). The lipid substance is a fractionated cocoa butter substitute containing palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 36.68 parts lipid substance, 23.86 parts filler, 38.99 parts tobacco material, 0.43 parts sweetener, and 0.04 parts flavorant.

#### Example 26

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 54°C for about 24 hours to reduce the moisture content from about 50 percent to less than about 3 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 38°C to about 42°C is provided (available as 108-24-B from AarhusKarlshamn USA Inc.). The lipid substance is a non-hydrogenated lauric coating fat containing palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per

piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 24.79 parts filler, 40.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts fiavorant.

5

#### Example 27

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

10 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried at about 54°C for about 24 hours to reduce the moisture content from about 50 percent to less than about 3 percent. Various dry ingredients are provided, which include a filler (isomalt), a sweetener (sucralose), and a fiavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

15 A lipid substance having a melting point of about 38°C to about 42°C is provided (available as 108-24-B from AarhusKarlshamn USA Inc.). The lipid substance is a non-hydrogenated lauric coating fat containing palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, 20 thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34.21 parts lipid substance, 25 29.79 parts filler, 35.51 parts tobacco material, 0.45 parts sweetener, and 0.04 parts fiavorant.

#### Example 28

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

30 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), additives (sodium chloride, flour), a sweetener (sucralose), and a fiavorant (vanillin). All dry ingredients, in powder form, as well the dried

tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 38°C to about 42°C is provided (available as 108-24-B from AarhusKarlshamn USA Inc.). The lipid substance is a non-hydrogenated lauric coating fat containing palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 34 parts lipid substance, 29 parts filler, 36 parts tobacco material, 0.5 parts additive, 0.45 parts sweetener, and 0.05 parts flavorant.

#### Example 29

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (isomalt), additives (sodium chloride, flour), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 39°C to about 41°C is provided (available as 108-48-B from AarhusKarlshamn USA Inc.). The lipid substance is non-hydrogenated lauric coating fat containing palm kernel oil and palm oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from

the mold. The mixture of the smokeless tobacco composition is about 34 parts lipid substance, 29 parts filler, 36 parts tobacco material, 0.5 parts additive, 0.45 parts sweetener, and 0.05 parts flavorant.

5 Example 30

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

10 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a sweetener (sucrose), a salt (sodium chloride), a filler (erythritol), a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

15 A lipid substance having a melting point of about 27°C to about 34°C is provided (available as cocoa butter from Barry Callebaut CB302). The lipid substance is de-odorized natural cocoa butter.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 45 parts lipid substance, 9 parts filler, 30 parts tobacco material, 2 parts salt, 14 parts sweetener, and 0.01 parts flavorant.

Example 31

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

30 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a sweetener/filler (xylitol, erythritol, isomalt), a salt (sodium chloride), a sweetener (sucralose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the

dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 27°C to about 34°C is provided (available as cocoa butter from Barry Callebaut CB302). The lipid substance is de-odorized natural cocoa  
5 butter.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10 percent. The slurry is deposited in a mold to achieve about 1 gram weight per  
10 piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 45 parts lipid substance, 22.83 parts filler, 30 parts tobacco material, 2 parts salt, 0.16 parts sweetener, and 0.01 parts flavorant.

15

#### Example 32

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

A tobacco material having tobacco particles with an average particle size of about 30  
20 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (erythritol), a salt (sodium chloride), a sweetener (sucrose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at  
25 about 120 rpm.

A lipid substance having a melting point of about 27°C to about 34°C is provided (available from Barry Callebaut CB302) and a second lipid having a melting point of about 33°C to 37°C (available as CEBES 21-25 from AarhusKarlshamn USA Inc.). The lipid substance CB302 is de-odorized natural cocoa butter and CEBES 21-25 is mix of palm kernel oil and hydrogenated palm  
30 oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, a small amount of glycerin is added as a processing aid. Following the glycerin, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10

percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 29 parts lipid substances, 9.97 parts filler, 33parts tobacco material, 2 parts glycerin, 1 part salt, 25 parts sweetener, and 0.03 parts flavorant.

### Example 33

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.

10 A tobacco material having tobacco particles with an average particle size of about 30 microns is provided. The tobacco material is dried in open atmosphere at about 54°C to reduce the moisture content from about 50 percent to less than about 10 percent. Various dry ingredients are provided, which include a filler (erythritol), a salt (sodium chloride), a sweetener (sucrose), and a flavorant (vanillin). All dry ingredients, in powder form, as well the dried tobacco material, are  
15 added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 27°C to about 34°C is provided (available from Barry Callebaut CB302) and a second lipid having a melting point of about 36°C to 39°C (available as CEBES 27-70 from AarhusKarlshamn USA Inc.). The lipid substance CB302 is de-  
20 odorized natural cocoa butter and CEBES 27-70 is hydrogenated palm kernel oil.

The lipid substance is melted in a mixing vessel. While maintaining heat to the mixing vessel having the melted lipid substance, a small amount of glycerin is added as a processing aid. Following the glycerin, the mixed dry formulation is added while mixing occurs, thereby creating a flowable slurry of smokeless tobacco composition having a moisture content of less than about 10  
25 percent. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 29 parts lipid substances, 9.97 parts filler, 33parts tobacco material, 2 parts glycerin, 1 part salt, 25 parts sweetener, and 0.03 parts flavorant.

30

### Example 34

A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner.



A tobacco material in the form of an aqueous tobacco extract (extract of a tobacco mixture comprising 75% by weight flue-cured tobacco and 25% by weight burley tobacco) is heat-treated in the presence of lysine and spray-dried. Various dry ingredients are provided, which include a filler (isomalt), a salt (sodium chloride), a sweetener (sucralose), and two flavorants (vanillin and mint).

5 All dry ingredients, in powder form, as well the spray-dried tobacco material, are added together and thoroughly mixed in a Hobart mixer with a paddle for about three minutes at about 120 rpm.

A lipid substance having a melting point of about 38°C to about 42°C is provided (available as 108-24-B from AarhusKarlshamn USA Inc.). The lipid substance is a non-hydro genated lauric coating fat containing palm kernel oil and palm oil.

10 The lipid substance is melted in a mixing vessel using a microwave. The melted lipid is slowly added to the dry blend while stirring. While maintaining heat to the mixing vessel, addition of the entire melted lipid component creates a flowable slurry of smokeless tobacco composition. The slurry is deposited in a mold to achieve about 1 gram weight per piece of smokeless tobacco product. The slurry is allowed to harden by ambient air drying for about 45 minutes, after which  
15 the individual pieces of smokeless tobacco product are removed from the mold. The mixture of the smokeless tobacco composition is about 40 parts lipid substance, 56 parts filler, 2 parts tobacco extract, 0.5 parts salt, 0.45 parts sweetener, and 1.05 parts flavorant.

#### Example 35

20 A smokeless tobacco composition suitable for use as a meltable smokeless tobacco product for oral use is provided in the following manner. A composition is prepared as described in Example 34, except the heat-treated tobacco extract is first mixed with an extender component selected from maltodextrin, cyclodextrin, and gum arabic prior to spray-drying. The amount of extender added to the liquid extract is the amount sufficient to raise the solids content of the liquid  
25 extract to about 20% by weight. The resulting mixture is spray-dried to form a particulate composition with greater density and improved flowability, which enhances the mixing properties of the powder material. The final spray-dried powder has a weight ratio of tobacco extract to extender ingredient of about 3:1. The spray-dried powder is used in place of the tobacco extract component as described in Example 34, although the amount of spray-dried material is increased  
30 such that the spray-dried tobacco extract composition is present in an amount of about 2.5 parts by weight in the final smokeless tobacco composition, and the lipid component is reduced to 39.5 parts by weight.

## THAT WHICH IS CLAIMED:

1. A meltable smokeless tobacco composition configured for insertion into the mouth of a user and capable of liquefying in the mouth, the tobacco composition comprising a tobacco extract and a lipid having a melting point of about 29°C to about 49°C.
- 5 2. The smokeless tobacco composition of claim 1, wherein the tobacco extract is an aqueous tobacco extract in spray-dried or freeze-dried particulate form.
3. The smokeless tobacco composition of claim 1, wherein the tobacco extract is in the form of a particulate mixture of spray-dried or freeze-dried tobacco extract particles and a second  
10 spray-dried or freeze-dried particulate material.
4. The smokeless tobacco composition of claim 3, wherein the second particulate material is a filler or binder material.
- 15 5. The smokeless tobacco composition of claim 3, wherein the second particulate material is selected from the group consisting of maltodextrin, cyclodextrin, and natural gums.
6. The smokeless tobacco composition of claim 3, wherein the weight ratio of tobacco extract to second particulate material is about 7:1 to about 1:1.  
20
7. The smokeless tobacco composition of claim 3, wherein the weight ratio of tobacco extract to second particulate material is about 5:1 to about 2:1.
8. The smokeless tobacco composition of any one of claims 1 to 7, wherein the lipid  
25 has a melting point of about 36°C to about 45°C.
9. The smokeless tobacco composition of any one of claims 1 to 7, wherein the lipid has a melting point of about 38°C to about 41°C.
- 30 10. The smokeless tobacco composition of any one of claims 1 to 7, wherein the lipid is an animal or plant derived fat, wax, or oil.

11. The smokeless tobacco composition of any one of claims 1 to 7, wherein the lipid is a plant-derived fat comprising a plurality of saturated or unsaturated fatty acid chains having a carbon length of about 14 to about 20 carbon atoms.

5 12. The smokeless tobacco composition of any one of claims 1 to 7, wherein the lipid comprises a blend of palm kernel oil and palm oil.

10 13. The smokeless tobacco composition of any one of claims 1 to 7, further comprising an additional component selected from the group consisting of flavorants, binders, fillers, disintegration aids, humectants, and mixtures thereof.

14. The smokeless tobacco composition of any one of claims 1 to 7, further comprising a sugar alcohol.

15 15. The smokeless tobacco composition of claim 14, comprising a sugar alcohol in an amount of at least about 20 dry weight percent, based on the total weight of the composition.

16. The smokeless tobacco composition of claim 15, comprising a sugar alcohol in an amount of at least about 40 dry weight percent, based on the total weight of the composition.

20

17. The smokeless tobacco composition of claim 16, wherein the sugar alcohol is isomalt.

25 18. The smokeless tobacco composition of any one of claims 1 to 7, further comprising an artificial sweetener.

19. The smokeless tobacco composition of any one of claims 1 to 7, further comprising a salt.

30 20. The smokeless tobacco composition of any one of claims 1 to 7, further comprising a second tobacco material in the form of a particulate tobacco material.

21. The smokeless tobacco composition of claim 1, comprising:  
at least about 2 dry weight percent of tobacco extract;

at least about 30 dry weight percent of lipid;  
at least about 0.1 dry weight percent of at least one sweetener;  
at least about 30 dry weight percent of at least one filler; and  
at least about 0.5 dry weight percent of at least one flavorant, based on the total weight of

5 the composition.

22. The smokeless tobacco composition of claim 1, comprising:

at least about 2 dry weight percent of tobacco extract;

at least about 35 dry weight percent of lipid;

10 at least about 0.25 dry weight percent of at least one sweetener;

at least about 50 dry weight percent of at least one filler;

at least about 0.25 dry weight percent of a salt; and

at least about 1.0 dry weight percent of at least one flavorant, based on the total weight of  
the composition.

15

23. The smokeless tobacco composition of claim 1, comprising:

about 2 to about 10 dry weight percent of tobacco extract;

about 30 to about 50 dry weight percent of lipid;

about 0.1 to about 1 dry weight percent of artificial sweetener;

20 about 30 to about 60 dry weight percent filler;

a flavorant in an amount up to about 5 dry weight percent; and

sodium chloride in an amount up to about 10 dry weight percent, based on the total dry  
weight of the smokeless tobacco composition.

25 24. The smokeless tobacco composition of any one of claims 21 to 23, wherein the filler  
comprises a sugar alcohol.

25. The smokeless tobacco composition of claim 24, wherein the sugar alcohol is  
isomalt.

30

26. The smokeless tobacco composition of any one of claims 1 to 7, further comprising  
lecithin.

27. A process for preparing a meltable smokeless tobacco composition configured for insertion into the mouth of a user, comprising:

melting a lipid having a melting point of about 29°C to about 49°C to form a molten lipid composition;

5 mixing a tobacco extract with the molten lipid composition to form a molten smokeless tobacco composition; and

cooling the molten smokeless tobacco composition to form a solidified smokeless tobacco composition.

10 28. The process of claim 27, wherein the lipid has a melting point of about 38°C to about 41°C.

29. The process of claim 27, wherein the lipid is a plant-derived fat comprising a plurality of saturated or unsaturated fatty acid chains having a carbon length of about 14 to about  
15 20 carbon atoms.

30. The process of claim 27, wherein the lipid comprises a blend of palm kernel oil and palm oil.

20 31. The process of claim 27, further comprising the step of mixing one or more of a salt and a sugar alcohol with the molten lipid composition.

32. The process of claim 27, further comprising the step of depositing the molten smokeless tobacco composition in a mold so as to form the molten smokeless tobacco composition  
25 into a predetermined shape.

33. The process of claim 27, wherein the tobacco extract is an aqueous tobacco extract in spray-dried or freeze-dried particulate form.

30 34. The process of claim 33, wherein the tobacco extract is in the form of a particulate mixture of spray-dried or freeze-dried tobacco extract particles and a second spray-dried or freeze-dried particulate material.

35. The process of claim 34, wherein the second particulate material is a filler or binder material.

36. The process of claim 34, wherein the second particulate material is selected from the  
5 group consisting of maltodextrin, cyclodextrin, and natural gums.

37. The process of claim 34, further comprising the step of preparing a spray-dried or freeze-dried mixture of the tobacco extract and the second particulate material by mixing the aqueous tobacco extract with an amount of the second particulate material sufficient to provide a  
10 mixture with a solids content of at least about 18 weight percent, and thereafter subjecting the mixture to spray-drying or freeze-drying to form a dry particulate material.

38. The process of claim 37, wherein the weight ratio of tobacco extract to second particulate material in the dry particulate material is about 7:1 to about 1:1.  
15

39. The process of claim 37, wherein the weight ratio of tobacco extract to second particulate material in the dry particulate material is about 5:1 to about 2:1.

INTERNATIONAL SEARCH REPORT

International application No  
PCT/US2012/070543

A. CLASSIFICATION OF SUBJECT MATTER  
 INV. A23G1/48 A24B13/00 A24B15/24  
 ADD.  
 According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED  
 Minimum documentation searched (classification system followed by classification symbols)  
 A23G A24B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
 EPO-Internal , WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	wo 2009/068279 AI (PHI LI P MORRIS PROD [CH]) 4 June 2009 (2009-06-04) cited in the applicati on  page 2, line 22 - line 24 page 4, line 34 - page 5, line 2 page 6, line 35 - page 7, line 25 page 9, line 29 - line 32 page 10, line 12 - line 19 page 11, line 4 - line 6 page 11, line 21 - line 24 page 15, line 3 - line 26 page 17, line 1 - line 22 ----- -/- .	1,2, 8-14, 17-20, 27-30,33

Further documents are listed in the continuation of Box C.

See patent family annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search  30 May 2013	Date of mailing of the international search report  07/06/2013
--	--

Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016	Authorized officer  Dimoula, Kerasi na
--	--

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/US2012/070543

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A	wo 2009/073190 AI (SWEDISH MATCH NORTH AMERICA IN [US] ; SELMIN FRANCESCA [IT] ; BLASI PAOL) 11 June 2009 (2009-06-11) claims 1, 3, 5, 6	1,8-10, 12, 13, 18-20 2-7, 11, 14-17, 21-26
A	----- us 2006/191548 AI (STRICKLAND JAMES A [US] ET AL) 31 August 2006 (2006-08-31) cited in the application page 1, paragraph 3 page 1, paragraph 6 - paragraph 10 page 2, paragraph 23 page 4, paragraph 45	1-39
A	----- us 2010/247586 AI (HUGERTH ANDREAS [SE] ET AL) 30 September 2010 (2010-09-30) paragraph [0034] paragraph [0043] - paragraph [0045] paragraph [0050] paragraph [0061] paragraph [0094] - paragraph [0095]	1-26
A	----- wo 2007/138484 A2 (PHILIP MORRIS PROD [CH]) 6 December 2007 (2007-12-06) cited in the application the whole document	1-39
A	----- us 904 521 A (ELLIS CARLETON [US]) 24 November 1908 (1908-11-24) page 2, line 41 - line 99 -----	27-39



# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2012/070543

Patent document cited in search report	Publication date	Patent family member(s)	Publication date			
wo 2009068279	AI	04-06 -2009	CA 2707001 AI 04-06-2009			
			EC SP10010314 A 31-08-2010			
			EP 2229065 AI 22-09-2010			
			JP 2011504733 A 17-02-2011			
			KR 20100092013 A 19-08-2010			
			RU 2010126165 A 10-01-2012			
			US 2009293889 AI 03-12-2009			
			US 2012298121 AI 29-11-2012			
			wo 2009068279 AI 04-06-2009			
			-----			
wo 2009073190	AI	11-06 -2009	US 2009253754 AI 08-10-2009			
			wo 2009073190 AI 11-06-2009			
-----						
US 2006191548	AI	31-08 -2006	AR 054461 AI 27-06-2007			
			AU 2006250083 AI 30-11-2006			
			EP 1906776 A2 09-04-2008			
			TW 1378778 B 11-12-2012			
			US 2006191548 AI 31-08-2006			
			wo 2006127772 A2 30-11-2006			
			-----			
US 2010247586	AI	30-09 -2010	AR 076153 AI 18-05-2011			
			AU 2010201229 AI 11-11-2010			
			BR PI 1001980 A2 26-07-2011			
			CA 2697867 AI 27-09-2010			
			JP 2010229131 A 14-10-2010			
			KR 20100108307 A 06-10-2010			
			NZ 584267 A 27-04-2012			
			RU 2010111715 A 10-10-2011			
			US 2010247586 AI 30-09-2010			
			-----			
wo 2007138484	A2	06-12 -2007	AU 2007266713 AI 06-12-2007			
			BR PI0711745 A2 06-12-2011			
			CA 2653342 AI 06-12-2007			
			CO 6140006 A2 19-03-2010			
			EA 200870573 AI 30-06-2009			
			EP 2031989 A2 11-03-2009			
			JP 2009538151 A 05-11-2009			
			KR 20090024724 A 09-03-2009			
			US 2008149121 AI 26-06-2008			
			US 2011220135 AI 15-09-2011			
			wo 2007138484 A2 06-12-2007			
			-----			
			US 904521	A	24-11 -1908	NONE
-----						