

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization

International Bureau

(43) International Publication Date  
16 July 2020 (16.07.2020)



(10) International Publication Number  
**WO 2020/142813 A1**

(51) International Patent Classification:

*A61L 2/232* (2006.01)      *A61K 8/02* (2006.01)  
*A01N 33/12* (2006.01)      *A61K 9/70* (2006.01)  
*A01N 25/34* (2006.01)      *A61Q 19/00* (2006.01)  
*A61L 2/18* (2006.01)      *A61P 31/04* (2006.01)  
*A01N 43/40* (2006.01)      *A61P 31/14* (2006.01)  
*A01N 47/44* (2006.01)      *A61K 31/14* (2006.01)  
*A01N 55/00* (2006.01)      *A61K 31/355* (2006.01)  
*D21H 27/30* (2006.01)      *A61K 31/155* (2006.01)  
*D21H 27/32* (2006.01)      *A61K 36/886* (2006.01)  
*B32B 29/00* (2006.01)

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

(21) International Application Number:

PCT/AU2020/050014

(22) International Filing Date:

10 January 2020 (10.01.2020)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2019900082      11 January 2019 (11.01.2019)      AU

(72) Inventor; and

(71) Applicant: **KRITZLER, Steven** [AU/AU]; 9 Redgum Avenue, Cronulla, New South Wales 2230 (AU).

(74) Agent: **SHELSTON IP PTY LTD**; Level 9, 60 Margaret Street, Sydney, New South Wales 2000 (AU).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(54) Title: IMPROVED METHOD AND COMPOSITIONS FOR SURFACE TREATMENT

(57) Abstract: An applicator for providing an active composition to a surface, the applicator comprising a cellulosic substrate having anionic sites (e.g. paper, paper laminates, cardboard or a woven or non-woven plant fabric such as a wood pulp or cotton material); and an impregnated or coated composition, the impregnated composition comprising a bioactive cationic component in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect, for example, a biocidal effect, enhanced skin feel, enhanced skin health and fabric softening. The applicator may be in the form of a sheet wipe, with a single or multiple layers of cellulosic substrate. The applicator is preferably substantially dry. Also, an applicator for providing an active composition to a surface, the applicator comprising at least two layers of cellulosic substrate having anionic sites; said layers being adhered to each other by an adhesive composition comprising a cationic component in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect. The adhesive composition may also comprise a water-soluble or water dispersible adhesive polymer. Also methods of preparing and using the applicator e.g. to disinfect skin or an inanimate surface.



## IMPROVED METHOD AND COMPOSITIONS FOR SURFACE TREATMENT

### Field of the Invention

This invention relates to improved methods, compositions and devices for delivering active agents from cellulosic substrates to animate and inanimate surfaces. Preferred embodiments of the invention may be used to impart a specific change to one or more properties of the surface so treated, for example, reduced microbial colonisation on surfaces treated by the substrates of the invention, or improved emolliency or skin feel or other desired properties.

### Background

Any discussion of the prior art throughout the specification should in no way be considered as an admission that such prior art is widely known or forms part of common general knowledge in the field.

It is usual for compositions used to treat surfaces to be supplied in jars, bottles, cans, or other containers which are suitable for storage, transport and commercial use. When used, the compositions are wiped over the surface using woven cloths, non-woven fabrics or paper or the like to transfer the composition from the container to the surface and then to spread it in a film on the surface.

While some compositions are supplied ready for use in wet form where they are pre-impregnated in non-woven fabrics, compositions containing cationic components have not been supplied in the form of a treated paper or other cellulosic substrate. This is because it is well known that cellulose and its various derivatives are significantly anionic in character and therefore would be expected to very effectively deactivate cationic molecules.

Hinchcliffe et al (Textile Res Journal, 2018, 88(20) 2329-2338) solve the problem of deactivation of cationic species by cellulosic substrates by the use of potassium citrate. However, having trialled the use of potassium citrate incorporated into our various aqueous cationic cellulosic substrate treatments, virtually no beneficial effects were found probably because the cationic strength of the active molecules in the treatments provided strong attraction to the anionic sites on the substrate.

The inventor's earlier patent application, PCT/AU2006/000130, described a method and composition for the prevention of microbial colony growth on a hard surface which involved coating a surface, for example a hospital surface or a food preparation surface, with a cationic solution or emulsion of a specified composition and then wiping it to spread the liquid before allowing it to dry. Wiping the composition onto the surface cleans the surface, disinfects the

surface, and leaves a residual coating which renders the surface bacteriostatic for extended periods of time, which can typically be measured in weeks. The specified compositions in that case consisted essentially of a biostatic complex formed between a polyvinyl alcohol (hereinafter also referred to as "PVOH") and a C12-C18 straight chain alkyl benzalkonium quaternary compound. Those compositions contained from 1.2% to 8% w/w of PVOH and up to 8% w/w of the quaternary ammonium compound. Although such compositions provide major benefits and have met with commercial success, they were understood to suffer from the disadvantage that, because of the highly cationic nature of the composition, it could not be sold impregnated onto a cellulosic substrate, but rather need to be supplied in a container. The user was required to locate an applicator such as a nonwoven or fabric or paper wipe with which to wipe the surface immediately after application of the composition.

It is an object of the present invention to overcome or ameliorate one of the abovementioned disadvantages, or at least provide a commercial alternative.

### **Brief Statement of invention**

According to a first aspect the present invention provides an applicator for providing an active composition to a surface, the applicator comprising a cellulosic substrate having anionic sites and an impregnated or coated composition, the impregnated composition comprising a bioactive cationic component in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.

In one embodiment, the desired effect is a biocidal effect. In other embodiments, the desired effect is enhanced skin feel or skin health. In yet other embodiments, the effect is fabric softening.

Preferably, the applicator in the form of a sheet wipe. The sheet wipe may comprise a single layer of cellulosic substrate or it may comprise multiple layers (for instance, two, three, four, five or more layers, e.g. two or three layers) of cellulosic substrate.

The applicator may be wet or dry. In some embodiments, it is preferable if the applicator is substantially dry.

Preferably, the cationic component is selected from the group consisting of a quaternary ammonium compound, or a skin compatible cationic selected from benzalkonium chloride, benzethonium chloride, alkylammonium chloride, chlorhexidine gluconate, octenidine hydrochloride, tallow quaternary compounds or silicone-based quaternary compounds.

The cellulosic substrate may be selected from the group consisting of paper, paper laminates, cardboard, plant fabrics or the like. The plant fabric may be a wood pulp, cotton material,

bamboo material, hemp material or the like. The cellulosic substrate may be woven or non-woven.

According to a second aspect the invention provides an applicator for providing an active composition to a surface, the applicator comprising at least two layers of cellulosic substrate having anionic sites; said layers being adhered to each other by an adhesive composition, the adhesive composition comprising a cationic component in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.

In one embodiment, the desired effect is a biocidal effect. In other embodiments, the desired effect is enhanced skin feel or skin health. In yet other embodiments, the effect is fabric softening.

Preferably, the adhesive composition also comprises a water-soluble or water-dispersible adhesive polymer. Any suitable water-soluble or water-dispersible adhesive polymer may be used, for preference, it is selected from one or more of PVOH, polyvinyl pyrrolidone or copolymers of polyvinyl pyrrolidone with vinyl acetate, non-ionic polyvinyl acetate emulsions or vinyl ether/maleic anhydride copolymer.

The impregnation or coating of the present invention preferably takes place without the need for thermal modification, i.e. there is no thermoplastic adhesion between the substrate and the cationic compound.

More specifically according to a second aspect the invention provides an applicator for providing an active composition to a surface, the applicator comprising at least two layers of cellulosic substrate having anionic sites; said layers being adhered to each other by an adhesive composition, the adhesive composition comprising a cationic component in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect, and polyvinyl alcohol.

In one embodiment, the desired effect is a biocidal effect. In other embodiments, the desired effect is enhanced skin feel or skin health. In yet other embodiments, the effect is fabric softening.

The applicator may be wet or dry. In some embodiments, it is preferable if the substantially dry.

Preferably, the cationic component is selected from the group consisting of a quaternary ammonium compound, or a skin compatible cationic selected from benzalkonium chloride, benzethonium chloride, alkylammonium chloride, chlorhexidine gluconate, octenidine hydrochloride, tallow quaternary compounds or silicone based quaternaries.

In one embodiment, each one of said at least two layers are the same. In another embodiment, each one of said at least two layers are different. In some embodiments, the applicator comprises multiple layers of cellulosic substrate adhered to each other by an adhesive composition.

The cellulosic substrate may be selected from the group consisting of paper, paper laminates, cardboard, plant fabrics or the like. The plant fabric may be a wood pulp, cotton material, bamboo material, hemp material or the like. The cellulosic substrate may be woven or non-woven.

According to a third aspect the invention provides a method of preparing an applicator according to preceding aspects comprising:

- selecting a cellulosic substrate and a cationic component,
- determining a base loading of the cationic component on the cellulosic substrate at which and anionic sites on the cellulosic substrate are inactive, and
- selecting an amount of cationic component for application to the cellulosic substrate such that cationic component will exhibit an effect in use.

The amount of cationic component comprises the base loading and an amount sufficient to provide a desired or predetermined effect.

In one embodiment, the desired effect is a biocidal effect. In other embodiments, the desired effect is enhanced skin feel or skin health. In yet other embodiments, the effect is fabric softening.

The cationic component may be selected from the group consisting of a quaternary ammonium compound, or a skin compatible cationic selected from benzalkonium chloride, benzethonium chloride, alkylammonium chloride, chlorhexidine gluconate, octenidine hydrochloride, tallow quaternary compounds or silicone based quaternaries.

The cellulosic substrate may be selected from the group consisting of paper, paper laminates, cardboard, plant fabrics or the like. The plant fabric may be a wood pulp, cotton material, bamboo material, hemp material or the like. The cellulosic substrate may be woven or non-woven.

According to a fourth aspect the invention provides a method of making an applicator comprising:

- contacting the surface of a first ply of cellulosic material with an adhesive composition comprising a cationic component and
- applying to the adhesive composition a further ply of cellulosic material, and

wherein the cationic component is present in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.

In one embodiment, the desired effect is a biocidal effect. In other embodiments, the desired effect is enhanced skin feel or skin health. In yet other embodiments, the effect is fabric softening. In the case of a biocidal effect the biocidal efficacy of the treatment is measured using the same standardised methodology as has for decades been used with wet wipes. In the case of wet wipes the liquid is squeezed from the wipe and the biocidal efficacy of this liquid then tested against microorganisms according to standard methods.

In the case of the dry wipes as described herein, where the dry wipe is composed of 2 paper plys each of 20gms/sq.m. The first ply by applying via transfer roller a solution of benzalkonium chloride and polyvinyl alcohol to the surface of this first ply which is then brought into contact and squeezed between rollers to contact the second ply. The quantity of treatment applied to the surface is insufficient to saturate the substrate even after squeezing between rollers so that the now composite structure can be immediately rolled up without the adjacent layers of the 2 ply material bonding to each other.

When this treated substrate has been formulated and manufactured so as to satisfy the requirements of hospital grade hard surface disinfection the antimicrobial efficacy is assessed as follows:

For each 20 x 23 sq.cm section of treated substrate 4 mls of water is added. Soon after this addition the wetted paper is squeezed and the exuded solution collected. This solution is then subjected to standardised microbiocidal efficacy testing as described in the Australian Health Therapeutic Goods Administration Option A test. For compliance to this test the solution must achieve an over 5 log reduction in a Staph aureus suspension and also an over 5 log reduction in an E coli suspension.

In the case of a substrate intended for skin antiseptics similar methodology is used whereby a predetermined area of treated substrate is wetted with water, subsequently squeezed and the liquid collected and its antimicrobial efficacy tested by standardised test methods.

The Australian Health Department's Therapeutic Goods Administration has approved this test methodology for the assessment of efficacy of active, dry substrates which are to be activated by water contact.

Unless the context clearly requires otherwise, throughout the description and the claims, the words "comprise", "comprising", and the like are to be construed in an inclusive sense as opposed to an exclusive or exhaustive sense; that is to say, in the sense of "including, but not limited to".

Preferably, subsequent layers of adhesive and ply are applied to make a multi-ply applicator, and wherein the cationic component is present in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.

Preferably, the adhesive composition also comprises a water-soluble or water-dispersible adhesive polymer. Any suitable water-soluble or water-dispersible adhesive polymer may be used, for preference, it is selected from one or more of PVOH, polyvinyl pyrrolidone or copolymers of polyvinyl pyrrolidone with vinyl acetate, non-ionic polyvinyl acetate emulsions or vinyl ether/maleic anhydride copolymer.

The invention also provides a method of disinfecting an inanimate surface comprising moistening the surface and then wiping it an applicator according to any one of the preceding aspects.

The invention also provides a method of disinfecting an inanimate surface comprising moistening an applicator according to any one of the preceding aspects then wiping the surface with the moistened paper or fabric whereby to apply a bioactive cationic species to the surface.

The invention also provides a method of disinfecting skin comprising moistening the surface and then wiping it an applicator any one of the preceding aspects.

The invention also provides a method of disinfecting skin surface, the method comprising moistening an applicator according to any one of the preceding aspects and then wiping the surface with the moistened paper or fabric whereby to apply the a bioactive cationic species to the skin.

The invention also includes treating cellulosic substrates such as cardboard with the above described cationic antimicrobial substances to render long term resistance to microbial colonisation such as fungal colonisation.

As herein used the term "cellulosic" includes cellulose and cellulose derivatives, including chemically reacted cellulosics such as for example cellulose acetate, as well as impure natural forms such as cotton, and wood and may be in the form of paper, paper laminates, cardboard, fabrics such as woven cotton fabrics or the like. Wood pulp or cotton materials are preferred, particularly in the case where the applicators are provided in a wet form. The cellulosic material may be in woven or non-woven form.

For preference the cellulosic fibres are formed into in paper sheets or laminates or are in the form of in cotton fabrics. The applicator is, for preference, a sheet wipe. Most preferably, the

final form of the article is presented to the consumer as a dry article, so the above processes can include a drying step, such as air drying, oven drying, contact drying etc.

It should be noted that cellulosic materials which feel dry actually contain a substantial portion of moisture, so a dry feeling is qualitative rather than quantitative.

The cellulosic substrates may also comprise two or more cellulosic materials, for example, the cellulosic substrate may comprise a cotton scrim and a treated paper layer, or a two cotton scrim layers with a treated paper layer interposed between the scrims.

The cationic species may be a quaternary ammonium compound for instance a benzalkonium chloride, alkylammonium chloride, benzethonium chloride, or it may be another cationic biocide such as a biguanide, for example chlorhexidine gluconate or octenidine hydrochloride. Skin compatible cationic species are particularly preferred. Alternatively, the active cationic molecule may be a tallow quaternary compound, which can be used to achieve fabric softening. In a further example the active quaternary molecule can be an organic or silicone-based molecule to achieve emolliency or other feature of feel to the skin.

The present applicators are preferably free from potassium citrate.

The present inventor has now found, surprisingly, that compositions such as described in PCT/AU2006/000130 can be stored for long periods substantially dry in sheets of nonwoven or woven cellulosic fabrics, for example sheets of paper or paper laminates, and in that form can be stored and transported and then can later be applied to surfaces simply by wetting the surface to be treated or moistening the sheet and wiping the surface to impart both disinfection and biostatic properties to the surface. This significantly reduces the costs of packaging, the costs of supply of the composition, and greatly increases the convenience of use and application to surfaces whilst maintaining a high degree of efficacy.

Surprisingly, the cationic compositions in conjunction with any suitable water-soluble or dispersible adhesive polymer such PVOH, polyvinyl pyrrolidone, its copolymers with vinyl acetate, polyvinyl acetate emulsions which are not anionic, vinyl ether/maleic anhydride copolymer solutions or other such suitable polymer solutions which are adhesive with respect to the cellulosic substrates which are prepared as solutions or emulsions can also act as an adhesive between layers of cellulosic fibres and can be utilized to bond together anionic sheets of paper or other cellulosic substrate to form laminates in the present invention, the laminates being rolled up and or cut into sheets. This synergistically reduces the cost of the multi-ply paper used for application of the cationic composition, since the cost of adhering the ply and providing the cationic treatment are combined into a single step. Using an adhesive composition containing the cationic active as the multi-ply adhesive reduces the overall cost

in comparison with applying a cationic composition to a conventionally bonded multi ply paper or fabric

Those skilled in the art would be well aware that paper and other cellulosic materials contain a large number of anionic sites and would not therefore be used for the reversible storage of intrinsically cationic materials. What has not been appreciated previously is that the cellulosic substrates, whilst anionic, have a quite finite, and in many cases modest, anionic character such that if a composition which is substantially cationic is applied to the cellulosic substrate in sufficient concentration then only a portion of the cationic composition is deactivated (a base loading) with the remainder of the cationic material retaining its cationic nature and being available to achieve its intended effect.

Whilst compositions described in PCT/AU2006/000130 were applicable to hard surfaces they were not applicable to skin because some benzalkonium chloride components can cause rashes on skin. Many of the compositions contemplated by the present invention are skin compatible and bring some additional unexpected advantages.

The cationic compound may be applied directly to the cellulosic substrate, for example by transfer rollers, dipping, painting or spraying. Alternatively, in one preferred embodiment of the present invention, two or more layers of cellulosic paper or cellulosic fabric (which may be independently a woven or a non-woven fabric formed from wood pulp, cotton or other substantially cellulosic fibres) are bonded by an intervening adhesive layer which contains PVOH and the cationic material

In one particular embodiment, the present invention provides a substantially dry, 2-ply paper or other cellulosic structure made by coating the contact surface of one of the plies with the formulation containing the active cationic component and PVOH (for example, that shown in Example Formulation 1) and immediately thereafter bringing the coated ply it into contact with the surface of the second ply. The 2-ply structure thus formed can be dried if required and variously cut or formed into a roll. At least one ply in the thus formed applicator is composed of cellulose in its various forms such as paper, cotton or bamboo or a cellulose derivative such as cellulose acetate. The substrates may be in the form of a composite cellulose containing structure such as cardboard or fabrics or a fabric composite.

The paper or fabric may be formed into paper towels which when dry can be used to wipe wet hands immediately after washing. As the towels become wet some of the cationic active, present in an amount in excess of the base loading, immediately dissolves, transferring the cationic active to the skin. In the example of the biocidal active, the biocide can kill the majority of bacteria left on the skin. The method kills 99.9% of the bacteria and leaves the hands with residual antimicrobial protection for at least up to an hour.

Those skilled in the art will appreciate that hand disinfection is an essential part of avoiding cross infection in hospitals and the like. The frequent application of disinfection compositions to hands causes inconvenience to hospital staff and frequently results in skin irritation. It can also leave the hands feeling greasy which can interfere with secure holding of instruments and the like. Tests conducted in secrecy have shown that personnel prefer to wipe their hands with a dry paper towel such as provided by this invention (when a similar level of disinfection can be obtained and with residual protection) rather than to rub their hands with conventional hand disinfectants.

As mentioned above, compositions described above have not heretofore been applied to cellulosic substrates because it is well known that cellulose and its various derivatives are significantly anionic in character and therefore very effectively deactivate cationic molecules such as those described above.

In another aspect, the invention provides a method of disinfecting skin comprising moistening the skin surface, for example by washing, and then contacting the moistened skin with a paper or fabric wipe containing a skin compatible active cationic molecule in accordance with the present invention. Alternatively, the invention provides a method of disinfecting skin comprising moistening a paper or fabric wipe containing a skin compatible active cationic molecule according to present invention and then contacting the skin surface with the moistened paper or fabric wipe. In both of the above aspects, the skin compatible biocide or other cationic functional molecule is applied to the skin.

### **Preferred embodiments of the invention**

By way of example only various embodiments of the invention are herein described.

#### **Example 1. Adhesive composition**

This example relates to a composition for use in bonding together two or more thicknesses or layers of cellulose paper (hereinafter referred to as "plys"). As explained above, the present invention can be either a single ply, 2 ply or more plies.

A solution composed of water into which is dissolved polyvinyl alcohol and a cationic quaternary biocide such as a benzalkonium or alkyonium chloride is prepared. This solution is then applied at a predetermined rate by transfer roller, by spraying, by doctor blade or any other appropriate means to a paper surface which can be stand alone or the first ply of a 2-ply paper structure. The second ply can then be brought into direct contact with the surface of the first ply onto which the cationic composition has been applied. The structure is then compressed between one or more sets of rollers with the cationic solution acting as an adhesive which is quickly absorbed into the paper structure which is substantially dry on the

outer surfaces and can therefore be rolled onto a mandrel at high speed without the various layers of the roll sticking one to another.

The rate of addition and concentration of the cationic solution is such that the cationic molecules coated onto the cellulosic substrate result in excess residual cationic material remaining active after a section of the treated 2 ply paper is thoroughly wetted with water.

The treated paper as described above can be wetted with water or used to wipe a substrate which is wet with water. The combination with the quaternary biocide in the paper quickly dissolves and disinfects the substrate which has been wiped. The efficiency and speed of disinfection is controlled by the concentration of the excess quaternary biocide which has been applied to the paper and remains active after the paper has deactivated a portion of the cationic biocide.

Since various different grades and thicknesses of paper or other cellulosic substrates such as cellulose acetate have different degrees of anionic characteristics, the concentration and dosage rate of the cationic solution used to treat the cellulosic structure must be varied to suit the particular circumstance.

Compositions described in PCT/AU2006/000130 contained from 1.2% to 10% w/w of PVOH and up to 11% w/w of quaternary ammonium compound. For celluloses tested to date, the present invention generally has in excess of 8% w/w of quaternary ammonium compound.

Examples of cellulosic substrate formulations suitable for use in example 1 follow.

#### Formulation 1:

Formulation 1 is a benzalkonium chloride composition, applied at a rate of 2.20 – 2.95 gm/m<sup>2</sup> active to achieve compliance with the Australian Therapeutic Goods Administration TGO 54, Option B test under dirty conditions. Higher rates of dosage will also achieve compliance.

Chemical name (active/ grade)	Contents (w/w)%	Maker / Supplier
Polyvinyl alcohol	10.00	Nippon Gohshei and Various
Phenoxyethanol (Tech)	0.70	Various
Benzalkonium chloride 50% aqueous	25.0	Various
EDTA-4Na	0.1	Various

Chemical name (active/ grade)	Contents (w/w)%	Maker / Supplier
Deionised Water (qs to 100 %)	64	In-house
Total	100.00	

This formulation is for application to a cellulosic substrate, which is for example, 40 g/m<sup>2</sup> paper. If two-ply paper is used, the dosage rate is doubled, and so on.

The actual dosage rate is calculated depending upon the degree of the anionic nature of the particular paper involved such that the paper can subsequently be used to achieve hospital grade hard surface disinfection according to the Australian TGA Option B under Dirty Conditions standard of antimicrobial performance.

The disinfection can be achieved in either of two ways. The surface to be disinfected can be sprayed with water and then the treated paper used to thoroughly wipe the surface clean. Alternatively, the treated paper can be dampened with water prior to thoroughly wiping the surface clean.

In both cases only a very brief period of contact between the treated paper and the water involved is required to dissolve the active biocide which is then immediately available to perform its disinfection cycle.

The polyvinyl alcohol or other cationic compatible polymer is present simply to cause adhesion between the plies. The polymer also ensures that any residual biocide left on the surface, in this case a benzalkonium chloride, is not sticky or smeary but provides a tack free surface.

Of course, this same affect can be achieved with any other cationic biocide and in each case the correct dosage of the biocide to be applied to any cellulosic substrate must be calculated by experimentation before implementation. At the same time if a single ply structure was to be used then the presence of polyvinyl alcohol or other polymer is not necessarily advantageous.

## Formulation 2

Formulation 2 is a CHG composition, applied at a rate of 2.70 – 3.20 gm/m<sup>2</sup> paper to achieve at least 3 log (99.9%) reduction in both *E.coli* and *Staph aureus* using a standardised suspension test. Higher rates of dosage will achieve higher rates of kill.

Chemical name (active/grade)	Contents (w/w%)	Maker/Supplier
Polyvinyl alcohol (Gohsenol GL05 Equivalent)	13.00	Nippon Gohsshei/Variou
Polyethylene Glycol 400 (Tech)	2.00	Variou
Phenoxyethanol (Tech)	0.70	Variou
Chlorhexidine gluconate 20% w/v (Tech)	53.50	Variou
Lactic Acid 88% (Tech) qs to pH ~5.0	~0.08	Variou
Deionised water Qs to 100%	~30.30	In-house
Total	100.00	

This formulation is for application to a cellulosic substrate e.g. Paper, 40 gm/m<sup>2</sup> (if two ply paper is used, the dosage rate is doubled, and so on) at a dosage rate measured in ml/m<sup>2</sup> with the dosage rate calculated depending upon the degree of the hydrophobic nature of the particular paper involved such that the paper can subsequently be used to achieve a measurable degree of bactericidal performance on skin.

The antiseptis is achieved by thoroughly wiping the hands dry after washing using the treated paper. Alternatively, the treated paper can be dampened with water prior to thoroughly wiping the hands or other areas of skin clean.

Different types of paper require different rates of addition of the treatment because each type has a different rate of deactivation of the cationic active because of different levels of anionic characteristics.

Once again, only a very brief period of contact between the treated paper and the water involved is required to dissolve the active biocide which is then immediately available to perform its disinfection cycle.

Of course, this same affect can be achieved with any other skin compatible, cationic biocide and the correct dosage of the biocide to be applied to any cellulosic substrate must be calculated by experimentation before implementation.

The formulation contains a proportion of polyethylene glycol. This additive is present both to accelerate the rate of solubility in water of the chlorhexidine gluconate (CHG) which is dry in the paper and also to improve skin feel after use of the treated paper.

The phenoxyethanol in the formulation is present to boost the antimicrobial activity of the CHG and the Lactic acid to adjust the pH of the formulation to optimise skin health.

If a single ply structure is employed for the invention, then no PVOH or other polymer would be required as an adhesive, although this can be used if desired, for example, to improve the feel of the finished applicator.

Others example of a product which can be formulated using the principle disclosed in the invention is by the treatment of an appropriate cellulosic substrate such as the 2-ply paper towel described previously with a quaternary ammonium compound which produces beneficial skin effects. The liquid formulation would contain one or more of these quaternaries and could also contain components such as polyethylene glycol. This treated paper (or other cellulosic substrate), when used to dry the hands after washing would provide desirable skin feel properties. Of course, such a product may contain both a quaternary or quaternaries providing skin feel properties together with one or more quaternaries which are bactericidal, thus providing both a significant degree of antisepsis together with improved skin feel. Examples of those follow:

### Formulation 3

Formulation 3 is a skin conditioning composition that provides a reduction in the amount of Microorganisms present on the skin. Again, it is useful as a glue to adhere two plies of cellulosic material to one another.

Chemical name (active/ grade)	Contents (w/w)%
Polyvinyl alcohol	13.00
Glycerine	2.00
Dimethyl silicone emulsion	4.00
Polysorbate 60	2.00
Quaternium – 80	2.00
Aloe juice 1:1	1.00
Phenoxyethanol	1.00
Lactic acid	q.s. to pH ~5.5
Deionised Water	q.s to 100 ( ~75.0)
Total	100.00

The various skin conditioning agents release while drying wet hands/ skin. The Aloe juice provides a soothing effect. A moisturising effect is achieved with glycerine and lactic acid,

while emollient and skin feel effect are achieved with dimethyl silicone emulsion and quaternium – 80, which also acts as the cationic agent to reduce microbial load on the hands.

#### Formulation 4

Formulation 4 is a skin conditioning composition that provides a reduction in the amount of Microorganisms present on the skin. Again it is useful as a glue to adhere two plys of cellulosic material.

Chemical name (active/ grade)	Contents (w/w)%
Polyvinyl alcohol	10.00
Glycerine	2.00
PEG-6 Caprylic/Capric Glycerides	2.00
Isostearyl Palmitate	1.50
PEG-4 Laurate	2.00
Polysorbate 60	1.50
Phenoxyethanol	1.00
Cyclopentasiloxane	1.00
Dimethyl silicone emulsion	2.00
Quaternium - 80	1.00
Tocopheryl Acetate	0.10
Aloe juice 1:1	1.00
Lactic acid	q.s. to pH ~5.5
Deionised Water	q.s to 100 (~ 74.9)
Total	100.00

The various skin conditioning agents release while drying wet hands/ skin. The Aloe juice provides a soothing effect. Tocopheryl Acetate provides a skin repair effect. A moisturising effect is achieved with glycerine and lactic acid, while emollient and skin feel effect are achieved with organo PEG glycerides, cyclopentasiloxanedimethyl silicone emulsion and quaternium – 80, which also acts as the cationic agent to reduce microbial load on the hands.

#### Formulation 5

Another formulation within the scope of the present invention utilises formulas 1 or 2 but replaces the benzalkonium chloride or chlorhexidine gluconate in full or in part with di tallow esters, such as di-tallow ester of methyltriethanolammonium methosulfate, di-tallow ester of

dimethyldiethanolammonium chloride, or di-tallow ester of trimethyl-dihydroxypropylammonium chloride. These formulations are useful in imparting fabric softening properties in wash. Impregnated cellulosic sheets can thus be made that can be included in washing machines to impart fabric softening and, when combined with a strong biocidal quaternary compound, can impart high levels of cleanliness to the washed clothing. The present invention provides a useful way to dispense an accurate dose of fabric softener and biocide to the wash. This is important to ensure that no more than the absolute minimum amount of fabric softener is dispensed into the waste water. The substrate can be multi-ply, with PVOH present as an adhesive, or it can be a relatively digestible substrate, such as loose weave tissue paper or multi-ply or coated tissue sheets.

### **Cationic molecules**

Examples of some of the active cationic molecules which can be used singly or in combination in the invention described are:

Group I: The alkyl substituted Quaternary ammonium compounds.

Group II: The non-halogenated benzyl substituted Quaternary ammonium compounds (including ethylbenzyl hydroxybenzyl, hydroxyethylbenzyl, naphthylmethyl, dodecylbenzyl, and alkyl benzyl)

Group III: The di- and tri-chlorobenzyl substituted quaternary ammonium compounds

Group IV: Quaternary ammonium compounds with unusual substitutes (charged heterocyclic compounds)

Group V Polymeric quaternary ammonium compounds (copolymerised with acrylamide and its derivatives) or vinyl pyrrolidone

Group VI Ester quaternary ammonium compounds formed by inserting an ester group in two of the alkyl chains

Group VII Biguanides such as chlorhexidine and octenidine salts

Groups I and II may be characterised by the formula  $R_1R_2R_3R_4 N^+ \text{Anion}$  e.g.  $Cl^-$ ,  $Br^-$  etc.

Where  $R_1R_2R_3R_4$  are alkyl or benzyl or ethylbenzyl groups with alkyl groups having a chain length of from  $C_8$  to  $C_{18}$  and where typically  $R_1$  is alkyl and  $R_2$  benzyl or ethylbenzyl and  $R_3$  and  $R_4$  are methyl groups. Commercial examples of Groups I and II which are often a blend of Quaternary ammonium compounds of these types are:

Bardac® 2280	Didecyldimethylammonium chloride
Bardac® 2280i	Didecyldimethylammonium chloride
Bardac® 2080	Octyldecyldimethylammonium chloride
Bardap® 26	Didecylmethylpoly(oxyethyl)-ammonium propionate
Barquat® BAC 50	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® BAC 80	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® CB50	Alkyl (C12–C18) dimethylbenzylammonium chloride
Barquat® CB80	Alkyl (C12–C18) dimethylbenzylammonium chloride
Barquat® DM50	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® DM50EP	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® DM80	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® LB50	Alkyl (C12–C14) dimethylbenzylammonium chloride
Barquat® MB50	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® MB50W	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® MB80	Alkyl (C12–C16) dimethylbenzylammonium chloride
Barquat® MS100	Alkyl (C12–C14) dimethylbenzylammonium chloride
Barquat® 4250-Z	Alkyl (C12–C18) dimethylbenzylammonium chloride and Alkyl (C12–C14) dimethylethylbenzylammonium chloride

The following generic descriptions are applicable to quaternary ammonium compounds in Groups I - VI

PREFERRED NAMESYNONYM

Alkyl ethyl benzyl dimethyl ammonium chloride

Aralkonium chloride

Alkyl dimethyl-3, 4-dichlorobenzyl ammonium chloride

Benzalkonium chloride

Alkyl dimethyl benzyl ammonium chloride

Cetalkonium chloride

Cetyl dimethyl benzyl ammonium chloride

Didecyl dimethyl ammonium chloride

Chloride didecyl dimethylammonium

Diocetyl dimethyl ammonium chloride

Chloride dioctyl dimethylammonium

Hexadecyl dimethyl benzyl ammonium chloride

Chloride hexadecyldimethylbenzyl ammonium

Methyl dodecyl benzyl trimethyl ammonium chloride

Chloride methyl dodecyl benzyl trimethyl ammonium

Octa decyl dimethyl benzyl ammonium chloride

Chloride octadecyl dimethylbenzyl ammonium

Octyl decyl dimethyl ammonium chloride

Chloride octyl decyl dimethyl ammonium

Octyl dimethyl ammonium chloride

Chloride octyl dimethyl ammonium

Benzalkonium Chloride CAS 8001-54-5

Benzethonium Chloride CAS 121-54-0

Cetalkonium Chloride CAS 122-18-9

Cetrimide CAS 8044-71-1

Cetrimonium Bromide CAS 57-09-0

Cetylpyridinium Chloride CAS 123-03-5

Glycidyl Trimethyl Ammonium Chloride CAS 3033-77-0

Diisobutylphenoxyethoxyethyl dimethylbenzylammonium chloride; CAS 121-54-0

Benzylhexadecyldimethylammonium chloride; CAS 122-18-9

Cetyl dimethylbenzylammonium chloride

Hexadecyldimethylbenzylammonium chloride;

Trimethyltetradecylammonium bromide

Hexadecyltrimethylammonium bromide

Hexadecyltrimethylammonium bromide

Cetyltrimethylammonium bromide

1-Hexadecylpyridinium chloride;

(2,3-epoxypropyl) trimethylammonium chloride

Stearyldimethylbenzylammonium chloride CAS 122-19-0

Octenidine dihydrochloride CAS 79775-73-6

Chlorhexidene gluconate CAS 55-56-1

#### Group V Polymeric Quaternary ammonium compounds

This group are generally used in personal care products such as skin care products and hair care to enhance skin feel and hair manageability. They are generally inferior to compounds in Groups I, II, III, IV and VII with respect to antimicrobial action and are rarely used for that purpose.

#### POLYQUATS (Polyquaternium Compounds)

Polyquaternium-1 Ethanol, 2,2',2''-nitrotris-, polymer with 1,4-dichloro-2-butene and N,N,N',N'-tetramethyl-2-butene-1,4-diamine

Polyquaternium-2 Poly[bis(2-chloroethyl) ether-alt-1,3-bis[3-(dimethylamino)propyl]urea]

Polyquaternium-4 Hydroxyethyl cellulose dimethyl diallylammonium chloride copolymer; Diallyldimethylammonium chloride-hydroxyethyl cellulose copolymer


Polyquaternium-5 Copolymer of acrylamide and quaternized dimethylammoniumethyl methacrylate

- Polyquaternium-6 Poly(diallyldimethylammonium chloride)
- Polyquaternium-7 Copolymer of acrylamide and diallyldimethylammonium chloride
- Polyquaternium-8 Copolymer of methyl and stearyl dimethylaminoethyl ester of methacrylic acid, quaternized with dimethylsulphate[2]
- Polyquaternium-9 Homopolymer of N,N-(dimethylamino)ethyl ester of methacrylic acid, quaternized with bromomethane
- Polyquaternium-10 Quaternized hydroxyethyl cellulose
- Polyquaternium-11 Copolymer of vinylpyrrolidone and quaternized dimethylaminoethyl methacrylate
- Polyquaternium-12 Ethyl methacrylate / abietyl methacrylate / diethylaminoethyl methacrylate copolymer quaternized with dimethyl sulfate
- Polyquaternium-13 Ethyl methacrylate / oleyl methacrylate / diethylaminoethyl methacrylate copolymer quaternized with dimethyl sulfate
- Polyquaternium-14 Trimethylaminoethylmethacrylate homopolymer
- Polyquaternium-15 Acrylamide-dimethylaminoethyl methacrylate methyl chloride copolymer
- Polyquaternium-16 Copolymer of vinylpyrrolidone and quaternized vinylimidazole
- Polyquaternium-17 Adipic acid, dimethylaminopropylamine and dichloroethylether copolymer
- Polyquaternium-18 Azelaic acid, dimethylaminopropylamine and dichloroethylether copolymer
- Polyquaternium-19 Copolymer of polyvinyl alcohol and 2,3-epoxypropylamine
- Polyquaternium-20 Copolymer of polyvinyl octadecyl ether and 2,3-epoxypropylamine
- Polyquaternium-22 Copolymer of acrylic acid and diallyldimethylammonium Chloride
- Polyquaternium-24 Quaternary ammonium salt of hydroxyethyl cellulose reacted with a lauryl dimethyl ammonium substituted epoxide.
- Polyquaternium-27 Block copolymer of Polyquaternium-2 and Polyquaternium-17
- Polyquaternium-28 Copolymer of vinylpyrrolidone and methacrylamidopropyl trimethylammonium

- Polyquaternium-29 Chitosan modified with propylene oxide and quaternized with epichlorhydrin
- Polyquaternium-30 Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-, inner salt, polymer with methyl 2-methyl-2-propenoate
- Polyquaternium-31 N,N- dimethylaminopropyl-N-acrylamidine quaternized with diethylsulfate bound to a block of polyacrylonitrile
- Polyquaternium-32 Poly(acrylamide 2-methacryloxyethyltrimethyl ammonium chloride)
- Polyquaternium-33 Copolymer of trimethylaminoethylacrylate salt and acrylamide
- Polyquaternium-34 Copolymer of 1,3-dibromopropane and N,N-diethyl-N',N'-dimethyl-1,3-propanediamine
- Polyquaternium-35 Methosulphate of the copolymer of methacryloyloxyethyltrimethylammonium and of methacryloyloxyethyldimethylacetylammmonium
- Polyquaternium-36 Copolymer of N,N-dimethylaminoethylmethacrylate and butylmethacrylate, quaternized with dimethylsulphate
- Polyquaternium-37 Poly(2-methacryloxyethyltrimethylammonium chloride)
- Polyquaternium-39 Terpolymer of acrylic acid, acrylamide and diallyldimethylammonium Chloride
- Polyquaternium-42 Poly[oxyethylene(dimethylimino)ethylene (dimethylimino)ethylene dichloride]
- Polyquaternium-43 Copolymer of acrylamide, acrylamidopropyltrimonium chloride, 2-amidopropylacrylamide sulfonate and dimethylaminopropylamine
- Polyquaternium-44 3-Methyl-1-vinylimidazolium methyl sulfate-N-vinylpyrrolidone copolymer
- Polyquaternium-45 Copolymer of (N-methyl-N-ethoxyglycine)methacrylate and N,N-dimethylaminoethylmethacrylate, quaternized with dimethyl sulphate
- Polyquaternium-46 Terpolymer of vinylcaprolactam, vinylpyrrolidone, and quaternized vinylimidazole
- Polyquaternium-47 Terpolymer of acrylic acid, methacrylamidopropyl trimethylammonium chloride, and methyl acrylate

Group VI Ester Quaternary Ammonium Compounds

Typical applications for this group are in formulating Laundry fabric softeners providing mild antimicrobial action. For increased antimicrobial performance products from Groups I and II may be added.



Commercially available examples include the TETRANYL® REWOQUAT® and ACCOSOFT® Product Ranges from Kao Corp Evonik Industries and Stepan Chemical respectively

Group VII Biguanides

Chlorhexidine Gluconate (CHG) 1,6-bis(4-chloro-phenylbiguanido)hexane CAS 55-56-1,

Octenidine Hydrochloride N,N'-(decane-1,10-diyl-dipyridin-1-yl-4-ylidene)dioctan-1-amine

Dihydrochloride CAS 70775-73-6,

Polyhexanide PHMB Polyhexamethylene biguanide CAS 28757-47-3,

Example brand name VANTOCIL® Lonza Corp

**Water-Soluble Polymers**

Examples of some of the water-soluble polymers, dispersions or emulsions which can be used singly or in combination in the invention described are:

**Synthetic Water-Soluble Polymers**

Poly(ethyleneglycol) PEG

Poly(propyleneglycol) PPG

Poly(vinylpyrrolidone) PVP

Poly(vinylpyrrolidone/vinylacetate) copolymer PVP/VA

Poly(vinylpyrrolidone/dimethylaminoethylmethacrylate Copolymer PVP/DMAEMA

Poly(acrylicacid) PAA

Poly(oxyethylene/oxypropylene) glycol copolymers

Sodium Polyacrylate solutions

Ammonium Polyacrylate solutions

Poly (dimethylsiloxane) emulsions

Poly(vinylalcohol) PVOH

Styrene/Butadiene Copolymer emulsion

Carboxylated Styrene/Butadiene copolymer emulsion

Alkyl methacrylate copolymer emulsion

PolyAcrylic Acid emulsion

Acrylic Acid/VinylAcetate emulsion

Polyvinyl Acetate emulsions

Polyethylene emulsion cationic and nonionic

Epoxy ester polymer emulsion

Polyurethane polymer dispersion

Polystyrene polymer dispersion

AlkoxyAlkyl substituted Polyacrylic Acid  $R^1OH/R^2$  PAA

Divinylether/MaleicAnhydride copolymers DIVEMA

Poly(vinylether/maleic Anhydride) PVM/MA

Poly(vinylether/maleic Acid) PVM/MA

Poly (ethyleneimine)

Quaternary Polyamines

Poly(diallyldimethylammonium chloride PDADMAC

Poly (2-Alkyl-2-Oxazoline)

Poly[di(carboxylatophenoxy)phosphazene] (PCPP)  
 Poly[di(methoxyethoxyethoxy) phosphazene] (MEEP)  
 Methyl cellulose  
 Hydroxyethylcellulose (HEC)  
 Hydroxypropylcellulose (HPC)  
 Hydroxypropylmethyl cellulose (HPMC)  
 Sodium Carboxymethyl Cellulose (Na CMC)

### Natural Water-Soluble Polymers

Xanthan Gum  
 Pectin  
 Hyaluronic Acid  
 Chitosan  
 Dextran  
 Partially Hydrolysed Starch - Maltodextrin  
 Carrageenan  
 Guar Gum

### Skin Conditioning Agents

Examples of some of the active skin conditioning agents (along with their skin effect) which can be used singly or in combination in the invention described are:

INCI name	Skin effect
Silicone Quaternium-20	Skin conditioning agent for mildness, silky feel and smoothness.
Silicone Quaternium-24	Skin conditioning agent for mildness, silky feel and smoothness.
Quarternium-45 (3,4-Dimethyl-2-[2-(phenylamino)vinyl]oxazolium iodide)	Skin moisturising, repairing agent
POLYQUATERNIUM-10	Skin conditioning, moisturising agent Silky feel

INCI name	Skin effect
POLYQUATERNIUM-50	Skin conditioning agent for silky feel and smoothness.
QUATERNIUM-79 HYDROLYZED WHEAT PROTEIN	Skin conditioning
Cocamidopropyl ethyldimonium ethosulfate	Skin soft after-feel and moisturizing effects
GUAR HYDROXYPROPYLTRIMONIUM CHLORIDE	Skin conditioning, moisturising agent
STARCH HYDROXYPROPYLTRIMONIUM CHLORIDE	Skin moisturising agent. Silky feel
POLYMETHACRYLAMIDOPROPYLTRIMONIUM CHLORIDE	Skin moisturising agent. Silky feel
PEG-2 DIMEADOWFOAMAMIDOETHYLMONIUM METHOSULFATE	Skin conditioning, moisturising agent
SILICONE QUATERNIUM-2 PANTHENOL SUCCINATE	Skin conditioning

We have discussed use of the invention for disinfecting hard surfaces such as in hospitals and in Kitchens, for use in a novel paper towel which not only dries hands after washing but leaves them bacteriostatic without the need for separate application of antimicrobial creams and the like, and for imparting skin feel improvers.

Other uses for the invention include the preparation of curtains for use in hospitals for example curtains surrounding bed cubicles for privacy as well as window covering curtains. Because of high patient turnover in cubicles, and the need for frequent handling of the curtain for opening and closing by a variety of patients, visitors, medical staff and orderlies, cubical surrounding privacy curtains are at high risk of conveying crossinfecting microbes and hence require frequent disinfection. Paper curtains treated according to the present invention remain biostatic for long periods and can then be disposed of at much lower materials and labour cost than the repetitively cleaning/disinfecting regimes currently used. This is an example of a

single ply structure which does not require the adhesion of multiple plies and therefore does not require the inclusion of an adhesive polymer such as polyvinylalcohol. A further potential application of the invention is to treat cardboard for the manufacture of cardboard so that cartons manufactured from the treated cardboard is resistant to mould growth enabling the manufacture of mould resistant cardboard boxes.

Those skilled in the art will appreciate that the invention can be beneficially used in many other ways

### **TEST METHOD FOR ANTISEPTIC PAPER WIPE VALIDATION**

This test method was published in the "Australian Journal of Hospital Pharmacy", Vol 8, No 4; 1978 (152-155)

#### **1. Principle**

The method, as applied to Hospital Grade Disinfectants or Sanitisers, is essentially that given by Kelsey & Maurer (1) for testing disinfectant performance. It is set out in a form suitable for attachment to a regulatory minimum standard for disinfectants and antiseptics. For wider application of the test refer to supplementary note A.

The disinfectant is tested at the dilution recommended by the manufacturer on the product label. The test consists of challenging the diluted disinfectant with bacterial inoculum, withdrawing a sample after a given time and culturing the sample in a suitable recovery medium. After this sampling, the mixture is again challenged by a second inoculum and after a second interval is again sampled for culturing. The sample is passed or failed according to the extent of growth shown in the two cultures sampled. The test may be performed with or without the addition of sterile yeast as an organic soil. (Options B and A respectively) or both, according to the use-situations advocated on the label of the product under test.

Class of product	Organisms used in the test	Test option for resuspension of centrifuged organisms	Number of challenges	Inoculum density
Disinfectant - hospital grade: Sanitiser	<i>Ps. aeruginosa</i> <i>Pr. vulgaris</i> <i>E. coli</i> <i>S. aureus</i>	A ("clean" conditions)	2	$2 \times 10^8 - 2 \times 10^9$
		B ("dirty" conditions")		
Disinfectant - household or commercial grade	<i>E. coli</i> <i>S. aureus</i>	C	1	$2 \times 10^8 - 2 \times 10^9$
Antiseptic (excluding those for intact skin only)	<i>Ps. aeruginosa</i> <i>Pr. vulgaris</i> <i>E. coli</i> <i>S. aureus</i>	D	1	$1 \times 10^6 - 1 \times 10^7$

Table 1. Selection of test parameters for classes of disinfectant and antiseptic using the TGA Disinfectant Test.

For Household Grade disinfectants, the first two organisms listed and the second challenge are omitted, while Option C (nutrient broth) is selected as the choice of simulated soil. For antiseptics, the second challenge is again omitted, while Option D (serum) is selected as the choice of soil.

## 2. Media

All media must be contained in capped glass containers. Where media are stored, the containers must be sealed tightly or refrigerated.

## 2.1 Sterile Hard Water

2.1.1 Dissolve 0.304g anhydrous calcium chloride and 0.065g anhydrous magnesium chloride in glass-distilled water, and make up to one litre.

2.1.2 Dispense into glass containers and sterilize by autoclaving at  $121^{\circ}\pm 1^{\circ}\text{C}$  for 15 minutes.

## 2.2 Yeast Suspension

2.2.1 Weigh 200g of moist compressed baker's yeast. Cream by the gradual addition of sterile hard water using a heavy glass rod for stirring. Decant the creamed portion into a flask, add more water to any lumpy residue remaining and repeat the creaming and decantation until no residue remains and 500ml of water has been used.

2.2.2 Shake the contents of the flask vigorously and strain through a 100-mesh sieve, breaking down any remaining lumps.

2.2.3 Add 500ml sterile hard water, shake vigorously and adjust the pH to 6.9-7.1 with 1N Sodium hydroxide.

2.2.4 Transfer 50ml, 100ml or 200ml of the yeast solution into screw-capped bottles.

2.2.5 Autoclave at  $121^{\circ}\pm 1^{\circ}\text{C}$  for 15 minutes and allow the autoclave to cool without releasing pressure. Store cold but not freezing.

2.2.6 Dry two Petri dishes to constant weight. Into each, pipette 25ml of sterilised yeast suspension, and dry to constant weight at  $100^{\circ}\text{C}$ . Calculate the average solids content of the suspension.

2.2.7 Before use, pipette 25ml of the sterilised yeast suspension into a beaker. Determine the pH using the glass electrode, and determine the volume of 1N sodium hydroxide solution needed to adjust the pH to within the range 6.9 to 7.1.

2.2.8 Immediately before use, add to each bottle of sterilised yeast, a volume of sterile hard water and a volume of 1N sodium hydroxide calculated to adjust the concentration of dry yeast to 5.0% and the pH to within the range 6.9-7.1. Discard prepared yeast 3 months after preparation.

## 2.3 Medium for Growth of Test Organisms

2.3.1 Prepare a 10% w/v dextrose solution in distilled water, and sterilise by autoclaving at  $121^{\circ}\pm 1^{\circ}\text{C}$  for 15 minutes. Cool to room temperature.

2.3.2 Prepare Wright and Mundy medium following the author's procedure (2) or from a commercial product of the same composition (Note B) and sterilise by autoclaving at  $121^{\circ}\pm 1^{\circ}\text{C}$  for 15 minutes. Cool to room temperature.

2.3.3 To each litre of Wright and Mundy medium prepared in 2.3.2 add 10ml sterile dextrose solution prepared in 2.3.1.

2.3.4 Aseptically dispense in either 10ml or 15ml amounts, as preferred.

2.3.5 This medium is referred to as Wright and Mundy dextrose medium.

## 2.4 Recovery Medium

2.4.1 Prepare nutrient broth as follows or from a commercial product of the same composition

(Note B):-

Add the following to 970ml of water and dissolve by

heating. Beef Extract Powder 10g

Peptone 10g

Sodium Chloride 5g

Adjust the pH to 8.0-8.4 using 1N Sodium Hydroxide. Boil for 10 minutes and filter. Cool.

2.4.2 To each litre of nutrient broth solution prepared in 2.4.1 add 30g polysorbate 80 (Note B).

2.4.3 Adjust pH to 7.2-7.4, using 1N Sodium hydroxide.

2.4.4 Autoclave at  $121^{\circ}\pm 1^{\circ}\text{C}$  for 15 minutes, and immediately shake well to disperse the polysorbate 80.

2.4.5 Dispense aseptically in 10ml amounts into sterile capped glass tubes.

### 3. Test Inoculum

#### 3.1 Test Organisms

The following 4 organisms are to be used, except where prescribed.

<i>Pseudomonas aeruginosa</i>	NCTC 6749
<i>Proteus vulgaris</i>	NCTC 4635
<i>Escherichia coli</i>	NCTC 8196
<i>Staphylococcus aureus</i>	NCTC 4163

#### 3.2 Preparation of Inoculum

3.2.1 Incubate the contents of an ampoule of freeze-dried culture overnight at  $37^{\circ}\pm 1^{\circ}\text{C}$  in Wright and Mundy dextrose medium.

3.2.2 Inoculate the incubated culture onto nutrient agar slopes in McCartney bottles. Store for up to 3 months at  $4^{\circ}\pm 1^{\circ}\text{C}$ .

3.2.3 At a suitable period before the test is to be conducted, sub-culture from an agar slope into 10ml or 15ml quantities of Wright and Mundy dextrose medium. Incubate at  $37^{\circ}\pm 1^{\circ}\text{C}$  for  $24\pm 2$  hours.

3.2.4 Sub-culture from the medium in 3.2.3 into fresh medium, using an inoculating loop of 4mm in diameter. Incubate at  $37^{\circ}\pm 1^{\circ}\text{C}$  for  $24\pm 2$  hours.

3.2.5 Repeat step 3.2.4 daily. For the test procedure use only those cultures which have been sub-cultured at least 5, and not more than 14 times.

3.2.6 Filter test cultures of *P. aeruginosa* and *S. aureus* through sterile Whatmans No. 4 filter paper.

3.2.7 Centrifuge all test cultures until cells are compact, and remove supernatant with a Pasteur pipette.

3.2.8 Resuspend test organisms in the original volume of liquid (i.e. 10ml or 15ml), and shake for 1 minute with a few sterile glass beads.

3.2.8.1 For Option A, resuspend in sterile hard water.

3.2.8.2 For Option B, resuspend in a mixture of 4 parts yeast suspension (prepared as in 2.2) to 6 parts sterile hard water.

3.2.8.3 For Option C, resuspend in nutrient broth (prepared as in 2.4.1 and 2.4.3 and sterilised by autoclaving).

3.2.8.4 For Option D, resuspend in sterile hard water; dilute twice 1 + 9 in sterile hard water; then add 8ml of the last dilution to 2ml sheep serum previously inactivated at  $56^{\circ}\text{C}$  for 20 mins. and sterilised by filtration.

### 3.3 Enumeration of Inoculum

Immediately before testing, sample the resuspended inoculum and enumerate using 10-fold dilutions in quarter-strength Ringer's solution and the pour-plate technique. The number subsequently counted must represent not less than  $2 \times 10^8$  or more than  $2 \times 10^9$  organisms per millilitre (or  $1 \times 10^8$  -  $1 \times 10^7$  using Option D) or the test is considered invalid. Retain tube containing  $10^{-7}$  dilution for use in controls (7.3 and 7.4).

#### 4. Disinfectant Dilutions

Quantitatively dilute a sample of the disinfectant to the specified extent, using sterile hard water as diluent. Use not less than 10ml or 10g of sample for the first dilution, and not less than 1ml of any dilution to prepare subsequent dilutions. Make all dilutions in glass containers on the day of testing. The glass containers must be twice rinsed in glass-distilled water, and sterilised.

#### 5. Temperature

Where air-conditioning does not maintain test solutions at  $21^{\circ}\pm 1^{\circ}\text{C}$ , hold the containers in which the test is to be carried out in a waterbath at this temperature.

#### 6. Test Procedure

Perform the following test using each of the four test organisms (3.1) except where the Standard directs otherwise. It is not necessary to test with all organisms simultaneously.

6.1 Add 3ml of diluted disinfectant to a capped glass container.

6.2 Start a timing device. Immediately inoculate disinfectant with 1ml of culture (prepared in 3.2) and mix by swirling.

6.3 At 8 minutes, subculture one drop (0.02ml + .002ml) into each of 5 tubes containing recovery broth. To ensure delivery of 0.02ml into the first tube of recovery broth at exactly 8 minutes, it will be necessary to withdraw a suitable amount from the disinfectant test mix shortly beforehand. This must be immediately preceded by vortexing. Surplus sample must be returned to the test mix. (See Note D).

6.4 Except where prescribed, at 10 minutes, inoculate disinfectant with a further 1ml of culture, and mix by vortexing.

6.5 Except where prescribed, at 18 minutes, proceed as in 6.3.

6.6 Mix the contents of all tubes of recovery broth by vortexing. Incubate at  $37^{\circ}\pm 1^{\circ}\text{C}$  for  $48\pm 2$  hours.

6.7 Examine for growth and record results.

6.8 For each test organism repeat steps 6.1-6.7 on each of 2 subsequent days, using a fresh disinfectant dilution and a freshly prepared bacterial suspension.

## 7. Controls

### 7.1 Recovery broth contamination

Incubate one uninoculated tube of recovery broth at  $37^{\circ}\pm 1^{\circ}\text{C}$  for  $48\pm 2$  hours and examine for growth. If growth occurs, the test is considered invalid due to contamination of the recovery broth.

### 7.2 Disinfectant contamination

To 1 tube of recovery broth, add 0.02ml of diluted disinfectant. Incubate at  $37^{\circ}\pm 1^{\circ}\text{C}$  for  $48\pm 2$  hours. If growth occurs, the test is considered invalid. Growth in 7.2 but not 7.1 indicates contamination of the disinfectant test solution.

### 7.3 Fertility Test

To 1 tube of recovery broth, add 1.0ml of the  $10^{-7}$  dilution retained in 3.3. Incubate at  $37^{\circ}\pm 1^{\circ}\text{C}$  for  $48\pm 2$  hours and examine for growth. If no growth occurs, the test is considered invalid.

### 7.4 Inactivator Efficacy

To 1 tube of recovery broth, add 0.02ml of diluted disinfectant and 1.0ml of the  $10^{-7}$  dilution retained in 3.3. Incubate at  $37^{\circ}\pm 1^{\circ}\text{C}$  for  $48\pm 2$  hours, and examine for growth. If no growth occurs, the test is considered invalid. Growth in 7.3 but not in 7.4 indicates inadequate inactivation of the disinfectant.

**8. Procedure in case of invalid controls**

When any control renders the test invalid, the test is to be repeated. Fresh recovery broth is to be used if growth occurred in control 7.1 or if no growth occurred in controls 7.3 or 7.4.

Should disinfectant contamination be indicated by control 7.2 on both occasions, the disinfectant is considered to fail the test. Should inadequate inactivation of the disinfectant be indicated by control 7.4 on both occasions, the test is considered invalid (Note C).

**9. Results**

The dilution test passes the test if there is no apparent growth in at least two out of the five recovery broths specified in 6.3 and no apparent growth in at least two of the five recovery broths specified in 6.5 on all three occasions, using all four organisms.

**10. References**

- (1) Kelsey, J.C. and Maurer Isobel, M. *Pharmaceutical Journal* (UK) 213: 528-530, (1974). (2) Wright Eleanore, S. and Mundy, R.A. *Journal of Bacteriology* 80: 279-280, (1960).

**CLAIMS**

1. An applicator for providing an active composition to a surface, the applicator comprising a cellulosic substrate having anionic sites; and an impregnated or coated composition, the impregnated composition comprising a bioactive cationic component in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.
2. An applicator according to claim 1 wherein the desired effect is selected from one or more of a biocidal effect, enhanced skin feel, enhanced skin health and fabric softening.
3. An applicator according to claim 1 or claim 2 in the form of a sheet wipe.
4. An applicator according to claim 3 comprising a single layer of cellulosic substrate.
5. An applicator according to claim 3 comprising multiple layers of cellulosic substrate.
6. An applicator according to any one of the preceding claims which is substantially dry.
7. An applicator according to any one of the preceding claims wherein the cationic component is selected from the group consisting of a quaternary ammonium compound, or a skin compatible cationic selected from benzalkonium chloride, benzethonium chloride, alkylammonium chloride, chlorhexidine gluconate, octenidine hydrochloride, tallow quaternary compounds or silicone based quaternaries.
8. An applicator according to any one of the preceding claims wherein the cellulosic substrate is selected from the group consisting of paper, paper laminate, cardboard, a plant fabric or the like.
9. An applicator according to claim 8 wherein the plant fabric is a wood pulp or cotton material.
10. An applicator according to any one of the preceding claims wherein the cellulosic substrate is woven.

11. An applicator according to any one of claims 1 to 9 wherein the cellulosic substrate is non-woven.
12. An applicator for providing an active composition to a surface, the applicator comprising at least two layers of cellulosic substrate having anionic sites; said layers being adhered to each other by an adhesive composition, the adhesive composition comprising a cationic component in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.
13. An applicator according to claim 12 wherein the desired effect is selected from one or more of a biocidal effect, enhanced skin feel, enhanced skin health and fabric softening.
14. An applicator according to claim 12 or 13 wherein the adhesive composition also comprises a water-soluble or water dispersible adhesive polymer.
15. An applicator according to claim 14 wherein the water-soluble or water-dispersible adhesive polymer is selected from one or more of PVOH, polyvinyl pyrrolidone or copolymers of polyvinyl pyrrolidone with vinyl acetate, non-ionic polyvinyl acetate emulsions or vinyl ether/maleic anhydride copolymer.
16. An applicator according to any one of claims 12 to 15 wherein each one of said at least two layers are the same.
17. An applicator according to any one of claims 12 to 15 wherein each one of said at least two layers are different.
18. An applicator according to any one of claims 12 to 17 comprising multiple layers of cellulosic substrate adhered to each other by an adhesive composition.
19. An applicator according to any one of claims 12 to 18 wherein the cellulosic substrate is selected from the group paper, paper laminates, cardboard, plant fabrics or the like.
20. An applicator according to claim 19 wherein the plant fabric is a wood pulp or cotton material.

21. An applicator according to any one of claims 12 to 20 wherein the cellulosic substrate is woven.
22. An applicator according to any one of claims 12 to 20 wherein the cellulosic substrate is non-woven.
23. A method of preparing an applicator according to any one of the preceding claims, the method comprising
  - selecting a cellulosic substrate and a cationic component,
  - determining a base loading of the cationic component on the cellulosic substrate at which and anionic sites on the cellulosic substrate are inactive, and
  - selecting an amount of cationic component for application to the cellulosic substrate such that the applicator will exhibit a desired effect in use.
24. A method according to claim 23 wherein the desired effect is selected from one or more of a biocidal effect, enhanced skin feel, enhanced skin health and fabric softening.
25. A method according to claim 23 or 24 wherein the cationic component is selected from the group consisting of a quaternary ammonium compound, or a skin compatible cationic selected from benzalkonium chloride, benzethonium chloride, alkylammonium chloride, chlorhexidine gluconate, octenidine hydrochloride, tallow quaternary compounds or silicone based quaternaries.
26. A method according to any one of claims 23 to 25 wherein the cellulosic substrate is selected from the group consisting of paper, paper laminates, cardboard, plant fabrics or the like.
27. A method of making an applicator, the method comprising:
  - contacting the surface of a first ply of cellulosic material with an adhesive composition comprising a cationic component and
  - applying to the adhesive composition a further ply of cellulosic material, andwherein the cationic component is present in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.

28. A method according to claim 27 wherein the desired effect is selected from one or more of a biocidal effect, enhanced skin feel, enhanced skin health and fabric softening.
29. A method according to claim 27 or 28 wherein subsequent layers of adhesive and ply are applied to make a multi-ply applicator, and wherein the cationic component is present in an amount sufficient in use to deactivate the anionic sites in the cellulosic substrate and to provide a desired effect.
30. A method according to any one of claims 27 to 29 wherein the adhesive composition also comprises a water-soluble or water-dispersible adhesive polymer.
31. A method according to claim 30 wherein the water-soluble or water-dispersible adhesive polymer is selected from one or more of PVOH, polyvinyl pyrrolidone or copolymers of polyvinyl pyrrolidone with vinyl acetate, non-ionic polyvinyl acetate emulsions or vinyl ether/maleic anhydride copolymer.
32. A method of disinfecting an inanimate surface comprising moistening the surface and then wiping it an applicator according to any one of claims 1 to 22.
33. A method of disinfecting an inanimate surface comprising moistening an applicator according to any one of claims 1 to 22 and then wiping the surface with the moistened paper or fabric whereby to apply a bioactive cationic species to the surface.
34. A method of disinfecting skin comprising moistening the surface and then wiping it an applicator any one of claims 1 to 22.
35. A method of disinfecting skin surface comprising moistening an applicator according to any one of claims 1 to 22 and then wiping the surface with the moistened paper or fabric whereby to apply a bioactive cationic species to the skin.

## A. CLASSIFICATION OF SUBJECT MATTER

[See Supplemental Sheet]

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**EPOQUE 5.2 (PATENW):** Applicant/Inventor names (Steven Kritzler); CPC/IPC symbols (A01N 25/34, 33/12; D21H; A61L; A61K; B32B); Keywords (adhesive, polyvinyl pyrrolidone, wipe, applicator, benzalkonium chloride & alternatives). **NEW STN (CAPlus, BIOSIS, EMBASE, MEDLINE):** Applicant/Inventor names (*as above*); Keywords (wipe, cloth, applicator, ammonium, chlorhexidine, cellulose\*, disinfect, surface, adhesive, polyvinyl pyrrolidone, antimicrobial, bactericide & alternatives). **ONLINE DATABASES (Espacenet, Google Scholar/Patents/Search):** Applicant/Inventor names (*as above*); Keywords (wipe, biocide, cationic, polymer adhesive & alternatives). **INTERNAL DATABASES:** Applicant/Inventor names (*as above*).

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	Documents are listed in the continuation of Box C	

 Further documents are listed in the continuation of Box C See patent family annex

* Special categories of cited documents:		
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	
"D" document cited by the applicant in the international application	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	
"E" earlier application or patent but published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family	
"O" document referring to an oral disclosure, use, exhibition or other means		
"P" document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search  
3 March 2020Date of mailing of the international search report  
03 March 2020

## Name and mailing address of the ISA/AU

AUSTRALIAN PATENT OFFICE  
PO BOX 200, WODEN ACT 2606, AUSTRALIA  
Email address: pct@ipaaustralia.gov.au

## Authorised officer

Austin Smith  
AUSTRALIAN PATENT OFFICE  
(ISO 9001 Quality Certified Service)  
Telephone No. +61262832381

<b>INTERNATIONAL SEARCH REPORT</b>		International application No.
C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		<b>PCT/AU2020/050014</b>

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 2015/189570 A1 (FANTEX LIMITED) 17 December 2015 [005, 009-0012], Examples 1 & 3, claim 17	1-14, 16, 18-30 & 32-33
X	US 2004/0009141 A1 (KOENIG et al.) 15 January 2004 Abstract, [0026, 0031, 0035, 0061, 0065-0066, 0068, 0071-0072, 0074], claim 17	1-31 & 34-35
X	US 7741263 B2 (KILKENNY et al.) 22 June 2010 col 3 ln 1-10, col 5 ln 7, col 12 ln 35 to col 15 ln 20, col 6 ln 44-48, col 30 ln 12-25, col 37 ln 25-35, col 38 ln 58 to col 39 ln 26, Tables 1-4 & 10-11	1-11, 23-26 & 32-33
X	US 5421898 A (CAVANAGH) 06 June 1995 Abstract, col 2, col 3 ln 15-35, col 2 ln 10-15, claim 15	1-11, 23-26 & 32-33
X	US 5707736 A (LEVY et al.) 13 January 1998 Abstract, Example 1, claims	1, 6-11, & 23-26
X	JP 2018015413 A (ASHI KASEI ADVANCE CORP) 01 February 2018 [0005, 0007-0008, 0030] (based on English machine translation obtained from Espacenet, 31 JAN 2019)	1-4, 7-9, 11, 23-26 & 32-33
X	HINCHLIFFE, D. J. <i>et al.</i> , "An optimized co-formulation minimized quaternary ammonium compounds adsorption onto raw cotton disposable disinfecting wipes and maintained efficacy against methicillin-resistant <i>Staphylococcus aureus</i> , vancomycin-resistant <i>Enterococcus faecalis</i> , and <i>Pseudomonas aeruginosa</i> ", <i>Textile Research Journal</i> (2018) vol 88, no 20, pages 2329-2338. Abstract, p2333 "Preliminary phase I quat co-formulation efficacy testing", p2336-7 "Discussion"	1-4, 7-9, 11, 23-26 & 32-33
A	WO 2013/036996 A1 (NOVAPHARM RESEARCH (AUSTRALIA) PTY LTD) 21 March 2013 Abstract	

**Supplemental Box – IPC Marks***A61L 2/232 (2006.01)**A01N 33/12 (2006.01)**A01N 25/34 (2006.01)**A61L 2/18 (2006.01)**A01N 43/40 (2006.01)**A01N 47/44 (2006.01)**A01N 55/00 (2006.01)**D21H 27/30 (2006.01)**D21H 27/32 (2006.01)**B32B 29/00 (2006.01)**A61K 8/02 (2006.01)**A61K 9/70 (2006.01)**A61Q 19/00 (2006.01)**A61P 31/04 (2006.01)**A61K 31/14 (2006.01)**A61K 31/355 (2006.01)**A61K 31/155 (2006.01)**A61K 36/886 (2006.01)*

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No.

**PCT/AU2020/050014**

This Annex lists known patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

<b>Patent Document/s Cited in Search Report</b>		<b>Patent Family Member/s</b>	
<b>Publication Number</b>	<b>Publication Date</b>	<b>Publication Number</b>	<b>Publication Date</b>
WO 2015/189570 A1	17 December 2015	WO 2015189570 A1	17 Dec 2015
US 2004/0009141 A1	15 January 2004	US 2004009141 A1	15 Jan 2004
		AU 2003230281 A1	23 Jan 2004
		AU 2003230281 B2	13 Nov 2008
		BR 0312422 A	19 Jun 2007
		CA 2491446 A1	15 Jan 2004
		EP 1519710 A1	06 Apr 2005
		EP 1519710 B1	08 Aug 2007
		KR 20050025304 A	14 Mar 2005
		KR 101028182 B1	11 Apr 2011
		MX PA05000106 A	08 Apr 2005
		TW 200406229 A	01 May 2004
		WO 2004004679 A1	15 Jan 2004
		US 7741263 B2	22 June 2010
US 7741263 B2	22 Jun 2010		
AR 031911 A1	08 Oct 2003		
AR 036288 A1	25 Aug 2004		
AR 070122 A1	17 Mar 2010		
AU 3944302 A	24 Jun 2002		
AU 2002313809 B2	06 Mar 2008		
AU 2007337087 A1	03 Jul 2008		
AU 2007337087 A2	13 Aug 2009		
AU 2007337087 B2	11 Jul 2013		
AU 2008348976 A1	14 Jan 2010		
AU 2008348976 B2	25 Sep 2014		
CA 2482306 A1	06 Mar 2003		
CA 2672748 A1	03 Jul 2008		
CA 2725772 A1	23 Dec 2009		
CA 2736045 A1	06 Mar 2003		
CL 2008003907 A1	06 Aug 2010		
EP 1419229 A1	19 May 2004		
EP 2126030 A1	02 Dec 2009		
EP 2126030 B1	09 Jul 2014		
EP 2256182 A2	01 Dec 2010		
EP 2294171 A1	16 Mar 2011		

Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.

Form PCT/ISA/210 (Family Annex)(July 2019)

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No.

**PCT/AU2020/050014**

This Annex lists known patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

<b>Patent Document/s Cited in Search Report</b>		<b>Patent Family Member/s</b>	
<b>Publication Number</b>	<b>Publication Date</b>	<b>Publication Number</b>	<b>Publication Date</b>
		MX 2009006585 A	30 Jun 2009
		MX 2010014020 A	15 Feb 2011
		NZ 577489 A	27 Jul 2012
		NZ 577693 A	25 Nov 2011
		US 2003148917 A1	07 Aug 2003
		US 6673761 B2	06 Jan 2004
		US 2004106533 A1	03 Jun 2004
		US 6825158 B2	30 Nov 2004
		US 2003216273 A1	20 Nov 2003
		US 6841527 B2	11 Jan 2005
		US 2004209792 A1	21 Oct 2004
		US 6951834 B2	04 Oct 2005
		US 7345015 B1	18 Mar 2008
		US 2008010772 A1	17 Jan 2008
		US 7414017 B2	19 Aug 2008
		US 2008255023 A1	16 Oct 2008
		US 7511006 B2	31 Mar 2009
		US 2007179079 A1	02 Aug 2007
		US 7576047 B2	18 Aug 2009
		US 2007185004 A1	09 Aug 2007
		US 7799751 B2	21 Sep 2010
		US 2002183233 A1	05 Dec 2002
		US 2003100465 A1	29 May 2003
		US 2003109411 A1	12 Jun 2003
		US 2006166849 A1	27 Jul 2006
		US 2010330139 A1	30 Dec 2010
		WO 0248296 A2	20 Jun 2002
		WO 03018732 A1	06 Mar 2003
		WO 2008079718 A1	03 Jul 2008
		WO 2009154652 A1	23 Dec 2009
		WO 2010101864 A1	10 Sep 2010

Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.

Form PCT/ISA/210 (Family Annex)(July 2019)

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No.

**PCT/AU2020/050014**

This Annex lists known patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

<b>Patent Document/s Cited in Search Report</b>		<b>Patent Family Member/s</b>	
<b>Publication Number</b>	<b>Publication Date</b>	<b>Publication Number</b>	<b>Publication Date</b>
US 5421898 A	06 June 1995	US 5421898 A	06 Jun 1995
US 5707736 A	13 January 1998	US 5707736 A	13 Jan 1998
		EP 0852148 A1	08 Jul 1998
		EP 0852148 B1	06 Feb 2002
		IL 97771 A	05 Dec 1996
JP 2018015413 A	01 February 2018	JP 2018015413 A	01 Feb 2018
WO 2013/036996 A1	21 March 2013	WO 2013036996 A1	21 Mar 2013
		AU 2012308095 A1	03 Apr 2014
		AU 2012308095 B2	27 Aug 2015
		BR 112014005895 A2	04 Apr 2017
		CN 104023528 A	03 Sep 2014
		EP 2755475 A1	23 Jul 2014
		KR 20140060564 A	20 May 2014
		US 2014341839 A1	20 Nov 2014

**End of Annex**

Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.

Form PCT/ISA/210 (Family Annex)(July 2019)