



US 20030150763A1

(19) **United States**

(12) **Patent Application Publication**
Chen

(10) **Pub. No.: US 2003/0150763 A1**

(43) **Pub. Date: Aug. 14, 2003**

(54) **CARD MODEL PACKAGE DEVICE**

Publication Classification

(76) Inventor: **Du-Po Chen, Taichung (TW)**

(51) **Int. Cl.⁷ B65D 73/00**

(52) **U.S. Cl. 206/471**

Correspondence Address:


Du-Po Chen
58, MA YUAN WEST ST.
TAICHUNG (TW)

(57) **ABSTRACT**

A card model package device has a base board, a card model, a plurality of card pieces, and a plastics casing having a first chamber to receive the card pieces and a second chamber to receive the card model. The plastics casing is disposed on the base board. The second chamber has a protruded portion.

(21) Appl. No.: **10/073,810**

(22) Filed: **Feb. 8, 2002**






FIG. 1
PRIOR ART




FIG. 2
PRIOR ART




FIG. 3





FIG. 4



F I G. 5




FIG. 6

CARD MODEL PACKAGE DEVICE**BACKGROUND OF THE INVENTION**

[0001] The present invention relates to a package device. More particularly, the present invention relates to a card model package device which receives a card model and a plurality of card pieces.

[0002] Referring to **FIG. 1**, a first card package **10** receives a large number of card pieces **20**. However, the first card package **10** does not receive a card model.

[0003] Referring to **FIG. 2**, a second card package **11** receives a plurality of card pieces **21**. However, the second card package **10** does not receive a card model.

SUMMARY OF THE INVENTION

[0004] An object of the present invention is to provide a card model package device which receives a card model and a plurality of card pieces.

[0005] Accordingly, a card model package device comprises a base board, a card model, a plurality of card pieces, and a plastics casing having a first chamber to receive the card pieces and a second chamber to receive the card model. The plastics casing is disposed on the base board.

BRIEF DESCRIPTION OF THE DRAWINGS

[0006] **FIG. 1** is a perspective view of a first card package of the prior art;

[0007] **FIG. 2** is a perspective view of a second card package of the prior art;

[0008] **FIG. 3** is a perspective exploded view of a card model package device of a preferred embodiment in accordance with the present invention;

[0009] **FIG. 4** is a schematic view illustrating a card model package device of a preferred embodiment receives a first card model;

[0010] **FIG. 5** is a schematic view illustrating a card model package device of a preferred embodiment receives a second card model; and

[0011] **FIG. 6** is a schematic view illustrating a card model package device of a preferred embodiment receives a third card model.

DETAILED DESCRIPTION OF THE INVENTION

[0012] Referring to **FIGS. 3 and 4**, a card model package device comprises a base board **1**, a first card model **3**, a plurality of card pieces **2**, and a plastics casing **4** having a first chamber **5** to receive the card pieces **2** and a second chamber **6** to receive the first card model **3**. The plastics casing **4** is disposed on the base board **1**. The second chamber **6** has a protruded portion **61**.

[0013] Referring to **FIG. 5**, the second chamber **6** of the plastics casing **4** receives a second card model **3'** instead of the first card model **3**.

[0014] Referring to **FIG. 6**, the second chamber **6** of the plastics casing **4** receives a third card model **3''** instead of the first card model **3**.

[0015] Therefore, the card model package device of the present invention receives a card model and a plurality of card pieces.

[0016] The present invention is not limited to the above embodiment but various modification thereof may be made. Furthermore, various changes in form and detail may be made without departing from the scope of the present invention.

I claim:

1. A card model package device comprises:

a base board,

a card model,

a plurality of card pieces,

a plastics casing having a first chamber to receive the card pieces and a second chamber to receive the card model, and

the plastics casing disposed on the base board.

2. The card model package device as claimed in claim 1, wherein the second chamber has a protruded portion.

* * * * *