

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
6 May 2005 (06.05.2005)

PCT

(10) International Publication Number  
WO 2005/041545 A1

(51) International Patent Classification<sup>7</sup>: H04M 1/725, 1/247

(21) International Application Number: PCT/EP2004/010613

(22) International Filing Date: 22 September 2004 (22.09.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
03024287.9 23 October 2003 (23.10.2003) EP  
60/515,081 28 October 2003 (28.10.2003) US

(71) Applicant (for all designated States except US): SONY ERICSSON MOBILE COMMUNICATIONS AB [SE/SE]; S-221 88 Lund (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SWERUP, Jan [SE/SE]; Hammaréns väg 29, S-131 42 Nacka (SE). LABICHE, Maurice [US/SE]; Rörstrandsgatan 8, S-113 40 Stockholm (SE).

(74) Agent: DAHNÉR, Christer; Ström & Gulliksson IP AB, P.O. Box 7086, S-103 87 Stockholm (SE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Declaration under Rule 4.17:**


— of inventorship (Rule 4.17(iv)) for US only

**Published:**

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MESSAGE HANDLING IN PORTABLE ELECTRONIC DEVICES



(57) Abstract: The present invention is directed towards a method and a device for preparing a message in a portable electronic device such as a cellular phone. The device comprises a message type selection unit (14) providing a set of items of message types (20, 22, 24, 26, 28) that can be selected by a user, a first user input unit (32), for allowing message type selection by the user, and a control unit (40) arranged to: provide the set of items of message types (20, 22, 24, 26) that can be selected by a user, detect a message selection by a user via said user input unit (32), change transmission format in dependence of the selections made by the user. In this way for instance a message can be prepared and saved in advance of deciding final message type for transmission.

WO 2005/041545 A1

## MESSAGE HANDLING IN PORTABLE ELECTRONIC DEVICES

## TECHNICAL FIELD OF THE INVENTION

5 The present invention relates to the field of message handling in portable electronic devices.

## DESCRIPTION OF RELATED ART

Portable electronic devices such as cellular phones of today have more and more different  
10 message types that can be transmitted, and each one of them has its own characteristics. Examples of message types are for instance: SMS for text messages, EMS for graphic information, MMS for multi-media messages including sound and pictures, "computer related" messages such as e-mail with or without attachment file and blogging for storing messages on a web site.

15

In the cellular phones of today, when a user prepares a message, an editor is used to prepare the message. Before starting to prepare the message, firstly the user has to decide which type of message is going to be prepared, for instance that a SMS will be prepared, whereby a proper editor is selected. The user is then restricted to this type of  
20 message and its corresponding features including its limitations. For instance, if a SMS has been prepared, it is normally not possible to transform it into an e-mail and vice versa. This of course is a disadvantage, because the user may not before or even at the time of preparing the message know what type of message he will finally end up with. He may not even know who will be the receiver thereof. Yet another disadvantage is that the user  
25 cannot save the message before knowing the final format it will have.

The patent literature, for instance, describes solutions for converting messages from one format into another, for example SMS to MMS, as disclosed for instance in WO-A1-02/096046 describing a computer workstation. However, common for all solutions is that  
30 the conversion is performed centrally in a system and not in the portable electronic device itself.

Thus, several disadvantages remain with today's technology concerning preparing and saving messages, for instance by means of the conventional editors located in the portable  
35 electronic devices.

There is thus a need for providing a user to be able to compose and save a message in advance of deciding what type of message it will end up in. In particular, there is a need for providing an editor for a portable electronic device that can be fully controlled by a user

in a simple manner, which editor provides preparing and saving a message in advance of deciding final message type for transmission (or saving thereof).

#### SUMMARY OF THE INVENTION

5 The present invention is thus directed towards providing an editor for a portable electronic device that can be fully controlled by a user in a simple manner such that a message can be prepared and saved in advance of deciding final message type for transmission.

This is achieved by providing an editor common for all message types, detecting a  
10 message type selection for a user, and changing appearance on a display and a transmission format in dependence of the selections made by the user. The editor is provided in the portable electronic device.

One object of the present invention is to provide a method enabling a user to prepare and  
15 save a message in a portable electronic device in advance of deciding final message type for transmission.

According to a first aspect of the present invention, this object is achieved by a method of preparing a message in a portable electronic device, comprising the steps of:

20 providing a set of message types that can be selected by a user in an editor common for all message types,  
detecting a message type selection for a user, and  
changing transmission format in dependence of the selections made by the user.

25 A second aspect of the present invention is directed to a method including the features of the first aspect, further comprising the step of showing the message, typically on an information presentation unit, in a format corresponding with the selected message type.

30 A third aspect of the present invention is directed towards a method including the features of the first aspect, wherein a first user input unit allows actuation for and scrolling in a first direction and a second opposite direction, wherein the detection of a selection by an actuation and confirmation of the first input unit for one direction provides selection of a message type and the detection of a selection provides changing the appearance and  
35 transmission format in dependence of the selections made by the user.

A fourth aspect of the present invention is directed towards a method including the features of the sixth aspect, comprising the step of saving, preferably performed automatically.

A fifth aspect of the present invention is directed towards a method including the features of the fourth aspect, wherein the step of saving is performed in a general format.

- 5 Another object of the present invention is to provide a portable electronic device, which provides a user to prepare and/or save a message in advance of deciding final message type for transmission.

According to a sixth aspect of the present invention, this object is achieved by a device for  
10 preparing a message in a portable electronic device comprising:

- a message type selection unit providing a set of items of message types that can be selected by a user,  
a user input unit for allowing message type selection by the user, and  
15 a control unit arranged to:  
provide the set of message types that can be selected by a user in an editor having a format common for all message types,  
detect a message selection by a user via said user input unit,  
change the transmission format in dependence of the selections made by the user.

20

An seventh aspect of the present invention is directed towards a device including the features of the sixth aspect, wherein the first user input unit allows actuation for and scrolling in a first direction and a second opposite direction, and a second user input unit is arranged to confirm a selection, wherein the detection of a selection by an actuation of the  
25 first input unit for one direction to an item and confirmation by the second input unit provides selection of a message type and the detection of a selection provides changing transmission format in dependence of the selections made by the user.

An eight aspect of the present invention is directed towards a device including the features  
30 of the seventh aspect, wherein the control unit is arranged to change the appearance on an information presentation unit in dependence of the selections made by the user.

A ninth aspect of the present invention is directed towards a device including the features of any one of the sixth to the seventh aspects, further comprising a message store and  
35 wherein the control unit is further arranged to save a message in the message store based on information present in the common editor.

A tenth aspect of the present invention is directed towards a device including the features of any one of the sixth to the ninth aspect, wherein the control unit is arranged to automatically save the message in a general format.

- 5 An eleventh aspect of the present invention is directed towards a device including the features of any one of the sixth aspect to the tenth aspect, wherein the control unit is arranged to upload the message to a predefined web-address.

10 A twelfth aspect of the present invention is directed towards a device including the features of any one of the sixth aspect to the tenth aspect, wherein the control unit is arranged to upload the message to a predefined web-address with automated log-in.

15 A thirteenth aspect of the present invention is directed towards a device including the features of any one of the sixth aspect to the tenth aspect, wherein the control unit is arranged to upload the message to a predefined web-address without automated log-in.

A fourteenth aspect of the present invention is directed towards a device including the features of any one of the sixth to the tenth aspect, wherein irrelevant tools is arranged not to be selectable so that a user can continue to edit in the format selected only.

20

A fifteenth aspect of the present invention is directed towards a device including the features of any one of the sixth to the tenth aspect, wherein the first user input unit is provided as at least one button of the device normally used for navigating in a menu system of the device.

25

A sixteenth aspect of the present invention is directed towards a device including the features of any one of the sixth to the fifteenth aspect, wherein the device is an electronic communication device.

- 30 A seventeenth aspect of the present invention is directed towards a device including the features of any one of the sixth to the sixteenth aspect, wherein the device is a cellular phone, a PDA or a smart-phone.

35 The invention has many advantages. According to the first to the fifteenth aspect of the present invention, a user will be able to compose messages, notes and other text matter using one and the same editor. This will give the user complete freedom when thinking and editing. He will not have to restrict himself until he finally sends the message. The invention has the further advantage providing storing of the message in a format common for all message types.

The invention is also very inexpensive to implement, because it can be implemented using the user input selection unit already provided in the device and the common editor function/temporary unavailable function can be provided with just some extra software in addition to the editor and/or messaging software already existing.

It should be emphasized that the term "comprises/comprising" when used in this specification is taken to specify the presence of stated features, integers, steps or components, but does not preclude the presence or addition of one or more other features, integers, steps, components or groups thereof.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will now be described in more detail in relation to the enclosed drawings, in which:

Fig. 1 shows a front view of a portable electronic device in the form of a cellular phone,

Fig. 2 shows a block schematic of the relevant parts according to an embodiment of the invention inside the phone in Fig. 1, and

Fig. 3 shows a flow chart of a method according to an embodiment of the invention.

#### DETAILED DESCRIPTION OF EMBODIMENTS

A portable electronic device into which the invention can be implemented is shown in Fig. 1, which here is a portable electronic device shown in a front view. Preferably, the portable electronic device is a cellular phone 10 having an antenna (not shown) for communication with other users via a network, an information presentation unit 14 in the form of a display, showing a set of items of message types 20, 22, 24, 26 that can be selected by a user in an editor common for all message types. The cellular phone 10 further comprises a keypad 30 comprising first user input unit 32, herein in the form of a navigation key, for scrolling up and down in menus to highlight an item and a second user input unit 34 for confirming the selected item 20, 22, 24, 26. The navigation key 32 and the confirmation key 34, and the function thereof are known per se and will therefore not be further described. The first and second user input units 32, 34 may also be combined in the first user input unit 32, provided a confirmation of a selected item 20, 22, 24, 26 can be made in some way. Alternatively, or in addition, the first user input unit 32 can also be provided in a volume button 33. The volume button 33 can be actuated in an upward direction and

In an opposite downward direction, which is indicated by an arrow pointing in both these directions in the figure.

The first user input unit 32 allows actuation for a first direction and a second opposite  
5 direction (illustrated by a double-headed arrow), each also allowing scrolling in said  
direction, wherein a control unit (shown in Fig. 2) in detecting a selection by actuation of  
the first input unit 32 to a selected item 20, 22, 24, 26 (typically by highlighting the same)  
and confirming the selection by the second input unit 34, for instance by pushing a key of  
the keypad 30, thereby activating a switch (not shown) in a way known per se. The input  
10 unit(s) may also be provided in the form of a touch screen in a way known per se.

Apart from making and receiving telephone calls, the keypad 30 is used for entering  
message information such as a text, selecting conventional functions and applications.  
Functions and applications are typically selected by the navigation key 32, which can be  
15 used for navigating up and down through a menu system provided in the phone 10. In the  
menu system, sets of items are provided in the form of lists. In Fig. 1 one such list 19 of  
items 20, 22, 24, 26 is shown. The list 19 is here a list of message types. In Fig. 1 the list  
is shown as having a first item 20, for SMS, a second item 22, for e-mail, a third item 24,  
for blogging. Part of a fourth item 26, which cannot be fully seen, is also shown for  
20 illustrative purposes.

A list 19 can include as much as 10 message types (or even more) typically including at  
least the following:

SMS for text messages, EMS for graphic information, MMS for multi-media messages  
25 including pictures, computer related messages such as e-mail with or without attachment  
file, blogging for storing messages on a web site, and reduced type of MMS conforming to  
a minimum standard.

Fig. 2 shows a block schematic of the different parts of the phone 10 relevant to the  
30 present invention. The display 14, the first user input unit 32 and the second user input  
unit 34 are here shown as separate boxes connected to a control unit 40. The control unit  
40 is furthermore connected to a store 42.

The control unit 40 is normally provided in the form of one or more processors with  
35 corresponding program memories containing suitable software code, and the store 42 is  
preferably provided in the form of a memory known per se, for instance a semi-conductor  
memory.

A preferred embodiment of the present invention will now be explained with reference to Fig. 1, 2 and 3.

- In an editor, or alternatively after selecting the temporary unavailable function (it is assumed that editing mode for preparing messages is already selected in a way known per se) common for all message types, upon the selection of a list of items in the menu system of the phone, the control unit 40 retrieves the list of items 20, 22, 24, 26 and presents it on the display 14, step 100. The control unit 40 thereafter awaits a selection through inputs from the user via the first input unit, in this case the navigation key 32. If the navigation key 32 is not actuated or depressed, the control unit 40 continues to wait, step 102. If however the navigation key 32 is actuated, step 104, the control unit 40 goes on and scrolls the list 19, step 104. This scrolling is performed as long as the navigation key 32 is actuated or depressed.
- 15 The navigation key 32 enables the possibility to navigate in an upward direction and in a downward direction as is indicated by the arrow pointing in two directions in Fig. 1. This means that if a lower part of the key 32 is depressed, scrolling is made downwards, while if an upper part is depressed scrolling is performed in a direction upwards.
- 20 If, step 106, a second input unit 34, typically a second key is not actuated, the control unit 40 goes back and monitors the navigation key, step 102. This method is then continued as long as the user has not selected an item 20, 22, 24, 26 in the list 19.

When one of the items 20,22, 24, 26 has been selected, for instance by the user confirming selection by pushing on the second user input unit, 34, a second key, in a way known per se, message type selection is detected, step 108, and transmission format is changed in dependence of selections made by the user, which selection may thereafter be used for graying out irrelevant tools which can be selected, typically from a menu, in a way known per se.

30

Typically, the message is automatically stored in a general format in the store 42 by the control unit 40, step 110, for instance up to a point when it is being sent. It may of course well be that the user wants to change to another format, or add another receiver who has more possible options.

35

Preferably, even when the message has been sent, it is better to save in a general format with a data item indicating how it was sent. The user may also after sending wish to add another user which can receive the message in a richer format.



The present invention has many advantages. Common for all embodiments of the present invention, is that message preparation is performed in the portable electronic device itself, not centrally by a system. It allows a user to use a common editor for all types of messages, which he would not otherwise have.

5

The invention is also very inexpensive to implement. By providing the scroll speed control with the navigation key, there is furthermore no need for any additional buttons or keys on the phone and the message variation function can be provided with just some extra software in addition to the scrolling software already existing.

10

The present invention can be varied in many ways. The keys described were keys, where one key or button can be used for indicating two directions. It is of course also possible to provide this functionality with two separate keys or buttons instead. The navigation key was furthermore described in relation to providing navigation in only upwards and

15

downwards directions. Naturally it is also possible to provide navigation sideways. It should also be understood that the scrolling control according to the invention could also be performed for scrolling sideways. The invention is of course not limited to these types of buttons or keys at all, but can be used with any keys provided on a device.

20

The invention was described in relation to a cellular phone. A cellular phone is just one example of a device in which the invention can be implemented. The invention can for instance also be used in a PDA (personal digital assistant), a palm top computer a lap top computer and a regular PC. Therefore the present invention is only to be limited by the following claims.

## CLAIMS

1. Method of preparing a message in an electronic communication device comprising the steps of:  
5 providing a set of message types (20, 22, 24, 26) that can be selected by a user in an editor common for all message types, (step 100), detecting a message type selection for a user, (step 102, 106), and changing transmission format in dependence of the selections made by the user, (step 108).  
10
2. Method according to claim 1, further comprising the step (step 110) of showing the message, typically on an information presentation unit (14), in a format corresponding with the selected message type (20, 22, 24, 26).
- 15 3. Method according to claim 1, wherein a first user input unit (32) allows actuation for (step 102) and scrolling (step 104) in a first direction and a second opposite direction, wherein the detection (step 106) of a selection by an actuation (step 102) and confirmation (step 106) of the first user input unit (32) for one direction provides selection of a message type and the detection of  
20 a selection provides changing the transmission format in dependence of the selections made by the user (step 108).
4. Method according to any previous claim, further comprising the step of saving a message (step 110).  
25
5. Method according to claims 4, wherein the step of saving (step 110) is performed in a general format.
6. Device (10) for preparing a message in an electronic communication device  
30 comprising:  
a message type selection unit (14) providing a set of message types (20, 22, 24, 26, 28) that can be selected by a user,  
a first user input unit (32), for allowing message type selection by the user, and  
a control unit (40) arranged to:  
35 provide the set of items of message types (20, 22, 24, 26) that can be selected by a user in an editor having a format common for all message types,  
detect a message selection by a user via said first user input unit (32),  
change the transmission format in dependence of the selections made by the user.

7. Device according to claim 6, wherein the first user input unit (32) allows actuation for and scrolling in a first direction and a second opposite direction, and a second user input unit (34) is arranged to confirm a selection, wherein  
5 the detection of a selection by an actuation of the first user input unit (32) for one direction to an item (20, 22, 24, 26) and confirmation by the second user input unit (34) provides selection of a message type (20, 22, 24, 26) and the detection of a selection provides changing the transmission format (20, 22, 24, 26) in dependence of the selections made by the user.
- 10
8. Device according to claim 6 or 7, wherein the control unit (40) is arranged to change the appearance on an information presentation unit (14) in dependence of the selections made by the user.
- 15
9. Device according to any one of the claims 6-8, further comprising a store (30) selectable by a user for storing a message and wherein the control unit (40) is further arranged to save a message in the store (30) in a general format
- 20
10. Device according to claim 9, wherein the control unit (40) is arranged to automatically save the message in the store (40).
- 25
11. Device according to any one of the claims 6-10, wherein the control unit (40) is arranged to upload the message to a predefined web address.
- 30
12. Device according to claim 11, wherein the control unit (40) is arranged to upload the message to a predefined web address with automated log-in.
13. Device according to claim 11, wherein the control unit (40) is arranged to upload the message to a predefined web address without automated log-in.
- 35
14. Device according to any one of the claims 6-13, wherein irrelevant tools is arranged not to be selectable so that a user can continue to edit in the format selected only.
15. Device (10) according to any of the previous claims, wherein the device (10) is a portable electronic communication device.
16. Device according to claim 21, wherein the device (10) is a cellular phone, a PDA or a smart-phone.

1/2




FIG. 1




FIG. 2

10

2/2




FIG. 3

**INTERNATIONAL SEARCH REPORT**

International Application No  
PCT/EP2004/010613

**A. CLASSIFICATION OF SUBJECT MATTER**  
 IPC 7 H04M1/725 H04M1/247

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**  
 Minimum documentation searched (classification system followed by classification symbols)  
 IPC 7 H04M H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)  
 EPO-Internal

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2002/159600 A1 (WEINER MOSHE) 31 October 2002 (2002-10-31)  paragraph '0014! - paragraph '0015! paragraphs '0020!, '0035!, '0036!; figures 1-3 paragraphs '0041! - '0047!, '0081!, '0082!	1-6, 8-10, 14-16
Y	-----	7,11-13
Y	ANONYMOUS: "Siemens C45 USER GUIDE passage" SIEMENS C45 USER GUIDE, XX, XX, 2001, pages 1-81, XP002221958 page 4 page 29	7
A	----- -/--	1,3-6,9, 10,15,16

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \* & \* document member of the same patent family

Date of the actual completion of the international search  19 January 2005	Date of mailing of the international search report  25/01/2005
--	--

Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer  Pascual Vallés, E
--	---

INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP2004/010613

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>EP 1 150 478 A (SAGEM) 31 October 2001 (2001-10-31) paragraph '0015! - paragraph '0021!; figures 1,3 paragraph '0031! - paragraph '0038!; figure 4 paragraph '0040!</p> <p style="text-align: center;">-----</p>	11-13
A	<p>US 6 151 507 A (KINNUNEN TIMO ET AL) 21 November 2000 (2000-11-21)</p> <p>column 2, line 34 - line 63 column 6, line 12 - line 25; figures 1A,2 column 7, line 5 - line 16 column 9, line 17 - column 11, line 21; figures 3A,3B column 14, line 49 - column 15, line 54; figure 4C</p> <p style="text-align: center;">-----</p>	1,2,4-6, 9,10,15, 16

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No PCT/EP2004/010613
---

Patent document cited in search report	A1	Publication date	Patent family member(s)	Publication date
US 2002159600	A1	31-10-2002	TW 527789 B WO 02088956 A1	11-04-2003 07-11-2002
EP 1150478	A	31-10-2001	FR 2808402 A1 EP 1150478 A1	02-11-2001 31-10-2001
US 6151507	A	21-11-2000	NONE	