

(12) PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 199643057 B2**
(10) Patent No. **701458**

(54) Title
A method for improving charging criteria in a mobile telephone network

(51)⁶ International Patent Classification(s)
H04Q 007/22

(21) Application No: **199643057** (22) Application Date: **1995 .12 .21**

(87) WIPO No: **WO96/20571**

(30) Priority Data

(31) Number	(32) Date	(33) Country
946092	1994 .12 .23	FI

(43) Publication Date : **1996 .07 .19**

(43) Publication Journal Date : **1996 .09 .05**

(44) Accepted Journal Date : **1999 .01 .28**

(71) Applicant(s)
Nokia Telecommunications Oy

(72) Inventor(s)
Markku Tuohino; Risto Janhonen; Veli Turkulainen

(74) Agent/Attorney
SPRUSON FERGUSON

(56) Related Art
GB 2272607
US 5295180

OPI DATE 19/07/96 APPLN. ID 43057/96
AOJP DATE 05/09/96 PCT NUMBER PCT/FI95/00706



AU9643057

1


1)

(51) International Patent Classification 6 : H04Q 7/22		A1	(11) International Publication Number: WO 96/20571
			(43) International Publication Date: 4 July 1996 (04.07.96)
(21) International Application Number: PCT/FI95/00706		(81) Designated States: AL, AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, LS, MW, SD, SZ, UG).	
(22) International Filing Date: 21 December 1995 (21.12.95)			
(30) Priority Data: 946092 23 December 1994 (23.12.94) FI			
(71) Applicant (for all designated States except US): NOKIA TELECOMMUNICATIONS OY [FI/FI]; Makkylin puisto 1, FIN-02600 Espoo (FI); Keikalaentie 4 <i>Fin-02150 Espoo Finland</i>		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(72) Inventors; and (75) Inventors/Applicants (for US only): TUOHINO, Markku [FI/FI]; Koivusyrjä 25 F, FIN-02130 Espoo (FI). JAN-HONEN, Risto [FI/FI]; Brontie 2 as. 17, FIN-02400 Kirkkonummi (FI). TURKULAINEN, Veli [FI/FI]; Korsitie 2 H 16, FIN-00730 Helsinki (FI).			
(74) Agent: OY KOLSTER AB; Iso Roobertinkatu 23, P.O. Box 148, FIN-00121 Helsinki (FI).			

see
fig 10
3



(54) Title: A METHOD FOR IMPROVING CHARGING CRITERIA IN A MOBILE TELEPHONE NETWORK



(57) Abstract

Charging criteria in a mobile telephone network may be improved by choosing one cell or a group of several cells of the mobile telephone network as a group of special cells. The cells of the group may be located in the areas of different MSC's. When a call is being established, a service control point SCP located in an intelligent network analyses whether the location cell of a calling subscriber and that of a called subscriber belong to the group of special cells. Subscriber numbers of the subscribers may also be taken into account. The service control point SCP then applies a special charging criterion determined for the group. In a case where the location cell of the calling subscriber and that of the called subscriber are located in separate MSC areas (MSC1/SSP1, MSC2/SSP2), the information on the location cell of the called subscriber is transmitted to the service control point (SCP1) connected to the mobile switching centre (MSC1/SSP1) of the calling subscriber either directly or in a message in accordance with signalling used between MSC's.

A method for improving charging criteria in a mobile telephone network

5 This invention relates to charging criteria used in a mobile telephone network for determining a price for a call between two subscribers.

10 In a fixed telephone network, a calling subscriber is aware of the charging criteria for the call already upon dialling the number of a subscriber B, as charging depends on whether it is a question of a local call, a long-distance call or an international call. In PBX exchanges (Private Branch Exchange) connected to a fixed telephone network, or in PABX networks internal calls are free of charge. In cordless PBX's, part of the
15 subscriber lines are replaced with a radio connection. In cordless PBX's, there are both fixed and cordless extensions. Cordless PBX's thus allow the users of cordless telephones mobility, which depends on the coverage area of cordless base stations. A coverage area typically covers the indoor premises of an office building.
20

25 In mobile telephone networks, which enable a high degree of mobility, the charging criteria used in a fixed network cannot be used as such owing to the structure and the mode of operation of the network. In the following, the structure and the operation of a mobile telephone network will be illustrated by means of a prior art GSM mobile telephone network shown in
30 Figure 1. Communication between a mobile station MS located within a cell, and the network takes place over the radio path via a base transceiver station (BTS). Base transceiver stations are connected to a base station controller (BSC), whose tasks include e.g. management of radio channels, as well as changeover proced-
35

ures. One base station controller BSC thus controls a number of base stations BTS. The location of a mobile station is known with the accuracy of a so-called location area (LA) composed of a few cells. A mobile station may move within the location area without a need to update the location information related to it. A plurality of base station controllers are connected to one mobile services switching centre MSC, which performs the main switching functions of the mobile telephone network. The area of the cells controlled by the mobile services switching centre is termed as an MSC area, and all the calls originating or terminating within this area are switched via this MSC. Furthermore, the MSC connects the mobile telephone network to external networks.

The mobile telephone network also contains data bases of different kinds. In a Home Location Register (HLR), subscriber data is permanently stored regardless of the current location of the subscriber. The HLR contains the MSISDN number of the subscriber, the International Mobile Subscriber Identity code IMSI to be used inside the network, subscriber service data, and routing information on a Visitor Location Register VLR. The Visitor Location Register VLR is integrated to all present MSC's, and it is used for recording the subscriber data obtained from the HLR for the duration of the visit of the subscriber to the area of the VLR. The VLR contains the subscriber's IMSI, MSISDN, subscriber service data, and the location area identifier LAI that has been used by the subscriber for updating the location information. The location of the subscriber is thus known with the accuracy of a location area.

In the following, call establishment in a mobile telephone network will be disclosed for understanding the charging criteria: When a subscriber

switches on his mobile station MS e.g. in cell A (Figure 1), it signals an updating request to a base station, which request is directed to a mobile services switching centre MSC1, and further to a visitor location register VLR. The request searches an IMSI from a home location register HLR. Thereafter, once it has been made sure in the signalling between the VLR and the mobile station that the IMSI is correct, the VLR sends an update request to the HLR, which will send the subscriber data to the VLR. Now the location of the subscriber is updated, i.e. the HLR knows the address of the VLR, and the VLR knows in which location area LAI the subscriber is located.

When a subscriber A calls a subscriber B located in a location area 22 of a second mobile services switching centre MSC2, he dials the MSISDN number of subscriber B into his mobile station. Signalling phases taking place after this are indicated with ringed numbers in Figure 1, followed by the number to be switched in the phase in question. Indication MAP, TUP/-ISUP represents the protocol to be used in the signalling in question. Next, mobile station MS-A sends base station 5 a message containing the dialled number, phase 1. When MSC1 receives the message, it analyses it and checks whether the request may be accepted. As a part of the check, the subscriber data of subscriber A is searched from the VLR of the MSC1, said data being recorded in connection of the above-mentioned location updating. If the request is accepted, MSC1 will send an interrogation message to the HLR, said message containing the MSISDN number of the mobile station of subscriber B, phase 2. On the basis of this number, the HLR searches the data on subscriber B, the data containing the address of the current VLR of subscriber B. Next the HLR asks the VLR to provide a roaming number by sending

information IMSI to it, phase 3, whereafter the VLR sends the roaming number MSRN to the HLR, phase 4. The roaming number MSRN is sent from the HLR to MSC1, phase 5. Thereafter, it is possible to route the call from MSC1 to MSC2 on the basis of the roaming number MSRN received from the VLR, phase 6. The mobile services switching centre MSC2 of subscriber B asks the VLR incorporated into it for the subscriber data on subscriber B. The subscriber data indicates the location area LAI of subscriber B, so that MSC2 is able to send a paging message via the base station controller 2 in question (phase 7) to cells f, g, and h in the location area. Once the mobile station MS-B of subscriber B has answered the paging, a call will be established all the way to subscriber B. It must be noted that only after the mobile station of subscriber B has answered the paging message, mobile services switching centre MSC2 knows the location of subscriber 2 on the accuracy of one cell.

A Service Switching Point (SSP) of an Intelligent Network (IN) may also be connected to a mobile services switching centre. The physical architecture of an intelligent network is shown in Figure 2. The service switching point SSP provides the user an access to the network, and handles all the necessary switching functions. It is capable of detecting the service requests of the intelligent network. Functionally, the SSP comprises the call management and service switching functions. A Service Control Point (SCP) comprises service programs, which are used for producing services of the intelligent network. A Service Data Point (SDP) is a database comprising data of the subscriber and the network, which data is used by the service programs of the network for providing individual services. The SCP may use the services of the SDP directly or via a signalling

network. An Intelligent Peripheral (IP) provides special functions, such as announcements, as well as audio and multi dialling detection. The Service Switching and Control Point (SSCP) consists of an SCP and an SSP in one node. The tasks of an Service Management Point (SMP) include database management, controlling and testing of the network, and collecting network information. It may be connected to all other physical entities. A Service Creation Environment Point (SCEP) is used for determining, developing and testing the intelligent network, as well as for feeding services to the SMP. An Adjunct (AD) of a service functionally corresponds to the Service Control Point SCP, but it is directly connected to the SSP. A Service Node SN may control the services of the intelligent network and carry out data transmission with the users. It communicates directly with one or more SSP's. A Service Management Access Point (SMAP) is a physical entity providing the users a connection to the SMP.

A Basic Call State Model (BCSM) determined in connection with the Intelligent Network describes different phases of call processing and contains points where call processing may be interrupted for starting a service of the Intelligent Network. It identifies the detection points in a call and connection process, in which the IN service logic entities may interact with basic call and connection management functions.

On account of an intelligent network it is possible to provide to the user of a fixed network and a mobile telephone network a large number of various services, such as a Private Numbering Plan (PNP), which enables the use of private numbers, and a Closed User Group, in which the users may call only the subscribers belonging to the same group. Furthermore, Private Branch Exchanges (PBX) may be connected to a mobile telephone

network. A separate numbering block is determined for PBX subscribers in the numbering space of an MSC.

5 In a mobile telephone network in accordance with the prior art, all cells are equal as far as the price of a call is concerned. In mobile telephone networks, the price of a call is based on whether it is a question of a call between a mobile station and a fixed network, or a mobile-to-mobile call. Due to the mobility of mobile stations, the basic rule of charging is to charge a subscriber A for the connection between him and the home network of a subscriber B, and to charge subscriber B for the connection between his present location and his home network. This is considered fair, as, in accordance with call setup described above, neither the calling subscriber nor the first mobile services switching centre knows the location of subscriber B, i.e. in which cell the subscriber is located when the call setup is being started.

10 For increasing the flexibility of the charging criteria, it is possible to set a special charging parameter, which will make it possible to apply a lower tariff to the calls made from the number related to the parameters during off-peak times, and correspondingly, a higher tariff than normally during the peak times. This parameter will make the charging criterion time-dependent, but, in other respects, the charging will follow the above-mentioned principles.

20 When the charging criterion of mobile telephone networks described above are compared with those of the fixed network, a few problems arise. Since all the cells are equal from the point of view of the mobile telephone network, no other charging criteria may be offered to different groups of users but the flexibility based on the time of the day. The distance between the calling and the called subscriber, or the location of the called

25
30
35

subscriber cannot be taken into account in real time when determining the charging criteria. Special charging criteria are not available for certain intra-cell calls or for certain inter-cell calls.

It is an object of the present invention to ameliorate one or more disadvantages
5 of the prior art.

Therefore, the invention discloses a method for improving charging criteria in a cellular mobile telephone network wherein a service switching point SSP is connected to a mobile switching centre MSC for providing a user an access to services of a service control point, said method comprising the steps of:

10 forming a group of special cells comprising at least one cell from cells of the mobile telephone network;

forming a charging criterion service at the service control point; and

applying, by the charging criterion service, a special charging criterion determined for a group to calls where at least one of the subscribers belongs to the
15 group of special cells.

In a method of the invention, one cell or a group of several cells is chosen as a group of special cells. The service control point SCP of the intelligent network has the information on the group and its cells. In the SCP, there is a service program for charging criteria for analysing whether the location cell of a calling subscriber and that
20 of a called subscriber belong to the group of special cells. If that is the case, the charging criteria determined for the group will be applied to the call.

In accordance with a preferred embodiment, a subscriber group consisting of subscriber numbers may be determined. The Service Control Point SCP of the intelligent network has the information on the subscriber group and its subscriber
25 numbers. When the service program for charging criteria is determining the charging criterion, it uses both the number and the location cell of the calling subscriber and those of the called subscriber as parameters. For instance, if at least one parameter refers to the group of special cells and to the group consisting of the subscriber group, the special charging criterion determined for the case may be applied.

- 7a -

In accordance with a preferred embodiment, when the location cell of the calling subscriber and that of the called subscriber are situated within separate MSC areas, the information on the location cell of the

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
22

called subscriber is transmitted either every time, or only on request from the MSC of the called subscriber to the service control point SCP connected to the MSC of the calling subscriber.

5 In accordance with a preferred embodiment, when the location cell of the calling subscriber and that of the called subscriber are situated in separate MSC areas, the information on the location cell of the called subscriber is transmitted either every time or
10 only on request first to the MSC of the calling subscriber, and further to the service control point SCP connected thereto.

In accordance with a preferred embodiment, when the location cell of the calling subscriber and that of the called subscriber are situated in separate MSC areas, the information on the location cell of the called subscriber is transmitted either every time, or
15 only on request from the service control point SCP connected to the MSC of the called subscriber to the service control point SCP connected to the MSC of the calling subscriber.
20

In the following, the invention will be disclosed in more detail with reference to the attached drawings in which

25 Figure 1 shows the design of a prior art mobile telephone network,

Figure 2 shows the architecture of an intelligent network,

30 Figure 3 shows a first embodiment of the invention,

Figure 4 shows a second embodiment of the invention, and

Figure 5 shows a third embodiment of the invention.

Reference is still made to Figure 1. In accordance with the embodiment, cells a, c, d and e are chosen as the group of special cells. Separate charging criteria may be determined for intracell and inter-cell calls within this group.

Cells a and c are controlled by the same base station controller, and they thus belong to the same location area, whereas cells d and e are controlled by separate base station controllers (base station controllers 3 and 4), and they thus belong to separate location areas. The base station controllers of the base stations of the cells, however, are connected to the same mobile services switching centre MSC1/SSP1, and the service control point SCP1 connected thereto contains the information on which cells form the group of special cells. Suppose subscriber A is located in cell a and subscriber B is located in cell d. In accordance with call setup set out above, mobile services switching centre MSC1/SSP1 receives the information on the number and location cell of subscriber A once the mobile station of the subscriber has sent a call setup message. SCP1 analyses whether the location cell a of subscriber A belongs to the group of special cells and detects that is the case. Mobile services switching centre MSC1/SSP1 receives the information on the location cell of subscriber B once subscriber B has replied to the paging message sent to its location area, whereafter service control point SCP1 analyses whether the location cell d of subscriber B belongs to the group of special cells. If SCP1 detects that the location cells of either or both of the subscribers belong to the group of special cells, service control point SCP1 chooses the charging criterion determined for the group of special cells as the charging criterion to be applied.

When it is desirable to limit the subscriber numbers to which the charging criteria determined for the group of special cells may be applied, a restricted subscriber group is defined. It is a list of subscriber numbers recorded into the service data point SDP of the service control point SCP. During call setup described above, SCP1 connected to the mobile switching centre MSC1/SSP1 of subscriber A finds out by means of a charging criterion analysis what is the relation of subscribers A and B to the restricted subscriber group, and what is the relation of the location cells of the subscribers to the group of special cells. An individual charging criterion may be determined for each combination. The number of combinations may be limited e.g in such a way that only if both the subscriber number and the location cell of either of the subscribers or both of the subscribers belong to the restricted subscriber group and to the group of special cells, individual charging criteria will be applied. The numbers of the subscriber group may also be determined by means of the Private Numbering Plan PNP.

The cells belonging to the group of special cells may be distributed in the areas of several mobile services switching centres. A cell f in location area 22 of MSC2/SSP2 is determined to the group of special cells in addition to the above-mentioned cells a, c, d, and e, Figure 1. Every SCP has an information on which cells belong to the group of special cells at least in the area of the MSC connected to it. Alternatively, each SCP may have an information on all the cells located in the different MSC areas of the mobile telephone network and forming the group of special cells. Suppose subscriber A is located in cell a, and subscriber B is in cell f of MSC2/SSP2. In accordance with call setup described above, MSC1/SSP1 receives the information on

the number and the location cell of subscriber A once the mobile station of the subscriber has sent a call setup message. SCP1 connected to MSC1/SSP1 checks whether the location cell a of subscriber A belongs to the group of special cells and detects this is the case. In accordance with call setup described above, MSC2/SSP2 receives the information on the location cell of subscriber B once the mobile station MS-B of subscriber B has replied to the paging message sent in its location area 22. In order that SCP1 could take into account upon determining the charging criterion whether the location cell f of subscriber B belongs to the group of special cells, SCP1 must have the information on the location cell of subscriber B before a call is connected between the subscribers. Thus, special charging criteria may be applied in real-time from the beginning of the call to internal calls of the group, as well as calls originating from and terminating in the group. For transmitting the information on the location cell, three different embodiments will be disclosed below.

The information to be transmitted from MSC2/SSP2 to the SCP1 connected to the MSC1/SSP1 of subscriber A, concerning the location cell of subscriber B may be just a piece of information on the location cell which has been found out after the mobile station MS-B of subscriber B has replied to the paging message sent within its location area. In such a case, SCP1 first analyses on the basis of the cell information received on whether the location cell of subscriber B belongs to the group of special cells, and thereafter determines the charging criterion.

Alternatively, the analysis for finding out whether the location cell of subscriber B belongs to the group of special cells or not may be carried out already in SCP2 connected to MSC2/SSP2. In that case, the infor-

mation on the location cell to be transmitted to SCP1 is the result of said analysis, and SCP1 may immediately utilize the result received for determining the charging criterion.

5 The above description does not state any trigger criteria for triggering the use of a charging criteria service program provided by the intelligent network when the trigger criteria is fulfilled. There may be several trigger criteria. A trigger criteria may be
10 e.g. the IN service class of a subscriber (i.e. the subscriber belongs to a special subscriber group, e.g. to the PNP group), or it is possible to start using the IN service in the connection of each call.

15 In a case where the calling or the called subscriber is a PBX subscriber, it is possible to determine the PBX subscriber a virtual cell to be used when it is necessary to take a PBX subscriber into account when determining the charging criteria. This virtual cell
20 information, or information related to charging is of no importance to the radio system. Virtual cell information may also be applied to a PSTN subscriber. When it is a question of a PABX or a PSTN network, the virtual cell information may be stored in the mobile services
25 switching centre to which these networks are connected.

25 Everything that has been said about the case where a group of special cells is located within the area of one MSC is also applicable as such to a case in which the cells of the special group are distributed in the areas of several MSC's. It is thus possible to form
30 a restricted group of subscribers, to use a private number etc.

35 In the following, three different embodiments for transmitting the information on the location cell to the SCP connected to the MSC of subscriber A will be disclosed.


Figure 3, showing only the network components essential to the embodiment, illustrates a first embodiment, according to which the information on the location cell of subscriber B is transmitted to the SCP1 connected to the MSC1/SSP1 of subscriber A. The identifier of the service program determining the address of SCP1 and the charging criterion may be obtained by MSC2/SSP2 from MSC1/SSP1 e.g. as follows:

a) in a call setup message IAM in accordance with ISUP either in a field "Called Party Number", in a field "Generic Number", whereby the address and identifier information is inserted in these fields, or a new field or new fields are defined in the message for the address and identifier information,

b) in a new ISUP (TUP) message intended for this purpose, transmitted from the MSC of subscriber A to the MSC of subscriber B,

c) in a new pair of ISUP messages intended for this purpose, wherein the MSC of subscriber B (upon detecting that e.g. the cell of subscriber B belongs to the group of special cells) first sends the MSC of subscriber A an interrogation on whether the MSC of subscriber A needs this cell information. The MSC of subscriber A may response to the inquiry by sending the MSC of subscriber B the information on a service control point and a service program, whereby the new message will contain a SCP id and a Correlation Id.

By means of a call setup message, it is also possible to ask for the information on the location cell of subscriber B separately. This is an alternative for sending the information on the location cell every time. Once the mobile switching centre MSC2/SSP2 has found out in which cell the subscriber is located, it may ask the service control point SCP2 to analyse the cell information. This must be done if each service control point



SCP has an information regarding only the special cells of the mobile switching centre connected to the SCP in question. The information on the location cell of subscriber B, either the cell information only, or the information on whether the cell possibly belongs to the group of special cells, obtained as a result of the analysis, is sent from MSC2/SSP2 to the SCP1 connected to MSC1/SSP1. The information on the location cell of subscriber B is sent e.g. by means of an AssistRequest-Instruction procedure in accordance with an INAP protocol by inserting the information in a field "extensions" of the procedure, or by defining a separate message in the INAP for transmitting this information, in which message the information is also transmitted on the SCP in question (a so-called SCP id) and on the service program (a so-called Correlation id) related to it. Once MSC1/SSP1 has received an answer message sent by MSC2/SSP2, as is well known, in response to that subscriber B has answered the call, it will report it to its SCP1. The answer message will initiate charging of the call.

Figure 4 shows a solution in accordance with a second embodiment for transmitting information on the location cell of subscriber B. It differs from the solution of the first embodiment shown in Figure 3 in that the information on the location cell of subscriber B is first transmitted to the MSC1/SSP1 of subscriber A, and further to SCP1. In this embodiment, it is not necessary to provide the address of SCP1 and the identifier of the service program determining the charging criterion in the call setup message, but it is possible to transmit an information on the location cell of subscriber B in the message provided that the information is not required every time. The information on the location cell of subscriber B is sent in a prior art message in accordance with signalling used between mobile switching

centres, or a separate message may be created for it. The use of messages in accordance with signalling used between mobile switching centres for transmitting information on the location cell is disclosed in a parallel patent application FI 946091 filed simultaneously with the present application.

In accordance with the above-mentioned parallel patent application, the information on a location cell may be inserted e.g. in an Address Complete message, which is sent by the MSC of subscriber B to the MSC of subscriber A after a successful paging of the called subscriber. Alternatively, the information on the location cell may be added to the answer message, which is sent by the MSC of subscriber B to the MSC of subscriber A in response to that subscriber B has answered the call. The information on the location cell, added to the answer message, may also be used for confirming or cancelling a previous information on the location cell, received in an Address Complete Message. In ISUP signalling, the Initial Address Message is IAM, Address Complete Message is ACM and Answer Message is ANM. In TUP signalling, the abbreviation for the answer message is ANU (Answer signal, unqualified), ANC (Answer signal, charge), or ANN (Answer signal, no charge). Depending on the application, other messages may alternatively also be used, such as Call Progress, Connect.

Once the information on the location cell is received in one of the above-mentioned messages, MSC1/SSP1 will report it to SCP1, which now has all the information for determining the charging criterion. Once MSC1/SSP1 has received the answer message, it will also report the message to SCP1, which will then determine the charging criterion.

Figure 5 shows a third embodiment for transmitting the information on the location cell of subscriber

B to SCP1. After MSC2/SSP2 has found out the location cell of subscriber B, as described above, SCP2 reports the information on the location cell of subscriber B to the SCP1 connected to MSC1/SSP1. The information on the address has been obtained by SCP2 in the call setup message. Once the MSC of subscriber A has obtained a
5 normal answer message from the MSC of subscriber B, it will report it to SCP1, which will determine the charging criterion. The call will be charged on the basis of this charging criterion. This embodiment requires that there is a signalling connection between the SCP's. In an intelligent network conceptual model called CS1 (Capability Set 1) determined by CCITT, no signalling connection is defined between the SCP's,
10 but in a model CS2 which is presently being developed, a signalling connection is under consideration. In the signalling connection, e.g. a MAP protocol or an INAP protocol could be employed by defining in them a new message for transmitting the information on the location cell.

Regardless of the method of transmitting information on the location cell, the
15 information must arrive at the SCP connected to the MSC of subscriber A along with the answer message at the latest in order that charging would have sufficient time to utilize the information on the location cell of a subscriber B.

When a PABX or a PSTN subscriber is participating in a call, the above-mentioned messages or other known signalling messages will be used for transmitting
20 virtual cell information from the MSC of the called subscriber to the MSC of the calling subscriber. For this purpose it is also possible to create separate signalling messages if necessary.

With the method of the embodiment, it is possible to implement a "wireless office" system, where a group of cells is formed of cells including various

geographically distant units of a community, company, etc.

The above explanation and the figures associated therewith are only intended to illustrate the present invention. Different variations and modifications of the invention will be obvious to a person skilled in the art without deviating from the scope and the spirit of the invention.

5

10



15

20

25

30

35



The claims defining the invention are as follows:

1. A method for improving charging criteria in a cellular mobile telephone network wherein a service switching point SSP is connected to a mobile switching centre MSC for providing a user an access to services of a service control point, said method comprising the steps of:

forming a group of special cells comprising at least one cell from cells of the mobile telephone network;

forming a charging criterion service at the service control point; and

applying, by the charging criterion service, a special charging criterion determined for a group to calls where at least one of the subscribers belongs to the group of special cells.

2. The method as claimed in claim 1, wherein a restricted subscriber group is formed of subscriber numbers, and the charging criterion service applies the determined special charging criteria to calls where at least one of the subscribers belongs to the group of special cells and/or the subscriber number of at least one of the subscribers belongs to the restricted subscriber group.

3. The method as claimed in claim 1 or 2, wherein when the location cell of a calling subscriber and that of the called subscriber are located in separate MSC areas, information on the location cell of the called subscriber, said information being found out by the MSC of the called subscriber, is transmitted to a service control point related to the MSC of the calling subscriber.

4. The method as claimed in claim 3, wherein the information on the location cell is transmitted in connection of each cell.


5. The method as claimed in claim 3, wherein the information on the location cell is transmitted only in response to a request sent by the MSC of the calling subscriber in a call setup message during call setup.

6. The method as claimed in claim 3, wherein the information on the location cell of the called subscriber is inserted in a message sent by the mobile switching centre of the called subscriber once the mobile switching centre of the called

subscriber has responded to a paging message and that the information on the location cell is further forwarded from the mobile switching centre of the calling subscriber to a service control point connected thereto.

7. The method as claimed in claim 3, wherein the information on the
5 location cell of the called subscriber is inserted in a message sent by the mobile switching centre of the called subscriber once the called subscriber has answered a call and the information on the location cell is further forwarded from the mobile switching centre of the calling subscriber to the service control point connected thereto.

8. The method as claimed in claim 3, wherein a new message is formed
10 for transmitting information on the location cell from the mobile switching centre of the called subscriber to the mobile switching centre of the calling subscriber and the information on the location cell is further forwarded from the mobile switching centre of the calling subscriber to the service control point connected thereto.



9. The method as claimed in claim 3, wherein the information on the
15 location cell of the called subscriber is transmitted from the mobile switching centre of the called subscriber to the service control point connected to the mobile switching centre of the calling subscriber.



10. The method as claimed in claim 3, wherein the information on the
20 location cell of the called subscriber is transmitted from the service control point connected to the mobile switching centre of the called subscriber to the service control point connected to the mobile switching centre of the calling subscriber in a new message intended for this purpose.



11. The method as claimed in claim 9 or 10, wherein the information on
25 the service switching point connected to the mobile switching centre of the calling subscriber and the service program related thereto are added to a call control message sent by said mobile switching centre to the mobile switching centre of the called subscriber.

12. The method as claimed in claim 9 or 10, wherein the information on
the service switching point connected to the mobile switching centre of the calling

subscriber and the service program related thereto are inserted in a new message formed for this purpose sent by said mobile switching centre to the mobile switching centre of the called subscriber.

13. The method as claimed in claim 9 or 10, wherein for transmitting the
5 information on the service switching point connected to the mobile switching centre of the calling subscriber and the service program related thereto, a new pair of messages is formed, in which:

a first message contains an interrogation sent by the mobile switching centre of the called subscriber to that of the calling subscriber on whether the calling mobile
10 switching centre requires the information on the location cell of the called subscriber, and

a second message sent by the mobile switching centre of the calling subscriber to that of the called subscriber only when necessary, in response to the first message, contains the information on the service switching point and the service program related
15 to it.

14. The method as claimed in claim 3, wherein the information on the location cell of the called subscriber reports a cell in which the called subscriber is located, whereby the service control point connected to the mobile switching centre of the calling subscriber analyses whether said cell belongs to the group of special cells.

15. The method as claimed in claim 3, wherein the information on the location cell of the called subscriber provides a result of the analysis on whether the location cell of the called subscriber belongs to the group of special cells, whereby the service control point connected to the mobile switching centre of the called subscriber makes said analysis.

16. The method as claimed in claim 2, wherein the numbers in the restricted subscriber group are private numbers, whereby the private number of the called subscriber is converted into a subscriber number at the beginning of call setup.

17. The method as claimed in claim 1 or 2, wherein a PBX exchange or part of a PSTN/ISDN network is set as a virtual cell, and when the subscriber number

analysis of at least one of the subscribers proves that the subscriber is a subscriber of the PBX exchange or a part of said PSTN/ISDN network, the determined special charging criteria applies.

18. A method for improving charging criteria in a cellular mobile
5 telephone network, said method being substantially as hereinbefore described with reference to Fig. 3, or Fig. 4, or Fig. 5 of the accompanying drawings.


DATED this Twentieth Day of June 1997

Nokia Telecommunications OY

Patent Attorneys for the Applicant

SPRUSON & FERGUSON

10






Fig.1




FIG. 2

3/3




FIG. 3




FIG. 4




FIG. 5