



US00D340080S

United States Patent [19] Sheilds

[11] Patent Number: **Des. 340,080**

[45] Date of Patent: **** Oct. 5, 1993**

[54] **PERSONNEL LOCATION RECORDING
DISPLAY BOARD**

[76] Inventor: **James C. Sheilds**, 405 10th Ave.,
Haddon Heights, N.J. 08035

[**] Term: **14 Years**

[21] Appl. No.: **876,225**

[22] Filed: **Apr. 30, 1992**

[52] U.S. Cl. **D20/42**

[58] Field of Search D20/10, 18, 19, 20,
D20/39, 41, 42; 40/1, 540, 541, 542, 543, 544,
551, 584, 617, 618, 624

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 258.829	4/1981	Silverman	D20/10
D. 269.979	8/1983	Pakula	D20/42
D. 284.392	10/1986	Weil	D20/42
D. 284.589	7/1986	James	D20/42
D. 306.320	2/1990	Stonbely	D20/10

4,323,771	4/1982	Chalker, Jr.	235/377
4,409,657	10/1983	VanDer Lely	235/377
4,924,451	5/1990	Hsiung	235/377

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a personnel location recording display board, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the personnel location recording display board embodying the design of the present invention;


FIG. 2 is a front elevational view thereof, the rear being a mirror image of the front shown in FIG. 2;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is an end elevational view thereof; and,

FIG. 6 is an end elevational view thereof.






FIG. 1




FIG. 2




FIG 3




FIG. 4



FIG. 5



FIG. 6