

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 December 2005 (29.12.2005)

PCT

(10) International Publication Number
WO 2005/124623 A2

(51) International Patent Classification⁷: G06F 17/60

MO 63303 (US). **EPPERLY, Carl, E.** [US/US]; 474 Lindy Boulevard, Manchester, MO 63021 (US). **THOMAE, Gary, K.** [US/US]; 5234 Miles Station Road, Shipman, IL 62685 (US).

(21) International Application Number:
PCT/US2005/019457

(22) International Filing Date: 1 June 2005 (01.06.2005)

(74) Agents: **HAFERKAMP, Richard, E.** et al.; Thompson Coburn, LLP, One US Bank Plaza, St. Louis, MO 63101 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/865,116 10 June 2004 (10.06.2004) US

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(71) Applicant (for all designated States except US): **THE CRAWFORD GROUP, INC.** [US/US]; A corporation of the State of Missouri, 600 Corporate Park Drive, St. Louis, MO 63105 (US).


(72) Inventors; and

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,

(75) Inventors/Applicants (for US only): **SMITH, David, Gary** [US/US]; 10 Venice Place Court, Wildwood, MO 63040 (US). **KLOPFENSTEIN, Anita, K.** [US/US]; 433 Schwarz Road, O'Fallon, IL 62269 (US). **DITTMAR, Russell, E.** [US/US]; 2905 Isle View Lane, St. Charles,

[Continued on next page]

(54) Title: BUSINESS TO BUSINESS COMPUTER SYSTEM FOR COMMUNICATING AND PROCESSING RENTAL CAR RESERVATIONS USING WEB SERVICES



(57) Abstract: An Internet-enabled automatic rental vehicle transaction system, the system comprising a web service connector in communication with a rental vehicle software program, the web service connector being configured to (1) receive, via a network, a document from a computer system of an authorized purchaser of rental vehicle services on behalf of another, the document comprising a web service rental vehicle reservation request, (2) process the received document in accordance with a web service specification document to create one or more data objects having a format supported by the rental vehicle software program, and (3) communicate the one or more data objects to the rental vehicle software program, and wherein the rental vehicle software program is configured to automatically process the one or more data objects for fulfillment of the reservation request.

WO 2005/124623 A2



SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *without international search report and to be republished upon receipt of that report*

Business to Business Computer System for Communicating and Processing
Rental Car Reservations Using Web Services

Cross Reference to Related Applications:

This application is a continuation-in-part of patent application serial number 10/343,576, filed January 31, 2003, which is a national phase of PCT application serial number PCT/US01/51437
5 and a continuation-in-part of patent application serial number 09/694,050, filed October 20, 2000, which is a continuation-in-part of patent application serial number 09/641,820, filed August 18, 2000, the disclosures of all of which are incorporated herein by reference.

10 This application is also a continuation-in-part of patent application serial number 10/028,073, filed December 26, 2001, which is a continuation-in-part of PCT application serial number PCT/US01/51437, filed October 19, 2001, which is a continuation-in-part of patent application serial number 09/694,050, filed October
15 20, 2000, which is a continuation-in-part of patent application serial number 09/641,820, filed August 18, 2000, the disclosures of all of which are incorporated herein by reference.

Field of the Invention:

20 The present invention relates generally to the field of electronically communicating and processing rental vehicle reservations between a first business organization and a second business organization.

25 Background and Summary of the Invention:

The parent filings described in greater detail below describe numerous groundbreaking, novel, and industry-honored inventions that improve the degree of connectivity and functionality shared by a rental car service provider and its business partners, particularly

high volume business partners such as insurance companies that place high volume orders for rental vehicles with the rental car service provider as part of the replacement car rental industry. See Berkman, E., "How to Stay Ahead of the Curve", CIO Magazine, February 5 1, 2002 (bestowing a technology award on the parent invention recognizing the parent invention's innovative value), the disclosure of which is incorporated herein by reference.

Computer technology has been embraced by many businesses in order to handle their ever increasing order flow as well as to 10 mitigate the increasing blizzard of paper required to be produced to document this business. A significant benefit which often drives the implementation of technology is its further advantage in increasing productivity to thereby allow fewer people to handle greater volumes of business. One such good example demonstrating the efficiencies 15 and value to be gained by implementing technology is the business model developed and followed by the assignee of the present invention. A rental car company at its heart, the assignee transacts an ever increasing number of time sensitive, relatively low dollar volume, vehicle rentals which in many instances require 20 authorizations to be made in advance, reservations of vehicles from available geographic and vehicle type selections, monitoring of the rental as it progresses including possibly extending the rental under certain circumstances, communications between the various parties involved in the transaction to ensure ultimate customer satisfaction, 25 and financial accounting for the transaction including generating invoices and processing them for payment. While a significant portion of the vehicle rental business involves rental for leisure, business travel, etc., another significant business relationship has developed with insurance companies and the like in what has been 30 termed as the replacement car rental service business. In this business, a vehicle insurance company may have many thousands of policyholders who are eligible to be involved in accidents, and other dislocations of use, requiring that a vehicle be rented for that customer's use while his own vehicle be made ready again for use. 35 Thus, for this business segment, a multi-tiered business organization such as a vehicle insurance company represents a significant customer for repetitive vehicle rental services. To conduct this business in an orderly, time efficient and cost efficient manner, it is necessary that this insurance company has as its business partner a vehicle 40 rental company which is itself multi-tiered, such as the assignee of

the present invention. This is because the needs, both geographically and in volume, are significant which require the dedication of a significant amount of resources. To satisfy these needs and to respond to other business growth, in its embrace of
5 technology the assignee hereof has succeeded in developing an in-house computer system and related software which has integrated its business internally. This business integration has been massive and company-wide as is needed to integrate a company having a central office with literally thousands of individual branches located
10 nationally, and even now internationally, with hundreds of thousands of vehicles available for rental. Furthermore, other business partners including other service providers such as vehicle repair shops have also been given access to this system to allow for input of information relating to progress of vehicle repair, extension of
15 rental time, etc. as the rental progresses. This integrated business computer network and software generally includes a mainframe server at the heart of a wide area network (WAN) which facilitates the transfer of vehicle rental information and orders company-wide. This integrated business model is most efficient and needed in order to
20 satisfy the vehicle rental service needs of a vehicle insurance company which itself may be national or even international in scope.

As a first step in extending the integration of technology into this business model, the present assignee has previously developed and implemented a computer system which has provided improved
25 communication capabilities between the two business partners. This system generally comprised a second mainframe computer linked to the first mainframe of the integrated business network, with dedicated access lines being provided from this second mainframe to various levels of the multilevel business organization comprising the
30 insurance company. In effect, with this additional mainframe and dedicated pipeline access, various individuals at the insurance company were permitted to directly interact with the integrated business computer network of the vehicle rental company as well as other selected service providers such as body shops where wrecked
35 vehicles were being repaired. The implementation of this system provided a great step forward over the people intensive business activity previously required in order to handle the large number of transactions encountered in this business relationship. Historically, the replacement car market engendered large numbers of
40 telephone calls being placed between the insurance company, the

rental company, and the body shop where vehicle repair was being performed in order to authorize the rental, select and secure the desired replacement vehicle to be provided, monitor the progress of the repair work so that scheduling of the rental vehicle could be controlled, extending the vehicle rental in the event of delays in repair, authorizing various activities involved in the rental process including upgrades of vehicles or other charges for services, and subsequent billing of the rental service and processing the billing to the insurance company for payment.

10 While the implementation of this system was successful and represented a tremendous step forward in automating the business relationship between the insurance company and the vehicle rental company, it did have certain limitations. For example, a specific communication link had to be established between the rental vehicle
15 company and the particular users at the insurance company designated to have access to this system. Thus, special attention and some modicum of expense was required to establish these "pipelines" and maintain them. Still another aspect to the system implemented was that it was not "browser" based nor did it provide graphical user
20 interface (GUI) menus. Thus, each user had to be specifically trained in the particular "language" used by the system and learn to work with specific menus nested in a specific manner as well as codes for entering commands which were not similar to other computer software programs. This software design thus necessarily required
25 additional training in order to insure that users could gain the full measure of advantage provided by the system and in order to minimize the opportunity for erroneous information or incorrect reservations from being entered or otherwise confusing the business transactions. Furthermore, user efficiency was not immediate and required skill
30 beyond that ordinarily found in casual computer users, as we are all becoming in this computer age. Still another disadvantage to the system was that access was required to a designated entry point in the system in order for a person authorized to be on the system to work with it. As the nature of the insurance and replacement car
35 business requires extreme mobility at multiple levels of both business partners, this represents a limitation to the usefulness and time efficiency with which various business functions could be performed. Therefore, while implementation of the second mainframe allowing for pipeline connections at various levels of the multi-
40 tiered insurance company was a significant step forward in automating

the business relationship between the two business partners, significant limitations to this solution were readily apparent to the users thereof.

In the first parent application cross-referenced above, the
5 inventors herein have previously succeeded in designing and
developing a means for substantially enhancing the business to
business communication link between these two businesses which
provide significant advantages over its prior embodiment. More
particularly, the inventors have succeeded in replacing the dedicated
10 pipeline access of the existing system with a web portal allowing
Internet access to the mainframe with a browser based graphical user
interface (GUI) presentation. This also made the system more readily
accessible to smaller business partners as the expense of the
"pipeline" was eliminated. The first parent's invention offers
15 several important technical advantages over the previous system.
First of all, by taking advantage of the ubiquitous nature of the
Internet, the ultimate in portability and connectivity for this
system is now provided in a business environment where mobility and
connectivity are at a premium. In other words, a claims adjuster,
20 body shop, or any other business employee authorized to have access
to the system may gain access at any site offering Internet access.
In present day technology that includes many mobile devices and
appliances which are Internet enabled. As technology advances, it is
conceivable that this access will extend to permit "24/7" access by
25 any authorized person at any geographic location. This is a marked
improvement providing immediate benefit and advantage over the
dedicated pipeline access of the prior art system.

One limitation however, is that with this embodiment, this
internet access must support a stateful connection. In this context,
30 a stateful connection refers to a "persistent" conversation, meaning
that the client side and server side software components establish a
connection to one another once and multiple data transfers may occur
without severing that connection. Common examples of a stateful
connection include on-line chat, on-line gaming, and for virtually
35 all on-line conferencing. This is distinguishable from the normal
operation of web pages which typically establish a connection,
transfer the object on the page, and then sever that connection.
These types of connections are generally referred to as "stateless"
connections.

A second major advantage of the first parent's invention is its graphical user interface. The inventors have taken full advantage of this browser based GUI to streamline and organize the presentation of information to a user to actually guide him as he interacts in doing
5 his business. One such example is customized design of the menus such that the user is guided and directed to answer only those questions required to be answered in order to conduct the particular transaction being addressed, and further to present choices to the user for his selection to minimize the need for the user to rely on
10 his own memory or to be familiar with complicated and specialized codes to enter data or request transaction activity. With the recent and continuing explosion of the Internet, more people are becoming familiar with browser programs and their operation through their own daily activities in their personal lives. This familiarity paves the
15 way for easier training and quicker orientation of a new user to the present invention. For large business organizations communicating at multiple levels, this significant advantage cannot be minimized as there are large numbers of people who must be continuously trained due to the growth of the organizations, as well as the replacement of
20 employees due to the inevitable attrition. Thus, the first parent's invention provides an immediate increase in worker productivity, and makes that improved efficiency available to many more workers who are not particularly skilled otherwise in computer usage.

Still another advantage provided by the first parent's
25 invention is through the implementation of additional functionalities which are engendered by the browser/GUI interface. As the system is continuously used, and feedback is continuously monitored and analyzed, additional features that add value through providing management information as well as by speeding transaction activity
30 over the system may be implemented. For example, several of these features include the ability of a user to create an on demand report for transaction activity including summaries of transactions handled by a particular user or group of users which might either be open or closed. Another example of additional functionality which improves
35 the efficiency of a user is the ability to create a repair facility call back list which allows a user to sort existing open vehicle rental reservations by repair facility (body shop) and date such that a user is presented with the list of open reservations at a particular repair facility which can be readily handled in a single
40 telephone call while at the same time having the system on line to

implement any needed changes such as extensions of reservations, etc. Additional functionality has also been provided to speed the processing of invoicing which of course also speeds their payment and cash receipts. For example, it was found that even despite the
5 built-in error checking and correction facilities provided to the users of the system, a repetitive pattern of mistakes involving incorrect claim numbers was discovered. To speed the processing of these, an additional functionality was provided as an "electronic audit" known as invoice return which returns an invoice to a
10 particular adjuster upon detection of an incorrect claim number for his human intervention and correction of the claim number. In this manner, problem invoices exhibiting one of the most common problems encountered may be readily handled within the system and in an efficient manner, instead of manually as before.

15 The first parent's invention also has as a significant advantage the ability to be further customized to meet the individual business partners' needs and desires as well as to provide additional functionality by offering additional features which become desirable upon accumulation of user data based on user experience.
20 Furthermore, once implemented, they are immediately available system wide. While this allows for consistent usage, it is limited in the sense that all of the system users are forced to use the same menus, data definitions, etc. This is not seen as a limitation for the one-to-one business application intended to be primarily addressed by the
25 first parent's invention.

Still another advantage of the first parent's invention is that the graphical user interface incorporates point and click interaction, using buttons and tabs to present or conceal data for the user's attention or inattention as the case may be, and provide a
30 much more robust interaction capability through the creation of menu designs that allow for access to the most commonly needed features from any point in the menu architecture. This is to be contrasted with the prior system which consisted of a main frame character based interface while the first parent's invention with its GUI interface
35 allows a user to point and click to navigate and to make selections by pull down selection, thereby reducing errors. As users become more experienced with the system, and their confidence level grows, they are much more likely to become bored and aggravated with the rigid structure of the prior system requiring them to follow along a
40 certain menu architecture in order to complete certain tasks. On the

other hand, the first parent's invention generally increases the interest of the user in using the system. These advantages of the first parent's invention over the prior interface promote employee productivity by allowing a user more control over his work which is critical in achieving savings in human resources to operate the system which is one of its main goals.

The second parent's invention extends the first parent's invention and expands its capabilities and functionalities. With the second parent's invention, a user may not only have access to its business partner, but also one or more competitors of its business partner through the same Internet portal. In this way, at least two needs are satisfied. First, the user can have access to a variety of providers to choose from where business needs or desires require. This allows the user to use a single portal and not have to sign on to a number of different portals, even should they be available. Furthermore, the user isn't troubled to learn how to access and use different portals even should they be available. Presently, not all providers are operating an Internet portal for offering their services, so by allowing business competitors to be accessible through the same portal, independent development of other portals is forestalled. This is a benefit to the operator of the main portal as it creates and maintains a competitive advantage by handling all of the order flow which creates a data base of useful information for marketing purposes. Although initially the portal services might be offered for no additional cost to a competitor, eventually a fee might be charged which would at least partially offset the cost for owning and operating the portal.

The design of the portal is elegant and offers great flexibility for customizing not only the menus for presentation to the user, but also in the design of the data base entries needed or desired by the user and/or the competitive provider. For example, some users might not know or care about the features of a vehicle rented and so those data entries may not be provided space on the menu for the user to fill in. The data base as handled by the networked computer system then need not keep track of that data for that customer. This feature is readily accommodated by the data base programming and is conveniently implemented.

In still another aspect of the second parent's invention, the web portal has the capability to accommodate the varying data requirements also of the various competitive providers, but also the

level of their sophistication as evidenced in their respective computer systems and interface facilities. For example, the web portal may be configured to communicate the user's order to the competitive provider via email, phone, or even through a connection
5 directly to an integrated computer system having the same or substantially the same inter-operability as the integrated computer system of the assignee hereof. This capability extends to accommodating and matching the competing data requirements of the user and the competitive providers, and having the flexibility to
10 design and implement menus that readily meet these competing needs. Furthermore, the second parent's invention allows for changes to be implemented by simple re-programming of the web portal which minimizes the effort and enhances the "user friendly" aspect to the present invention.

15 Not only are these "global" improvements made available with the second parent's invention, there are other more particularized improvements that add functionality within the operating framework of the second parent's invention. For example, one such improvement is the ability to "virtually" assign work groups within the user so
20 that, for example, multiple adjusters might be made into a team with a shared work load so that all of the team members have access to the same pool of work, such as the placing of reservations for the same group of drivers. With this "virtual team" assignment capability, work groups may be readily re-assigned to match changing work loads
25 without worrying about re-configuring hardware or internal network connections. This can be a very valuable feature to accommodate staffing issues over geographical distances that can be nationwide, with access through the web portal to reservation facilities which are themselves nationwide.

30 Still another feature is the ability to customize an individual user's authorization limits. As can be appreciated, one of the mixed blessings of providing enhanced functionality to the individual users of any integrated computer system is that it places great power in the hands of the user which at the same time creates the potential
35 for abuse. There have been well publicized instances of "rogue" employees making financial decisions or placing instructions which have far reaching financial consequences well beyond the intended authority of an employee, with disastrous results. With the second parent's invention, one feature is the ability to limit the financial
40 commitments that a user may make during any pre-selected time period.

For example, the user's profile may limit his ability to make only a certain dollar limit of vehicle reservations over any certain number of work days. In this way, added safe guards may be conveniently provided, monitored by reporting capabilities, and changed as
5 circumstances warrant, all with simple programming changes at the web portal.

There are still other features that are provided by the second parent's invention that find their genesis in the different approach taken over the first parent's invention and owing to the inherent
10 increased flexibility of using a web based programming for the web portal to interface between the user and the providers on the web server and eliminating the need for any custom software on the user's terminal. The details of these are to be found and described in the detailed description of the preferred embodiment below. Examples
15 include the ability to send confirmatory communications to the user that the reservation has been received and entered into the provider's system for fulfillment, custom report design including the capability to save and re-generate the custom report upon user command, increased flexibility to process and pay invoices, etc.

20 Parent PCT application PCT/US01/51437 and its corresponding national phase application disclose additional advantages and features that have been developed and are newly disclosed and claimed more particularly therein. These advantages and features relate to usage of the parent inventions both domestically and abroad where
25 there are idiosyncrasies in the business model that need to be accommodated. Still other features of parent PCT application PCT/US01/51437 and its corresponding national phase application provide entirely new functionality. One such new feature involves
30 adapting the parent inventions as a tool to market replacement vehicles for sale or lease to a customer who has had an accident significant enough that repair of his vehicle is not economically feasible. This is commonly referred to as "totaling" a vehicle. The insurance industry totals about 3 million cars per year, of which
35 approximately 17% are newer models (defined as within three years of current model year). Once totaled, the owner needs to buy another car. Since car rental companies desire to sell more cars, any opportunity to tap into the total loss market will be bountiful.

The invention of the parent PCT application PCT/US01/51437 and its corresponding national phase application provides a window into
40 the establishment of a total loss for a renter's/insured's/claimant's

automobile. Any car that is deemed to be a total loss would be indicated as such in the parent invention for reporting purposes. At this point the stored information could be used to help provide economic benefit to all parties, insurance company, rental car
5 company, and automobile owner.

Once a renter's/insured's/claimant's (owner's) car is determined to be a total loss the adjuster will try to ascertain the actual cash value (ACV) to be settled with the owner. The adjuster can use a third party tool, such as CCC's Pathways® product, to
10 determine what ACV is. Today an adjuster must input this information manually into a separate application. The parent invention contains much of the necessary information needed to determine ACV: name, car make, model series, year. The parent invention need merely send the necessary information electronically to a total loss product and
15 request an electronic response. Once the necessary information is generated, the parent invention would in turn take the ACV and cross reference the car rental database of inventory. Necessary information might include but not be limited to: ACV, year, make, model series, comparable cars, etc.

20 The car rental inventory can be filtered by geography and "holding requirements". As a reseller of vehicles, the car rental inventory is generally contractually required to be within the fleet as a rental for a predetermined amount of time prior to being available for sale to third parties. Once a car is past the holding
25 requirement it is generally within the discretion of the car rental company to sell. Thus, instead of X% of cars available to the car rental company for retail sale, a virtual inventory of cars is available for retail sale to the owner of the car.

Once the filters for geography and holding requirements are
30 active, the parent invention delivers a list of available vehicles for sale. At this point the adjuster and owner review the available cars, decide the cars considered to be attractive, and the owner then decides which one he wishes to purchase.

The user then selects one or more potential vehicles and sends
35 the request to the appropriate car rental location. The car rental location can then contact the owner of the vehicle to buy one of the selected vehicles. In addition, the list of vehicles and ACV information can be sent to the owner for further review and discussion.

Once the car rental company contacts the owner and comes to a sufficient conclusion, either to buy or not to buy, the adjuster is notified of the conclusion and the transaction is consummated either through the parent invention or off-line.

5 Still other features disclosed in the parent PCT application PCT/US01/51437 and its corresponding national phase application include the following. One such feature is providing for automatic extensions of existing rental authorization, so that some limited extension authority is granted to permit some flexibility to a
10 particular user without burdening him with the need to obtain approval for the extension. Another feature could be referred to offline usage, and provides the functional advantage of permitting processing of reservation data in a computer not connected into the network, and then uploading/downloading between the offline computer
15 as it is connected into the network, such as by dialing into the network over the internet, or through a portal. The type of data which could be processed includes virtually any related to the processing of vehicle rental transactions and other related data such as car repair scheduling, etc. This functionality provides an
20 extension of the usability of the invention to mobile users who travel beyond the reach of the internet, which even further enhances its applicability to those places not covered by wireless coverage. Alternatively, it allows the invention to bypass special connectivity issues which are thought to be disadvantageous for any reason
25 including cost, unavailability, inconvenience, etc. Still another feature includes further integration of the internal data bases kept by permitting a user to automatically update not just one but several data bases with a single command once that new data is entered into a single menu. For example, in what can be referred to as "power
30 templates", a user may enter a multiple number of rental reservations on a single menu and then click a single "approved" icon which would then enter all of them into the system. This represents an improvement over a previous implementation requiring a user to separately "approve" each reservation, and then suffer the system
35 processing time for each reservation. This "batch" processing can result in significant improvement in throughput, and reduction of user interface time for processing multiple transactions. Still another feature provides the added functionality of processing customer satisfaction feedback through the system. This feature
40 provides the capability for a user to enter customer feedback

information, both positive and negative but perhaps more importantly negative, so that immediate awareness of any problem can be obtained and corrective action taken to mitigate or eliminate the difficulty. This feature also allows a user to indicate a suggested supervisory level of interaction, or the system may allow for automatic escalation of involvement for succeeding levels of supervisory attention as the dissatisfaction continues or even escalates. This feature can be significant to a service provider as the ultimate success of a service provider is directly dependent on the perception of satisfaction by the end customer. And, it is well known that the sooner a problem is identified and solved, the more likely a customer will have a satisfactory experience. Furthermore, from a strict economic viewpoint, the sooner some problem is addressed and solved, generally the less expensive the solution. A small accommodation can change a frown to a smile, if promptly offered.

Still other features are disclosed in the parent PCT application PCT/US01/51437 and its corresponding national phase application that have applicability perhaps in the domestic business model, but certainly offer needed functionality in other business models found in other countries. One of these includes multiple party involvement/management of a rental transaction. While the flexibility of allowing multiple adjusters within a group to "work on" a rental transaction has been previously described, this particular feature is different in that not only may these multiple adjusters not be within the same group, they might not be employed by the same employer, might not be adjusters themselves, and might have different authority for action on the transaction as is commonly found in different countries. For example, in some countries one adjuster authorizes and manages the rental reservation for the car while another adjuster authorizes and manages the insurance coverage for the rental. Still another feature allows third party or "independent party" management of the rental. In some countries a third party other than an insurance company is involved, such as a "credit hire" or "assist companies" or "repair facility" or "lawyer" or "fleet management company". Each of these third parties, or any other third party, may be permitted access to the system and a user profile created for them that defines their authority to process rental transactions through an administrative profile set up in advance through agreement with the authorizing agent, such as an insurance company. As an enhancement, various individualized

features may also provide data indigenous to a particular country, such as electronic access to the Schwackliste book for an adjuster to conveniently view a "class" for a car to determine what replacement vehicle is legally authorized for rental. Still another example of a feature needed to accommodate international capability is a need for a tiered rate system, and an hourly rental charge instead of a daily charge which predominates the domestic market. Processing of electronic signatures to satisfy local custom or legal requirement is yet another example of a feature for which the present invention is uniquely suited to provide.

The invention of parent application 10/028,073 extends the paradigm of GUI, web based, internet connectivity to the integrated software program being utilized by an integrated business to "fulfill" the service/goods requested to be provided by the multi-level user. This, in a sense, closes the loop in adapting the many advantages of this paradigm to an integrated business dealing with sophisticated customers who themselves are integrated, each with multi-level organizations that are best able to utilize the many features, improved efficiencies and cost savings of the present invention. Using the first three parent inventions discussed herein, the communications between user and provider are conducted in GUI, web based, over the internet. Using the 10/028,073 invention, the communications between the employees of the provider and the transacting of the order flow are handled in the same manner. And, as an added advantage of the 10/028,073 invention, the data flow is enhanced as translation issues between varying software is minimized. Furthermore, with this implementation, the fulfillment software program is resident on an application server which may be centrally located, at company headquarters for example, which provides many advantages over prior art non-web based implementations.

In implementing the 10/028,073 invention there are several advantages realized over the prior art non-web based implementations. A first advantage is that the invention is implemented in software that is mainstream and being used in many different applications by others. Consequently, the work of others in extending the connectivity, for example, of a web based browser to other kinds of "input" devices provide a ready extension for the same feature to be added for users to input data/reservations, etc., in the 10/028,073 invention. This facilitates the continuing improvement and upgrading of the system as technology evolves without the significant

dedication of resources that would be required when using proprietary technology.

A second advantage is provided by the hardware arrangement which is possible due to the software design. In the prior art system, the software components providing the user interface, the
5 business logic, and the data base storage and access are all contained on a single central processor. For this design, scaling to allow for increased transaction load required that additional central processors be provided and the users segmented in some logical
10 fashion such as geographically, which had operational disadvantages including limiting access to data between geographically segmented users. With the 10/028,073 invention, the software components providing the user interface (GUI), the business logic, and the data may themselves be separated and operated on different hardware
15 allowing them to be individually scaled to accommodate increased transaction load without the limitations of the prior art. In other words, each user accesses the same, scaled data base and hence has access to all data available on the system.

Still other advantages realized parallel those provided by the other parent inventions including the general familiarity of people
20 with web browsers which greatly reduces the training and improves each user's effective use of the program, the generic nature of the code used to implement the program, such as HTML, adds to the flexibility of making changes including hiring and training software
25 programmers to maintain and improve the code to implement new features, and the ready scalability of the paradigm is also important in the business environment enjoyed by the assignee where continual growth in transactions may be readily accommodated merely by adding parallel server processors with minimal communication/switching
30 facility between them.

With the present invention, the inventors herein have further extended the inventive technology of the parent filings such that the inventive system is not only web-enabled, but also web services-enabled. That is, the rental car service provider and its business
35 partners can communicate using web services rather than conventional EDI-based data exchanges or http web screen data exchanges. The use of web services in connection with the present invention allows the rental car service provider and its business partners to seamlessly communicate with each other despite any data formatting differences
40 that may exist between the two entities. Moreover, the use of web

services provides the further advantage in flexibility that is available to accommodate changes over time in not only the data types needed for particular web service operations but also the addition of new web service operations to a system.

5 In a preferred implementation of the present invention, the rental car service provider uses variable format variable length data messages (preferably Extensible Markup Language (XML) documents) as the mode of communication between itself and its business partners. To inform business partners how to transact rental business with the rental car service provider, the rental car service provider preferably makes a web service specification document available to its business partners. The web service specification document describes the types of web service operations available, where on a network to find the web service operations, and the data requirements for successfully communicating with any particular web service operation. These data requirements include both the types of data needed for a web service operation and the format within which that data must be communicated. Once informed of this specification document, business partners can design their computer systems such that outgoing messages to the rental car service provider are formatted in accordance therewith. A web service connector, preferably located on the rental car service provider's computer system, operates to interface web service requests received from business partners with the rental car service provider's backend business logic. Accordingly, when the rental car service provider's computer system receives a message from a web services-enabled business partner, that message can be efficiently processed, as described herein.

30 While the principal advantages and features of the invention have been discussed above, a greater understanding of the invention including a fuller description of its other advantages and features may be attained by referring to the drawings and the detailed description of the preferred embodiment which follow.

35 Brief Description of the Drawings

Figure 1 is a schematic diagram of the computer systems comprising the first parent's invention;

40 Figure 2 is a flow chart of the software programs which communicate over the computer systems of fig. 1 to implement the first parent's invention;

Figure 3 is a schematic diagram of the computer systems comprising the second parent's invention;

Figure 4 is a schematic diagram of the computer systems comprising an aspect of the parent invention of the 10/028,073 application including communications between various components of Figure 3;

Figure 5 is a block diagram illustration of a preferred web portal of the present invention; and

Figure 6 depicts the components and manner of operation for a preferred web services connector.

Detailed Description of the Preferred Embodiment

The overall system architecture for the first parent's invention 20 is best shown in Fig. 1. As shown therein, an insurance company computer system 22, which itself may be virtually any computer configuration or even a stand alone PC accesses the Internet 24 through any convenient access point 26 such as even including an ISP (Internet service provider), as known in the art. Also connected to the Internet 24 is a web portal 28 which is preferably provided by a server appropriately programmed as explained herein below. This web portal 28 may be appropriately configured as desired to suit any particular business relationship or arrangement, although preferably the inventors herein and assignee of this invention have determined that a 24/7 or full time connection to the Internet 24 is preferable, except for scheduled downtimes for maintenance, etc. The service provider 30 which for purposes of explaining the first parent's preferred embodiment is preferably a vehicle rental organization, has itself an Internet portal mainframe 32 connected by a bi-directional communication link 34 to a second computer network 36 which may itself preferably have a mainframe server 38. This second computer system 36 is preferably a network having a database 40 for communication with what may be thousands of branch offices each of which has its own computer interface 44 which communicates to this second mainframe server 38 to conduct the integrated business functions of a service provider organization. Instead of communicating with the branch offices directly, a reservation may be communicated to a centralized location for further processing, such as a call center, and then relayed on to an appropriate branch office. This might be desirable under certain circumstances, such as if a branch office is closed, or when a purchaser requires some

specialized service such as close monitoring of the rental. This may be done electronically and automatically, or with human intervention.

It should be noted that the particular computer configuration chosen as the preferred embodiment of the first parent's invention may itself be subject to wide variation. Furthermore, the term "mainframe" as used herein refers solely to a computer which can provide large scale processing of large numbers of transactions in a timely enough manner to suit the particular business application. Preferably, as is presently used by the assignee hereof, an IBM AS/400 mainframe computer is used as each of computers 32, 38. However, as is well known in the art, computer technology is subject to rapid change and it is difficult if not impossible to predict how these computer systems may evolve as technology advances in this art. For example, it is not beyond the realm of possibility that in the not so distant future a network of computers would provide the processing power to conduct these business operations as presently handled by "mainframe" computers. Thus, the term "mainframe" is not used in a limiting sense but merely to indicate that it is descriptive of a computer suited to handle the processing needs for a large scale business application.

It should also be noted that the communication link 46 extending between the server 42 and each of the branch offices 44 may have alternative configurations. For example, in some applications access over the Internet may itself be adequate, recognizing the vagaries of Internet service availability, reliability, and processing speed. Alternatively, this communication link 46 could well be a dedicated pipeline providing broadband service connection full time with back up connections to ensure continuous communication between a particular branch office or groups of branch offices and the service providers business operations computer system 36. Some branch offices might even be served through satellite links. Indeed, it is even possible that a mixture of these wide variations of service level be present within a single organization's structure depending upon communication link cost and availability balanced against service needs. It should merely be noted for present purposes that this communication link 46 serves as the electronic umbilical cord through which branch offices 44 communicate with the business computer system 36 of the invention.

Attached hereto as exhibits are functional descriptions of the software programs resident on the computers comprising the two

computer systems 32, 38 which implement the first parent's invention. More particularly, attached hereto as Exhibit A is a functional description of the software to implement the integrated business functions resident on the AS/400 or mainframe computer 38. Attached
5 hereto as Exhibit F is a functional description for a software program for computer 38 which implements GUI web-based, browser inter-connectivity with the branch offices. Attached hereto as Exhibits B and C are related flow diagrams and explanatory text, respectively, for the software resident on the mainframe AS/400
10 computer 32. Attached hereto as Exhibit D is a functional description of the software resident on computer 32 but which also appears on the server 28 which creates the web portal for access to the mainframe 32 and its resident program. Server 28 may use a bi-directional GUI to character based interface translator program, well
15 known to those skilled in the art, to present the displays and information obtained and transmitted between the user and the computer 32. However, the software of Exhibit D could also be run on server 28, as would be appreciated by those of skill in the art. It is believed that these functional descriptions and accompanying text
20 as exemplified in these exhibits are adequate to enable an ordinary programmer to implement corresponding software programs for executing the preferred embodiment of the first parent's invention using ordinary programming skills and without inventive effort.

As a further example of the flow of data and the functional
25 advantages provided by the first parent's invention, reference is made to Fig. 2. As shown therein, a right hand column is identified as "ECARS" which represents the integrated business software implemented as part of the mainframe operation 38 in computer network
30 computer 32 and coordinates the communication of data. The left column headed "ARMS/WEB" represents the software resident on computer but which is presented on server 28 and accessible by users through the Internet. Along the left side of Fig. 2 are designated three separate sections of operational activity. These are "reservation"
35 followed by "open" and concluded by "close". Generally, the functional descriptions are arranged in chronological order proceeding from the top of Fig. 2 to the bottom. However, some functional features are permitted throughout the entirety of one of the three periods designated at the left side of Fig. 2. One such
40 example is the "message" function which allows messages to be sent

between users at one business organization 22 and branch offices 44 and others connected to the other business organization 30. Proceeding with a description of the transaction, the first set of communications allow for the reservation of the services. These can
5 include requests for authorization or a rescind authorization request to be sent from the service provider to the service purchaser. Correspondingly, authorizations and authorization cancels can be sent from the services purchaser to the services provider. Confirmations are communicated upon confirmation of an authorized reservation
10 request. Authorization changes may be made and communicated from the services purchaser to the service provider. Corresponding rental transaction changes may be communicated from the services provider to the services purchaser. As indicated, through the entirety of this process messages may be sent between users and others connected or
15 having access to the integrated business software, as desired. The consummation of this portion of the transaction is a reservation that has been placed, authorized, confirmed, and provision is made for changes as necessary. During the next phase of the transaction, a reservation is opened and services intended to be provided are
20 started. Generally, and preferably for the rental of vehicles, a start and end date are established in the reservation process. However, along the way, transactional changes may be made, such as for changing the type of vehicle provided, extensions may be
25 requested and entered from either business partner, messages may be transmitted between the business partners, and the transaction may be terminated such as by voiding the contract by one business partner or terminating the authority by the other business partner. The term "reservation" has been used herein to refer not only to the act of
30 placing the order but also to filling the order for services including providing the rental vehicle to the ultimate user and even invoicing for those services.

The last phase of the process involves closing the transaction. During this phase of the transaction, the contract is indicated as being closed and invoiced, the services purchaser can approve
35 invoices, reject invoices, and also remit invoices. Such invoice remittance may also include the actual transfer of funds through an electronic funds transfer medium, or otherwise as previously arranged between the business partners.

It should be understood that this is a streamlined description
40 of the handling of a transaction, and by no means is exhaustive. For

example, much more functionality is available to the user including accessing the data base to generate production reports regarding status of open or closed reservations, preparing action item lists to allow a user to organize and prioritize his work, obtaining
5 information available in the system from having been entered by others which would otherwise require phone conversations which are inefficient and occupy still another person's time. A more detailed explanation of the functionality provided is found in the exhibits.

In summary, the first parent's invention creates almost an
10 illusion that the services purchaser, and the great number of users at various levels of the multi-tier purchaser users, are actually part of the services provider organization in that immediate online access is provided to significant data which enable the user to make reservations for services, monitor those services as they are being
15 provided, communicate with those providing the services, obtain information relating to the status of services as they are being provided, and close transactions, all by interacting with the services provider business organization over that user's PC and without human interaction required by the business providers
20 personnel. By way of contra-distinction, for many years business has been conducted on a human level by customers picking up the telephone and calling services providers and talking to their human counterparts in order to convey information, place orders, monitor orders, including obtaining information as to status, canceling
25 orders, questioning invoices and paying invoices, along with a myriad of other related interactions. Not only did the conduct of business in this manner entail significant amounts of human resources at both ends of the transaction, but it also led to inefficiencies, mistakes and delays all of which increase the cost of doing business and
30 contribute to an increased risk of services being rendered in an unsatisfactory manner in many instances to the end user. The first parent's invention has taken the preexisting solution of providing electronic communication between the business partners to another level by "web enabling" this system for improved connectivity,
35 improved usability, reduced training, enhanced mobility, and other advantages as described herein.

A schematic diagram of the second parent's invention is shown in Fig. 3 and includes three levels of architecture. As shown in the first level of the architecture 50, a user 52 such as an insurance
40 company or other user has access through the Internet 54 to the

computer system comprising and incorporating the invention. An Internet provider provides a link 56 through which Internet connections may be made to communicate with the further described system. For convenience, this Internet connection may be considered
5 as an Internet site or portal in that a user enters a URL and arrives at this connection. A firewall 58 as is known in the art is used for security purposes and to prevent hackers and the like from unauthorized access to the system. A first set of servers 60 are interconnected in a network 62 and may preferably include an
10 ancillary server 64 for running load balancing software or the like to balance the load and provide redundancy amongst what may be a plurality of web servers 60. These web servers 60 may preferably be AIX servers or Sun Microsystem servers running Apache web server software, or other such suitable software as would be well known to
15 those of ordinary skill in the art. This first web server network of servers 60, 62 process the random and disorderly communications flowing to and from this system and the Internet before passing them through a firewall 66 as a further precautionary measure. This first layer of architecture, identified as the Internet space/DMZ layer
20 provides a secure interface and creates order out of the chaos of communications flowing between the system and others, as will be described.

With this architecture, stateless connections are accommodated. By supporting stateless connections, this embodiment eliminates the
25 implementation difficulties encountered with the first parent's embodiment on the client. These implementation difficulties include installing extra software on the client side computers, and eliminates the need for special configuration of the internet access method, such as proxy servers or routers. For example, many proxy
30 server are configured to disallow stateful connections for security reasons, i.e. to prevent unauthorized programs from establishing such connections. Another example is that routers are customarily configured with most ports closed and thereby unable to support stateful connections.

35 The next layer of architecture 68 is noted in the figure as the "Enterprise private network" and is comprised of a plurality of servers 70 network connected with a network connection 72. Again, although the choice of hardware is not considered critical by the inventors hereof, Sun Microsystem's or AIX's server/work station
40 hardware is preferably used to provide the platform for running the

application software for processing the various rental vehicle transactions, as will now be explained. Attached hereto as Exhibit E are a series of functional design specifications for the ARMS/WEB application software resident on servers 70 and which provide the

5 detailed description of the operational features of the software and system. With these functional design specifications for the individual modules, it would be readily apparent to those of ordinary skill in the art that programmers of ordinary skill would be able to write software to execute these functional specifications without

10 using inventive effort. Furthermore, the details of this implementation are not considered to provide any aspect of the best mode for carrying out the invention which is defined by the claims below. Generally, the ARMS/WEB application software permits a user to sign on and, when recognized, provides the series of menus

15 presenting choices for the user to indicate the parameters for his reservation. A plethora of information is provided and accessible to the user through the various menus provided from which the user selects and enters data to process the reservation. An important feature of the ARMS/WEB application software is that it provides the

20 user the opportunity to select to place his vehicle rental reservation not only with the integrated business computer system represented by the third level of architecture 74, described below, but also to route the reservation information back through the first architectural level 50 and into the Internet 54 for transmission to a

25 competitive service provider 76. Although the interconnection is depicted in Fig. 3 as being made through the Internet 54, the network of servers 70 configured in accordance with the ARMS/WEB application software may utilize virtually any electronic means for transmitting the reservation information to a competitive services provider 76.

30 These include email, automated telephone, facsimile, and other forms of electronic communication. Of course, the competitive services provider 76 may itself comprise an integrated business such that the level of interconnectivity provided to the user 52 may parallel that disclosed and described in connection with the integrated services

35 provider system of the invention as well as the first parent's invention. This integrated business capability is represented as the third level 74 of the architectural topography shown in Fig. 3 which parallels portions of that shown in Fig. 1 in that a pair of network mainframe computers, such as AS/400's 78, 80 may process reservations

to and from various branch offices 82 which are geographically diverse.

With the second-filed parent invention, the Internet portal provided by the ARMS/WEB network configured servers 70 provide an
5 Internet portal for communication with not only the integrated computer enabled business system of the resident services provider, but also a portal for placing reservations to other competitive services providers 76. Thus, the user 52 enjoys the capability of
10 accessing multiple service providers for competitive services through a single Internet connection using a single set of protocols, menus, etc. for the conduct of this business activity. Furthermore, the software configured network of servers 70 is readily configured in Web Logic to adapt to changing user requirements, data requirements, unique competitive service provider requirements, and other upgrades
15 or modifications in a convenient manner by simply modifying the software resident therein. No special browser software of other interface software is required by the user and any special interconnecting software or server/hardware requirements may be satisfied as between the service providers such that the user is
20 presented with a seamless interconnection. As the invention is configured and works well with the integrated business and computer systems as disclosed herein, it is anticipated that such interconnection and usability may be readily translated to any other such integrated computer system as might be found in other
25 competitive service providers, as would be apparent to those of ordinary skill in the art. Thus, with the invention, a user is provided with among other things Internet access through a single portal to a plurality of service providers and, to the extent possible, to their integrated computer business systems.

30 The invention of the parent PCT application and its corresponding national phase application is sufficiently flexible to accommodate changes which are intended to adapt it for use with other business models, and especially those encountered in other countries. Furthermore, some of these changes add features that are equally
35 applicable domestically. One such example is an "automated extensions" feature. Typically, there are many occasions when a damaged or inconvenienced vehicle is not made available for use when originally scheduled. In the prior art, many times an extension would then need to be requested through the system, with
40 authorization requested and provided. In order to streamline this

process, and to minimize delay and involvement of supervisory authority, the system may provide for some form of automatic extension authority. Preferably, this could be provided in any one of three modalities, or some combination thereof. A first modality
5 would be for the service provider to have automatic extension authority, upon communication to the customer, within certain pre-determined limits. For example, an initial authorization may be for 12 days of a vehicle rental. A request for an extension of 5 days may be made by the service provider and of that 5 days 3 days may be
10 authorized automatically as being within 25% of the original rental term and a request for the additional 2 days requiring approval may be automatically generated. Still another variation would be for the insurance company to set a limit within the system of the total number of authorized days, which could be based on some other
15 parameter such as labor hours or body shop hours or down time for the repairs to take place. Then, upon request for an extension, one may be automatically granted based on the total authority allowed or initially set into the system by the insurance company, and up to that limit. Still another variation would be for a third party
20 service provider to be involved in the process, such as a body shop, to make direct input into the system of a need for an extension. These authorized third party providers would preferably be pre-selected and their authority limited as described above. This feature may be implemented conveniently in a separate menu, for
25 example as shown in the attached "screen shots" headed "Extend Rental".

Another feature of the parent PCT application and its corresponding national phase application is an offline usage feature which allows a user, such as an adjuster, to work with a laptop
30 having loaded thereon a software program that emulates the connected network software for local processing of data, such as claims data. In use, an adjuster would preferably first connect to the system and download or "synch" his laptop data base with the claims data resident in the system. The adjuster would then disconnect and use
35 his local program to work offline. Such work could include the generation of new reservations, authorization of direct billings, extension of rentals, approval of invoices, and setting of termination dates for on-going rentals, among other tasks. The user would then re-connect to the system, such as over an internet
40 connection, sign in, and "synch" his laptop to the system which then

transmits or executes his commands/communications to the central processor. The central processor checks the users "synch" data against its data file, advises the user of any "synch" data that is older than the current data, and requests the user to specify which data should be processed. After the processor is instructed by the user, it will then act on the "synch" data. For clarity, a first "screen shot" is provided that illustrates a sign in log for a user who wants to initiate a "synch", and a second "screen shot" is provided to illustrate a listing of activity that could have been created offline and which is available to be input to the system upon "synching". A preferences feature is provided to allow a user to establish defaults for automatic syncing of the data. Also, a history feature will allow the user to display all of the syncing activity from his connection or portal including error messages and conflicts noted.

Yet another feature of the parent PCT application and its corresponding national phase application allows for a user to enter, or execute, a full menu of transactions without individually opening them from a summary menu. This has been referred to as a "power template" feature. Instead, a hyperlink is provided to allow a user to jump into another menu of details for an individual item should it need to be changed and not entered as suggested, requested or listed on a user's action list.

Still another feature of the parent PCT application and its corresponding national phase application allows for the collection of user satisfaction feedback, and alerts to be entered for the attention to complaints, by the user right at his terminal. This capability allows for a text message to be entered as well as the name and contact information of the party making the feedback. As known in the service industry, and as discussed above, customer satisfaction is important and the faster a complaint can be registered and communicated to the proper person for correction, and then corrected, the more likely that a customer will view his experience favorably. By providing a pop up menu item capability, a user may from any one of a number of menus immediately enter the description of the problem and send it to the proper person electronically with a minimal amount of effort and a high degree of reliability. A convenient record may then be made of these "feedback" issues and entered into the system database. With this information stored electronically, it may be conveniently searched

and analyzed for any recurring patterns, thereby identifying any particular person, branch, facility, or type of problem that should be addressed for action beyond the solution of the immediate problem. A "screen shot" is provided to illustrate how the "pop up" menu may appear, although it could be varied to allow for entry of other or additional information such as "trouble codes" allowing for the type of problem to be user classified, etc. A flow diagram is also provided to illustrate the flow for complaints, a methodology for processing them including escalating their importance and level of attention as the matter remains unresolved over time.

Still another feature of the parent PCT application and its corresponding national phase application that adds to the flexibility of the invention is a multiple adjuster feature, that can be extended to include an independent party control feature. In some countries, and in some business models either domestically or abroad, it may be preferable to have more than one adjuster be empowered to interact with or authorize certain facets of a vehicle rental transaction. In those situations, the invention can provide the flexibility and control needed to separately empower and control the interaction of multiple adjusters. For each user of the invention, an "Administration" schedule is set up by an authorizing agent, such as someone at the supervisory level of either the insurance company or the service provider, which grants authority for performing certain work activities as well as possibly limiting the amount of monetary authority allowed that adjuster. A "screen shot" is attached which exemplifies such authorization, with work activities including creating/authorizing reservations, maintain/extend rentals, pay invoices, user maintenance, receive unassigned action items, and reporting. This capability could be used to separately authorize different adjusters acting on behalf of the insurance company and the individual. In other words, the individual may need the car for 5 days but the individual's insurance coverage may only apply for 3 days while the insurance may pay for five days rental. This capability may also be further extended to independent third parties.

As extended for independent party management, this capability further adapts the invention for use with agencies such as "credit hire", "lawyer", "fleet management companies", or "repair facility", or "assist companies", all of which are found in other than domestic markets. Included herewith is an attachment which further explains the different types of independent parties routinely found at

present, and examples of "screen shots" which provide the additional functionality of customizing authorizations for each of these independent parties for interacting with a rental transaction.

Yet another feature of the parent PCT application and its
5 corresponding national phase application provided by the invention is a facility for marketing cars for sale/lease to customers. As explained above, a customer will occasionally be forced to replace his vehicle at the same time that he is renting a vehicle for temporary use. Furthermore, the value of the replacement vehicle, or
10 the approved value that an insurance company will allow under coverage, many times determines the available vehicles from which a customer will be allowed to select without personal expense. The invention of the parent PCT application and its corresponding national phase application is uniquely designed to provide a listing
15 of available cars, and information about the cars, all from the existing rental car data base as is kept in routinely running the rental car company's main business of renting cars. It is a simple matter to provide a menu which allows a user to specify search
20 through the car inventory with parameters such as zip code, vehicle category, make and model. Using any one or more of these parameters, a search inquiry will then produce a listing of available vehicles matching the parameters, along with additional information about the vehicle including mileage, selling price, and color as well as other accessories. A customer could then be advised of the search results
25 and allowed to select a vehicle. The invention of the parent PCT application and its corresponding national phase application may, if agreed to by the insurance company, and possibly conditioned on the physical inspection of the car by the customer, then authorize the transfer of the vehicle to the customer as an outright settlement of
30 his claim.

In implementing the replacement of the customers vehicle, a process preferably comprises the steps of an adjuster identifying the loss as a total loss which is preferably entered at the same time that a replacement vehicle rental is reserved, sending the vehicle
35 data to a third party valuation tool for processing, determining the valuation of the vehicle by a suitable measure such as actual cash value (ACV), sending the ACV to the system, using the search function to identify possible replacement vehicles available for the customer, finalizing the replacement process with the customer including
40 executing transfer of title documentation if desired, and posting the

results of the vehicle replacement in the system for access by the insurance adjuster so that he can confirm that the customer's claim has been satisfied. A flow chart describing this process is attached for further explanation.

5 With the invention of the 10/028,073 application, the Internet connectivity of the parent filings has been extended to allow the integrated business employees to enjoy the same advantages as provided by the parent to the user's employees. Furthermore, the software configured network of servers 70 as shown in Figure 3, as
10 well as that comprising the integrated computer enabled business system of the resident services provider utilizing the present invention, is readily configured in Web Logic, or other suitable middleware, to adapt to changing user requirements, data requirements, unique competitive service provider requirements, and
15 other upgrades or modifications in a convenient manner by simply modifying the software resident therein. Standard browser software with no special modifications may be used by the user, or by any branch employee, and any special interconnecting software or server/hardware requirements may be satisfied as between the third
20 party service providers such that both the user and the branch employee is presented with a seamless interconnection. As the invention of the parent applications is configured and works well with the integrated business and computer systems as disclosed herein, it is anticipated that such interconnection and usability may
25 be readily translated to any other such integrated computer system as might be found in other competitive service providers, as would be apparent to those of ordinary skill in the art. Thus, with the invention of the 10/028,073 application, not only is a user provided with Internet access through a single portal to a plurality of
30 service providers and, to the extent possible, to their integrated computer business systems, a branch employee is also provided this same methodology for interacting with the system to handle transactions.

A more detailed schematic layout of the integrated business
35 computer network as implemented to provide the GUI web-based internet browser system of the 10/028,073 invention is shown in Figure 4. As shown therein, an applications server 100 represents the second main frame shown in the earlier figures, and on it resides the main system software program which implements the invention. It is connected
40 through a web server 102 and a load balancer 104 to a WAN for

interconnection to a plurality of branch offices 106 and a "failover" configured server farm 108 or other computer network to accommodate excess traffic over the WAN demanding access to the applications server 100. Each branch office may have a "thin client" device 110
5 which is sufficient to access server 100 via a LAN or WAN that includes at least a web browser . The thin client 110 is typically also connected into a local network, with a number of other thin clients, to provide connectivity to a number of branch employees. The applications server 100 is also connected to a data base storage
10 server 112, or the like, which may be operating an Oracle data base for storage of data corresponding to the transaction data describing the multitude of transactions handled through the system. The applications server 100 is directly connected to another main frame 114 which provides the management function and connectivity to the
15 user, as explained in greater detail above.

Figure 5 illustrates a preferred block diagram overview of web portal 28 configured to support web services-based communications with business partners. As described in Figure 1, web portal 28
20 interfaces communications over the network from one or more business partners with the rental car service provider's back end AS/400 environment 32. With the parent inventions, these communications, preferably embodied as http screen data, from Business Partner A (which is not web services-enabled) preferably followed the flow of
25 Figure 5 through the web connector block to a backend processing engine on the portal 28 (preferably Java processing using Enterprise Java Beans (EJBs)). This backend processing is preferably implemented on servers 70 as described herein. With the present invention, a business partner who is web services-enabled with
30 respect to the rental car service provider (Business Partner B in Figure 5) communicates with the backend processing engine on servers 70 using web services connector 200.

Figure 6 illustrates in greater detail a preferred design for the web services connector 200. As shown, in Figure 6, a business partner can send a document 230 over a network such as the Internet
35 to the rental car service provider's computer system 20. The document 230 is a message of variable length and variable format, preferably an XML document. The XML document 230 is also preferably enclosed in a wrapper such as a Simple Object Access Protocol (SOAP) envelope 232 and delivered over the network using the http protocol.
40 In such an implementation, the http protocol can include a SOAP

action line that specifies the type of web service operation being requested by the document 230.

5 So that the business partner may know how to properly communicate data with the web service connector 200, a web service specification document 206 is preferably made available to business partners by the rental car service provider, through publication thereof by the rental car service provider (e.g., posting document 206 online), communication (email, file transfer, etc.) from the rental car service provider to the business partners, or some other means. The web service specification document 206, which is preferably a Web Service Description Language (WSDL) document 206, describes the types of web service operations available from the rental car service provider, describes where to find the web service, and describes the data requirements for successfully communicating with the web service. In a preferred embodiment, an XML schema 208 comprises part of the WSDL document 206. The XML schema 208 describes these data requirements. A preferred WSDL document 208 for use with the present invention can be generated using ordinary skill in the art upon a review of the teachings herein.

20 Using the WSDL document 206, a technician of the business partner can appropriately program the business partner computer system 22 to format outgoing messages destined for the rental car service provider such that the data requirements of the XML schema 208 can be met. The technician can also program the business partner computer system 22 such that web service requests from the business partner are directed to the appropriate URL of the rental car service provider's web service, which is also identified in the WSDL document 206. The business partner can achieve this task with a web services communication interface 222 that functions similarly to the web services connector 200, albeit the communication interface 222 will format outgoing data from the data format of the business partner's back end system 224 to the XML format of the WSDL document 206. However, each business partner may choose to design a different interface 222 for communicating with the web services connector 200, as should be understood by those of ordinary skill in the art.

35 In fact, it is expected that different business partners will use slightly different formatting for their XML documents 230, typically driven by each business partner's own business needs. To accommodate such flexibility on the part of its business partners, 40 the rental car service provider preferably uses a common format

translator 202. Upon receipt of the XML document 230, the common
format translator 202, which is preferably a servlet within web
service connector 200, operates to translate each received XML
document to a common XML format. Thus, any formatting
5 heterogeneities between XML documents of different business partners
can be eliminated by the translator 202. To commonly format the
received XML documents 230, the translator 202 preferably accesses a
translation guide such as an Extensible Stylesheet Language
Transformation (XSLT) style sheet 204. The XSLT style sheet 204
10 defines how to map each business partner's XML document to an XML
document of the common format desired by the web service connector
200. A separate XSLT style sheet 204 can be maintained for each
business partner, if desired. The design of software code to
implement the translator 202 and XSLT style sheet 204 is readily
15 understood to those of ordinary skill in the art upon review of the
teachings herein.

The translated XML document 240 produced by translator 202 is
received by web service servlet 212. Web service servlet 212
functions to identify, using WSDL document 206, the web service
20 operation that corresponds to XML document 240. Examples of
preferred inbound web service operations supported by the present
invention include a web service operation for a request to create a
reservation ("Create Reservation"), a web service operation for a
request to modify a reservation ("Modify Reservation"), a web service
25 operation for a request to obtain price information for a reservation
("Get Rate"), a web service operation for a request to find a branch
location at which a reservation is to be fulfilled ("Find Location"),
a web service operation for a request to retrieve stored data
relating to an existing reservation ("Get Reservation"), a web
30 service operation for a request to stop charges on or terminate a
reservation ("Stop Charges/Terminate"), a web service operation for a
request to extend a reservation ("Extend Reservation"), a web service
operation to return errors ("Error"), and a web service operation to
cancel a reservation ("Cancel Reservation"). WSDL 206 defines the
35 data requirements for interacting with each of these web service
operations.

Once the proper web service operation for the XML document has
been identified, The XML data of XML document 240 is passed to
transformer software 214 which operates to transform the XML data of
40 the XML document 240 to one or more data objects of the format

supported by the backend processing of servers 70. To achieve this transformation, the transformer 212 preferably accesses the WSDL document 206 to identify how to appropriately map the XML data into Java objects 216. In a preferred embodiment, the transformer software 214 is a serialization/deserialization component that functions to transform the XML data of XML document 240 into one or more Java objects 216 that are passed to the business logic resident on backend servers 70.

While the web service servlet 212 and the transformer 214 can be custom-designed components, it is preferred that these two software components be implemented using commercially-available software. Suitable examples for the web service servlet 212 and transformer 214 include the AXIS software tool available from the Apache Software Foundation (<http://www.apache.org>), the .NET software package from Microsoft, the WebSphere web services software package, and others as would be understood by those of ordinary skill in the art.

It is also worth noting that business partner computer system may be configured to support web service-based communications from the rental car service provider. In such a case, the business partner preferably makes a WSDL document available to the rental car service provider as described above in connection with WSDL document 206. The business partner's WSDL document will preferably describe the types of web service operations available from the business partner, describe where to find the web service, and describe the data requirements for successfully communicating with the web service. In turn, the web service connector 200 of Figure 6 would then be used in a reverse manner, wherein Java objects 216 corresponding to a message to be sent to a business partner computer system are converted into an outgoing XML document using the WSDL document 206 and XSLT style sheet 204 by the transformer 214, web service servlet 212 and translator 202. Examples of outbound web service operations that are preferably supported by business partners include a confirmation message from the rental car service provider that a reservation has been created, an error message from the rental car service provider identifying any problems experienced in connection with a business partner's request, a message from the rental car service provider confirming that a reservation has been opened, a message from the rental car service provider that a reservation has been closed, a message from the rental car service

provider communicating a request for authorization to extend a reservation, and a message from the rental car service provider communicating a request to cancel a reservation. The data requirements for such web service operations will presumably vary by
5 business partner, as will be apparent from any WSDL documents made available by the business partners to the rental car service provider. Also, should a business partner computer system 22 not support web service messages from the rental car service provider, it is preferred that outgoing messages from the rental car service
10 provider proceed through the web connector block of Figure 5 as described in connection with the parent filings.

In operation, the web services connector of Figure 6 operates as follows. First, a user of the business partner computer system 22 interacts with his/her computer to input data appropriate to a given
15 web service, such as by typing data into fields of a display screen or by selecting available data values from drop down menus and the like. Once the user has completed these data entry tasks, the business partner's computer system 22 sends a web service request in the form of XML document 230 (within SOAP wrapper 232) to computer
20 system 36 over a network such as the Internet. In this example, the web service request will be a Create Reservation web service request. At the receiving end, translator 202 operates to convert the received XML document 230 into an XML document of a common internal format using the XSLT style sheet 204.

25 The appropriate web service operation corresponding to the received XML document is then identified by web service servlet 212, and the transformer 214 thereafter transforms the XML data of XML document 240 into a plurality of Java objects 216 using WSDL document 206. Should any data formatting inconsistencies with respect to the
30 requirements of WSDL document 206 be present in XML document 230, the combined operations of the translator 202, web service servlet 212, and transformer 214 will operate to return an error upon the detection of such an inconsistency. If such an error is detected, it is preferred that an appropriate message be sent to the business
35 partner so that the business partner is aware of the problem. As such, the combined operations of the translator 202, web service servlet 212, and transformer 214 serve to effectively validate the received XML document 230 against the WSDL document 206.

40 Assuming no errors were detected in the received XML document, the Java objects 216 are passed to business logic on servers 70 that

process the data contained in the Create Reservation request (such as insured/claimant name, start date/end date for reservation, pick-up location, etc.) using business logic and program calls to the AS/400 32 as necessary to create a reservation as requested by the business partner. Once the reservation has been created, a confirmatory message can be sent back to the business partner, either through the web connector block of Figure 5 or through the web services connector 200 (in which case the preceding steps will be reversed, as explained above).

Various changes and modifications to the preferred embodiment as explained herein would be envisioned by those of skill in the art. Examples of these changes and modifications include the utilization of computer systems configured in any one of a myriad of ways using present technology alone. For example, if all business partners utilize the same data formatting for their XML messages, the translation functionality be translator 202 may be eliminated. Also, rather than a single WSDL document 206, the rental car service provider may create a plurality of WSDL documents, each associated with one or more business partners. In such an embodiment, the translator 202 may also be rendered an optional component. Further, while in the preferred embodiment, the web service connector 200 is under control of the rental car service provider, it should be noted that in alternate embodiments, the web service connector 200 can be under the control of the business partner or some other third party intermediary. Moreover, the web service connector 200 can be in communication with the computer systems of a plurality of rental vehicle service providers having rental vehicle software programs resident therein to thereby create a multivendor rental portal. Further still, web services connectors such as the ones described herein can be used to interface the AS/400 32 with ECARS 38 of Figure 1. Likewise, the web services connectors such as the ones described herein can be used to interface ECARS 32 of Figure 1 with branch computer systems 44. Also, mobile computers are presently available and wireless technology could be used to extend the integrated business network of the services provider, as well as match the mobility needed by the various users connected to and using the present invention. The particular software, and various aspects and features of its design, have been adapted for particular application to the vehicle rental business. Of course, computer software applications satisfying other business needs would

necessarily require adaptation to their particular business models. Thus, it is envisioned by the inventors herein that the various software programs described herein would be matched to the particular business application to which the invention is utilized. These and
5 other aspects of the preferred embodiment should not be viewed as limiting and instead be considered merely as illustrative of an example of the practical implementation of the present invention. These changes and modifications should be considered as part of the invention and the invention should be considered as limited only by
10 the scope of the claims appended hereto and their legal equivalents.

WHAT IS CLAIMED IS:

1. An Internet-enabled automatic rental vehicle transaction system, the system comprising a web service connector in communication with a rental vehicle software program, the web service connector being configured to (1) receive, via a network, a document
5 from a computer system of an authorized purchaser of rental vehicle services on behalf of another, the document comprising a web service rental vehicle reservation request, (2) process the received document in accordance with a web service specification document to create one or more data objects having a format supported by the rental vehicle
10 software program, and (3) communicate the one or more data objects to the rental vehicle software program, and wherein the rental vehicle software program is configured to automatically process the one or more data objects for fulfillment of the reservation request.
2. The system of claim 1 wherein the reservation request corresponds to a reservation request for a rental vehicle at any of a plurality of specific geographically remote rental vehicle locations at which vehicles for rent are situated.
3. The system of claim 1 wherein the plurality of rental vehicle locations are all operated by a single rental vehicle service provider.
4. The system of claim 3 wherein the authorized purchaser comprises an insurance company purchasing a rental vehicle services on behalf of an insured or a claimant.
5. The system of claim 4 wherein the received document comprises a variable length variable format document.
6. The system of claim 5 wherein the received document comprises an XML document.
7. The system of claim 6 wherein the received document comprises an XML document enclosed within a Simple Object Access Protocol wrapper.

8. The system of claim 7 wherein the web service reservation request comprises a request to create a reservation.
9. The system of claim 7 wherein the web service reservation request comprises a request to modify a reservation.
10. The system of claim 7 wherein the web service reservation request comprises a request to extend a reservation.
11. The system of claim 7 wherein the web service reservation request comprises a request to cancel a reservation.
12. The system of claim 7 wherein the web service reservation request comprises a request to obtain a price rate for a reservation.
13. The system of claim 7 wherein the web service reservation request comprises a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled.
14. The system of claim 7 wherein the web service reservation request comprises a request to retrieve stored data for an existing reservation.
15. The system of claim 7 wherein the web service reservation request comprises a request to terminate an existing reservation.
16. The system of claim 7 wherein the web service reservation request comprises a request to return any error messages for a reservation.
17. The system of claim 7 wherein the web service specification document comprises a Web Services Description Language (WSDL) document.
18. The system of claim 17 wherein the WSDL document comprises a web service schema.
19. The system of claim 17 wherein the web service connector is further configured to translate the received XML document to a common internal format using a translation guide.

20. The system of claim 19, wherein a plurality of authorized purchasers each use a different XML format for the XML documents sent to the rental car service provider computer system, wherein the web service connector is further configured to maintain a translation
5 guide associated with each of such authorized purchasers, said translation guides defining how to map the authorized purchaser's XML documents to the common internal format.

21. The system of claim 19 wherein the web service connector is further configured to transform, using the WSDL document, the translated XML document into the one or more data objects communicated to the rental vehicle software program.

22. The system of claim 7 wherein the web service connector and the rental vehicle software program are under control of the single rental vehicle service provider.

23. The system of claim 7 wherein the web service connector is under control of the authorized purchaser.

24. The system of claim 7 wherein the web service connector is under control of a third party.

25. The system of claim 7 wherein the web service connector is in communication with a plurality of said rental vehicle software programs, each rental vehicle software program being under control of a different party.

26. The system of claim 7 wherein the rental vehicle software program is further configured to communicate billing information to the authorized purchaser for further processing thereby.

27. The system of claim 7 wherein the rental vehicle software program is further configured to communicate messages between the authorized purchaser and any third parties having access to the software program.

28. The system of claim 27 wherein the third parties comprise repair shops.

29. The system of claim 7 further comprising a web connector that interfaces the rental vehicle software program with a computer system of a non-web services-enabled authorized purchaser of rental vehicle services on behalf of another.

30. The system of claim 7 wherein the rental vehicle software program is further configured to communicate an authorization request for an extension of a reservation to the authorized purchaser computer system for authorization by a user of the authorized
5 purchaser computer system.

31. The system of claim 30 wherein the extension authorization request is placed by a repair shop with the rental car service provider.

32. The system of claim 30 wherein the extension authorization request is placed by the insured or claimant with the rental car service provider.

33. The system of claim 7 wherein the rental vehicle software program is configured to generate an action item list for display to a user of the authorized purchaser computer system, the action item list identifying a plurality of reservations needing further action
5 by the authorized purchaser.

34. An Internet-enabled automatic rental vehicle transaction system for managing a plurality of rental vehicle transactions for third party use placed by high volume customers, the rental vehicle transaction system comprising a rental vehicle software program
5 configured to automatically process vehicle rental transaction requests received over the internet from any one of a plurality of said customers, said transaction requests being formatted in a pre-determined web services format, and a web service connector connected in network between the internet and said rental vehicle transaction
10 program for translating said transaction requests from web services format into a format processable by said rental vehicle software program.

35. The system of claim 34 wherein at least some of said customers generate their requests in a different web services format and

wherein said web service connector is configured to translate a request in any customer format into said format processable by said rental vehicle software program.

36. The system of claim 35 wherein said request comprises one of a plurality of different request types.

37. The system of claim 36 wherein said web service connector is configured to translate outgoing messages in processable format from the rental vehicle software program into the web service format associated with the intended customer addressee.

38. The system of claim 37 wherein said request comprises a variable length variable format request.

39. The system of claim 38 wherein said variable length variable format request comprises an XML request.

40. The system of claim 39 wherein one of said plurality of different request types is a request to create a reservation.

41. The system of claim 39 wherein one of said plurality of different request types is a request to modify a reservation.

42. The system of claim 39 wherein one of said plurality of different request types is a request to extend a reservation.

43. The system of claim 39 wherein one of said plurality of different request types is a request to cancel a reservation.

44. The system of claim 39 wherein one of said plurality of different request types is a request to obtain a price rate for a reservation.

45. The system of claim 39 wherein one of said plurality of different request types is a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled.

46. The system of claim 39 wherein one of said plurality of different request types is a request to retrieve stored data for an existing reservation.

47. The system of claim 39 wherein one of said plurality of different request types is a request to terminate an existing reservation.

48. The system of claim 39 wherein one of said plurality of different request types is a request to return any error messages for a reservation.

49. The system of claim 39 wherein said web services connector is further configured to perform said translation using a web service specification document.

50. A method of providing communications between a computer system of an authorized purchaser of rental vehicle services on behalf of another with a remote automated rental vehicle transaction system to support the processing of a plurality of web service reservation requests from the authorized purchaser computer system to the automated rental vehicle transaction system, the rental vehicle transaction system comprising a software program resident thereon that is accessible by the authorized purchaser computer system to enable a user of the authorized purchaser computer system to automatically create and process reservations with a rental vehicle service provider, the method comprising:

restricting web service access by the authorized purchaser computer system to the automated rental vehicle transaction system to only web service reservation requests that are formatted in accordance with a web service specification document that defines how data within any of a plurality of web service reservation requests must be formatted; and

for web service reservation requests that are formatted in accordance with the web service specification document, automatically processing the web service reservation request for fulfillment thereof at any of a plurality of geographically remote business locations at which vehicles for rent are situated.

51. The method of claim 50 wherein the authorized purchaser comprises an insurance company purchasing rental vehicle services on behalf of an insured or a claimant.

52. The method of claim 51 further comprising communicating the web service specification document to the authorized purchaser.

53. The method of claim 51 further comprising publishing the web service specification document on-line in a manner accessible to the authorized purchaser.

54. The method of claim 51 wherein the plurality of web service reservation requests comprise a request to create a reservation and a request to modify a reservation.

55. The method of claim 54 wherein the plurality of web service reservation requests further comprise a request to obtain a price rate for a reservation.

56. The method of claim 55 wherein the plurality of web service reservation requests further comprise a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled.

57. The method of claim 56 wherein the plurality of web service reservation requests further comprise a request to cancel a reservation.

58. The method of claim 57 wherein the plurality of web service reservation requests further comprise a request to retrieve stored data for an existing reservation.

59. The method of claim 58 wherein the plurality of web service reservation requests further comprise a request to obtain a time extension on a reservation.

60. The system of claim 59 wherein the plurality of web service reservation requests further comprise a request to terminate an existing reservation.

61. The system of claim 60 wherein the plurality of web service reservation requests further comprise a request to return any error messages for a reservation.

62. The method of claim 54 wherein the web service reservation requests are communicated from the authorized purchaser computer system to the automated rental vehicle transaction system in the form of an XML document.

63. The method of claim 62 wherein the web service reservation requests are communicated from the authorized purchaser computer system to the automated rental vehicle transaction system in the form of an XML document enclosed in a Simple Object Access Protocol
5 wrapper.

64. The method of claim 62 wherein the automatic processing step comprises translating data contained with the XML document to a common internal XML format using a translation guide.

65. The method of claim 64 wherein the automatic processing step further comprises transforming the translated XML document into one or more data objects of a data type supported by the automated rental vehicle transaction system software program.

66. The method of claim 65 wherein the transforming step comprises transforming the translated XML document into one or more data objects of a data type supported by the automated rental vehicle transaction system software program using the web service
5 specification document.

67. The method of claim 66 wherein the web service specification document is a Web Services Description Language (WSDL) document.

68. A method for facilitating communications between an Internet-enabled automatic rental vehicle transaction system including a rental vehicle software program and a plurality of high volume customers, said communications comprising a plurality of rental
5 vehicle transactions for third party use placed by said high volume customers, the method comprising:

processing vehicle rental transaction requests received over the internet from any one of a plurality of customers, said transaction requests being formatted in a pre-determined web services format, and

translating said transaction requests from web services format into a format processable by the rental vehicle software program.

69. The method of claim 68 wherein at least some of said customers generate their requests in a different web services format, the method further comprising translating a request in any customer format into said format processable by said rental vehicle software program.

70. The method of claim 69 wherein said request comprises one of a plurality of different request types.

71. The method of claim 70 wherein said translating step comprises translating outgoing messages in processable format from the rental vehicle software program into the web service format associated with the intended customer addressee.

72. The method of claim 71 wherein said request comprises a variable length variable format request.

73. The method of claim 72 wherein said variable length variable format request comprises an XML request.

74. The method of claim 73 wherein at least one of said plurality of different request types is selected from the group consisting of a request to create a reservation, a request to modify a reservation, a request to extend a reservation, a request to cancel a reservation, a request to obtain a price rate for a reservation, a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled, a request to retrieve stored data for an existing reservation, a request to terminate an existing reservation, and a request to return any error messages for a reservation.

75. The method of claim 73 wherein at least one of said plurality of different request types is selected from the group consisting of a request to modify a reservation, a request to extend a reservation, a

5 request to cancel a reservation, a request to obtain a price rate for a reservation, a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled, a request to retrieve stored data for an existing reservation, a request to terminate an existing reservation, and a request to return any error messages for a reservation.

76. The method of claim 73 wherein at least one of said plurality of different request types is selected from the group consisting of a request to extend a reservation, a request to obtain a price rate for a reservation, a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled, a request to retrieve stored data for an existing reservation, a request to terminate an existing reservation, and a request to return any error messages for a reservation.

77. The method of claim 74 wherein at least two of said plurality of different request types are selected from the group consisting of a request to create a reservation, a request to modify a reservation, a request to extend a reservation, a request to cancel a reservation, a request to obtain a price rate for a reservation, a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled, a request to retrieve stored data for an existing reservation, a request to terminate an existing reservation, and a request to return any error messages for a reservation.

78. The method of claim 74 wherein at least four of said plurality of different request types are selected from the group consisting of a request to create a reservation, a request to modify a reservation, a request to extend a reservation, a request to cancel a reservation, a request to obtain a price rate for a reservation, a request to find a rental vehicle location at which a reservation for the insured or claimant is to be fulfilled, a request to retrieve stored data for an existing reservation, a request to terminate an existing reservation, and a request to return any error messages for a reservation.

79. The method of claim 74 further comprising using a web service specification document for said translation.

80. A computer program product executable by a computer processor, the computer program product for interfacing a business organization computer system with an automated rental vehicle transaction system, the business organization being an organization desirous of
5 purchasing, on behalf of another, rental vehicle services from a rental vehicle service provider, the automated rental vehicle transaction system being configured to receive and automatically process reservation requests for fulfillment at any of a plurality of geographically remote locations at which a rental vehicle service
10 provider makes vehicles available for rent, the computer program product comprising:

software code for receiving a reservation request having a variable format and variable length; and

15 software code for transforming the variable length variable format data corresponding to the request to a data format required by the automated rental vehicle transaction system in accordance with a specification document that defines a proper arrangement of data in a valid request; and

20 software code for communicating the transformed data to the automated rental vehicle transaction system for processing thereby.

81. The computer program product of claim 80 wherein the business organization is an insurance company desirous of purchasing rental vehicle services on behalf of an insured or a claimant.

82. The computer program product of claim 81 wherein the variable format variable length data comprises an XML document.

83. The computer program product of claim 82 wherein the reservation requests supported by the software code and the automated rental vehicle transaction system comprise a request to create a reservation and a request to modify a reservation.

84. The computer program product of claim 83 wherein the reservation requests supported by the software code and the automated rental vehicle transaction system further comprise a request to obtain a time extension on a reservation.

85. The computer program product of claim 84 wherein the reservation requests supported by the software code and the automated

rental vehicle transaction system further comprise a request to find
a rental vehicle location at which a reservation for the insured or
5 claimant is to be fulfilled.

86. The computer program product of claim 85 wherein the
reservation requests supported by the software code and the automated
rental vehicle transaction system further comprise a request to
obtain a price rate for a reservation.

87. The computer program product of claim 86 wherein the
reservation requests supported by the software code and the automated
rental vehicle transaction system further comprise a request to
retrieve stored data for an existing reservation.

88. The computer program product of claim 87 wherein the
reservation requests supported by the software code and the automated
rental vehicle transaction system further comprise a request to
cancel a reservation.

89. The computer program product of claim 88 wherein the
reservation requests supported by the software code and the automated
rental vehicle transaction system further comprise a request to
terminate an existing reservation.

90. The computer program product of claim 89 wherein the
reservation requests supported by the software code and the automated
rental vehicle transaction system further comprise a request to
return any error messages for a reservation.

1/6




Figure 1




Figure 2




Figure 3




Figure 4

Note: All Machines on this diagram use name resolution through a minimum of 2 redundant DNS servers

APP Server Contains:
 ECARS 2.0
 WebLogic
 Tuxedo
 Jolt




Figure 5




Figure 6