



(22) Date de dépôt/Filing Date: 2018/05/31

(41) Mise à la disp. pub./Open to Public Insp.: 2019/01/28

(45) Date de délivrance/Issue Date: 2021/03/16

(30) Priorité/Priority: 2017/07/28 (US15/662,748)

(51) Cl.Int./Int.Cl. *A01K 13/00* (2006.01),
A61C 17/00 (2006.01)


(72) Inventeur/Inventor:
URBANCZYK, ADAM, US

(73) Propriétaire/Owner:
PETAU LLC, US

(74) Agent: RIDOUT & MAYBEE LLP

(54) Titre : DISPOSITIF ET PROCÉDE DE SOINS DENTAIRE POUR ANIMAUX

(54) Title: ANIMAL DENTAL CARE DEVICE AND METHOD



(57) **Abrégé/Abstract:**

An animal dental care device and method are disclosed. The device is a ring with inner and outer surfaces on each of which are disposed pluralities of teeth oriented to create channels. When used to care for an animal's dentition, the device is introduced to the animal, causing the animal to bite the device and engage its dentition onto the device's pluralities of teeth. The device is pulled and rotated, causing the animal to release and re-bite the device, playfully reengaging its dentition onto the teeth of the device, the device's teeth efficiently removing plaque and tartar buildup from the animal's dentition.

Abstract

An animal dental care device and method are disclosed. The device is a ring with inner and outer surfaces on each of which are disposed pluralities of teeth oriented to create channels. When used to care for an animal's dentition, the device is introduced to the animal, causing the animal to bite the device and engage its dentition onto the device's pluralities of teeth. The device is pulled and rotated, causing the animal to release and re-bite the device, playfully reengaging its dentition onto the teeth of the device, the device's teeth efficiently removing plaque and tartar buildup from the animal's dentition.

Animal Dental Care Device and Method

Field of the Invention

[0001] This invention generally relates to animal dental care devices and, more particularly, chew-type devices and methods of use thereof involving dogs.

Background of the Invention

[0002] The production and accumulation of plaque and tartar-like substances within the oral cavity, and problems therewith, is not limited to humans. A significant portion of veterinary activity and expenditures thereon involve cleaning the mouths of work animals, zoo animals, and pets. Consistent with this pervasive need, objects and methods for maintaining animal dental care are well known in the prior art, such objects and methods generally being derived from those used for human dental care. Curettes, probes, and picks are generally used in veterinary dentistry just as they are on humans. Tooth brushes, tooth paste, and floss - perhaps the most common dental care implements - may be adapted for use on most animals; however, their effectiveness may be limited by an animal's dentition and the requirement that a person manually perform the dental care service (i.e., the cleaning). Where the animal in question is a small dog, the requirement that the person manually restrain the dog, open the dog's mouth, and brush the dog's teeth may be at best messy and unpleasant for both parties. Where the animal in question is a large dog or dangerous animal, such procedure may be possible only where the animal is heavily sedated or anesthetized, that process alone being potentially dangerous to the animal.

[0003] Due to the high cost of veterinary dental services, animal owners will often implement passive techniques to maintain an acceptable level of oral health, seeking formalized veterinary dental care only periodically. These passive techniques often involve the use of

toys that provide a teeth-cleaning action ancillary to their entertainment function, or implements which are specifically designed to help clean teeth. Certain examples in the prior art help illustrate common limitations. U.S. Patent No. 4,924,811 discloses a Therapeutic Device for Cleaning the Teeth of Dogs. This patent discloses a nylon rope formed with knots and tassel ends. Either on its own voluntarily or with the motivation of its owner, a dog will chew the rope, causing the strands of the tassel ends to floss between the dog's teeth. The patent discloses the owner using the knots to hold the invention during "tug of war" interaction with the dog, as well as the rope being formed in a loop. This invention is of limited usefulness as a dental care device as a result of the cleaning mechanism being limited to a flossing action. Even when the tassel strands are aggregated, the abrading surface area ("ASA") of the invention - i.e., the amount surface area provided to engage the surface of the animal's individual tooth or, collectively, teeth - is minimal.

[0004] Another U.S. Patent, No. 5,263,436 discloses a Bone-Shaped Therapeutic Device for Dogs. The patent discloses an exceptionally common, yet mechanically inferior, approach to canine tooth cleaning. The patent discloses a chewing device that is shaped like a bone but is covered with a plurality of spikes. The spikes, which are made of the same stiff material as the rest of the device, are designed to scrape accumulated plaque and tarter from a dog's teeth. However, the ASA of such pointed features is minimal, even in the aggregate as claimed, and the "sharpness" of the spikes would act to irritate the target gingival tissue beyond removing any tarter therefrom. When bitten laterally, the device would only be contacting the top surfaces of the dog's bottom teeth and lower surfaces of the dog's upper teeth, those surfaces being among the last places in a dog's mouth on which plaque, and thus tarter, would accumulate anyway. The hardness and "sharpness" of the invention

would make it less likely to be tolerated between the dog's flews (i.e., lips), cheeks, and sensitive gingival tissue where plaque and tarter accumulation would be greatest.

[0005] Another U.S. Patent, No. 5,329,881 discloses a Dog Chew Toy for Canine Dental Care and Methods for Making Chew Toy. This patent discloses a rope chew toy that is impregnated with a dental agent. Rather than acting as a de facto flossing device, this invention serves primarily as a fluoride delivery system, the fluoride being impregnated into the rope threading and released upon the rope being chewed. Physical removal of accumulated plaque and tartar is incidental to the device chemically treating the dog's teeth.

[0006] Another U.S. Patent, No. 5,944,516, discloses an Animal Tooth Cleaning Device and Method. The disclosed device is a compressible tooth brush, relying on an animal biting down onto the device's outer shell and causing inner brush bristles to be exposed and available to contact the animal's teeth. These brush bristles suffer typical cleaning inefficiencies inasmuch as, excepting bristles appearing around the perimeter of the brush, each bristle's ASA is limited to approximately its surface area around and including one of its ends. Even when acting aggregately, the brush bristles ASA and cleaning actions are limited: a dog is unlikely to actuate the bristles in any fashion that will cause the bristles to provide a flossing action, and the bristles only extend in a direction parallel to the dog's biting motion (i.e., against the tooth surface being applied to and deforming the outer shell).

[0007] Another U.S. Patent, No. 6,050,224, discloses a Therapeutic Chew Device for Cleaning Teeth and Breath of Dogs. Like the aforementioned 5,263,436 patent, this reference exemplifies a common, antithetical approach to maintaining animal oral health. Disclosed here is a rope toy threaded through a chewable, charcoal-impregnated piece of rawhide. The rope is tied into knots on either side of chewable rawhide, and both ends of the rope are tassels. The reference discloses the tassel ends providing a flossing function and the

charcoal-impregnated rawhide helping to absorb odors and “naturalization properties” to a dog’s digestive system. Features which are generally consumable, and particularly those designed to be consumed, work to create and accumulate plaque and tartar and render accompanying removal features inherently less efficient.

[0008] A review of the prior art reveals that existing animal dental care devices and methods are, generally, mildly-adapted versions of devices and methods humans would use on their own teeth, despite the significant dental differences between humans and relevant animals. The present invention’s innovations, as the Detailed Description will elaborate, address the shortcomings of the prior art.

Brief Summary of the Invention

[0009] The present invention is an animal dental care device that comprises a ring having an outer surface and an inner surface. There are defined on each surface two annuli, and on each annulus a plurality of teeth is disposed. The teeth are disposed onto adjacent annuli in counter oriented fashion forming channels between proximate teeth. The ring is made from a pliable yet durable material such as thermoplastic elastomers and other rubber-like substances.

[00010] It is an object of the invention to improve animal dental care by providing an efficient mechanical cleaning action. The ring is introduced to an animal’s oral cavity, prompting the animal to bite down upon the ring. The animal’s teeth - incisors, canines, pre-molars, and molars - pass over the ring’s outer and inner surfaces within the channels made between the ring’s teeth, allowing the ring’s teeth to abrade the animal’s teeth and remove accumulated plaque and tartar while maximizing the ring’s ASA. Because of the ring’s geometry and plurality of teeth disposed onto the ring’s inner and outer surfaces, an animal can enjoy the mechanical cleaning action in a number of biting configurations.

[00011] It is another object of the invention to encourage animal owners to take a proactive role in their animals' dental care. When introduced to the animal's oral cavity to prompt the animal to bite the ring, the owner can improve the ring's cleaning action by tensing and rotating the ring to encourage successive bites.

Brief Description of the Drawings

[00012] The accompanying figures and drawings, incorporated into and forming part of the specification, serve to further illustrate the present invention, its various principles and advantages, and its varying embodiments:

[00013] FIG. 1 illustrates an exemplary ring.

[00014] FIG. 2 illustrates an exemplary ring.

[00015] FIG. 3A illustrates a ring being introduced to a dog's oral cavity.

[00016] FIG. 3B illustrates a ring engaging a dog's teeth.

[00017] FIG. 3C illustrates pluralities of teeth removing detritus from a dog's teeth.

[00018] FIG. 4A illustrates a person introducing a ring to a pig.

[00019] FIG. 4B illustrates a person tensing a ring while a pig bites the ring.

[00020] FIG. 4C illustrates a person providing a rotating motion to the ring, causing the pig to release and re-bite the ring.

[00021] FIG. 5A illustrates a ring presented to a dog on a flat surface.

[00022] FIG. 5B illustrates a dog using a limb to raise a portion of the ring off of the surface.

[00023] FIG. 5C illustrates a dog using introducing to the raised ring to its oral cavity.

Detailed Description

[00024] Provided is a novel animal dental care device and method involving a ring-like apparatus, FIG. 1 and 2 illustrating exemplary embodiments thereof. A ring **100, 200** has an inner surface **101, 201** and outer surface **106, 206**. The inner surface has a first annulus **102, 202**

and second annulus **104, 204**. The first annulus has a first plurality of teeth **103, 203** and the second annulus has a second plurality of teeth **105, 205**. The first plurality of teeth and second plurality of teeth are counter-oriented and create a first plurality of channels **111, 211**. The outer surface has a third annulus **107, 207** and fourth annulus **109, 209**. The third annulus has a third plurality of teeth **108, 208** and the fourth annulus has a fourth plurality of teeth **110, 210**. The third plurality of teeth and fourth plurality of teeth are counter-oriented and create a second plurality of channels **112, 212**.

[00025] FIG. 3A introduces how the invention is used to care of animal dentition. The ring **300** is introduced to the oral cavity **302** of a dog **301**. FIG 3B illustrates the ring inside of the oral cavity. A first plurality of teeth **303** and second plurality of teeth **304** form a first plurality of channels **305** one channel of which engages a tooth **306**, the tooth initially being covered in detritus (e.g., plaque or tartar). The first plurality of teeth and second plurality of teeth abrade the detritus from the tooth using mechanical action. FIG. 3C illustrates the dog's oral cavity after the ring has been moved within the oral cavity, the first plurality of teeth and second plurality of teeth having removed the detritus from the tooth.

[00026] FIG. 4A illustrates an exemplary method of using claimed invention to care of an animal's dentition. A user **402** encounters a pig **401** which is presenting a ring **400** in its mouth. FIG. 4B illustrates the user providing tension **403** to the ring, causing it to engage the interior of the pig's mouth to improve abrading performance. FIG. 4C illustrates the user providing a rotation action **404** on the ring while maintain tension, further exposing the first, second, third, and fourth pluralities of teeth throughout the interior of the pig's mouth to remove detritus therefrom.

[00027] FIG. 5A illustrates another exemplary method of using the ring **500** to care for an animal's dentition. The ring is provided on a substantially flat surface **502**. A dog **501** is proximate

to the ring. FIG. 5B illustrates the dog using a limb to press upon the ring, the geometry of which causes the ring to raise itself off of the flat surface and towards the dog's head. FIG. 5C illustrates the dog acquiring the ring into the dog's oral cavity **507** and engage at least one tooth **506** by a second plurality of channels **505** formed along with a third plurality of teeth **503** and fourth plurality of teeth.

[00028] The ring, being intended to be chewed, pulled, and played with by animals, necessarily is made from an abrasion and tear-resistant material such as thermoplastic elastomers, silicone rubbers, saturated rubbers, and unsaturated rubbers. While an animal may voluntarily engage the apparatus, the animal's owner may encourage the animal's use of the apparatus by introducing the ring to the animal and tensing and rotating the ring once the animal has acquiring the ring into its oral cavity. Moreover, the owner may entice the animal to engage the ring by tossing the ring onto a substantially flat surface prior to the animal retrieving it.

[00029] The above detailed descriptions relate to specific preferred embodiments as the inventor presently contemplates, it will be understood that the invention in its broad aspects includes mechanical, chemical, and functional equivalents of the elements described herein. Various details of design and construction may be modified without departing from the true spirit and scope of the invention which is set forth in the following claims. Other embodiments, which will be apparent to those skilled in the art and which practice the teachings herein set forth, are intended to be within the scope and spirit of the invention.

Claims

I claim,

1. An animal dental care device comprising:
a ring having an inner surface and an outer surface, the inner surface having a first annulus and a second annulus, the outer surface having a third annulus and a fourth annulus;
a first plurality of teeth disposed onto the first annulus;
a second plurality of teeth disposed onto the second annulus;
a third plurality of teeth disposed onto the third annulus; and
a fourth plurality of teeth disposed onto the fourth annulus.
2. The animal dental care device of Claim 1, wherein the first plurality of teeth and the second plurality of teeth are counter oriented forming a first plurality of channels between proximate first plurality and second plurality teeth, wherein the third plurality of teeth and the fourth plurality of teeth are counter oriented forming a second plurality of channels between proximate third plurality and fourth plurality teeth.

3. The animal dental care device of Claim 2, wherein the device is made from a physically resilient material selected from the group consisting of thermoplastic elastomers, silicone rubbers, saturated rubbers, and unsaturated rubbers.

4. The animal dental care device of Claim 1, wherein the first plurality of teeth and the second plurality of teeth are counter oriented and forming a first plurality of channels, each of the first plurality of channels having a cross-sectional area dimensioned to receive a tooth of a animal therethrough, the corresponding first and second plurality of teeth that form each of the first plurality of channels are positioned to abut multiple sides of the tooth




FIG. 1




FIG. 2








FIG. 3A








FIG. 4C




FIG. 5A




FIG. 5B




FIG. 5C

