



US00D607029S

(12) **United States Design Patent**
Stehle

(10) **Patent No.:** **US D607,029 S**

(45) **Date of Patent:** **** Dec. 29, 2009**

(54) **CONTAINER FOR TIRE SEALANT WITH
ATTACHED DEVICE FOR INJECTING TIRE
SEALANT INTO VEHICLE TIRES**

(75) Inventor: **Michael Stehle**, Uberlingen (DE)

(73) Assignee: **Doukas AG**, Kreuzlingen (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/331,555**

(22) Filed: **Jan. 28, 2009**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/269,256,
filed on Nov. 27, 2006, now abandoned.

(51) **LOC (9) Cl.** **15-99**

(52) **U.S. Cl.** **D15/199**

(58) **Field of Classification Search** D8/105,
D8/499; D9/434, 440, 528, 531, 544; D15/140,
D15/199; D23/202, 213, 225; 141/38, 67,
141/100; 152/415; 239/142, 154, 333
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D309,858	S	*	8/1990	Meyersburg	D23/225
D347,047	S	*	5/1994	Wood	D23/225
5,765,601	A	*	6/1998	Wells et al.	141/38
D431,279	S	*	9/2000	Spriegel	D23/225
6,506,273	B1	*	1/2003	Hull	156/115
6,964,284	B2	*	11/2005	Eckhardt	141/38
D516,167	S	*	2/2006	Leer et al.	D23/225
D570,447	S	*	6/2008	Hillhouse	D23/225
2003/0024596	A1	*	2/2003	Kojima et al.	141/38
2005/0247369	A1	*	11/2005	Dudley	141/38
2007/0181209	A1	*	8/2007	Stehle	141/38
2008/0060734	A1	*	3/2008	Stehle	152/416
2008/0202632	A1	*	8/2008	Hung	141/38
2008/0264540	A1	*	10/2008	Dowel	152/509

2009/0107578 A1 * 4/2009 Trachtenberg et al. 141/5

* cited by examiner

Primary Examiner—Sandra Snapp

Assistant Examiner—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Bachman & LaPointe, P.C.

(57) **CLAIM**

The ornamental design for a container for tire sealant with
attached device for injecting tire sealant into vehicle tires, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the container for tire sealant
with attached device for injecting tire sealant into vehicle tires
of the present invention;

FIG. 2 is a left side view of the container for tire sealant with
attached device for injecting tire sealant into vehicle tires of
FIG. 1;

FIG. 3 is a right side view of the container for tire sealant with
attached device for injecting tire sealant into vehicle tires of
FIG. 1;

FIG. 4 is a front view of the container for tire sealant with
attached device for injecting tire sealant into vehicle tires of
FIG. 1;


FIG. 5 is a rear view of the container for tire sealant with
attached device for injecting tire sealant into vehicle tires of
FIG. 1;

FIG. 6 is a top view of the container for tire sealant with
attached device for injecting tire sealant into vehicle tires of
FIG. 1; and,

FIG. 7 is a bottom view of the container for tire sealant with
attached device for injecting tire sealant into vehicle tires of
FIG. 1.

The broken lines in the drawings depict unclaimed environ-
mental subject matter.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7