

(19)
(12)

(KR)
(Y1)

(51) 。 Int. Cl.7
B65D 21/028

(45)
(11)
(24)

2004 02 11
20-0340887
2004 01 28

(21) 20-2003-0027425
(22) 2003 08 26

(73) 228 5 503-502

(72) 228 5 503-502

가 :

(54)

V) , , (

2

1 ,

2 1 ,

3 ,

4 3 가-가' ,
 5 4 ,
 6 (V) ,
 7 6 ,
 8 ,
 9 .

1,11 : 20 : ()

21,22 : () 30 :

40,41,42 : (Clip< >) 50,51 :

52,53,54 : 55 :

56 : (凹凸) 57 :

60 : (V) 70 :

80 :

가 가 , 가

(0.8mm) ,

(Press)

1 .

가 가 (0.8mm 1.5mm)

가 가 , 가 가 (0.8mm))
 가

(0.8mm 1.5mm)
가

가

가

가

가

(3mm) (PS)

가

(0.8mm 1.5mm)
(V)

가

- 1 (20) (0.8mm 1.5mm) (21) (V) (30) (20) (21)
- 2 1 (40) (40) (21) (21)
- 3 (52) (1) (8) (40) 가 (50)가 (40) 가 (1) (21)
- 4 3 가-가' (55) (56) (1) (21) (凹凸) (凹凸) (1) (21) (凹凸) (40)
- 5 (40) (42) (55) (42) (57)가 (1) 4 (21)
- 6 (30) (1) (1) (60) (21) (1) (21) (3mm) (1)
- 7 6 (60) (70) 가

8

9 (80) (11) (80) 2

(11) (5) (11) (11) (22) (80)

(11) (11) (22) (11) (22) 가

(11) (11) 가 (22) 가 (11) (22) (11) 8

(11) 가 (41) (11) 4

(2. 9) (Wrap) (Film) (2. 9)

(0.8mm 1.5mm) 가 (:)

가 (0.8mm 1.5mm) (V)

(0.8mm 1.5mm)

가 가 가

(57)

1.

(가)





