

**(12) PATENT**  
**(19) AUSTRALIAN PATENT OFFICE**

**(11)** Application No. **AU 199733361 B2**  
**(10)** Patent No. **732978**

(54) Title  
Adhesive agent and use of such agent

(51)<sup>6</sup> International Patent Classification(s)  
A61L 025/00 C09J 011/08  
A61L 015/58

(21) Application No: 199733361 (22) Application Date: 1997 .07 .02

(87) WIPO No: W098/01167

(30) Priority Data

(31) Number	(32) Date	(33) Country
772/96	1996 .07 .10	DK

(43) Publication Date : 1998 .02 .02  
(43) Publication Journal Date : 1998 .03 .26  
(44) Accepted Journal Date : 2001 .05 .03

(71) Applicant(s)  
Coloplast A/S

(72) Inventor(s)  
Inger Mann Nielsen

(74) Agent/Attorney  
F B RICE and CO,605 Darling Street,BALMAIN NSW 2041

(56) Related Art  
US 5420114  
JP 6-65073  
WO 96/00094

OPI DATE 02/02/98 APPLN. ID 33361/97  
AOJP DATE 26/03/98 PCT NUMBER PCT/DK97/00291



AU9733361

PCT)

<b>(51) International Patent Classification 6 :</b> A61L 25/00, 15/58, C09J 11/08		<b>A1</b>	<b>(11) International Publication Number:</b> WO 98/01167
			<b>(43) International Publication Date:</b> 15 January 1998 (15.01.98)
<b>(21) International Application Number:</b> PCT/DK97/00291 <b>(22) International Filing Date:</b> 2 July 1997 (02.07.97) <b>(30) Priority Data:</b> 0772/96 10 July 1996 (10.07.96) DK <b>(71) Applicant (for all designated States except US):</b> COLOPLAST A/S [DK/DK]; Holteham 1, DK-3050 Humlebaek (DK). <b>(72) Inventor; and</b> <b>(75) Inventor/Applicant (for US only):</b> NIELSEN, Inger, Mann [DK/DK]; Vagtelvej 78, DK-2000 Frederiksberg (DK). <b>(74) Common Representative:</b> COLOPLAST A/S; Patent Dept., Kim Nilausen, Holteham 1, DK-3050 Humlebaek (DK).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>	
<b>(54) Title:</b> ADHESIVE AGENT AND USE OF SUCH AGENT			
<b>(57) Abstract</b>  An adhesive agent for application to human or animal skin, preferably for use in connection with ostomy or incontinence appliances, comprises a pressure sensitive adhesive and optionally additives conventionally used in adhesives of this kind and parts of or extracts from Aloe vera. Such adhesive prevents or alleviates skin problems.			

**TITLE**

Adhesive agent and use of such agent

**FIELD OF THE INVENTION**

The present invention relates to an adhesive agent for application to human or  
5 animal skin, a method of producing such adhesive agent and an adhesive paste  
for application to human or animal skin. Furthermore, the invention relates to the  
use of the adhesive agent for securing of ostomy appliances and sealing around  
an ostomy, for wound dressings, for securing of devices for collecting urine,  
wound drainage bandages, orthoses and prostheses and for protection of skin  
10 areas and parts of the body against pressure, impacts, friction and/or exudates  
from the body, and the use of the adhesive agent as an ostomy paste.

**BACKGROUND OF THE INVENTION**

Skin adhesive agents are today among other things used for the above-  
mentioned purposes.

15 A widely used embodiment of skin adhesive agents comprises a pressure sensi-  
tive adhesive elastomeric matrix in which water absorbing and water-swellable  
particles of hydrocolloids are dispersed. The pressure sensitive adhesive matrix  
will adhere to skin and contribute to the cohesion of the adhesive. The water ab-  
sorbing properties of the hydrocolloids enable adhesion to moist skin by remov-  
20 ing moisture from the surface. As the hydrocolloids constantly absorb moisture  
emanating from the skin or originating from exuding wounds or from e.g. a  
stoma, the hydrocolloids also contribute to the securing a good adherence over  
extended periods of time and also prevent maceration of the skin.

In the fields of use mentioned above, the adhesive agents will come into contact  
25 with body fluids of different kinds: faeces, urine, wound exudates, sweat *et cetera*. Existing skin adhesives often suffer from the drawback that the adhesive-  
ness is destroyed by contact with body fluids. The parts of the adhesive being in  
direct contact with the skin or which is exposed to the body fluids will gradually

---

swell due to the water absorbing and water-swelling properties of the hydrocolloids which will eventually cause a disintegration of the adhesive matrix .

Skin problems are common for persons having a stoma. Generally, about 40 % have skin problems (Pearl et al. 1985 "Early local complications from intestinal stomas", Arch. Surg. 120; 1145-1147.) and the frequency is especially high for persons having an urostomy or ileostomy. About 80 % of the persons having an ileostomy have skin problems (Hellman, J.D., Lago, C.P. 1990 "Dermatologic complications in colostomy and ileostomy patients", International Journal of Dermatology, 29 (2); 129-133.). The skin problems are mostly pronounced in a circular area around the stoma (½ inch from the stoma) (Hellman and Lago 1990).

Two common causes for skin problems are

- Inflammatory changes caused by cronical irritation
- Infection by bacteria and/or fungi.

Skin problems associated with an ostomy are differing from skin problems generally associated with adhesives for skin (dressings or plasters) as the adhesives of ostomy appliances are placed permanently at the same site during long periods of time (cronical irritation) whereas other adhesives for skin are normally only placed at the same site for a short period of time.

It is desirable that the adhesives for use in connection with ostomy appliances are formulated so as to minimise the risk of skin problems and even more desirable if the adhesive might directly alleviate skin problems which have occurred.

During use in ostomy appliances it is observed that the adhesive agent around the stoma is often gradually eroded due to the disintegration of the adhesive giving access to the skin for the exudates. This is particularly a problem for ostomy patients having a urostomy or an ileostomy from which the exudates are fluid and aggressive. The result is that the risk of leakage increases as will the risk of direct contact between exudate and skin which may lead to severe skin problems

and the ostomy appliance and with this, the adhesive will have to be changed more frequently than desired which again will stress the skin and cause higher expenses.

If the adhesive has been extensively eroded by aggressive exudates, the changing of the adhesive appliance may be rendered more inconvenient and laborious as left eroded adhesive will have to be removed mechanically which may cause further stress and strain to the skin. If optional remnants of adhesive are not removed entirely, they may hamper the adhering of the substitute appliance.

Similar problems may be encountered when using adhesive agents for wound drainage bandages or for bandages for use with cronical wounds or especially exuding wounds.

When bandaging wounds, contact between the adhesive and wound exudate will have a similar disintegrating effect on the adhesive leading to problems of the same kind as discussed above when changing the bandage, and furthermore, left parts of adhesive in the wound may affect the wound-healing process. In case of leakage, a further risk of contamination and microbial infection of the wound exists.


Adhesive agents are also used for securing devices such as uridomas for collecting urine from incontinent males. In such an application, a similar risk of disintegration of the adhesive due to direct contact with urine exists and the direct contact between urine and skin may lead to similar problems as discussed above.

Adhesive agents are also used for securing orthoses and prostheses, e.g. breast prostheses, and for protection of skin areas or parts of the body against pressure, impacts and/or friction. In these applications secretion of sweat will be the primary cause for swelling and disintegration of the adhesive agent and irritation

---

of the skin leading to the inconveniences and problems mentioned above in connection with exchange of the appliance.

Typical examples of adhesives used as skin adhesives are the hydrocolloid adhesives disclosed in DK patent specifications Nos. 147,034 and 147,035 and in  
 5 US patent specification No. 4,551,490.



10

Adhesive pastes are especially used for filling cavities or irregularities in the skin around e.g. an ostomy in order to obtain a plane surface for adhesion of the adhesive for securing an ostomy appliance and for sealing between the adhesive agent and an ostomy. A paste is normally of a semi-liquid, more plastic consistency and may e.g. be based on a solution of a film forming polymer in which hydrocolloid particles are dispersed in an alcohol such as ethanol. Agents conventionally used for enhancing the adhesiveness may also be added. Such an adhesive agent may further comprise agents for regulating the viscosity and/or stabilisers and/or preservatives and such adhesives suffer from the same drawbacks as mentioned above.



15

Typical examples of the composition of adhesive agents are disclosed in DK patent specification No. 155,571 and EP patent specification No. 48,556.

20

Thus, there is still a need for an adhesive agent or paste having improved performance with respect to alleviating the skin problems caused by the action of aggressive exudates or excretions from a body.



Any discussion of documents, acts, materials, devices, articles or the like which has been included in the present specification is solely for the purpose of providing a context for the present invention. It is not to be taken as an admission that any or all of these matters form part of the prior art base or were common general knowledge in the field relevant to the present invention as it existed in Australia before the priority date of each claim of this application.

#### BRIEF DESCRIPTION OF THE INVENTION

It has surprisingly been found that when adding Aloe vera to an adhesive agent for use in appliances to be used in connection with collection of exudates or excretions from a body, a better protection of the skin against the aggressive action of excretions from the body is achieved.

In a first aspect, the present invention is an adhesive composition useful for application to human or animal skin, comprising from 0.01 to 5% (w/w) parts of or extract from Aloe vera, from 25 to 50% (w/w) polyisobutylene, from 0 to 20% (w/w) butyl rubber, from 0 to 15% (w/w) tackifying resin and from 25 to 55% (w/w) of hydrocolloid.

In a second aspect, the present invention is an adhesive composition useful for application to human or animal skin, comprising from 0.01 to 5% (w/w) parts of or extract from Aloe vera, from 5 to 30% (w/w) styrene-isoprene-styrene copolymer, from 15 to 50% (w/w) tackifying resin, from 25 to 55% (w/w) of hydrocolloid and from 0 to 25% (w/w) of plasticizer.

In a third aspect, the present invention is a method of producing an adhesive composition useful for application to human or animal skin, said adhesive composition comprising a pressure sensitive adhesive and parts of or extracts from Aloe vera, said method comprising mixing, in a heated mixer, a plastic or elastomeric matrix-forming adhesive material and a part of hydrocolloid particles, turning off the heating, continuing the mixing for a short while, admixing a remaining part of the hydrocolloid particles and a content of the parts of or extracts from Aloe vera which is from 0.01 to 5% (w/w), and continuing the mixing in vacuo until a homogeneous mixture is obtained.

In a fourth aspect, the present invention is an ostomy appliance comprising an adhesive wafer for adhering to the skin which adhesive wafer comprises an adhesive composition.



Thus, the invention relates, in its broadest aspect to an adhesive agent for application to human or animal skin comprising a pressure sensitive adhesive and optionally additives conventionally used in adhesives of this kind which adhesive agent comprises Aloe vera.

5 Furthermore, the invention relates to a method of producing such adhesive agent, and an adhesive paste for application to human or animal skin, to the use of such adhesive agent for securing of ostomy appliances and sealing around an ostomy, for wound dressings, for securing of devices for  
10 collecting urine, wound drainage bandages, orthoses and prostheses and for protection of skin areas and parts of the body against pressure, impacts, and friction, and/or exudates from the body and the use of the adhesive paste as an ostomy paste.

15 Throughout this specification the word "comprise", or variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated element, integer or step, or group of elements, integers or steps, but not the exclusion of any other element, integer or step, or group of elements, integers or steps.





# DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to an adhesive agent for application to human or animal skin comprising a pressure sensitive adhesive and optionally additives conventionally used in adhesives of this kind which adhesive agent is character-  
 5 ised in that it comprises parts of or extracts from Aloe vera.

The basic idea is to add Aloe vera powder (prepared from Aloe vera gel) directly to the adhesive as a component which surprisingly has been found to prevent and alleviate skin problems for users of ostomy appliances.

When the adhesive absorbs moisture in the form of sweat, secretion from a  
 10 stoma or a wound or a crack, or urine flowing into an uridoma, it swells and the Aloe vera components being soluble in water are released. In the area next to a stoma or an exuding wound the adhesive may be moistened to a considerable extent due to secretions from the stoma or wound and thus, Aloe vera will espe-  
 15 cially be released in the area next to the stoma or wound, exactly at the site hav- ing the most pronounced skin problems (Hellman and Lago 1990).



It is advantageous to add the Aloe vera as a component of the adhesive instead of applying an Aloe vera gel directly to the skin for the following reasons:  
It saves an operation, it is not necessary to await the evaporation of the water of an Aloe vera gel before placing the ostomy appliance or wound dressing (if the skin is not completely dry when placing the appliance, the adhesive will not obtain good adhesion to the skin), a reduction of the adhesion of the adhesive agent to the skin due to the presence of Aloe vera components on the skin is avoided, and a controlled release of Aloe vera from the adhesive is obtained giving the highest release in the most humid areas next to the stoma or wound where most of the skin problems occur.

Aloe vera is reported to have an antibacterial effect (Grindlay, D., Reynolds, T. 1986 "The Aloe vera phenomenon: A review of the properties and modern uses of the leaf parenchyma gel", Journal of Ethnopharmacology, 16; 117-151) and furthermore to have an anti-inflammatory effect (Davis, R.H., Rosenthal, K.Y., Cesario, L.R., Rouw, G.A. 1989 "Processed Aloe vera administered topical inhibits inflammation", Journal of the American Podiatric Medical Association, 79 (8); 395-397).

Nearly 200 species of Aloe exist. Only few of these do have commercial interest, amongst these Aloe vera (= A. Barbadensis). Aloe vera is a perennial plant having sturdy leaves of a weight of up to half a kilogram containing clear gel (colourless mucilaginous pulp) consisting of about 99.5% water.

The Aloe vera is commercially available in the form of a gel and in the form of a spray dried or freeze dried powder (dried gel) in various concentrations. Of most interest for the adhesives of the invention is Aloe vera gel in powder form as it may be mixed directly into the adhesive.

The natural gel comprises about 0.5% Aloe vera solids. A spray dried powder has a concentration 100x higher than the gel and a freeze dried powder a concentration 200x the concentration of the gel. Thus, freeze dried Aloe vera powder is 200 times as concentrated as the gel. Spray dried Aloe vera powder is

"only" 100 times as concentrated as the natural gel because this powder comprises a carrier, typically malto-dextrin.

Japanese patent publication No. 4-54107 discloses a cosmetic product comprising an adhesive containing an Aloe extract and polyvinylpyrrolidone and/or a copolymer containing polyvinylpyrrolidone and a second component composed of a polymer or copolymer of acrylic acid and/or methacrylic acid which product is stated not to give harmful irritation to the skin.

Japanese patent publication No. 4-54108 discloses a cosmetic product comprising a plastic film and an adhesive containing an Aloe extract and polyvinylpyrrolidone and/or a copolymer containing polyvinylpyrrolidone and a second component comprising a low-molecular weight polyhydric alcohol having < 2000 molecular weight which product is stated not to give harmful irritation to the skin.

Japanese patent publication No. 6-65073 discloses a water proof adhesive plaster having a waterproof backing and an adhesive layer comprising pharmaceutical, e.g. D,L-alpha-tocopherol, moistening the skin and giving continuous action of the drug component. The tacky adhesive layer contains a tacky adhesive and at least one kind of drug selected from dl-alpha-tocopherol acetate, retinol acetate, retinol palmitate, biotin, panthothenic acid, olive oil, Aloe and rice bran.

Japanese patent publication No. 4-283511 discloses a two component skin plaster with durable adhesion and cooling sensation comprising a composition containing hydrogel and composition comprising water-soluble powdery substance. An aloe extract may be applied to the plaster.

US patent specifications Nos. 4,917,890, 4,959,214 and 4,966,892 as well as EP patent specifications Nos. 227,806 and 328,775 is disclosed gels containing an extract of Aloe vera and Carbopol® 940 for use in healing of wounds.

However, there is no indication nor suggestion to add Aloe vera to a hydrocolloid adhesive for use in ostomy or incontinence appliances or a wound dressing nor indication or suggestion that such addition should impart a better protection of the skin against the aggressive action of excretions from the body. Now it has  
5 surprisingly been found that an improved performance is obtained using adhesives comprising Aloe vera and a hydrocolloid.

Ostomy appliances comprising an adhesive according to the invention may be any appliance known per se, the difference being use of the adhesive of the invention. The appliances may be one-piece or two-piece appliances. Incontinence  
10 appliances comprising an adhesive according to the invention may be any appliance known per se, e.g. an urisheet or uridom. The adhesive may be placed directly on the sheath or on a separate adhesive strip for securing the urisheet to the penis. Wound dressings comprising an adhesive according to the invention may be any appliance known per se, e.g. wound dressings for cronic ulcers which  
15 may be in the form of larger plates or in the form of minor dressings adapted for treatment or prevention of cracks or fissures, callus or corns, or abradations.

The adhesive of the invention preferably comprises a plastic or elastomeric matrix having hydrocolloid particles dispersed therein.

The elastomeric matrix may e.g. be based on polyisobutylene, butyl gum, styrene  
20 blockcopolymers, polyacrylates or acrylate copolymers, silicone gum, natural gum, polyurethane gum, polyvinylether and mixtures thereof.

Additives conventionally used in additives for ostomy or incontinence appliances or wound dressings are e.g. additives for adjusting self-adhesive and cohesive properties of the matrix. Thus, it may be supplied with substances for promoting  
25 the adhesiveness, e.g. a resin, or emulsifiers, e.g. an oil, and/or antioxidants for protecting an elastomer against degradation or decomposition. Such additives are well-known within the art and are e.g. described in US patent No. 4,551,490 and in DK patent No. 147,035.

In accordance with one embodiment of the invention the adhesive matrix comprises a polyisobutylene and a hydrocolloid.

Such an adhesive typically comprises from 25 to 50% (w/w) polyisobutylene, from 0 to 20% (w/w) butyl rubber, from 0 to 15% (w/w) tackifying resin and from 5 25 to 55% (w/w) of hydrocolloid.

In accordance with another embodiment of the invention the adhesive matrix comprises a blockcopolymer comprising styrene and one or more olefins and/or dienes, e.g. olefins or dienes having 4 - 6 carbon atoms, preferably having 4 carbon atoms, such as 1-butene, isoprene or butadiene. The blockcopolymer may 10 e.g. be a styrene-isoprene copolymer or a styrene-butadiene-styrene copolymer.

Typically such an adhesive comprises from 5 to 30% (w/w) styrene-isoprene-styrene blockcopolymer, from 15 to 50% (w/w) tackifying resin and from 25 to 55% (w/w) of hydrocolloid, and from 0 to 25% (w/w) of plasticizer.

A plasticizer may be any conventional plasticizer for use together with the copolymer e.g. be a phthalate such as dioctyl phthalate or an adipate such as dioctyl adipate or an oil such as liquid paraffin.

The amount of Aloe vera present in the adhesive of the invention may be from 0.01 to 5% (w/w) which ensures a pain relieving effect, an enhancing effect on the healing of a wound, shows a marked antimicrobial activity and shows an anti- 20 inflammatory effect.

The amount of Aloe vera is preferably from 0.3 to 3% (w/w).

Suitable hydrocolloids for use in such adhesives are naturally occurring hydrocolloids such as guar gum, locust bean gum, pectin, alginates, gelatine, xanthan or karaya gum, semisynthetic hydrocolloids such as cellulose derivatives, e.g. salts 25 of carboxymethylcellulose, methylcellulose and hydroxypropylmethylcellulose,

---

sodium starch glycollate and synthetic hydrocolloids such as polyvinyl pyrrolidone, polyvinyl alcohol, polyethylene glycol or certain polyacrylates. The hydrocolloid may be wholly or partly be constituted by psyllium material as disclosed in WO 96/00094.

5 The invention also relates to a method of producing an adhesive agent for application to human or animal skin, preferably for use in connection with ostomy or incontinence appliances comprising a pressure sensitive adhesive and optionally additives conventionally used in adhesives of this kind, said adhesive agent comprises parts of or extracts from Aloe vera which method comprises mixing, in a  
10 heated mixer, a plastic or elastic matrix-forming adhesive material and a part of a hydrocolloid material, turning off the heating, continuing the mixing for a short while, admixing the remaining part of the hydrocolloid material and Aloe vera and continuing the mixing *in vacuo* up to a homogeneous mixture is obtained.

The invention further relates to a paste for application to human or animal skin,  
15 which paste comprises an adhesive agent for application to human or animal skin, preferably for use in connection with ostomy or incontinence appliances comprising a pressure sensitive adhesive and optionally additives conventionally used in adhesives of this kind, said adhesive agent comprises parts of or extracts from Aloe vera.

20 In another aspect, the invention relates to the use of an adhesive agent comprising Aloe vera and a hydrocolloid for securing ostomy appliances to the skin and for sealing around an ostomy, for securing wound dressings or wound drainage bandages to the skin, for securing devices for collecting urine to the skin, or for securing orthoses or prostheses to the skin.

25 Preferably an adhesive agent comprising Aloe vera is used for securing of an ostomy appliances and sealing around an ostomy, for securing and sealing of devices for collecting urine or for securing orthoses and prostheses, preferably prostheses such as breast prostheses.

In a further aspect the invention relates to the use of an adhesive agent comprising Aloe vera for protection of skin areas and parts of the body against pressure, impacts and friction and/or the aggressive action of excretions from the body.

In accordance with yet another aspect, the invention relates to the use of an adhesive agent comprising Aloe vera as an ostomy paste.

The invention is illustrated more in detail in the below examples which are provided to illustrate presently contemplated preferred embodiments and the best mode for practising the invention, but are not intended to be limiting thereof.

#### 10 MATERIALS AND METHODS

Polyisobutylene: Vistanex® LM-MH from Exxon Chemical

Sodium carboxymethylcellulose (CMC): Blanose® 9H4XF from Hercules

Freeze dried Aloe vera powder: C.E. Roeper

#### EXPERIMENTAL PART

##### 15 EXAMPLE 1

Preparation of adhesive agent according to the invention

Adhesive agent No. 1

An adhesive agent according to the invention was prepared comprising 40 % by weight of polyisobutylene, 20 % Gelatine, 20 % CMC, 19 % Pectin and 1 % freeze dried Aloe vera powder.

The adhesive was prepared in a Z-blade mixer. Before the mixing, the mixing chamber was heated to 80 °C by means of an oil heater. Polyisobutylene, Aloe vera powder and the hydrocolloids were weighed out separately. Firstly, half the amount of hydrocolloids and all the polyisobutylene were placed in the mixing chamber. The heat supply was turned off. Mixing took place for 1-2 minutes after which the remaining amount of hydrocolloids and the Aloe vera powder were added. Then the mixing was continued in vacuo until a total mixing time of 30

minutes. The adhesive agent was removed from the mixer and pressed into 1 mm thin plates between two sheets of silicon paper in a hydraulic press at 90°C. This adhesive agent was designated adhesive agent No. 1.

Preparation of adhesive agent without Aloe vera for comparison

#### 5 Adhesive agent No. 2

An adhesive agent No. 2 was manufactured in a similar manner. This is a standard recipe for an ostomy adhesive agent and is directly comparable to adhesive agent no. 1, except for freeze dried Aloe vera powder.

#### Comparison of adhesive agent no. 1 and 2.

10 Standard laboratory tests have been carried out.

#### *Tack test*

In the tack test a Teflon probe of defined surface roughness ( $R_a = 0.5$ ) and area (6 mm diameter) is brought into contact with the adhesive at a controlled rate (50 mm/min), under a fixed pressure (3N) for a short time (2 seconds) and subsequently the bond formed between the probe and adhesive is broken, also at a controlled rate (500 mm/min). Tack is measured as the maximum force required in breaking the adhesive bond.

#### *Peel test*

The peel adhesion is defined as the force required to remove the adhesive, which has been applied to a standard test plate (Teflon,  $R_a = 2$ ) under specified conditions (23°C and 50 %RH) from the plate at a specified angle (90°) and speed (300 mm/min). The peel adhesion is measured 30 minutes after application of the adhesive to the test plate. The adhesive strips are 20 mm wide and have a minimum length of 175 mm in the machine direction. Peel adhesion is expressed in Newton per 20 mm.



*Water absorption*

Water absorption involves soaking adhesive strips into a 0.9% aqueous solution of sodium chloride under specified conditions (37°C). Only one side of the adhesive is exposed to the aqueous solution. The absorption is calculated as the weight gain of the adhesive per square centimetre.

**Table 1. Laboratory test results.**

Adhesive agent No.	Composition	Amount (Wt. %)	Tack (N)	Peel (N)	Water abs. (g/cm <sup>2</sup> )
1	Polyisobutylene	40	15	10	0
	Gelatine	20			
	Pectin	19			
	CMC	20			
	Freeze dried Aloe vera	1			
2	Polyisobutylene	40	14	10	0
	Gelatine	20			
	Pectin	20			
	CMC	20			

As can be seen from Table 1, the laboratory test results are similar for adhesive agent no. 1 and 2. This means, that freeze dried Aloe vera powder added in an amount of 1 % does not have any adverse effect on the adhesive properties.

**10 EXAMPLE 2**

Preparation of adhesive agents according to the invention

**Adhesive agent No. 3**

Adhesive agent No. 3 was manufactured in a similar manner as agent No. 1. The composition is stated in Table 2 below. Psyllium is a term for a water-absorbing, mucus forming material which is produced from the seeds from plants of the genus *Plantago*.

**Adhesive agent No. 4**

Adhesive agent No. 4 was manufactured in a similar manner as agent No. 1. The composition is stated in Table 2 below.

Preparation of adhesive agent without Aloe vera for comparison

Adhesive agent No. 5

Adhesive agent No. 5 was manufactured in a similar manner as agent No. 1. The composition is stated in Table 2 below.

5 Comparison of adhesive agent Nos. 3, 4 and 5.

*Testing of the time until first appearance of microbial contamination*

The adhesive was placed in a moist atmosphere (100 %RH) at 40°C. One side of the adhesive was uncovered and is thereby exposed to the moist atmosphere.

The time until the first appearance of microbial contamination was determined by  
10 visual inspection of the exposed surface.

**Table 2. Laboratory test results.**

Adhesive agent No.	Composition	Amount (Wt. %)	Time until first microbial appearance
3	Polyisobutylene Psyllium Freeze dried Aloe vera	40 59 1	~ 48 hours
4	Polyisobutylene Psyllium Freeze dried Aloe vera	40 59.5 0.5	~ 35 hours
5	Polyisobutylene Psyllium	40 60	less than 24 hours

It appears from Table 2 that Aloe vera has an anti-microbial effect in an adhesive according to the invention and that the effect is increasing with increasing concentration of Aloe vera. The anti-microbial effect is present after manufacturing the adhesive, which means that the heat used for the mixing of the adhesive  
15 is not destroying the active components in Aloe vera.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:-

1. An adhesive composition useful for application to human or animal skin, comprising from 0.01 to 5% (w/w) parts of or extract from Aloe vera, from 25 to 50% (w/w) polyisobutylene, from 0 to 20% (w/w) butyl rubber,  
5 from 0 to 15% (w/w) tackifying resin and from 25 to 55% (w/w) of hydrocolloid.
2. An adhesive composition useful for application to human or animal skin, comprising from 0.01 to 5% (w/w) parts of or extract from Aloe vera, from 5 to 30% (w/w) styrene-isoprene-styrene copolymer, from 15 to 50%  
10 (w/w) tackifying resin, from 25 to 55% (w/w) of hydrocolloid and from 0 to 25% (w/w) of plasticizer.
3. The adhesive composition as claimed in claim 1 or claim 2 and further including a conventional adhesive additive.
4. The adhesive composition as claimed in claim 3, wherein said adhesive  
15 additive is selected from the group consisting of a resin, an emulsifier, an oil, an antioxidant, and another substance for promoting adhesiveness or protecting the composition from degradation or decomposition.
5. The adhesive composition as claimed in claim 1 or claim 2 wherein the content of parts of or extracts from Aloe vera is from 0.3 to 3% (w/w).
- 20 6. A method of producing an adhesive composition useful for application to human or animal skin, said adhesive composition comprising a pressure sensitive adhesive and parts of or extracts from Aloe vera, said method comprising mixing, in a heated mixer, a plastic or elastomeric matrix-forming adhesive material and a part of hydrocolloid particles, turning off the heating, continuing the mixing for a short while, admixing a remaining part of the  
25 hydrocolloid particles and a content of the parts of or extracts from Aloe vera which is from 0.01 to 5% (w/w), and continuing the mixing in vacuo until a homogeneous mixture is obtained.
7. An ostomy appliance comprising an adhesive wafer for adhering to the skin which adhesive wafer comprises an adhesive composition as claimed in  
30 claim 1 or claim 2.
8. An incontinence appliance comprising an adhesive composition for adhering to the skin which adhesive composition comprises a pressure sensitive adhesive composition, the adhesive composition as claimed in claim  
35 1 or claim 2.



9. A wound dressing comprising an adhesive composition for adhering to the skin which adhesive composition comprises a pressure sensitive adhesive and composition as claimed in claim 1 or claim 2.
10. An adhesive composition substantially as described with reference to the accompanying figures.
- 5 11. A method of producing an adhesive composition substantially as described with reference to the accompanying figures.

Dated this 6th day of March 2000

Coloplast A/S  
Patent Attorneys for the Applicant:

F B RICE & CO

15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

