

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
9 December 2004 (09.12.2004)

PCT

(10) International Publication Number
WO 2004/105655 A1

(51) International Patent Classification⁷: **A61F 2/44**

(21) International Application Number:
PCT/IL2003/001074

(22) International Filing Date:
16 December 2003 (16.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/474,613 2 June 2003 (02.06.2003) US
60/512,194 20 October 2003 (20.10.2003) US

(71) Applicant (for all designated States except US): **IMPLI-
ANT LTD.** [IL/IL]; 43 Hamelacha Street, PO Box 8630,
42504 Ramat Poleg (IL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ARNIN, Uri** [IL/IL];
1 Ha amelim Street, 36089 Kiryat Tivon (IL). **SUDIN, Yuri**
[IL/IL]; 614B Tlamim Street, 71452 Lod (IL). **TAUBER,**
Michael [IL/IL]; 12/8 Bavli Street, 62331 Tel Aviv (IL).

(74) Agent: **KLEIN, David**; Dekel Patent Ltd., Beit HaRof'im,
18 Menuha VeNahala Street, Room 27, 76209 Rehovot
(IL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR,
CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN,
MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU,
SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: SPINAL DISC PROSTHESIS



(57) Abstract: A spinal disc prosthesis (10) including an outer case (12) adapted for attachment to spinal structure of a body, a cartridge (20) removably mounted in the outer case, and a shock absorbing core (26) within the cartridge (20).

SPINAL DISC PROSTHESIS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority under 35 USC §119 to U.S. Provisional Patent Application Serial No. 60/512,194, filed on October 20, 2003, and U.S. Provisional Patent Application Serial No. 60/474,613, filed on June 2, 2003, all of which are incorporated herein by reference.

FIELD OF THE INVENTION

The present invention relates to human prostheses, and more particularly to spinal column vertebral disc prostheses.

BACKGROUND OF THE INVENTION

The herniation of a spinal disc and the often resultant symptoms of intractable pain, weakness, sensory loss, incontinence and progressive arthritis are among the most common of debilitating processes affecting mankind. If a patient's condition does not improve after conservative treatment, and if clear physical evidence of nerve root or spinal cord compression is apparent, and if correlating radiographic studies (i.e., MRI or CT imaging or myelography) confirm the condition, surgical removal of the herniated disc may be indicated. The process of discectomy--as the name implies--involves the simple removal of the disc without attempt to replace or repair the malfunctioning unit.

Statistics suggest that present surgical techniques are likely to result in short-term relief, but will not prevent the progressive deterioration of the patient's condition in the long run. Through better pre-operative procedures and diagnostic studies, long-term patient results have improved somewhat. But it has become clear that unless the removed disc is replaced or the spine is otherwise properly supported, further degeneration of the patient's condition will almost certainly occur.

SUMMARY OF THE INVENTION

The present invention seeks to provide a novel spinal prosthesis, as is described more in detail hereinbelow.

There is thus provided in accordance with an embodiment of the present invention a spinal disc prosthesis including an outer case adapted for attachment to spinal structure of a body, a cartridge removably mounted in the outer case, and a shock absorbing core within the cartridge.

The spinal disc prosthesis can include one or more of the following features. For example, the cartridge can be releasably locked to the outer case. An outer surface of the

outer case can be coated with a semi-porous, bone-growth-encouraging material. The outer surface of the outer case can include an anchoring element. The shock absorbing core can include an elastomer material and/or a fluid shock-absorbing material. The shock absorbing core can include materials with different resilient properties. The shock absorbing core can be at least partially surrounded by an elastomeric ring.

BRIEF DESCRIPTION OF THE DRAWINGS

In the drawings:

Figs. 1 and 2 are cross-sectional and exploded views, respectively, of a spinal disc prosthesis, constructed and operative in accordance with an embodiment of the present invention.

DESCRIPTION OF EMBODIMENTS

Reference is now made to Figs. 1 and 2, which illustrate a spinal disc prosthesis 10, constructed and operative in accordance with an embodiment of the present invention.

Prosthesis 10 may comprise an outer case 12 adapted for attachment to spinal structure of a body, such as but not limited to, the vertebrae. Outer case 12 may include an upper plate 14 and a lower plate 16 (i.e., upper and lower in the sense of the drawing), which may be made of medically-safe metal or plastic. The outer surfaces of plates 14 and 16 may be attached to spinal structure of a body by any convenient method. The outer surfaces of plates 14 and 16 may be coated with a material, such as but not limited to, Hydroxy-Apatite (H/A), which encourages bone growth into the outer surfaces. Additionally or alternatively, an anchoring element 18 such as dorsal and ventral teeth may be provided to anchor plates 14 and 16 into the adjacent vertebrate bone structures.

A cartridge 20 may be removably mounted in outer case 12. Cartridge 20 may be constructed of a metal or plastic housing, comprising upper and lower housing halves 22 and 24, respectively. Upper and lower housing halves 22 and 24 may be slidingly attached to upper and lower plates 14 and 16, respectively, by means of a mortise-and-tenon joint, that is, tenons (tongues or other protrusions) that mate with corresponding mortises (grooves or recesses). For example, tenons 23 may be included on upper and lower housing halves 22 and 24 that slide or snap into mortises 25 formed in upper and lower plates 14 and 16. Alternatively, tenons 23 may be included on upper and lower plates 14 and 16 that slide or snap into mortises 25 formed in upper and lower housing halves 22 and 24. It is emphasized that this is just one example of a removable connection between cartridge 20 and outer case 12, and other kinds of attachments may be employed.

Cartridge 20 may include a shock absorbing core 26. Shock absorbing core 26 may be made of an elastomeric material 28, such as but not limited to, natural or synthetic rubber, which is configured to deform, shift, compress and the like to provide damping and shock absorption. Shock absorbing core 26 may have an arch/dome-like shape, such as that of a Belleville washer. Alternatively or additionally, the shock absorbing core 26 may include springs and dampers. Additionally or alternatively, shock absorbing core 26 may be constructed of a fluid shock-absorbing material 30, at least in part, such as but not limited to, a hydrogel that may become hydrated with time. Alternatively, shock absorbing core 26 may have a hollow chamber that can be at least partially filled with the fluid shock-absorbing material 30, which may become hydrated with time.

The shock absorbing core 26 may be surrounded (completely or partially) by an elastomeric ring 32, which may be fixed to upper and lower housing halves 22 and 24 by means of a mortise-and-tenon joint or any other attachment method, such as but not limited to, bonding with an adhesive. For example, tenons 27 may be included on elastomeric ring 32 that slide or snap into mortises 29 formed in upper and lower housing halves 22 and 24. Alternatively, tenons 27 may be included on upper and lower housing halves 22 and 24 that slide or snap into mortises 29 formed in elastomeric ring 32. It is emphasized that this is just one example of a removable connection between elastomeric ring 32 and on upper and lower housing halves 22 and 24, and other kinds of attachments may be employed. Elastomeric ring 32 permits and does not interfere with flexure of the shock absorbing core 26.

Shock absorbing core 26 may be of a uniform consistency or alternatively may comprise numerous sections with different resilient properties, e.g., made of different types of elastomers.

Cartridge 20 may be releasably locked to outer case 12. For example, a locking mechanism 40 may be provided that reversibly attaches cartridge 20 to upper and/or lower plates 14 and 16. Locking mechanism 40 may include, without limitation, a screw, clasp or other mechanical fastener, for example.

Cartridge 20 can be inserted into upper and lower housing halves 14 and 16 and/or replaced in case of necessity. The core 26 may require replacement, for example, if material deterioration occurs. This can be easily accomplished by releasing locking mechanism 40 (if provided), and then removing cartridge 20 by simply sliding it out of


outer case 12. A replacement cartridge 20 can be immediately substituted and locked into position, thus saving any intricate procedures as described in the introduction.

Many alternatives, modifications and variations will be apparent to those skilled in the art. Accordingly, all such alternatives, modifications and variations that fall within the spirit and broad scope of the appended claims.

CLAIMS

What is claimed is:

1. A spinal disc prosthesis comprising:
an outer case adapted for attachment to spinal structure of a body;
a cartridge removably mounted in said outer case; and
a shock absorbing core within the cartridge.
2. The spinal disc prosthesis according to claim 1, wherein said cartridge is releasably locked to said outer case.
3. The spinal disc prosthesis according to claim 1, wherein an outer surface of said outer case is coated with a bone-growth-encouraging material.
4. The spinal disc prosthesis according to claim 1, wherein an outer surface of said outer case comprises at least one anchoring element.
5. The spinal disc prosthesis according to claim 1, wherein said shock absorbing core comprises an elastomer material.
6. The spinal disc prosthesis according to claim 1, wherein said shock absorbing core comprises a fluid shock-absorbing material.
7. The spinal disc prosthesis according to claim 1, wherein said shock absorbing core comprises materials with different resilient properties.
8. The spinal disc prosthesis according to claim 1, wherein said shock absorbing core is at least partially surrounded by an elastomeric ring.
9. The spinal disc prosthesis according to claim 1, wherein said outer case comprises an upper plate and a lower plate attachable to spinal structure of a body.






FIG. 2.

INTERNATIONAL SEARCH REPORT

International Application No

PC1/IL 03/01074

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61F2/44

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 827 328 A (BUTTERMANN GLENN R) 27 October 1998 (1998-10-27) claims 1,16; figures 1,7 column 8, line 5 - line 35	1-5,9
Y	---	6-8
X	FR 2 694 882 A (SOFAMOR) 25 February 1994 (1994-02-25) figures page 9, line 6 - line 17 page 10, line 30 -page 11, line 16 ---	1,2,4,5, 9
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

16 April 2004

Date of mailing of the international search report

23/04/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Stach, R

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IL 03/01074

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 02/11650 A (BRYAN VINCENT ;CONTA BOB (US); KUNZLER ALEX (US); ROULEAU JEFF (US) 14 February 2002 (2002-02-14) figures 4,6,7 page 15, paragraph 2 -page 16, paragraph 1 page 17, paragraph 1 page 18, paragraph 2 page 19, paragraph 1 page 25, paragraph 3	7,8
A	-----	1-6,9
Y	WO 00/35382 A (DIMSO SA ;GAUCHET FABIEN (FR)) 22 June 2000 (2000-06-22) claim 1; figures page 4, line 7 - line 10 page 5, line 21 - line 25	6
A	----- US 5 674 294 A (LAVAL FRANÇOIS ET AL) 7 October 1997 (1997-10-07) claim 1; figures 2,3 column 3, line 25 - line 30 -----	1-3,7-9

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IL 03/01074

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5827328	A	27-10-1998	AT 240702 T	15-06-2003
			AU 719735 B2	18-05-2000
			AU 5154298 A	10-06-1998
			BR 9714357 A	21-03-2000
			CA 2271800 A1	28-05-1998
			DE 69722244 D1	26-06-2003
			DE 69722244 T2	11-12-2003
			DK 948299 T3	23-06-2003
			EP 1342456 A1	10-09-2003
			EP 0948299 A1	13-10-1999
			JP 2001504369 T	03-04-2001
			WO 9822050 A1	28-05-1998
FR 2694882	A	25-02-1994	FR 2694882 A1	25-02-1994
			AU 4964593 A	15-03-1994
			CN 1090485 A	10-08-1994
			WO 9404100 A1	03-03-1994
			MX 9305071 A1	29-04-1994
			TR 26927 A	24-08-1994
			ZA 9306156 A	19-09-1994
WO 0211650	A	14-02-2002	US 2002035400 A1	21-03-2002
			AU 8116601 A	18-02-2002
			AU 8475201 A	18-02-2002
			CA 2426453 A1	14-02-2002
			CA 2429246 A1	14-02-2002
			EP 1363565 A2	26-11-2003
			EP 1307153 A2	07-05-2003
			JP 2004505668 T	26-02-2004
			WO 0211650 A2	14-02-2002
			WO 0211633 A2	14-02-2002
			US 2003199738 A1	23-10-2003
			US 2004054411 A1	18-03-2004
			US 2002161446 A1	31-10-2002
			US 2002128715 A1	12-09-2002
WO 0035382	A	22-06-2000	FR 2787014 A1	16-06-2000
			AU 766217 B2	09-10-2003
			AU 1568200 A	03-07-2000
			CA 2354169 A1	22-06-2000
			EP 1139932 A1	10-10-2001
			WO 0035382 A1	22-06-2000
			JP 2002532139 T	02-10-2002
			US 6582466 B1	24-06-2003
			ZA 200104842 A	21-01-2002
US 5674294	A	07-10-1997	FR 2709949 A1	24-03-1995
			DE 69422561 D1	17-02-2000
			DE 69422561 T2	27-07-2000
			EP 0642775 A1	15-03-1995