



US00D35558S

United States Patent [19]**Graebe**[11] **Patent Number: Des. 355,558**[45] **Date of Patent: ** Feb. 21, 1995**[54] **WHEELCHAIR CELLULAR CUSHION**[76] **Inventor:** Robert H. Graebe, 7 Persimmon Ridge Dr., Belleville, Ill. 62223[**] **Term:** 14 Years[21] **Appl. No.:** 1,699[22] **Filed:** Nov. 20, 1992[52] **U.S. Cl.** D6/604; D6/601[58] **Field of Search** D23/595, 596, 601, 604; 297/458; 5/455, 654, 653[56] **References Cited****U.S. PATENT DOCUMENTS**

| | | | |
|------------|---------|--------------------|---------|
| D. 294,212 | 2/1988 | Sias et al. | D6/60 |
| 3,605,145 | 9/1971 | Graebe | 5/456 |
| 3,870,450 | 3/1975 | Graebe | 425/269 |
| 4,279,044 | 7/1981 | Douglas | 5/455 |
| 4,541,136 | 9/1985 | Graebe | 5/456 |
| 4,605,582 | 8/1986 | Sias et al. | 428/120 |
| 4,673,605 | 6/1987 | Sias et al. | 428/120 |
| 4,698,864 | 10/1987 | Graebe | 5/654 |
| 4,864,671 | 9/1989 | Evans | 5/455 |
| 5,052,068 | 10/1991 | Graebe | 5/455 |
| 5,163,196 | 11/1992 | Graebe et al. | 5/654 |

Primary Examiner—Lisa P. Lichtenstein*Attorney, Agent, or Firm*—Polster, Lieder, Woodruff & Lucchesi[57] **CLAIM**

The ornamental design for a wheelchair cellular cushion, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a wheelchair cellular cushion showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is an enlarged right side elevational view thereof;
FIG. 4 is an enlarged left side elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is an enlarged rear elevational view thereof;
FIG. 7 is an enlarged front elevational view thereof;
FIG. 8 is a top, front and left side perspective view of a wheelchair cellular cushion showing a second embodiment of my new design;

FIG. 9 is a top plan view of FIG. 8;

FIG. 10 is an enlarged right side elevational view of FIG. 8;

FIG. 11 is an enlarged left side elevational view of FIG. 8;

FIG. 12 is a bottom plan view of FIG. 8;

FIG. 13 is an enlarged rear elevational view thereof;

FIG. 14 is an enlarged front elevational view thereof;

FIG. 15 is a top, front and left side perspective view of a wheelchair cellular cushion showing a third embodiment of my new design;

FIG. 16 is a top plan view of FIG. 15;

FIG. 17 is an enlarged right side elevational view of FIG. 15;

FIG. 18 is an enlarged left side elevational view of FIG. 15;

FIG. 19 is a bottom plan view of FIG. 15;

FIG. 20 is an enlarged rear elevational view of FIG. 15;

FIG. 21 is an enlarged front elevational view of FIG. 15;

FIG. 22 is a top, front and left side perspective view of a wheelchair cellular cushion showing a fourth embodiment of my new design;

FIG. 23 is a top plan view of FIG. 22;

FIG. 24 is an enlarged right side elevational view of FIG. 22;

FIG. 25 is an enlarged left side elevational view of FIG. 22;

FIG. 26 is a bottom plan view of FIG. 22;

FIG. 27 is an enlarged rear elevational view of FIG. 22;

FIG. 28 is an enlarged front elevational view of FIG. 22;

FIG. 29 is a top, front and left side perspective view of a wheelchair cellular cushion showing a fifth embodiment of my new design;

FIG. 30 is a top plan view of FIG. 29;

FIG. 31 is an enlarged right side elevational view of FIG. 29;

FIG. 32 is an enlarged left side elevational view of FIG. 29;

FIG. 33 is a bottom plan view of FIG. 29;

FIG. 34 is an enlarged rear elevational view of FIG. 29;

FIG. 35 is an enlarged front elevational view of FIG. 29;

(List continued on next page.)




FIG. 36 is a top, front and left side perspective view of a wheelchair cellular cushion showing a sixth embodiment of my new design;

FIG. 37 is a top plan view of FIG. 36;

FIG. 38 is an enlarged right side elevational view of FIG. 36;

FIG. 39 is an enlarged left side elevational view of FIG. 36;

FIG. 40 is a bottom plan view of FIG. 36;

FIG. 41 is an enlarged rear elevational view of FIG. 36; and,

FIG. 42 is an enlarged front elevational view of FIG. 36.

The sole difference between each of the six embodiments resides in the appearance of the number of cells. The broken line showing of a fill tube and valve shown in FIGS. 1-42 is for illustrative purposes only and forms no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42