

(12) **United States Design Patent** (10) **Patent No.:** **US D896,643 S**
Friedman (45) **Date of Patent:** **** Sep. 22, 2020**

(54) **BOTTLE CAP** 3,567,058 A * 3/1971 Mascia B65D 50/061
 215/213
 (71) Applicant: **Robert Friedman**, Irvine, CA (US) D276,598 S * 12/1984 Bagwell D9/443
 4,569,456 A * 2/1986 Weiler B65D 41/58
 (72) Inventor: **Robert Friedman**, Irvine, CA (US) 215/251
 D351,793 S * 10/1994 Stoller D9/443
 D358,329 S * 5/1995 Dickie D9/443
 (**) Term: **15 Years** 5,431,305 A * 7/1995 Kaminski B65D 47/244
 222/109
 (21) Appl. No.: **29/690,654** D367,613 S * 3/1996 Weiler D24/224
 D371,485 S * 7/1996 Hickey D7/391
 (22) Filed: **May 9, 2019** D387,552 S * 12/1997 Hayman D3/203.2
 5,941,404 A * 8/1999 Charrette B65D 41/04
 215/305
Related U.S. Application Data 6,253,942 B1 * 7/2001 Elias B65D 41/0485
 215/305
 (62) Division of application No. 29/585,883, filed on Nov. D472,145 S * 3/2003 Nottingham D9/443
 29, 2016. D480,973 S * 10/2003 Nottingham D9/531
 (51) **LOC (12) Cl.** **09-07** D482,974 S * 12/2003 Nottingham D9/531
 (52) **U.S. Cl.** D482,975 S * 12/2003 Nottingham D9/532
 USPC **D9/443** D511,100 S * 11/2005 Nottingham D9/528
 (58) **Field of Classification Search** D594,750 S * 6/2009 Westphal D9/443
 USPC D9/414, 434-436, 438-440, 443-457, D621,705 S * 8/2010 Breckan D9/443
 D9/499, 503-505, 682, 685, 686;
 D7/387, 391, 392, 392.1, 396.2-396.4,
 D7/401.1, 507, 509-511, 538, 900;
 D3/202, 203.2, 318; D28/91.1
 CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
 1/02; B65D 1/10; B65D 1/46; B65D
 5/46; B65D 41/00; B65D 41/38; B65D
 41/56; B65D 41/62; B65D 47/00; B65D
 47/06; B65D 47/08; B65D 2251/00;
 B65D 2543/00046; B65D 2543/00092;
 B65D 2543/00296; B65D 2585/56; B65D
 2585/545
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,665,602 A * 4/1928 Netherland B65D 41/0442
 215/302
 3,045,860 A * 7/1962 Desgagne B65D 51/04
 220/254.3

Primary Examiner — Wendy L. Arminio
 (74) *Attorney, Agent, or Firm* — Fish IP Law, LLP


(57) **CLAIM**

The ornamental design for a bottle cap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle cap, shown in a position of use on a bottle drawn in broken lines.
 FIG. 2 is a top view of the bottle cap of FIG. 1, shown removed from the bottle.
 FIG. 3 is a side view thereof; and,
 FIG. 4 is a front view thereof.
 The broken lines depict environment and form no part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D621,706	S	*	8/2010	Breckan		D9/443
D621,707	S	*	8/2010	Breckan		D9/443
D623,533	S	*	9/2010	Nakamura		D9/443
D630,043	S	*	1/2011	Taggart		D7/392
D636,264	S	*	4/2011	Wassum		D9/453
D640,552	S	*	6/2011	Eiteljorg		D9/443
D640,553	S	*	6/2011	Eiteljorg		D9/443
D695,511	S	*	12/2013	Sharpe		D3/203.2
D715,147	S	*	10/2014	Ginzburg		D9/449
D727,726	S	*	4/2015	Friedman		D9/443
D739,204	S	*	9/2015	Arthurs		D8/307
D746,149	S	*	12/2015	Ginzburg		D9/574
D751,384	S	*	3/2016	Torrison		D9/416
D756,774	S	*	5/2016	McWilliams		D9/443
D777,342	S	*	1/2017	Piramoan		D24/224
D779,324	S	*	2/2017	Martini		D9/443
9,650,179	B2	*	5/2017	Sheikh		B65D 33/16
D829,098	S	*	9/2018	Gallagher		D9/443
D833,869	S	*	11/2018	Kropf		D9/443

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4