



US00D738470S

(12) **United States Design Patent**  
**Eaton et al.**

(10) **Patent No.:** **US D738,470 S**

(45) **Date of Patent:** **\*\* Sep. 8, 2015**

(54) **HAND TIGHTENED HYDRAULIC FITTING**

(71) Applicant: **The Gates Corporation**, Denver, CO (US)

(72) Inventors: **Richard A. Eaton**, Sedalia, CO (US);  
**Keith E. Zulauf**, Castle Rock, CO (US);  
**Donald R. Gilbreath**, Castle Rock, CO (US)

(73) Assignee: **Gates Corporation**, Denver, CO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/449,856**

(22) Filed: **Mar. 15, 2013**

**Related U.S. Application Data**

(63) Continuation of application No. 13/675,109, filed on Nov. 13, 2012.

(51) **LOC (10) CI.** ..... **23-01**

(52) **U.S. CI.**  
USPC ..... **D23/259**

(58) **Field of Classification Search**  
USPC ..... D23/233, 245, 259-269; 285/86-93  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D206,045	S	*	10/1966	Baker	.....	D23/245
3,446,245	A		5/1969	Snyder, Jr.		
D296,530	S	*	7/1988	Nowacki et al.	.....	D10/96
4,776,618	A		10/1988	Barree		
D299,267	S	*	1/1989	Roman	.....	D23/262
4,802,695	A		2/1989	Weinhold		
D325,775	S	*	4/1992	Hayes	.....	D23/262
D410,529	S	*	6/1999	Taylor	.....	D23/245
5,957,509	A	*	9/1999	Komolrochanaporn	...	285/382.7
D433,928	S	*	11/2000	Alcone	.....	D8/382

8,857,863	B1	*	10/2014	Patin et al.	.....	285/386
2004/0061331	A1		4/2004	Murken		
2009/0315324	A1	*	12/2009	Molloy	.....	285/148.19
2012/0085443	A1	*	4/2012	Ellis et al.	.....	137/614.04
2012/0086201	A1		4/2012	Murken		
2013/0161941	A1	*	6/2013	Zulauf et al.	.....	285/80

\* cited by examiner

*Primary Examiner* — Karen E Kearney

*Assistant Examiner* — John Reickel

(74) *Attorney, Agent, or Firm* — Paul N. Dunlap, Esq.;  
Jeffrey A. Thurnau, Esq.

(57) **CLAIM**

The ornamental design for a hand tightened hydraulic fitting, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a hand tightened hydraulic fitting;

FIG. 2 is a front elevation view of a hand tightened hydraulic fitting;

FIG. 3 is a rear elevation view of a hand tightened hydraulic fitting;

FIG. 4 is a top plan view of a hand tightened hydraulic fitting;

FIG. 5 is a bottom plan view of a hand tightened hydraulic fitting;

FIG. 6 is a left side elevation view of a hand tightened hydraulic fitting;



FIG. 7 is a right side elevation view of a hand tightened hydraulic fitting;

FIG. 8 is a rear perspective view of a hand tightened hydraulic fitting; and,

FIG. 9 is a cross-sectional view of a hand tightened hydraulic fitting at line 9-9 in FIG. 2.

Broken lines illustrate the environment in which the hand tightened hydraulic fitting is used and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**







FIG. 1



9

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9