



US00D402256S

United States Patent [19]

[11] Patent Number: **Des. 402,256**

Nygren et al.

[45] Date of Patent: ****Dec. 8, 1998**

[54] **STEERING WHEEL LOCK STORAGE DEVICE**

5,129,563	7/1992	Dillon	224/557 X
5,350,009	9/1994	Morford	224/551
5,615,815	4/1997	Hogan	224/571

[76] Inventors: **Larry J. Nygren**, P.O. Box 2934, Newport Beach, Calif. 92659; **James A. Nygren**, P.O. Box 367, Toledo, Iowa 52342

Primary Examiner—James Gandy
Assistant Examiner—Stacia Sinuik
Attorney, Agent, or Firm—Dennis H. Lambert

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **55,907**

The ornamental design for a steering wheel lock storage device, as shown and described.

[22] Filed: **Jun. 17, 1996**

DESCRIPTION

[51] **LOC (6) Cl.** **12-16**

[52] **U.S. Cl.** **D12/415**

[58] **Field of Search** D12/415, 424; D3/316; 224/551-552, 557, 555, 558, 570, 539, 42.11, 571, 545; 211/60.1; 248/309.1

FIG. 1 is a front, top and side perspective view of the steering wheel lock storage device embodying the design of the present invention;

FIG. 2 is an enlarged right end elevational view thereof;

FIG. 3 is an enlarged left side elevational view thereof;

FIG. 4 is an enlarged right side elevational view thereof;

FIG. 5 is an enlarged top plan view thereof;

FIG. 6 is an enlarged bottom plan view thereof;

FIG. 7 is an enlarged transverse sectional view thereof, taken along line 7—7 in FIG. 1; with the strap shown in an alternate position; and,


FIG. 8 is an enlarged left end elevational view thereof.


[56] References Cited

U.S. PATENT DOCUMENTS

D. 319,539	9/1991	Brown et al.	D12/424
2,426,113	8/1947	Northcutt	296/37.13
4,270,790	6/1981	Curutto	83/699.11
4,364,499	12/1982	McCue	224/557 X
4,378,888	4/1983	Reed	211/63
4,579,263	4/1986	Ehmke et al.	224/42.11 X

1 Claim, 4 Drawing Sheets








FIG. 3.




FIG. 2.

FIG. 5.




FIG. 4.




FIG. 6.




FIG. 8.




FIG. 7.

