



US00D342959S

United States Patent [19]

[11] Patent Number: **Des. 342,959**

Jannard et al.

[45] Date of Patent: **** Jan. 4, 1994**

[54] **EYEGASSES**

[75] Inventors: **James H. Jannard**, Eastsound, Wash.; **George Tackles**, Lake Elsinore, Calif.

[73] Assignee: **Oakley, Inc.**, Irvine, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **825,400**

[22] Filed: **Jan. 29, 1992**

[52] U.S. Cl. **D16/107**

[58] Field of Search **D2/79, 246; 351/44, 351/47, 111, 120, 123, 103, 106, 83; D16/102, 104, 111, 112, 116, 118, 127; D21/190, 240**

[56] **References Cited**

U.S. PATENT DOCUMENTS

145,288	7/1946	DiCicco .	
163,869	7/1951	Hinman .	
178,178	7/1956	Fleming .	
204,496	4/1966	McCulloch et al. .	
230,439	2/1974	Rabuse .	
232,983	10/1974	Rabuse .	
280,994	10/1985	Abate	D16/112
293,450	12/1987	Jannard	D16/102
322,975	1/1992	Bolle	D16/102
323,333	1/1992	Jannard et al. .	
324,528	3/1992	Jannard .	
325,040	3/1992	Jannard	D16/102
328,468	8/1992	Jannard	D16/101
329,442	9/1992	Jannard	D16/102
329,445	9/1992	Jannard	D16/116
1,338,880	5/1920	Stevens .	
2,027,037	1/1936	Gottlieb .	
2,031,771	2/1936	Grier .	
2,108,074	10/1935	McMahon .	
2,288,423	6/1942	Root .	
2,397,243	3/1946	Cooper .	
2,444,498	7/1948	Cochran .	
2,472,731	6/1949	Splaine .	
2,561,402	7/1951	Nelson .	

2,582,345	1/1952	Moeller .	
2,841,051	7/1958	Stegeman	351/106
2,949,638	8/1960	Butler .	
3,066,573	12/1962	Moeller .	
3,425,774	2/1969	Lindblom .	
3,475,083	10/1969	Gitlin et al. .	
3,517,393	11/1968	Beauchef .	
3,565,517	2/1971	Gitlin et al. .	
3,684,356	8/1972	Bates	351/123
3,744,887	7/1973	Dunbar	351/153
4,240,718	12/1980	Wichers	351/111
4,674,851	6/1987	Jannard	351/47
4,730,915	3/1988	Jannard	351/47
4,741,611	5/1988	Burns	351/44
4,824,233	4/1989	Jannard	351/47
4,867,550	9/1989	Jannard	351/47
5,054,903	10/1991	Jannard et al.	351/123

Primary Examiner—Bernard Ansher

Assistant Examiner—R. Barkai

Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear

[57] **CLAIM**

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of eyeglasses of the present invention;

FIG. 2 is a front perspective view of the eyeglasses of FIG. 1;


FIG. 3 is a front elevational view of the eyeglasses of FIG. 1;

FIG. 4 is a rear elevational view of the eyeglasses of FIG. 1;

FIG. 5 is a side elevational view of the eyeglasses of FIG. 1;

FIG. 6 is a top plan view of the eyeglasses of FIG. 1; and,

FIG. 7 is a bottom plan view of the eyeglasses of FIG. 1.






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7