



US012125341B2

(12) **United States Patent**
Simons et al.

(10) **Patent No.:** **US 12,125,341 B2**

(45) **Date of Patent:** ***Oct. 22, 2024**

(54) **LOCATION BASED RESTRICTIONS ON NETWORKED GAMING**

(56) **References Cited**

(71) Applicant: **AG 18, LLC**, Denver, CO (US)
(72) Inventors: **Jordan Simons**, Denver, CO (US);
Nicholas Koustas, Cherry Hills, CO (US); **John Mix**, Denver, CO (US);
Alexander Oxman, Denver, CO (US)

U.S. PATENT DOCUMENTS
4,685,677 A 8/1987 Demar et al.
4,760,527 A 7/1988 Sidley
(Continued)

(73) Assignee: **AG 18, LLC**, Denver, CO (US)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
This patent is subject to a terminal disclaimer.

FOREIGN PATENT DOCUMENTS
CN 101044520 A 9/2007
JP 2004-65339 A 3/2004
(Continued)

(21) Appl. No.: **18/345,076**

(22) Filed: **Jun. 30, 2023**

OTHER PUBLICATIONS
U.S. Appl. No. 16/901,256, filed Jun. 15, 2020, Systems And Methods For Multi-Player Electronic Card Game Play.
(Continued)

(65) **Prior Publication Data**
US 2023/0343170 A1 Oct. 26, 2023

Primary Examiner — David L Lewis
Assistant Examiner — Shauna-Kay N. Hall


Related U.S. Application Data
(63) Continuation of application No. 17/715,635, filed on Apr. 7, 2022, which is a continuation of application (Continued)

(57) **ABSTRACT**
Networked gaming systems and methods with location-based restrictions. A gaming system includes a game administration server, a communication interface, and a memory containing program instructions to cause at least one processor of the game administration server to estimate a current location of a player using the gaming system, dynamically create a customized list of available games for a player at the current location based on a location of a player gaming client being used by the player, present the customized list of available games to the player gaming client through the communications interface, receive, from the player gaming client through the communications interface, a selection of a game by the player from the customized list of available games, initiate the game on a gaming server, and compensate the player with player winnings.

(51) **Int. Cl.**
G07F 17/32 (2006.01)
(52) **U.S. Cl.**
CPC **G07F 17/3223** (2013.01); **G07F 17/32** (2013.01); **G07F 17/3262** (2013.01);
(Continued)
(58) **Field of Classification Search**
CPC .. G07F 17/3223; G07F 17/32; G07F 17/3262; G07F 17/3272; G07F 17/3286; G07F 17/3295

See application file for complete search history.

30 Claims, 14 Drawing Sheets



Related U.S. Application Data

No. 16/907,954, filed on Jun. 22, 2020, now Pat. No. 11,302,141, which is a continuation of application No. 16/146,956, filed on Sep. 28, 2018, now Pat. No. 10,692,325, which is a continuation-in-part of application No. 15/600,584, filed on May 19, 2017, now Pat. No. 10,497,220, which is a continuation-in-part of application No. 15/444,409, filed on Feb. 28, 2017, now Pat. No. 9,978,205, which is a continuation of application No. 12/488,241, filed on Jun. 19, 2009, now Pat. No. 9,613,498.

(60) Provisional application No. 61/074,572, filed on Jun. 20, 2008.

(52) **U.S. Cl.**
CPC *G07F 17/3272* (2013.01); *G07F 17/3286* (2013.01); *G07F 17/3295* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,926,327 A	5/1990	Sidley	8,632,392 B2	1/2014	Shore et al.
5,257,179 A	10/1993	DeMar	8,657,666 B2	2/2014	Wudtke et al.
5,472,194 A *	12/1995	Breeding G07F 17/3202 463/37	8,657,676 B2	2/2014	Kelly et al.
5,755,621 A	5/1998	Marks et al.	8,678,914 B2	3/2014	Young
5,762,552 A	6/1998	Vuong et al.	8,715,053 B2	5/2014	Kelly et al.
5,800,268 A	9/1998	Molnick	8,721,427 B2	5/2014	Kelly et al.
5,816,915 A	10/1998	Kadlic	8,727,892 B1	5/2014	Chun
5,882,260 A	3/1999	Marks et al.	8,734,231 B2	5/2014	Shore et al.
5,984,779 A	11/1999	Bridgeman et al.	8,734,238 B2	5/2014	Arnone et al.
6,007,426 A	12/1999	Kelly et al.	8,764,566 B2	7/2014	Miltenberger et al.
6,093,100 A	7/2000	Singer et al.	8,777,720 B2	7/2014	Kelly et al.
6,104,815 A	8/2000	Alcorn et al.	8,821,270 B2	9/2014	Arnone et al.
6,264,561 B1	7/2001	Saffari et al.	8,821,296 B1	9/2014	Smurfit et al.
6,347,086 B1	2/2002	Strachan	8,827,803 B2	9/2014	Kelly
6,508,709 B1	1/2003	Karmarkar	8,856,657 B2	10/2014	Arbogast et al.
6,676,522 B2	1/2004	Rowe et al.	8,888,578 B2	11/2014	Kelly et al.
6,679,777 B2	1/2004	Pfeiffer et al.	8,926,422 B2	1/2015	Anderson et al.
6,764,397 B1	7/2004	Robb	8,944,916 B2	2/2015	Abouchar et al.
6,767,284 B1	7/2004	Koza	8,992,307 B2	3/2015	Young
6,931,131 B1	8/2005	Becker, Jr. et al.	8,992,323 B2	3/2015	Kelly et al.
6,964,608 B1	11/2005	Koza	9,092,944 B2	7/2015	Kisenwether et al.
D512,466 S	12/2005	White et al.	9,159,195 B2	10/2015	Frenkel
7,040,987 B2	5/2006	Walker et al.	9,269,221 B2	2/2016	Gobbi et al.
7,100,916 B2	9/2006	Kelly et al.	9,275,514 B2	3/2016	Kelly et al.
7,306,516 B2	12/2007	Iosilevsky	9,336,962 B2	5/2016	Wudtke et al.
7,361,091 B2	4/2008	Letovsky	9,396,611 B2	7/2016	Frenkel
7,367,563 B2	5/2008	Yoseloff et al.	9,430,909 B2	8/2016	Shore et al.
7,680,038 B1	3/2010	Gourlay	9,483,908 B2	11/2016	Shore et al.
7,699,695 B2	4/2010	White et al.	9,530,282 B2	12/2016	Graboyes Goldman et al.
7,699,702 B2	4/2010	Daniel	9,589,417 B2	3/2017	Frenkel et al.
7,758,411 B2	7/2010	Crawford, III et al.	9,613,498 B2	4/2017	Kousta et al.
7,794,324 B2	9/2010	White et al.	9,697,682 B2	7/2017	Frenkel et al.
7,867,091 B2	1/2011	Moshal	9,704,335 B2	7/2017	Frenkel et al.
7,914,381 B2	3/2011	Blythe et al.	9,786,121 B2	10/2017	Frenkel
D646,336 S	10/2011	Kelly et al.	9,811,976 B2	11/2017	Shore et al.
D646,337 S	10/2011	Kelly et al.	9,824,533 B2	11/2017	Frenkel
8,052,526 B2	11/2011	Abbott et al.	9,830,768 B2	11/2017	Frenkel et al.
8,070,582 B2	12/2011	Lutnick et al.	9,875,610 B2	1/2018	Frenkel et al.
8,235,791 B2	8/2012	Kelly	9,881,449 B1	1/2018	Frenkel
8,235,792 B2	8/2012	Kelly	9,911,271 B2	3/2018	Frenkel et al.
8,241,106 B2	8/2012	Kelly	9,940,780 B2	4/2018	Frenkel et al.
8,298,067 B2	10/2012	Kelly et al.	9,947,176 B2	4/2018	Frenkel et al.
8,392,506 B2	3/2013	Rowe et al.	9,978,205 B2	5/2018	Kousta et al.
8,460,109 B2	6/2013	Bryson et al.	10,078,939 B2	9/2018	Frenkel et al.
8,491,393 B2	7/2013	Yang	10,083,571 B2	9/2018	Frenkel
8,529,349 B2	9/2013	Kelly et al.	10,089,823 B2	10/2018	Frenkel et al.
8,531,293 B2	9/2013	Putz	10,140,808 B2	11/2018	Frenkel
8,535,158 B2	9/2013	Kelly et al.	10,140,809 B2	11/2018	Frenkel
8,545,311 B2	10/2013	Shore et al.	10,210,705 B2	2/2019	Frenkel et al.
8,613,656 B2	12/2013	Wudtke et al.	10,226,687 B2	3/2019	Grauzer et al.
8,616,958 B2	12/2013	Hermansen et al.	10,275,981 B2	4/2019	Frenkel et al.
			10,325,449 B2	6/2019	Frenkel et al.
			10,339,760 B2	7/2019	Frenkel et al.
			10,497,220 B2	12/2019	Simons et al.
			10,614,657 B2	4/2020	Kousta et al.
			10,685,532 B2	6/2020	Frenkel
			10,692,325 B2	6/2020	Simons et al.
			10,720,009 B2	7/2020	Simons et al.
			10,810,837 B2	10/2020	Frenkel et al.
			10,832,519 B2	11/2020	Frenkel et al.
			10,839,644 B2	11/2020	Frenkel
			10,846,983 B2	11/2020	Frenkel et al.
			10,964,161 B2	3/2021	Frenkel et al.
			11,024,131 B2	6/2021	Simons et al.
			11,037,398 B2	6/2021	Frenkel
			11,055,956 B2	7/2021	Frenkel et al.
			11,055,957 B2	7/2021	Frenkel et al.
			11,074,778 B2	7/2021	Kousta et al.
			11,302,141 B2	4/2022	Simons et al.
			11,315,385 B2	4/2022	Frenkel et al.
			11,475,732 B2	10/2022	Kousta et al.
			11,583,758 B2	2/2023	Lutnick et al.
			2001/0000118 A1	4/2001	Sines et al.
			2001/0004609 A1	6/2001	Walker et al.
			2001/0019965 A1	9/2001	Ochi et al.
			2001/0037211 A1	11/2001	McNutt et al.
			2001/0044337 A1	11/2001	Rowe et al.
			2002/0002075 A1	1/2002	Rowe
			2002/0025851 A1	2/2002	Frankulin et al.

(56)		References Cited					
		U.S. PATENT DOCUMENTS					
2002/0028707	A1	3/2002	Pascal et al.	2008/0214288	A1	9/2008	Toneguzzo
2002/0049975	A1	4/2002	Thomas et al.	2008/0248845	A1	10/2008	Morgan et al.
2002/0066996	A1	6/2002	Nelson et al.	2008/0248849	A1	10/2008	Lutnick et al.
2002/0094869	A1	7/2002	Harkham	2008/0274802	A1	11/2008	Joao
2002/0098884	A1	7/2002	Adams	2009/0062008	A1	3/2009	Karmarkar
2002/0103028	A1	8/2002	Carter et al.	2009/0082082	A1	3/2009	Carr-Gregg et al.
2002/0103029	A1	8/2002	Finlayson et al.	2009/0088253	A1	4/2009	Oberberger et al.
2002/0123377	A1	9/2002	Shulman	2009/0093300	A1	4/2009	Lutnick et al.
2002/0169015	A1	11/2002	Moody	2009/0118016	A1	5/2009	Ben-Artzi et al.
2003/0003997	A1	1/2003	Vuong et al.	2009/0124376	A1	5/2009	Kelly et al.
2003/0032474	A1	2/2003	Kaminkow	2009/0149246	A1	6/2009	Opaluch
2003/0064805	A1	4/2003	Wells	2009/0186701	A1	7/2009	Rowe et al.
2003/0109306	A1	6/2003	Karmarkar	2009/0203432	A1	8/2009	Carter, Sr.
2003/0125973	A1	7/2003	Mathews et al.	2009/0227362	A1	9/2009	Kelly et al.
2003/0130041	A1	7/2003	Pascal et al.	2009/0239667	A1	9/2009	Rowe et al.
2003/0139190	A1	7/2003	Steelberg et al.	2009/0264203	A1*	10/2009	Warkentin G07F 17/3223
2003/0176218	A1	9/2003	LaMay et al.				463/43
2003/0224854	A1	12/2003	Joao	2009/0270175	A1	10/2009	Kelly et al.
2003/0236120	A1	12/2003	Reece et al.	2009/0276341	A1	11/2009	McMahan et al.
2004/0038721	A1	2/2004	Wells	2009/0276715	A1	11/2009	Arbogast et al.
2004/0162124	A1	8/2004	Barton	2009/0318219	A1	12/2009	Koustantas et al.
2004/0192431	A1	9/2004	Singer et al.	2009/0325686	A1	12/2009	Davis et al.
2004/0192442	A1	9/2004	Wells et al.	2009/0325695	A1	12/2009	Wudtke et al.
2004/0259626	A1	12/2004	Akram et al.	2009/0325715	A1	12/2009	Kelly et al.
2005/0026696	A1	2/2005	Hashimoto et al.	2010/0035694	A1	2/2010	Losica
2005/0037842	A1	2/2005	Kastner	2010/0041470	A1	2/2010	Preisach
2005/0043094	A1	2/2005	Nguyen et al.	2010/0056243	A1	3/2010	Czyzewski et al.
2005/0059458	A1	3/2005	Griswold et al.	2010/0062840	A1	3/2010	Herrmann
2005/0090304	A1	4/2005	Crawford, III et al.	2010/0113140	A1	5/2010	Kelly et al.
2005/0116020	A1	6/2005	Smolucha et al.	2010/0240431	A1	9/2010	Herrmann et al.
2005/0130728	A1	6/2005	Nguyen et al.	2010/0273546	A1	10/2010	Lior et al.
2005/0143169	A1	6/2005	Nguyen et al.	2010/0317442	A1	12/2010	Thomas et al.
2005/0181870	A1	8/2005	Nguyen et al.	2011/0034237	A1	2/2011	Schulhof et al.
2005/0187020	A1	8/2005	Amaitis et al.	2011/0269436	A1	11/2011	Porco
2005/0193209	A1	9/2005	Saunders et al.	2012/0046110	A1	2/2012	Amaitis et al.
2005/0212214	A1	9/2005	Pfeiffer et al.	2012/0052939	A1	3/2012	Lutnick et al.
2005/0215326	A1	9/2005	Iosilevsky	2012/0135801	A1	5/2012	Finnimore et al.
2006/0019745	A1	1/2006	Benbrahim	2012/0143906	A1	6/2012	Sibbold et al.
2006/0025221	A1	2/2006	Jain et al.	2012/0149457	A1	6/2012	Loose et al.
2006/0052150	A1	3/2006	Hedrick et al.	2012/0237908	A1	9/2012	Fitzgerald et al.
2006/0052157	A1	3/2006	Walker et al.	2012/0276983	A1	11/2012	Young
2006/0052168	A1	3/2006	Shacham	2012/0322544	A1	12/2012	Rowe et al.
2006/0058008	A1	3/2006	Choksi	2013/0005428	A1	1/2013	Kelly
2006/0058088	A1	3/2006	Crawford, III et al.	2013/0035152	A1	2/2013	Kelly
2006/0080175	A1	4/2006	Rowe et al.	2013/0053118	A1	2/2013	Schueller et al.
2006/0095790	A1	5/2006	Nguyen et al.	2013/0080238	A1	3/2013	Kelly et al.
2006/0121968	A1	6/2006	Daniel	2013/0143640	A1	6/2013	Young
2006/0148550	A1	7/2006	Nee, Jr. et al.	2013/0225268	A1	8/2013	Caputo et al.
2006/0148560	A1	7/2006	Arezina et al.	2013/0225282	A1	8/2013	Williams et al.
2006/0189381	A1	8/2006	Daniel et al.	2013/0231180	A1	9/2013	Kelly et al.
2006/0205484	A1	9/2006	Nicastro	2013/0288785	A1	10/2013	Arnone et al.
2006/0229122	A1	10/2006	Macke	2013/0296047	A1	11/2013	Borissov et al.
2006/0258425	A1	11/2006	Edidin et al.	2013/0303274	A1	11/2013	Gadher et al.
2006/0287103	A1	12/2006	Crawford, III et al.	2013/0331158	A1	12/2013	Kurtz et al.
2007/0015584	A1	1/2007	Frenkel	2013/0331163	A1	12/2013	Kroeckel et al.
2007/0024002	A1	2/2007	McMain et al.	2013/0331184	A1	12/2013	Kelly et al.
2007/0054739	A1	3/2007	Amaitis et al.	2014/0051497	A1	2/2014	Lang et al.
2007/0087834	A1	4/2007	Moser et al.	2014/0094256	A1	4/2014	Hilbert et al.
2007/0202941	A1	8/2007	Miltenberger et al.	2014/0094272	A1	4/2014	Kelly et al.
2007/0207855	A1	9/2007	Moody et al.	2014/0094279	A1	4/2014	Lockard et al.
2007/0213112	A1	9/2007	Humphrey et al.	2014/0194199	A1	7/2014	DiGiovanni
2007/0259709	A1	11/2007	Kelly et al.	2014/0221071	A1	8/2014	Calio et al.
2007/0259716	A1	11/2007	Mattice et al.	2014/0243076	A1	8/2014	Arnone et al.
2007/0265092	A1	11/2007	Betteridge	2014/0274268	A1	9/2014	Marshall et al.
2007/0298857	A1	12/2007	Schlottmann et al.	2014/0287826	A1	9/2014	Zhao et al.
2008/0004107	A1	1/2008	Nguyen et al.	2014/0370959	A1	12/2014	Yacenda
2008/0020848	A1	1/2008	Muir et al.	2014/0370983	A1	12/2014	Suzuki et al.
2008/0045317	A1	2/2008	Seelig et al.	2014/0378219	A1	12/2014	Arnone et al.
2008/0070658	A1	3/2008	Labgold et al.	2015/0081888	A1	3/2015	Pham
2008/0096650	A1	4/2008	Baerlocher	2015/0130134	A1	5/2015	Lucier
2008/0102957	A1	5/2008	Burman et al.	2015/0194012	A1	7/2015	Hendrickson et al.
2008/0113782	A2	5/2008	Moshal	2015/0287264	A1	10/2015	De Viveiros Ortiz
2008/0113803	A1	5/2008	Alderucci	2015/0294535	A1	10/2015	Hightower et al.
2008/0132214	A1	6/2008	Dupray et al.	2016/0071369	A1	3/2016	Graves et al.
2008/0188309	A1	8/2008	Moshal	2016/0078709	A1	3/2016	Stanford et al.
				2016/0092988	A1	3/2016	Letourneau
				2016/0098888	A1	4/2016	Andres
				2016/0133123	A1	5/2016	Giobbi et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0287269 A1 10/2017 Arnone et al.
 2018/0114403 A1 4/2018 Jayachandran
 2022/0157131 A1 5/2022 Lutnick et al.

FOREIGN PATENT DOCUMENTS

JP 2008-513110 A 5/2008
 JP 2008-178478 A 8/2008
 JP 2008-220431 A 9/2008
 JP 2008-546443 A 12/2008
 JP 2010-128915 A 6/2010
 JP 2013-162889 A 8/2013
 JP 5414273 B2 11/2013
 JP 2014-524064 A 9/2014
 JP 2015-502207 A 1/2015
 JP 2016-76230 A 5/2016
 KR 2001-0050000 A 6/2001
 KR 2006-0049774 A 5/2006
 KR 2013-0122904 A 11/2013
 WO WO 2003/093921 A2 11/2003
 WO WO 2004/071601 A2 8/2004
 WO WO 2012/167146 A1 12/2012

OTHER PUBLICATIONS

U.S. Appl. No. 17/073,959, filed Oct. 19, 2020, Interactive Gaming Systems With Artificial Intelligence.

U.S. Appl. No. 17/091,898, filed Nov. 6, 2020, Variable Payback Gaming.

U.S. Appl. No. 17/097,290, filed Nov. 13, 2020, Interactive Gaming Systems With Collusion Detection.

U.S. Appl. No. 17/101,730, filed Nov. 23, 2020, Electronic Gaming Systems And Methods.

U.S. Appl. No. 17/212,201, filed Mar. 25, 2021, Mechanisms For Detection Of Gambling Rule Violations Including Assisted Or Automated Gameplay.

U.S. Appl. No. 17/346,717, filed Jun. 14, 2021, Systems And Methods For Location-Based Interactive Electronic Gaming.

U.S. Appl. No. 17/361,431, filed Jun. 29, 2021, Systems And Methods For Interactive Electronic Gaming With Rule Violation Detection.

U.S. Appl. No. 17/361,468, filed Jun. 29, 2021, Electronic Gaming Systems And Methods Having Variable Payout.

U.S. Appl. No. 17/728,339, filed Apr. 25, 2022, Computerized Electronic Gaming Methods And Systems.

U.S. Appl. No. 16/933/249, filed Jul. 20, 2020, Location Based Restrictions on Networked Gaming.

U.S. Appl. No. 17/329,943, filed May 25, 2021, Location Based Restrictions on Networked Gaming.

U.S. Appl. No. 17/715,635, filed Apr. 7, 2022, Play-To-Learn Electronic Gaming Systems and Methods.

U.S. Appl. No. 17/894,707, filed Aug. 24, 2022, Location Based Restrictions on Networked Gaming.

U.S. Appl. No. 18/331,055, filed Jun. 7, 2023, Location Based Restrictions on Networked Gaming.

Australian Patent Application No. 2022200378, Examination Report No. 2, 6 pages, Jul. 6, 2023.

Australian Patent Application No. 2022200378, Examination Report No. 3, 5 pages, Oct. 3, 2023.

Japanese Patent Application No. 2021-199005, Notice of Allowance, 3 pages, Sep. 5, 2023.

Allway, Ryan, "Jackpot Acquires PokerTek Assets From Multimedia Games," TDM Financial, 2 pages, Jul. 2, 2015.

Amatic Industries GmbH, "Solitaire & Satellite," <http://www.amatic.com/products/roulette/solitaire-satellite/>, 5 pages, 2016, published prior to Jun. 24, 2016.

American Casino Guide, YouTube Video for "A Look At New Skill-Based Slots And Other Skill-Based Gaming Machines With Marcus Prater From AGEM," <https://www.youtube.com/watch?v=wNjrGImgabw&feature=youtu.be>, 4 pages, Feb. 15, 2016.

American Casino Guide, YouTube Video for "A Look At Two New Skill-Based Video Games Coming To Casinos—Pinball And A Pac-Man Clone," <https://www.youtube.com/watch?v=DsEveU9Q-is&feature=youtu.be>, 2 pages, Apr. 8, 2016.

American Casino Guide, YouTube Video for "Skill-Based Slot Machines From Gamblit Gaming," <https://www.youtube.com/watch?v=11WJgLm0zLk&feature=youtu.be>, 2 pages, Dec. 11, 2015.

American Casino Guide, YouTube Video for "Take 'n Play Gaming System From Bally Technologies," <https://youtu.be/o8kl70fUq0o>, 3 pages, Jan. 15, 2015.

Aristocrat Technologies Australia Pty Ltd, "Poker Machines," 5 pages, 2016, published prior to Jun. 24, 2016.

Australian Patent Application No. 2022200378, Examination Report, 7 pages, Mar. 28, 2023.

Bally Technologies, Inc., "ALPHA Pro iDeck," 1 page, 2016, published prior to Jun. 24, 2016.

Bally Technologies, Inc., "Bally Live Floor View," <https://www.ballytech.com/Systems/Analytics/Bally-Live-Floor-View>, 1 page, 2016, published prior to Jun. 24, 2016.

Bally Technologies, Inc., "Frequently Asked Questions About iView Display Manager," 2 pages, 2014.

Bally Technologies, Inc., "Home," <http://www.ballytech.com/>, 1 page, 2016, published prior to Jun. 24, 2016.

Bally Technologies, Inc., "Server-Based Solutions," 1 page, 2016, published prior to Jun. 24, 2016.

Bally Technologies, Inc., "Take 'n Play," <https://www.ballytech.com/games/Take-n-Play>, 1 page, 2016, published prior to Jun. 24, 2016.

Bally Technologies, Inc., "Wayfinder," <https://www.ballytech.com/Systems/Media-Management/CoolSign/Wayfinder>, 1 page, 2016, published prior to Jun. 24, 2016.

Berzon, Alexandra, "Are Slot Machines About To Get Smart?," The Wall Street Journal, 4 pages, Jun. 15, 2016.

Bruzda, Natalie, "Esports Amenities Attract Customers To The Downtown Grand," Las Vegas Review-Journal, Inc., 4 pages, Jun. 14, 2016.

Buckeye Charity Poker, YouTube Video for "PokerTek Tables," <https://www.youtube.com/watch?v=LhDe3dfSucU&feature=youtu.be>, 2 pages, Oct. 15, 2012.

CAMS, LLC, "What We Do," 4 pages, 2015.

CBS This Morning, YouTube Video for "Video Games That Pay Out In Vegas," <https://www.youtube.com/watch?v=i10RU23Uvng&feature=youtu.be>, 2 pages, Oct. 7, 2015.

Ceasars Interactive Entertainment, Inc., "WSOP Tournaments Same IP Address Issue," <http://forum.wsop.com/chat/wsop-tournaments-same-ip-address-issue>, 6 pages, 2015.

Decision Granting Institution Of Inter Partes Review for U.S. Pat. No. 10,497,220, DraftKings Inc. vs. AG 18, LLC, IPR2022-01442, 38 pages, Mar. 14, 2023.

Decision Granting Institution Of Inter Partes Review for U.S. Pat. No. 11,024,131, DraftKings Inc. vs. AG 18, LLC, IPR2022-01445, 33 pages, Mar. 14, 2023.

Decision Granting Institution Of Inter Partes Review for U.S. Pat. No. 9,978,205, DraftKings Inc. vs. AG 18, LLC, IPR2022-01446, 43 pages, Mar. 14, 2023.

Decision Granting Institution Of Inter Partes Review for U.S. Pat. No. 9,613,498, DraftKings Inc. vs. AG 18, LLC, IPR2022-01447, 57 pages, Mar. 14, 2023.

Decision Granting Institution Of Inter Partes Review for U.S. Pat. No. 10,614,657, DraftKings Inc. vs. AG 18, LLC, IPR2022-01448, 47 pages, Mar. 14, 2023.

Dianaevoni, YouTube Video for "Frogger Slot Machine-Preview-G2e-Konami Gaming," https://www.youtube.com/watch?v=S_DikonEMWU&feature=youtu.be, 3 pages, Oct. 11, 2015.

Dye, Dave, "Graboyes Betting On Video Game Slot Machines," Gaming Today.com, 4 pages, Apr. 26, 2016.

Dynamic Gaming Systems, "The New Era In Gaming," <https://web.archive.org/web/20161026175350/http://www.dynamicgamingsystems.com/>, 2 pages, Oct. 26, 2016.

Dynamic Gaming Systems, YouTube Video for "Shaq Jack," <https://youtu.be/gPYeNXrEIDQ>, 2 pages, May 30, 2014.

European Patent Application No. 17159425.2, Extended European Search Report, 9 pages, Apr. 10, 2017.

(56)

References Cited

OTHER PUBLICATIONS

- Fantini Research, YouTube Video for “Scientific Games,” <https://www.youtube.com/watch?v=6wEqlsGp6uM>, 2 pages, Sep. 30, 2015.
- Feldberg, Sarah, “In Pursuit Of A Winning Strategy: Getting Millennials To Gamble,” *Travel Weekly*, 7 pages, May 4, 2016.
- Fitzgerald, Clare, “Nevada Gaming Policy Committee Gets A Lesson In eSports,” *Casino City*, 2 pages, May 16, 2016.
- Fogel, Stefanie, “Bringing eSports To A Las Vegas Casino,” *Polygon*, 4 pages, Apr. 28, 2016.
- Gamblit Gaming, LLC, “Gaming Meets Gambling,” 4 pages, 2016.
- Gamblit Gaming, LLC, “NGCB SB9 Regulations Public Input,” 15 pages, 2015.
- GameAccount Network Plc, “Delivering Your Business Online,” <http://www.gan.com>, 4 pages, Apr. 16, 2016.
- GameCo Inc., “The Video Game Casino,” <http://oco.gg/>, 9 pages, 2015.
- Gameco, Inc., Press Release for “GameCo Announces Partnership With Suzo-Happ To Develop Controller For Its Video Game Gambling Machine,” PR Newswire Association LLC, 3 pages, Dec. 15, 2015.
- Gameco, Inc., Press Release for “Skill-Based Video Game Gambling Company GameCo, Inc., Announces Gaming License In Progress With Division Of Gaming Enforcement In New Jersey,” PR Newswire Association LLC, 2 pages, Mar. 16, 2016.
- Gaming Intelligence Services Ltd., “Jackpot Digital To Acquire PokerTek From Multimedia Games,” 6 pages, Jul. 3, 2015.
- Gaming Intelligence Services Ltd., “New Jersey Regulator Fines GAN Over Geolocation Failures,” <http://www.gamingintelligence.com/legal/38444-new-jersey-regulator-fines-gan-over-geolocation-failures>, 3 pages, 2015.
- Gaming Laboratories International LLC, “GLI Standards,” 5 pages, 2016, published prior to Jun. 24, 2016.
- Gaming Laboratories International, LLC, “GLI-21: Client Server Systems,” Version 2.2, 26 pages, Sep. 6, 2011.
- Gaming Standards Association, Brochure for “End Of Life Strategy, SAS,” 2 pages, undated, published prior to Jun. 24, 2016.
- Graft, Kris, “The Man Behind XBLA Places Bet On Skill-Based, Real-Money Gaming On Mobile,” *Gamasutra*, 3 pages, Jun. 8, 2016.
- Henderson, Hartley, “eSports And Skill Based Video Games Could Be The Future Of Gambling,” OSGA, LLC, 3 pages, Mar. 16, 2016.
- Heuer, Mike, “eSports Goes Big In Las Vegas,” *CDC Gaming Reports*, 2 pages, Apr. 19, 2016.
- Hwang, Jeff, “G2E 2015: Evaluating The Skill-Based Games,” *The Motley Fool*, 12 pages, Oct. 11, 2015.
- IGamingBusiness, “GameAccount Granted US Patent For iBridge Framework,” <http://www.igamingbusiness.com/news/gameaccount-granted-us-patent-ibridge-framework>, 3 pages, Sep. 18, 2014.
- IGT, Product Brochure for “IGT Floor Manager,” 1 page, 2015.
- IGT Global Solutions Corporation, “Centipede—Reel Edge—Video Slot,” <http://www.igt.com/games/centipede—reel-edge-20r4011024w200c-ascent-mld-video-reel-sc3>, 3 pages, 2016, published prior to Jun. 24, 2016.
- IGT Global Solutions Corporation, “Home,” <http://www.igt.com>, 4 pages, 2016, published prior to Jun. 24, 2016.
- IGT Global Solutions Corporation, “Reel Edge Blood Life—Slot,” <http://www.igt.com/games/reel-edge-blood-life-3r5lcm-b-s-avp-spinning-reel-gw9>, 3 pages, 2016, published prior to Jun. 24, 2016.
- IGT Global Solutions Corporation, Product Brochure for “IGT Tournament Manager,” 5 pages, 2016, published prior to Jun. 24, 2016.
- IGT, “Slot Accounting System Protocol,” 5 pages, undated, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “IGT Casinolink Slot Management,” 1 page, 2015.
- IGT, Product Brochure for “IGT Machine Accounting,” 1 page, 2016, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “IGT Media Manager,” 1 page, 2016, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “IGT Multi-Denomination Multi-Game,” 1 page, 2016, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “Mobile Host 2.0,” 1 page, 2016, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “Property Info,” 1 page, 2016, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “sbX Analytics,” 1 page, 2015.
- IGT, Product Brochure for “Table Manager,” 1 page, 2016, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “Tournament Manager 5.0,” 2 pages, 2016, published prior to Jun. 24, 2016.
- IGT, Product Brochure for “Visual Slot Performance Tool,” 1 page, 2016, published prior to Jun. 24, 2016.
- IGT, YouTube Video for “Reel Edge Slots Series—Live From G2E 2010 IGT Presents Reel Edge Skill-Based Slot Machines,” <http://youtu.be/WTW846HFC1U>, 2 pages, Nov. 12, 2010.
- International Application No. PCT/US2006/027339, International Search Report & Written Opinion, 6 pages, Jan. 16, 2007.
- International Application No. PCT/US2017/020950, International Search Report & Written Opinion, 12 pages, Jul. 3, 2017.
- ISDgames, “About ISDgames,” <http://www.isdgames.com/about-isdgames>, 1 page, 2015.
- ISDgames, “NetPoker,” <http://www.playnetpoker.net/>, 1 page, 2012.
- Japanese Patent Application No. 2017-161782, Office Action, 5 pages, Dec. 18, 2017.
- Japanese Patent Application No. 2018-198082, Office Action, 11 pages, Jan. 7, 2020.
- Japanese Patent Application No. 2018-023692, Office Action, 7 pages, May 29, 2018.
- Japanese Patent Application No. 2018-023693, Office Action, 6 pages, May 29, 2018.
- Japanese Patent Application No. 2019-232490, Office Action, 6 pages, Sep. 1, 2020.
- Japanese Patent Application No. 2019-232493, Office Action, 11 pages, Mar. 16, 2021.
- Japanese Patent Application No. 2020-013213, Office Action, 8 pages, Feb. 2, 2021.
- Japanese Patent Application No. 2020-013214, Office Action, 9 pages, Feb. 2, 2021.
- Japanese Patent Application No. 2020-013215, Office Action, 6 pages, Jun. 24, 2020.
- Japanese Patent Application No. 2020-013216, Office Action, 6 pages, Jun. 24, 2020.
- Japanese Patent Application No. 2020-013216, Office Action, 6 pages, Oct. 20, 2020.
- Johnson, Robert, “Hard Rock To Add Skill-Based Gambling To Atlantic City Casino,” 3 pages, Jun. 10, 2017.
- Kent, Steve, “Darion Lowenstein: Mixing It Up In Real-Money Gaming|Casual Connect Video,” *GameSauce*, 12 pages, Mar. 21, 2016.
- Kim, Sangmin et al., “Design And Implementation Of Casino Slot Machine Accounting Protocol Engine,” *Advanced Science and Technology Letters*, vol. 54, pp. 65-68, 2014.
- Komenda, Ed, “How Online Poker Companies Track Players And Verify Their Location,” *Vegas Inc.*, 4 pages, Sep. 24, 2013.
- Konami Gaming, Inc., “Home,” <http://www.gaming.konami.com/>, 1 page, 2016, published prior to Jun. 24, 2016.
- Konami Gaming, Inc., “Industry Recognizes Konami Gaming, Inc.’s True-Time Tournament With Innovative Gaming Technology Award,” 2 pages, Apr. 23, 2013.
- Konami Gaming, Inc., “Konami Partners With Spin Games To Deliver Online Slot Game Content Via Remote Gaming Server,” 3 pages, Sep. 22, 2015.
- Konami Gaming, Inc., YouTube Video for “Introducing The First Frogger Slot Machine,” <https://www.youtube.com/watch?v=JSXC1zKCGzE&Feature=youtu.be>, 2 pages, Apr. 27, 2016.
- Korean Patent Application No. 2020-7001427, Notice of Allowance, 3 pages, Jan. 29, 2020.
- Korean Patent Application No. 2020-7012392, Office Action, 6 pages, Aug. 26, 2020.
- Korean Patent Application No. 2020-7016736, Office Action, 4 pages, Sep. 11, 2020.

(56)

References Cited

OTHER PUBLICATIONS

- Leap Forward Gaming, "SaffariNet Features & Benefits," 2 pages, Aug. 31, 2015.
- Leap Forward Gaming, "SaffariNet," 3 pages, 2016, published prior to Jun. 24, 2016.
- Leap Forward Gaming, Inc., Product Brochure for "SaffariNet," 2 pages, undated, published prior to Jun. 24, 2016.
- Locationsmart, "Home," <https://www.locationsmart.com>, 4 pages, Jun. 23, 2016.
- Macau Patent Application No. I/1494, Office Action, 9 pages, Nov. 22, 2018.
- Meltzer, Marc, "Will Skill-Based Slots Reach Younger Casino Patrons, Scare Away Bluehairs?," Covers Media Group Ltd., 3 pages, Sep. 23, 2015.
- MicroFirst Gaming Inc., "Home," <http://www.microfirst.com/>, 3 pages, 2016, published prior to Jun. 24, 2016.
- Morgan, Adam, "Space Invaders Slot With Skill-Based Bonus Coming To Atlantic City Casinos," World Casino News, 2 pages, Jun. 9, 2017.
- Morris, J. D., "Coming Soon To Casinos: Betting On Yourself," Vegas Inc., 4 pages, Sep. 28, 2015.
- Morris, J. D., "Look To The Future: Games On Display At G2E Show Transition To Skill-Based Products," Vegas Inc., 4 pages, Oct. 2, 2015.
- NanoTech Gaming, Inc., "News," <http://www.nanotechgaming.com/news.php>, 1 pages, 2015.
- Nevada Gaming Control Board, "History Of Adopted Regulations, Technical Standards, & Technical Policies," 10 pages, 2016, published prior to Jun. 24, 2016.
- Nevada Gaming Control Board, "Regulation 5, Operation Of Gaming Establishments, Adoption Of New Regulation 5.220: Operation Of A Mobile Gaming System," 3 pages, Mar. 23, 2006.
- Nevada Gaming Control Board, "Regulation 5, Operation Of Gaming Establishments, Proposed Amendments," 14 pages, May 8, 2017.
- Nevada Gaming Control Board, "Regulation 14, Manufacturers, Distributors, Operators Of Inter-Casino Linked Systems, Gaming Devices, New Games, Inter-Casino Linked Systems, On-Line Slot Metering Systems, . . ." 33 pages, Nov. 2015.
- Nevada Gaming Control Board, "Regulations," 402 pages, Feb. 2015.
- Nevada Gaming Control Board, "Technical Standards For Gaming Devices And Associated Equipment, Definitions," 3 pages, Feb. 15, 2016.
- Nevada Gaming Control Board, "Technical Standards For Gaming Devices And Associated Equipment, Standard 1, Integrity Of Gaming Devices," 15 pages, Feb. 15, 2016.
- Nevada Gaming Control Board, "Technical Standards For Gaming Devices And Associated Equipment, Standard 2, Proper Accounting For Gaming Devices," 5 pages, Feb. 15, 2016.
- Nevada Gaming Control Board, "Technical Standards For Gaming Devices And Associated Equipment, Standard 3, Integrity Of And Proper Accounting For On-Line Slot Systems And Cashless Wagering Systems," 7 pages, Aug. 2011.
- Nevada Gaming Control Board, "Technical Standards For Gaming Devices And Associated Equipment, Standard 4, Mobile Gaming Systems," 1 page, Aug. 2011.
- Nevada Gaming Control Board, "Technical Standards For Gaming Devices And Associated Equipment, Standard 5, Cashless Wagering Kiosk," 2 pages, Aug. 2011.
- Nevada Gaming Control Board, "Technical Standards For Gaming Devices And Associated Equipment, Standard 6, Interactive Gaming Systems And Associated Equipment," 13 pages, Jan. 27, 2012.
- Nevada, Senate Bill No. 9—Committee On Judiciary—Impact of Technology on Gaming, 3 pages, Dec. 19, 2014.
- New Jersey, Temporary Regulation 13:69E-1.28Y, "Skill Based Gaming," 2 pages, Feb. 2016.
- Newswire, "E-Gaming Spotlights Its Latest Game Mixes For E-Neon Cabinets," 1 page, 2016, published prior to Jun. 24, 2016.
- OnlineCasino.org, "GameCo Wants To Bring Skill-Based Games To A Struggling Atlantic City," <http://www.onlinecasino.org/news/gamecowantstobring-skill-based-games-to-struggling-atlantic-city>, 4 pages, 2016, published prior to Jun. 24, 2016.
- Paddy Power, "Live Casino," <http://livecasino.paddypower.com/holdem>, 2 pages, 2016, published prior to Jun. 24, 2016.
- Parry, Wayne, "New Jersey Issues Rules To Allow Skill-Based Gambling," CDC Gaming Reports, 2 pages, Feb. 23, 2016.
- Parry, Wayne, "Sneak Peek At Hard Rock Plans For Taj Mahal," The Associated Press, 3 pages, Jun. 9, 2017.
- Patent Owner's Response To Petition To Institute Inter Partes Review for U.S. Pat. No. 10,497,220, DraftKings Inc. vs. AG 18, LLC, IPR2022-01442, 69 pages, Jun. 7, 2023.
- Patent Owner's Response To Petition To Institute Inter Partes Review for U.S. Pat. No. 11,024,131, DraftKings Inc. vs. AG 18, LLC, IPR2022-01445, 67 pages, Jun. 7, 2023.
- Patent Owner's Response To Petition To Institute Inter Partes Review for U.S. Pat. No. 9,978,205, DraftKings Inc. vs. AG 18, LLC, IPR2022-01446, 72 pages, Jun. 7, 2023.
- Patent Owner's Response To Petition To Institute Inter Partes Review for U.S. Pat. No. 9,613,498, DraftKings Inc. vs. AG 18, LLC, IPR2022-01447, 41 pages, Jun. 7, 2023.
- Patent Owner's Response To Petition To Institute Inter Partes Review for U.S. Pat. No. 10,614,657, DraftKings Inc. vs. AG 18, LLC, IPR2022-01448, 52 pages, Jun. 7, 2023.
- Petition For Inter Partes Review Of U.S. Pat. No. 10,497,220, DraftKings Inc. vs. AG 18, LLC, IPR2022-01442, 106 pages, Aug. 22, 2022.
- Petition For Inter Partes Review Of U.S. Patent No. 11,024, 131, DraftKings Inc. vs. AG 18, LLC, IPR2022-01445, 94 pages, Aug. 30, 2022.
- Petition For Inter Partes Review Of U.S. Pat. No. 9,978,205, DraftKings Inc. vs. AG 18, LLC, IPR2022-01446, 102 pages, Aug. 23, 2022.
- Petition For Inter Partes Review Of U.S. Pat. No. 9,613,498, DraftKings Inc. vs. AG 18, LLC, IPR2022-01447, 102 pages, Aug. 23, 2022.
- Petition For Inter Partes Review Of U.S. Pat. No. 10,614,657, DraftKings Inc. vs. AG 18, LLC, IPR2022-01448, 98 pages, Aug. 23, 2022.
- Pierceall, Kimberly, "Casinos Could See Guitar-Playing, Car-Racing, Card-Grabbing," Associated Press, 7 pages, Dec. 5, 2015.
- Pierceall, Kimberly, "Skill-Based Slot Machines Inch Closer To Nevada Casinos," Las Vegas Sun, 3 pages, Sep. 3, 2015.
- Povich, Elaine S., "State Gambling Revenues Take Hit From Millennials' Habits," TucsonSentinel.com, 4 pages, Sep. 15, 2015.
- Preston, Marjorie, "Not So Random: Skill Games & The Casino Of The Future," Global Gaming Business Magazine, 4 pages, Mar. 24, 2016.
- Random \$\$ Slots, YouTube Video for "Race Ace & Centipede Slot Machines—Skill-Based Bonus From IGT (G2E)," <https://www.youtube.com/watch?v=IkadUMiA6rc&feature=youtu.be>, 3 pages, Oct. 2, 2014.
- Reagan, Ronald, "America's Great Economic Miracle," 3 pages, Mar. 1, 1975.
- San Manuel Casino, "Daily Login Bonus Terms & Conditions," <https://play.sanmanuel.com/terms-and-conditions.shtml>, 18 pages, Oct. 13, 2015.
- San Manuel Casino, YouTube Video for "Konami's Frogger—Now At San Manuel," <https://www.youtube.com/watch?v=A-0C86j8cog&feature=youtu.be>, 2 pages, May 9, 2016.
- San Manuel Indian Bingo & Casino, "About US," <https://sanmanuel.com/casino/about-us>, 5 pages, Aug. 19, 2016.
- San Manuel Indian Bingo & Casino, "Privacy Policy," <https://sanmanuel.com/privacy-policy>, 4 pages, Jun. 22, 2012.
- San Manuel Indian Bingo & Casino, "Slots," <https://play.sanmanuel.com/slots.shtml>, 3 pages, Aug. 19, 2016.
- San Manuel Indian Bingo & Casino, "Terms & Conditions," <https://play.sanmanuel.com/terms-and-conditions.shtml>, 24 pages, 2015.
- Scientific Games, "Home," <http://www.scientificgames.com/>, 1 page, 2015.

(56)

References Cited

OTHER PUBLICATIONS

Smed, Jouni et al., "Can We Prevent Collusion In Multiplayer Online Games," Proceedings of the Ninth Scandinavian Conference on Artificial Intelligence, 9 pages, Oct. 2006.

Spin Games LLC, "Our Technology," <http://www.spingames.net/our-technology/>, 5 pages, 2016, published prior to Jun. 24, 2016.

Spin Games LLC, "Spin Games Awarded Patent," 4 pages, Apr. 17, 2014.

Staff Writer, "New Jersey Issues Rules For Skill Gaming," Casino Connection, vol. 13, No. 5, 2 pages, May 2016.

Staff Writer, "The Millennial Problem: Why We (Don't) Gamble," The Motley Fool, 18 pages, Sep. 19, 2015.

Stradbrooke, Steven, "Paradise Ent Inks IGT Technology Deal, Forces SHFL To Cry 'Uncle' In Patent Suit," CalvinAyre.com, 7 pages, May 7, 2016.

Stutz, Howard, "State Gaming Authorities OK Skill-Based Slot Machine Regulations," Las Vegas Review-Journal, Inc., 4 pages, Sep. 17, 2015.

Takahashi, Dean, "GSN's Sparcade Lets You Play Classic Arcade Games Like Pac-Man On Mobile For Real Money," VentureBeat, 3 pages, Jun. 8, 2016.

Twitch Interactive, Inc., "About Twitch," <https://www.twitch.tv/p/about>, 3 pages, 2016, published prior to Jun. 24, 2016.

Vice Media LLC, "eSports—Part 1," <http://www.vice.com/video/esports-part-one>, 4 pages, 2016, published prior to Jun. 24, 2016.

Vulcun, "Home," <http://vulcun.com>, 3 pages, 2015.

Wargo, Buck, "Las Vegas Manufacturer Konami Wants To Grow Market Share," Las Vegas Review-Journal, Inc., 4 pages, Jun. 4, 2016.

Wheeler, Robert, "A Panoramic View Of The Gaming Industry," Bally Technologies, European Gaming Compliance Technology Expo '08, 13 pages, 2008.

Wikipedia, "eSports," 14 pages, May 31, 2016.

Wikipedia, "Video Lottery Terminal," 4 pages, Nov. 1, 2015.

Wikipedia, "Xfire," 12 pages, Apr. 2016.

WMS Gaming Inc., "Home," <http://www.wms.com>, 1 page, 2015.

Xfire, "Home," <http://www.xfire.com>, 2 pages, 2016, published prior to Jun. 24, 2016.

Yogonet Group, Exclusive Interview with Blaine Graboyes, CEO, GameCo, 5 pages, Apr. 13, 2016.

Zacks Equity Research, "IGT Shows Portfolio Strength," 4 pages, Apr. 5, 2012.

Zarlengo, Philip, Master's Thesis for "Leveraging Slot Gaming Technology To Gain A Competitive Advantage," University of Nevada, Las Vegas, 43 pages, Fall 2011.

1 Japanese Patent Application No. 2021-203853, Notice of Allowance, 3 pages, Nov. 28, 2023.

Judgment Final Written Decision for U.S. Pat. No. 10,497,220, DraftKings Inc. vs. AG 18, LLC, IPR2022-01442, 76 pages, Mar. 12, 2024.

Judgment Final Written Decision for U.S. Pat. No. 11,024,131, DraftKings Inc. vs. AG 18, LLC, IPR2022-01445, 73 pages, Mar. 12, 2024.

Judgment Final Written Decision for U.S. Pat. No. 9,978,205, DraftKings Inc. vs. AG 18, LLC, IPR2022-01446, 102 pages, Mar. 12, 2024.

Judgment Final Written Decision for U.S. Pat. No. 9,613,498, DraftKings Inc. vs. AG 18, LLC, IPR2022-01447, 92 pages, Mar. 13, 2024.

Judgment Final Written Decision for U.S. Pat. No. 10,614,657, DraftKings Inc. vs. AG 18, LLC, IPR2022-01448, 111 pages, Mar. 12, 2024.

* cited by examiner




FIG. 1

200 ↗




FIG. 2

300 ↗

SPLASH SCREEN

ACCOUNT INFORMATION

ADVERTISING PROMOTIONS

SIGN UP - LOGIN

AVAILABLE GAMES

POKER

214 TABLES
1409 PLAYERS

9-BALL

194 PLAYERS PLAYING
13 PLAYERS WAITING

SOLITAIRE

407 GAMES
3518 PLAYERS

WAR (CARDS)

322 PLAYERS PLAYING
9 PLAYERS WAITING

ETC...

POKER LOBBY				
TABLE	STAKES	TYPE	PLAYERS	JOIN
TABLE 1	\$1/\$2	PL	6/9	(JOIN)
TABLE 2	\$5/\$10	NL	9/9	
ETC ...				

9-BALL (1-ON-1) - LOBBY		
TABLE	STAKES	PLAYERS
TABLE 1	\$1	(PLAY)
TABLE 2	\$5	(PLAY)
ETC ...		

9-BALL (1-ON-1) - LOBBY			
TABLE	STAKES	PLAYERS	JOIN
TABLE 1	\$1	(PLAY)	(JOIN)
TABLE 2	\$5	(PLAY)	
ETC ...			

FOOTBALL - LOBBY				
PLAYERS	GAMES PLAYED	RANK/LEVEL	WINS	CHALLENGE
TABLE 1	187	9 OF 10	170	(CHALLENGE)
TABLE 2	23	2 OF 10	10	(CHALLENGE)
ETC ...				

FIG. 3

400 ↗




FIG. 4

500 →




FIG. 5

600 →




FIG. 6

700 →




FIG. 7

800 →




FIG. 8

900 →




FIG. 9

1000 →




FIG. 10

1100 →




FIG. 11

1200 →




FIG. 12




FIG. 13




FIG. 14

LOCATION BASED RESTRICTIONS ON NETWORKED GAMING

CROSS-REFERENCE TO RELATED APPLICATION(S)

This application is a continuation of pending U.S. patent application Ser. No. 17/715,635, filed Apr. 7, 2022; which is a continuation of U.S. patent application Ser. No. 16/907,954, filed Jun. 22, 2020, and issued as U.S. Pat. No. 11,302,141 on Apr. 12, 2022; which is a continuation of U.S. patent application Ser. No. 16/146,956, filed on Sep. 28, 2018, and issued as U.S. Pat. No. 10,692,325 on Jun. 23, 2020; which is a continuation-in-part of U.S. patent application Ser. No. 15/600,584, filed on May 19, 2017, and issued as U.S. Pat. No. 10,497,220 on Dec. 3, 2019; which is a continuation-in-part of U.S. patent application Ser. No. 15/444,409, filed on Feb. 28, 2017, and issued as U.S. Pat. No. 9,978,205 on May 22, 2018; which is a continuation of U.S. patent application Ser. No. 12/488,241, filed on Jun. 19, 2009, and issued as U.S. Pat. No. 9,613,498 on Apr. 4, 2017; which claims priority to U.S. Provisional Patent Application No. 61/074,572, filed on Jun. 20, 2008; all of which are incorporated herein by reference.

TECHNICAL FIELD

Various embodiments of the present technology generally relate to systems and methods for gaming. More specifically, some embodiments relate to systems and methods for skill-based gaming with location-based restrictions and/or customizations.

BACKGROUND

Skill-based games are, for example, games that allow users to compete for money or points either in a one-on-one manner or in a multiplayer tournament environment. These games differ from traditional gambling in that the games are based primarily on skill and are less influenced by chance.

Most skill-based games fall into four general categories:

Arcade/Video Games—Arcade games are games that involve quick fingers and quick thinking. These games are basically sped-up puzzle games. Arcade skill-based games include, but are not limited to, games based on football, basketball, car racing or other sports.

Puzzle Games—Puzzle games are games that rely on logic abilities and require the user to solve certain types of puzzles. While not as fast-paced as arcade games, these games often come with a time limit. Popular puzzle games include games that require modification of objects and their locations to create a particular result.

Word Games—Word games are games that are basically puzzle games using word problems, like rearranging letters to make words.

Trivia Games—Trivia games are games that test the user's knowledge of trivia in specific categories or in general.

Some skill-based games heavily modify the game play of "regular" casual games such as solitaire or in order to remove as many random events as possible. The analogy is that the influence of chance in a skill-based game should not exceed the influence of chance in any other pro sport competition, such as golf or football. For example, in a

skill-based Solitaire competition, the players could be given the same cards in the same order so that the final score can be fairly compared.

Skill-based games have been, and continue to be, offered on internet websites where users are allowed to compete for points and/or money. Like poker sites, skill-based game sites can take a rake from peer-to-peer and tournament games, but unlike casino games or games of chance, the outcome of a skill game is predominantly determined by the user's skill level. Moreover, unlike traditional games such as poker, skill-based gaming is not offered in casinos or other closed system markets.

Although present devices are functional, they are not sufficiently accurate or otherwise satisfactory. Accordingly, a system and method are needed to address the shortfalls of present technology and to provide other new and innovative features.

SUMMARY

Exemplary embodiments of the present technology that are shown in the drawings are summarized below. These and other embodiments are more fully described in the Detailed Description section. It is to be understood, however, that there is no intention to limit the invention to the forms described in this Summary or in the Detailed Description. One skilled in the art can recognize that there are numerous modifications, equivalents and alternative constructions that fall within the spirit and scope of the invention as expressed herein.

Some embodiments of the present technology can provide a system and method for gaming (e.g., peer to peer gaming, real-money gaming, skin betting, eSports, skill-based gaming, etc.). In one embodiment, the present technology can include a method for peer-to-peer gaming. For one method, a plurality of game options are provided to a first player through a peer-to-peer gaming system. The first player can then make a game selection from the plurality of game options which is then received by the system. In some embodiments, the game options could include skill-based game options. In addition, the method could include providing to the first player a plurality of competitor player options, wherein the plurality of competitor player options includes at least a second player. The first player and the second player could also be provided with an interface to select a wager amount. The wager amount selection, and a corresponding wager, could be received from the first player and the second player. The first and second player could further be provided the game selection for game play. A game result could also be determined based on the first player's and second player's game play. This game result could also be received by the peer-to-peer gaming system. Based on the game result, the method could include providing a payout or credit to a winner determined by the game result.

In some embodiments, the wager amount can be a monetary wager amount and the credit to the winner would be a monetary credit. In some embodiments, the payout can be a prize (e.g., monetary prize, physical prize, vacation packages, car, electronics, etc.). Still yet, in some embodiments, the betting and/or payout amounts may be made in cryptocurrency, virtual currencies, or other ways that provide an exchange of something of value. The gaming system, in accordance with various embodiments may handle the exchange between two players playing in different currencies. In other embodiments, the payout may be in skins, crates, tokens or other items (physical or virtual) that can be

exchanged in other marketplaces. As such, in some embodiments, the gaming system may support marketplace exchange features for the transfer of virtual items that can be transferred to separate systems. The creation, destruction, transformation, and/or ownership of the virtual items (e.g., bins, crates, prizes, skins, weapons, emojis, cards, characters, containers, etc.) may be managed with blockchain technology to effectively manage and track these items with immutable ledgers.

The gaming system, in one or more embodiments, may support betting (small or large) by others on the activity within the peer-to-peer or multiplayer game. This type of in-game betting or in-play betting can be supported by some embodiments. For example, if the players are playing a racing game, observers may place bets on which player will crash first, which player will win, which player will have the fastest lap time, etc. Similarly, some embodiments, may allow for parimutual betting on individual players or players that are part of a team, tournament, or other league (e.g., eSports). For example, the system may support fantasy eSports teams where various statistics and results are tracked.

Some embodiments can include a system for peer-to-peer gaming. In one example, the system could include a plurality of user interfaces, including at least a first user interface and a second user interface. These user interfaces could be connected to a peer-to-peer platform. In addition, the peer-to-peer platform could be connected to a game server, where the game server includes a plurality of game options. For one embodiment, the peer-to-peer platform could be configured to assist a first user at the first user interface in locating a second user at the second user interface. In addition, the peer-to-peer platform could be configured to assist the first user and second user agree upon a wager amount, and compete in one of the plurality of game options. In some embodiments, the first user and the second user compete in one of the plurality of game options for a prize amount wherein the prize amount comprises the wager amounts less a house take.

As previously stated, the above-described embodiments and implementations are for illustration purposes only. Numerous other embodiments, implementations, and details of the technology are easily recognized by those of skill in the art from the following descriptions.

BRIEF DESCRIPTION OF THE DRAWINGS

Embodiments of the present technology will be described and explained through the use of the accompanying drawings in which:

FIG. 1 illustrates a high-level network architecture of some embodiments of a system for peer-to-peer gaming.

FIG. 2 illustrates a representation of software modules that could be used by and with a peer-to-peer platform consistent with various embodiments of the present technology.

FIG. 3 illustrates examples of user-interface screens consistent with one or more embodiments of the present technology.

FIG. 4 illustrates another example of a representation of software modules that could be used by and with a peer-to-peer platform consistent with some embodiments of the present technology.

FIG. 5 illustrates one method by which a system could implement peer-to-peer gaming consistent with various embodiments of the present technology.

FIG. 6 illustrates one method of determining and paying a player's winnings after a game has been played that may be used in some embodiments of the present technology.

FIG. 7 illustrates one method of initiating a game for a player that may be used in various embodiments of the present technology.

FIG. 8 illustrates one method by which a system could implement peer-to-peer gaming consistent with one or more embodiments of the present technology.

FIG. 9 illustrates one method by which a system could match compatible players and competitors in a system of peer-to-peer gaming consistent with some embodiments of the present technology.

FIG. 10 illustrates one method by which a system could implement a delayed tournament consistent with various embodiments of the present technology.

FIG. 11 illustrates one method by which a system could create a list of available gaming options for a player in a system of peer-to-peer gaming consistent with one or more embodiments of the present technology.

FIG. 12 illustrates one method by which a system could modify the list of available gaming options for a player to reduce risk in a system of peer-to-peer gaming consistent with some embodiments of the present technology.

FIG. 13 illustrates an example of various components that may be used within a player terminal in accordance with some embodiments of the present technology.

FIG. 14 is an example of a computer systemization of various embodiments of the present technology.

The drawings have not necessarily been drawn to scale. For example, the dimensions of some of the elements in the figures may be expanded or reduced to help improve the understanding of the embodiments of the present technology. Similarly, some components and/or operations may be separated into different blocks or combined into a single block for the purposes of discussion of some of the embodiments of the present technology. Moreover, while the technology is amenable to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and are described in detail below. The intention, however, is not to limit the technology to the particular embodiments described. On the contrary, the technology described herein is intended to cover all modifications, equivalents, and alternatives falling within the scope of the technology as defined by the appended claims.

DETAILED DESCRIPTION

Various embodiments of the present technology generally relate to interactive gaming systems. More specifically, some embodiments provide for techniques for location-based regulation and restrictions of interactive gaming systems. Some embodiments provide for a system comprising an at least one gaming client. The gaming client can be configured to accept a selection of at least one gaming option from a player, and allow the player to play a game based on the selection of the at least one gaming option. In some embodiments, the particular games, gambling currencies (e.g., virtual currency, real-money currency, cryptocurrency, etc.), betting amounts, and/or other options presented for selection by the player may change based on time and/or other criteria (e.g., location, player volume, licensing deals, type and/or capabilities of gaming client, etc.). Some embodiments can include an administration server configured to receive the selection of the at least one gaming option from the at least one gaming client, and initiate the game for the player based on the selection of the at least one

gaming option. The system may also include at least one gaming server configured to run the game and transmit data about the game to the administration server.

In the following description, for the purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of embodiments of the present technology. It will be apparent, however, to one skilled in the art that embodiments of the present technology may be practiced without some of these specific details. While, for convenience, embodiments of the present technology are described with reference to various network-based gaming devices, embodiments of the present technology are equally applicable to various other variations including multiple player devices and direct device to device game play.

The techniques introduced here can be embodied as special-purpose hardware (e.g., circuitry), as programmable circuitry appropriately programmed with software and/or firmware, or as a combination of special-purpose and programmable circuitry. Hence, embodiments may include a machine-readable medium having stored thereon instructions which may be used to program a computer (or other electronic devices) to perform a process. The machine-readable medium may include, but is not limited to, floppy diskettes, optical disks, compact disc read-only memories (CD-ROMs), magneto-optical disks, ROMs, random access memories (RAMs), erasable programmable read-only memories (EPROMs), electrically erasable programmable read-only memories (EEPROMs), magnetic or optical cards, flash memory, or other type of media/machine-readable medium suitable for storing electronic instructions.

The phrases “in some embodiments,” “according to some embodiments,” “in the embodiments shown,” “in other embodiments,” and the like generally mean the particular feature, structure, or characteristic following the phrase is included in at least one implementation of the present technology, and may be included in more than one implementation. In addition, such phrases do not necessarily refer to the same embodiments or different embodiments.

Referring now to the drawings and in particular to the network layout in FIG. 1, it illustrates an embodiment of a high-level network architecture of some embodiments of the present technology. The arrangement illustrated in FIG. 1 is a logical arrangement and not meant to be an actual hardware design. Thus, the components can be combined or further separated in an actual implementation. As shown in the embodiments illustrated in FIG. 1, the network architecture can include one or more gaming clients **105**, network **110**, administration server **115**, network **120**, gaming server **125**, existing system **130**, back office systems **135**, other systems **140**, accounting system **145**, gaming option creation module **150**, localization data module **155**, gaming option collection module **160**, matching engine **165**, game administration module **170**, tournament administration module **175**, results calculation module **180**, risk management module **185**, blockchain system **190**, and/or external betting interface **195**.

As illustrated in FIG. 1, gaming client **105** and administration server **115** are connected over network **110**. Gaming client **105** represents the hardware and included software that is used by individual users, or players, who want to participate in various gaming sessions including various interactive gaming and peer-to-peer skill-based gaming session. For example, according to various embodiments of the present technology, a player could be provided, or use, a variety of clients such as touch screen kiosks, palmtops, PDAs, wireless tablets, smart phones, smart televisions,

game top boxes, slot/video machines and/or other devices. In one embodiment, gaming client **105** can be a custom-built end-user interface that utilizes currently deployed equipment on the casino floor such as wireless handheld devices, kiosks, interactive TVs, smart phones, tables, laptops, or other electronic devices.

The interface of gaming client **105** can be customizable for visual consistency with an existing framework. For example, the interface could be adapted to run on an existing slot machine, video-based gambling machine, wireless device (e.g., laptop, smart phone, tablet, wearable, etc.) or other electronic devices. In one embodiment of the present technology, slot machine games can be run on gaming client **105** during certain periods of time, while allowing interactive or peer-to-peer gaming on the client at other periods of time. These periods may be set by a casino so that the available games change automatically during set time periods. In some embodiments, which games are available for play may be selected based on game selection criteria. For example, in some embodiments, the casino may make a deal with a game provider or other third-party to always have at least two gaming clients available for playing a particular game or group of games. As such, as players use the dedicated gaming terminals for that game the offering of other gaming clients may be changed so that the minimum available offerings are present.

For example, the types of games presented may be selected or customized based on various themes (e.g., sports themes, holiday themes, birthday themes, celebrations, etc.). For example, during the men’s basketball NCAA final four championships, more games may be presented that have a basketball theme. As another example, the games presented may be selected based on teams or schools that are participating in a sporting event on a particular weekend or day. Such customizations of games can apply to both the cabinet games being presented within the casino as well as mobile games that are available to players gambling on a mobile device.

In yet another embodiment, gaming client **105** could offer peer-to-peer gaming options, different slot machine type options and various other games for consumer choice. In some embodiments, players may be tracked (e.g., via room card, mobile device, etc.). Various analytics can be used to create custom profiles of the players. The profiles can be used to dynamically present customized gaming options on player terminals as the players engage or are in proximity. For example, the player may enter a room key or other rewards card or code. In other embodiments, the player’s phone may be able to communicate with player terminals or signs located on the casino floor. In response to the identification of the player different gaming options may be listed, customized, or presented first. In this way, casinos, hotels and similar establishments would be able to provide a high level of flexibility in gaming options, while simplifying the hardware and software infrastructure. Other options, variations and modifications are possible.

In FIG. 1, gaming client **105** is shown connected to the administration server **115** via a network **110**. In one embodiment, network **110** could be a Local Area Network (LAN) limited to a single casino, hotel, or other establishment. In another embodiment, network **110** could comprise a Wide Area Network (WAN) linking numerous casinos within a gaming jurisdiction (e.g., the state of Nevada or an Indian Reservation). In yet another example, a LAN could be used to connect various casinos spaced relatively close together, such as in Las Vegas. Gaming client **105** and administration server **115** may be connected to network **110** through

communications interfaces. This interface could be a network interface that is suited for network 110. The features and functions of this network will depend on where and how the system is implemented. Those skilled in the art will realize various modifications and variations consistent with the present technology.

In one embodiment, administration server 115 could be located in the same location as gaming client 105. In another embodiment, administration server 115 could be located in a remote location. In yet another embodiment, administration server 115 could be located in a central location with gaming client 105 at another location. The type of connection between the server and client, whether wireless or wired, on an Ethernet, etc., will vary depending on the implementation of the system. Those skilled in the art will be aware of many modifications and variations allowed by the present technology.

In FIG. 1, administration server 115 may also be connected to a variety of other systems such as, but not limited to, existing systems 130, back office systems 135, and gaming server 125 via network 120. Network 120 may be the same or different than network 110. Existing Systems 130 may include current casino gaming systems or payout systems. Back Office Systems 135 may include Accounting Systems 145 or Other Systems 140. Gaming Server 125 may contain multiple games that can be downloaded or run by gaming client 105. Note that gaming server 125 could be one server or a set of servers. Any of existing systems 130, back office systems 135, or gaming server 125 could be housed in one machine or across a number of machines. Those skilled in the art will be aware of many modifications and variations allowed by the present technology.

There are many ways that the player could play a game on gaming client 105. In one exemplary embodiment, a game would be deployed on a client using an HTTP/web server and a web browser client. The HTTP/web server could communicate with the administration Server 115 and the server would serve/distribute the interface to each client using any available browser/client-side technologies like but not limited to: HTML, JavaScript, DHTML, AJAX, Flash, Shockwave, Java, Active X, Silverlight, or VBscript. In some embodiments, a customized client/server model could be used, where administration server 115 communicates to a server based application (an EXE and/or DLL, etc. . . .), which would then communicate to a customized user-interface application (an EXE, etc. . . .). In yet another example, a server-side application could be produced that would contain both the server-side functionality and the client side functionality, but then also provide client side interaction by emulating/replicating the client side interface out on to the gaming client 105. In some embodiments, gaming client 105 will not actually produce the interface. Rather, the client would present a series of images/interfaces that were transferred from administration server 115. This method's process is similar to a traditional terminal/emulator client-server application. In all of these cases, the player may receive a unique and customized interface.

The multitude of game distribution methods are required to be able to serve the varying types of games and their methods of game play and interaction. In one embodiment, gaming client 105 will include a universal controller (not shown) that allows the player to play various types of games using the same controller. In another embodiment, each type of gaming client 105 will have its own type of game controller options available. Gaming client 105 could further be identified by the user of gaming client 105. For example, administration server 115 may know gaming client 105 as a

player gaming client or as a competitor gaming client. This list is not exhaustive and those skilled in the art will be aware of many modifications and variations allowed by the present technology.

Administration Server 115 is an open and flexible gaming platform that can be used for real money wagering in legal gaming jurisdictions like Nevada and Indian reservations. Similar to the Windows operating system, which can act as a base platform and accept and run many different types of applications, an open and flexible gaming platform can act as a base platform for skill-based, and chance-based, games created by various game developers (e.g., card game developers, skill-based game developers, chance-based game developers, etc.). The server can also be dynamically adjusted for localization requirements such as language, currency and legal issues.

As illustrated in FIG. 1, administration server 115 can include, or be communicably coupled to, a number of modules, such as: gaming option creation 150, gaming option collection 160, matching engine 165, game administration 170, tournament administration 175, results calculation 180, and risk management 185. Gaming option creation module 150 can take information from localization data module 155 to determine which games are available on administration server 115. The localization data can be provided as a packet that includes a variety of information, such as, but not limited to a device ID, player ID, a series of one or more location estimates (e.g., location estimate 1, location estimate 2, etc.), time stamp, confidence level, and the like. For example, in accordance with various embodiments, the location of the player may be determined using one or more location estimation techniques such as, but not limited to, IP address location estimation, geo-fencing, reports from a player terminal (e.g., where the location was identified using GPS), and/or other techniques. In some embodiments, manual check-ins by the player, video surveillance with facial recognition software, and information from other systems may also be incorporated into the location estimation.

Gaming option collection module 160 can collect a selection of gaming options. Matching engine module 165 can match players on the system. Game administration module 170 can oversee game play. Tournament administration module 175 can keep track of multiple games in a tournament. Tournament administration module 175 can keep track of winners in multiple games to showcase, display, or otherwise depict a scoreboard or leaderboard showing players and current scores or winnings in the current competition. Results calculation module 180 can calculate results from games and how to distribute winnings. Risk management module 185 can allow the system to adjust game play based on specific risk factors (e.g., latency, connection quality, speed of mobile processors, hardware configurations, skill level of players, dollar amounts being bet, security protocols, VPN speeds, detection of bots, robots or automated play, etc.). The server could consist of a single server or multiple servers. In some embodiments, gaming client 105 can communicate with the administration server 115 and gaming server 125 throughout the entire game play. Those skilled in the art will realize that many physical variations could be made to the number of devices used to create administration server 115.

After the game, paying winnings to the player can be done in a number of ways. Referring again to FIG. 1, a player could receive currency at an embodiment of gaming client 105. Additionally, a player could receive a "Ticket-Out" that can be turned in for cash or tokens that can be exchanged for

cash or for play at another client. In one embodiment, such as a car racing game, a player could have selected a betting option such as \$1/second-won-by. In this embodiment, there could be a constant interaction between gaming server **125** and accounting systems **145** to record live payout information. For example, if a player is 5 seconds ahead, he or she could have a monitor showing a \$5 lead. As the lead changes, the monitor reflecting the monetary bet could also change. In this embodiment, the game could stop if a player's lead reaches a certain predetermined value, or if accounting systems **145** determine that the player's account only has sufficient funds to cover the current total. Many variations and modifications to completion and payout will be required by various betting types and gaming options. Those skilled in the art will be aware of modifications to the present technology to account for these situations.

Blockchain system **190** can be used to track player activity, rewards, bets, payouts, and or other data. For example, some embodiments of the present technology allow for the creation, destruction, and/or merging of various virtual items (e.g., skins, crates, weapons, prizes, bins, paint jobs, digital items, virtual items, crypto collectables, non-fungible tokens (NFTs)). These virtual items may be created in a limited supply to increase demand within a marketplace or based on external sponsors who pay money for creation of limited virtual items. As such, as the items are created, an entry is created in the blockchain system. The owner can be initially assigned to the system (or null) indicating that the gaming system can distribute the items per a set of rules (e.g., one award per day, random offer, etc.) which are part of, linked to, or referenced within the blockchain entry. Once ownership of the virtual item is transferred to the player a new blockchain is created indicating the change in ownership. Similarly, as the items are used, destroyed, combined with other virtual items, etc., blockchain system **190** can verify that the action is available or authorized and then create an updated or new entry within the blockchain ledger. Blockchain system **190** may also support cryptocurrencies (e.g., BITCOIN) for betting and receipt of winnings.

External betting interface **195** can support betting on the multi-player games currently going on. For example, external betting interface **195** can allow individuals other than the players to bet on the outcome of the game, the activity within the game (e.g., fastest lap, most kills, first to miss a shot, etc.), or other events. External betting interface **195** may require that these bets be small (e.g., \$10 or less) or smaller than the amount bet by the players. In some embodiments, the touchscreens or physical interfaces for receiving the external bets may be part of the gaming client. In other embodiments, the external betting system may be supported on mobile clients that are in communication with external betting interface **195**. The collocated interfaces may be valuable for attracting bets within a casino while ordinary players are participating, the roaming mobile interfaces may be useful for higher profile gaming (e.g., eSports or ranked players competing). External betting interface **195** may also support fantasy eSports betting, parimutual betting on registered players or teams, and the like.

For purposes of discussion, the present technology primarily uses examples of systems and methods for skill-based gaming and skill-based games. This is in no way intended as a limitation of the present technology to only skill-based games. In some embodiments, the system can support skill-based games as well as traditional card games or other chance-based games. Even though Poker, in the strictest sense, is not a skill-based game, there are many

advantages for setting up the system to be able to run Poker in addition to skill-based games. For example, given that Poker and other card games are well known and accepted in legal gaming jurisdictions, it is beneficial (although not required) for the system to be capable of serving as a platform for Poker style games. Moreover, by presenting a similar setup and feel to the skill-based platform for skill-based and Poker style games, the system seems more familiar to players, making it easier to transition to skill-based gaming.

FIG. 2 illustrates a set of components within, or associated with, administration server **115** according to one or more embodiments of the present technology. According to the embodiments shown in FIG. 2, administration server **115** can include memory **205**, one or more processors **210**, operating system **215**, player interface **220**, rules engine **225**, data collection **230**, gaming option creation module **150**, gaming option collection module **160**, matching engine **165**, game initiation module **235**, results calculation module **180**, payout determination module **240**, risk management module **185**, accounting module **245**, and graphical user interface (GUI) generation module **250**. Each of these modules can be embodied as special-purpose hardware (e.g., one or more ASICs, PLDs, FPGAs, or the like), or as programmable circuitry (e.g., one or more microprocessors, microcontrollers, or the like) appropriately programmed with software and/or firmware, or as a combination of special purpose hardware and programmable circuitry. These modules are described according to their function and could be grouped differently. As those skilled in the art understand, many of these functions could be combined together into one software module and similarly, many of these functions could be divided into several different software modules. Other embodiments of the present technology may include some, all, or none of these modules and components along with other modules, applications, and/or components. Still yet, some embodiments may incorporate two or more of these modules and components into a single module and/or associate a portion of the functionality of one or more of these modules with a different module. For example, in one embodiment, gaming option creation module **150** and gaming option collection module **160** can be combined into a single module for customizing gaming. The functional modules are discussed briefly with regard to FIG. 2 and in more detail with regard to the subsequent flow charts.

Memory **205** can be any device, mechanism, or populated data structure used for storing information. In accordance with some embodiments of the present technology, memory **405** can encompass any type of, but is not limited to, volatile memory, nonvolatile memory and dynamic memory. For example, memory **205** can be random access memory, memory storage devices, optical memory devices, media magnetic media, floppy disks, magnetic tapes, hard drives, SDRAM, RDRAM, DDR RAM, erasable programmable read-only memories (EPROMs), electrically erasable programmable read-only memories (EEPROMs), compact disks, DVDs, and/or the like. In accordance with some embodiments, memory **205** may include one or more disk drives, flash drives, one or more databases, one or more tables, one or more files, local cache memories, processor cache memories, relational databases, flat databases, and/or the like. In addition, those of ordinary skill in the art will appreciate many additional devices and techniques for storing information which can be used as memory **205**.

Memory **205** may be used to store instructions for running one or more applications or modules on processor(s) **210**. For example, memory **205** could be used in one or more

embodiments to house all or some of the instructions needed to execute the functionality of operating system **215**, player interface **220**, rules engine **225**, data collection **230**, gaming option creation module **150**, gaming option collection module **160**, matching engine **165**, game initiation module **235**, results calculation module **180**, payout determination module **240**, risk management module **185**, accounting module **245**, and/or GUI generation module **250**. Operating system **215** provides a software package that is capable of managing the hardware resources of administration server **115**. Operating system **215** can also provide common services for software applications running on processor(s) **210**.

Player interface module **220** can be an input-output controller and serve as the interface for the player to interact with the other modules. In some embodiments, player interface module **220** can also direct communication from other modules to the client. For example, the module could present, among other things, game options to the player and the game itself. Rules engine **225**, in accordance with some embodiments, can set forth various rules such as game selection timing, betting amounts, jurisdictional or location rules, and the like.

Data collection module **230** can collect various data about individual game player and the players. This data can be used to create player and gaming profiles, generate analytics, and as criteria for game presentation. In some embodiments, various machine learning techniques may be employed to identify gaming characteristics that attract certain players. Once identified, the gaming characteristics (e.g., color schemes, minimum betting amounts, types of games—arcade games, poker games, skill-based games, augmented reality games, virtual reality games etc.—location, etc.) can be dynamically changed on the player terminals within the casino.

Gaming option creation module **150** can be configured to create a list of the available game options. This module can use information about the location of the user, such as legal jurisdiction and casino location, to determine which game options are presented to the player. For example, in accordance with various embodiments, the location of the player may be determined based on IP addresses, geo-fencing, reports from a player terminal (e.g., where the location was identified using GPS), and/or other techniques. Player interface module **220** could access gaming option creation module **150** to present the player with a list of gaming options. For example, that list may include which games are available, such as Poker or 9-Ball, arcade games, card games, esports game, racing games, shooting games, board games, virtual reality games, augmented reality games, match 3, pinball, Tetris, Scrabble, 2 Dots, Angry Birds, and the like. The list may also include the wager amounts available for each game. This is not meant to be an exclusive list. A person having skill in the art will understand what other options would be appropriate.

Gaming option collection module **160** can be configured to collect a selection from the list of gaming options presented to the player. For example, gaming option collection module **160** could access player interface module **220** to receive which gaming options the player selected. This is just one embodiment of the present technology. Those skilled in the art will understand modifications and variations of the module consistent with the present technology.

Matching engine **165** can be configured to match players who wish to play a game together. It uses information obtained through the player interface module **270** to find players that are compatible. Matching is discussed later with respect to the subsequent flow charts.

Game initiation module **280** may be located outside of the embodiment shown in FIG. **2**. If the game software is located outside the system, game initiation module **280** communicates information, including player information and player selected options, to the game software. The module also connects player interface module **270** with the game software. In the alternative, if the game software is located inside the system, game initiation module **280** can start a game. After a game has finished, or during game play, the module reports information about the game to the system. This information can be used later in calculating winnings and results.

Results calculation module **180**, can (e.g., at the end of a game) determine which objectives each player achieved. This module can use information received from game initiation module **235** in order to determine the game result. In some games, the result is simple, such as each hand of black jack. In other games, such as football, the result may be more complicated. In some embodiments, results calculation module **180** will receive the final result. In other embodiments, results calculations module **180** will have to calculate the winner based on received game information.

Payout determination module **240** can (e.g., after the end of a game) determine whether each player may have some winnings. The operator of the game usually deducts an administrative fee before paying out winnings. This module takes information from results calculation module **180** to determine each player's appropriate winnings. Winnings could be in many forms, including, but not limited to: points, credits, virtual currencies (e.g., skins, crates, etc.), cryptocurrencies, or hard currency. After determining the amount of winnings due to the player, the payout determination module **240** can initiate a payout to the player. Depending on the type of winnings, the module may communicate to different systems. For example, if the player is to receive hard currency, payout determination module **240** may initiate another system (not shown) to produce coins for the player. Results calculation module **180** and payout determination module **240** can work together to tabulate the results of a game or set of games and pay out any winnings due to a player.

Risk management module **185** can monitor player activity in order to prevent collusion or other prohibited or illegal behavior. For example, risk management module **185** may use account information in order to determine if some players are violating rules of the system. In one embodiment, risk management module **185** could monitor playing behaviors of users to detect possible collusion. In another embodiment, risk management module **185** could determine which gaming options are available to the player. For example, in Solitaire tournaments where all players are given the same starting board, the module could monitor to see if a certain group of players are consistently playing in the same Solitaire tournaments. Similarly, in car racing games for more than two players, the module could monitor to ensure that a certain group of players are not consistently competing in the same races in order to work together and reach an unfair advantage.

In another embodiment, risk management module **185** may eliminate a player if the module detects prohibited behavior. For example, after a game, the risk management module may eliminate a player before giving the player any winnings. In another example, the module may eliminate the player during the game. None of these options are exclusive and risk management module **185** consistent with the present technology could include all or none of these example functions and could include other functions as well. Many

variations and modifications of the functions of this module depending on the type of game and types of bets would be known to those skilled in the art based on the present technology.

Accounting module **245** can manage all bets, funds transfers and other accounting functions. The module could take care of debiting and crediting a player's account. In an embodiment of the present technology, even receipt of funds from the player to start a game could be monitored by the Accounting module **245**. In yet another embodiment, payout determination module **240** may direct the accounting module **245** to credit the player's account.

GUI generation module **250** can generate one or more GUI screens that allow for interaction with a user or administrator. In at least one embodiment, GUI generation module **250** can generate a graphical user interface allowing a user to set preferences, review reports (e.g., from risk management module **185** or accounting module **245**), author custom reports, set device constraints, and/or otherwise receive or convey information about various gaming activity to the user. The examples provided herein are exemplary only. The explanation of these modules and their uses are merely indicative. A person skilled in the art will recognize additional variations and embodiments.

FIG. 3 illustrates examples of user-interface screens consistent with one or more embodiments of the present technology. In the embodiments illustrated in FIG. 3, a player could select both the game and stakes at the same time. If a player wants to play 9-Ball, he or she could select that game and the stakes he or she wanted to play at (\$1 or \$5). The screens shown in FIG. 3 could be separate screens or a player could be provided with numerous different games all within a specific betting range. Additional variations and embodiments would be realized by one of skill in the art.

FIG. 4 illustrates another example of a representation of software modules that could be used by and with a peer-to-peer platform consistent with some embodiments of the present technology. FIG. 4 represents a functional combination and not intended to be an actual network design. The figure shows a different combination of the functional modules described in FIGS. 1 and 2. Again, this embodiment is not intended to be limiting, but rather is intended to further explain an embodiment of the technology.

Note that the embodiments displayed in FIGS. 1, 2 and 4 are different embodiments of the present technology. Those having skill in the art will understand possible variations of the technology beyond these embodiments.

Overview of System

In FIG. 5, a flow chart represents broadly one method by which the present technology can conduct a game for a player. First, the system presents a player with a list of player gaming options **1100**. Once the player has made a selection from the list of player gaming options, the system collects that selection **1200**. The system then matches the player with a competitor **1300** and collects a bet from the player **1400**. Next, the system initiates a game based on the selection of player gaming options **1500**. Finally, after the game has completed, the system compensates the player **1600**. It is not necessary that the steps run in this specific order. The steps may run out of order or be run in a loop. Additionally, the set of steps may run in a loop inside the larger method. Finally, this listing of steps is not exhaustive. Another embodiment consistent with the present technology may have a more steps or less steps. Those having skill in the art will understand possible variations of the technology beyond these embodiments.

Gaming Options

Gaming options are the parameters for a game. The system uses the gaming options to initiate the game for the player. For example, gaming options may include: a game type, such as Poker, 9-Ball, chess, or a football arcade game; a bet amount for a particular game type, such as \$5 or 10 points; a specific competitor to play against, where the competitor may be identified in many ways, including but not limited to: console location, account name, nick name, or record; or even a preset game, complete with bet and game type, such as a game of chess with a \$5 jackpot. This is not meant to be an exhaustive list. A person having skill in the art will understand what other gaming options are consistent with the present technology.

In one embodiment, a set of gaming options presented to a player could be referred to as Player Gaming Options, whereas a set of gaming options presented a competitor could be referred to as Competitor Gaming Options. These references are not limiting. Those skilled in the art will understand how to refer to different sets of gaming options.

Before presenting a player with gaming options, the system determines which gaming options are available to the player. Referring to FIG. 11, the system could first create a list of legal gaming options in the player's location **1020**. The list of legal gaming options might include limits on wagers or types of games allowed, such as a \$100 per hand limit on poker or a prohibition on any game except slots. For example, if the jurisdiction does not allow real-money gambling (i.e., a zero dollar per hand limit), the game may allow the player to use virtual currency, cryptocurrency, virtual goods (e.g., skins, crates, etc.). The system then could remove any gaming options that are not available on the system **1030**. Some operators of the system may wish to establish a minimum or maximum betting amount or may or may not have a license for certain games such as a Football game. If the system is not authorized to offer a type of game, then the player will not be able to select that type of game as a gaming option. Once the system has determined the list of available gaming options, it presents the player with the list of player gaming options **1100**.

While determining gaming options, the system may manage risk by modifying the available gaming options based on the possibility for a player acting illegally or in a prohibited way. The system may determine that a number of players are sitting near each other and will limit the ability to play a collaborative game among those players. Further, the system may keep records of past players based on data entered by a player, such as account information or other identifying features, such as a frequent player card, a scanned driver's license, or a scanned credit card. This list of entered data is not exhaustive. Those skilled in the art will understand how to receive identifying information about a player. For example, referring to FIG. 12, the system could first collect past players and games played by past players **1060**. It then could determine whether a group of players play games together regularly **1070**. If a group does play together regularly, the system can adjust the available gaming options **1080**. Finally, the system will present the player with a modified list of player gaming options **1100**.

Gaming Option Selection

After a player is presented with a list of gaming options, the player selects from the list of gaming options to start a game. The steps by which a player selects from the list of gaming options can be varied. The options herein described are merely exemplary; there are other orders in which a player can be presented with, and select from, a list of gaming options.

In an embodiment, a player could first select the player's preferred game type and then be presented with a list of competitors who are also interested in playing that game type. In another embodiment, a player could select a general category, such as a Sports Type Video Game category, and be presented with a list of competitors who are interested in that category of game types. After selecting the game type or game category, a player may be provided the opportunity to challenge another individual player in a heads up one-on-one (peer-to-peer) match where the competitive environment is a skill-based game. The game could be anything from Solitaire to Chess to Football.

In yet another embodiment, a player could select to play a series of games. For example, if a player considered himself or herself well-rounded in many different games, that player could challenge a competitor to a best two out of three where each game is a different skill-based game. A player could also play a best two out of three using the same skill-based game. In yet another embodiment, instead of a series type competition (best two out of three, best three out of five, etc.) the competition could be based on a total number of points between a multiple game competition. For example, if players are playing Pong, each player could agree that the player with the highest point total after two events (rather than just one) is the winner. Many alternatives consistent with the present technology will be realized by those skilled in the art. Variations on how to group players (such as by skill level or experience or participation in an ongoing tournament) could also be used.

In yet another embodiment, the system could provide a player with the ability to play the computer in a game of the player's choice (for a fee, or for free) while the player waits for competitors willing to compete.

In addition to the game and competitor, gaming option selection could include betting ranges. Betting ranges could be pre-selected options by the system, in which case, a player will select a betting range. In the alternative, a player could be allowed to select his or her acceptable betting ranges. The betting ranges may also be determined by external factors, such as house stakes and local laws.

It is not necessary for a player to pick every possible gaming option for each game. In certain embodiments, a player may only pick one gaming option.

Matching

In order to participate in a peer-to-peer competitive game, a player needs a game to play and a competitor. Referring again to FIG. 5, the system could select a betting range before presenting the player with a list of player gaming options 1100, or the player could select a betting range when the system collects the selection of player gaming options 1200. For example, a player could first select a betting range and then be presented with a list of competitors in that betting range. In another example, a player could select a game to play, then a betting range, and then be presented with a list of competitors willing to play the same game for similar amounts. Those skilled in the art will realize many variations to the order of the steps consistent with the present technology.

In one embodiment, referring to FIG. 8, after collecting the selection of player gaming options 1200, the system could collect at least one selection of competitor gaming options 1310. The system would then match the player and competitor based on their respective gaming options 1320 before collecting a bet from the player 1400 and initiating a game based on the selected gaming options 1500. The system would match the player and the competitor if their selections were compatible. In one embodiment, a player's

and at least one competitor's selections would be compatible if their selections were identical. In another embodiment, a player and at least one competitor would be compatible if their selection of gaming options were closely related. In yet another embodiment, the system would create a list of compatible competitors. The list of compatible competitors would include all of the at least one competitors that are compatible with the player. Those skilled in the art will understand the many variations of matching players with competitors consistent with the present technology.

In an embodiment where players are allowed to select their own acceptable betting ranges, the system would automatically determine what players have betting ranges that overlap so that players are given a list of player gaming options that include options to play competitors who are willing to play for an acceptable amount.

In another embodiment, a player could select a betting range before selecting a game and/or competitor. For example, a player who is willing to risk less could select a lower betting range such as \$5-\$50 so they know he or she will find competitors willing to play for lower amounts. Conversely, a player who is only interested in playing for larger amounts could select a higher betting range such as \$200-500. The betting ranges presented here are exemplary only. One skilled in the art will realize that betting ranges could vary and a betting range could be single value rather than a range of values (e.g., players willing to bet \$10, players willing to bet \$20, etc.).

Negotiation

The present technology can also allow a player and competitor to negotiate with each other, through the system, to determine how much to bet before playing. The bet could be of any value including a points style bet or a financial bet (e.g., money bet). In some embodiments, a player and competitor will negotiate the bet before playing the game. This may be facilitated through communication channels (e.g., video chat, chat room, instant messaging, etc.) hosted by the gaming system. In some embodiments, player profiles and rankings may be presented to each other. A history of game play between the players may be presented showing historical win rates, last game played, and the like.

In one embodiment, represented in FIG. 9, a player is presented with a list of competitors 1150. After the system collects the player's selection of a competitor 1250, the system initiates contact between the player and the selected competitor 1350. Once contact is initiated, the player and competitor can negotiate selected gaming options (not shown). This negotiation may fail and the player can restart the process. If the player and competitor come to an agreement, the system collects the selected player gaming options 1200. Finally, the system collects a bet from the player 1400 and initiates a game based on the selection of player gaming options 1500. For example, in such an embodiment, the system could present a new player with competitors waiting for a game. This presentation may include chatting (e.g., video chat, text-based chat, etc.) capability such that individuals can stir up competition. In addition, it may provide a list of competitors such that a returning player can locate familiar names and challenge those individuals. Similarly, as shown in FIG. 3, the system could provide a list of competitors with varying ranks and experience and allow a player to challenge a given competitor. In addition, two players who have been competing in one type of skill-based game (such as a sports type video game) could decide to keep competing against each other but in a different skill-based game (such as a more intellectual type game such as Chess or a different type of video game).

17

In another embodiment, a player could negotiate the wager they wish to compete for. In some embodiments, a player would negotiate the money they wish to compete for. In other embodiments, a player could negotiate for points or some other non-monetary value. In this embodiment, the interface will allow a player and competitors to communicate back and forth until they come to an acceptable bet. A player could be limited to betting within the original range they selected, or could be given the ability to negotiate for any amount.

In yet another embodiment, a player could negotiate the amount of points they wish to compete for. This could be used in, among other things, a tournament style of play where all players are originally assigned an equal number of points and the last player standing, or the player with the most points after a certain amount of time, wins. Many points styled tournaments or competitions could be imagined by those skilled in the art consistent with the present technology.

Funds Receipt

Once the bet has been determined, the agreed upon bet can either be deducted from the players account (this includes either points from a points account or money from a cash account), or money can be deposited into a "Cash In" device as the form of payment for the game. In addition, in some embodiments, the "Cash In" device could accept tickets from "Ticket Out" devices that could have been turned into cash. In another embodiment, the device could accept tokens. Still yet, the device may accept credit cards or electronic payment methods such as, but not limited to, electronic transfers, electronic wallets, electronic accounts, near-field communications, cryptocurrencies, bitcoins, etc. The ability to use the "Cash In" device allows for individuals to play the system without having to register or set up an account. Alternatively, by registering or setting up an account, players would have greater flexibility in using the system. Incentives, such as frequent player bonuses, could be established to help promote registration and player loyalty. In addition, registration may be required for certain types of tournaments or games, such as to prevent collusion or in order to track payouts for tax purposes or other legal issues.

Referring again to FIG. 5, in one embodiment, the system collects a bet from a player **1400** before initiating a game **1500**. This is not meant to be limiting. The system may collect funds at a different point in the process. The system may also work off of an account, as discussed above. Those skilled in the art will realize many variations to the order of the steps and methods consistent with the present technology.

Game Play

The methods in which a game can be rendered to a player via a user interface device can be accomplished in many different ways. Referring to FIG. 7, the system transfers player identification and at least the game type to the gaming server **1510**. Then the system connects the player gaming client and gaming server **1520** so that the player can play the game (not shown). As the game is running or once the game is complete, the system collects results from the gaming server **1530**. This information will be used to determine results and any possible winnings. Player identification could be the player's account, identification of the console that the player is operating, or other identifying information. This list of possible player identifications is not exhaustive. Those skilled in the art will understand variations of player identification consistent with the present technology.

18

In another embodiment not shown, the system also transfers competitor identification to the gaming server. The system then connects the competitor gaming client to the gaming server. The types of competitor identification would be the same as player identification.

In another embodiment not shown, the system includes a module to run the game. The gaming client is initially connected to the system during option selection and the system initiates the game by running the game itself. In this way, there is no communication with an external gaming server.

Completion and Payout

Now referring to FIG. 6, to compensate the player, the system first determines which objectives the player achieved in the game **1610**. Then it determines which objectives any competitors achieved in the game **1620**. The system then calculates any winnings for the player **1630** based on objectives achieved and other information, including but not limited to: the rules of the game, location-based restrictions on payouts (e.g., real-money allowed, limits on real-money payouts, virtual currency allowed, only virtual currencies such as skins, bins, and crates, etc.) and any selected gaming options. Once the amount of winnings is calculated, the system initiates payment **1640**. In order to effect payment, the system may compensate a player with tokens, a "Ticket-Out," real money, cryptocurrency, game item (e.g., skin, crate, containers, etc.) or crediting the player's account. In some embodiments, the payout may be through an electronic payment system to a user account (e.g., virtual currency account, bank account, casino account, cryptocurrency account, etc.). This example is but one embodiment of the present technology. Those skilled in the art will understand the modifications and variations possible to completing and compensating a player.

In some embodiments of the present technology, the player is compensated an amount of the player's winnings less an administrative fee. This fee may be masked so that the player does not ever see the total player winnings so that the player does not know that the winnings are reduced by the administrative fee. This fee could be given to the operator of the game, the business where the game is located, the licensee of the game, the licensor of the system, or another person. This list is not meant to be exhaustive. Those skilled in the art will understand other persons to whom an administrative fee will be paid.

Multi-Player Skill-Based Tournaments

The present technology also includes systems and methods to conduct Skill-based Tournaments. Referring to FIG. 1, the Tournament Administration module **175** oversees these tournaments. While those skilled in the art will realize many variations and modifications consistent with the present technology, for purposes of description exemplary Skill-based Tournaments are described herein.

A tournament style of play provides players the opportunity to play the games without having to challenge other players to a match and negotiate a fee. Tournament style of play additionally allows for an added dynamic of a "Many vs. Many" environment, which provides many additional options for payouts and Tournament types.

In one exemplary embodiment, players could select tournament play and be presented with a list of available tournaments, such as the following:

ID	GAME	PLAYERS	BET
2032	Pool	6 out of 9	\$ 0.50
2390	Pool	9 out of 9	\$ 5.00
2798	Pool	1 out of 9	\$ 1.00
2109	Car Racing	8 out of 9	\$ 10.00
2249	Car Racing	2 out of 9	\$100.00
...			

From here, a tournament player, such as Player 1, can join any “Table” that is not full of players. For example, Player 1 could pick either “Table” ID 2109 or 2249 in order to play the Car Racing game. In this embodiment, the Car Racing game could be a video type game that looks like a standard car racing video game. In this example, ID 2109 has nine (9) “seats” at an entry fee of \$10 per player with eight (8) players already seated and ready to play. Alternatively, if Player 1 wants to play for a higher fee he or she could select ID 2249 at \$100 a player.

If Player 1 selects ID 2109, Player 1 will be “seated” for the competition and Player 1’s account will be deducted by \$10.00. Alternatively, Player 1 could be asked to deposit \$10 using the “Cash In” device. Various rules could be used to determine when the precondition for the start of the tournament has been met. In some embodiments, the tournament could begin once nine players are seated. In other embodiments, the tournament could begin at a predetermined time as long as at least two (2), or perhaps more, players are seated. Various rules and variations consistent with the present technology could be used. While the collection of funds from a player could be performed at various points in the process, in one or more embodiments, a player can only hold a seat in the tournament with a complete entry fee.

Once funds have been collected from all players and the precondition for beginning the tournament has been met, the players will be allowed to compete in the “Game” of multiplayer Car Racing. For this embodiment, all nine (9) players in the tournament could be actively competing against each other in an interactive Skill-based gaming environment. Upon completion of the Car Racing game, the winning player or players would receive their winnings. The winnings could be determined by various methods. For example, after the house takes a cut of the pot, a set percentage could be paid to the first place winner, second place player, etc. This could be as simple as the house taking 5%, the second place player receiving back his or her stake, and the first place winner receiving the remainder. Those skilled in the art will realize numerous modifications consistent with the present technology.

After the game finishes, all players could be given the opportunity to start a new multiplayer Car Racing game or to select a different game or the same game but under different conditions. In one embodiment, a rematch process could go on continuously as long as there are a minimum of two (2) players at a “Table” and both players have enough money in their account or with them such that they can enter it into the “Cash In” device. The “Table” can be a virtual table where the players are located at a console, video gaming machine, handheld device, cellphone, laptop, or other electronic device. The “Table” may also be a physical device or table in some embodiments.

Numerous tournament types could be implemented on the system in the present technology. In some embodiments, the tournament activity may be recorded in a blockchain system (e.g., blockchain system 190 in FIG. 1) that may be public, private, or a hybrid blockchain system. Exemplary tournaments are described herein.

Delayed Tournaments

In one embodiment, players are offered an opportunity to play in tournaments where players play a skill-based game, but not in a heads up one-on-one fashion, but as a single player trying to get the best score possible.

Delayed tournaments are tournaments in which all participants need to play the game within a validity period. In one embodiment, the tournament could be limited to a fixed number of players. In another embodiment, the tournament could have no limit on the number of players but could require a certain minimum number of players to have played during a defined time period.

Referring now to FIG. 10, this figure demonstrates an exemplary method for a delayed tournament. First, a validity period for the delayed tournament is selected 1040. For example, in one embodiment, a Delayed Tournament requires that five (5) players play a game within a 24 hour period from noon of one day to noon of the following day. The tournament requires an entry fee and the game is Pool. Adam, Brian, Chris and David are the first four (4) players to enter the tournament, pay the entry fee and post a score. Each of the four (4) players plays the game in “single player” mode. Each player is presented with the exact same Pool game. The Tournament starts at 1 pm and Adam finishes his game at 1:10 pm, Brian finishes his game at 2:30 pm, Chris at 3:43 pm and David at 2:00 am the next day.

The delayed tournament is not finished yet because this tournament needs five (5) total players. The system presents a player with a set of valid gaming options 1160. So at 9:30 am, the system presents Eric with a Delayed Tournament that needs one more player. Then, the system collects Eric’s selection of the tournament 1200, and the system collects his \$2 entry fee 1400. The system then initiates a game for Eric 1500. When he finishes the game, the tournament is complete, and the winners account is paid right away 1660.

In one embodiment, if no fifth (5th) player joined the game before the 24 hour time limit had elapsed, then all of the players would be refunded their money. In another embodiment, if no fifth (5th) player joined the game, the tournament would simply close and pay out according to the first four (4) players.

This delayed method of tournament game play allows the ability to provide skill-based game play without the need of readily available players to compete against at a specific time. Additionally, this tournament type allows for a defined and concise structure that allow for a varying selection of game options, end times, participants and a layer of strategy when picking tournaments to play.

Players can sit down at a machine, play their game, post a score and check their account later to see if they won or lost that tournament, all on their own schedule. In addition, in one embodiment, rather than using an account, players could still use the “Cash In” and “Ticket Out” device. For example, if a player does not set up an account they could receive a ticket that identifies the player as a specific participant in the tournament. That ticket can then be used to check the tournament status, and once the tournament is complete the ticket can have a monetary value depending on the outcome.

Jackpot Tournaments

This type of tournament is just a modification of a Delayed Tournament. In a Jackpot Tournament, there is no limit to how many players can play in the tournament, each player adds to the Jackpot, and when the tournament ends, the player with the best score is appointed the winner. Additionally, if there are enough players in a Jackpot tournament, other players could be awarded winnings.

In one embodiment, a player can enter Jackpot Tournaments as many times as he or she wants, paying the entry fee each time. In some embodiments, these types of tournaments may only allow a best score to qualify for winnings. In other embodiments, players would be permitted to collect winnings for multiple scores. Those skilled in the art will appreciate and understand modifications and variations consistent with the present technology.

Client Device

FIG. 13 illustrates an example of various components that may be used within a client device (e.g., a player terminal such as a gaming cabinet or a mobile device) in accordance with some embodiments of the present technology. As shown in FIG. 13, client device 105 may include memory 1302 (e.g., volatile memory and/or nonvolatile memory), processor(s) 1304, power supply 1306 (e.g., battery), for executing processing instructions, and operating system 1308. Additional components may include data storage component 1310 (e.g., hard drive, flash memory, memory card, etc.), one or more network interfaces (e.g., Bluetooth® Interface 1312; and Network Communication Interface 1314, which enables the player terminal to communicate by transmitting and receiving wireless signals using licensed, semi-licensed or unlicensed spectrums over a telecommunications network), audio interface 1316, microphone 1318, display 1320, keypad or keyboard 1322, SIM card 1324, other input and/or output interfaces 1326, and gaming module 1328. The various components of a mobile device may be interconnected via a bus.

Memory 1302 can be any device, mechanism, or populated data structure used for storing information. In accordance with some embodiments of the present technology, memory 1302 can encompass any type of, but is not limited to, volatile memory, nonvolatile memory and dynamic memory. For example, memory 1302 can be random access memory, memory storage devices, optical memory devices, media magnetic media, floppy disks, magnetic tapes, hard drives, SDRAM, RDRAM, DDR RAM, erasable programmable read-only memories (EPROMs), electrically erasable programmable read-only memories (EEPROMs), compact disks, DVDs, and/or the like. In accordance with some embodiments, memory 1302 may include one or more disk drives, flash drives, one or more databases, one or more tables, one or more files, local cache memories, processor cache memories, relational databases, flat databases, and/or the like. In addition, those of ordinary skill in the art will appreciate many additional devices and techniques for storing information which can be used as memory 1302.

Memory 1302 may be used to store instructions for running one or more applications or modules on processor(s) 1304. For example, memory 1302 could be used in one or more embodiments to house all or some of the instructions needed to execute the functionality of the various system components and/or modules. Processor(s) 1304 are the main processors of player terminal 122 which may include application processors, baseband processors, various coprocessors, and other dedicated processors for operating player terminal 122. For example, an application processor can provide the processing power to support software applications, memory management, graphics processing, and multimedia. An application processor may be communicably coupled with memory 1302 and configured to run the operating system 1308, the user interface, and the applications stored on memory 1302 or data storage component 1310. A baseband processor may be configured to perform signal processing and implement/manage real-time radio transmission operations of a player terminal (e.g., a mobile

device). These processors, along with the other components, may be powered by power supply 1306. The volatile and nonvolatile memories found in various embodiments may include storage media for storing information such as processor-readable instructions, data structures, program modules, or other data. Some examples of information that may be stored include basic input/output systems (BIOS), operating systems, and applications.

Operating system 1308 can also provide common services for software applications running on processor(s) 1304. According to the embodiments shown in FIG. 13, gaming module 1328 can include identification module 1330, policy enforcement module 1332, virtual reality (VR) module 1334, wagering module 1336, team module 1338, and state recordation module 1340. Each of these modules can be embodied as special-purpose hardware (e.g., one or more ASKS, PLDs, FPGAs, or the like), or as programmable circuitry (e.g., one or more microprocessors, microcontrollers, or the like) appropriately programmed with software and/or firmware, or as a combination of special purpose hardware and programmable circuitry. Other embodiments of the present technology may include some, all, or none of these modules and components along with other modules, applications, and/or components. Still yet, some embodiments may incorporate two or more of these modules and components into a single module and/or associate a portion of the functionality of one or more of these modules with a different module. For example, in one embodiment, identification module 1330 and policy enforcement module 1332 can be combined into a single module for identifying and enforcing various policies on a player terminal.

Identification module 1330 can be used to gather information about the player terminal, current and/or past gaming sessions, player information, specific hardware and software configurations of the player terminal, GPS coordinates, associated telephone numbers, IP addresses, e-mail addresses, user identifiers, international mobile station equipment identity (IMEI), mobile equipment identifiers (MEID), integrated circuit card identifiers (ICCID), part identifiers, software identifiers, current gaming session identifiers, identification of any nearby player terminals, and the like. This information can be used in a variety of ways, including by policy enforcement module 1332 which can set customized gaming restriction policies that can, in some embodiments, be dynamically set (e.g., based on location, current gaming session, etc.).

VR module 1334 can be used to allow a variety of virtual reality experiences as part of the game play. Wagering module 1336 can be used to can be used to accept, track and process bets placed by the players. Team module 1338 can be used to track and communicate with players that have organized into teams for competition purposes.

State recordation module 1340 can be used to capture the state of the gaming session. This can include a variety of game states including, but not limited to, wager, payout levels, skill level settings, and others. The state of the gaming session can be repeatedly captured so that in the event of a communication failure, terminal fault, or other issue that would prevent the gaming session from being completed a record of the current state can be reconstructed. For example, in some embodiments, the state may be captured at least every second. In other embodiments, the state may be captured more or less quickly depending on game dynamics. The state captured by state recordation module 1340 may also be used (possibly with state information from other player terminals of the same gaming

session) by a collusion avoidance module to determine if any collusion is occurring. In some embodiments, the state information captured by state recordation module **1340** can be used to generate various gaming analytics. In some embodiments, the host computer (or gaming platform) may capture the snapshots of the state information directly.

State recordation module **1340** may store the state information in database for regulatory compliance, analytics, or other purpose. For example, in some embodiments, all the game play within a period of time (e.g., a five year period, a two year period, a year, a month, a week, a day, etc.) could be recorded and stored in the database. In other embodiments, a limited number of gaming sessions could be recorded (e.g., last one hundred, last thirty, etc.). Still yet, some embodiments of state recordation module **1340** may only record (or record for longer period of time) games that have betting above a set threshold (e.g., \$500, \$1000, etc.).

The state information recorded by state recordation module may be a direct copy of the game play or only information sufficient to reproduce the game play. For example, in some embodiments, the state information may include various gaming parameters (e.g., ammo amounts, number of lives, level, etc.), gaming session identifier, date and time the interactive gaming session is opened or terminated, the date and time the interactive gaming session is logged in to or is logged out of by various player terminals, the physical location, by state or foreign jurisdiction, of the authorized player while logged in to the interactive gaming account, and/or other types of information.

In some embodiments, the player terminals can provide for social media, chatting and other communication channels. For example, some embodiments, may have interfaces that allow for third party access through another gateway like Facebook® or other social media. Some embodiments of the player terminals may allow for picture in picture or multiple screens. For example, players may be able to play an interactive game via one screen or video channel and in the second screen or video channel being displayed in the picture in picture (PIP) thereby allowing players to play more than one at a time. The additional screens or video channel, for example, could be used to watch sports, fantasy sports betting, ordering drinks or food, and the like. In some embodiments, additional screens may be present to present various promotions such as ticket sells for shows, restaurant deals, future room bookings, room upgrades, and the like.

Some embodiments of the player terminals may also include external video outputs that allow for display of the game by others. For example, in various tournament play (e.g., eSports), the external video outputs may allow others to watch the game play. In various embodiments, the player terminals may support virtual reality interfaces, hologram generation systems, and other visualizations system for the gaming. The player terminals, in some embodiments, can include various sensors to detect gestures that can be interpreted as controls for betting, controlling gaming action, ordering drinks, etc. In addition, some player terminals may have voice recognition software which can be used as a technique to identify player locations. Some embodiments may also be able to mimic voices of different people (e.g., famous people, friends, etc.) that can be used as the computer voice while the player is playing or interacting with a player terminal.

Exemplary Computer System Overview Aspects and implementations of the interactive gaming system of the disclosure have been described in the general context of various steps and operations. A variety of these steps and operations may be performed by hardware components or may be

embodied in computer-executable instructions, which may be used to cause a general-purpose or special-purpose processor (e.g., in a computer, server, cloud-based gaming platform or other computing device) programmed with the instructions to perform the steps or operations. For example, the steps or operations may be performed by a combination of hardware, software, and/or firmware.

FIG. **14** is a block diagram illustrating an example machine representing the computer systemization of the gaming system. The gaming controller **1400** may be in communication with entities including one or more users **1425** client/terminal devices **1420** (e.g., devices **122**), user input devices **1405**, peripheral devices **1410**, optional co-processor device(s) (e.g., cryptographic processor devices) **1415**, and networks **1430** (e.g., **110** and **120** in FIG. **1**). Users may engage with the gaming controller **1400** via terminal devices **1420** over networks **1430**. In some embodiments, all or a portion of the communications between terminal devices **1420** and gaming controller **1400** can be encrypted. The law requires cryptography for some things.

Computers may employ central processing units (CPUs) or processors to process information. Processors may include programmable general-purpose or special-purpose microprocessors, programmable controllers, application-specific integrated circuits (ASICs), programmable logic devices (PLDs), embedded components, a combination of such devices and the like. Processors execute program components in response to user and/or system-generated requests. One or more of these components may be implemented in software, hardware or both hardware and software. Processors pass instructions (e.g., operational and data instructions) to enable various operations.

The gaming controller **1400** may include clock **1465**, CPU **1470**, memory such as read only memory (ROM) **1485** and random access memory (RAM) **1480** and co-processor **1475** among others. These controller components may be connected to a system bus **1460**, and through the system bus **1460** to an interface bus **1435**. Further, user input devices **1405**, peripheral devices **1410**, co-processor devices **1415**, and the like, may be connected through the interface bus **1435** to the system bus **1460**. The interface bus **1435** may be connected to a number of interface adapters such as processor interface **1440**, input output interfaces (I/O) **1445**, network interfaces **1450**, storage interfaces **1455**, and the like.

Processor interface **1440** may facilitate communication between co-processor devices **1415** and co-processor **1475**. In one implementation, processor interface **1440** may expedite encryption and decryption of requests or data. Input output interfaces (I/O) **1445** facilitate communication between user input devices **1405**, peripheral devices **1410**, co-processor devices **1415**, and/or the like and components of gaming controller **1400** using protocols such as those for handling audio, data, video interface, wireless transceivers, or the like (e.g., Bluetooth®, IEEE 1494a-b, serial, universal serial bus (USB), Digital Visual Interface (DVI), 802.11a/b/g/n/x, cellular, etc.). Network interfaces **1450** may be in communication with the network **1430**. Through the network **1430**, gaming controller **1400** may be accessible to remote terminal devices **1420** (e.g., gaming client **105** illustrated in FIG. **1**). Network interfaces **1450** may use various wired and wireless connection protocols such as, direct connect, Ethernet, wireless connection such as IEEE 802.11a-x, miracast and the like. Some components of the interactive gaming system may include various protocols or comply with various standards or certifications set forth by different associations or regulatory agencies. For example,

some embodiments may use the slot accounting system (SAS) protocol or comply with the game to system (G2S) standard.

Examples of network **1430** include the Internet, Local Area Network (LAN), Metropolitan Area Network (MAN), a Wide Area Network (WAN), wireless network (e.g., using Wireless Application Protocol WAP), a secured custom connection, and the like. The network interfaces **1450** can include a firewall which can, in some aspects, govern and/or manage permission to access/proxy data in a computer network, and track varying levels of trust between different machines and/or applications. The firewall can be any number of modules having any combination of hardware and/or software components able to enforce a predetermined set of access rights between a particular set of machines and applications, machines and machines, and/or applications and applications, for example, to regulate the flow of traffic and resource sharing between these varying entities. The firewall may additionally manage and/or have access to an access control list which details permissions including, for example, the access and operation rights of an object by an individual, a machine, and/or an application, and the circumstances under which the permission rights stand. Other network security functions performed or included in the functions of the firewall, can be, for example, but are not limited to, intrusion-prevention, intrusion detection, next-generation firewall, personal firewall, etc., without deviating from the novel art of this disclosure.

Storage interfaces **1455** may be in communication with a number of storage devices such as, storage devices **1490**, removable disc devices, and the like. The storage interfaces **1455** may use various connection protocols such as Serial Advanced Technology Attachment (SATA), IEEE 1494, Ethernet, Fiber, Universal Serial Bus (USB), and the like.

User input devices **1405** and peripheral devices **1410** may be connected to I/O interface **1445** and potentially other interfaces, buses and/or components. User input devices **1405** may include card readers, finger print readers, joysticks, keyboards, microphones, mouse, remote controls, retina readers, touch screens, sensors, and/or the like. Peripheral devices **1410** may include antenna, audio devices (e.g., microphone, speakers, etc.), cameras, external processors, communication devices, radio frequency identifiers (RFIDs), scanners, printers, storage devices, transceivers, and/or the like. Co-processor devices **1415** may be connected to the controller **1400** through interface bus **1435**, and may include microcontrollers, processors, interfaces or other devices.

Computer executable instructions and data may be stored in memory (e.g., registers, cache memory, random access memory, flash, etc.) which is accessible by processors. These stored instruction codes (e.g., programs) may engage the processor components, motherboard and/or other system components to perform desired operations. The controller **1400** may employ various forms of memory including on-chip CPU memory (e.g., registers), RAM **1480**, ROM **1485**, and storage devices **1490**. Storage devices **1490** may employ any number of tangible, non-transitory storage devices or systems such as fixed or removable magnetic disk drive, an optical drive, solid state memory devices and other processor-readable storage media. Computer-executable instructions stored in the memory may include an interactive gaming platform having one or more program modules such as routines, programs, objects, components, data structures, and so on that perform particular tasks or implement particular abstract data types. For example, the memory may contain operating system (OS) component **1495**, modules

and other components, database tables, and the like. These modules/components may be stored and accessed from the storage devices, including from external storage devices accessible through an interface bus **1435**.

The database components can store programs executed by the processor to process the stored data. The database components may be implemented in the form of a database that is relational, scalable and secure. Examples of such database include DB2, MySQL, Oracle, Sybase, and the like. Alternatively, the database may be implemented using various standard data-structures, such as an array, hash, list, stack, structured text file (e.g., XML), table, and/or the like. Such data-structures may be stored in memory and/or in structured files.

The gaming controller **1400** may be implemented in distributed computing environments, where tasks or modules are performed by remote processing devices, which are linked through a communications network, such as a Local Area Network ("LAN"), Wide Area Network ("WAN"), the Internet, and the like. In a distributed computing environment, program modules or subroutines may be located in both local and remote memory storage devices. Distributed computing may be employed to load balance and/or aggregate resources for processing. Alternatively, aspects of the gaming controller **1400** may be distributed electronically over the Internet or over other networks (including wireless networks). Those skilled in the relevant art(s) will recognize that portions of the interactive gaming system may reside on a server computer, while corresponding portions reside on a client computer. Data structures and transmission of data particular to aspects of the gaming controller **1400** are also encompassed within the scope of the disclosure.

CONCLUSION

Unless the context clearly requires otherwise, throughout the description and the claims, the words "comprise," "comprising," and the like are to be construed in an inclusive sense, as opposed to an exclusive or exhaustive sense; that is to say, in the sense of "including, but not limited to." As used herein, the terms "connected," "coupled," or any variant thereof means any connection or coupling, either direct or indirect, between two or more elements; the coupling or connection between the elements can be physical, logical, or a combination thereof. Additionally, the words "herein," "above," "below," and words of similar import, when used in this application, refer to this application as a whole and not to any particular portions of this application. Where the context permits, words in the above Detailed Description using the singular or plural number may also include the plural or singular number respectively. The word "or," in reference to a list of two or more items, covers all of the following interpretations of the word: any of the items in the list, all of the items in the list, and any combination of the items in the list.

The above Detailed Description of examples of the technology is not intended to be exhaustive or to limit the technology to the precise form disclosed above. While specific examples for the technology are described above for illustrative purposes, various equivalent modifications are possible within the scope of the technology, as those skilled in the relevant art will recognize. For example, while processes or blocks are presented in a given order, alternative implementations may perform routines having steps, or employ systems having blocks, in a different order, and some processes or blocks may be deleted, moved, added, subdivided, combined, and/or modified to provide alterna-

tive or subcombinations. Each of these processes or blocks may be implemented in a variety of different ways. Also, while processes or blocks are at times shown as being performed in series, these processes or blocks may instead be performed or implemented in parallel, or may be performed at different times. Further, any specific numbers noted herein are only examples: alternative implementations may employ differing values or ranges.

Having described several embodiments, it will be recognized by those of skill in the art that various modifications, alternative constructions, and equivalents may be used without departing from the spirit of the technology. Additionally, a number of well-known processes and elements have not been described in order to avoid unnecessarily obscuring the present technology. Accordingly, the above description should not be taken as limiting the scope of the technology, which is defined in the following claims.

The teachings of the technology provided herein can be applied to other systems, not necessarily the system described above. The elements and acts of the various examples described above can be combined to provide further implementations of the technology. Some alternative implementations of the technology may include not only additional elements to those implementations noted above, but also may include fewer elements.

These and other changes can be made to the technology in light of the above Detailed Description. While the above description describes certain examples of the technology, and describes the best mode contemplated, no matter how detailed the above appears in text, the technology can be practiced in many ways. Details of the system may vary considerably in its specific implementation, while still being encompassed by the technology disclosed herein. As noted above, particular terminology used when describing certain features or aspects of the technology should not be taken to imply that the terminology is being redefined herein to be restricted to any specific characteristics, features, or aspects of the technology with which that terminology is associated. In general, the terms used in the following claims should not be construed to limit the technology to the specific examples disclosed in the specification, unless the above Detailed Description section explicitly defines such terms. Accordingly, the actual scope of the technology encompasses not only the disclosed examples, but also all equivalent ways of practicing or implementing the technology under the claims.

To reduce the number of claims, certain aspects of the technology are presented below in certain claim forms, but the applicant contemplates the various aspects of the technology in any number of claim forms. For example, while only one aspect of the technology is recited as a computer-readable medium claim, other aspects may likewise be embodied as a computer-readable medium claim, or in other forms, such as being embodied in a means-plus-function claim. Any claims intended to be treated under 35 U.S.C. § 112(f) will begin with the words “means for”, but use of the term “for” in any other context is not intended to invoke treatment under 35 U.S.C. § 112(f). Accordingly, the applicant reserves the right to pursue additional claims after filing this application to pursue such additional claim forms, in either this application or in a continuing application.

What is claimed is:

1. An electronic gaming method comprising:
enabling access to a game administration server by a player gaming client, wherein the game administration server includes access to program instructions configuring the game administration server to:

create a selection of more than one player gaming option;
initiate an electronic game, and receive data about the electronic game from a gaming server; and
calculate results of the electronic game, wherein the results are based on the data about the electronic game received from the gaming server by the game administration server;
receiving one or more signals containing a player location from the player gaming client;
dynamically creating, by the game administration server, a customized list of player gaming options for a player associated with the player gaming client based, at least in part, on the player location,
wherein the customized list of player gaming options is limited to legal gaming options in a jurisdiction corresponding to the player location, and
wherein the legal gaming options include at least one of limits on wagering amounts, types of bets, or types of winnings to prevent the player from unlawful play in the player location;
generating a graphical user interface including the customized list of player gaming options;
providing the graphical user interface for presentation of the customized list of player gaming options to the player at the player gaming client;
receiving a selection of an electronic game by the player using the player gaming client from the customized list of player gaming options;
collecting a bet from the player using the player gaming client;
transmitting game information to the gaming server, wherein the game information is based on the selection of the electronic game from the customized list of player gaming options;
collecting results of the electronic game, wherein the results of the electronic game are received at the game administration server as game information; and
compensating the player with player winnings based on the results of the electronic game.

2. The method of claim 1, wherein the legal gaming options include limits on types of bets, wherein the legal gaming options are limited to non-monetary types of bets, and wherein collecting the bet from the player comprises collecting a non-monetary bet from the player using the player gaming client.

3. The method of claim 2, wherein collecting the non-monetary bet from the player comprises collecting the bet from the player in the form of a virtual currency or a cryptocurrency.

4. The method of claim 3, wherein collecting the bet from the player in the form of a virtual currency or a cryptocurrency comprises collecting the bet from the player in the form of bitcoins.

5. The method of claim 3, further comprising verifying, using a blockchain system, that the virtual currency or the cryptocurrency is available or authorized for use as the bet in the electronic game by the player.

6. The method of claim 2, wherein collecting the non-monetary bet from the player comprises collecting the bet from the player in the form of a virtual item or a virtual good.

7. The method of claim 6, wherein collecting the bet from the player in the form of a virtual item or a virtual good comprises collecting the bet from the player in the form of at least one of a bin, a crate, a prize, a paint job, a digital

item, a crypto collectible, a skin, a weapon, an emoji, a card, a character, a container, a game item, or a non-fungible token.

8. The method of claim 6, further comprising verifying, by a blockchain system, that the virtual item or the virtual good is available or authorized for use as the bet in the electronic game by the player.

9. The method of claim 1, wherein the game administration server further includes access to program instructions configuring the game administration server to match the player associated with the player gaming client with a competitor player associated with another player gaming client based on a selection of the at least one electronic game selected from the more than one gaming option.

10. The method of claim 9, wherein presenting the player with the customized list of player gaming options comprises: presenting the player with a list of competitors; collecting a competitor selection from the player, wherein the competitor selection is made from the list of competitors, and wherein the competitor selection includes at least one competitor; and initiating contact between the player and the at least one competitor.

11. The method of claim 10, wherein the at least one competitor includes an electronic player operating at a selected skill level.

12. The method of claim 10, wherein the list of competitors comprises a customized list of competitors that excludes particular competitors based on proximity.

13. The method of claim 10, further comprising: collecting a bet from the competitor player using the another player gaming client, wherein the bet from the competitor is in a different currency as compared to the bet from the player; and exchanging the currency used for the bets of the player and the competitor player.

14. The method of claim 10, further comprising establishing a communication channel between the player and the competitor player to negotiate.

15. The method of claim 14, wherein establishing a communication channel between the player and the competitor to negotiate comprises enabling the player and the competitor player to communication using at least one of video chat, a chat room, or instant messaging.

16. A gaming system comprising:
 a game administration server including at least one processor;
 at least one communication interface operably coupled to the at least one processor; and
 a memory operably coupled to the at least one processor, wherein the memory contains a plurality of program instructions configured to cause the at least one processor to:
 enable access to the game administration server by a player gaming client;
 create a selection of more than one player gaming option;
 initiate an electronic game, and receive, using the at least one communication interface, data about the electronic game from a gaming server; and
 calculate results of the electronic game, wherein the results are based on the data about the electronic game received from the gaming server,
 and wherein the plurality of program instructions are further configured to cause the at least one processor to:

receive, using the at least one communication interface, one or more signals containing a player location from the player gaming client;

dynamically create a customized list of player gaming options for a player associated with the player gaming client based, at least in part, on the player location,

wherein the customized list of player gaming options is limited to legal gaming options in a jurisdiction corresponding to the player location, and

wherein the legal gaming options include at least one of limits on wagering amounts, types of bets, or types of winnings to prevent the player from unlawful play in the player location;

generate a graphical user interface including the customized list of player gaming options;

provide, using the at least one communication interface, the graphical user interface for presentation of the customized list of player gaming options to the player at the player gaming client;

receive, using the at least one communication interface, a selection of an electronic game by the player using the player gaming client from the customized list of player gaming options;

collect, using the at least one communication interface, a bet from the player using the player gaming client;

transmit, using the at least one communications interface, game information to the gaming server, wherein the game information is based on the selection of the electronic game from the customized list of player gaming options;

collect, using the at least one communications interface, results of the electronic game, wherein the results of the electronic game are received at the game administration server as game information; and

compensate, using the at least one communication interface, the player with player winnings based on the results of the electronic game.

17. The system of claim 16, wherein the legal gaming options include limits on types of winnings, wherein the legal gaming options are limited to non-monetary types of winnings, and wherein to compensate the player with player winnings, the plurality of program instructions are further configured to cause the at least one processor to compensate the player with non-monetary player winnings.

18. The system of claim 17, wherein to compensate the player with non-monetary player winnings, the plurality of program instructions are further configured to cause the at least one processor to compensate the player with player winnings in the form of virtual currency or cryptocurrency.

19. The system of claim 18, wherein to compensate the player with player winnings in the form of virtual currency or cryptocurrency, the plurality of program instructions are further configured to cause the at least one processor to compensate the player with player winnings in the form of bitcoins.

20. The system of claim 18, wherein the plurality of program instructions are further configured to cause, using the at least one communication interface, a blockchain system to create an entry in an immutable ledger to transfer ownership of the virtual currency or the cryptocurrency to the winning player.

21. The system of claim 17, wherein to compensate the player with non-monetary player winnings, the plurality of program instructions are further configured to cause the at

31

least one processor to compensate the player with player winnings in the form of a virtual item or a virtual good.

22. The system of claim 21, wherein to compensate the player with player winnings in the form of a virtual item or a virtual good, the plurality of program instructions are further configured to cause the at least one processor to compensate the player with player winnings in the form of at least one of a bin, a crate, a prize, a skin, a weapon, an emoji, a card, a character, a container, a game item, or a non-fungible token.

23. The system of claim 21, wherein the plurality of program instructions are further configured to cause, using the at least one communication interface, a blockchain system to create an entry in an immutable ledger to transfer ownership of the virtual item or a virtual good to the winning player.

24. The system of claim 16, wherein the legal gaming options include limits on wagering amounts, and wherein the plurality of program instructions are further configured to cause the at least one processor to verify that the bet is within a betting range identified in the player gaming options.

25. The system of claim 24, wherein the plurality of program instructions are further configured to change the bet to a non-monetary based wager in accordance with the limits on wagering amounts.

26. The system of claim 16, wherein the plurality of program instructions are further configured to cause the at least one processor to identify, using the at least one communication interface, the current location of the player gaming client using at least one of geo-fencing technology, a global positioning system, network access, an IP address, device identification (ID), player ID, reports from the player gaming client, and a series of location estimates.

27. The system of claim 16, wherein to dynamically create the customized list of gaming options for the player, the plurality of program instructions are further configured to cause the at least one processor to dynamically create the customized list of gaming options further based on one or more other criteria including one or more of time, player volume, licensing deals, a type of the player gaming client, or a capability of the player gaming client.

28. The system of claim 16, wherein the customized list of player gaming options includes a list of one or more electronic games available for play by the player at the player location, wherein the player gaming client is a mobile electronic device, and wherein the plurality of program instructions are further configured to cause the at least one processor to:

- monitor, using the at least one communications interface, the current location of the player gaming client; and
- update, using the at least one communications interface, the list of one or more electronic games presented to the player in the graphical user interface based on whether

32

jurisdictional authorization for each of the one or more electronic games is present.

29. The system of claim 28, wherein the plurality of program instructions are further configured to cause the electronic game to be abandoned or suspended when the electronic game being played on the player gaming client is no longer legal in the current location of the player gaming client.

30. One or more non-transitory media having stored thereon program instructions which, when executed by at least one processor, cause a game administration server to: enable access to the game administration server by a player gaming client; create a selection of more than one player gaming option; initiate an electronic game, and receive data about the electronic game from a gaming server; and calculate results of the electronic game, wherein the results are based on the data about the electronic game received from the gaming server,

wherein, when executed by the at least one process, the program instructions further cause the game administration server:

- receive one or more signals containing a player location from the player gaming client;
- dynamically create a customized list of player gaming options for a player associated with the player gaming client based, at least in part, on the player location, wherein the customized list of player gaming options is limited to legal gaming options in a jurisdiction corresponding to the player location, and wherein the legal gaming options include at least one of limits on wagering amounts, types of bets, or types of winnings to prevent the player from unlawful play in the player location;
- generate a graphical user interface including the customized list of player gaming options;
- provide the graphical user interface for presentation of the customized list of player gaming options to the player at the player gaming client;
- receive a selection of an electronic game by the player using the player gaming client from the customized list of player gaming options;
- collect a bet from the player using the player gaming client;
- transmit game information to the gaming server, wherein the game information is based on the selection of the electronic game from the customized list of player gaming options;
- collect results of the electronic game, wherein the results of the electronic game are received at the game administration server as game information; and
- compensate the player with player winnings based on the results of the electronic game.

* * * * *