



US00D359908S

United States Patent [19]**Hirsch**[11] **Patent Number:** **Des. 359,908**[45] **Date of Patent:** **** Jul. 4, 1995**[54] **BOTTLE**

5,072,884 12/1991 Ellison 239/373

[75] **Inventor:** **Evan M. Hirsch, Emerson, N.J.****FOREIGN PATENT DOCUMENTS**[73] **Assignee:** **American Cyanamid, Wayne, N.J.**

100490 12/1940 Sweden 215/295

[**] **Term:** **14 Years**

710781 11/1954 United Kingdom 215/295

[21] **Appl. No.:** **22,005**

856958 9/1960 United Kingdom 215/16

[22] **Filed:** **Apr. 28, 1994****OTHER PUBLICATIONS**[52] **U.S. Cl.** **D9/548; D9/556****Modern Salon, Mar. 1984, p. 52, Sebastian "Sheen" conditioner bottle.**[58] **Field of Search** **D9/556, 548, 500, 502, D9/503, 504, 569; 215/1 R, 1 C****Copy of 5 photographs of a cap believed to be from wisk detergent. (date unavailable).****Primary Examiner—Lucy Lieberman****Attorney, Agent, or Firm—Thomas S. Szatkowski**[56] **References Cited**[57] **CLAIM****U.S. PATENT DOCUMENTS****The ornamental design for a bottle, as shown and described.**

D. 23,550 7/1894 Bevan .
D. 100,112 10/1936 McIntosh .
D. 113,332 11/1939 Piluso .
D. 113,394 4/1939 Piluso .
D. 124,623 7/1940 Jung .
D. 132,285 12/1942 Sawyer .
D. 136,351 9/1943 Mayer D9/502
D. 152,625 8/1949 Kronman .
D. 156,193 10/1949 Baron .
D. 184,083 5/1958 Crabbe .
D. 191,181 11/1961 Braun .
D. 196,082 1/1963 Stull .
D. 208,508 12/1967 Klein .
D. 210,570 11/1968 Campbell .
D. 227,107 8/1973 Bereson .
D. 240,113 9/1976 Conrad .
D. 241,017 8/1976 Baker D9/500
D. 242,528 11/1976 Weckman D9/500
D. 259,404 3/1981 Jones .
D. 274,887 5/1984 Ryder .
D. 280,291 4/1985 Copsey .
D. 321,649 6/1991 Lambe .


DESCRIPTION**FIG. 1 is a perspective view of a bottle of the present invention;****FIG. 2 is a top view of the bottle of the present invention;****FIG. 3 is a front view of the bottle of the present invention, the rear and side views are the same;****FIG. 4 is a bottom view of the bottle of the present invention;****FIG. 5 is a top view of an alternative embodiment of the bottle of the present invention;****FIG. 6 is a front view of the alternative embodiment, the rear and side views are the same;****FIG. 7 is a bottom view of the alternative embodiment of the bottle of the present invention; and,****FIG. 8 is a perspective view of the alternative embodiment of the bottle of the present invention.**

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7

