### **PCT**

#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

**A1** 

(11) International Publication Number:

WO 98/24040

G06F 17/60

(43) International Publication Date:

4 June 1998 (04.06.98)

(21) International Application Number:

PCT/GB97/03287

(22) International Filing Date:

28 November 1997 (28.11.97)

(30) Priority Data:

9624894.3

GB 29 November 1996 (29.11.96)

(71) Applicant (for all designated States except US): NCR INTER-NATIONAL, INC. [US/US]; 1700 South Patterson Boulevard, Dayton, OH 45479 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): EATON, Morag, Margaret [GB/GB]; Kingask, Chapmans Place, Elie, Fife KY9 1BT (GB). CRANSTON, Ian, Andrew [GB/GB]; 9/2 Granville Terrace, Merchison, Edinburgh EH10 4PQ (GB). HORN, David [GB/GB]; 10 Allardice Crescent, Oakfield, Kircaldy KY2 5TY (GB). AMBLER, Stephen [GB/GB]; 105 Greenbank Road, Edinburgh EH10 5RS (GB). RIACH, David, James, Avery [GB/GB]; 29 Traquair Park West, Edinburgh EH12 7AN (GB). JORGENSEN, Steen [DK/NO]; Haugerudveien 76, N-0674 Oslo (NO). SHANKER, Veerasamy, Selvadurai [MY/GB]; Grandfield, Trinity, Edinburgh EH6 4TL (GB).


(74) Agent: GALLAFENT & CO.; 9 Staple Inn, London WC1V 7QH (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### **Published**

With international search report.

(54) Title: MULTI-TRANSACTION SERVICE SYSTEM



#### (57) Abstract

A customer (80) can request and receive a financial service through any of a number of channels (82, 83, 84, 85, 86, 87), each connected to channel-specific hardware, respectively a digital telephone (92), an ATM (93), a branch office (94), a branch sales office (99), a self-service sales terminal (95), a home banking PC (96) and an interactive television (97). Each service channel is connected through an integrated channel manager (100) to business operations means including a transaction processing host computer (112), a cheque processor (113), a relationship database manager (114), a financial call centre (115), and an external financial database (111). The ICM 100 provides interfaces for each channel and each business operation means so far as the channel-specific and business operation-specific aspects are concerned, and also runs a number of business application services (142, 144, 146, 148), such as a balance enquiry service, which can interface with any channel and any business operation means independently of any channel-specific or operation-specific requirements.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
$\mathbf{BF}$	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WO 98/24040 PCT/GB97/03287

### MULTI-TRANSACTION SERVICE SYSTEM

This invention relates to a system for the supply of multi-transaction services, such as a financial services systems, a retail services system, or a communications system. The common factor is that each system is transaction-intensive and channel-specific, i.e. provides a substantial number of simultaneous service transactions through service-specific hardware and software channels.

In a multi-transaction financial services systems, a wide range of financial services is available through a variety of different delivery channels. Examples include a telephone call to a financial institution such as a Bank to enquire about a customer balance; a withdrawal of cash from an Automated Teller Machine(ATM), and use of electronic point of sale (POS) equipment. Each service is provided by service-specific hardware and software, i.e. a service-specific delivery channel, and each channel requires a specific connection to each possible host.

It is a disadvantage of such service-specific delivery channels that the services are difficult to expand or enhance, and difficult to maintain and control. It is a further disadvantage that potentially valuable information about customer activities and behaviour is not easy to correlate across the channels, and much of the information can be regarded as "lost".

While the desirability of an integrated system having a number of different channels and capturing all customer information has been recognised for several years, no method of implementing such integration has previously been disclosed.

It is the object of the invention to provide a multi-transaction service system which does not suffer

WO 98/24040 PCT/GB97/03287

from the disadvantages of known arrangements of a separate delivery channel for each service.

According to the invention there is provided a multi-transaction services system characterized by comprising a plurality of service request and supply channels each comprising channel-specific hardware and software;

at least one operation means comprising operationspecific hardware and software;

and connected between said channels and said operation means an integrated channel manager arranged to provide a first interface layer arranged to interface the channel-specific components of each channel; a second interface layer to interface said operation means; and between the first and second interface layers a third layer comprising at least one application service connectable to any channel in a channel-independent manner.

Preferably the system is a multi-transaction financial services system in which the channels comprises a plurality of financial service channels; the operation means comprise a plurality of financial service operation means, and the application services comprise business application services such as a balance enquiry, an account credit, an account debit, a cash deposit, a cash withdrawal, a cheque deposit a cheque withdrawal, a loan enquiry, a mortgage enquiry, an insurance enquiry, and the like.

The prior art will be described with reference to Figure 1, and the invention will be described by way of example only with reference to:-

Figure 2, which illustrates an integrated financial services system according to the invention;

Figure 3, which illustrates the integrated channel manager schematically;

Figure 4, which illustrates the architecture of a part of the system of Fig.2; and

Figure 5, which illustrates an implementation of the system of Figure 2.

In the prior art it is known to provide a plurality of financial services through different hardware and software channels all connected to a data host. Fig. 1 shows six typical channels, 10, 20, 30, 40, 50 and 60. In channel 10, a customer 12 visits the premises of a Bank 14, and interacts with a human cashier (not shown) for example to withdraw or deposit cash. The financial transaction details are transmitted from the bank 14 through a wide area network (WAN) 16 having a data link 19 to a transaction data host 70, i.e. a central computer. Channel 20 is similar, the customer 22 visits a bank 24 and a transaction is recorded in the data host 70 through the WAN 16 and data link 19.

In Channel 30 a customer 32 visits a self-service financial terminal such as an ATM 34. The ATM is connected by a server 36 to a local database 38 arranged to authorise and control a transaction such as a request to withdraw cash. The transaction details are sent to the data host 70 by a data link 39. In channel 40 a customer 42 uses a digital telephone (or touch-tone telephone) 44 and the public switched telephone network (PSTN) 45 to initiate a transaction, such as a balance enquiry or transfer of funds between accounts; the transaction can be based on a voice prompt system, with the customer 42 keying in the appropriate response by

number on the telephone 44. The PSTN 45 connects through a server 46 to a local database 48 arranged to authorise and control the transaction, and the details are sent to the data host 70 by a data link 49. Channel 50 is similar, but the customer 52 uses a home computer 54 to connect to a server 56, which is connected to the local database 48, and by a datalink 59 to the data host 70.

In channel 60, a customer 62 is involved in a point-of-sale (POS) transaction at a POS terminal 64 which is connected to a server 66 and local database 68. The server 66 is connected to the host 70 by a data link 69.

Clearly, the service channels 10 to 60 are independent, are different in nature, and each involve separate and distinct hardware running software specific to that hardware and that channel. Historically, each type of channel was developed at a different date, often as an "add-on" service. As each new channel was developed, it was essential to arrange it so that existing channels were not overloaded or otherwise affected, and therefore separate local databases 38, 48, 68 were provided.

It is also clear that correlation of inputs across all of the channels is not easy, so that it is difficult to make customer information from one channel available through another channel.

For example the local databases 38, 48, 68, supply the data host 70 only with relevant information. The database 68 associated with the POS channel 60 may record the information "Mr. Smith ordered a washing machine costing £1,000", but it will send to the data host 70 "Debit Mr. Smith's account by £1,000". The detailed customer information has been lost, and there is no means within the system for recognising that Mr. Smith may require insurance for the washing machine and therefore

- 5 <del>-</del>

the opportunity of offering him this financial service has been lost.

In the integrated financial services system according to the invention, shown in Fig. 2, a customer 80 interacts by channels 82, 83, 84, 85, 86, 87 with a number of services. Some of the services shown are identical to those in Fig.1, e.g. channel 82 allows a digital telephone 92 to be used for a balance enquiry or an account-to-account transfer of funds; channel 83 provides a service through an ATM 93; channel 84 indicates a visit by the customer to bank premises 94; and channel 86 shows the use of a home banking system running on a PC 96.

Three channels are additional to those shown in Fig.1; channel 85 shows an automated sales terminal 95, which can be arranged to sell tickets for travel or entertainment or insurance or the like on a self service basis; channel 87 provides an interactive service by means of a television receiver 97; an additional facility is the opportunity for branch sales 99, such as the offer to the customer 80 of a financial service or product such as insurance from the local bank branch.

The hardware and software associated with channels 82, 83, 84 and 85, of the branch sales facility 99 are connected directly to an integrated channel manager ICM The hardware and software of the channels 86 and 87 are connected through an information highway 102, such as a wide area network or the World Wide Web to the ICM 100.

A number of business service operation means are shown in Fig.2, i.e. a transaction processing host computer 112, on which all financial transactions running in the system are recorded; an item processor such as a cheque processor 113; a relationship management database 114 on which customer details such as income,

WO 98/24040 - 6 -

expenditure, recent purchases etc. are recorded and classified; and a financial call centre 115 from which telephone calls can be made to any customer of the financial institution running the system to offer a new service or a financial service suggested by e.g. a recent purchase. Each operation means 112, 113, 114, 115 is connected to the ICM 100. There is also provision for connection to an external data source 111, such as a record of stocks and shares and price movements of those stocks and shares.

The arrangement of the ICM 100 is shown in highly schematic form in Fig.3. The ICM can be regarded as having three layers; a first outer layer 120 has a number of service channel interfaces 122, 124, 126 etc., one for each customer service channel, such as connection to the ATM 93 or the home computer 96. A second outer layer 130 has a number of business operation interfaces 132, 134, 136 etc., one for each business operation means, such as connection to the transaction processing host computer 112 or the cheque processor 113.

Each of the outer layers 120, 130 is organised so that each interface within it manages the channelspecific aspects of the hardware and software running the customer service channel or business service operation to which that interface is connected.

Between the outer layers is a third layer 140 which supports and executes a number of business application functions 142, 144, 146, 148, such as a balance enquiry, an account credit, an account debit, a cash deposit, a cash withdrawal, a cheque deposit, a cheque withdrawal, a loan enquiry, a mortgage enquiry, or an insurance enquiry, e.g. for a house, a car, a boat etc. An alternative name for a business application function is a business object. The common factor of all the business application functions or business objects is that the

WO 98/24040 PCT/GB97/03287

functions are channel-independent. Further any service can access any business application function which can provide information accessed in any business service operation.

This arrangement of the ICM 100 allows the access to every business application function to be channel—independent, both from the customer delivery channel point of view and the business operation means point of view, while the channel-specific parts of interaction with each customer delivery channel or business operations means are managed by the outer layers 120, 130 of the ICM 100.

For example, suppose business application function 144 is a balance enquiry. This can be initiated from ATM 93 or a computer 96 through the interfaces 124 or 126 respectively, and the data needed to answer the enquiry resides on the host computer 112 connected through the interface 134.

The ICM 100 routes a balance enquiry from either the ATM 93 or the home computer 96 to the balance enquiry function 144 as shown by the arrows A, B and connects the function 144 to the host computer 112 as shown by arrow C. The balance information is returned through the reverse route.

The ICM 100 is arranged so that the function 144 is unaware of the customer service channel originating the call, i.e. is unaware of its channel-specific hardware and software systems, but the customer service channel receives the information in the appropriate format. Similarly, the data host 112 is unaware of the business application function to which it is providing data, but that data is supplied to the business function in the appropriate format, and is not dependent on the hardware or software systems of the data host. In other words,

the complexity of accessing multiple hosts from different service delivery channels is hidden by the ICM.

The arrangement illustrated in Fig.3 is schematic only. The required separation of channel-specific and channel-independent features of the system is achieved by reason of the novel architecture of the ICM 100 which is shown in Fig.4.

The architecture comprises seven layers L1-L7 as shown, and the arrangement is a variation of the NCR Open Co-operative Computing Architecture described in the "Knowledge Centre" at

http://www.tkc.nrc.com

Under "Products and Systems" select "Architecture (OCCA)"

The layer L1 provides interfaces for the customer 80 through any customer service channel 82-87 and is the Human Interface Service layer. Each interface is channel-specific, as described above, but in layer L1 each channel has end points at which the services of that channel are mapped, thereby defining certain channel specific features. Layer L1 does not provide access to the application services of layer L2. Layer L1 however provides access to the operation, administration and maintenance of the service requests.

Layer L2, the Application Execution Layer, monitors the execution of the business application services in layer L3, including start-up and monitoring of each application. For example, referring again to Fig.3, if the balance enquiry function 144 failed, then layer L2 would attempt to re-start it.

Layers L4 and L5 provide respectively application enabling services and distributed system services; layers L2, L4 and L5 may comprise in NCR's "Top End" middleware,

described on the World Wide Web at address http://www.ncr.com/product/topend.

Layer L6 provides network services such as connections to geographically separated parts of the system, and layer L7 is the base platform, is the hardware and operating software layer, which may for example be Intel processors running the NCR Unix operating system.

Layer L3, Business Application Services, interacts with the Top End middleware of layers L2, L4 and L5, the architecture overall operating as described with respect to Fig.3 to provide channel specific interface layers 120, 130 to a number of business application functions.

The financial services provided by the system of Fig.2 can now be regarded as service oriented, rather than channel oriented as in the prior art. For example, if the customer 80 requires a cash withdrawal, the ICM 100 regards this as "a cash withdrawal service", which may be initiated by an ATM 93 or at a bank branch 94 etc.; in the prior art arrangement there would have been "an ATM service" or "a bank branch service".

The provision of the integrated channel manager 100 in effect draws together all the disparate sources of customer contact and information in a financial services environment. Information about a customer 80 is connected through all of the channels 82-87, and is made available by the ICM 100 to all of the business service operation means 111-115. The business services therefore have access to the customers contact history (e.g. the customer's entire use of ATMs, home banking systems, visits to a bank branch etc. which were previously logged only on a channel-specific basis); customer contact management (e.g. use of the collected customer history to offer services); and customer complaint handling (has the

WO 98/24040 - 10 - PCT/GB97/03287

customer made a complaint? How was it handled? In what circumstances is it likely to recur?). The information can be used to provide targeted marketing through any channel the customer uses to access a service, i.e. the customer can be provided with details of financial products and services most likely to be attractive to the customer, given the customers' financial background and habits.

For example if a customer makes a major purchase, an offer of an appropriate insurance may be made by the financial call centre 115. If the customer owns stocks and shares, information from the external database 111 can be used to initiate an offer of further shares as an advantageous share price is noted.

Similarly, the customer 80 has access to all of the business services by any channel, subject to restrictions placed by the financial institution, or on physical restrictions (e.g. it is still not possible to withdraw cash over the telephone, although loading of an electronic purse is a possibility).

It is a further advantage of this system according to the invention that new services can be added quickly and easily. For example, if the financial institution decides to add a car insurance scheme to its portfolio of financial products, then a central car insurance service may be added which may define the data to be collected and its validation and storage. This component is channel independent. The service can then be pulled into each suitable delivery channel 82-87 as appropriate. Initially a user interface may be added to the call centre 115 where data is entered by a call centre agent, with the ICM 100 handling the interface between the call centre and car insurance service. Later, a similar upgrade may be applied to self-service terminals 93,95

with no impact on the use of the service by the call centre or the car insurance service itself.

Such additions of new services can be supported without shutting down the existing system, and services can be moved physically within the system environment without change to or impact on the existing channels.

The separation of business functionality from delivery channels can be applied in systems other than financial service systems. The invention can also be applied in the retail system, in which the customer service channels will include a Point Of Sale till, an automatic vending machine, and a loyalty card processing terminal, and the operation means will include a relationship manager to provide a base for customer services such as special offers, posting of coupons to selected addresses etc. Also, in a communications system, the customer service channels will include conventional telephone, cable television and interactive television facilities.

An example of an implementation is depicted using the three ring logical diagram shown in Fig. 5. This diagram comprises an outer ring 501 labelled "TOP END", a middle ring 502 comprising two sectors 503 and 504, of which the larger sector 503 is labelled "MOMS" and the smaller sector 504 is labelled "Other API", and an inner region 505 comprising three overlapping circles 506, 507 and 508. Circle 506 is labelled "Presentation", circle 507 is labelled "Function" and circle 508 is labelled "data management".

The inner region 505 is a logical representation of application elements that are physically distributed across an enterprise. Every application consists of three elements which are represented by the three overlapping

circles Presentation 506, Function 507 , and Data Management 508.

Presentation element 506 is the application logic that controls the presentation of information to a user by methods such as display, printing, or voice. Presentation is also the application logic that controls the input of information by a user through devices such as a keyboard, mouse, scanner, OCR or card reader. The presentation element 506 is represented in Fig. 2 as the service channel devices 92, 93, 94, 95, 96, 97 and 99.

Function element 507 is the application logic that contains the business rules or business logic. The function element 507 is represented in Fig. 3 as business application functions 142, 144, 146 and 148.

Data management element 508 is the collection of data and the associated logic (including database management system) that manages data access integrity. Data element 508 is represented in Fig. 3 as the business service operations 111, 112, 113, 114 and 115. Ideally, applications should be written with these elements separated to give better performance and all benefits of code re-use. However, in banks today there still exists an overlap of these 3 elements and this is illustrated by the overlapping circles.

The Outer Ring 501 labelled "TOP END" (TM), a proprietary system of the applicant, is represented in Fig. 4 as layers L2 - L7 and has already been referred to with reference to Fig. 4. It consists of the following software components that allow robust enterprise-wide network communication:

Directory Services - X.500, DNS, LDAP, OSF DCE, etc.

Messaging Services - X.400, POP/SMTP, MIME, etc.

Middleware Services - OSI DTP, OSF DCE, COM/DCOM, MOMA,

CGI, etc.

Protocol Services - SNA, X.25, TCP/IP, etc.

Security Services - DES, RSA, Kerberos, ACL, GSS-API, etc.

Management Services - SNMP, DMI, OSF DCE, etc.

TOP END provides integrateable middleware, security and management services.

Middle ring 502 represents a Common Architecture designed to introduce re-use and commonality in software development across the delivery channels. A Common Software Architecture is a layered structure built upon three elements of the financial institution: activities, business objects (i.e. required to perform those activities, and a technical foundation supporting those business needs. This layered structure closely resembles objectan oriented application architecture, yet it does not exclude the use of other approaches to designing software.

The middle ring is thus the architectural interface that glues together both the three elements of the Common Software Architecture described immediately above the three application elements (Presentation, Function, and Data Management). It is also the interface that isolates these application elements from the network delivery and communication services. This is described in Fig. 3 as the service channel interface layer 120 and business operations interface layer 130. MOMS Object Management System) is a single interface that shields the service channel devices 92, 93, etc. and the business service operation 111, 112, etc. from specifics of the interface to ICM 100. It is also the interface that has contact and knowledge of all channel related activities.

MOMS is the framework that permits software reuse across delivery channels while providing the flexibility to support the unique requirements of each channel. It

is a rapid, cost effective, development infrastructure where reuse can be achieved and new functionality introduced (e.g. new delivery channels, or new decision support capabilities) with minimal software development. The result is an improved infrastructure for application development and maintenance.

MOMS provides an organised environment for running a collection of objects in an enterprise wide distributed client/server system. It implements tools that allows the construction of objects that are willing to play by the framework's rules of engagement. MOMS also provides a way for these objects to exchange semantic-level metadata or self-describing data. The metadata allows loosely coupled objects to dynamically discover each other s services and behaviours at run time with a minimum number of rules, constructs, and metaphors so that objects can use them consistently. This facilitates a gradual, independent evolution of dynamically assembled webs of interacting objects, a significant value in a complex and rapidly changing system environments.

MOMS is a true implementation of an Object Framework written in C/C++. All application services and transactions are made available in the form of objects. Data and business logic are encapsulated within objects, allowing them to be located anywhere within a distributed system. These objects are totally independent of the underlying technology. It allows to inter-operate across networks, run on different platforms, coexist with legacy applications with object wrappers, roam on networks, and manage themselves and the resources they control.

MOMS objects are currently made available to Windows applications via DLL, OCX or ActiveX interfaces. There are also versions of MOMS available in the UNIX and IBM mainframe environment. MOMS includes an Object Store, an implementation of an Object Oriented database, which is

available to all delivery channel applications. All objects queried from the Object Store by any application within the enterprise are returned re-instated. All services or transactions from any delivery channel, that at one point or another come into contact with the MOMS framework leave a trail of information that is transparently stored for future use. However instead of MOMS, other Application Program Interfaces (API) can be used, as indicated by sector 504 in Middle ring 502 which is labelled "other API".

Information and services in banks today are either inaccessible or unusable to the various departments within a bank that could make effective use of it. This is a result of delivery channels that are implemented as distinct, separate stovepipes of infrastructure, information and application.

The architecture framework described here allows the easy access of information and services across the enterprise regardless of the disparity of existing delivery channels or new ones. This information and service is suddenly now available at the point of customer contact to enable more effective sales and servicing of customers. The end goal of this architecture is to enable a single consolidated view of customers, products, services and delivery channels within the financial institution.

PCT/GB97/03287 WO 98/24040 16 **-**

### CLAIMS

1. A multi-transaction services system characterized by comprising a plurality of service request and supply channels (82, 83, 84, 85, 86, 87) each comprising channel-specific hardware and software;

at least one operation means (111, 112, 113, 114, 115) comprising operation-specific hardware and software;

and connected between said channels and said operation means an integrated channel manager (100) having a first interface layer (120) arranged to interface the channel-specific components of each channel; a second interface layer (130) arranged to interface said operation means; and between the first and second interface layers a third layer (140) comprising at least one application service (142, 144, 146, 148) connectable to any channel in a channel-independent manner.

2. A system according to claim 1 characterized by comprising a multi-transaction financial services system in which the plurality of channels comprise financial service channels (82, 83, 84, 85, 86, 87);

the operation means comprises a plurality of financial service operations means (111, 112, 113, 114, 115) and

the application service comprises a plurality of business application services (142, 144, 146, 148).

3. A financial services system according to claim 2 characterized in that the business application services comprise at least one of a balance enquiry (144), an account credit, an account debit, a cash

WO 98/24040 - 17 -

> deposit, a cash withdrawal, a cheque deposit, a cheque withdrawal, a loan enquiry, a mortgage enquiry, and an insurance enquiry.

- 4. A financial services system according to claim 2 or claim 3 characterized in that the financial service channels comprise at least two of an automated teller machine (93), a self service sales terminal (95), a home banking system (96), a digital telephone connection (92), a financial services branch office (94), a financial branch sales office (99), and an interactive television system (97).
- 5. A financial services system according to any one of claims 2, 3, or 4 characterized in that the business application services comprise at least one of a transaction processing host computer (112), an item processor (113), a relationship management database (114), a financial call centre (115) and an external financial database(111).
- 6. A financial services system according to any one of claims 2-5 characterized in that the integrated channel management means comprises:
  - a first layer L1 arranged to receive customer requests for a plurality of different channelspecific financial services and to provide access to the operation, administration and maintenance of the service requests;
  - a second layer L2 arranged to monitor the operation of said business application services;
  - a third layer L3 arranged to provide interfaces between said plurality of channel-specific services and said plurality of financial service operation


means, and to provide said business application services;


a fourth layer L4 arranged to provide application enabling services;

and a fifth layer L5 arranged to provide distributed system services.


- 7. A financial services system according to claim 6 in which said second, fourth and fifth layers L2, L4, L5, comprise the middleware NCR Top End.
- 8. A system according to claim 1 characterized by comprising a multi-transaction retail services system in which the plurality of channels comprise retail service channels including at least two of a point of sale service, an automatic vending service, and a loyalty card service;


and the operation means comprises at least a relationship database.





**SUBSTITUTE SHEET (RULE 26)** 





**SUBSTITUTE SHEET (RULE 26)** 

4/4




FIG.5.

## INTERNATIONAL SEARCH REPORT

Inter Snal Application No PCT/GB 97/03287

	IFICATION OF SUBJECT MATTER G06F17/60			
According t	o International Patent Classification(IPC) or to both national classific	ation and IPC		
B. FIELDS	SEARCHED			
Minimum do	ocumentation searched (classification system followed by classification $G06F$	on symbols)		
Documenta	tion searched other than minimumdocumentation to the extent that s	uch documents are included in the fields se	arched	
	lata base consulted during the international search (name of data ba	se and, where practical, search terms used	)	
	ENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.	
X	WO 94 15294 A (SUREFIND CORP ;LAU JAMES E (US); RUFF RITCHEY A (US) 1994 see page 11, line 1 - page 16, li figure 17	)) 7 July	1-8	
А	WO 95 12857 A (MEDICAL MANAGEMENT RESOURCES I) 11 May 1995 see page 13, line 15 - page 14, 1		1	
A	US 5 513 102 A (AURIEMMA MATTHEW April 1996 see abstract	J) 30	8	
А	US 5 297 026 A (HOFFMAN FRANK) 22 1994 see abstract 	2 March	8	
Furti	ner documents are listed in the continuation of box C.	X Patent family members are listed	in annex,	
"A" docume consid "E" earlier consid "L" docume which citation "O" docume other r "P" docume later tr	ont which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "&" document member of the same patent family  Date of mailing of the international search report		
1	0 February 1998	18/02/1998		
Name and n	nailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo ni,  Fax: (+31-70) 340-3016	Authorized officer  Suendermann, R		

1

# INTERNATIONAL SEARCH REPORT

information on patent family members

Inte. onal Application No
PCT/GB 97/03287

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9415294 A	07-07-94	US 5283731 A AU 4405093 A AU 6015594 A WO 9423383 A AU 4405393 A WO 9415428 A	01-02-94 24-10-94 19-07-94 13-10-94 19-07-94 07-07-94
WO 9512857 A	11-05-95	US 5644778 A AU 1048195 A	01-07-97 23-05-95
US 5513102 A	30-04-96	WO 9727549 A AU 4764896 A	31-07-97 20-08-97
US 5297026 A	22-03-94	AU 670775 B AU 3424593 A EP 0619902 A FI 943172 A NO 942501 A WO 9313488 A	01-08-96 28-07-93 19-10-94 01-07-94 31-08-94 08-07-93