



(86) Date de dépôt PCT/PCT Filing Date: 2002/12/17

(87) Date publication PCT/PCT Publication Date: 2003/07/17

(85) Entrée phase nationale/National Entry: 2004/06/25

(86) N° demande PCT/PCT Application No.: US 2002/040359

(87) N° publication PCT/PCT Publication No.: 2003/057830

(30) Priorité/Priority: 2001/12/26 (60/344,271) US

(51) Cl.Int.<sup>7</sup>/Int.Cl.<sup>7</sup> C12N 15/53, C12N 15/63, C12P 17/16,  
C07K 1/107, C12N 15/09, C12P 21/02, C12N 9/02

(71) Demandeur/Applicant:  
BRISTOL-MYERS SQUIBB COMPANY, US

(72) Inventeurs/Inventors:  
BASCH, JONATHAN DAVID, US;  
CHIANG, SHU-JEN, US;  
LIU, SUO-WIN, US;  
NAYEEM, AKBAR, US;  
SUN, YUHUA, US;  
LI, YOU, US

(74) Agent: GOWLING LAFLEUR HENDERSON LLP

(54) Titre : COMPOSITIONS ET METHODES D'HYDROXYLATION D'EPOTHILONES

(54) Title: COMPOSITIONS AND METHODS FOR HYDROXYLATING EPOTHILONES

(57) **Abrégé/Abstract:**

Isolated nucleic acid sequences and polypeptides encoded thereby for epothilone B hydroxylase and mutants and variants thereof and a ferredoxin located downstream from the epothilone B hydroxylase gene are provided. Also provided are vectors and cells containing these vectors. In addition, methods for producing recombinant microorganisms, methods for using these recombinant microorganism to produce hydroxyalkyl-bearing epothilones and an epothilone analog produced by a mutant of epothilone B hydroxylase are provided.

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
17 July 2003 (17.07.2003)

PCT

(10) International Publication Number  
**WO 03/057830 A2**

- (51) International Patent Classification<sup>7</sup>: **C12N**
- (21) International Application Number: PCT/US02/40359
- (22) International Filing Date:  
17 December 2002 (17.12.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/344,271 26 December 2001 (26.12.2001) US
- (71) Applicant (for all designated States except US): **BRISTOL-MYERS SQUIBB COMPANY** [US/US]; P. O. Box 4000, Route 206 and Provinceline Road, Princeton, NJ 08543-4000 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **BASCH, Jonathan David**, [US/US]; 216 Wellington Road, DeWitt, NY 13214 (US). **CHIANG, Shu-Jen** [US/US]; 4884 Edgeworth Drive, Manlius, NY 14104 (US). **LIU, Suo-Win** [US/US]; 4997 Firethorn Circle, Manlius, NY 13104 (US). **NAYEEM, Akbar** [US/US]; 42 Quince Circle, Newtown, PA 18940 (US). **SUN, Yuhua** [CN/US]; 219 Deerfield Road, Apt. #2, East Syracuse, NY 13057 (US). **LI, You** [US/US]; 6316 Westerly Terrace, Jamesville, NY 13078 (US).
- (74) Agents: **KLEIN, Christopher** et al.; Bristol-Myers Squibb Company, P.O. Box 4000, Princeton, NJ 08543-4000 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
- without international search report and to be republished upon receipt of that report
  - with (an) indication(s) in relation to deposited biological material furnished under Rule 13bis separately from the description
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITIONS AND METHODS FOR HYDROXYLATING EPOTHILONES

(57) Abstract: Isolated nucleic acid sequences and polypeptides encoded thereby for epothilone B hydroxylase and mutants and variants thereof and a ferredoxin located downstream from the epothilone B hydroxylase gene are provided. Also provided are vectors and cells containing these vectors. In addition, methods for producing recombinant microorganisms, methods for using these recombinant microorganism to produce hydroxyalkyl-bearing epothilones and an epothilone analog produced by a mutant of epothilone B hydroxylase are provided.



**WO 03/057830 A2**

5


## COMPOSITIONS AND METHODS FOR HYDROXYLATING EPOTHILONES

### 10 Field of the Invention

The present invention relates to isolated nucleic acids sequences and polypeptides encoded thereby for epothilone B hydroxylase and mutants and variants thereof, and a ferredoxin located downstream from the epothilone B hydroxylase gene. The present invention also relates to recombinant microorganisms expressing  
15 epothilone B hydroxylase or a mutant or variant thereof and/or ferredoxin which are capable of hydroxylating small organic molecule compounds, such as epothilones, having a terminal alkyl group to produce compounds having a terminal hydroxyalkyl group. Also provided are methods for recombinantly producing such microorganisms as well as methods for using these recombinant microorganisms in the synthesis of  
20 compounds having a terminal hydroxyalkyl group. The compositions and methods of the present invention are useful in preparation of epothilones having a variety of utilities in the pharmaceutical field. A novel epothilone analog produced using a mutant of epothilone B hydroxylase of the present invention is also described.

### 25 Background of the Invention

Epothilones are macrolide compounds that find utility in the pharmaceutical field. For example, epothilones A and B having the structures:



Epothilone A      R=H

Epothilone B      R=Me

30

have been found to exert microtubule-stabilizing effects similar to paclitaxel (TAXOL<sup>®</sup>) and hence cytotoxic activity against rapidly proliferating cells, such as,

5 tumor cells or cells associated with other hyperproliferative cellular diseases, see Bollag *et al.*, Cancer Res., Vol. 55, No. 11, 2325-2333 (1995).

Epothilones A and B are natural anticancer agents produced by *Sorangium cellulosum* that were first isolated and characterized by Hofle *et al.*, DE 4138042; WO 93/10121; Angew. Chem. Int. Ed. Engl. Vol. 35, No13/14, 1567-1569 (1996); and J. Antibiot., Vol. 49, No. 6, 560-563 (1996). Subsequently, the total syntheses of  
10 epothilones A and B have been published by Balog *et al.*, Angew. Chem. Int. Ed. Engl., Vol. 35, No. 23/24, 2801-2803, 1996; Meng *et al.*, J. Am. Chem. Soc., Vol. 119, No. 42, 10073-10092 (1997); Nicolaou *et al.*, J. Am. Chem. Soc., Vol. 119, No. 34, 7974-7991 (1997); Schinzer *et al.*, Angew. Chem. Int. Ed. Eng., Vol. 36, No. 5,  
15 523-524 (1997); and Yang *et al.*, Angew. Chem. Int. Ed. Engl., Vol. 36, No. 1 / 2, 166-168, 1997. WO 98/25929 disclosed the methods for chemical synthesis of epothilone A, epothilone B, analogs of epothilone and libraries of epothilone analogs. The structure and production from *Sorangium cellulosum* DSM 6773 of epothilones C, D, E, and F was disclosed in WO 98/22461. Figure 1 provides a diagram of the  
20 biotransformation as described in WO 00/39276 of epothilone B to epothilone F in *Actinomyces species* strain SC15847 (ATCC PT-1043), subsequently identified as *Amycolatopsis orientalis*.

Cytochrome P450 enzymes are found in prokaryotes and eukaryotic cells and have in common a heme binding domain which can be distinguished by an  
25 absorbance peak at 450 nm when complexed with carbon monoxide. Cytochrome P450 enzymes perform a broad spectrum of oxidative reactions on primarily hydrophobic substrates including aromatic and benzylic rings, and alkanes. In prokaryotes they are found as detoxifying systems and as a first enzymatic step in metabolizing substrates such as toluene, benzene and camphor. Cytochrome P450  
30 genes have also been found in biosynthetic pathways of secondary metabolites such as nikkomycin in *Streptomyces tendae* (Bruntner, C. et al, 1999, Mol. Gen. Genet. 262: 102-114), doxorubicin (Dickens, M.L, Strohl, W.R., 1996, J. Bacteriol, 178: 3389-3395) and in the epothilone biosynthetic cluster of *Sorangium cellulosum* (Julien, B. et al., 2000, Gene, 249: 153-160). With a few exceptions, the cytochrome P450  
35 systems in prokaryotes are composed of three proteins; a ferredoxin NADH or NADPH dependent reductase, an iron-sulfur ferredoxin and the cytochrome P450

- 5 enzyme (Lewis, D.F., Hlavica, P., 2000, Biochim. Biophys. Acta., 1460: 353-374).  
Electrons are transferred from ferredoxin reductase to the ferredoxin and finally to the  
cytochrome P450 enzyme for the splitting of molecular oxygen.

### **Summary of the Invention**

- 10 An object of the present invention is to provide isolated nucleic acid sequences  
encoding epothilone B hydroxylase and variants or mutants thereof and isolated  
nucleic acid sequences encoding ferredoxin or variants or mutants thereof.

- Another object of the present invention is to provide isolated polypeptides  
comprising amino acid sequences of epothilone B hydroxylase and variants or  
15 mutants thereof and isolated polypeptides comprising amino acid sequences of  
ferredoxin and variants or mutants thereof.

- Another object of the present invention is to provide structure coordinates of  
the homology model of the epothilone B hydroxylase. The structure coordinates are  
listed in Appendix 1. This model of the present invention provides a means for  
20 designing modulators of a biological function of epothilone B hydroxylase as well as  
additional mutants of epothilone B hydroxylase with altered specificities.

- Another object of the present invention is to provide vectors comprising  
nucleic acid sequences encoding epothilone B hydroxylase or a variant or mutant  
thereof and/or ferredoxin or a variant or mutant thereof. In a preferred embodiment,  
25 these vectors further comprise a nucleic acid sequence encoding ferredoxin.


- Another object of the present invention is to provide host cells comprising a  
vector containing a nucleic acid sequence encoding epothilone B hydroxylase or a  
variant or mutant thereof and/or ferredoxin or a variant or mutant thereof.

- Another object of the present invention is to provide a method for producing  
30 recombinant microorganisms that are capable of hydroxylating compounds, and in  
particular epothilones, having a terminal alkyl group to produce compounds having a  
terminal hydroxyalkyl group.

- Another object of the present invention is to provide microorganisms produced  
recombinantly which are capable of hydroxylating compounds, and in particular  
35 epothilones, having a terminal alkyl group to produce compounds having a terminal  
hydroxyalkyl group.

5 Another object of the present invention is to provide methods for hydroxylating compounds in these recombinant microorganisms. In particular, the present invention provides a method for the preparation of hydroxyalkyl-bearing epothilones, which compounds find utility as antitumor agents and as starting materials in the preparation of other epothilone analogs.

10 Yet another object of the present invention is to provide a compound of Formula A:



referred to herein as 24-OH epothilone B or 24-OH EpoB, as well as compositions  
15 and methods for production of compositions comprising the compound of Formula A.

### **Brief Description of the Figures**

Figure 1 provides a schematic of the biotransformation as set forth in WO  
00/39276, U.S. Application Serial No. 09/468,854, filed December 21, 1999, of  
20 epothilone B to epothilone F by *Amycolatopsis orientalis* strain SC15847 (PTA1043).

Figure 2 shows the nucleic acid sequence alignments of SEQ ID NO:5 through  
SEQ ID NO:22 used to design the PCR primers for cloning of the nucleic acid  
sequence encoding epothilone B hydroxylase.

Figure 3 shows the sequence alignment between epothilone B hydroxylase  
25 (SEQ ID NO:2) and EryF (PDB code 1JIN chain A; SEQ ID NO:76). The asterisks  
indicate sequence identities, the colons (:) similar residues.

Figure 4 provides a homology model of epothilone B hydroxylase based upon  
sequence alignment with EryF as shown in Figure 3.


Figure 5 shows an energy plot of the epothilone B hydroxylase model  
30 (indicated by dashed line) relative to EryF (PDB code 1JIN; indicated by solid line).  
An averaging window size of 51 residues was used, i.e., the energy at a given residue

- 5 position is calculated as the average of the energies of the 51 residues in the sequence that lie with the given residue at the central positions.

### Detailed Description of the Invention

- 10 The present invention relates to isolated nucleic acid sequences and polypeptides and methods for obtaining compounds with desired substituents at a terminal carbon position. In particular, the present invention provides compositions and methods for the preparation of hydroxyalkyl-bearing epothilones, which compounds find utility as antitumor agents and as starting materials in the preparation  
15 of other epothilone analogs.


The term “epothilone,” as used herein, denotes compounds containing an epothilone core and a side chain group as defined herein. The term “epothilone core,” as used herein, denotes a moiety containing the core structure (with the numbering of ring system positions used herein shown):




20

wherein the substituents are as follows:

Q is selected from the group consisting of



and



;

25

W is O or NR<sub>6</sub>;

X is selected from the group consisting of O, H and OR<sub>7</sub>;

M is O, S, NR<sub>8</sub>, CR<sub>9</sub>R<sub>10</sub>;

B<sub>1</sub> and B<sub>2</sub> are selected from the group consisting of OR<sub>11</sub>, OCOR<sub>12</sub>;

5  $R_1$ - $R_5$  and  $R_{12}$ - $R_{17}$  are selected from the group consisting of H, alkyl, substituted alkyl, aryl, and heterocyclo, and wherein  $R_1$  and  $R_2$  are alkyl they can be joined to form a cycloalkyl;

$R_6$  is selected from the group consisting of H, alkyl, and substituted alkyl;

10  $R_7$  and  $R_{11}$  are selected from the group consisting of H, alkyl, substituted alkyl, trialkylsilyl, alkyl diarylsilyl and dialkylarylsilyl;

$R_8$  is selected from the group consisting of H, alkyl, substituted alkyl,  $R_{13}C=O$ ,  $R_{14}OC=O$  and  $R_{15}SO_2$ ; and

$R_9$  and  $R_{10}$  are selected from the group consisting of H, halogen, alkyl, substituted alkyl, aryl, heterocyclo, hydroxy,  $R_{16}C=O$ , and  $R_{17}OC=O$ .


15 The term "side chain group" refers to substituent G as defined above for Epothilone A or B or  $G_1$  and  $G_2$  as shown below.

$G_1$  is the following formula V



and

20  $G_2$  is the following formula VI



where

$A_1$  and  $A_2$  are independently selected from the group of optionally substituted  $C_1$ - $C_3$  alkyl and alkenyl;

25 Q is optionally substituted ring system containing one to three rings and at least one carbon to carbon double bond in at least one ring; and

n, m, and o are integers independently selected from the group consisting of zero and 1, where at least one of m, n or o is 1.

30 The term "terminal carbon" or "terminal alkyl group" refers to the terminal carbon or terminal methyl group of the moiety either directly bonded to the epothilone core at position 15 or to the terminal carbon or terminal alkyl group of the side chain group bonded at position 15. It is understood that the term "alkyl group" includes alkyl and substituted alkyl as defined herein.

35 The term "alkyl" refers to optionally substituted, straight or branched chain saturated hydrocarbon groups of 1 to 20 carbon atoms, preferably 1 to 7 carbon atoms.

5 The expression "lower alkyl" refers to optionally substituted alkyl groups of 1 to 4 carbon atoms.

The term "substituted alkyl" refers to an alkyl group substituted by, for example, one to four substituents, such as, halo, trifluoromethyl, trifluoromethoxy, hydroxy, alkoxy, cycloalkyloxy, heterocyclooxy, oxo, alkanoyl, aryloxy, alkanoyloxy, 10 amino, alkylamino, arylamino, aralkylamino, cycloalkylamino, heterocycloamino, disubstituted amines in which the 2 amino substituents are selected from alkyl, aryl or aralkyl, alkanoylamino, aroylamino, aralkanoylamino, substituted alkanoylamino, substituted arylamino, substituted aralkanoylamino, thiol, alkylthio, arylthio, aralkylthio, cycloalkylthio, heterocyclothio, alkylthiono, arylthiono, aralkylthiono, 15 alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, sulfonamido (e.g.  $\text{SO}_2\text{NH}_2$ ), substituted sulfonamido, nitro, cyano, carboxy, carbamyl (e.g.  $\text{CONH}_2$ ), substituted carbamyl (e.g.  $\text{CONH}$  alkyl,  $\text{CONH}$  aryl,  $\text{CONH}$  aralkyl or cases where there are two substituents on the nitrogen selected from alkyl, aryl or aralkyl), alkoxycarbonyl, aryl, substituted aryl, guanidino and heterocyclos, such as, indolyl, imidazolyl, furyl, 20 thienyl, thiazolyl, pyrrolidyl, pyridyl, pyrimidyl and the like. Where noted above where the substituent is further substituted it will be with halogen, alkyl, alkoxy, aryl or aralkyl.

In accordance with one aspect of the present invention there are provided isolated polynucleotides that encode epothilone B hydroxylase, an enzyme capable of 25 hydroxylating epothilones having a terminal alkyl group to produce epothilones having a terminal hydroxyalkyl group.

In accordance with another aspect of the present invention there are provided isolated polynucleotides that encode a ferredoxin, the gene for which is located downstream from the epothilone B hydroxylase gene. Ferredoxin is a protein of the 30 cytochrome P450 system.

By "polynucleotides", as used herein, it is meant to include any form of DNA or RNA such as cDNA or genomic DNA or mRNA, respectively, encoding these enzymes or an active fragment thereof which are obtained by cloning or produced synthetically by well known chemical techniques. DNA may be double- or single- 35 stranded. Single-stranded DNA may comprise the coding or sense strand or the non-coding or antisense strand. Thus, the term polynucleotide also includes

5 polynucleotides exhibiting at least 60% or more, preferably at least 80%, homology to sequences disclosed herein, and which hybridize under stringent conditions to the above-described polynucleotides. As used herein, the term "stringent conditions" means hybridization conditions of 60°C at 2xSSC buffer. More preferred are isolated nucleic acid molecules capable of hybridizing to the nucleic acid sequence set forth in  
10 1, 30, 32, 34, 36, 37, 38, 39, 40, 41, 42, 60, 62, 64, 66, 68, 70, 72, or 74 or SEQ ID NO:3, or to the complementary sequence of the nucleic acid sequence set forth in SEQ ID NO:1, 30, 32, 34, 36, 37, 38, 39, 40, 41, 42, 60, 62, 64, 66, 68, 70, 72, or 74 or SEQ ID NO:3, under hybridization conditions of 3X SSC at 65°C for 16 hours, and which are capable of remaining hybridized to the nucleic acid sequence set forth  
15 in SEQ ID NO:1, 30, 32, 34, 36, 37, 38, 39, 40, 41, 42, 60, 62, 64, 66, 68, 70, 72 or 74 or SEQ ID NO:3, or to the complementary sequence of the nucleic acid sequence set forth in SEQ ID NO:1, 30, 32, 34, 36, 37, 38, 39, 40, 41 or 42, 60, 62, 64, 66, 68, 70, 72 or 74 or SEQ ID NO:3, under wash conditions of 0.5X SSC, 55°C for 30 minutes.

In one embodiment, a polynucleotide of the present invention comprises the  
20 genomic DNA depicted in SEQ ID NO:1 or a homologous sequence or fragment thereof which encodes a polypeptide having similar activity to that of this epothilone B hydroxylase. Alternatively, a polynucleotide of the present invention may comprise the genomic DNA depicted in SEQ ID NO:3 or a homologous sequence or fragment thereof which encodes a polypeptide having similar activity to this ferredoxin. Due to  
25 the degeneracy of the genetic code, polynucleotides of the present invention may also comprise other nucleic acid sequences encoding this enzyme and derivatives, variants or active fragments thereof.

The present invention also relates to variants of these polynucleotides which may be naturally occurring, i.e., present in microorganisms such as *Amycolatopsis*  
30 *orientalis* and *Amycolata autotrophica*, or in soil or other sources from which nucleic acids can be isolated, or mutants prepared by well known mutagenesis techniques. Exemplary variants polynucleotides of the present invention are depicted in SEQ ID NO: 36-42.

By "mutants" as used herein it is meant to be inclusive of nucleic acid  
35 sequences with one or more point mutations, or deletions or additions of nucleic acids as compared to SEQ ID NO: 1 or 3, but which still encode a polypeptide or fragment

5 with similar activity to the polypeptides encoded by SEQ ID NO: 1 or 3. In a preferred embodiment, mutations are made which alter the substrate specificity and/or yield of the enzyme. A preferred region of mutation with respect to the epothilone B hydroxylase gene is that region of the nucleic acid sequence coding for the approximately 113 amino acids residues comprising the active site of the enzyme.

10 Also preferred are mutants encoding a polypeptide with at least one amino acid substitution at amino acid position GLU31, ARG67, ARG88, ILE92, ALA93, VAL106, ILE130, ALA140, MET176, PHE190, GLU 231, SER294, PHE237, or ILE365 of SEQ ID NO:1. Exemplary polynucleotide mutants of the present invention are depicted in SEQ ID NO: 30, 32, 34, 60, 62, 64, 66, 68, 70, 72 and 74.

15 Cloning of the nucleic acid sequence of SEQ ID NO:1 encoding epothilone B hydroxylase was performed using PCR primers designed by aligning the nucleic acid sequences of six cytochrome P450 genes from bacteria. The following cytochrome P450 genes were aligned:

- Sequence 1: Locus: STMSUACB; Accession number: M32238; Reference:  
20 Omer, C.A., J. Bacteriol. 172: 3335-3345 (1990)
- Sequence 2: Locus: STMSUBCB; Accession number: M32239; Reference:  
Omer, C.A., J. Bacteriol. 172: 3335-3345 (1990)
- Sequence 3: Locus: AB018074 (formerly STMORFA); Accession number:  
AB018074; Reference: Ueda, K., J. Antibiot. 48: 638-646 (1995)
- 25 Sequence 4: Locus: SSU65940; Accession number: U65940; Reference:  
Motamedi, H., J. Bacteriol. 178: 5243-5248 (1996)
- Sequence 5: Locus: STMOLEP; Accession number: L37200; Reference:  
Rodriguez, A.M., FEMS Microbiol. Lett. 127: 117-120 (1995)
- Sequence 6: Locus: SERCP450A; Accession number: M83110; Reference:  
30 Andersen, J.F. and Hutchinson, C.R., J. Bacteriol. 174: 725-735  
(1992)

Alignments were performed using an implementation of the algorithm of Myers, E.W. and W. Miller. 1988. *CABIOS* 4:1, 11-17., the Align program from Scientific and Educational Software (Durham, North Carolina, USA). Three highly  
35 conserved regions were identified in the I-helix, containing the oxygen binding domain, in the K-helix, and spanning the B-bulge and L-helix containing the

5 conserved heme binding domain. Primers were designed to the three conserved regions identified in the alignment. Primers P450-1<sup>+</sup> (SEQ ID NO:23) and P450-1a<sup>+</sup> (SEQ ID NO:24) were designed from the I helix, Primer P450-2<sup>+</sup> (SEQ ID NO:25) was designed from the B-Bulge and L-helix region and Primer P450-3<sup>-</sup> (SEQ ID NO:27) was designed as the reverse complement to the heme binding protein.

10 Genomic fragments were then amplified via polymerase chain reaction (PCR). After PCR amplification, the reaction products were separated by gel electrophoresis and fragments of the expected size were excised. The DNA was extracted from the agarose gel slices using the Qiaquick gel extraction procedure (Qiagen, Santa Clarita, California, USA). The fragments were then cloned into the PCRscript vector  
15 (Stratagene, La Jolla, California, USA) using the PCRscript Amp cloning kit (Stratagene). Colonies containing inserts were picked to 1-2 ml of LB broth with 100 µg/ml ampicillin, 30-37°C, 16-24 hours, 230-300 rpm. Plasmid isolation was performed using the Mo Bio miniplasmid prep kit (Mo Bio, Solano Beach, California, USA). This plasmid DNA was used as a PCR and sequencing template and for  
20 restriction digest analysis.

The cloned PCR products were sequenced using the Big-Dye sequencing kit from Applied Biosystems, (Foster City, California, USA) and were analyzed using the ABI310 sequencer (Applied Biosystems, Foster City, California, USA). The sequence of the inserts was used to perform a TblastX search, using the protocol of Altschul,  
25 S.F, *et al.*, Mol. Biol. 215:403-410 (1990), of the non-redundant protein database. Unique sequences having a significant similarity to known cytochrome P450 proteins were retained. Using this approach, a total of nine different P450 sequences were identified from SC15847, seven from the genomic DNA template and two from the cDNA. Two P450 sequences were found in common between the DNA and cDNA  
30 templates. Of the fifty cDNA clones analyzed, two sequences were predominant, with twenty clones each. These two genes were then cloned from the genomic DNA.

The nucleic acid sequence of the genomic DNA was determined using the Big-Dye sequencing system (Applied Biosystems) and analyzed using an ABI310 sequencer. This sequence is depicted in SEQ ID NO:1. An open reading frame  
35 coding for a protein of 404 amino acids and a predicted molecular weight of 44.7 kDa was found within the cloned BglII fragment. The deduced amino acid sequence of

5 this polypeptide is depicted in SEQ ID NO: 2. The amino acid sequence of this polypeptide was found to share 51% identity with the NikF protein of *Streptomyces tendae* (Bruntner, C. et al, 1999, Mol. Gen. Genet. 262: 102-114) and 48% identity with the Sca-2 protein of *S. carbophilus* (Watanabe, I. Et al, 1995, Gene 163: 81-85). Both of these enzymes belong to the cytochrome P450 family 105. The invariable  
 10 cysteine found in the heme-binding domain of all cytochrome P450 enzymes is found at residue 356. This gene for epothilone B hydroxylase has been named *ebh*. The ATG start codon of a putative ferredoxin gene of 64 amino acids is found nine basepairs downstream from the stop codon of *ebh*. This enzyme was found to share  
 15 50% identity with ferredoxin genes of *S. griseolus* (O'Keefe, D.P., et al, 1991, Biochemistry 30: 447-455) and *S. noursei* (Brautaset, T., et al, 2000, Chem. Biol. 7: 395-403). The nucleic acid sequence encoding this ferredoxin is depicted in SEQ ID NO:3 and the amino acid sequence for this ferredoxin polypeptide is depicted in SEQ ID NO:4.

The *ebh* gene sequence was also used to isolate variant cytochrome P450  
 20 genes from other microorganisms. Exemplary variant polynucleotides *ebh43491*, *ebh14930*, *ebh53630*, *ebh53550*, *ebh39444*, *ebh43333* and *ebh35165* of the present invention and the species from which they were isolated are depicted in Table 1 below. The nucleic acid sequences for these variants are depicted in SEQ ID NO:36-42, respectively.

25 Table 1: Variant polynucleotides

| ATCC ID      | Species                                | <i>ebh</i> gene designation |
|--------------|----------------------------------------|-----------------------------|
| <b>43491</b> | <u><i>Amycolatopsis orientalis</i></u> | <b><i>ebh43491</i></b>      |
| <b>14930</b> | <u><i>Amycolatopsis orientalis</i></u> | <b><i>ebh14930</i></b>      |
| <b>53630</b> | <u><i>Amycolatopsis orientalis</i></u> | <b><i>ebh53630</i></b>      |
| <b>53550</b> | <u><i>Amycolatopsis orientalis</i></u> | <b><i>ebh53550</i></b>      |
| <b>39444</b> | <u><i>Amycolatopsis orientalis</i></u> | <b><i>ebh39444</i></b>      |
| <b>43333</b> | <u><i>Amycolatopsis orientalis</i></u> | <b><i>ebh43333</i></b>      |
| <b>35165</b> | <u><i>Amycolatopsis orientalis</i></u> | <b><i>ebh35165</i></b>      |

The amino acid sequences encoded by the exemplary variants *ebh43491*, *ebh14930*, *ebh53630*, *ebh53550*, *ebh39444*, *ebh43333* and *ebh35165* are depicted in

- 5 SEQ ID NO:43-49, respectively. Table 2 provides a summary of the amino acid substitutions of these exemplary variants.

Table 2: Amino acid Substitutions

| Position | <i>ebh</i> | Substitution | <i>ebh</i> variant                                                     |
|----------|------------|--------------|------------------------------------------------------------------------|
| 100      | Gly        | Ser          | <i>ebh</i> 14930, <i>ebh</i> 43333, <i>ebh</i> 53550, <i>ebh</i> 43491 |
| 101      | Lys        | Arg          | <i>ebh</i> 14930                                                       |
| 130      | Ile        | Leu          | <i>ebh</i> 14930                                                       |
| 192      | Ser        | Gln          | <i>ebh</i> 14930                                                       |
| 224      | Ser        | Thr          | <i>ebh</i> 14930, <i>ebh</i> 43333, <i>ebh</i> 53550, <i>ebh</i> 43491 |
| 285      | Ile        | Val          | <i>ebh</i> 14930, <i>ebh</i> 43333, <i>ebh</i> 53550, <i>ebh</i> 43491 |
| 69       | Ser        | Asn          | <i>ebh</i> 43333                                                       |
| 256      | Val        | Ala          | <i>ebh</i> 43333, <i>ebh</i> 53550, <i>ebh</i> 43491                   |
| 93       | Ala        | Ser          | <i>ebh</i> 53550                                                       |
| 326      | Asp        | Glu          | <i>ebh</i> 53550, <i>ebh</i> 43491                                     |
| 333      | Thr        | Ala          | <i>ebh</i> 53550, <i>ebh</i> 43491                                     |
| 133      | Leu        | Met          | <i>ebh</i> 43491                                                       |
| 398      | His        | Arg          | <i>ebh</i> 39444                                                       |

- 10 Mutations were also introduced into the coding region of the *ebh* gene to identify mutants with improved yield, and/or rate of bioconversion and/or altered substrate specificity. Exemplary mutant nucleic acid sequences of the present invention are depicted in SEQ ID NO:30, 32, 34, 60, 62, 64, 66, 68, 70, 72 and 74.

- The nucleic acid sequence of SEQ ID NO:30 encodes a mutant *ebh*25-1 which exhibits altered substrate specificity. Plasmid pANT849*ebh*25-1 containing this mutant gene was deposited and accepted by an International Depository Authority under the provisions of the Budapest Treaty. The deposit was made on November \_\_\_\_\_, 2002 to the American Type Culture Collection at 10801 University Boulevard in Manassas, Virginia 20110-2209. The ATCC Accession Number is \_\_\_\_\_.
- 15 All restrictions upon public access to this plasmid will be irrevocably removed upon granting of this patent application. The Deposit will be maintained in a public depository for a period of thirty years after the date of deposit or five years after the last request for a sample or for the enforceable life of the patent, whichever is longer. The above-referenced plasmid was viable at the time of the deposit. The deposit will be replaced if viable samples cannot be dispensed by the depository.
- 20
- 25

This *S. lividans* transformant identified in the screening of mutation 25 (primers NPB29-mut25f (SEQ ID NO:58) and NPB29-mut25r (SEQ ID NO:59)) was

5 found to produce a product with a different HPLC elution time than epothilone B or  
epothilone F. A sample of this unknown was analyzed by LC-MS and was found to  
have a molecular weight of 523 (M.W.), consistent with a single hydroxylation of  
epothilone B. Plasmid DNA was isolated from the *S. lividans* culture and used as a  
template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and  
10 NPB29-7r (SEQ ID NO:29) (see Example 17). The expected fragment was obtained  
and sequenced using the Big-Dye sequencing system. The *ebh25-1* mutant was found  
to have two mutations resulting in changes in the amino acid sequence of the protein,  
asparagine 195 is changed to serine and serine 294 is changed to proline. The position  
targeted for mutation at codon 238 was found to have a two nucleotide change, which  
15 did not result in a change of the amino acid sequence of the protein. The amino acid  
sequence of the mutant polypeptide encoded by SEQ ID NO:30 is depicted in SEQ ID  
NO:31.

The nucleic acid sequence of SEQ ID NO:32 encodes a mutant *ebh10-53*,  
which exhibits improved bioconversion yield. This *S. lividans* transformant identified  
20 in the screening of mutation 10 (primers NPB29-mut10f (SEQ ID NO:54) and  
NPB29-mut10r (SEQ ID NO:55)) produced a greater yield of epothilone F. Plasmid  
DNA was isolated from the *S. lividans* culture and used as a template for PCR  
amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID  
NO:29)(see Example 16). The expected fragment was obtained and sequenced using  
25 the Big-Dye sequencing system. The *ebh10-53* mutant was found to have two  
mutations resulting in changes in the amino acid sequence of the protein, glutamic  
acid 231 is changed to arginine and phenylalanine 190 is changed to tyrosine. The  
position 231 was the target of the mutagenesis, the change at residue 190 is an  
inadvertent change that is an artifact of the mutagenesis procedure. The amino acid  
30 sequence of the mutant polypeptide encoded by SEQ ID NO:32 is depicted in SEQ ID  
NO:33.

The nucleic acid sequence of SEQ ID NO:34 encodes a mutant *ebh24-16*,  
which also exhibits improved bioconversion yield. This *S. lividans* transformant,  
*ebh24-16* identified in the screening of mutation 24 (primers NPB29-mut24f (SEQ ID  
35 NO:56) and NPB29-mut24r (SEQ ID NO:57) also produced a greater yield of  
epothilone F. Plasmid DNA was isolated from the *S. lividans* culture and used as a

5 template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebh24-16* mutant was found to have two mutations resulting in changes in the amino acid sequence of the protein, phenylalanine 237 is changed to alanine and isoleucine 92 is changed to valine. The  
10 position 237 was the target of the mutagenesis, the change at residue 92 is an inadvertent change that is an artifact of the mutagenesis procedure. The amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:34 is depicted in SEQ ID NO:35.

The nucleic acid sequence of SEQ ID NO:60 encodes a mutant *ebh24-16d8*,  
15 which also exhibits improved bioconversion yield. This *S. rimosus* transformant, *ebh24-16d8* identified in the screening of mutation 59 (primer NPB29mut59 (SEQ ID NO:77)) also produced a greater yield of epothilone F. Plasmid DNA was isolated from the *S. rimosus* culture and used as a template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected  
20 fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebh24-16d8* mutant was found to have one mutation resulting in a change in the amino acid sequence of the protein, arginine 67 is changed to glutamine. This change is an artifact of the mutagenesis procedure. The amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:60 is SEQ ID NO:61.

25 The nucleic acid sequence of SEQ ID NO:62 encodes a mutant *ebh24-16c11*, which also exhibits improved bioconversion yield. This *S. rimosus* transformant, *ebh24-16c11* identified in the screening of mutation 59 (primer NPB29mut59 (SEQ ID NO:77)) also produced a greater yield of epothilone F. Plasmid DNA was isolated from the *S. rimosus* culture and used as a template for PCR amplification using  
30 primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebh24-16c11* mutant was found to have two additional mutations resulting in changes in the amino acid sequence of the protein, alanine 93 is changed to glycine and isoleucine 365 is changed to threonine. The position 93 is the target of the  
35 mutagenesis, the change at 365 is an artifact of the mutagenesis procedure. The

5 amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:62 is depicted in SEQ ID NO:63.

The nucleic acid sequence of SEQ ID NO:64 encodes a mutant *ebh24-16-16*, which also exhibits improved bioconversion yield. This *S. rimosus* transformant, *ebh24-16-16* identified in the screening of random mutants of *ebh24-16* also  
10 produced a greater yield of epothilone F. Plasmid DNA was isolated from the *S. rimosus* culture and used as a template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebh24-16-16* mutant was found to have one additional mutation resulting in changes in the amino  
15 acid sequence of the protein, valine 106 is changed to alanine. The amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:64 is depicted in SEQ ID NO:65.

The nucleic acid sequence of SEQ ID NO:66 encodes a mutant *ebh24-16-74*, which also exhibits improved bioconversion yield. This *S. rimosus* transformant, *ebh24-16-74* identified in the screening of random mutants of *ebh24-16* also  
20 produced a greater yield of epothilone F. Plasmid DNA was isolated from the *S. rimosus* culture and used as a template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebh24-16-74* mutant was found to have one additional mutation resulting in changes in the amino  
25 acid sequence of the protein, arginine 88 is changed to histidine. The amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:66 is SEQ ID NO:67.

The nucleic acid sequence of SEQ ID NO:68 encodes a mutant *ebh24-M18*, which also exhibits improved bioconversion yield. This *S. rimosus* transformant, *ebhM-18* identified in the screening of random mutants of *ebh* also produced a  
30 greater yield of epothilone F. Plasmid DNA was isolated from the *S. rimosus* culture and used as a template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebhM-18* mutant was found to  
35 have two mutations resulting in changes in the amino acid sequence of the protein, glutamic acid 31 is changed to lysine and methionine 176 is changed to valine. The

- 5 amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:68 is depicted in SEQ ID NO:69.

The nucleic acid sequence of SEQ ID NO:72 encodes a mutant *ebh24-16g8*, which also exhibits improved bioconversion yield. This *S. rimosus* transformant, *ebh24-16g8* identified in the screening of mutation 50 (primer NPB29mut50 (SEQ ID NO:78)) also produced a greater yield of epothilone F. Plasmid DNA was isolated from the *S. rimosus* culture and used as a template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebh24-16g8* mutant was found to have two additional mutations resulting in changes in the amino acid sequence of the protein, methionine 176 is changed to alanine and isoleucine 130 is changed to threonine. The position 176 is the target of the mutagenesis, the change at 130 is an artifact of the mutagenesis procedure. The amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:72 is depicted in SEQ ID NO:73.

- 20 The nucleic acid sequence of SEQ ID NO:74 encodes a mutant *ebh24-16b9*, which also exhibits improved bioconversion yield. This *S. rimosus* transformant, *ebh24-16b9* identified in the screening of mutation 50 (primer NPB29mut50 (SEQ ID NO:78)) also produced a greater yield of epothilone F. Plasmid DNA was isolated from the *S. rimosus* culture and used as a template for PCR amplification using primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29). The expected fragment was obtained and sequenced using the Big-Dye sequencing system. The *ebh24-16b9* mutant was found to have two additional mutations resulting in changes in the amino acid sequence of the protein, methionine 176 is changed to serine and alanine 140 is changed to threonine. The position 176 is the target of the mutagenesis, the change at 140 is an artifact of the mutagenesis procedure. The amino acid sequence of the mutant polypeptide encoded by SEQ ID NO:74 is depicted in SEQ ID NO:75.

A mixture composed of the plasmids pANT849*ebh-24-16*, pANT849*ebh-10-53*, pANT849*ebh-24-16d8*, pANT849*ebh-24-16c11*, pANT849*ebh-24-16-16*, pANT849*ebh-24-16-74*, pANT849*ebh-24-16b9*, pANT849*ebh-M18* and pANT849*ebh-24-16g8* for these nine mutant genes was deposited and accepted by an International

5 Depository Authority under the provisions of the Budapest Treaty. The deposit was made on November \_\_\_\_\_, 2002 to the American Type Culture Collection at 10801 University Boulevard in Manassas, Virginia 20110-2209. The ATCC Accession Number is \_\_\_\_\_. All restrictions upon public access to this mixture of plasmids will be irrevocably removed upon granting of this patent application. The  
10 deposit will be maintained in a public depository for a period of thirty years after the date of deposit or five years after the last request for a sample or for the enforceable life of the patent, whichever is longer. The above-referenced mixture of plasmids was viable at the time of the deposit. The deposit will be replaced if viable samples cannot be dispensed by the depository.

15 Thus, in accordance with another aspect of the present invention, there are provided isolated polypeptides of epothilone B hydroxylase and variants and mutants thereof and isolated polypeptides of ferredoxin or variants thereof. In one embodiment of the present invention, by "polypeptide" it is meant to include the amino acid sequence of SEQ ID NO: 2, and fragments or variants, which retain  
20 essentially the same biological activity and/or function as this epothilone B hydroxylase. In another embodiment of the present invention, by "polypeptide" it is meant to include the amino acid sequence of SEQ ID NO:4, and fragments and/or variants, which retain essentially the same biological activity and/or function as this ferredoxin.

25 By "variants" as used herein it is meant to include polypeptides with amino acid sequences with conservative amino acid substitutions as compared to SEQ ID NO: 2 or 4 which are demonstrated to exhibit similar biological activity and/or function to SEQ ID NO:2 or 4. By "conservative amino acid substitutions" it is meant to include replacement, one for another, of the aliphatic amino acids such as  
30 Ala, Val, Leu and Ile, the hydroxyl residues Ser and Thr, the acidic residues Asp and Glu, and the amide residues Asn and Gln. Exemplary variant amino acid sequences of the present invention are depicted in SEQ ID NO:43-49 and the amino acid substitutions of these exemplary variants are described in Table 2, *supra*.

By "mutants" as used herein it is meant to include polypeptides encoded by  
35 nucleic acid sequences with one or more point mutations, or deletions or additions of nucleic acids as compared to SEQ ID NO: 1 or 3, but which still have similar activity

5 to the polypeptides encoded by SEQ ID NO: 1 or 3. In a preferred embodiment, mutations are made to the nucleic acid that alter the substrate specificity and/or yield from the polypeptide encoded thereby. A preferred region of mutation with respect to the epothilone B hydroxylase gene is that region of the nucleic acid sequence coding for the approximately 113 amino acid residues comprising the active site of the  
10 enzyme. Also preferred are mutants with at least one amino acid substitution at amino acid position GLU31, ARG67, ARG88, ILE92, ALA93, VAL106, ILE130, ALA140, MET176, PHE190, GLU 231, SER294, PHE237, or ILE365 of SEQ ID NO:1 Exemplary mutants *ebh25-1*, *ebh10-53*, *ebh24-16*, *ebh24-16d8*, *ebh24-16c11*, *ebh24-16-16*, *ebh24-16-74*, *ebh24-16g8*, *ebh24-16b9* and the nucleic acid sequences  
15 encoding such mutants of the present invention are depicted in SEQ ID NO:31, 33, 35, 61, 63, 65, 67, 69, 71, 73 and 75, and SEQ ID NO:30, 32, 34, 60, 62, 64, 66, 68, 70, 72 and 74, respectively.

A 3-dimensional model of epothilone B hydroxylase has also been constructed in accordance with general teachings of Greer et al. (Comparative modeling of  
20 homologous proteins. Methods In Enzymology 202239-52, 1991), Lesk et al. (Homology Modeling: Inferences from Tables of Aligned Sequences. Curr. Op. Struc. Biol. (2) 242-247, 1992), and Cardozo et al. (Homology modeling by the ICM method. Proteins 23, 403-14, 1995) on the basis of the known structure of a homologous protein EryF (PDB Code 1KIN chain A). Homology between these  
25 sequences is 34%. Alignment of the sequences of epothilone B hydroxylase (SEQ ID NO:2) and EryF (PDB Code 1KIN chain A; SEQ ID NO:76) is depicted in Figure 3. A homology model of epothilone B hydroxylase based upon sequence alignment with EryF is depicted in Figure 4.

An energy plot of the epothilone B hydroxylase model relative to EryF (PDB  
30 code 1JIN) was also prepared and is depicted in Figure 5. An averaging window size of 51 residues was used at a given residue position to calculate the average of the energies of the 51 residues in the sequence that lie with the given residue at the central position. As shown in Figure 5, all energies along the sequence lie below zero thus indicating that the modeled structure as set forth in Figure 4 and Appendix 1 is  
35 reasonable.

5           The three-dimensional structure represented in the homology model of  
epothilone B hydroxylase of Figure 4 is defined by a set of structure coordinates as set  
forth in Appendix 1. The term "structure coordinates" refers to Cartesian coordinates  
generated from the building of a homology model. As will be understood by those of  
skill in the art, however, a set of structure coordinates for a protein is a relative set of  
10 points that define a shape in three dimensions. Thus, it is possible that an entirely  
different set of coordinates could define a similar or identical shape. Moreover, slight  
variations in the individual coordinates, as emanate from generation of similar  
homology models using different alignment templates and/or using different methods  
in generating the homology model, will have minor effects on the overall shape.  
15 Variations in coordinates may also be generated because of mathematical  
manipulations of the structure coordinates. For example, the structure coordinates set  
forth in Appendix 1 could be manipulated by fractionalization of the structure  
coordinates; integer additions or subtractions to sets of the structure coordinates,  
inversion of the structure coordinates or any combination of the above.

20           Various computational analyses are therefore necessary to determine whether  
a molecule or a portion thereof is sufficiently similar to all or parts of epothilone B  
hydroxylase described above as to be considered the same. Such analyses may be  
carried out in current software applications, such as SYBYL version 6.7 or  
INSIGHTII (Molecular Simulations Inc., San Diego, CA) version 2000 and as  
25 described in the accompanying User's Guides.

For example, the superimposition tool in the program SYBYL allows  
comparisons to be made between different structures and different conformations of  
the same structure. The procedure used in SYBYL to compare structures is divided  
into four steps: 1) load the structures to be compared; 2) define the atom equivalencies  
30 in these structures; 3) perform a fitting operation; and 4) analyze the results. Each  
structure is identified by a name. One structure is identified as the target (i.e., the  
fixed structure); the second structure (i.e., moving structure) is identified as the source  
structure. Since atom equivalency within SYBYL is defined by user input, for the  
purpose of this aspect of the present invention equivalent atoms are defined as protein  
35 backbone atoms (N, C $\alpha$ , C and O) for all conserved residues between the two  
structures being compared. Further, only rigid fitting operations are considered .

5 When a rigid fitting method is used, the working structure is translated and rotated to obtain an optimum fit with the target structure. The fitting operation uses an algorithm that computes the optimum translation and rotation to be applied to the moving structure, such that the root mean square difference of the fit over the specified pairs of equivalent atoms is an absolute minimum. This number, given in angstroms, is  
10 reported by SYBYL.

For the purposes of the present invention, any homology model of epothilone B hydroxylase that has a root mean square deviation of conserved residue backbone atoms (N, C $\alpha$ , C, O) of less than about 4.0 Å when superimposed on the corresponding backbone atoms described by structure coordinates listed in Appendix  
15 1 are considered identical. More preferably, the root mean square deviation is less than about 3.0 Å. More preferably the root mean square deviation is less than about 2.0 Å.

For the purpose of this invention, any homology model of epothilone B hydroxylase that has a root mean square deviation of conserved residue backbone  
20 atoms (N, C $\alpha$ , C, O) of less than about 2.0 Å when superimposed on the corresponding backbone atoms described by structure coordinates listed in Appendix 1 are considered identical. More preferably, the root mean square deviation is less than about 1.0 Å.

In another embodiment of the present invention, structural models wherein  
25 backbone atoms have been substituted with other elements which when superimposed on the corresponding backbone atoms have low root mean square deviations are considered to be identical. For example, an homology model where the original backbone carbon, and/or nitrogen and/or oxygen atoms are replaced with other elements having a root mean square deviation of about 4.0 Å, more preferably about  
30 3.0 Å, even more preferably less than about 2Å, when superimposed on the corresponding backbone atoms described by structure coordinates listed in Appendix 1 is considered identical.

The term "root mean square deviation" means the square root of the arithmetic mean of the squares of the deviations from the mean. It is a way to express the  
35 deviation or variation from a trend or object. For purposes of this invention, the "root mean square deviation" defines the variation in the backbone of a protein from the

5 relevant portion of the backbone of the epothilone B hydroxylase portion of the complex as defined by the structure coordinates described herein.

The present invention as embodied by the homology model enables the structure-based design of additional mutants of epothilone B hydroxylase. For example, using the homology model of the present invention, residues lying within  
10 10Å of the binding site of epothilone B hydroxylase have now been defined. These residues include LEU39, GLN43, ALA45, MET57, LEU58, HIS62, PHE63, SER64, SER65, ASP66, ARG67, GLN68, SER69, LEU74, MET75, VAL76, ALA77, ARG78, GLN79, ILE80, ASP84, LYS85, PRO86, PHE87, ARG88, PRO89, SER90, LEU91, ILE92, ALA93, MET94, ASP95, HIS99, ARG103, PHE110, ILE155,  
15 PHE169, GLN170, CYS172, SER173, SER174, ARG175, MET176, LEU177, SER178, ARG179, ARG186, PHE190, LEU193, VAL233, GLY234, LEU235, ALA236, PHE237, LEU238, LEU239, LEU240, ILE241, ALA242, GLY243, HIS244, GLU245, THR246, THR247, ALA248, ASN249, MET250, LEU283, THR287, ILE288, ALA289, GLU290, THR291, ALA292, THR293, SER294,  
20 ARG295, PHE296, ALA297, THR298, GLU312, GLY313, VAL314, VAL315, GLY316, VAL344, ALA345, PHE346, GLY347, PHE348, VAL350, HIS351, GLN352, CYS353, LEU354, GLY355, GLN356, LEU358, ALA359, GLU362, LYS389, ASP391, SER392, THR393, ILE394 and TYR395 as set forth in Appendix 1. Mutants with mutations at one or more of these positions are expected to exhibit  
25 altered biological function and/or specificity and thus comprise another embodiment of preferred mutants of the present invention. Another embodiment of preferred mutants are molecules that have a root mean square deviation from the backbone atoms of said epothilone B hydroxylase of not more than about 4.0Å.

The structure coordinates of an epothilone B hydroxylase homology model or  
30 portions thereof are stored in a machine-readable storage medium. Such data may be used for a variety of purposes, such as drug discovery.

Accordingly, another aspect of the present invention relates to machine-readable data storage medium comprising a data storage material encoded with the structure coordinates set forth in Appendix 1.

35 The three-dimensional model structure of epothilone B hydroxylase can also be used to identify modulators of biological function and potential substrates of the

5 enzyme. Various methods or combinations thereof can be used to identify such modulators.

For example, a test compound can be modeled that fits spatially into a binding site in epothilone B hydroxylase, according to Appendix 1. Structure coordinates of amino acids within 10 Å of the binding region of epothilone B hydroxylase defined by  
10 amino acids LEU39, GLN43, ALA45, MET57, LEU58, HIS62, PHE63, SER64, SER65, ASP66, ARG67, GLN68, SER69, LEU74, MET75, VAL76, ALA77, ARG78, GLN79, ILE80, ASP84, LYS85, PRO86, PHE87, ARG88, PRO89, SER90, LEU91, ILE92, ALA93, MET94, ASP95, HIS99, ARG103, PHE110, ILE155, PHE169, GLN170, CYS172, SER173, SER174, ARG175, MET176, LEU177,  
15 SER178, ARG179, ARG186, PHE190, LEU193, VAL233, GLY234, LEU235, ALA236, PHE237, LEU238, LEU239, LEU240, ILE241, ALA242, GLY243, HIS244, GLU245, THR246, THR247, ALA248, ASN249, MET250, LEU283, THR287, ILE288, ALA289, GLU290, THR291, ALA292, THR293, SER294, ARG295, PHE296, ALA297, THR298, GLU312, GLY313, VAL314, VAL315,  
20 GLY316, VAL344, ALA345, PHE346, GLY347, PHE348, VAL350, HIS351, GLN352, CYS353, LEU354, GLY355, GLN356, LEU358, ALA359, GLU362, LYS389, ASP391, SER392, THR393, ILE394 and TYR395, and the coordinated heme group, HEM1 can also be used to identify desirable structural and chemical features of such modulators. Identified structural or chemical features can then be  
25 employed to design or select compounds as potential epothilone B hydroxylase ligands. By structural and chemical features it is meant to include, but is not limited to, covalent bonding, van der Waals interactions, hydrogen bonding interactions, charge interaction, hydrophobic bonding interaction, and dipole interaction. Compounds identified as potential epothilone B hydroxylase ligands can then be  
30 synthesized and screened in an assay characterized by binding of a test compound to epothilone B hydroxylase, or in characterizing the ability of epothilone B hydroxylase to modulate a protease target in the presence of a small molecule. Examples of assays useful in screening of potential epothilone B hydroxylase ligands include, but are not limited to, screening *in silico*, *in vitro* assays and high throughput assays.

35 As will be understood by those of skill in the art upon this disclosure, other structure-based design methods can be used. Various computational structure-based

5 design methods have been disclosed in the art. For example, a number of computer modeling systems are available in which the sequence of epothilone B hydroxylase and the epothilone B hydroxylase structure (i.e., atomic coordinates of epothilone B hydroxylase as provided in Appendix 1 and/or the atomic coordinates within 10Å of the binding region as provided above) can be input. This computer system then  
10 generates the structural details of one or more these regions in which a potential epothilone B hydroxylase modulator binds so that complementary structural details of the potential modulators can be determined. Design in these modeling systems is generally based upon the compound being capable of physically and structurally associating with epothilone B hydroxylase. In addition, the compound must be able  
15 to assume a conformation that allows it to associate with epothilone B hydroxylase. Some modeling systems estimate the potential inhibitory or binding effect of a potential epothilone B hydroxylase substrate or modulator prior to actual synthesis and testing.

Methods for screening chemical entities or fragments for their ability to  
20 associate with a given protein target are also well known. Often these methods begin by visual inspection of the binding site on the computer screen. Selected fragments or chemical entities are then positioned in a binding region of epothilone B hydroxylase. Docking is accomplished using software such as INSIGHTII, QUANTA and SYBYL, following by energy minimization and molecular dynamics with standard molecular  
25 mechanic force fields such as, MMFF, CHARMM and AMBER. Examples of computer programs which assist in the selection of chemical fragment or chemical entities useful in the present invention include, but are not limited to, GRID (Goodford, 1985), AUTODOCK (Goodsell, 1990), and DOCK (Kuntz et al. 1982).

Upon selection of preferred chemical entities or fragments, their relationship  
30 to each other and epothilone B hydroxylase can be visualized and then assembled into a single potential modulator. Programs useful in assembling the individual chemical entities include, but are not limited to CAVEAT (Bartlett et al. 1989) and 3D Database systems (Martin 1992).

Alternatively, compounds may be designed *de novo* using either an empty  
35 active site or optionally including some portion of a known inhibitor. Methods of this

5 type of design include, but are not limited to LUDI (Bohm 1992) and LeapFrog (Tripos Inc., St. Louis MO).

Programs such as DOCK (Kuntz et al. 1982) can be used with the atomic coordinates from the homology model to identify potential ligands from databases or virtual databases which potentially bind the in the active site binding region which  
10 may therefore be suitable candidates for synthesis and testing.

Also provided in the present invention are vectors comprising polynucleotides of the present invention and host cells which are genetically engineered with vectors of the present invention to produce epothilone B hydroxylase or active fragments and variants or mutants of this enzyme and/or ferredoxin or active fragments thereof.  
15 Generally, any vector suitable to maintain, propagate or express polynucleotides to produce these polypeptides in the host cell may be used for expression in this regard. In accordance with this aspect of the invention the vector may be, for example, a plasmid vector, a single- or double-stranded phage vector, or a single- or double-stranded RNA or DNA viral vector. Vectors may be extra-chromosomal or designed  
20 for integration into the host chromosome. Such vectors include, but are not limited to, chromosomal, episomal and virus-derived vectors e.g., vectors derived from bacterial plasmids, bacteriophages, yeast episomes, yeast chromosomal elements, and viruses such as baculoviruses, papova viruses, SV40, vaccinia viruses, adenoviruses, fowl pox viruses, pseudorabies viruses and retroviruses, and vectors derived from  
25 combinations thereof, such as those derived from plasmid and bacteriophage genetic elements, cosmids and phagemids.

Useful expression vectors for prokaryotic hosts include, but are not limited to, bacterial plasmids, such as those from *E. coli*, *Bacillus* or *Streptomyces*, including pBluescript, pGEX-2T, pUC vectors, pET vectors, ColE1, pCR1, pBR322, pMB9,  
30 pCW, pBMS200, pBMS2020, PIJ101, PIJ702, pANT849, pOJ260, pOJ446, pSET152, pKC1139, pKC1218, pFD666 and their derivatives, wider host range plasmids, such as RP4, phage DNAs, e.g., the numerous derivatives of phage lambda, e.g., NM989,  $\lambda$ GT10 and  $\lambda$ GT11, and other phages, e.g., M13 and filamentous single stranded phage DNA.

35 Vectors of the present invention for use in yeast will typically contain an origin of replication suitable for use in yeast and a selectable marker that is functional

5 in yeast. Examples of yeast vectors useful in the present invention include, but are not limited to, Yeast Integrating plasmids (*e.g.*, YIp5) and Yeast Replicating plasmids (the YRp and YEplac series plasmids), Yeast Centromere plasmids (the YCp series plasmids), Yeast Artificial Chromosomes (YACs) which are based on yeast linear plasmids, denoted YLp, pGPD-2, 2 $\mu$  plasmids and derivatives thereof, and improved  
10 shuttle vectors such as those described in Gietz *et al.*, *Gene*, 74: 527-34 (1988) (YIplac, YEplac and YCplac).

Mammalian vectors useful for recombinant expression may include a viral origin, such as the SV40 origin (for replication in cell lines expressing the large T-antigen, such as COS1 and COS7 cells), the papillomavirus origin, or the EBV  
15 origin for long term episomal replication (for use, *e.g.*, in 293-EBNA cells, which constitutively express the EBV EBNA-1 gene product and adenovirus E1A). Expression in mammalian cells can be achieved using a variety of plasmids, including, but not limited to, pSV2, pBC12BI, and p91023, pCDNA vectors as well as lytic virus vectors (*e.g.*, vaccinia virus, adeno virus, and baculovirus), episomal virus  
20 vectors (*e.g.*, bovine papillomavirus), and retroviral vectors (*e.g.*, murine retroviruses). Useful vectors for insect cells include baculoviral vectors and pVL941.

Selection of an appropriate promoter to direct mRNA transcription and construction of expression vectors are well known. In general, however, expression constructs will contain sites for transcription initiation and termination, and, in the  
25 transcribed region, a ribosome binding site for translation. The coding portion of the mature transcripts expressed by the constructs will include a translation initiating codon at the beginning and a termination codon appropriately positioned at the end of the polypeptide to be translated.

Examples of useful promoters for prokaryotes include, but are not limited to  
30 phage promoters such as phage lambda pL promoter, the trc promoter, a hybrid derived from the trp and lac promoters, the bacteriophage T7 promoter, the TAC or TRC system, the major operator and promoter regions of phage lambda, the control regions of fd coat protein, *snpA* promoter, *melC* promoter, *ermE\** promoter or the *araBAD* operon. Examples of useful promoters for yeast include, but are not limited  
35 to, the CYC1 promoter, the GAL1 promoter, the GAL10 promoter, ADH1 promoter, the promoters of the yeast  $\alpha$ -mating system, and the GPD promoter. Examples of

5 promoters routinely used in mammalian expression vectors include, but are not limited to, the CMV immediate early promoter, the HSV thymidine kinase promoter, the early and late SV40 promoters, the promoters of retroviral LTRs, such as those of the Rous Sarcoma Virus(RSV), and metallothionein promoters, such as the mouse metallothionein-I promoter.

10 Vectors comprising the polynucleotides can be introduced into host cells using any number of well known techniques including infection, transduction, transfection, transvection and transformation. The polynucleotides may be introduced into a host alone or with additional polynucleotides encoding, for example, a selectable marker or ferredoxin reductase. In a preferred embodiment of the present invention the  
15 polynucleotide for epothilone B hydroxylase and ferredoxin are introduced into the host cell. Host cells for the various expression constructs are well known, and those of skill can routinely select a host cell for expressing the epothilone B hydroxylase and/or ferredoxin in accordance with this aspect of the present invention. Examples of mammalian expression systems useful in the present invention include, but are not  
20 limited to, the C127, 3T3, CHO, HeLa, human kidney 293 and BHK cell lines, and the COS-7 line of monkey kidney fibroblasts.

Alternatively, as exemplified herein, epothilone B hydroxylase and ferredoxin can be expressed recombinantly in microorganisms.


Accordingly, another aspect of the present invention relates to recombinantly  
25 produced microorganisms which express epothilone B hydroxylase alone or in conjunction with the ferredoxin and which are capable of hydroxylating a compound, and in particular an epothilone, having a terminal alkyl group to produce ones having a terminal hydroxyalkyl group. The recombinantly produced microorganisms are produced by transforming cells such as bacterial cells with a plasmid comprising a  
30 nucleic acid sequence encoding epothilone B hydroxylase. In a preferred embodiment, the cells are transformed with a plasmid comprising a nucleic acid encoding epothilone B hydroxylase or mutants or variants thereof as well as the nucleic acid sequence encoding ferredoxin located downstream of the epothilone B hydroxylase gene. Examples of microorganisms which can be transformed with these  
35 plasmids to produce the recombinant microorganisms of the present invention include, but are not limited, *Escherichia coli*, *Bacillus megaterium*, *Amycolatopsis*

5 *orientalis*, *Sorangium cellulosum*, *Rhodococcus erythropolis*, and *Streptomyces* species such as *Streptomyces lividans*, *Streptomyces virginiae*, *Streptomyces venezuelae*, *Streptomyces albus*, *Streptomyces coelicolor*, *Streptomyces rimosus* and *Streptomyces griseus*.

The recombinantly produced microorganisms of the present invention are  
 10 useful in microbial processes or methods for production of compounds, and in particular epothilones, containing a terminal hydroxyalkyl group. In general, the hydroxyalkyl-bearing product can be produced by culturing the recombinantly produced microorganism or enzyme derived therefrom, capable of selectively hydroxylating a terminal carbon or alkyl, in the presence of a suitable substrate in an  
 15 aqueous nutrient medium containing sources of assimilable carbon and nitrogen, under submerged aerobic conditions.

Suitable epothilones employed as substrate for the method of the present invention may be any such compound having a terminal carbon or terminal alkyl group capable of undergoing the enzymatic hydroxylation of the present invention.  
 20 The starting material, or substrate, can be isolated from natural sources, such as *Sorangium cellulosum*, or they can be synthetically formed epothilones. Other substrates having a terminal carbon or terminal alkyl group capable of undergoing an enzymatic hydroxylation can be employed by the methods herein. For example, compactin can be used as a substrate, which upon hydroxylation forms the compound pravastatin. Methods for hydroxylating compactin to pravastatin via an  
 25 *Actinomadura* strain are set forth in U.S. Patent 5,942,423 and U.S. Patent 6,274,360.

For example, using the recombinant microorganisms of the present invention at least one epothilone can be prepared as described in WO 00/39276, U. S. Serial. No. 09/468,854, filed December 21, 1999, the text of which is incorporated herein as  
 30 if set forth at length. An epothilone of the following Formula I



where

A<sub>1</sub> and A<sub>2</sub> are independently selected from the group of optionally substituted C<sub>1</sub>-C<sub>3</sub> alkyl and alkenyl;

35 Q is an optionally substituted ring system containing one to three rings and at least one carbon to carbon double bond in at least one ring;

E is an epothilone core; can be prepared.

$$10 \quad \text{CH}_3-(\text{A}_1)_n-(\text{Q})_m-(\text{A}_2)_0-\text{E} \quad (\text{II})$$

with a recombinantly produced microorganism, or an enzyme derived

15 In a preferred embodiment, the starting material is epothilone B. Epothilone B  
can be obtained from the fermentation of *Sorangium cellulosum* So ce90, as described  
in DE 41 38 042 and WO 93/10121. The strain has been deposited at the Deutsche  
Sammlung von Mikroorganismen (German Collection of Microorganisms) (DSM)  
under No. 6773. The process of fermentation is also described in Hofle, G., et al.,  
20 *Angew. Chem. Int. Ed. Engl.*, Vol 35, No. 13/14, 1567-1569 (1996). Epothilone B can  
also be obtained by chemical means, such as those disclosed by Meng, D., et al., *J.*  
*Am. Chem. Soc.*, Vol. 119, No. 42, 10073-10092 (1996); Nicolaou, K., et al., *J. Am.*  
*Chem. Soc.*, Vol. 119, No. 34, 7974-7991 (1997) and Schinzer, D., et al., *Chem. Eur.*  
*J.*, Vol. 5, No. 9, 2483-2491 (1999).

- 28 -

5 trace elements. Inducers may also be added to the medium. The term inducer as used herein, includes any compound enhancing formation of the desired enzymatic activity within the recombinantly produced microbial cell. Typical inducers as used herein may include solvents used to dissolve substrates, such as dimethyl sulfoxide, dimethyl formamide, dioxane, ethanol and acetone. Further, some substrates, such as  
10 epothilone B, may also be considered to be inducers.

Carbon sources may include sugars such as glucose, fructose, galactose, maltose, sucrose, mannitol, sorbital, glycerol starch and the like; organic acids such as sodium acetate, sodium citrate, and the like; and alcohols such as ethanol, propanol and the like. Preferred carbon sources include, but are not limited to, glucose,  
15 fructose, sucrose, glycerol and starch.

Nitrogen sources may include an N-Z amine A, corn steeped liquor, soybean meal, beef extract, yeast extract, tryptone, peptone, cottonseed meal, peanut meal, amino acids such as sodium glutamate and the like, sodium nitrate, ammonium sulfate and the like.

20 Trace elements may include magnesium, manganese, calcium, cobalt, nickel, iron, sodium and potassium salts. Phosphates may also be added in trace or preferably, greater than trace amounts.

The medium employed for the fermentation may include more than one carbon or nitrogen source or other nutrient.

25 For growth of the recombinantly produced microorganisms and/or hydroxylation according to the method of the present invention, the pH of the medium is preferably from about 5 to about 8 and the temperature is from about 14°C to about 37°C, preferably the temperature is 28°C. The duration of the reaction is 1 to 100 hours, preferably 8 to 72 hours.

30 The medium is incubated for a period of time necessary to complete the biotransformation as monitored by high performance liquid chromatography (HPLC). Typically, the period of time needed to complete the transformation is twelve to one hundred hours and preferably about 72 hours after the addition of the substrate. The medium is placed on a rotary shaker (New Brunswick Scientific Innova 5000)  
35 operating at 150 to 300 rpm and preferably about 250 rpm with a throw of 2 inches.

5           The hydroxyalkyl-bearing product can be recovered from the fermentation broth by conventional means that are commonly used for the recovery of other known biologically active substances. Examples of such recovery means include, but are not limited to, isolation and purification by extraction with a conventional solvent, such as ethyl acetate and the like; by pH adjustment; by treatment with a conventional resin,  
10   for example, by treatment with an anion or cation exchange resin or a non-ionic adsorption resin; by treatment with a conventional adsorbent, for example, by distillation, by crystallization; or by recrystallization, and the like.

          The extract obtained above from the biotransformation reaction mixture can be further isolated and purified by column chromatography and analytical thin layer  
15   chromatography.

          The ability of a recombinantly produced microorganism of the present invention to biotransform an epothilone having a terminal alkyl group to an epothilone having a terminal hydroxyalkyl group was demonstrated. In these experiments, a culture comprising a *Streptomyces lividans* clone containing a plasmid  
20   with the *ebh* gene as described in more detail in Example 11 was incubated with an epothilone B suspension for 3 days at 30° with agitation. A sample of the incubate was extracted with an equal volume of 25% methanol: 75% n-butanol, vortexed and allowed to settle for 5 minutes. Two hundred µl of the organic phase was transferred to an HPLC vial and analyzed by HPLC/MS (Example 12). A product peak of  
25   epothilone F eluted at a retention time of 15.9 minutes and had a protonated molecular weight of 524. The epothilone B substrate eluted at 19.0 minutes and had a protonated molecular weight of 508. The peak retention times and molecular weights were confirmed using known standards.

          Rates of biotransformation of epothilone B by cells expressing *ebh* were also  
30   compared to rates of biotransformation by *ebh* mutants. Cells expressing *ebh* comprised a frozen spore preparation of *S. lividans* (pANT849-*ebh*). Cells expressing mutants comprises frozen spore preparations of *S. lividans* (pANT849-*ebh*10-53) and *S. lividans* (pANT849-*ebh*24-16). A frozen spore preparation of *S. lividans* TK24 was used as the control. The cells were pre-incubated for several days  
35   at 30°C. Following this pre-incubation, epothilone B in 100% EtOH was added to each culture to a final concentration of 0.05% weight/volume. Samples were then

- 5 taken at 0, 24, 48 and 72 hours with the exception of the *S. lividans* (pANT849-*ebh*24-16) culture, in which the epothilone B had been completely converted to epothilone F at 48 hours. The samples were analyzed by HPLC. The results are calculated as a percentage of the epothilone B at time 0 hours.

10

**Epothilone B:**

| Time (hours) | TK24 | pANT849- <i>ebh</i> | pANT849- <i>ebh</i> 10-53 | pANT849- <i>ebh</i> 24-16 |
|--------------|------|---------------------|---------------------------|---------------------------|
| 0            | 100% | 100%                | 100%                      | 100%                      |
| 24           | 99%  | 78%                 | 69%                       | 56%                       |
| 48           | 87%  | 19%                 | 39%                       | 0%                        |
| 72           | 87%  | 0%                  | 3%                        | ---                       |

**Epothilone F:**


| Time (hours) | TK24 | pANT849- <i>ebh</i> | pANT849- <i>ebh</i> 10-53 | pANT849- <i>ebh</i> 24-16 |
|--------------|------|---------------------|---------------------------|---------------------------|
| 0            | 0%   | 0%                  | 0%                        | 0%                        |
| 24           | 0%   | 4%                  | 9%                        | 23%                       |
| 48           | 0%   | 21%                 | 29%                       | 52%                       |
| 72           | 0%   | 14%                 | 41%                       | ---                       |

- The ability of cells expressing *ebh* to biotransform compactin to pravastatin was also examined. In these experiments, frozen spore preparations of *S. lividans* (pANT849) or *S. lividans* (pANT849-*ebh*) were grown for several days at 30°C. Following the pre-incubation, an aliquot of each cell culture was transferred to a polypropylene culture tube, compactin was added to each culture tube, and the tubes were incubated for 24 hours, 30°C, 250 rpm. An aliquot of the culture broth was then extracted and compactin and pravastatin values relative to the control *S. lividans* (pANT849) culture were measured via HPLC.

Compactin and pravastatin as a percentage of starting compactin concentration:

|             | <i>S. lividans</i> (pANT849) | <i>S. lividans</i> (pANT849- <i>ebh</i> ) |
|-------------|------------------------------|-------------------------------------------|
| Compactin   | 36%                          | 11%                                       |
| Pravastatin | 11%                          | 53%                                       |

5 As discussed *supra*, mutant *ebh25-1* (SEQ ID NO:30) exhibits altered substrate specificity and biotransformation of epothilone B by this mutant resulted in a product with a different HPLC elution time than epothilone B or epothilone F. A sample of this unknown was analyzed by LC-MS and was found to have a molecular weight of 523 (M.W.), consistent with a single hydroxylation of epothilone B. The structure of the biotransformation product was determined as 24-hydroxyl-epothilone B, based on MS and NMR data (compared with data of epothilone B):



24-hydroxyl-epothilone B

Formula A

15 Molecular Formula: C<sub>27</sub>H<sub>41</sub>NO<sub>7</sub> S  
Molecular Weight: 523  
Mass Spectrum: ES+ (m/z): 524([M+H]<sup>+</sup>), 506.  
LC/MS/MS: +ESI (m/z): 524, 506, 476, 436, 320  
HRMS: Calculated for [M+H]<sup>+</sup>: 524.2682; Found: 524.2701  
20 HPLC (Rt) 7.3 minutes (on the analytical HPLC system)  
LC/NMR Observed Chemical Shifts  
Varian AS-600 (Proton: 599.624 MHz),  
Solvent D<sub>2</sub>O/CD<sub>3</sub>CN (δ 1.94): ~4/6  
Proton: δ7.30 (s, 1H), 6.43 (s, 1H), 5.30 (m, 1H), 4.35 (m, 1H),  
25 3.81 (m, 1H), 3.74 (m, 1H), 3.68 (m, 1H), 3.43 (m, 1H), 2.87  
(m, 1H), 2.66 (s, 3H), 2.40 (m, 2H), 1.58 (b, 1H), 1.48 (b, 1H),  
1.35 (m, 3H), 1.18 (s, 3H), 1.13 (s, 3H), 0.87 (m, 6H)  
\*Peaks between 1.8-2.1 ppm were not observed due to solvent suppression.

5           The proton chemical shift was assigned as follows:

|    | Position | Proton | Pattern |
|----|----------|--------|---------|
|    | 1        | --     |         |
|    | 2        | 2.40   | m       |
|    | 3        | 4.35   | m       |
| 10 | 4        | --     |         |
|    | 5        | --     |         |
|    | 6        | 3.43   | m       |
|    | 7        | 3.68   | m       |
|    | 8        | 1.58   | m       |
| 15 | 9        | 1.35   | b       |
|    | 10       | 1.48   | b       |
|    | 10       | 1.35   | b       |
|    | 11       | SSP    |         |
|    | 12       | --     |         |
| 20 | 13       | 2.87   | m       |
|    | 14       | SSP    |         |
|    | 15       | 5.30   | m       |
|    | 16       | --     |         |
|    | 17       | 6.43   | s       |
| 25 | 18       | --     |         |
|    | 19       | 7.30   | s       |
|    | 20       | --     |         |
|    | 21       | 2.66   | s       |
|    | 22       | 1.18   | s       |
| 30 | 23       | 0.87   | m       |
|    | 24       | 3.81   | m       |
|    | 24       | 3.74   | m       |
|    | 25       | 0.87   | m       |
|    | 26       | 1.13   | s       |
| 35 | 27       | SSP    |         |

\*SSP: no observed due to solvent suppression.

- 5           Accordingly, the compositions and methods of the present invention are useful  
in producing known compounds that are microtubule-stabilizing agents as well as new  
compounds comprising epothilone analogs such as 24-hydroxyl-epothilone B  
(Formula A) and pharmaceutically acceptable salts thereof expected to be useful as  
microtubule-stabilizing agents. The microtubule stabilizing agents produced using  
10 these compositions and methods are useful in the treatment of a variety of cancers and  
other proliferative diseases including, but not limited to, the following;
- carcinoma, including that of the bladder, breast, colon, kidney, liver, lung,  
ovary, pancreas, stomach, cervix, thyroid and skin; including squamous cell  
carcinoma;
  - 15 - hematopoietic tumors of lymphoid lineage, including leukemia, acute  
lymphocytic leukemia, acute lymphoblastic leukemia, B-cell lymphoma, T-cell  
lymphoma, Hodgkins lymphoma, non-Hodgkins lymphoma, hairy cell lymphoma and  
Burketts lymphoma;
  - hematopoietic tumors of myeloid lineage, including acute and chronic  
20 myelogenous leukemias and promyelocytic leukemia;
  - tumors of mesenchymal origin, including fibrosarcoma and  
rhabdomyosarcoma;
  - other tumors, including melanoma, seminoma, tetratocarcinoma,  
neuroblastoma and glioma;
  - 25 - tumors of the central and peripheral nervous system, including astrocytoma,  
neuroblastoma, glioma, and schwannomas;
  - tumors of mesenchymal origin, including fibrosarcoma, rhabdomyosarcoma,  
and osteosarcoma; and
  - other tumors, including melanoma, xenoderma pigmentosum,  
30 keratoactanthoma, seminoma, thyroid follicular cancer and teratocarcinoma.

Microtubule stabilizing agents produced using the compositions and methods  
of the present invention will also inhibit angiogenesis, thereby affecting the growth of  
tumors and providing treatment of tumors and tumor-related disorders. Such anti-  
angiogenesis properties of these compounds will also be useful in the treatment of  
35 other conditions responsive to anti-angiogenesis agents including, but not limited to,

5 certain forms of blindness related to retinal vascularization, arthritis, especially inflammatory arthritis, multiple sclerosis, restinosis and psoriasis.

Microtubule stabilizing agents produced using the compositions and methods of the present invention will induce or inhibit apoptosis, a physiological cell death process critical for normal development and homeostasis. Alterations of apoptotic pathways contribute to the pathogenesis of a variety of human diseases. Compounds of the present invention such as those set forth in formula I and II and Formula A, as modulators of apoptosis, will be useful in the treatment of a variety of human diseases with aberrations in apoptosis including, but not limited to, cancer and precancerous lesions, immune response related diseases, viral infections, degenerative diseases of the musculoskeletal system and kidney disease.

Without wishing to be bound to any mechanism or morphology, microtubule stabilizing agents produced using the compositions and methods of the present invention may also be used to treat conditions other than cancer or other proliferative diseases. Such conditions include, but are not limited to viral infections such as herpesvirus, poxvirus, Epstein-Barr virus, Sindbis virus and adenovirus; autoimmune diseases such as systemic lupus erythematosus, immune mediated glomerulonephritis, rheumatoid arthritis, psoriasis, inflammatory bowel diseases and autoimmune diabetes mellitus; neurodegenerative disorders such as Alzheimer's disease, AIDS-related dementia, Parkinson's disease, amyotrophic lateral sclerosis, retinitis pigmentosa, spinal muscular atrophy and cerebellar degeneration; AIDS; myelodysplastic syndromes; aplastic anemia; ischemic injury associated myocardial infarctions; stroke and reperfusion injury; restenosis; arrhythmia; atherosclerosis; toxin-induced or alcohol induced liver diseases; hematological diseases such as chronic anemia and aplastic anemia; degenerative diseases of the musculoskeletal system such as osteoporosis and arthritis; aspirin-sensitive rhinosinusitis; cystic fibrosis; multiple sclerosis; kidney diseases; and cancer pain.

The following nonlimiting examples are provided to further illustrate the present invention.

## 5 EXAMPLES

### Example 1: Reagents

**R2 Medium** was prepared as follows:

A solution containing sucrose (103 grams),  $K_2SO_4$  (0.25 grams)  $MgCl_2 \cdot 6H_2O$   
 10 (10.12 grams), glucose (10 grams), Difco Casaminoacids (0.1 grams) and distilled  
 water (800 ml) was prepared. Eighty ml of this solution was then poured into a 200  
 ml screw capped bottle containing 2.2 grams Difco Bacto agar. The bottle was  
 capped and autoclaved. At time of use, the medium was remelted and the following  
 autoclaved solutions were added in the order listed:

15 1 ml  $KH_2PO_4$  (0.5%)  
 8 ml  $CaCl_2 \cdot 2H_2O$  (3.68%)  
 1.5 ml L-proline (20%)  
 10 ml TES buffer (5.73%, adjusted to pH 7.2)  
 0.2 ml Trace element solution containing  $ZnCl_2$ (40mg),  $FeCl_3 \cdot 6H_2O$ (200 mg),  
 20  $CuCl_2 \cdot 2H_2O$  (10 mg),  $MnCl_2 \cdot 4H_2O$  (10 mg),  $Na_2B_4O_7 \cdot 10H_2O$  (10 mg), and  
 $(NH_4)_6Mo_7O_{24} \cdot H_2O$   
 0.5 ml NaOH (1N)(sterilization not required)  
 0.5 ml Required growth factors for auxotrophs (Histidine (50  $\mu g/ml$ ); Cysteine  
 (37  $\mu g/ml$ ); adenine, guanine, thymidine and uracil (7.5  $\mu g/ml$ ); and Vitamins (0.5  
 25  $\mu g/ml$ ).

**R2YE medium** was prepared in the same fashion as R2 medium. However, 5 ml of  
 Difco yeast extract (10%) was added to each 100 ml flask at time of use.

30 **P (protoplast) buffer** was prepared as follows:

A basal solution made up of the following was prepared:

Sucrose (103 grams)  
 $K_2SO_4$  (0.25 grams)  
 $MgCl_2 \cdot 6H_2O$  (2.02 grams)  
 35 Trace Element Solution as described for R2 medium (2 ml)  
 Distilled water to 800 ml

- 5 Eighty ml aliquots of the basal solution were then dispensed and autoclaved. Before use, the following was added to each flask in the order listed:

1 ml  $\text{KH}_2\text{PO}_4$  (0.5%)

10 ml  $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$  (3.68%)

TES buffer (5.75%, adjusted to pH 7.2)

- 10 **T (transformation) buffer** was prepared by mixing the following sterile solutions:

25 ml Sucrose (10.3%)

75 ml distilled water

1 ml Trace Element Solution as described for R2 medium

1 ml  $\text{K}_2\text{SO}_4$  (2.5%)

- 15 The following are then added to 9.3 mls of this solution:

0.2 ml  $\text{CaCl}_2$  (5M)

0.5 ml Tris maleic acid buffer prepared from 1 M solution of Tris adjusted to pH 8.0 by adding maleic acid.

For use, 3 parts by volume of the above solution are added to 1 part by weight of PEG

- 20 1000, previously sterilized by autoclaving.

**L (lysis) buffer** was prepared by mixing the following sterile solutions:

100 ml Sucrose (10.3%)

10 ml TES buffer (5.73%, adjusted to pH 7.2)

- 25 1 ml  $\text{K}_2\text{SO}_4$  (2.5%)

1 ml Trace Element Solution as described for R2 medium

1 ml  $\text{KH}_2\text{PO}_4$  (0.5%)

0.1 ml  $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$  (2.5 M)

1 ml  $\text{CaCl}_2$  (0.25 M)

## 5 CRM Medium

A solution containing the following components was prepared in 1 liter of dH<sub>2</sub>O: glucose (10 grams), sucrose (103 grams), MgCl<sub>2</sub>•6H<sub>2</sub>O (10.12 grams), BBL™ trypticase soy broth (15 grams) (Becton Dickinson Microbiology Systems, Sparks, Maryland, USA), and BBL™ yeast extract (5 grams) (Becton Dickinson  
10 Microbiology Systems). The solution was autoclaved for 30 minutes. Thiostrepton was added to a concentration of 10 µg/ml for cultures propagated with plasmids.

## Electroporation Buffer

A solution containing 30% (wt/vol) PEG 1000, 10% glycerol, and 6.5 %  
15 sucrose was prepared in dH<sub>2</sub>O. The solution was sterilized by vacuum filtration through a 0.22 µm cellulose acetate filter.

## Example 2: Extraction of Chromosomal DNA from Strain SC15847

Genomic DNA was isolated from an *Amycolatopsis orientalis* soil isolate  
20 strain designation SC15847 (ATCC PT-1043) using a guanidine-detergent lysis method, DNazol reagent (Invitrogen, Carlsbad, California, USA). The SC15847 culture was grown 24 hours at 28°C in F7 medium (glucose 2.2%, yeast extract 1.0%, malt extract 1.0 %, peptone 0.1%, pH 7.0). Twenty ml of culture was harvested by centrifugation and resuspended in 20 ml of DNazol, mixed by pipetting and  
25 centrifuged 10 minutes in the Beckman TJ6 centrifuge. Ten ml of 100% ethanol was added, inverted several times and stored at room temperature 3 minutes. The DNA was spooled on a glass pipette washed in 100% ethanol and allowed to air dry 10 minutes. The pellet was resuspended in 500 µl of 8mM NaOH and once dissolved it was neutralized with 30 µl of 1M HEPES pH7.2.

30

## Example 3: PCR Reactions

PCR reactions were prepared in a volume of 50 µl, containing 200-500 ng of genomic DNA or 1.0 µl of the cDNA, a forward and reverse primer, and the forward primer being either P450-1<sup>+</sup> (SEQ ID NO:23) or P450-1a<sup>+</sup>(SEQ ID NO:24) or P450-  
35 2<sup>+</sup>(SEQ ID NO:25) and the reverse primer P450-3<sup>-</sup> (SEQ ID NO:27)or P450-2<sup>-</sup>(SEQ ID NO:26). All primers were added to a final concentration of 1.4- 2.0 µM. The PCR

5 reaction was prepared with 1 µl of Taq enzyme (2.5 units) (Stratagene), 5 µl of Taq buffer and 4 µl of 2.5 mM of dNTPs with dH<sub>2</sub>O to 50 µl. The cycling reactions were performed on a Geneamp® PCR system with the following protocol: 95°C for 5 minutes, 5 cycles [95°C 30 seconds, 37°C 15 seconds (30% ramp), 72°C 30 seconds], 35 cycles (94°C 30 seconds, 65°C 15 seconds, 72°C 30 seconds), 72°C 7 minutes.

10 The expected sizes for the reactions are 340 bp for the P450-1<sup>+</sup> (SEQ ID NO:23) or P450-1a<sup>+</sup> (SEQ ID NO:24) and P450-3<sup>-</sup> (SEQ ID NO:27) primer pairs, 240 bp for the P450-1<sup>+</sup> (SEQ ID NO:23) and P450-2<sup>-</sup> (SEQ ID NO:26) primer pairs and 130 bp for the P450-2<sup>+</sup> (SEQ ID NO:25) and P450-3<sup>-</sup> (SEQ ID NO:27) primer pairs.

15 **Example 4: Cloning of Epothilone B Hydroxylase and Ferredoxin Genes**

Twenty µg of SC15847 genomic DNA was digested with BglII restriction enzyme for 6 hours at 37°C. A 30k nanosep column (Gelman Sciences, Ann Arbor, Michigan, USA) was used to concentrate the DNA and remove the enzyme and buffer. The reactions were concentrated to 40 µl and washed with 200 µl of TE. The

20 digestion products were then separated a 0.7% agarose gel and genomic DNA in the range of 12~15 kb was excised from the gel and purified using the Qiagen gel extraction method. The genomic DNA was then ligated to plasmid pWB19N (U.S. Patent 5,516,679), which had been digested with BamHI and dephosphorylated using the SAP I enzyme (Roche Molecular Biochemicals, Indianapolis, Indiana, catalog#1

25 758 250). Ligation reactions were performed in a 15 µl volume with 1U of T4 DNA ligase (Invitrogen) for 1 hour at room temperature. One µl of the ligation was transformed to 100 µl of chemically competent DH10B cells (Invitrogen) and 100 µl plated to five LB agar plates with 30 µg/ml of neomycin, 37°C overnight.

Five nylon membrane circles (Roche Molecular Biochemicals, Indianapolis, Indiana) were numbered and marked for orientation. The membranes were placed on the plates 2 minutes and then allowed to dry for 5 minutes. The membranes were then placed on Whatman filter disks saturated with 10% SDS for 5 minutes, 0.5N NaOH with 1.5 M NaCl for 5 minutes, 1.5 M NaCl with 1.0 M Tris pH 8.0 for 5 minutes, and 15 minutes on 2X SSC. The filters were hybridized as described previously for

35 the Southern hybridization. Hybridizing colonies were picked to 2 ml of TB with 30

- 5     μg/ml neomycin and grown overnight at 37°C. Plasmid DNA was isolated using a miniprep column procedure (Mo Bio). This plasmid was named NPB29-1.

#### **Example 5: DNA Sequencing and Analysis**

- 10     The cloned PCR products were sequenced using fluorescent-dye-labeled terminator cycle sequencing, Big-Dye sequencing kit (Applied Biosystems, Foster city, California, USA) and were analyzed using laser-induced fluorescence capillary electrophoresis, ABI Prism 310 sequencer (Applied Biosystems).

#### **Example 6: Extraction of Total RNA**

- 15     Total RNA was isolated from the SC15847 culture using a modification of the Chomczynski and Sacchi method with a mono-phasic solution of phenol and guanidine isothiocyanate, Trizol reagent (Invitrogen). Five ml of an SC15847 frozen stock culture was thawed and used to inoculate 100 ml of F7 media in a 500 ml Erlenmeyer flask. The culture was grown in a shaker incubator at 230 rpm, 30°C for  
20     20 hours to an optical density at 600 nm (OD<sub>600</sub>) of 9.0. The culture was placed in a 16°C shaker incubator at 230 rpm for 20 minutes. Fifty-five milligrams of epothilone B was dissolved in 1 ml of 100% ethanol and added to the culture. A second ml of ethanol was used to rinse the residual epothilone B from the tube and added to the culture. The culture was incubated at 16°C, 230 rpm for 30 hours. Thirty ml of the  
25     culture was transferred to a 50 ml tube, 150 mg of lysozyme was added to the culture and the culture was incubated 5 minutes at room temperature. Ten ml of the culture was placed in a 50 ml Falcon tube and centrifuged 5 minutes, 4°C in a TJ6 centrifuge. Two ml of chloroform was added and the tube was mixed vigorously for 15 seconds. The tube was incubated 2 minutes at room temperature and centrifuged 10 minutes,  
30     top speed in the TJ6 centrifuge. The aqueous layer was transferred to a fresh tube and 2.5 ml of isopropanol was added to precipitate the RNA. The tube was incubated 10 minutes at room temperature and centrifuged 10 minutes, 4°C. The supernatant was removed, the pellet was rinsed with 70% ethanol and dried briefly under vacuum. The pellet was resuspended in 150 μl of RNase-free dH<sub>2</sub>O. Fifty μl of 7.5M LiCl was  
35     added to the RNA and incubated at -20°C for 30 minutes. The RNA was pelleted by centrifugation 10 minutes, 4°C in a microcentrifuge. The pellet was rinsed with 200 μl

5 of 70% ethanol, dried briefly under vacuum and resuspended in 150 µl of RNase free dH<sub>2</sub>O.

The RNA was treated with DNaseI (Ambion, Austin, Texas, USA). Twenty-five µl of total RNA (5.3 µg/µl), 2.5 µl of DNaseI buffer, 1.0 µl of DNase I added and incubated at 37°C for 25 minutes. Five µl of DNase I inactivation buffer added,  
10 incubated 2 minutes, centrifuged 1 minute, the supernatant was transferred to a fresh tube.

#### **Example 7: cDNA Synthesis**

cDNA was synthesized from the total RNA using the Superscript II enzyme  
15 (Invitrogen). The reaction was prepared with 1 µl of total RNA (5.3 µg/µl), 9 µl of dH<sub>2</sub>O, 1 µl of dNTP mix (10 mM), and 1 µl of random hexamers. The reaction was incubated at 65°C for 5 minutes then placed on ice. The following components were then added: 4 µl of 1<sup>st</sup> strand buffer, 1 µl of RNase Inhibitor, 2.0 µl of 0.1 M DTT, and 1 µl of Superscript II enzyme. The reaction was incubated at room temperature 10  
20 minutes, 42°C for 50 minutes and 70°C for 15 minutes. One µl of RNaseH was added and incubated 20 minutes at 37°C, 15 minutes at 70°C and stored at 4°C.

#### **Example 8: DNA Labeling**

The PCR conditions used to amplify the P450 specific products from genomic  
25 DNA and cDNA were used to amplify the insert of plasmid pCRscript-29. Plasmid pCRscript-29 contains a 340bp PCR fragment amplified from SC15847 genomic DNA using primers P450 1<sup>+</sup>(SEQ ID NO:23) and P450 3<sup>-</sup>(SEQ ID NO:27). Two µl of the plasmid prep was used as a template, with a total of 25 cycles. The amplified product was gel purified using the Qiaquick gel extraction system (Qiagen). The  
30 extracted DNA was ethanol precipitated and resuspended in 5 µl of TE, the yield was estimated to be 500 ng. This fragment was labeled with digoxigenin using the chem link labeling reagent (Roche Molecular Biochemicals, Indianapolis, Indiana catalog #1 836 463). Five µl of the PCR product was mixed with 0.5 µl of Dig-chem link and dH<sub>2</sub>O added to 20 µl. The reaction was incubated 30 minutes at 85°C and 5 µl of stop  
35 solution added. The probe concentration was estimated at 20 ng/µl.

5

**Example 9: Southern DNA Hybridization**

Ten  $\mu$ l of genomic DNA (0.5  $\mu$ g/ $\mu$ l) was digested with BamHI, BglII, EcoRI, HindIII or NotI and separated at 12 volts for 16 hours. The gel was depurinated 10 minutes in 0.25 N HCl and transferred by vacuum to a nylon membrane (Roche Molecular Biochemicals) in 0.4 N NaOH 5" Hg, 90 minutes using a vacuum blotter (Bio-Rad Laboratories, Inc. Hercules, California, USA catalog # 165-5000). The membrane was rinsed in 1 M ammonium acetate and UV-crosslinked using the Stratalinker UV Crosslinker (Stratagene). The membrane was rinsed in 2X SSC and stored at room temperature.

15 The membrane was prehybridized 1 hour at 42°C in 20 ml of Dig Easy Hyb buffer (Roche Molecular Biochemicals). The probe was denatured 10 minutes at 65°C and then placed on ice. Five ml of probe in Dig-Easy Hyb at an approximate concentration of 20 ng/ml was incubated with the membrane at 42°C overnight. The membrane was washed 2 times in 2X SSC with 0.1% SDS at room temperature, then 20 2 times in 0.5X SSC with 0.1% SDS at 65°C. The membrane was equilibrated in Genius buffer 1 (10 mM maleic acid, 15 mM NaCl; pH 7.5; 0.3% v/v Tween 20) (Roche Molecular Biochemicals, Indianapolis, Indiana) for 2 minutes, then incubated with 2% blocking solution (2% Blocking reagent in Genius Buffer 1) (Roche Molecular Biochemicals Indianapolis, Indiana) for 1 hour at room temperature. The 25 membrane was incubated with a 1:20,000 dilution of anti-dig antibody in 50 ml of blocking solution for 30 minutes. The membrane was washed 2 times, 15 minutes each in 50 ml of Genius buffer 1. The membrane was equilibrated for two minutes in Genius Buffer 3 (10mM Tris-HCl, 10mM NaCl; pH 9.5). One ml of a 1:100 dilution of CSPD (disodium 3-(4-methoxyspiro{1,2-dioxetane-3,2'-(5'-chloro)tricyclo[3.3.1.1<sup>3,7</sup>]decan}-4-yl)phenyl phosphate) (Roche Molecular Biochemicals) in Genius buffer 3 was added to the membrane and incubated 5 minutes at room temperature, then placed at 37°C for 15 minutes. The membrane was exposed to Biomax ML film (Kodak, Rochester, New York, USA) for 1 hour.

35 **Example 10: *E. coli* Transformation**

5           Competent cells were purchased from Invitrogen. *E. coli* strain DH10B was used as a host for genomic cloning. The chemically competent cells were thawed on ice and 100 µl aliquoted to a 17 x 100-mm polypropylene tube on ice. One µl of the ligation mixture was added to the cells and incubated on ice for 30 minutes. The cells were incubated at 42°C for 45 seconds, then placed on ice 1-2 minutes. 0.9 ml pf  
10   SOC. medium(Invitrogen) was added and the cells were incubated one hour at 30-37°C at 200-240 rpm. Cells were plated on a selective medium (Luria agar with neomycin or ampicillin at a concentration of 30 µg /ml or 100 µg /ml respectively).

**Example 11: Transformation of *Streptomyces lividans* TK24**

15           Plasmid pWB19N849 was constructed by digesting plasmid pWB19N with HindIII and treating with SAP I and digesting plasmid pANT849 (Keiser, et al., 2000, Practical Streptomyces Genetics, John Innes ) with HindIII. The two linearized fragments were ligated 1 hour at room temperature with 1U of T4 DNA ligase. One µl of the ligation reaction was used to transform XL-1 Blue electrocompetent cells  
20   (Stratagene). The recovered cells were plated to LB neomycin (30 µg/ml) overnight at 37°C. Colonies were picked to 2 ml of LB with 30 µg/ml neomycin and incubated overnight at 30°C. MoBio plasmid minipreps were performed on all cultures. Plasmids constructed from the ligation of pWB19N and pANT849 were determined by electrophoretic mobility on 0.7 % agarose. The plasmid pWB19N849 was digested  
25   with HindIII and BglII to excise a 5.3 kb fragment equivalent to plasmid pANT849 digested with BglII and HindIII. This 5.3 kb fragment was purified on an agarose gel and extracted using the Qiaquick gel extraction system.

          A 1.469 kb DNA fragment containing the epothilone B hydroxylase gene and the downstream ferredoxin gene was amplified using PCR. The 50 µl PCR reaction  
30   was composed of 5 µl of Taq buffer, 2.5 µl glycerol, 1 µl of 20 ng/µl NPB29-1 plasmid, 0.4 µl of 25 mM dNTPs, 1.0 µl each of primers NPB29-6F (SEQ ID NO:28) and NPB29-7R (SEQ ID NO:29) (5 pmole/µl), 38.1 µl of dH<sub>2</sub>O and 0.5 µl of Taq enzyme (Stratagene). The reactions were performed on a Perkin Elmer 9700, 95°C for 5 minutes, then 30 cycles (96°C for 30 seconds, 60°C 30 seconds, 72°C for 2  
35   minutes), and 72°C for 7 minutes. The PCR product was purified using a Qiagen

5 minielute column with the PCR cleanup procedure. The purified product was digested with BglII and HindIII and purified on a 0.7 % agarose gel. A 1.469 kb band was excised from the gel and eluted using a Qiagen minielute column. Five µl of this PCR product was ligated with 2 µl of the BglII, HindIII digested pANT849 vector in a 10 µl ligation reaction. The reaction was incubated at room temperature for 24 hours and  
10 then transformed to *S. lividans* TK24 protoplasts.

Twenty ml of YEME media was inoculated with a frozen spore suspension of *S. lividans* TK24 and grown 48 hours in a 125 ml bi-indent flask. Protoplasts were prepared as described in Practical Streptomyces Genetics. The ligation reaction was mixed with protoplasts, then 500 µl of transformation buffer was added, followed  
15 immediately by 5 ml of P buffer. The transformation reactions were spun down 7 minutes at 2,750 rpm, resuspended in 100 µl of P buffer and plated to one R2YE plate. The plate was incubated at 28°C for 20 hours then overlaid with 5 ml of LB 0.7% agar with 250 µg/ml thiostrepton. After 7 days colonies were picked to an R2YE grid plate with 50 µg/ml of thiostrepton. The colonies were grown an  
20 additional 5 days at 28°C, then stored at 4°C.

This recombinant microorganism has been deposited with the ATCC and designated PTA-4022.

#### **Example 12: Transformation of *Streptomyces rimosus***

5           The procedure of Pigac and Schrempf Appl. Environ Microb., Vol. 61, No. 1, 352-356 (1995) was used to transform *S. rimosus*. *S. rimosus* strain R6 593 was cultivated in 20 ml of CRM medium at 30 °C on a rotary shaker (250 rpm). The cells were harvested at 24 hrs by centrifugation for 5 minutes, 5,000 rpm, 4 °C, and resuspended in 20 ml of 10% sucrose, 4 °C, and centrifuged for 5 minutes, 5,000 rpm, 4 °C. The pellet was resuspended in 10 ml of 15% glycerol, 4 °C and centrifuged for 5 minutes, 5,000 rpm, 4 °C. The pellet was resuspended in 2 ml of 15% glycerol, 4 °C with 100 µg/ml lysozyme and incubated at 37 °C for 30 minutes, centrifuged for 5 minutes, 5,000 rpm, 4 °C and resuspended in 2 ml of 15% glycerol, 4 °C. The 15% glycerol wash was repeated once and the pellet was resuspended in 1 to 2 ml of  
10           Electroporation Buffer. The cells were stored at -80°C in 50 – 200 µl aliquots.  
15

          The ligations were prepared as described for the *S. lividans* transformation. After the incubation of the ligation reaction, the volume was brought to 100 µl with dH<sub>2</sub>O, NaCl was added to 0.3M, and the reaction extracted with an equal volume of 24:1:1 phenol:chloroform isoamyl alcohol. Twenty µg of glycogen was added and the  
20           ligated DNA was precipitated with 2 volumes of 100% ethanol at -20 °C for 30 minutes. The DNA was pelleted 10 minutes in a microcentrifuge, washed once with 70% ethanol, dried 5 minutes in a speed-vac concentrator and resuspended in 5 µl of dH<sub>2</sub>O.

          One frozen aliquot of cells was thawed at room temperature and divided, 50  
25           µl/ tube for each DNA sample for electroporation. The cells were stored on ice until use. DNA in 1 to 2 µl of dH<sub>2</sub>O was added and mixed. The cell and DNA mixture was transferred to a 2 mm gapped electrocuvette (Bio-Rad Laboratories, Richmond California USA) that was pre-chilled on ice. The cells were electroporated at a setting of 2 kV (10kV/cm), 25µF, 400 Ω using a Gene Pulser™ (Bio-Rad Laboratories). The  
30           cells were diluted with 0.75 to 1.0 ml of CRM (0-4 °C), transferred to 15 ml culture tubes and incubated with agitation 3hrs at 30 °C. The cells were plated on trypticase soy broth agar plates with 10-30 µg/ml of thiostrepton.

### **Example 13: High Performance liquid chromatography**

35           The liquid chromatography separation was performed using a Waters 2690 Separation Module system (Waters Corp., Milford, MA, USA) and a column, 4.6 x

5 150 mm, filled with SymmetryShield RP<sub>8</sub>, particle size 3.5 µm (Waters Corp.,  
Milford, MA, USA). The gradient mobile phase programming was used with a flow  
rate of 1.0 ml/minute. Eluent A was water/acetonitrile (20:1) + 10 mM ammonium  
acetate. Eluent B was acetonitrile/water (20:1). The mobile phase was a linear  
gradient from 12% B to 28 % B over 6 minutes and held isocratic at 28% B over 4  
10 minutes. This was followed by a 28% B to 100% B linear gradient over 20 minutes  
and a linear gradient to 12% B over two minutes with a 3 minute hold at 12% B.

#### **Example 14: Mass spectrometry**

The column effluent was introduced directly into the electrospray ion source of a  
15 ZMD mass spectrometer (Micromass, Manchester, UK). The instrument was calibrated  
using Test Juice reference standard (Waters Corp, Milford, MA, USA) and was delivered  
at a flow of 10 µl/minute from a syringe pump (Harvard Apparatus, Holliston, MA,  
USA). The mass spectrometer was operated at a low mass resolution of 13.2 and a high  
mass resolution of 11.2. Spectra were acquired from using a scan range of *m/z* 100 to  
20 600 at an acquisition rate of 10 spectra /second. The ionization technique employed was  
positive electrospray (ES). The sprayer voltage was kept at 2900 V and the cone voltage  
of the ion source was kept at a potential of 17 V.

#### **Example 15: Use of the *ebh* gene sequence (SEQ ID NO:1) to isolate cytochrome 25 P450 genes from other microorganisms**

Genomic DNA was isolated from a set of cultures (ATCC43491,  
ATCC14930, ATCC53630, ATCC53550, ATCC39444, ATCC43333, ATCC35165)  
using the DNAzol reagent. The DNA was used as a template for PCR reactions using  
primers designed to the sequence of the *ebh* gene. Three sets of primers were used for  
30 amplification; NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29), NPB29-  
16f (SEQ ID NO:50) and NPB29-17r (SEQ ID NO:51), and NPB29-19f (SEQ ID  
NO:52) and NPB29-20r (SEQ ID NO:53).

PCR reactions were prepared in a volume of 20 µl, containing 200-500 ng of  
genomic DNA and a forward and reverse primer. All primers were added to a final  
35 concentration of 1.4- 2.0 µM. The PCR reaction was prepared with 0.2 µl of  
Advantage<sup>TM</sup> 2 Taq enzyme (BD Biosciences Clontech, Palo Alto, California, USA),

5     2  $\mu$ l of Advantage<sup>TM</sup> 2 Taq buffer and 0.2  $\mu$ l of 2.5 mM of dNTPs with dH<sub>2</sub>O to 20  $\mu$ l. The cycling reactions were performed on a Geneamp<sup>®</sup> 9700 PCR system or a Mastercycler<sup>®</sup> gradient (Eppendorf, Westbury, New York, USA) with the following protocol: 95°C for 5 minutes, 35 cycles (96°C 20 seconds, 54-69°C 30 seconds, 72°C 2 minutes), 72°C for 7 minutes. The expected size of the PCR products is

10     approximately 1469 bp for the NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29) primer pair, 1034 bp for the NPB29-16f (SEQ ID NO:50) and NPB29-17r (SEQ ID NO:51) primer pair and 1318 bp for the NPB29-19f (SEQ ID NO:52) and NPB29-20r (SEQ ID NO:53) primer pair. The PCR reactions were analyzed on 0.7% agarose gels. PCR products of the expected size were excised from the gel and

15     purified using the Qiagen gel extraction method. The purified products were sequenced using the Big-Dye sequencing kit and analyzed using an ABI310 sequencer.

**5 Example 16: Construction of plasmid pPCRscript-*ebh***

A 1.469 kb DNA fragment containing the epothilone B hydroxylase gene and the downstream ferredoxin gene was amplified using PCR. The 50 µl PCR reaction was composed of 5 µl of Taq buffer, 2.5 µl glycerol, 1 µl of 20 ng/µl NPB29-1 plasmid, 0.4 µl of 25 mM dNTPs, 1.0 µl each of primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29) (5 pmole/µl), 38.1 µl of dH<sub>2</sub>O and 0.5 µl of Taq enzyme (Stratagene). The reactions were performed on a Geneamp<sup>®</sup> 9700 PCR system, with the following conditions; 95°C for 5 minutes, then 30 cycles (96°C for 30 seconds, 60°C 30 seconds, 72°C for 2 minutes), and 72°C for 7 minutes. The PCR product was purified using a Qiagen Qiaquick column with the PCR cleanup  
10 procedure. The purified product was digested with BglII and HindIII and purified on a 0.7 % agarose gel. A 1.469 kb band was excised from the gel and eluted using a Qiagen Qiaquick gel extraction procedure. The fragments were then cloned into the pPCRscript Amp vector using the PCRscript Amp cloning kit. Colonies containing inserts were picked to 1-2 ml of LB (Luria Broth) with 100 µg/ml ampicillin, 30-  
20 37°C, 16-24 hours, 230-300 rpm. Plasmid isolation was performed using the Mo Bio miniplasmid prep kit. The sequence of the insert was confirmed by cycle sequencing with the Big-Dye sequencing kit. This plasmid was named pPCRscript-*ebh*.

**Example 17: Mutagenesis of the *ebh* gene for improved yield or altered  
25 specificity**

The Quikchange<sup>®</sup> XL Site-Directed Mutagenesis Kit and the Quikchange<sup>®</sup> Multi Site-Directed Mutagenesis kit, both from Stratagene were used to introduce mutations in the coding region of the *ebh* gene. Both of these methods employ DNA primers 35-45 bases in length containing the desired mutation (SEQ ID NO:54-59 and  
30 77), a methylated circular plasmid template and *PfuTurbo*<sup>®</sup> DNA Polymerase (U.S. Patent Nos 5,545,552 and 5,866,395 and 5,948,663) to generate copies of the plasmid template incorporating the mutation carried on the mutagenic primers. Subsequent digestion of the reaction with the restriction endonuclease enzyme DpnI, selectively digests the methylated plasmid template, but leaves the non-methylated mutated  
35 plasmid intact. The manufacturer's instructions were followed for all procedures with

5 the exception of the DpnI digestion step in which the incubation time was increased from 1 hr to 3 hrs. The pPCRscript-*ebh* vector was used as the template for mutagenesis.

One to two  $\mu$ l of the reaction was transformed to either XL1-Blue® electrocompetent or XL10-Gold® ultracompetent cells (Stratagene). Cells were plated  
 10 to a density of greater than 100 colonies per plate on LA (Luria Agar) 100  $\mu$ g/ml ampicillin plates, and incubated 24-48 hrs at 30-37°C. The entire plate was resuspended in 5 ml of LB containing 100  $\mu$ g/ml ampicillin. Plasmid was isolated directly from the resuspended cells by centrifuging the cells and then purifying the plasmid using the Mo Bio miniprep procedure. This plasmid was then used as a  
 15 template for PCR with primers NPB29-6f (SEQ ID NO:28) and NPB29-7r (SEQ ID NO:29) to amplify a mutated expression cassette. Digestion of the 1.469 kb PCR product with the restriction enzymes BglII and HindIII was used to prepare this fragment for ligation to vector pANT849 also digested with BglII and HindIII. Alternatively, the resuspended cells were used to inoculate 20- 50 ml of LB  
 20 containing 100  $\mu$ g/ml ampicillin and grown 18-24 hrs at 30-37°C. Qiagen midi-preps were performed on the cultures to isolate plasmid DNA containing the desired mutation. Digestion with the restriction enzymes BglII and HindII was used to excise the mutated expression cassette for ligation to BglII and HindIII digested plasmid pANT849. Screening of mutants was performed in *S. lividans* or *S. rimosus* as  
 25 described.

Alternatively, the method of Leung *et al.*, Technique-A Journal of Methods in Cell and Molecular Biology, Vol. 1, No. 1, 11-15 (1989) was used to generate random mutation libraries of the *ebh* gene. Manganese and/or reduced dATP concentration is used to control the mutagenesis frequency of the Taq polymerase. The plasmid  
 30 pPCRscript-*ebh* was digested with NotI to linearize the plasmid. The Polymerase buffer was prepared with 0.166 M (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 0.67M Tris-HCl pH 8.8, 61 mM MgCl<sub>2</sub>, 67  $\mu$ M EDTA pH8.0, 1.7 mg/ml Bovine Serum Albumin). The PCR reaction was prepared with 10  $\mu$ l of Not I digested pPCRscript-*ebh* (0.1ng/ $\mu$ l), 10  $\mu$ l of polymerase buffer, 1.0  $\mu$ l of 1M  $\beta$ -mercaptoethanol, 10.0  $\mu$ l of DMSO, 1.0  $\mu$ l of NPB29-6f (SEQ  
 35 ID NO:28) primer (100 pmole/ $\mu$ l), 1.0  $\mu$ l of NPB29-7r (SEQ ID NO:29) primer (100 pmole/ $\mu$ l), 10  $\mu$ l of 5 mM MnCl<sub>2</sub>, 10.0  $\mu$ l 10 mM dGTP, 10.0  $\mu$ l 2 mM dATP, 10 mM

- 5 dTTP, 10.0  $\mu$ l 10 mM dCTP, and 2.0  $\mu$ l Taq polymerase. dH<sub>2</sub>O was added to 100  $\mu$ l. Reactions were also prepared as described above but without MnCl<sub>2</sub>. The cycling reactions were performed a GeneAmp® PCR system with the following protocol: 95°C for 1 minute, 25-30 cycles (94 °C for 1 minute, 55 °C for 30 seconds, 72 °C for 4 minutes), 72 °C for 7 minutes. The PCR reactions were separated on an agarose gel
- 10 using a Qiagen spin column. The fragments were then digested with BglII and HindIII and purified using a Qiagen spin column. The purified fragments were then ligated to BglII and HindIII digested pANT849 plasmids. Screening of mutants was performed in *S. lividans* and *S. rimosus*.

15 **Table of Characterized Mutants**

| Mutant             | Position | Substitution | Wild-type     |
|--------------------|----------|--------------|---------------|
| <i>ebh24-16</i>    | 92       | Valine       | Isoleucine    |
|                    | 237      | Alanine      | Phenylalanine |
| <i>ebh25-1</i>     | 195      | Serine       | Asparagine    |
|                    | 294      | Proline      | Serine        |
| <i>ebh10-53</i>    | 190      | Tyrosine     | Phenylalanine |
|                    | 231      | Arginine     | Glutamic acid |
| <i>ebh24-16d8</i>  | 92       | Valine       | Isoleucine    |
|                    | 237      | Alanine      | Phenylalanine |
|                    | 67       | Glutamine    | Arginine      |
| <i>ebh24-16c11</i> | 92       | Valine       | Isoleucine    |
|                    | 93       | Glycine      | Alanine       |
|                    | 237      | Alanine      | Phenylalanine |
|                    | 365      | Threonine    | Isoleucine    |
| <i>ebh24-16-16</i> | 92       | Valine       | Isoleucine    |
|                    | 106      | Alanine      | Valine        |
|                    | 237      | Alanine      | Phenylalanine |
| <i>ebh24-16-74</i> | 88       | Histidine    | Arginine      |
|                    | 92       | Valine       | Isoleucine    |
|                    | 237      | Alanine      | Phenylalanine |
| <i>ebh-M18</i>     | 31       | Lysine       | Glutamic acid |
|                    | 176      | Valine       | Methionine    |
| <i>ebh24-16g8</i>  | 92       | Valine       | Isoleucine    |

|                   |     |           |               |
|-------------------|-----|-----------|---------------|
|                   | 237 | Alanine   | Phenylalanine |
|                   | 67  | Glutamine | Arginine      |
|                   | 130 | Threonine | Isoleucine    |
|                   | 176 | Alanine   | Methionine    |
| <i>ebh24-16b9</i> | 92  | Valine    | Isoleucine    |
|                   | 237 | Alanine   | Phenylalanine |
|                   | 67  | Glutamine | Arginine      |
|                   | 140 | Threonine | Alanine       |
|                   | 176 | Serine    | Methionine    |

5

**Example 18: Comparison of epothilone B transformation in cells expressing *ebh* and mutants thereof**

In these experiments, twenty ml of YEME medium in a 125 ml bi-indented flask was inoculated with 200 µl of a frozen spore preparation of *S. lividans* TK24, *S. lividans* (pANT849-*ebh*), *S. lividans* (pANT849-*ebh10-53*) or *S. lividans* (pANT849-*ebh24-16*) and incubated 48 hours at 230 rpm, 30°C. Thiostrepton, 10 µg/ml was added to media inoculated with *S. lividans* (pANT849-*ebh*), *S. lividans* (pANT849-*ebh10-53*) and *S. lividans* (pANT849-*ebh24-16*). Four ml of culture was transferred to 20 ml of R5 medium in a 125 ml Erlenmeyer flask and incubated 18 hrs at 230 rpm, 30°C. Epothilone B in 100% EtOH was added to each culture to a final concentration of 0.05% weight/volume. Samples were taken at 0, 24, 48 and 72 hours with the exception of the *S. lividans* (pANT849-*ebh24-16*) culture, in which the epothilone B had been completely converted to epothilone F at 48 hours. The samples were analyzed by HPLC. Results were calculated as a percentage of the epothilone B at time 0 hours.

**Epothilone B:**

| Time (hours) | TK24 | pANT849- <i>ebh</i> | pANT849- <i>ebh10-53</i> | pANT849- <i>ebh24-16</i> |
|--------------|------|---------------------|--------------------------|--------------------------|
| 0            | 100% | 100%                | 100%                     | 100%                     |
| 24           | 99%  | 78%                 | 69%                      | 56%                      |
| 48           | 87%  | 19%                 | 39%                      | 0%                       |
| 72           | 87%  | 0%                  | 3%                       | ---                      |

**Epothilone F:**

| Time (hours) | TK24 | pANT849- <i>ebh</i> | pANT849- <i>ebh10-53</i> | pANT849- <i>ebh24-16</i> |
|--------------|------|---------------------|--------------------------|--------------------------|
|--------------|------|---------------------|--------------------------|--------------------------|

|    |    |     |     |     |
|----|----|-----|-----|-----|
| 0  | 0% | 0%  | 0%  | 0%  |
| 24 | 0% | 4%  | 9%  | 23% |
| 48 | 0% | 21% | 29% | 52% |
| 72 | 0% | 14% | 41% | --- |

5

Alternatively, the bioconversion of epothilone B to epothilone F was performed in *S. rimosus* host cells transformed with expression plasmids containing the *ebh* gene and its variants or mutants. One-hundred  $\mu$ l of a frozen *S. rimosus* transformant culture was inoculated to 20 ml CRM media with 10  $\mu$ g/ml thiostrepton and cultivated 16-24 hr, 30°C, 230- 300 rpm. Epothilone B in 100% ethanol was added to each culture to a final concentration of 0.05% weight/volume. The reaction was typically incubated 20- 40hrs at 30 °C, 230-300 rpm. The concentration of epothilones B and F was determined by HPLC analysis.

#### Evaluation of mutants in *S. rimosus*

| Mutant              | Epothilone F yield |
|---------------------|--------------------|
| <i>ebh</i> -M18     | 55%                |
| <i>ebh</i> 24-16d8  | 75%                |
| <i>ebh</i> 24-16c11 | 75%                |
| <i>ebh</i> 24-16-16 | 75%                |
| <i>ebh</i> 24-16-74 | 75%                |
| <i>ebh</i> 24-16b9  | 80%                |
| <i>ebh</i> 24-16g8  | 85%                |

15

#### Example 19: Biotransformation of compactin to pravastatin

Twenty ml of R2YE media with 10  $\mu$ g/ml thiostrepton in a 125 ml flask was inoculated with 200  $\mu$ l of a frozen spore preparation of *S. lividans* (pANT849), *S. lividans* (pANT849-*ebh*) and incubated 72 hours at 230 rpm, 28°C. Four ml of culture was inoculated to 20 ml of R2YE media and grown 24 hours at 230 rpm, 28°C. One ml of culture was transferred to a 15 ml polypropylene culture tube, 10  $\mu$ l of compactin (40 mg/ml) was added to each culture and incubated for 24 hours, 28°C, 250 rpm. Five hundred  $\mu$ l of the culture broth was transferred to a fresh 15 ml polypropylene culture tube. Five hundred  $\mu$ l of 50 mM sodium hydroxide was added

20

- 5 and vortexed. Three ml of methanol was added and vortexed, the tube was centrifuged 10 minutes at 3000 rpm in a TJ-6 table-top centrifuge. The organic phase was analyzed by HPLC. Compactin and pravastatin values were assessed relative to the control *S. lividans* (pANT849) culture.

10 **Compactin and Pravastatin as a Percentage of Starting Compactin Concentration:**

|             | <i>S. lividans</i> (pANT849) | <i>S. lividans</i> (pANT849- <i>ebh</i> ) |
|-------------|------------------------------|-------------------------------------------|
| Compactin   | 36%                          | 11%                                       |
| Pravastatin | 11%                          | 53%                                       |

**Example 20: High performance liquid chromatography method for compactin and pravastatin detection**

- 15 The liquid chromatography separation was performed using a Hewlett Packard 1090 Series Separation system (Agilent Technologies, Palo Alto, California, USA) and a column, 50x46 mm, filled with Spherisorb ODS2, particle size 5  $\mu$ m (Keystone Scientific, Inc, Bellefonte, Pennsylvania, USA). The gradient mobile phase programming was used with a flow rate of 2.0 ml/minute. Eluent A was water,  
 20 10 mM ammonium acetate and 0.05% Phosphoric Acid. Eluent B was acetonitrile. The mobile phase was a linear gradient from 20% B to 90 % B over 4 minutes.

**Example 21: Structure determination of the biotransformation product of mutant *ebh25-1***

- 25 Analytical HPLC was performed using a Hewlett Packard 1100 Series Liquid Chromatograph with a YMC Packed ODS-AQ column, 4.6 mm i.d. x 15 cm l. A gradient system of water (solvent A) and acetonitrile (solvent B) was used: 20% to 90% B linear gradient, 10 minutes; 90% to 20% linear gradient, 2 minutes. The flow rate was 1 ml/minute and UV detection was at 254 nm.

- 30 Preparative HPLC was performed using the following equipment and conditions:

Pump: Varian ProStar Solvent Delivery Module (Varian Inc., Palo Alto, California, USA). Detector: Gynkotek UVD340S.

Column: YMC ODS-A column (30mmID X 100 mm length, 5 $\mu$   $\square$  particle size).

5 Elution flow rate: 30 ml/minute

Elution gradient: (solvent A: water; solvent B: acetonitrile), 20% B, 2 minutes; 20% to 60% B linear gradient, 18 minutes; 60% B, 2 minutes; 60 % to 90% B linear gradient, 1 minute; 90 % B, 3 minutes; 90 % to 20% B linear gradient, 2 minutes.

Detection: UV, 210 nm.

10 LC/NMR was performed as follows: 40 µl of sample was injected onto a YMC Packed ODS-AQ column (4.6 mm i.d. x 15 cm l). The column was eluted at 1 ml/minute flow rate with a gradient system of D<sub>2</sub>O (solvent A) and acetonitrile-d<sub>3</sub> (solvent B): 30% B, 1 minute; 30% to 80% B linear gradient, 11 minutes. The eluent passed a UV detection cell (monitored at 254 nm) before flowing through a F19/H1  
15 NMR probe (60 µl active volume) in Varian AS-600 NMR spectrometer. The biotransformation product was eluted at around 7.5 minutes and the flow was stopped manually to allow the eluent to remain in the NMR probe for NMR data acquisition.

Isolation and analysis was performed as follows. The butanol/methanol extract (about 10 ml) was evaporated to dryness under nitrogen stream. One ml methanol  
20 was added to the residue (38 mg) and insoluble material was removed by centrifugation (13000 rpm, 2 min). 0.1 ml of the supernatant was used for LC/NMR study and the rest of 0.9 ml was subjected to the preparative HPLC (0.2-0.4 ml per injection). Two major peaks were observed and collected: peak A was eluted between 14 and 15 minutes, while peak B was eluted between 16.5 and 17.5 minutes.  
25 Analytical HPLC analysis indicated that peak B was the parent compound, epothilone B (Rt 8.5 minutes), and peak A was the biotransformation product (Rt 7.3 minutes). The peak A fractions were pooled and MS analysis data was obtained with the pooled fractions. The pooled fraction was evaporated to a small volume, then was lyophilized to give 3 mg of white solid. NMR and HPLC analysis of the white solid  
30 (dissolved in methanol) revealed that the biotransformation product was partially decomposed during the drying process.

## 5 APPENDIX 1

| Atom No. | Residue | Atom Name | X-coord | Y-coord | Z-coord |
|----------|---------|-----------|---------|---------|---------|
| 1        | ALA9    | N         | -39.918 | -4.913  | -1.651  |
| 2        | ALA9    | CA        | -38.454 | -5.033  | -1.537  |
| 3        | ALA9    | C         | -37.953 | -4.886  | -0.099  |
| 4        | ALA9    | O         | -38.625 | -4.31   | 0.765   |
| 5        | ALA9    | CB        | -37.809 | -3.967  | -2.415  |
| 6        | THR10   | N         | -36.781 | -5.447  | 0.146   |
| 7        | THR10   | CA        | -36.187 | -5.437  | 1.49    |
| 8        | THR10   | C         | -34.916 | -4.585  | 1.553   |
| 9        | THR10   | O         | -34.016 | -4.735  | 0.72    |
| 10       | THR10   | CB        | -35.871 | -6.887  | 1.846   |
| 11       | THR10   | OG1       | -37.075 | -7.631  | 1.717   |
| 12       | THR10   | CG2       | -35.355 | -7.053  | 3.271   |
| 13       | LEU11   | N         | -34.858 | -3.699  | 2.536   |
| 14       | LEU11   | CA        | -33.669 | -2.853  | 2.745   |
| 15       | LEU11   | C         | -32.511 | -3.649  | 3.353   |
| 16       | LEU11   | O         | -32.706 | -4.468  | 4.259   |
| 17       | LEU11   | CB        | -34.033 | -1.707  | 3.687   |
| 18       | LEU11   | CG        | -35.079 | -0.78   | 3.078   |
| 19       | LEU11   | CD1       | -35.53  | 0.265   | 4.091   |
| 20       | LEU11   | CD2       | -34.555 | -0.111  | 1.81    |
| 21       | PRO12   | N         | -31.32  | -3.422  | 2.823   |
| 22       | PRO12   | CA        | -30.121 | -4.119  | 3.302   |
| 23       | PRO12   | C         | -29.652 | -3.606  | 4.663   |
| 24       | PRO12   | O         | -29.656 | -2.397  | 4.918   |
| 25       | PRO12   | CB        | -29.081 | -3.842  | 2.259   |
| 26       | PRO12   | CG        | -29.597 | -2.771  | 1.309   |
| 27       | PRO12   | CD        | -31.031 | -2.493  | 1.729   |
| 28       | LEU13   | N         | -29.278 | -4.522  | 5.54    |
| 29       | LEU13   | CA        | -28.676 | -4.118  | 6.819   |
| 30       | LEU13   | C         | -27.183 | -3.88   | 6.627   |
| 31       | LEU13   | O         | -26.449 | -4.806  | 6.267   |
| 32       | LEU13   | CB        | -28.898 | -5.196  | 7.872   |
| 33       | LEU13   | CG        | -30.374 | -5.354  | 8.217   |
| 34       | LEU13   | CD1       | -30.587 | -6.516  | 9.181   |
| 35       | LEU13   | CD2       | -30.945 | -4.067  | 8.802   |
| 36       | ALA14   | N         | -26.72  | -2.741  | 7.112   |
| 37       | ALA14   | CA        | -25.355 | -2.266  | 6.825   |
| 38       | ALA14   | C         | -24.244 | -2.941  | 7.634   |
| 39       | ALA14   | O         | -23.058 | -2.719  | 7.372   |
| 40       | ALA14   | CB        | -25.311 | -0.764  | 7.075   |
| 41       | ARG15   | N         | -24.628 | -3.792  | 8.569   |
| 42       | ARG15   | CA        | -23.664 | -4.537  | 9.379   |
| 43       | ARG15   | C         | -23.478 | -5.983  | 8.91    |
| 44       | ARG15   | O         | -22.815 | -6.767  | 9.599   |
| 45       | ARG15   | CB        | -24.174 | -4.519  | 10.81   |
| 46       | ARG15   | CG        | -25.655 | -4.879  | 10.84   |
| 47       | ARG15   | CD        | -26.2   | -4.843  | 12.26   |
| 48       | ARG15   | NE        | -27.657 | -5.039  | 12.256  |
| 49       | ARG15   | CZ        | -28.358 | -5.301  | 13.36   |
| 50       | ARG15   | NH1       | -29.69  | -5.376  | 13.3    |
| 51       | ARG15   | NH2       | -27.735 | -5.412  | 14.536  |
| 52       | LYS16   | N         | -24.096 | -6.351  | 7.798   |

WO 03/057830

PCT/US02/40359

|     |       |     |         |         |        |
|-----|-------|-----|---------|---------|--------|
| 53  | LYS16 | CA  | -24.016 | -7.741  | 7.335  |
| 54  | LYS16 | C   | -22.639 | -8.128  | 6.807  |
| 55  | LYS16 | O   | -21.959 | -7.359  | 6.115  |
| 56  | LYS16 | CB  | -25.061 | -7.977  | 6.252  |
| 57  | LYS16 | CG  | -26.466 | -7.985  | 6.839  |
| 58  | LYS16 | CD  | -26.605 | -9.079  | 7.892  |
| 59  | LYS16 | CE  | -28.002 | -9.092  | 8.499  |
| 60  | LYS16 | NZ  | -28.113 | -10.128 | 9.537  |
| 61  | CYS17 | N   | -22.317 | -9.392  | 7.036  |
| 62  | CYS17 | CA  | -21.061 | -10.004 | 6.56   |
| 63  | CYS17 | C   | -20.737 | -9.771  | 5.066  |
| 64  | CYS17 | O   | -19.662 | -9.205  | 4.833  |
| 65  | CYS17 | CB  | -21.096 | -11.501 | 6.864  |
| 66  | CYS17 | SG  | -21.33  | -11.937 | 8.602  |
| 67  | PRO18 | N   | -21.635 | -10.003 | 4.1    |
| 68  | PRO18 | CA  | -21.293 | -9.756  | 2.683  |
| 69  | PRO18 | C   | -21.123 | -8.291  | 2.246  |
| 70  | PRO18 | O   | -21.013 | -8.061  | 1.036  |
| 71  | PRO18 | CB  | -22.388 | -10.383 | 1.878  |
| 72  | PRO18 | CG  | -23.509 | -10.812 | 2.802  |
| 73  | PRO18 | CD  | -23.002 | -10.554 | 4.207  |
| 74  | PHE19 | N   | -21.137 | -7.33   | 3.162  |
| 75  | PHE19 | CA  | -20.792 | -5.947  | 2.834  |
| 76  | PHE19 | C   | -19.279 | -5.777  | 2.788  |
| 77  | PHE19 | O   | -18.789 | -4.92   | 2.036  |
| 78  | PHE19 | CB  | -21.36  | -5.007  | 3.894  |
| 79  | PHE19 | CG  | -22.8   | -4.568  | 3.654  |
| 80  | PHE19 | CD1 | -23.051 | -3.27   | 3.232  |
| 81  | PHE19 | CD2 | -23.856 | -5.444  | 3.867  |
| 82  | PHE19 | CE1 | -24.355 | -2.853  | 3.003  |
| 83  | PHE19 | CE2 | -25.159 | -5.03   | 3.629  |
| 84  | PHE19 | CZ  | -25.409 | -3.735  | 3.197  |
| 85  | SER20 | N   | -18.573 | -6.687  | 3.449  |
| 86  | SER20 | CA  | -17.102 | -6.717  | 3.446  |
| 87  | SER20 | C   | -16.569 | -7.839  | 4.342  |
| 88  | SER20 | O   | -16.632 | -7.723  | 5.573  |
| 89  | SER20 | CB  | -16.557 | -5.371  | 3.929  |
| 90  | SER20 | OG  | -17.236 | -5.019  | 5.129  |
| 91  | PRO21 | N   | -15.974 | -8.867  | 3.753  |
| 92  | PRO21 | CA  | -15.978 | -9.134  | 2.304  |
| 93  | PRO21 | C   | -17.267 | -9.836  | 1.856  |
| 94  | PRO21 | O   | -18.026 | -10.327 | 2.702  |
| 95  | PRO21 | CB  | -14.8   | -10.047 | 2.111  |
| 96  | PRO21 | CG  | -14.442 | -10.669 | 3.455  |
| 97  | PRO21 | CD  | -15.306 | -9.949  | 4.481  |
| 98  | PRO22 | N   | -17.551 | -9.859  | 0.561  |
| 99  | PRO22 | CA  | -16.897 | -9.007  | -0.445 |
| 100 | PRO22 | C   | -17.4   | -7.575  | -0.296 |
| 101 | PRO22 | O   | -18.341 | -7.371  | 0.469  |
| 102 | PRO22 | CB  | -17.32  | -9.591  | -1.762 |
| 103 | PRO22 | CG  | -18.478 | -10.549 | -1.528 |
| 104 | PRO22 | CD  | -18.669 | -10.604 | -0.021 |
| 105 | PRO23 | N   | -16.687 | -6.605  | -0.842 |
| 106 | PRO23 | CA  | -17.224 | -5.241  | -0.897 |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 107 | PRO23 | C   | -18.525 | -5.21  | -1.693 |
| 108 | PRO23 | O   | -18.524 | -5.083 | -2.925 |
| 109 | PRO23 | CB  | -16.159 | -4.417 | -1.547 |
| 110 | PRO23 | CG  | -15.004 | -5.321 | -1.95  |
| 111 | PRO23 | CD  | -15.388 | -6.725 | -1.509 |
| 112 | GLU24 | N   | -19.62  | -5.122 | -0.956 |
| 113 | GLU24 | CA  | -20.963 | -5.192 | -1.547 |
| 114 | GLU24 | C   | -21.415 | -3.843 | -2.088 |
| 115 | GLU24 | O   | -22.323 | -3.794 | -2.93  |
| 116 | GLU24 | CB  | -21.934 | -5.68  | -0.48  |
| 117 | GLU24 | CG  | -23.27  | -6.137 | -1.052 |
| 118 | GLU24 | CD  | -23.982 | -7.017 | -0.024 |
| 119 | GLU24 | OE1 | -24.613 | -7.981 | -0.433 |
| 120 | GLU24 | OE2 | -23.833 | -6.745 | 1.158  |
| 121 | TYR25 | N   | -20.573 | -2.843 | -1.878 |
| 122 | TYR25 | CA  | -20.842 | -1.47  | -2.303 |
| 123 | TYR25 | C   | -20.704 | -1.311 | -3.816 |
| 124 | TYR25 | O   | -21.364 | -0.436 | -4.385 |
| 125 | TYR25 | CB  | -19.828 | -0.568 | -1.608 |
| 126 | TYR25 | CG  | -19.616 | -0.882 | -0.128 |
| 127 | TYR25 | CD1 | -20.662 | -0.753 | 0.779  |
| 128 | TYR25 | CD2 | -18.364 | -1.298 | 0.311  |
| 129 | TYR25 | CE1 | -20.461 | -1.062 | 2.119  |
| 130 | TYR25 | CE2 | -18.163 | -1.605 | 1.65   |
| 131 | TYR25 | CZ  | -19.213 | -1.492 | 2.55   |
| 132 | TYR25 | OH  | -19.026 | -1.859 | 3.866  |
| 133 | GLU26 | N   | -20.1   | -2.296 | -4.468 |
| 134 | GLU26 | CA  | -20.009 | -2.293 | -5.928 |
| 135 | GLU26 | C   | -21.404 | -2.483 | -6.52  |
| 136 | GLU26 | O   | -21.92  | -1.572 | -7.177 |
| 137 | GLU26 | CB  | -19.129 | -3.454 | -6.39  |
| 138 | GLU26 | CG  | -17.813 | -3.593 | -5.628 |
| 139 | GLU26 | CD  | -16.94  | -2.342 | -5.707 |
| 140 | GLU26 | OE1 | -16.345 | -2.12  | -6.749 |
| 141 | GLU26 | OE2 | -16.773 | -1.731 | -4.657 |
| 142 | ARG27 | N   | -22.105 | -3.488 | -6.017 |
| 143 | ARG27 | CA  | -23.437 | -3.805 | -6.538 |
| 144 | ARG27 | C   | -24.504 | -2.909 | -5.921 |
| 145 | ARG27 | O   | -25.496 | -2.591 | -6.59  |
| 146 | ARG27 | CB  | -23.752 | -5.26  | -6.22  |
| 147 | ARG27 | CG  | -22.7   | -6.189 | -6.812 |
| 148 | ARG27 | CD  | -23.031 | -7.653 | -6.55  |
| 149 | ARG27 | NE  | -23.146 | -7.926 | -5.108 |
| 150 | ARG27 | CZ  | -22.251 | -8.648 | -4.428 |
| 151 | ARG27 | NH1 | -21.16  | -9.11  | -5.043 |
| 152 | ARG27 | NH2 | -22.428 | -8.879 | -3.126 |
| 153 | LEU28 | N   | -24.197 | -2.331 | -4.771 |
| 154 | LEU28 | CA  | -25.11  | -1.358 | -4.168 |
| 155 | LEU28 | C   | -25.131 | -0.079 | -4.987 |
| 156 | LEU28 | O   | -26.214 | 0.286  | -5.45  |
| 157 | LEU28 | CB  | -24.67  | -1.039 | -2.746 |
| 158 | LEU28 | CG  | -24.868 | -2.224 | -1.81  |
| 159 | LEU28 | CD1 | -24.303 | -1.916 | -0.43  |
| 160 | LEU28 | CD2 | -26.34  | -2.609 | -1.716 |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |         |
|-----|-------|-----|---------|--------|---------|
| 161 | ARG29 | N   | -23.969 | 0.307  | -5.49   |
| 162 | ARG29 | CA  | -23.835 | 1.502  | -6.327  |
| 163 | ARG29 | C   | -24.521 | 1.334  | -7.677  |
| 164 | ARG29 | O   | -25.271 | 2.226  | -8.096  |
| 165 | ARG29 | CB  | -22.345 | 1.682  | -6.568  |
| 166 | ARG29 | CG  | -21.997 | 2.947  | -7.336  |
| 167 | ARG29 | CD  | -20.519 | 2.941  | -7.711  |
| 168 | ARG29 | NE  | -19.696 | 2.563  | -6.551  |
| 169 | ARG29 | CZ  | -18.945 | 1.459  | -6.523  |
| 170 | ARG29 | NH1 | -18.872 | 0.673  | -7.6    |
| 171 | ARG29 | NH2 | -18.265 | 1.145  | -5.421  |
| 172 | ARG30 | N   | -24.494 | 0.109  | -8.182  |
| 173 | ARG30 | CA  | -25.112 | -0.208 | -9.475  |
| 174 | ARG30 | C   | -26.629 | -0.386 | -9.407  |
| 175 | ARG30 | O   | -27.282 | -0.429 | -10.455 |
| 176 | ARG30 | CB  | -24.503 | -1.512 | -9.971  |
| 177 | ARG30 | CG  | -22.992 | -1.401 | -10.1   |
| 178 | ARG30 | CD  | -22.376 | -2.745 | -10.463 |
| 179 | ARG30 | NE  | -20.909 | -2.659 | -10.479 |
| 180 | ARG30 | CZ  | -20.12  | -3.648 | -10.054 |
| 181 | ARG30 | NH1 | -20.658 | -4.772 | -9.576  |
| 182 | ARG30 | NH2 | -18.793 | -3.508 | -10.099 |
| 183 | GLU31 | N   | -27.194 | -0.493 | -8.215  |
| 184 | GLU31 | CA  | -28.653 | -0.576 | -8.109  |
| 185 | GLU31 | C   | -29.207 | 0.713  | -7.51   |
| 186 | GLU31 | O   | -30.393 | 1.032  | -7.656  |
| 187 | GLU31 | CB  | -29.025 | -1.746 | -7.203  |
| 188 | GLU31 | CG  | -28.381 | -3.055 | -7.65   |
| 189 | GLU31 | CD  | -28.814 | -3.443 | -9.061  |
| 190 | GLU31 | OE1 | -30.013 | -3.448 | -9.301  |
| 191 | GLU31 | OE2 | -27.961 | -3.944 | -9.782  |
| 192 | SER32 | N   | -28.319 | 1.439  | -6.855  |
| 193 | SER32 | CA  | -28.652 | 2.672  | -6.147  |
| 194 | SER32 | C   | -27.386 | 3.393  | -5.683  |
| 195 | SER32 | O   | -26.706 | 2.984  | -4.731  |
| 196 | SER32 | CB  | -29.509 | 2.309  | -4.939  |
| 197 | SER32 | OG  | -28.842 | 1.268  | -4.234  |
| 198 | PRO33 | N   | -27.148 | 4.543  | -6.292  |
| 199 | PRO33 | CA  | -26.039 | 5.408  | -5.869  |
| 200 | PRO33 | C   | -26.227 | 5.972  | -4.454  |
| 201 | PRO33 | O   | -25.241 | 6.254  | -3.758  |
| 202 | PRO33 | CB  | -26.023 | 6.511  | -6.879  |
| 203 | PRO33 | CG  | -27.203 | 6.364  | -7.829  |
| 204 | PRO33 | CD  | -27.933 | 5.107  | -7.394  |
| 205 | VAL34 | N   | -27.478 | 6.094  | -4.033  |
| 206 | VAL34 | CA  | -27.83  | 6.472  | -2.661  |
| 207 | VAL34 | C   | -28.828 | 5.447  | -2.122  |
| 208 | VAL34 | O   | -30.01  | 5.467  | -2.487  |
| 209 | VAL34 | CB  | -28.483 | 7.85   | -2.686  |
| 210 | VAL34 | CG1 | -28.789 | 8.339  | -1.275  |
| 211 | VAL34 | CG2 | -27.616 | 8.865  | -3.42   |
| 212 | SER35 | N   | -28.344 | 4.546  | -1.286  |
| 213 | SER35 | CA  | -29.186 | 3.438  | -0.802  |
| 214 | SER35 | C   | -29.512 | 3.536  | 0.688   |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 215 | SER35 | O   | -28.615 | 3.692  | 1.521  |
| 216 | SER35 | CB  | -28.456 | 2.126  | -1.077 |
| 217 | SER35 | OG  | -27.19  | 2.169  | -0.43  |
| 218 | ARG36 | N   | -30.785 | 3.413  | 1.025  |
| 219 | ARG36 | CA  | -31.168 | 3.431  | 2.443  |
| 220 | ARG36 | C   | -30.894 | 2.072  | 3.082  |
| 221 | ARG36 | O   | -31.516 | 1.059  | 2.741  |
| 222 | ARG36 | CB  | -32.645 | 3.779  | 2.597  |
| 223 | ARG36 | CG  | -33.016 | 3.857  | 4.076  |
| 224 | ARG36 | CD  | -34.513 | 4.047  | 4.295  |
| 225 | ARG36 | NE  | -34.987 | 5.35   | 3.804  |
| 226 | ARG36 | CZ  | -36.272 | 5.582  | 3.523  |
| 227 | ARG36 | NH1 | -37.16  | 4.59   | 3.609  |
| 228 | ARG36 | NH2 | -36.662 | 6.791  | 3.113  |
| 229 | VAL37 | N   | -29.921 | 2.067  | 3.974  |
| 230 | VAL37 | CA  | -29.543 | 0.855  | 4.695  |
| 231 | VAL37 | C   | -29.982 | 0.926  | 6.152  |
| 232 | VAL37 | O   | -30.313 | 1.995  | 6.684  |
| 233 | VAL37 | CB  | -28.03  | 0.681  | 4.608  |
| 234 | VAL37 | CG1 | -27.591 | 0.391  | 3.177  |
| 235 | VAL37 | CG2 | -27.298 | 1.898  | 5.163  |
| 236 | GLY38 | N   | -30.064 | -0.24  | 6.761  |
| 237 | GLY38 | CA  | -30.404 | -0.332 | 8.18   |
| 238 | GLY38 | C   | -29.151 | -0.563 | 9.016  |
| 239 | GLY38 | O   | -28.562 | -1.652 | 9.003  |
| 240 | LEU39 | N   | -28.764 | 0.463  | 9.75   |
| 241 | LEU39 | CA  | -27.607 | 0.399  | 10.656 |
| 242 | LEU39 | C   | -27.911 | -0.554 | 11.817 |
| 243 | LEU39 | O   | -29.028 | -1.085 | 11.882 |
| 244 | LEU39 | CB  | -27.353 | 1.814  | 11.187 |
| 245 | LEU39 | CG  | -26.198 | 2.546  | 10.5   |
| 246 | LEU39 | CD1 | -26.368 | 2.665  | 8.988  |
| 247 | LEU39 | CD2 | -26.011 | 3.925  | 11.12  |
| 248 | PRO40 | N   | -26.919 | -0.869 | 12.643 |
| 249 | PRO40 | CA  | -27.183 | -1.62  | 13.875 |
| 250 | PRO40 | C   | -28.423 | -1.116 | 14.614 |
| 251 | PRO40 | O   | -28.771 | 0.073  | 14.574 |
| 252 | PRO40 | CB  | -25.933 | -1.51  | 14.691 |
| 253 | PRO40 | CG  | -24.84  | -0.886 | 13.837 |
| 254 | PRO40 | CD  | -25.497 | -0.52  | 12.516 |
| 255 | SER41 | N   | -29.188 | -2.109 | 15.042 |
| 256 | SER41 | CA  | -30.511 | -1.986 | 15.686 |
| 257 | SER41 | C   | -31.548 | -1.213 | 14.856 |
| 258 | SER41 | O   | -32.379 | -0.492 | 15.419 |
| 259 | SER41 | CB  | -30.387 | -1.382 | 17.087 |
| 260 | SER41 | OG  | -30.036 | -0.008 | 17.001 |
| 261 | GLY42 | N   | -31.474 | -1.34  | 13.539 |
| 262 | GLY42 | CA  | -32.521 | -0.831 | 12.644 |
| 263 | GLY42 | C   | -32.557 | 0.686  | 12.434 |
| 264 | GLY42 | O   | -33.59  | 1.208  | 11.997 |
| 265 | GLN43 | N   | -31.471 | 1.392  | 12.713 |
| 266 | GLN43 | CA  | -31.501 | 2.847  | 12.494 |
| 267 | GLN43 | C   | -31.201 | 3.16   | 11.025 |
| 268 | GLN43 | O   | -30.079 | 2.955  | 10.551 |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 269 | GLN43 | CB  | -30.507 | 3.53   | 13.437 |
| 270 | GLN43 | CG  | -30.681 | 5.05   | 13.439 |
| 271 | GLN43 | CD  | -29.873 | 5.699  | 14.567 |
| 272 | GLN43 | OE1 | -30.31  | 6.682  | 15.184 |
| 273 | GLN43 | NE2 | -28.723 | 5.116  | 14.852 |
| 274 | THR44 | N   | -32.227 | 3.582  | 10.304 |
| 275 | THR44 | CA  | -32.096 | 3.832  | 8.859  |
| 276 | THR44 | C   | -31.194 | 5.02   | 8.534  |
| 277 | THR44 | O   | -31.231 | 6.071  | 9.187  |
| 278 | THR44 | CB  | -33.475 | 4.077  | 8.258  |
| 279 | THR44 | OG1 | -34.009 | 5.268  | 8.823  |
| 280 | THR44 | CG2 | -34.428 | 2.923  | 8.551  |
| 281 | ALA45 | N   | -30.35  | 4.799  | 7.541  |
| 282 | ALA45 | CA  | -29.426 | 5.833  | 7.07   |
| 283 | ALA45 | C   | -29.16  | 5.718  | 5.572  |
| 284 | ALA45 | O   | -29.105 | 4.619  | 5.009  |
| 285 | ALA45 | CB  | -28.115 | 5.705  | 7.836  |
| 286 | TRP46 | N   | -28.989 | 6.859  | 4.931  |
| 287 | TRP46 | CA  | -28.702 | 6.865  | 3.492  |
| 288 | TRP46 | C   | -27.212 | 6.698  | 3.221  |
| 289 | TRP46 | O   | -26.408 | 7.589  | 3.517  |
| 290 | TRP46 | CB  | -29.185 | 8.173  | 2.881  |
| 291 | TRP46 | CG  | -30.693 | 8.309  | 2.805  |
| 292 | TRP46 | CD1 | -31.509 | 9.009  | 3.665  |
| 293 | TRP46 | CD2 | -31.552 | 7.723  | 1.804  |
| 294 | TRP46 | NE1 | -32.788 | 8.894  | 3.228  |
| 295 | TRP46 | CE2 | -32.862 | 8.146  | 2.116  |
| 296 | TRP46 | CE3 | -31.324 | 6.922  | 0.701  |
| 297 | TRP46 | CZ2 | -33.913 | 7.774  | 1.295  |
| 298 | TRP46 | CZ3 | -32.389 | 6.538  | -0.105 |
| 299 | TRP46 | CH2 | -33.68  | 6.967  | 0.19   |
| 300 | ALA47 | N   | -26.863 | 5.559  | 2.652  |
| 301 | ALA47 | CA  | -25.475 | 5.257  | 2.302  |
| 302 | ALA47 | C   | -25.153 | 5.708  | 0.882  |
| 303 | ALA47 | O   | -25.772 | 5.272  | -0.1   |
| 304 | ALA47 | CB  | -25.248 | 3.756  | 2.427  |
| 305 | LEU48 | N   | -24.185 | 6.602  | 0.797  |
| 306 | LEU48 | CA  | -23.751 | 7.129  | -0.501 |
| 307 | LEU48 | C   | -22.648 | 6.252  | -1.067 |
| 308 | LEU48 | O   | -21.546 | 6.197  | -0.511 |
| 309 | LEU48 | CB  | -23.222 | 8.543  | -0.317 |
| 310 | LEU48 | CG  | -24.27  | 9.464  | 0.289  |
| 311 | LEU48 | CD1 | -23.707 | 10.863 | 0.454  |
| 312 | LEU48 | CD2 | -25.524 | 9.515  | -0.569 |
| 313 | THR49 | N   | -22.948 | 5.601  | -2.176 |
| 314 | THR49 | CA  | -22.01  | 4.636  | -2.75  |
| 315 | THR49 | C   | -21.197 | 5.214  | -3.907 |
| 316 | THR49 | O   | -20.047 | 4.803  | -4.09  |
| 317 | THR49 | CB  | -22.774 | 3.391  | -3.196 |
| 318 | THR49 | OG1 | -23.783 | 3.769  | -4.125 |
| 319 | THR49 | CG2 | -23.458 | 2.703  | -2.02  |
| 320 | ARG50 | N   | -21.724 | 6.2    | -4.616 |
| 321 | ARG50 | CA  | -20.899 | 6.838  | -5.655 |
| 322 | ARG50 | C   | -20.007 | 7.927  | -5.081 |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |         |
|-----|-------|-----|---------|--------|---------|
| 323 | ARG50 | O   | -20.456 | 8.712  | -4.234  |
| 324 | ARG50 | CB  | -21.737 | 7.467  | -6.758  |
| 325 | ARG50 | CG  | -22.426 | 6.441  | -7.639  |
| 326 | ARG50 | CD  | -22.852 | 7.085  | -8.951  |
| 327 | ARG50 | NE  | -23.597 | 8.327  | -8.704  |
| 328 | ARG50 | CZ  | -23.779 | 9.27   | -9.629  |
| 329 | ARG50 | NH1 | -24.462 | 10.375 | -9.326  |
| 330 | ARG50 | NH2 | -23.274 | 9.111  | -10.854 |
| 331 | LEU51 | N   | -18.92  | 8.175  | -5.797  |
| 332 | LEU51 | CA  | -17.931 | 9.19   | -5.399  |
| 333 | LEU51 | C   | -18.52  | 10.584 | -5.583  |
| 334 | LEU51 | O   | -18.42  | 11.426 | -4.682  |
| 335 | LEU51 | CB  | -16.726 | 9.066  | -6.33   |
| 336 | LEU51 | CG  | -15.377 | 9.193  | -5.621  |
| 337 | LEU51 | CD1 | -14.233 | 9.154  | -6.628  |
| 338 | LEU51 | CD2 | -15.267 | 10.433 | -4.746  |
| 339 | GLU52 | N   | -19.404 | 10.68  | -6.562  |
| 340 | GLU52 | CA  | -20.088 | 11.93  | -6.891  |
| 341 | GLU52 | C   | -21.101 | 12.314 | -5.811  |
| 342 | GLU52 | O   | -21.114 | 13.477 | -5.389  |
| 343 | GLU52 | CB  | -20.821 | 11.759 | -8.229  |
| 344 | GLU52 | CG  | -19.897 | 11.56  | -9.439  |
| 345 | GLU52 | CD  | -19.749 | 10.09  | -9.853  |
| 346 | GLU52 | OE1 | -19.796 | 9.24   | -8.971  |
| 347 | GLU52 | OE2 | -19.502 | 9.849  | -11.025 |
| 348 | ASP53 | N   | -21.659 | 11.313 | -5.146  |
| 349 | ASP53 | CA  | -22.646 | 11.572 | -4.096  |
| 350 | ASP53 | C   | -21.953 | 11.905 | -2.783  |
| 351 | ASP53 | O   | -22.4   | 12.804 | -2.063  |
| 352 | ASP53 | CB  | -23.493 | 10.322 | -3.876  |
| 353 | ASP53 | CG  | -24.263 | 9.94   | -5.133  |
| 354 | ASP53 | OD1 | -24.319 | 8.749  | -5.405  |
| 355 | ASP53 | OD2 | -24.633 | 10.838 | -5.878  |
| 356 | ILE54 | N   | -20.75  | 11.382 | -2.614  |
| 357 | ILE54 | CA  | -19.991 | 11.62  | -1.387  |
| 358 | ILE54 | C   | -19.301 | 12.976 | -1.41   |
| 359 | ILE54 | O   | -19.36  | 13.7   | -0.409  |
| 360 | ILE54 | CB  | -18.963 | 10.509 | -1.269  |
| 361 | ILE54 | CG1 | -19.674 | 9.167  | -1.252  |
| 362 | ILE54 | CG2 | -18.113 | 10.671 | -0.015  |
| 363 | ILE54 | CD1 | -18.677 | 8.03   | -1.365  |
| 364 | ARG55 | N   | -18.916 | 13.43  | -2.592  |
| 365 | ARG55 | CA  | -18.346 | 14.776 | -2.704  |
| 366 | ARG55 | C   | -19.44  | 15.836 | -2.679  |
| 367 | ARG55 | O   | -19.252 | 16.893 | -2.065  |
| 368 | ARG55 | CB  | -17.551 | 14.883 | -3.998  |
| 369 | ARG55 | CG  | -16.293 | 14.028 | -3.94   |
| 370 | ARG55 | CD  | -15.498 | 14.133 | -5.235  |
| 371 | ARG55 | NE  | -16.277 | 13.61  | -6.367  |
| 372 | ARG55 | CZ  | -15.712 | 13.028 | -7.427  |
| 373 | ARG55 | NH1 | -14.383 | 12.947 | -7.513  |
| 374 | ARG55 | NH2 | -16.475 | 12.553 | -8.413  |
| 375 | GLU56 | N   | -20.64  | 15.438 | -3.068  |
| 376 | GLU56 | CA  | -21.795 | 16.331 | -2.984  |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 377 | GLU56 | C   | -22.287 | 16.444 | -1.539 |
| 378 | GLU56 | O   | -22.628 | 17.546 | -1.095 |
| 379 | GLU56 | CB  | -22.875 | 15.722 | -3.866 |
| 380 | GLU56 | CG  | -24.103 | 16.605 | -4.028 |
| 381 | GLU56 | CD  | -25.112 | 15.838 | -4.874 |
| 382 | GLU56 | OE1 | -25.906 | 16.463 | -5.56  |
| 383 | GLU56 | OE2 | -25.055 | 14.616 | -4.834 |
| 384 | MET57 | N   | -22.065 | 15.392 | -0.767 |
| 385 | MET57 | CA  | -22.379 | 15.386 | 0.665  |
| 386 | MET57 | C   | -21.4   | 16.241 | 1.459  |
| 387 | MET57 | O   | -21.827 | 17.091 | 2.248  |
| 388 | MET57 | CB  | -22.242 | 13.948 | 1.141  |
| 389 | MET57 | CG  | -22.423 | 13.805 | 2.646  |
| 390 | MET57 | SD  | -21.979 | 12.184 | 3.306  |
| 391 | MET57 | CE  | -20.221 | 12.196 | 2.89   |
| 392 | LEU58 | N   | -20.14  | 16.197 | 1.056  |
| 393 | LEU58 | CA  | -19.089 | 16.973 | 1.726  |
| 394 | LEU58 | C   | -19.07  | 18.444 | 1.307  |
| 395 | LEU58 | O   | -18.398 | 19.263 | 1.946  |
| 396 | LEU58 | CB  | -17.751 | 16.327 | 1.389  |
| 397 | LEU58 | CG  | -17.638 | 14.941 | 2.013  |
| 398 | LEU58 | CD1 | -16.504 | 14.133 | 1.394  |
| 399 | LEU58 | CD2 | -17.49  | 15.03  | 3.528  |
| 400 | SER59 | N   | -19.807 | 18.776 | 0.261  |
| 401 | SER59 | CA  | -19.959 | 20.171 | -0.144 |
| 402 | SER59 | C   | -21.305 | 20.739 | 0.304  |
| 403 | SER59 | O   | -21.531 | 21.951 | 0.204  |
| 404 | SER59 | CB  | -19.852 | 20.24  | -1.661 |
| 405 | SER59 | OG  | -18.59  | 19.697 | -2.022 |
| 406 | SER60 | N   | -22.175 | 19.879 | 0.807  |
| 407 | SER60 | CA  | -23.5   | 20.318 | 1.246  |
| 408 | SER60 | C   | -23.505 | 20.806 | 2.685  |
| 409 | SER60 | O   | -23.464 | 19.996 | 3.62   |
| 410 | SER60 | CB  | -24.477 | 19.156 | 1.138  |
| 411 | SER60 | OG  | -25.689 | 19.581 | 1.749  |
| 412 | PRO61 | N   | -23.91  | 22.058 | 2.835  |
| 413 | PRO61 | CA  | -24.023 | 22.695 | 4.154  |
| 414 | PRO61 | C   | -25.231 | 22.233 | 4.983  |
| 415 | PRO61 | O   | -25.41  | 22.7   | 6.113  |
| 416 | PRO61 | CB  | -24.145 | 24.157 | 3.853  |
| 417 | PRO61 | CG  | -24.401 | 24.343 | 2.364  |
| 418 | PRO61 | CD  | -24.301 | 22.959 | 1.747  |
| 419 | HIS62 | N   | -26.044 | 21.333 | 4.451  |
| 420 | HIS62 | CA  | -27.21  | 20.856 | 5.18   |
| 421 | HIS62 | C   | -26.949 | 19.497 | 5.813  |
| 422 | HIS62 | O   | -27.863 | 18.935 | 6.427  |
| 423 | HIS62 | CB  | -28.379 | 20.764 | 4.214  |
| 424 | HIS62 | CG  | -28.703 | 22.084 | 3.55   |
| 425 | HIS62 | ND1 | -28.955 | 23.252 | 4.171  |
| 426 | HIS62 | CD2 | -28.796 | 22.32  | 2.198  |
| 427 | HIS62 | CE1 | -29.197 | 24.205 | 3.248  |
| 428 | HIS62 | NE2 | -29.098 | 23.627 | 2.029  |
| 429 | PHE63 | N   | -25.765 | 18.945 | 5.596  |
| 430 | PHE63 | CA  | -25.385 | 17.693 | 6.258  |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 431 | PHE63 | C   | -24.492 | 17.977 | 7.456  |
| 432 | PHE63 | O   | -23.261 | 17.885 | 7.396  |
| 433 | PHE63 | CB  | -24.686 | 16.783 | 5.262  |
| 434 | PHE63 | CG  | -25.651 | 16.13  | 4.284  |
| 435 | PHE63 | CD1 | -26.92  | 15.76  | 4.71   |
| 436 | PHE63 | CD2 | -25.265 | 15.901 | 2.972  |
| 437 | PHE63 | CE1 | -27.804 | 15.161 | 3.824  |
| 438 | PHE63 | CE2 | -26.147 | 15.298 | 2.087  |
| 439 | PHE63 | CZ  | -27.415 | 14.928 | 2.512  |
| 440 | SER64 | N   | -25.159 | 18.211 | 8.569  |
| 441 | SER64 | CA  | -24.502 | 18.656 | 9.795  |
| 442 | SER64 | C   | -23.765 | 17.525 | 10.507 |
| 443 | SER64 | O   | -24.07  | 16.34  | 10.339 |
| 444 | SER64 | CB  | -25.587 | 19.225 | 10.7   |
| 445 | SER64 | OG  | -24.96  | 19.785 | 11.84  |
| 446 | SER65 | N   | -22.719 | 17.898 | 11.218 |
| 447 | SER65 | CA  | -22.006 | 16.938 | 12.053 |
| 448 | SER65 | C   | -22.463 | 17.032 | 13.513 |
| 449 | SER65 | O   | -22.031 | 16.247 | 14.365 |
| 450 | SER65 | CB  | -20.522 | 17.234 | 11.936 |
| 451 | SER65 | OG  | -20.167 | 17.174 | 10.564 |
| 452 | ASP66 | N   | -23.368 | 17.961 | 13.782 |
| 453 | ASP66 | CA  | -23.901 | 18.186 | 15.122 |
| 454 | ASP66 | C   | -25.388 | 18.496 | 14.919 |
| 455 | ASP66 | O   | -25.978 | 18.026 | 13.938 |
| 456 | ASP66 | CB  | -23.149 | 19.393 | 15.69  |
| 457 | ASP66 | CG  | -22.904 | 19.311 | 17.192 |
| 458 | ASP66 | OD1 | -21.835 | 19.724 | 17.618 |
| 459 | ASP66 | OD2 | -23.871 | 19.048 | 17.899 |
| 460 | ARG67 | N   | -25.972 | 19.246 | 15.842 |
| 461 | ARG67 | CA  | -27.32  | 19.831 | 15.692 |
| 462 | ARG67 | C   | -28.423 | 18.78  | 15.619 |
| 463 | ARG67 | O   | -28.768 | 18.296 | 14.533 |
| 464 | ARG67 | CB  | -27.384 | 20.684 | 14.423 |
| 465 | ARG67 | CG  | -26.263 | 21.716 | 14.336 |
| 466 | ARG67 | CD  | -26.329 | 22.778 | 15.428 |
| 467 | ARG67 | NE  | -25.137 | 23.64  | 15.358 |
| 468 | ARG67 | CZ  | -25.091 | 24.799 | 14.695 |
| 469 | ARG67 | NH1 | -26.189 | 25.28  | 14.107 |
| 470 | ARG67 | NH2 | -23.957 | 25.503 | 14.663 |
| 471 | GLN68 | N   | -28.983 | 18.45  | 16.768 |
| 472 | GLN68 | CA  | -30.127 | 17.538 | 16.79  |
| 473 | GLN68 | C   | -31.414 | 18.348 | 16.65  |
| 474 | GLN68 | O   | -31.728 | 19.187 | 17.503 |
| 475 | GLN68 | CB  | -30.116 | 16.757 | 18.1   |
| 476 | GLN68 | CG  | -31.207 | 15.692 | 18.12  |
| 477 | GLN68 | CD  | -31.109 | 14.852 | 19.389 |
| 478 | GLN68 | OE1 | -31.941 | 14.973 | 20.296 |
| 479 | GLN68 | NE2 | -30.137 | 13.955 | 19.406 |
| 480 | SER69 | N   | -32.129 | 18.102 | 15.565 |
| 481 | SER69 | CA  | -33.37  | 18.833 | 15.272 |
| 482 | SER69 | C   | -34.444 | 18.558 | 16.32  |
| 483 | SER69 | O   | -34.447 | 17.495 | 16.958 |
| 484 | SER69 | CB  | -33.885 | 18.387 | 13.91  |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 485 | SER69 | OG  | -34.261 | 17.025 | 14.033 |
| 486 | PRO70 | N   | -35.332 | 19.526 | 16.499 |
| 487 | PRO70 | CA  | -36.438 | 19.385 | 17.447 |
| 488 | PRO70 | C   | -37.244 | 18.122 | 17.171 |
| 489 | PRO70 | O   | -37.547 | 17.795 | 16.018 |
| 490 | PRO70 | CB  | -37.267 | 20.622 | 17.291 |
| 491 | PRO70 | CG  | -36.6   | 21.547 | 16.285 |
| 492 | PRO70 | CD  | -35.348 | 20.824 | 15.815 |
| 493 | SER71 | N   | -37.424 | 17.369 | 18.245 |
| 494 | SER71 | CA  | -38.115 | 16.065 | 18.289 |
| 495 | SER71 | C   | -37.589 | 15.02  | 17.298 |
| 496 | SER71 | O   | -38.378 | 14.228 | 16.769 |
| 497 | SER71 | CB  | -39.625 | 16.244 | 18.111 |
| 498 | SER71 | OG  | -39.919 | 16.638 | 16.777 |
| 499 | PHE72 | N   | -36.282 | 14.985 | 17.081 |
| 500 | PHE72 | CA  | -35.679 | 13.876 | 16.321 |
| 501 | PHE72 | C   | -34.364 | 13.43  | 16.957 |
| 502 | PHE72 | O   | -33.281 | 13.768 | 16.458 |
| 503 | PHE72 | CB  | -35.428 | 14.283 | 14.872 |
| 504 | PHE72 | CG  | -36.682 | 14.456 | 14.018 |
| 505 | PHE72 | CD1 | -37.097 | 15.724 | 13.63  |
| 506 | PHE72 | CD2 | -37.402 | 13.339 | 13.617 |
| 507 | PHE72 | CE1 | -38.238 | 15.875 | 12.853 |
| 508 | PHE72 | CE2 | -38.544 | 13.489 | 12.84  |
| 509 | PHE72 | CZ  | -38.962 | 14.758 | 12.459 |
| 510 | PRO73 | N   | -34.469 | 12.59  | 17.979 |
| 511 | PRO73 | CA  | -33.31  | 12.19  | 18.786 |
| 512 | PRO73 | C   | -32.522 | 11.027 | 18.18  |
| 513 | PRO73 | O   | -32.606 | 9.895  | 18.668 |
| 514 | PRO73 | CB  | -33.898 | 11.776 | 20.099 |
| 515 | PRO73 | CG  | -35.392 | 11.555 | 19.917 |
| 516 | PRO73 | CD  | -35.708 | 12.004 | 18.5   |
| 517 | LEU74 | N   | -31.772 | 11.304 | 17.127 |
| 518 | LEU74 | CA  | -30.933 | 10.263 | 16.521 |
| 519 | LEU74 | C   | -29.707 | 9.976  | 17.375 |
| 520 | LEU74 | O   | -29.08  | 10.892 | 17.926 |
| 521 | LEU74 | CB  | -30.474 | 10.697 | 15.135 |
| 522 | LEU74 | CG  | -31.627 | 10.794 | 14.146 |
| 523 | LEU74 | CD1 | -31.094 | 11.194 | 12.776 |
| 524 | LEU74 | CD2 | -32.381 | 9.471  | 14.05  |
| 525 | MET75 | N   | -29.359 | 8.705  | 17.454 |
| 526 | MET75 | CA  | -28.167 | 8.306  | 18.208 |
| 527 | MET75 | C   | -27.099 | 7.808  | 17.243 |
| 528 | MET75 | O   | -27.166 | 6.675  | 16.746 |
| 529 | MET75 | CB  | -28.539 | 7.208  | 19.198 |
| 530 | MET75 | CG  | -27.367 | 6.867  | 20.114 |
| 531 | MET75 | SD  | -27.678 | 5.549  | 21.31  |
| 532 | MET75 | CE  | -28.002 | 4.197  | 20.154 |
| 533 | VAL76 | N   | -26.117 | 8.657  | 16.992 |
| 534 | VAL76 | CA  | -25.071 | 8.327  | 16.017 |
| 535 | VAL76 | C   | -24.274 | 7.103  | 16.455 |
| 536 | VAL76 | O   | -23.953 | 6.925  | 17.636 |
| 537 | VAL76 | CB  | -24.151 | 9.527  | 15.809 |
| 538 | VAL76 | CG1 | -24.904 | 10.676 | 15.149 |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 539 | VAL76 | CG2 | -23.504 | 9.986  | 17.109 |
| 540 | ALA77 | N   | -23.836 | 6.34   | 15.467 |
| 541 | ALA77 | CA  | -23.158 | 5.062  | 15.727 |
| 542 | ALA77 | C   | -21.703 | 5.203  | 16.177 |
| 543 | ALA77 | O   | -21.033 | 4.194  | 16.42  |
| 544 | ALA77 | CB  | -23.22  | 4.212  | 14.465 |
| 545 | ARG78 | N   | -21.218 | 6.431  | 16.271 |
| 546 | ARG78 | CA  | -19.868 | 6.689  | 16.762 |
| 547 | ARG78 | C   | -19.868 | 7.178  | 18.215 |
| 548 | ARG78 | O   | -18.816 | 7.163  | 18.865 |
| 549 | ARG78 | CB  | -19.274 | 7.772  | 15.874 |
| 550 | ARG78 | CG  | -19.445 | 7.436  | 14.398 |
| 551 | ARG78 | CD  | -19.068 | 8.629  | 13.528 |
| 552 | ARG78 | NE  | -19.848 | 9.81   | 13.932 |
| 553 | ARG78 | CZ  | -19.36  | 11.053 | 13.921 |
| 554 | ARG78 | NH1 | -18.114 | 11.278 | 13.497 |
| 555 | ARG78 | NH2 | -20.12  | 12.072 | 14.33  |
| 556 | GLN79 | N   | -21.028 | 7.577  | 18.722 |
| 557 | GLN79 | CA  | -21.128 | 8.129  | 20.088 |
| 558 | GLN79 | C   | -22.484 | 7.818  | 20.715 |
| 559 | GLN79 | O   | -23.48  | 8.503  | 20.45  |
| 560 | GLN79 | CB  | -20.937 | 9.651  | 20.09  |
| 561 | GLN79 | CG  | -19.486 | 10.085 | 19.884 |
| 562 | GLN79 | CD  | -19.353 | 11.607 | 19.931 |
| 563 | GLN79 | OE1 | -19.071 | 12.193 | 20.986 |
| 564 | GLN79 | NE2 | -19.508 | 12.226 | 18.773 |
| 565 | ILE80 | N   | -22.504 | 6.806  | 21.562 |
| 566 | ILE80 | CA  | -23.733 | 6.44   | 22.273 |
| 567 | ILE80 | C   | -23.732 | 7.034  | 23.679 |
| 568 | ILE80 | O   | -22.666 | 7.316  | 24.24  |
| 569 | ILE80 | CB  | -23.847 | 4.919  | 22.333 |
| 570 | ILE80 | CG1 | -22.684 | 4.305  | 23.109 |
| 571 | ILE80 | CG2 | -23.905 | 4.35   | 20.92  |
| 572 | ILE80 | CD1 | -22.794 | 2.788  | 23.191 |
| 573 | ARG81 | N   | -24.932 | 7.278  | 24.188 |
| 574 | ARG81 | CA  | -25.15  | 7.84   | 25.535 |
| 575 | ARG81 | C   | -24.657 | 9.276  | 25.691 |
| 576 | ARG81 | O   | -23.493 | 9.571  | 25.411 |
| 577 | ARG81 | CB  | -24.51  | 6.964  | 26.603 |
| 578 | ARG81 | CG  | -25.437 | 5.843  | 27.046 |
| 579 | ARG81 | CD  | -25.685 | 5.92   | 28.555 |
| 580 | ARG81 | NE  | -26.269 | 7.22   | 28.93  |
| 581 | ARG81 | CZ  | -25.651 | 8.095  | 29.722 |
| 582 | ARG81 | NH1 | -24.439 | 7.82   | 30.204 |
| 583 | ARG81 | NH2 | -26.234 | 9.257  | 30.008 |
| 584 | ARG82 | N   | -25.448 | 10.076 | 26.389 |
| 585 | ARG82 | CA  | -25.192 | 11.523 | 26.511 |
| 586 | ARG82 | C   | -23.872 | 11.866 | 27.204 |
| 587 | ARG82 | O   | -23.108 | 12.684 | 26.682 |
| 588 | ARG82 | CB  | -26.32  | 12.122 | 27.333 |
| 589 | ARG82 | CG  | -27.683 | 11.796 | 26.74  |
| 590 | ARG82 | CD  | -28.801 | 12.301 | 27.643 |
| 591 | ARG82 | NE  | -28.71  | 11.659 | 28.967 |
| 592 | ARG82 | CZ  | -28.623 | 12.34  | 30.114 |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 593 | ARG82 | NH1 | -28.477 | 11.689 | 31.271 |
| 594 | ARG82 | NH2 | -28.606 | 13.675 | 30.096 |
| 595 | GLU83 | N   | -23.495 | 11.077 | 28.198 |
| 596 | GLU83 | CA  | -22.237 | 11.334 | 28.909 |
| 597 | GLU83 | C   | -21.03  | 10.69  | 28.227 |
| 598 | GLU83 | O   | -19.894 | 10.902 | 28.657 |
| 599 | GLU83 | CB  | -22.361 | 10.828 | 30.338 |
| 600 | GLU83 | CG  | -23.385 | 11.651 | 31.114 |
| 601 | GLU83 | CD  | -23.478 | 11.172 | 32.56  |
| 602 | GLU83 | OE1 | -23.428 | 9.967  | 32.761 |
| 603 | GLU83 | OE2 | -23.71  | 12.011 | 33.418 |
| 604 | ASP84 | N   | -21.274 | 9.941  | 27.165 |
| 605 | ASP84 | CA  | -20.201 | 9.327  | 26.386 |
| 606 | ASP84 | C   | -20.095 | 10.012 | 25.024 |
| 607 | ASP84 | O   | -19.257 | 9.646  | 24.19  |
| 608 | ASP84 | CB  | -20.481 | 7.841  | 26.237 |
| 609 | ASP84 | CG  | -20.585 | 7.191  | 27.613 |
| 610 | ASP84 | OD1 | -19.547 | 6.906  | 28.193 |
| 611 | ASP84 | OD2 | -21.704 | 7.048  | 28.092 |
| 612 | LYS85 | N   | -20.939 | 11.017 | 24.831 |
| 613 | LYS85 | CA  | -20.846 | 11.928 | 23.681 |
| 614 | LYS85 | C   | -19.997 | 13.228 | 23.804 |
| 615 | LYS85 | O   | -20.236 | 14.084 | 22.942 |
| 616 | LYS85 | CB  | -22.27  | 12.347 | 23.327 |
| 617 | LYS85 | CG  | -23.107 | 11.173 | 22.832 |
| 618 | LYS85 | CD  | -24.573 | 11.567 | 22.679 |
| 619 | LYS85 | CE  | -25.408 | 10.408 | 22.148 |
| 620 | LYS85 | NZ  | -26.824 | 10.785 | 22.036 |
| 621 | PRO86 | N   | -19.054 | 13.455 | 24.73  |
| 622 | PRO86 | CA  | -18.316 | 14.731 | 24.698 |
| 623 | PRO86 | C   | -17.168 | 14.8   | 23.679 |
| 624 | PRO86 | O   | -16.339 | 15.713 | 23.772 |
| 625 | PRO86 | CB  | -17.779 | 14.922 | 26.08  |
| 626 | PRO86 | CG  | -17.866 | 13.6   | 26.815 |
| 627 | PRO86 | CD  | -18.543 | 12.646 | 25.852 |
| 628 | PHE87 | N   | -17.14  | 13.906 | 22.701 |
| 629 | PHE87 | CA  | -16.12  | 13.963 | 21.653 |
| 630 | PHE87 | C   | -16.67  | 14.817 | 20.51  |
| 631 | PHE87 | O   | -15.963 | 15.16  | 19.559 |
| 632 | PHE87 | CB  | -15.848 | 12.556 | 21.128 |
| 633 | PHE87 | CG  | -15.724 | 11.449 | 22.174 |
| 634 | PHE87 | CD1 | -16.447 | 10.277 | 21.996 |
| 635 | PHE87 | CD2 | -14.904 | 11.591 | 23.286 |
| 636 | PHE87 | CE1 | -16.358 | 9.254  | 22.93  |
| 637 | PHE87 | CE2 | -14.817 | 10.567 | 24.22  |
| 638 | PHE87 | CZ  | -15.544 | 9.399  | 24.044 |
| 639 | ARG88 | N   | -17.948 | 15.143 | 20.627 |
| 640 | ARG88 | CA  | -18.629 | 16.037 | 19.686 |
| 641 | ARG88 | C   | -18.178 | 17.519 | 19.7   |
| 642 | ARG88 | O   | -18.118 | 18.064 | 18.59  |
| 643 | ARG88 | CB  | -20.122 | 15.915 | 19.965 |
| 644 | ARG88 | CG  | -20.964 | 16.678 | 18.953 |
| 645 | ARG88 | CD  | -22.429 | 16.294 | 19.089 |
| 646 | ARG88 | NE  | -22.593 | 14.851 | 18.868 |

WO 03/057830

PCT/US02/40359

|     |       |     |         |        |        |
|-----|-------|-----|---------|--------|--------|
| 647 | ARG88 | CZ  | -23.307 | 14.07  | 19.679 |
| 648 | ARG88 | NH1 | -23.373 | 12.757 | 19.45  |
| 649 | ARG88 | NH2 | -23.922 | 14.598 | 20.739 |
| 650 | PRO89 | N   | -17.919 | 18.194 | 20.826 |
| 651 | PRO89 | CA  | -17.186 | 19.48  | 20.763 |
| 652 | PRO89 | C   | -15.737 | 19.333 | 20.277 |
| 653 | PRO89 | O   | -14.786 | 19.454 | 21.057 |
| 654 | PRO89 | CB  | -17.206 | 20.033 | 22.154 |
| 655 | PRO89 | CG  | -17.798 | 19.004 | 23.096 |
| 656 | PRO89 | CD  | -18.208 | 17.832 | 22.224 |
| 657 | SER90 | N   | -15.606 | 19.29  | 18.963 |
| 658 | SER90 | CA  | -14.334 | 19.04  | 18.296 |
| 659 | SER90 | C   | -14.43  | 19.413 | 16.824 |
| 660 | SER90 | O   | -15.534 | 19.592 | 16.293 |
| 661 | SER90 | CB  | -14.069 | 17.55  | 18.375 |
| 662 | SER90 | OG  | -15.095 | 16.928 | 17.609 |
| 663 | LEU91 | N   | -13.326 | 19.173 | 16.14  |
| 664 | LEU91 | CA  | -13.154 | 19.564 | 14.737 |
| 665 | LEU91 | C   | -14.042 | 18.804 | 13.745 |
| 666 | LEU91 | O   | -14.491 | 19.39  | 12.754 |
| 667 | LEU91 | CB  | -11.702 | 19.238 | 14.405 |
| 668 | LEU91 | CG  | -11.325 | 19.637 | 12.988 |
| 669 | LEU91 | CD1 | -11.253 | 21.153 | 12.877 |
| 670 | LEU91 | CD2 | -9.989  | 19.012 | 12.606 |
| 671 | ILE92 | N   | -14.422 | 17.582 | 14.076 |
| 672 | ILE92 | CA  | -15.199 | 16.791 | 13.12  |
| 673 | ILE92 | C   | -16.712 | 16.857 | 13.368 |
| 674 | ILE92 | O   | -17.487 | 16.497 | 12.474 |
| 675 | ILE92 | CB  | -14.682 | 15.351 | 13.173 |
| 676 | ILE92 | CG1 | -15.288 | 14.488 | 12.07  |
| 677 | ILE92 | CG2 | -14.932 | 14.719 | 14.539 |
| 678 | ILE92 | CD1 | -14.775 | 13.055 | 12.137 |
| 679 | ALA93 | N   | -17.14  | 17.407 | 14.494 |
| 680 | ALA93 | CA  | -18.578 | 17.414 | 14.759 |
| 681 | ALA93 | C   | -19.15  | 18.822 | 14.872 |
| 682 | ALA93 | O   | -20.335 | 19.048 | 14.589 |
| 683 | ALA93 | CB  | -18.865 | 16.593 | 16.004 |
| 684 | MET94 | N   | -18.294 | 19.776 | 15.191 |
| 685 | MET94 | CA  | -18.739 | 21.168 | 15.216 |
| 686 | MET94 | C   | -18.99  | 21.683 | 13.811 |
| 687 | MET94 | O   | -18.221 | 21.436 | 12.88  |
| 688 | MET94 | CB  | -17.695 | 22.042 | 15.893 |
| 689 | MET94 | CG  | -17.822 | 21.982 | 17.407 |
| 690 | MET94 | SD  | -16.686 | 23.058 | 18.31  |
| 691 | MET94 | CE  | -17.561 | 23.095 | 19.891 |
| 692 | ASP95 | N   | -20.089 | 22.398 | 13.672 |
| 693 | ASP95 | CA  | -20.42  | 23.024 | 12.393 |
| 694 | ASP95 | C   | -19.831 | 24.427 | 12.371 |
| 695 | ASP95 | O   | -19.589 | 25.001 | 13.438 |
| 696 | ASP95 | CB  | -21.938 | 23.082 | 12.258 |
| 697 | ASP95 | CG  | -22.52  | 21.677 | 12.373 |
| 698 | ASP95 | OD1 | -22.276 | 20.87  | 11.484 |
| 699 | ASP95 | OD2 | -23.173 | 21.412 | 13.37  |
| 700 | PRO96 | N   | -19.488 | 24.936 | 11.201 |

WO 03/057830

PCT/US02/40359

|     |        |     |         |        |        |
|-----|--------|-----|---------|--------|--------|
| 701 | PRO96  | CA  | -19.076 | 26.343 | 11.099 |
| 702 | PRO96  | C   | -20.177 | 27.263 | 11.641 |
| 703 | PRO96  | O   | -21.353 | 26.892 | 11.581 |
| 704 | PRO96  | CB  | -18.812 | 26.567 | 9.64   |
| 705 | PRO96  | CG  | -19.078 | 25.278 | 8.875  |
| 706 | PRO96  | CD  | -19.532 | 24.256 | 9.905  |
| 707 | PRO97  | N   | -19.817 | 28.38  | 12.263 |
| 708 | PRO97  | CA  | -18.428 | 28.85  | 12.436 |
| 709 | PRO97  | C   | -17.649 | 28.271 | 13.631 |
| 710 | PRO97  | O   | -16.462 | 28.595 | 13.772 |
| 711 | PRO97  | CB  | -18.567 | 30.329 | 12.615 |
| 712 | PRO97  | CG  | -20.013 | 30.649 | 12.964 |
| 713 | PRO97  | CD  | -20.777 | 29.345 | 12.804 |
| 714 | GLU98  | N   | -18.233 | 27.353 | 14.389 |
| 715 | GLU98  | CA  | -17.555 | 26.761 | 15.556 |
| 716 | GLU98  | C   | -16.353 | 25.946 | 15.099 |
| 717 | GLU98  | O   | -15.224 | 26.174 | 15.555 |
| 718 | GLU98  | CB  | -18.513 | 25.782 | 16.223 |
| 719 | GLU98  | CG  | -19.894 | 26.372 | 16.474 |
| 720 | GLU98  | CD  | -20.857 | 25.236 | 16.811 |
| 721 | GLU98  | OE1 | -20.697 | 24.171 | 16.227 |
| 722 | GLU98  | OE2 | -21.799 | 25.49  | 17.544 |
| 723 | HIS99  | N   | -16.575 | 25.223 | 14.013 |
| 724 | HIS99  | CA  | -15.52  | 24.448 | 13.359 |
| 725 | HIS99  | C   | -14.43  | 25.323 | 12.743 |
| 726 | HIS99  | O   | -13.249 | 24.993 | 12.887 |
| 727 | HIS99  | CB  | -16.19  | 23.646 | 12.252 |
| 728 | HIS99  | CG  | -15.238 | 23.09  | 11.22  |
| 729 | HIS99  | ND1 | -14.522 | 21.957 | 11.317 |
| 730 | HIS99  | CD2 | -14.946 | 23.649 | 9.998  |
| 731 | HIS99  | CE1 | -13.779 | 21.805 | 10.203 |
| 732 | HIS99  | NE2 | -14.042 | 22.852 | 9.39   |
| 733 | GLY100 | N   | -14.792 | 26.524 | 12.322 |
| 734 | GLY100 | CA  | -13.832 | 27.439 | 11.702 |
| 735 | GLY100 | C   | -12.859 | 27.944 | 12.756 |
| 736 | GLY100 | O   | -11.648 | 27.716 | 12.64  |
| 737 | LYS101 | N   | -13.419 | 28.385 | 13.872 |
| 738 | LYS101 | CA  | -12.626 | 28.895 | 14.993 |
| 739 | LYS101 | C   | -11.711 | 27.823 | 15.579 |
| 740 | LYS101 | O   | -10.485 | 28.02  | 15.622 |
| 741 | LYS101 | CB  | -13.608 | 29.33  | 16.07  |
| 742 | LYS101 | CG  | -12.893 | 29.892 | 17.291 |
| 743 | LYS101 | CD  | -13.829 | 29.939 | 18.492 |
| 744 | LYS101 | CE  | -14.189 | 28.531 | 18.955 |
| 745 | LYS101 | NZ  | -12.986 | 27.796 | 19.381 |
| 746 | ALA102 | N   | -12.251 | 26.624 | 15.738 |
| 747 | ALA102 | CA  | -11.474 | 25.523 | 16.313 |
| 748 | ALA102 | C   | -10.381 | 25.022 | 15.373 |
| 749 | ALA102 | O   | -9.243  | 24.859 | 15.828 |
| 750 | ALA102 | CB  | -12.425 | 24.379 | 16.645 |
| 751 | ARG103 | N   | -10.622 | 25.091 | 14.074 |
| 752 | ARG103 | CA  | -9.63   | 24.64  | 13.097 |
| 753 | ARG103 | C   | -8.492  | 25.644 | 12.958 |
| 754 | ARG103 | O   | -7.325  | 25.236 | 13.033 |

WO 03/057830

PCT/US02/40359

|     |        |     |         |        |        |
|-----|--------|-----|---------|--------|--------|
| 755 | ARG103 | CB  | -10.347 | 24.476 | 11.762 |
| 756 | ARG103 | CG  | -9.496  | 23.785 | 10.705 |
| 757 | ARG103 | CD  | -10.366 | 23.455 | 9.496  |
| 758 | ARG103 | NE  | -9.651  | 22.682 | 8.467  |
| 759 | ARG103 | CZ  | -9.807  | 21.367 | 8.287  |
| 760 | ARG103 | NH1 | -10.493 | 20.645 | 9.175  |
| 761 | ARG103 | NH2 | -9.174  | 20.755 | 7.285  |
| 762 | ARG104 | N   | -8.811  | 26.923 | 13.087 |
| 763 | ARG104 | CA  | -7.775  | 27.957 | 13.006 |
| 764 | ARG104 | C   | -6.906  | 27.966 | 14.256 |
| 765 | ARG104 | O   | -5.675  | 28.083 | 14.149 |
| 766 | ARG104 | CB  | -8.442  | 29.316 | 12.84  |
| 767 | ARG104 | CG  | -9.166  | 29.412 | 11.502 |
| 768 | ARG104 | CD  | -9.828  | 30.772 | 11.319 |
| 769 | ARG104 | NE  | -10.874 | 30.999 | 12.329 |
| 770 | ARG104 | CZ  | -11.061 | 32.171 | 12.941 |
| 771 | ARG104 | NH1 | -10.231 | 33.188 | 12.701 |
| 772 | ARG104 | NH2 | -12.048 | 32.31  | 13.829 |
| 773 | ASP105 | N   | -7.5    | 27.625 | 15.388 |
| 774 | ASP105 | CA  | -6.718  | 27.493 | 16.616 |
| 775 | ASP105 | C   | -5.828  | 26.253 | 16.594 |
| 776 | ASP105 | O   | -4.602  | 26.392 | 16.716 |
| 777 | ASP105 | CB  | -7.67   | 27.427 | 17.806 |
| 778 | ASP105 | CG  | -8.198  | 28.814 | 18.165 |
| 779 | ASP105 | OD1 | -7.389  | 29.588 | 18.666 |
| 780 | ASP105 | OD2 | -9.411  | 28.938 | 18.257 |
| 781 | VAL106 | N   | -6.379  | 25.125 | 16.173 |
| 782 | VAL106 | CA  | -5.636  | 23.86  | 16.236 |
| 783 | VAL106 | C   | -4.51   | 23.761 | 15.214 |
| 784 | VAL106 | O   | -3.414  | 23.348 | 15.612 |
| 785 | VAL106 | CB  | -6.611  | 22.703 | 16.046 |
| 786 | VAL106 | CG1 | -5.886  | 21.37  | 15.89  |
| 787 | VAL106 | CG2 | -7.587  | 22.637 | 17.212 |
| 788 | VAL107 | N   | -4.641  | 24.427 | 14.075 |
| 789 | VAL107 | CA  | -3.565  | 24.397 | 13.071 |
| 790 | VAL107 | C   | -2.362  | 25.259 | 13.474 |
| 791 | VAL107 | O   | -1.225  | 24.918 | 13.123 |
| 792 | VAL107 | CB  | -4.142  | 24.869 | 11.737 |
| 793 | VAL107 | CG1 | -3.06   | 25.104 | 10.687 |
| 794 | VAL107 | CG2 | -5.175  | 23.879 | 11.213 |
| 795 | GLY108 | N   | -2.576  | 26.155 | 14.426 |
| 796 | GLY108 | CA  | -1.49   | 26.985 | 14.953 |
| 797 | GLY108 | C   | -0.511  | 26.183 | 15.813 |
| 798 | GLY108 | O   | 0.685   | 26.491 | 15.837 |
| 799 | GLU109 | N   | -1.006  | 25.191 | 16.537 |
| 800 | GLU109 | CA  | -0.109  | 24.388 | 17.376 |
| 801 | GLU109 | C   | 0.121   | 22.976 | 16.836 |
| 802 | GLU109 | O   | 1.086   | 22.311 | 17.229 |
| 803 | GLU109 | CB  | -0.677  | 24.35  | 18.784 |
| 804 | GLU109 | CG  | -0.577  | 25.728 | 19.424 |
| 805 | GLU109 | CD  | 0.886   | 26.1   | 19.659 |
| 806 | GLU109 | OE1 | 1.612   | 25.244 | 20.147 |
| 807 | GLU109 | OE2 | 1.22    | 27.255 | 19.442 |
| 808 | PHE110 | N   | -0.686  | 22.572 | 15.873 |

WO 03/057830

PCT/US02/40359

|     |        |     |        |        |        |
|-----|--------|-----|--------|--------|--------|
| 809 | PHE110 | CA  | -0.511 | 21.269 | 15.221 |
| 810 | PHE110 | C   | 0.017  | 21.468 | 13.798 |
| 811 | PHE110 | O   | -0.547 | 20.963 | 12.819 |
| 812 | PHE110 | CB  | -1.866 | 20.568 | 15.206 |
| 813 | PHE110 | CG  | -1.834 | 19.088 | 14.838 |
| 814 | PHE110 | CD1 | -0.842 | 18.264 | 15.352 |
| 815 | PHE110 | CD2 | -2.808 | 18.564 | 13.998 |
| 816 | PHE110 | CE1 | -0.819 | 16.915 | 15.019 |
| 817 | PHE110 | CE2 | -2.784 | 17.216 | 13.665 |
| 818 | PHE110 | CZ  | -1.79  | 16.392 | 14.176 |
| 819 | THR111 | N   | 1.103  | 22.217 | 13.706 |
| 820 | THR111 | CA  | 1.68   | 22.585 | 12.409 |
| 821 | THR111 | C   | 2.353  | 21.411 | 11.71  |
| 822 | THR111 | O   | 2.846  | 20.47  | 12.346 |
| 823 | THR111 | CB  | 2.745  | 23.65  | 12.628 |
| 824 | THR111 | OG1 | 3.887  | 23.019 | 13.193 |
| 825 | THR111 | CG2 | 2.27   | 24.756 | 13.561 |
| 826 | VAL112 | N   | 2.564  | 21.605 | 10.417 |
| 827 | VAL112 | CA  | 3.302  | 20.63  | 9.605  |
| 828 | VAL112 | C   | 4.802  | 20.712 | 9.887  |
| 829 | VAL112 | O   | 5.492  | 19.689 | 9.86   |
| 830 | VAL112 | CB  | 3.026  | 20.929 | 8.134  |
| 831 | VAL112 | CG1 | 3.819  | 20.01  | 7.21   |
| 832 | VAL112 | CG2 | 1.535  | 20.833 | 7.832  |
| 833 | LYS113 | N   | 5.227  | 21.845 | 10.425 |
| 834 | LYS113 | CA  | 6.608  | 22.003 | 10.884 |
| 835 | LYS113 | C   | 6.892  | 21.096 | 12.082 |
| 836 | LYS113 | O   | 7.864  | 20.332 | 12.044 |
| 837 | LYS113 | CB  | 6.795  | 23.456 | 11.298 |
| 838 | LYS113 | CG  | 8.168  | 23.696 | 11.914 |
| 839 | LYS113 | CD  | 8.232  | 25.064 | 12.582 |
| 840 | LYS113 | CE  | 7.189  | 25.184 | 13.692 |
| 841 | LYS113 | NZ  | 7.407  | 24.178 | 14.747 |
| 842 | ARG114 | N   | 5.945  | 21.013 | 13.008 |
| 843 | ARG114 | CA  | 6.085  | 20.094 | 14.141 |
| 844 | ARG114 | C   | 6.098  | 18.627 | 13.713 |
| 845 | ARG114 | O   | 7.034  | 17.912 | 14.09  |
| 846 | ARG114 | CB  | 4.916  | 20.313 | 15.096 |
| 847 | ARG114 | CG  | 4.939  | 19.283 | 16.22  |
| 848 | ARG114 | CD  | 3.721  | 19.388 | 17.131 |
| 849 | ARG114 | NE  | 3.696  | 20.666 | 17.858 |
| 850 | ARG114 | CZ  | 4.078  | 20.792 | 19.131 |
| 851 | ARG114 | NH1 | 3.903  | 21.953 | 19.766 |
| 852 | ARG114 | NH2 | 4.537  | 19.73  | 19.798 |
| 853 | MET115 | N   | 5.28   | 18.265 | 12.737 |
| 854 | MET115 | CA  | 5.23   | 16.862 | 12.311 |
| 855 | MET115 | C   | 6.438  | 16.467 | 11.456 |
| 856 | MET115 | O   | 6.99   | 15.378 | 11.662 |
| 857 | MET115 | CB  | 3.926  | 16.642 | 11.555 |
| 858 | MET115 | CG  | 2.739  | 16.915 | 12.474 |
| 859 | MET115 | SD  | 1.093  | 16.637 | 11.78  |
| 860 | MET115 | CE  | 1.057  | 17.94  | 10.532 |
| 861 | LYS116 | N   | 7.027  | 17.445 | 10.787 |
| 862 | LYS116 | CA  | 8.25   | 17.222 | 10.01  |

WO 03/057830

PCT/US02/40359

|     |        |     |        |        |        |
|-----|--------|-----|--------|--------|--------|
| 863 | LYS116 | C   | 9.492  | 17.156 | 10.902 |
| 864 | LYS116 | O   | 10.434 | 16.413 | 10.59  |
| 865 | LYS116 | CB  | 8.372  | 18.392 | 9.042  |
| 866 | LYS116 | CG  | 9.635  | 18.337 | 8.194  |
| 867 | LYS116 | CD  | 9.738  | 19.592 | 7.338  |
| 868 | LYS116 | CE  | 9.703  | 20.841 | 8.213  |
| 869 | LYS116 | NZ  | 9.753  | 22.063 | 7.395  |
| 870 | ALA117 | N   | 9.404  | 17.748 | 12.084 |
| 871 | ALA117 | CA  | 10.49  | 17.663 | 13.066 |
| 872 | ALA117 | C   | 10.354 | 16.43  | 13.962 |
| 873 | ALA117 | O   | 11.331 | 16     | 14.587 |
| 874 | ALA117 | CB  | 10.469 | 18.924 | 13.922 |
| 875 | LEU118 | N   | 9.185  | 15.81  | 13.933 |
| 876 | LEU118 | CA  | 8.975  | 14.544 | 14.64  |
| 877 | LEU118 | C   | 9.351  | 13.359 | 13.76  |
| 878 | LEU118 | O   | 9.591  | 12.26  | 14.275 |
| 879 | LEU118 | CB  | 7.512  | 14.434 | 15.05  |
| 880 | LEU118 | CG  | 7.153  | 15.474 | 16.104 |
| 881 | LEU118 | CD1 | 5.654  | 15.48  | 16.372 |
| 882 | LEU118 | CD2 | 7.934  | 15.246 | 17.393 |
| 883 | GLN119 | N   | 9.563  | 13.632 | 12.483 |
| 884 | GLN119 | CA  | 10.052 | 12.633 | 11.518 |
| 885 | GLN119 | C   | 11.263 | 11.797 | 11.989 |
| 886 | GLN119 | O   | 11.09  | 10.573 | 12.041 |
| 887 | GLN119 | CB  | 10.378 | 13.373 | 10.227 |
| 888 | GLN119 | CG  | 10.944 | 12.471 | 9.144  |
| 889 | GLN119 | CD  | 11.394 | 13.351 | 7.985  |
| 890 | GLN119 | OE1 | 11.701 | 12.857 | 6.894  |
| 891 | GLN119 | NE2 | 11.444 | 14.647 | 8.243  |
| 892 | PRO120 | N   | 12.388 | 12.361 | 12.439 |
| 893 | PRO120 | CA  | 13.485 | 11.486 | 12.885 |
| 894 | PRO120 | C   | 13.211 | 10.732 | 14.195 |
| 895 | PRO120 | O   | 13.761 | 9.639  | 14.381 |
| 896 | PRO120 | CB  | 14.672 | 12.386 | 13.05  |
| 897 | PRO120 | CG  | 14.237 | 13.832 | 12.892 |
| 898 | PRO120 | CD  | 12.764 | 13.785 | 12.533 |
| 899 | ARG121 | N   | 12.229 | 11.159 | 14.974 |
| 900 | ARG121 | CA  | 11.917 | 10.438 | 16.203 |
| 901 | ARG121 | C   | 11.02  | 9.25   | 15.868 |
| 902 | ARG121 | O   | 11.331 | 8.136  | 16.303 |
| 903 | ARG121 | CB  | 11.218 | 11.385 | 17.174 |
| 904 | ARG121 | CG  | 11.741 | 11.209 | 18.597 |
| 905 | ARG121 | CD  | 11.481 | 9.812  | 19.149 |
| 906 | ARG121 | NE  | 12.184 | 9.613  | 20.424 |
| 907 | ARG121 | CZ  | 12.714 | 8.443  | 20.784 |
| 908 | ARG121 | NH1 | 13.415 | 8.346  | 21.915 |
| 909 | ARG121 | NH2 | 12.601 | 7.386  | 19.977 |
| 910 | ILE122 | N   | 10.18  | 9.421  | 14.857 |
| 911 | ILE122 | CA  | 9.316  | 8.332  | 14.381 |
| 912 | ILE122 | C   | 10.135 | 7.27   | 13.656 |
| 913 | ILE122 | O   | 9.975  | 6.073  | 13.928 |
| 914 | ILE122 | CB  | 8.309  | 8.918  | 13.396 |
| 915 | ILE122 | CG1 | 7.456  | 9.995  | 14.052 |
| 916 | ILE122 | CG2 | 7.422  | 7.825  | 12.807 |

WO 03/057830

PCT/US02/40359

|     |        |     |        |        |        |
|-----|--------|-----|--------|--------|--------|
| 917 | ILE122 | CD1 | 6.509  | 10.636 | 13.044 |
| 918 | GLN123 | N   | 11.179 | 7.724  | 12.982 |
| 919 | GLN123 | CA  | 12.088 | 6.827  | 12.269 |
| 920 | GLN123 | C   | 12.914 | 5.997  | 13.245 |
| 921 | GLN123 | O   | 12.897 | 4.76   | 13.156 |
| 922 | GLN123 | CB  | 12.989 | 7.717  | 11.423 |
| 923 | GLN123 | CG  | 13.978 | 6.941  | 10.567 |
| 924 | GLN123 | CD  | 14.72  | 7.939  | 9.684  |
| 925 | GLN123 | OE1 | 15.954 | 7.96   | 9.626  |
| 926 | GLN123 | NE2 | 13.946 | 8.8    | 9.044  |
| 927 | GLN124 | N   | 13.295 | 6.633  | 14.34  |
| 928 | GLN124 | CA  | 14.049 | 5.959  | 15.394 |
| 929 | GLN124 | C   | 13.184 | 4.947  | 16.144 |
| 930 | GLN124 | O   | 13.621 | 3.798  | 16.284 |
| 931 | GLN124 | CB  | 14.544 | 7.04   | 16.345 |
| 932 | GLN124 | CG  | 15.429 | 6.495  | 17.455 |
| 933 | GLN124 | CD  | 15.912 | 7.668  | 18.3   |
| 934 | GLN124 | OE1 | 16.786 | 7.524  | 19.162 |
| 935 | GLN124 | NE2 | 15.357 | 8.832  | 18.008 |
| 936 | ILE125 | N   | 11.904 | 5.252  | 16.299 |
| 937 | ILE125 | CA  | 10.961 | 4.328  | 16.947 |
| 938 | ILE125 | C   | 10.716 | 3.072  | 16.112 |
| 939 | ILE125 | O   | 10.861 | 1.961  | 16.642 |
| 940 | ILE125 | CB  | 9.638  | 5.064  | 17.148 |
| 941 | ILE125 | CG1 | 9.792  | 6.214  | 18.13  |
| 942 | ILE125 | CG2 | 8.543  | 4.122  | 17.628 |
| 943 | ILE125 | CD1 | 8.487  | 6.984  | 18.275 |
| 944 | VAL126 | N   | 10.649 | 3.229  | 14.797 |
| 945 | VAL126 | CA  | 10.44  | 2.064  | 13.928 |
| 946 | VAL126 | C   | 11.693 | 1.2    | 13.87  |
| 947 | VAL126 | O   | 11.603 | -0.021 | 14.062 |
| 948 | VAL126 | CB  | 10.119 | 2.529  | 12.513 |
| 949 | VAL126 | CG1 | 9.754  | 1.334  | 11.641 |
| 950 | VAL126 | CG2 | 8.988  | 3.544  | 12.503 |
| 951 | ASP127 | N   | 12.843 | 1.855  | 13.909 |
| 952 | ASP127 | CA  | 14.121 | 1.141  | 13.889 |
| 953 | ASP127 | C   | 14.314 | 0.34   | 15.17  |
| 954 | ASP127 | O   | 14.537 | -0.876 | 15.088 |
| 955 | ASP127 | CB  | 15.258 | 2.153  | 13.769 |
| 956 | ASP127 | CG  | 15.158 | 2.967  | 12.481 |
| 957 | ASP127 | OD1 | 15.632 | 4.097  | 12.49  |
| 958 | ASP127 | OD2 | 14.686 | 2.426  | 11.489 |
| 959 | GLU128 | N   | 13.903 | 0.919  | 16.288 |
| 960 | GLU128 | CA  | 14.048 | 0.26   | 17.589 |
| 961 | GLU128 | C   | 13.094 | -0.915 | 17.762 |
| 962 | GLU128 | O   | 13.527 | -1.952 | 18.281 |
| 963 | GLU128 | CB  | 13.764 | 1.281  | 18.684 |
| 964 | GLU128 | CG  | 14.807 | 2.39   | 18.707 |
| 965 | GLU128 | CD  | 14.367 | 3.489  | 19.668 |
| 966 | GLU128 | OE1 | 13.584 | 4.333  | 19.247 |
| 967 | GLU128 | OE2 | 14.794 | 3.452  | 20.812 |
| 968 | HIS129 | N   | 11.934 | -0.861 | 17.128 |
| 969 | HIS129 | CA  | 11.002 | -1.985 | 17.237 |
| 970 | HIS129 | C   | 11.411 | -3.142 | 16.333 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |         |        |
|------|--------|-----|--------|---------|--------|
| 971  | HIS129 | O   | 11.344 | -4.297  | 16.772 |
| 972  | HIS129 | CB  | 9.592  | -1.533  | 16.885 |
| 973  | HIS129 | CG  | 8.963  | -0.57   | 17.87  |
| 974  | HIS129 | ND1 | 7.942  | 0.266   | 17.612 |
| 975  | HIS129 | CD2 | 9.3    | -0.394  | 19.192 |
| 976  | HIS129 | CE1 | 7.647  | 0.969   | 18.724 |
| 977  | HIS129 | NE2 | 8.488  | 0.561   | 19.701 |
| 978  | ILE130 | N   | 12.061 | -2.848  | 15.218 |
| 979  | ILE130 | CA  | 12.564 | -3.95   | 14.394 |
| 980  | ILE130 | C   | 13.768 | -4.577  | 15.089 |
| 981  | ILE130 | O   | 13.69  | -5.756  | 15.459 |
| 982  | ILE130 | CB  | 12.968 | -3.449  | 13.012 |
| 983  | ILE130 | CG1 | 11.841 | -2.659  | 12.36  |
| 984  | ILE130 | CG2 | 13.341 | -4.632  | 12.125 |
| 985  | ILE130 | CD1 | 12.258 | -2.117  | 10.996 |
| 986  | ASP131 | N   | 14.65  | -3.712  | 15.575 |
| 987  | ASP131 | CA  | 15.874 | -4.12   | 16.283 |
| 988  | ASP131 | C   | 15.604 | -5.033  | 17.473 |
| 989  | ASP131 | O   | 15.932 | -6.226  | 17.435 |
| 990  | ASP131 | CB  | 16.565 | -2.874  | 16.84  |
| 991  | ASP131 | CG  | 17.175 | -1.999  | 15.749 |
| 992  | ASP131 | OD1 | 17.222 | -0.791  | 15.952 |
| 993  | ASP131 | OD2 | 17.743 | -2.564  | 14.826 |
| 994  | ALA132 | N   | 14.882 | -4.505  | 18.448 |
| 995  | ALA132 | CA  | 14.708 | -5.198  | 19.727 |
| 996  | ALA132 | C   | 13.582 | -6.228  | 19.763 |
| 997  | ALA132 | O   | 13.489 | -6.983  | 20.738 |
| 998  | ALA132 | CB  | 14.465 | -4.147  | 20.803 |
| 999  | LEU133 | N   | 12.752 | -6.286  | 18.736 |
| 1000 | LEU133 | CA  | 11.712 | -7.311  | 18.741 |
| 1001 | LEU133 | C   | 12.08  | -8.444  | 17.798 |
| 1002 | LEU133 | O   | 12.567 | -9.492  | 18.239 |
| 1003 | LEU133 | CB  | 10.366 | -6.697  | 18.372 |
| 1004 | LEU133 | CG  | 9.925  | -5.686  | 19.427 |
| 1005 | LEU133 | CD1 | 8.679  | -4.93   | 18.987 |
| 1006 | LEU133 | CD2 | 9.698  | -6.366  | 20.773 |
| 1007 | LEU134 | N   | 11.901 | -8.215  | 16.511 |
| 1008 | LEU134 | CA  | 12.139 | -9.288  | 15.539 |
| 1009 | LEU134 | C   | 12.895 | -8.777  | 14.32  |
| 1010 | LEU134 | O   | 12.319 | -8.632  | 13.237 |
| 1011 | LEU134 | CB  | 10.808 | -9.885  | 15.087 |
| 1012 | LEU134 | CG  | 10.481 | -11.234 | 15.731 |
| 1013 | LEU134 | CD1 | 11.66  | -12.193 | 15.635 |
| 1014 | LEU134 | CD2 | 9.997  | -11.115 | 17.173 |
| 1015 | ALA135 | N   | 14.194 | -8.586  | 14.486 |
| 1016 | ALA135 | CA  | 15.038 | -8.142  | 13.371 |
| 1017 | ALA135 | C   | 15.606 | -9.293  | 12.538 |
| 1018 | ALA135 | O   | 16.184 | -9.051  | 11.472 |
| 1019 | ALA135 | CB  | 16.193 | -7.323  | 13.935 |
| 1020 | GLY136 | N   | 15.402 | -10.522 | 12.984 |
| 1021 | GLY136 | CA  | 15.957 | -11.679 | 12.272 |
| 1022 | GLY136 | C   | 14.865 | -12.524 | 11.62  |
| 1023 | GLY136 | O   | 14.069 | -12.022 | 10.829 |
| 1024 | PRO137 | N   | 14.906 | -13.813 | 11.903 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |         |        |
|------|--------|-----|--------|---------|--------|
| 1025 | PRO137 | CA  | 13.938 | -14.772 | 11.353 |
| 1026 | PRO137 | C   | 12.589 | -14.709 | 12.067 |
| 1027 | PRO137 | O   | 12.21  | -13.679 | 12.637 |
| 1028 | PRO137 | CB  | 14.573 | -16.111 | 11.568 |
| 1029 | PRO137 | CG  | 15.748 | -15.953 | 12.524 |
| 1030 | PRO137 | CD  | 15.899 | -14.46  | 12.763 |
| 1031 | LYS138 | N   | 11.86  | -15.811 | 11.945 |
| 1032 | LYS138 | CA  | 10.575 | -16.043 | 12.639 |
| 1033 | LYS138 | C   | 9.412  | -15.227 | 12.069 |
| 1034 | LYS138 | O   | 9.605  | -14.143 | 11.508 |
| 1035 | LYS138 | CB  | 10.733 | -15.765 | 14.135 |
| 1036 | LYS138 | CG  | 11.795 | -16.66  | 14.765 |
| 1037 | LYS138 | CD  | 12.022 | -16.303 | 16.23  |
| 1038 | LYS138 | CE  | 13.155 | -17.128 | 16.829 |
| 1039 | LYS138 | NZ  | 12.859 | -18.567 | 16.746 |
| 1040 | PRO139 | N   | 8.256  | -15.868 | 12.022 |
| 1041 | PRO139 | CA  | 6.996  | -15.155 | 11.797 |
| 1042 | PRO139 | C   | 6.612  | -14.289 | 12.995 |
| 1043 | PRO139 | O   | 6.167  | -14.795 | 14.031 |
| 1044 | PRO139 | CB  | 5.979  | -16.232 | 11.583 |
| 1045 | PRO139 | CG  | 6.595  | -17.575 | 11.948 |
| 1046 | PRO139 | CD  | 8.04   | -17.286 | 12.322 |
| 1047 | ALA140 | N   | 6.749  | -12.987 | 12.824 |
| 1048 | ALA140 | CA  | 6.355  | -12.036 | 13.868 |
| 1049 | ALA140 | C   | 5.006  | -11.411 | 13.552 |
| 1050 | ALA140 | O   | 4.591  | -11.359 | 12.391 |
| 1051 | ALA140 | CB  | 7.395  | -10.931 | 13.953 |
| 1052 | ASP141 | N   | 4.297  | -10.989 | 14.582 |
| 1053 | ASP141 | CA  | 3.051  | -10.264 | 14.336 |
| 1054 | ASP141 | C   | 3.363  | -8.779  | 14.165 |
| 1055 | ASP141 | O   | 3.466  | -8.032  | 15.149 |
| 1056 | ASP141 | CB  | 2.073  | -10.492 | 15.481 |
| 1057 | ASP141 | CG  | 0.741  | -9.84   | 15.132 |
| 1058 | ASP141 | OD1 | 0.583  | -8.673  | 15.465 |
| 1059 | ASP141 | OD2 | 0.016  | -10.426 | 14.338 |
| 1060 | LEU142 | N   | 3.261  | -8.332  | 12.923 |
| 1061 | LEU142 | CA  | 3.692  | -6.983  | 12.541 |
| 1062 | LEU142 | C   | 2.753  | -5.893  | 13.048 |
| 1063 | LEU142 | O   | 3.232  | -4.806  | 13.4   |
| 1064 | LEU142 | CB  | 3.78   | -6.96   | 11.012 |
| 1065 | LEU142 | CG  | 4.336  | -5.66   | 10.428 |
| 1066 | LEU142 | CD1 | 5.227  | -5.944  | 9.225  |
| 1067 | LEU142 | CD2 | 3.241  | -4.659  | 10.063 |
| 1068 | VAL143 | N   | 1.509  | -6.243  | 13.329 |
| 1069 | VAL143 | CA  | 0.585  | -5.247  | 13.868 |
| 1070 | VAL143 | C   | 0.992  | -4.867  | 15.287 |
| 1071 | VAL143 | O   | 1.481  | -3.748  | 15.477 |
| 1072 | VAL143 | CB  | -0.829 | -5.809  | 13.859 |
| 1073 | VAL143 | CG1 | -1.823 | -4.772  | 14.374 |
| 1074 | VAL143 | CG2 | -1.212 | -6.26   | 12.457 |
| 1075 | GLN144 | N   | 1.184  | -5.874  | 16.119 |
| 1076 | GLN144 | CA  | 1.491  | -5.656  | 17.535 |
| 1077 | GLN144 | C   | 2.945  | -5.249  | 17.797 |
| 1078 | GLN144 | O   | 3.212  | -4.566  | 18.791 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1079 | GLN144 | CB  | 1.203  | -6.982 | 18.23  |
| 1080 | GLN144 | CG  | 1.485  | -6.966 | 19.726 |
| 1081 | GLN144 | CD  | 1.232  | -8.364 | 20.277 |
| 1082 | GLN144 | OE1 | 1.815  | -8.777 | 21.285 |
| 1083 | GLN144 | NE2 | 0.374  | -9.091 | 19.582 |
| 1084 | ALA145 | N   | 3.842  | -5.539 | 16.87  |
| 1085 | ALA145 | CA  | 5.246  | -5.186 | 17.088 |
| 1086 | ALA145 | C   | 5.672  | -3.884 | 16.412 |
| 1087 | ALA145 | O   | 6.594  | -3.211 | 16.888 |
| 1088 | ALA145 | CB  | 6.108  | -6.329 | 16.561 |
| 1089 | LEU146 | N   | 4.988  | -3.499 | 15.349 |
| 1090 | LEU146 | CA  | 5.424  | -2.324 | 14.588 |
| 1091 | LEU146 | C   | 4.294  | -1.342 | 14.317 |
| 1092 | LEU146 | O   | 4.308  | -0.207 | 14.815 |
| 1093 | LEU146 | CB  | 5.964  | -2.825 | 13.252 |
| 1094 | LEU146 | CG  | 7.225  | -3.659 | 13.433 |
| 1095 | LEU146 | CD1 | 7.467  | -4.589 | 12.254 |
| 1096 | LEU146 | CD2 | 8.432  | -2.772 | 13.705 |
| 1097 | SER147 | N   | 3.245  | -1.868 | 13.71  |
| 1098 | SER147 | CA  | 2.169  | -1.053 | 13.134 |
| 1099 | SER147 | C   | 1.274  | -0.369 | 14.164 |
| 1100 | SER147 | O   | 0.727  | 0.708  | 13.911 |
| 1101 | SER147 | CB  | 1.325  | -2.001 | 12.301 |
| 1102 | SER147 | OG  | 0.198  | -1.277 | 11.856 |
| 1103 | LEU148 | N   | 1.174  | -0.97  | 15.331 |
| 1104 | LEU148 | CA  | 0.484  | -0.358 | 16.464 |
| 1105 | LEU148 | C   | 1.433  | 0.51   | 17.316 |
| 1106 | LEU148 | O   | 1.132  | 1.707  | 17.436 |
| 1107 | LEU148 | CB  | -0.204 | -1.475 | 17.259 |
| 1108 | LEU148 | CG  | -1.13  | -0.987 | 18.372 |
| 1109 | LEU148 | CD1 | -2.317 | -1.93  | 18.53  |
| 1110 | LEU148 | CD2 | -0.404 | -0.81  | 19.703 |
| 1111 | PRO149 | N   | 2.553  | 0.008  | 17.848 |
| 1112 | PRO149 | CA  | 3.299  | 0.829  | 18.809 |
| 1113 | PRO149 | C   | 3.987  | 2.052  | 18.203 |
| 1114 | PRO149 | O   | 4.043  | 3.07   | 18.9   |
| 1115 | PRO149 | CB  | 4.31   | -0.075 | 19.439 |
| 1116 | PRO149 | CG  | 4.261  | -1.43  | 18.764 |
| 1117 | PRO149 | CD  | 3.122  | -1.352 | 17.766 |
| 1118 | VAL150 | N   | 4.316  | 2.051  | 16.918 |
| 1119 | VAL150 | CA  | 4.873  | 3.276  | 16.323 |
| 1120 | VAL150 | C   | 3.867  | 4.442  | 16.385 |
| 1121 | VAL150 | O   | 4.127  | 5.334  | 17.201 |
| 1122 | VAL150 | CB  | 5.399  | 3.041  | 14.905 |
| 1123 | VAL150 | CG1 | 5.892  | 4.345  | 14.284 |
| 1124 | VAL150 | CG2 | 6.514  | 2.004  | 14.891 |
| 1125 | PRO151 | N   | 2.695  | 4.396  | 15.75  |
| 1126 | PRO151 | CA  | 1.816  | 5.574  | 15.799 |
| 1127 | PRO151 | C   | 1.187  | 5.843  | 17.167 |
| 1128 | PRO151 | O   | 1.009  | 7.014  | 17.532 |
| 1129 | PRO151 | CB  | 0.742  | 5.307  | 14.799 |
| 1130 | PRO151 | CG  | 0.88   | 3.895  | 14.266 |
| 1131 | PRO151 | CD  | 2.136  | 3.336  | 14.896 |
| 1132 | SER152 | N   | 1.059  | 4.817  | 17.993 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1133 | SER152 | CA  | 0.504  | 5.027  | 19.326 |
| 1134 | SER152 | C   | 1.506  | 5.73   | 20.241 |
| 1135 | SER152 | O   | 1.136  | 6.724  | 20.879 |
| 1136 | SER152 | CB  | 0.117  | 3.671  | 19.898 |
| 1137 | SER152 | OG  | -0.849 | 3.09   | 19.031 |
| 1138 | LEU153 | N   | 2.785  | 5.428  | 20.079 |
| 1139 | LEU153 | CA  | 3.817  | 6.088  | 20.883 |
| 1140 | LEU153 | C   | 4.17   | 7.458  | 20.312 |
| 1141 | LEU153 | O   | 4.34   | 8.406  | 21.091 |
| 1142 | LEU153 | CB  | 5.06   | 5.206  | 20.899 |
| 1143 | LEU153 | CG  | 6.168  | 5.789  | 21.769 |
| 1144 | LEU153 | CD1 | 5.708  | 5.934  | 23.216 |
| 1145 | LEU153 | CD2 | 7.424  | 4.928  | 21.689 |
| 1146 | VAL154 | N   | 3.995  | 7.622  | 19.009 |
| 1147 | VAL154 | CA  | 4.232  | 8.925  | 18.383 |
| 1148 | VAL154 | C   | 3.185  | 9.944  | 18.813 |
| 1149 | VAL154 | O   | 3.566  | 11.036 | 19.256 |
| 1150 | VAL154 | CB  | 4.205  | 8.777  | 16.864 |
| 1151 | VAL154 | CG1 | 4.148  | 10.134 | 16.169 |
| 1152 | VAL154 | CG2 | 5.402  | 7.976  | 16.368 |
| 1153 | ILE155 | N   | 1.945  | 9.513  | 18.977 |
| 1154 | ILE155 | CA  | 0.935  | 10.467 | 19.431 |
| 1155 | ILE155 | C   | 0.932  | 10.621 | 20.956 |
| 1156 | ILE155 | O   | 0.6    | 11.709 | 21.446 |
| 1157 | ILE155 | CB  | -0.433 | 10.065 | 18.902 |
| 1158 | ILE155 | CG1 | -1.405 | 11.218 | 19.089 |
| 1159 | ILE155 | CG2 | -0.956 | 8.814  | 19.593 |
| 1160 | ILE155 | CD1 | -0.954 | 12.46  | 18.327 |
| 1161 | CYS156 | N   | 1.569  | 9.697  | 21.66  |
| 1162 | CYS156 | CA  | 1.787  | 9.891  | 23.093 |
| 1163 | CYS156 | C   | 2.835  | 10.973 | 23.317 |
| 1164 | CYS156 | O   | 2.551  | 11.93  | 24.047 |
| 1165 | CYS156 | CB  | 2.261  | 8.59   | 23.732 |
| 1166 | CYS156 | SG  | 1.018  | 7.295  | 23.935 |
| 1167 | GLU157 | N   | 3.838  | 11.005 | 22.454 |
| 1168 | GLU157 | CA  | 4.902  | 12.011 | 22.559 |
| 1169 | GLU157 | C   | 4.512  | 13.364 | 21.957 |
| 1170 | GLU157 | O   | 5.08   | 14.393 | 22.339 |
| 1171 | GLU157 | CB  | 6.109  | 11.474 | 21.801 |
| 1172 | GLU157 | CG  | 6.57   | 10.14  | 22.372 |
| 1173 | GLU157 | CD  | 7.588  | 9.499  | 21.434 |
| 1174 | GLU157 | OE1 | 8.764  | 9.522  | 21.767 |
| 1175 | GLU157 | OE2 | 7.162  | 8.932  | 20.437 |
| 1176 | LEU158 | N   | 3.5    | 13.37  | 21.107 |
| 1177 | LEU158 | CA  | 3.042  | 14.616 | 20.492 |
| 1178 | LEU158 | C   | 2.03   | 15.308 | 21.401 |
| 1179 | LEU158 | O   | 2.089  | 16.535 | 21.586 |
| 1180 | LEU158 | CB  | 2.412  | 14.232 | 19.149 |
| 1181 | LEU158 | CG  | 2.171  | 15.389 | 18.175 |
| 1182 | LEU158 | CD1 | 2.086  | 14.868 | 16.745 |
| 1183 | LEU158 | CD2 | 0.93   | 16.213 | 18.504 |
| 1184 | LEU159 | N   | 1.211  | 14.518 | 22.072 |
| 1185 | LEU159 | CA  | 0.183  | 15.099 | 22.929 |
| 1186 | LEU159 | C   | 0.747  | 15.411 | 24.309 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1187 | LEU159 | O   | 0.832  | 16.594 | 24.66  |
| 1188 | LEU159 | CB  | -0.979 | 14.12  | 23.044 |
| 1189 | LEU159 | CG  | -2.24  | 14.827 | 23.524 |
| 1190 | LEU159 | CD1 | -2.637 | 15.915 | 22.535 |
| 1191 | LEU159 | CD2 | -3.385 | 13.84  | 23.707 |
| 1192 | GLY160 | N   | 1.347  | 14.417 | 24.943 |
| 1193 | GLY160 | CA  | 1.874  | 14.572 | 26.306 |
| 1194 | GLY160 | C   | 1.433  | 13.413 | 27.2   |
| 1195 | GLY160 | O   | 1.183  | 13.581 | 28.398 |
| 1196 | VAL161 | N   | 1.366  | 12.238 | 26.601 |
| 1197 | VAL161 | CA  | 0.869  | 11.037 | 27.284 |
| 1198 | VAL161 | C   | 2.006  | 10.078 | 27.635 |
| 1199 | VAL161 | O   | 2.715  | 9.58   | 26.752 |
| 1200 | VAL161 | CB  | -0.111 | 10.348 | 26.338 |
| 1201 | VAL161 | CG1 | -0.763 | 9.125  | 26.976 |
| 1202 | VAL161 | CG2 | -1.175 | 11.327 | 25.866 |
| 1203 | PRO162 | N   | 2.15   | 9.806  | 28.922 |
| 1204 | PRO162 | CA  | 3.13   | 8.826  | 29.4   |
| 1205 | PRO162 | C   | 2.838  | 7.41   | 28.901 |
| 1206 | PRO162 | O   | 1.68   | 7.021  | 28.689 |
| 1207 | PRO162 | CB  | 3.066  | 8.899  | 30.894 |
| 1208 | PRO162 | CG  | 1.972  | 9.874  | 31.302 |
| 1209 | PRO162 | CD  | 1.358  | 10.384 | 30.009 |
| 1210 | TYR163 | N   | 3.882  | 6.593  | 28.912 |
| 1211 | TYR163 | CA  | 3.793  | 5.209  | 28.41  |
| 1212 | TYR163 | C   | 3.104  | 4.257  | 29.393 |
| 1213 | TYR163 | O   | 2.72   | 3.153  | 29.002 |
| 1214 | TYR163 | CB  | 5.192  | 4.684  | 28.071 |
| 1215 | TYR163 | CG  | 6.111  | 4.367  | 29.254 |
| 1216 | TYR163 | CD1 | 6.895  | 5.363  | 29.826 |
| 1217 | TYR163 | CD2 | 6.181  | 3.067  | 29.743 |
| 1218 | TYR163 | CE1 | 7.726  | 5.066  | 30.898 |
| 1219 | TYR163 | CE2 | 7.011  | 2.768  | 30.815 |
| 1220 | TYR163 | CZ  | 7.78   | 3.77   | 31.392 |
| 1221 | TYR163 | OH  | 8.589  | 3.478  | 32.467 |
| 1222 | SER164 | N   | 2.806  | 4.747  | 30.589 |
| 1223 | SER164 | CA  | 2.007  | 3.992  | 31.561 |
| 1224 | SER164 | C   | 0.51   | 4.158  | 31.301 |
| 1225 | SER164 | O   | -0.319 | 3.566  | 32     |
| 1226 | SER164 | CB  | 2.303  | 4.538  | 32.952 |
| 1227 | SER164 | OG  | 1.766  | 5.854  | 33.017 |
| 1228 | ASP165 | N   | 0.173  | 5.056  | 30.389 |
| 1229 | ASP165 | CA  | -1.215 | 5.273  | 30.002 |
| 1230 | ASP165 | C   | -1.445 | 4.619  | 28.649 |
| 1231 | ASP165 | O   | -2.542 | 4.126  | 28.344 |
| 1232 | ASP165 | CB  | -1.463 | 6.775  | 29.944 |
| 1233 | ASP165 | CG  | -1.331 | 7.38   | 31.343 |
| 1234 | ASP165 | OD1 | -2.358 | 7.592  | 31.968 |
| 1235 | ASP165 | OD2 | -0.21  | 7.683  | 31.732 |
| 1236 | HIS166 | N   | -0.343 | 4.475  | 27.929 |
| 1237 | HIS166 | CA  | -0.299 | 3.666  | 26.71  |
| 1238 | HIS166 | C   | -0.63  | 2.223  | 27.09  |
| 1239 | HIS166 | O   | -0.515 | 1.86   | 28.266 |
| 1240 | HIS166 | CB  | 1.11   | 3.792  | 26.129 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 1241 | HIS166 | CG  | 1.387   | 3.018  | 24.856 |
| 1242 | HIS166 | ND1 | 0.916   | 3.295  | 23.626 |
| 1243 | HIS166 | CD2 | 2.174   | 1.896  | 24.741 |
| 1244 | HIS166 | CE1 | 1.378   | 2.374  | 22.756 |
| 1245 | HIS166 | NE2 | 2.156   | 1.51   | 23.445 |
| 1246 | GLU167 | N   | -1.239  | 1.506  | 26.155 |
| 1247 | GLU167 | CA  | -1.754  | 0.127  | 26.342 |
| 1248 | GLU167 | C   | -3.12   | 0.07   | 27.045 |
| 1249 | GLU167 | O   | -4.04   | -0.549 | 26.498 |
| 1250 | GLU167 | CB  | -0.743  | -0.752 | 27.077 |
| 1251 | GLU167 | CG  | 0.54    | -0.919 | 26.271 |
| 1252 | GLU167 | CD  | 1.593   | -1.638 | 27.107 |
| 1253 | GLU167 | OE1 | 1.207   | -2.478 | 27.907 |
| 1254 | GLU167 | OE2 | 2.766   | -1.386 | 26.875 |
| 1255 | PHE168 | N   | -3.329  | 0.846  | 28.097 |
| 1256 | PHE168 | CA  | -4.652  | 0.854  | 28.729 |
| 1257 | PHE168 | C   | -5.586  | 1.779  | 27.954 |
| 1258 | PHE168 | O   | -6.692  | 1.36   | 27.587 |
| 1259 | PHE168 | CB  | -4.53   | 1.304  | 30.179 |
| 1260 | PHE168 | CG  | -5.824  | 1.165  | 30.977 |
| 1261 | PHE168 | CD1 | -6.696  | 0.117  | 30.709 |
| 1262 | PHE168 | CD2 | -6.126  | 2.078  | 31.979 |
| 1263 | PHE168 | CE1 | -7.875  | -0.01  | 31.432 |
| 1264 | PHE168 | CE2 | -7.305  | 1.951  | 32.703 |
| 1265 | PHE168 | CZ  | -8.18   | 0.908  | 32.428 |
| 1266 | PHE169 | N   | -5.016  | 2.851  | 27.423 |
| 1267 | PHE169 | CA  | -5.773  | 3.717  | 26.514 |
| 1268 | PHE169 | C   | -5.944  | 3.029  | 25.162 |
| 1269 | PHE169 | O   | -7.031  | 3.098  | 24.579 |
| 1270 | PHE169 | CB  | -5.003  | 5.024  | 26.316 |
| 1271 | PHE169 | CG  | -5.736  | 6.088  | 25.497 |
| 1272 | PHE169 | CD1 | -6.361  | 7.145  | 26.147 |
| 1273 | PHE169 | CD2 | -5.758  | 6.022  | 24.109 |
| 1274 | PHE169 | CE1 | -7.037  | 8.111  | 25.413 |
| 1275 | PHE169 | CE2 | -6.436  | 6.985  | 23.375 |
| 1276 | PHE169 | CZ  | -7.082  | 8.028  | 24.027 |
| 1277 | GLN170 | N   | -5.019  | 2.134  | 24.851 |
| 1278 | GLN170 | CA  | -5.042  | 1.407  | 23.584 |
| 1279 | GLN170 | C   | -6.148  | 0.359  | 23.564 |
| 1280 | GLN170 | O   | -6.903  | 0.281  | 22.588 |
| 1281 | GLN170 | CB  | -3.705  | 0.693  | 23.444 |
| 1282 | GLN170 | CG  | -3.611  | -0.121 | 22.163 |
| 1283 | GLN170 | CD  | -3.411  | 0.818  | 20.985 |
| 1284 | GLN170 | OE1 | -2.392  | 1.516  | 20.917 |
| 1285 | GLN170 | NE2 | -4.408  | 0.885  | 20.125 |
| 1286 | SER171 | N   | -6.372  | -0.281 | 24.698 |
| 1287 | SER171 | CA  | -7.424  | -1.295 | 24.769 |
| 1288 | SER171 | C   | -8.811  | -0.665 | 24.856 |
| 1289 | SER171 | O   | -9.706  | -1.107 | 24.125 |
| 1290 | SER171 | CB  | -7.171  | -2.209 | 25.967 |
| 1291 | SER171 | OG  | -7.132  | -1.427 | 27.155 |
| 1292 | CYS172 | N   | -8.906  | 0.511  | 25.457 |
| 1293 | CYS172 | CA  | -10.204 | 1.184  | 25.525 |
| 1294 | CYS172 | C   | -10.569 | 1.806  | 24.18  |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 1295 | CYS172 | O   | -11.691 | 1.593  | 23.703 |
| 1296 | CYS172 | CB  | -10.149 | 2.266  | 26.593 |
| 1297 | CYS172 | SG  | -9.817  | 1.701  | 28.277 |
| 1298 | SER173 | N   | -9.559  | 2.253  | 23.453 |
| 1299 | SER173 | CA  | -9.781  | 2.826  | 22.121 |
| 1300 | SER173 | C   | -9.949  | 1.765  | 21.033 |
| 1301 | SER173 | O   | -10.363 | 2.096  | 19.916 |
| 1302 | SER173 | CB  | -8.612  | 3.741  | 21.775 |
| 1303 | SER173 | OG  | -7.418  | 2.972  | 21.747 |
| 1304 | SER174 | N   | -9.687  | 0.509  | 21.356 |
| 1305 | SER174 | CA  | -10.001 | -0.575 | 20.427 |
| 1306 | SER174 | C   | -11.395 | -1.133 | 20.713 |
| 1307 | SER174 | O   | -12.128 | -1.464 | 19.771 |
| 1308 | SER174 | CB  | -8.949  | -1.668 | 20.566 |
| 1309 | SER174 | OG  | -7.691  | -1.099 | 20.225 |
| 1310 | ARG175 | N   | -11.85  | -0.974 | 21.949 |
| 1311 | ARG175 | CA  | -13.224 | -1.373 | 22.294 |
| 1312 | ARG175 | C   | -14.226 | -0.342 | 21.787 |
| 1313 | ARG175 | O   | -15.298 | -0.72  | 21.298 |
| 1314 | ARG175 | CB  | -13.371 | -1.514 | 23.805 |
| 1315 | ARG175 | CG  | -12.486 | -2.622 | 24.36  |
| 1316 | ARG175 | CD  | -12.761 | -2.871 | 25.837 |
| 1317 | ARG175 | NE  | -12.544 | -1.662 | 26.646 |
| 1318 | ARG175 | CZ  | -13.06  | -1.512 | 27.869 |
| 1319 | ARG175 | NH1 | -12.78  | -0.421 | 28.584 |
| 1320 | ARG175 | NH2 | -13.816 | -2.478 | 28.397 |
| 1321 | MET176 | N   | -13.739 | 0.876  | 21.611 |
| 1322 | MET176 | CA  | -14.516 | 1.951  | 20.985 |
| 1323 | MET176 | C   | -14.649 | 1.843  | 19.467 |
| 1324 | MET176 | O   | -15.284 | 2.71   | 18.855 |
| 1325 | MET176 | CB  | -13.806 | 3.259  | 21.259 |
| 1326 | MET176 | CG  | -13.86  | 3.657  | 22.721 |
| 1327 | MET176 | SD  | -13.036 | 5.228  | 23.009 |
| 1328 | MET176 | CE  | -13.493 | 5.972  | 21.425 |
| 1329 | LEU177 | N   | -14.036 | 0.846  | 18.853 |
| 1330 | LEU177 | CA  | -14.184 | 0.676  | 17.411 |
| 1331 | LEU177 | C   | -15.219 | -0.388 | 17.059 |
| 1332 | LEU177 | O   | -15.593 | -0.533 | 15.886 |
| 1333 | LEU177 | CB  | -12.836 | 0.29   | 16.827 |
| 1334 | LEU177 | CG  | -11.824 | 1.426  | 16.9   |
| 1335 | LEU177 | CD1 | -10.568 | 1.035  | 16.135 |
| 1336 | LEU177 | CD2 | -12.4   | 2.713  | 16.32  |
| 1337 | SER178 | N   | -15.706 | -1.099 | 18.062 |
| 1338 | SER178 | CA  | -16.693 | -2.149 | 17.793 |
| 1339 | SER178 | C   | -18.117 | -1.673 | 18.08  |
| 1340 | SER178 | O   | -18.628 | -1.797 | 19.2   |
| 1341 | SER178 | CB  | -16.344 | -3.402 | 18.599 |
| 1342 | SER178 | OG  | -16.323 | -3.095 | 19.988 |
| 1343 | ARG179 | N   | -18.765 | -1.209 | 17.022 |
| 1344 | ARG179 | CA  | -20.148 | -0.697 | 17.082 |
| 1345 | ARG179 | C   | -21.17  | -1.832 | 17.192 |
| 1346 | ARG179 | O   | -21.743 | -2.266 | 16.187 |
| 1347 | ARG179 | CB  | -20.4   | 0.027  | 15.768 |
| 1348 | ARG179 | CG  | -19.286 | 1.01   | 15.431 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 1349 | ARG179 | CD  | -19.098 | 1.114  | 13.922 |
| 1350 | ARG179 | NE  | -18.628 | -0.179 | 13.39  |
| 1351 | ARG179 | CZ  | -19.337 | -0.967 | 12.576 |
| 1352 | ARG179 | NH1 | -18.903 | -2.2   | 12.307 |
| 1353 | ARG179 | NH2 | -20.546 | -0.583 | 12.156 |
| 1354 | GLU180 | N   | -21.375 | -2.313 | 18.405 |
| 1355 | GLU180 | CA  | -22.261 | -3.454 | 18.627 |
| 1356 | GLU180 | C   | -23.553 | -3.038 | 19.318 |
| 1357 | GLU180 | O   | -23.676 | -1.923 | 19.833 |
| 1358 | GLU180 | CB  | -21.517 | -4.449 | 19.508 |
| 1359 | GLU180 | CG  | -20.175 | -4.838 | 18.899 |
| 1360 | GLU180 | CD  | -19.442 | -5.795 | 19.828 |
| 1361 | GLU180 | OE1 | -20.124 | -6.592 | 20.457 |
| 1362 | GLU180 | OE2 | -18.219 | -5.763 | 19.834 |
| 1363 | VAL181 | N   | -24.492 | -3.969 | 19.374 |
| 1364 | VAL181 | CA  | -25.72  | -3.744 | 20.147 |
| 1365 | VAL181 | C   | -25.463 | -4.084 | 21.616 |
| 1366 | VAL181 | O   | -26.012 | -3.452 | 22.525 |
| 1367 | VAL181 | CB  | -26.823 | -4.627 | 19.569 |
| 1368 | VAL181 | CG1 | -28.119 | -4.498 | 20.362 |
| 1369 | VAL181 | CG2 | -27.062 | -4.297 | 18.099 |
| 1370 | THR182 | N   | -24.438 | -4.897 | 21.822 |
| 1371 | THR182 | CA  | -23.936 | -5.215 | 23.166 |
| 1372 | THR182 | C   | -22.767 | -4.302 | 23.547 |
| 1373 | THR182 | O   | -21.827 | -4.739 | 24.222 |
| 1374 | THR182 | CB  | -23.459 | -6.664 | 23.183 |
| 1375 | THR182 | OG1 | -22.348 | -6.789 | 22.302 |
| 1376 | THR182 | CG2 | -24.551 | -7.622 | 22.719 |
| 1377 | ALA183 | N   | -22.882 | -3.025 | 23.214 |
| 1378 | ALA183 | CA  | -21.777 | -2.062 | 23.352 |
| 1379 | ALA183 | C   | -21.585 | -1.459 | 24.748 |
| 1380 | ALA183 | O   | -21.031 | -0.36  | 24.855 |
| 1381 | ALA183 | CB  | -21.993 | -0.933 | 22.352 |
| 1382 | GLU184 | N   | -21.832 | -2.224 | 25.799 |
| 1383 | GLU184 | CA  | -21.706 | -1.688 | 27.158 |
| 1384 | GLU184 | C   | -20.242 | -1.537 | 27.568 |
| 1385 | GLU184 | O   | -19.888 | -0.536 | 28.199 |
| 1386 | GLU184 | CB  | -22.415 | -2.636 | 28.117 |
| 1387 | GLU184 | CG  | -22.387 | -2.118 | 29.551 |
| 1388 | GLU184 | CD  | -23.145 | -3.086 | 30.454 |
| 1389 | GLU184 | OE1 | -22.924 | -3.047 | 31.655 |
| 1390 | GLU184 | OE2 | -23.953 | -3.832 | 29.917 |
| 1391 | GLU185 | N   | -19.374 | -2.344 | 26.978 |
| 1392 | GLU185 | CA  | -17.936 | -2.201 | 27.244 |
| 1393 | GLU185 | C   | -17.307 | -1.143 | 26.337 |
| 1394 | GLU185 | O   | -16.294 | -0.542 | 26.708 |
| 1395 | GLU185 | CB  | -17.216 | -3.541 | 27.073 |
| 1396 | GLU185 | CG  | -17.189 | -4.388 | 28.351 |
| 1397 | GLU185 | CD  | -18.561 | -4.959 | 28.705 |
| 1398 | GLU185 | OE1 | -19.308 | -5.237 | 27.774 |
| 1399 | GLU185 | OE2 | -18.899 | -4.953 | 29.879 |
| 1400 | ARG186 | N   | -18.044 | -0.74  | 25.316 |
| 1401 | ARG186 | CA  | -17.607 | 0.339  | 24.434 |
| 1402 | ARG186 | C   | -18.008 | 1.676  | 25.049 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |       |        |
|------|--------|-----|---------|-------|--------|
| 1403 | ARG186 | O   | -17.213 | 2.624 | 25.056 |
| 1404 | ARG186 | CB  | -18.317 | 0.135 | 23.103 |
| 1405 | ARG186 | CG  | -17.936 | 1.175 | 22.064 |
| 1406 | ARG186 | CD  | -18.718 | 0.942 | 20.779 |
| 1407 | ARG186 | NE  | -18.234 | 1.82  | 19.708 |
| 1408 | ARG186 | CZ  | -19.002 | 2.705 | 19.073 |
| 1409 | ARG186 | NH1 | -20.296 | 2.816 | 19.386 |
| 1410 | ARG186 | NH2 | -18.474 | 3.477 | 18.122 |
| 1411 | MET187 | N   | -19.086 | 1.627 | 25.817 |
| 1412 | MET187 | CA  | -19.545 | 2.775 | 26.601 |
| 1413 | MET187 | C   | -18.651 | 2.978 | 27.82  |
| 1414 | MET187 | O   | -18.251 | 4.113 | 28.111 |
| 1415 | MET187 | CB  | -20.958 | 2.459 | 27.07  |
| 1416 | MET187 | CG  | -21.569 | 3.594 | 27.88  |
| 1417 | MET187 | SD  | -23.104 | 3.161 | 28.726 |
| 1418 | MET187 | CE  | -23.995 | 2.43  | 27.333 |
| 1419 | THR188 | N   | -18.13  | 1.874 | 28.332 |
| 1420 | THR188 | CA  | -17.174 | 1.925 | 29.44  |
| 1421 | THR188 | C   | -15.819 | 2.442 | 28.969 |
| 1422 | THR188 | O   | -15.237 | 3.307 | 29.634 |
| 1423 | THR188 | CB  | -17.013 | 0.516 | 30     |
| 1424 | THR188 | OG1 | -18.274 | 0.091 | 30.499 |
| 1425 | THR188 | CG2 | -16.011 | 0.473 | 31.149 |
| 1426 | ALA189 | N   | -15.477 | 2.139 | 27.726 |
| 1427 | ALA189 | CA  | -14.243 | 2.652 | 27.133 |
| 1428 | ALA189 | C   | -14.333 | 4.147 | 26.838 |
| 1429 | ALA189 | O   | -13.403 | 4.884 | 27.192 |
| 1430 | ALA189 | CB  | -13.996 | 1.884 | 25.844 |
| 1431 | PHE190 | N   | -15.518 | 4.605 | 26.461 |
| 1432 | PHE190 | CA  | -15.762 | 6.042 | 26.26  |
| 1433 | PHE190 | C   | -15.632 | 6.81  | 27.572 |
| 1434 | PHE190 | O   | -14.815 | 7.736 | 27.678 |
| 1435 | PHE190 | CB  | -17.194 | 6.258 | 25.773 |
| 1436 | PHE190 | CG  | -17.566 | 5.772 | 24.375 |
| 1437 | PHE190 | CD1 | -16.652 | 5.837 | 23.334 |
| 1438 | PHE190 | CD2 | -18.848 | 5.293 | 24.139 |
| 1439 | PHE190 | CE1 | -17.013 | 5.406 | 22.063 |
| 1440 | PHE190 | CE2 | -19.208 | 4.861 | 22.871 |
| 1441 | PHE190 | CZ  | -18.291 | 4.917 | 21.832 |
| 1442 | GLU191 | N   | -16.281 | 6.297 | 28.605 |
| 1443 | GLU191 | CA  | -16.292 | 6.969 | 29.908 |
| 1444 | GLU191 | C   | -14.921 | 6.971 | 30.575 |
| 1445 | GLU191 | O   | -14.432 | 8.05  | 30.936 |
| 1446 | GLU191 | CB  | -17.28  | 6.233 | 30.802 |
| 1447 | GLU191 | CG  | -17.348 | 6.853 | 32.193 |
| 1448 | GLU191 | CD  | -18.28  | 6.023 | 33.069 |
| 1449 | GLU191 | OE1 | -18.424 | 4.843 | 32.777 |
| 1450 | GLU191 | OE2 | -18.894 | 6.597 | 33.957 |
| 1451 | SER192 | N   | -14.202 | 5.866 | 30.453 |
| 1452 | SER192 | CA  | -12.877 | 5.76  | 31.071 |
| 1453 | SER192 | C   | -11.82  | 6.545 | 30.301 |
| 1454 | SER192 | O   | -10.892 | 7.077 | 30.921 |
| 1455 | SER192 | CB  | -12.467 | 4.291 | 31.126 |
| 1456 | SER192 | OG  | -12.37  | 3.801 | 29.792 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 1457 | LEU193 | N   | -12.082 | 6.827  | 29.036 |
| 1458 | LEU193 | CA  | -11.152 | 7.64   | 28.256 |
| 1459 | LEU193 | C   | -11.441 | 9.127  | 28.435 |
| 1460 | LEU193 | O   | -10.514 | 9.943  | 28.377 |
| 1461 | LEU193 | CB  | -11.243 | 7.218  | 26.798 |
| 1462 | LEU193 | CG  | -9.95   | 6.547  | 26.343 |
| 1463 | LEU193 | CD1 | -9.372  | 5.603  | 27.391 |
| 1464 | LEU193 | CD2 | -10.117 | 5.842  | 25.003 |
| 1465 | GLU194 | N   | -12.63  | 9.438  | 28.923 |
| 1466 | GLU194 | CA  | -12.93  | 10.811 | 29.327 |
| 1467 | GLU194 | C   | -12.368 | 11.096 | 30.711 |
| 1468 | GLU194 | O   | -11.82  | 12.182 | 30.938 |
| 1469 | GLU194 | CB  | -14.437 | 11.017 | 29.337 |
| 1470 | GLU194 | CG  | -14.97  | 11.164 | 27.922 |
| 1471 | GLU194 | CD  | -14.35  | 12.405 | 27.287 |
| 1472 | GLU194 | OE1 | -13.524 | 12.237 | 26.403 |
| 1473 | GLU194 | OE2 | -14.826 | 13.487 | 27.596 |
| 1474 | ASN195 | N   | -12.26  | 10.058 | 31.523 |
| 1475 | ASN195 | CA  | -11.645 | 10.215 | 32.844 |
| 1476 | ASN195 | C   | -10.126 | 10.268 | 32.715 |
| 1477 | ASN195 | O   | -9.479  | 11.112 | 33.356 |
| 1478 | ASN195 | CB  | -12.076 | 9.054  | 33.736 |
| 1479 | ASN195 | CG  | -13.582 | 9.104  | 34.008 |
| 1480 | ASN195 | OD1 | -14.272 | 8.076  | 33.958 |
| 1481 | ASN195 | ND2 | -14.076 | 10.3   | 34.287 |
| 1482 | TYR196 | N   | -9.64   | 9.613  | 31.673 |
| 1483 | TYR196 | CA  | -8.236  | 9.692  | 31.267 |
| 1484 | TYR196 | C   | -7.88   | 11.104 | 30.817 |
| 1485 | TYR196 | O   | -6.953  | 11.707 | 31.371 |
| 1486 | TYR196 | CB  | -8.065  | 8.757  | 30.078 |
| 1487 | TYR196 | CG  | -7.054  | 7.633  | 30.253 |
| 1488 | TYR196 | CD1 | -5.806  | 7.739  | 29.658 |
| 1489 | TYR196 | CD2 | -7.39   | 6.5    | 30.982 |
| 1490 | TYR196 | CE1 | -4.884  | 6.711  | 29.799 |
| 1491 | TYR196 | CE2 | -6.466  | 5.472  | 31.126 |
| 1492 | TYR196 | CZ  | -5.216  | 5.581  | 30.532 |
| 1493 | TYR196 | OH  | -4.301  | 4.56   | 30.661 |
| 1494 | LEU197 | N   | -8.76   | 11.708 | 30.032 |
| 1495 | LEU197 | CA  | -8.543  | 13.084 | 29.57  |
| 1496 | LEU197 | C   | -8.718  | 14.131 | 30.663 |
| 1497 | LEU197 | O   | -7.966  | 15.11  | 30.658 |
| 1498 | LEU197 | CB  | -9.53   | 13.394 | 28.458 |
| 1499 | LEU197 | CG  | -9.196  | 12.63  | 27.188 |
| 1500 | LEU197 | CD1 | -10.305 | 12.816 | 26.168 |
| 1501 | LEU197 | CD2 | -7.852  | 13.072 | 26.619 |
| 1502 | ASP198 | N   | -9.49   | 13.83  | 31.695 |
| 1503 | ASP198 | CA  | -9.6    | 14.749 | 32.834 |
| 1504 | ASP198 | C   | -8.257  | 14.841 | 33.551 |
| 1505 | ASP198 | O   | -7.698  | 15.938 | 33.694 |
| 1506 | ASP198 | CB  | -10.627 | 14.209 | 33.829 |
| 1507 | ASP198 | CG  | -12.016 | 14.052 | 33.214 |
| 1508 | ASP198 | OD1 | -12.428 | 14.949 | 32.492 |
| 1509 | ASP198 | OD2 | -12.706 | 13.123 | 33.627 |
| 1510 | GLU199 | N   | -7.629  | 13.685 | 33.696 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1511 | GLU199 | CA  | -6.334 | 13.598 | 34.368 |
| 1512 | GLU199 | C   | -5.221 | 14.182 | 33.506 |
| 1513 | GLU199 | O   | -4.521 | 15.091 | 33.965 |
| 1514 | GLU199 | CB  | -6.053 | 12.121 | 34.608 |
| 1515 | GLU199 | CG  | -7.157 | 11.486 | 35.444 |
| 1516 | GLU199 | CD  | -7.084 | 9.966  | 35.341 |
| 1517 | GLU199 | OE1 | -7.502 | 9.312  | 36.287 |
| 1518 | GLU199 | OE2 | -6.717 | 9.484  | 34.277 |
| 1519 | LEU200 | N   | -5.26  | 13.885 | 32.219 |
| 1520 | LEU200 | CA  | -4.209 | 14.315 | 31.289 |
| 1521 | LEU200 | C   | -4.22  | 15.821 | 31.02  |
| 1522 | LEU200 | O   | -3.168 | 16.467 | 31.128 |
| 1523 | LEU200 | CB  | -4.459 | 13.57  | 29.982 |
| 1524 | LEU200 | CG  | -3.421 | 13.888 | 28.914 |
| 1525 | LEU200 | CD1 | -2.036 | 13.415 | 29.338 |
| 1526 | LEU200 | CD2 | -3.815 | 13.251 | 27.587 |
| 1527 | VAL201 | N   | -5.406 | 16.402 | 30.938 |
| 1528 | VAL201 | CA  | -5.521 | 17.832 | 30.642 |
| 1529 | VAL201 | C   | -5.196 | 18.69  | 31.859 |
| 1530 | VAL201 | O   | -4.491 | 19.7   | 31.709 |
| 1531 | VAL201 | CB  | -6.945 | 18.094 | 30.153 |
| 1532 | VAL201 | CG1 | -7.324 | 19.57  | 30.184 |
| 1533 | VAL201 | CG2 | -7.159 | 17.508 | 28.761 |
| 1534 | THR202 | N   | -5.431 | 18.149 | 33.045 |
| 1535 | THR202 | CA  | -5.103 | 18.884 | 34.267 |
| 1536 | THR202 | C   | -3.643 | 18.677 | 34.654 |
| 1537 | THR202 | O   | -2.981 | 19.624 | 35.101 |
| 1538 | THR202 | CB  | -6.02  | 18.391 | 35.378 |
| 1539 | THR202 | OG1 | -7.359 | 18.589 | 34.945 |
| 1540 | THR202 | CG2 | -5.814 | 19.173 | 36.671 |
| 1541 | LYS203 | N   | -3.08  | 17.579 | 34.182 |
| 1542 | LYS203 | CA  | -1.672 | 17.284 | 34.434 |
| 1543 | LYS203 | C   | -0.755 | 18.113 | 33.539 |
| 1544 | LYS203 | O   | 0.305  | 18.539 | 34.015 |
| 1545 | LYS203 | CB  | -1.474 | 15.79  | 34.209 |
| 1546 | LYS203 | CG  | -0.041 | 15.331 | 34.439 |
| 1547 | LYS203 | CD  | 0.025  | 13.812 | 34.569 |
| 1548 | LYS203 | CE  | -0.557 | 13.099 | 33.352 |
| 1549 | LYS203 | NZ  | 0.265  | 13.325 | 32.154 |
| 1550 | LYS204 | N   | -1.256 | 18.545 | 32.391 |
| 1551 | LYS204 | CA  | -0.505 | 19.493 | 31.553 |
| 1552 | LYS204 | C   | -0.788 | 20.954 | 31.896 |
| 1553 | LYS204 | O   | -0.031 | 21.846 | 31.499 |
| 1554 | LYS204 | CB  | -0.821 | 19.218 | 30.092 |
| 1555 | LYS204 | CG  | -0.076 | 17.965 | 29.664 |
| 1556 | LYS204 | CD  | 1.425  | 18.213 | 29.729 |
| 1557 | LYS204 | CE  | 2.202  | 16.906 | 29.69  |
| 1558 | LYS204 | NZ  | 1.918  | 16.115 | 30.896 |
| 1559 | GLU205 | N   | -1.781 | 21.179 | 32.741 |
| 1560 | GLU205 | CA  | -2.033 | 22.524 | 33.264 |
| 1561 | GLU205 | C   | -1.215 | 22.777 | 34.526 |
| 1562 | GLU205 | O   | -1.027 | 23.931 | 34.927 |
| 1563 | GLU205 | CB  | -3.518 | 22.66  | 33.57  |
| 1564 | GLU205 | CG  | -4.309 | 22.726 | 32.273 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1565 | GLU205 | CD  | -5.788 | 22.444 | 32.51  |
| 1566 | GLU205 | OE1 | -6.547 | 22.661 | 31.573 |
| 1567 | GLU205 | OE2 | -6.093 | 21.798 | 33.504 |
| 1568 | ALA206 | N   | -0.712 | 21.707 | 35.12  |
| 1569 | ALA206 | CA  | 0.208  | 21.844 | 36.249 |
| 1570 | ALA206 | C   | 1.649  | 21.772 | 35.756 |
| 1571 | ALA206 | O   | 2.464  | 22.661 | 36.034 |
| 1572 | ALA206 | CB  | -0.059 | 20.711 | 37.233 |
| 1573 | ASN207 | N   | 1.92   | 20.765 | 34.945 |
| 1574 | ASN207 | CA  | 3.253  | 20.587 | 34.366 |
| 1575 | ASN207 | C   | 3.307  | 21.204 | 32.976 |
| 1576 | ASN207 | O   | 2.922  | 20.574 | 31.982 |
| 1577 | ASN207 | CB  | 3.568  | 19.096 | 34.27  |
| 1578 | ASN207 | CG  | 3.565  | 18.441 | 35.65  |
| 1579 | ASN207 | OD1 | 4.361  | 18.793 | 36.527 |
| 1580 | ASN207 | ND2 | 2.641  | 17.515 | 35.835 |
| 1581 | ALA208 | N   | 3.786  | 22.435 | 32.932 |
| 1582 | ALA208 | CA  | 3.924  | 23.166 | 31.668 |
| 1583 | ALA208 | C   | 5.045  | 22.601 | 30.795 |
| 1584 | ALA208 | O   | 6.235  | 22.809 | 31.052 |
| 1585 | ALA208 | CB  | 4.202  | 24.631 | 31.982 |
| 1586 | THR209 | N   | 4.636  | 21.874 | 29.77  |
| 1587 | THR209 | CA  | 5.581  | 21.251 | 28.834 |
| 1588 | THR209 | C   | 5.499  | 21.873 | 27.446 |
| 1589 | THR209 | O   | 4.665  | 22.737 | 27.168 |
| 1590 | THR209 | CB  | 5.253  | 19.774 | 28.706 |
| 1591 | THR209 | OG1 | 3.938  | 19.693 | 28.18  |
| 1592 | THR209 | CG2 | 5.296  | 19.059 | 30.052 |
| 1593 | GLU210 | N   | 6.34   | 21.363 | 26.562 |
| 1594 | GLU210 | CA  | 6.411  | 21.861 | 25.18  |
| 1595 | GLU210 | C   | 5.542  | 21.076 | 24.19  |
| 1596 | GLU210 | O   | 5.586  | 21.361 | 22.989 |
| 1597 | GLU210 | CB  | 7.861  | 21.818 | 24.692 |
| 1598 | GLU210 | CG  | 8.791  | 22.752 | 25.467 |
| 1599 | GLU210 | CD  | 9.689  | 21.967 | 26.424 |
| 1600 | GLU210 | OE1 | 9.258  | 20.906 | 26.861 |
| 1601 | GLU210 | OE2 | 10.778 | 22.442 | 26.707 |
| 1602 | ASP211 | N   | 4.786  | 20.097 | 24.662 |
| 1603 | ASP211 | CA  | 3.977  | 19.273 | 23.746 |
| 1604 | ASP211 | C   | 2.732  | 20.003 | 23.249 |
| 1605 | ASP211 | O   | 2.331  | 21.027 | 23.817 |
| 1606 | ASP211 | CB  | 3.605  | 17.956 | 24.418 |
| 1607 | ASP211 | CG  | 2.942  | 18.154 | 25.781 |
| 1608 | ASP211 | OD1 | 2.12   | 19.054 | 25.925 |
| 1609 | ASP211 | OD2 | 3.336  | 17.427 | 26.681 |
| 1610 | ASP212 | N   | 2.034  | 19.382 | 22.309 |
| 1611 | ASP212 | CA  | 0.906  | 20.044 | 21.64  |
| 1612 | ASP212 | C   | -0.365 | 20.067 | 22.496 |
| 1613 | ASP212 | O   | -1.223 | 20.928 | 22.262 |
| 1614 | ASP212 | CB  | 0.653  | 19.331 | 20.312 |
| 1615 | ASP212 | CG  | -0.355 | 20.078 | 19.435 |
| 1616 | ASP212 | OD1 | -0.505 | 21.277 | 19.623 |
| 1617 | ASP212 | OD2 | -1.022 | 19.415 | 18.653 |
| 1618 | LEU213 | N   | -0.398 | 19.318 | 23.589 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1619 | LEU213 | CA  | -1.529 | 19.451 | 24.508 |
| 1620 | LEU213 | C   | -1.474 | 20.819 | 25.18  |
| 1621 | LEU213 | O   | -2.372 | 21.628 | 24.907 |
| 1622 | LEU213 | CB  | -1.498 | 18.346 | 25.557 |
| 1623 | LEU213 | CG  | -2.75  | 18.365 | 26.427 |
| 1624 | LEU213 | CD1 | -4.011 | 18.334 | 25.574 |
| 1625 | LEU213 | CD2 | -2.751 | 17.202 | 27.41  |
| 1626 | LEU214 | N   | -0.306 | 21.193 | 25.691 |
| 1627 | LEU214 | CA  | -0.187 | 22.52  | 26.307 |
| 1628 | LEU214 | C   | -0.094 | 23.607 | 25.241 |
| 1629 | LEU214 | O   | -0.613 | 24.711 | 25.445 |
| 1630 | LEU214 | CB  | 1.034  | 22.608 | 27.21  |
| 1631 | LEU214 | CG  | 0.987  | 23.94  | 27.954 |
| 1632 | LEU214 | CD1 | -0.18  | 23.972 | 28.934 |
| 1633 | LEU214 | CD2 | 2.288  | 24.25  | 28.671 |
| 1634 | GLY215 | N   | 0.35   | 23.222 | 24.056 |
| 1635 | GLY215 | CA  | 0.292  | 24.093 | 22.882 |
| 1636 | GLY215 | C   | -1.121 | 24.618 | 22.629 |
| 1637 | GLY215 | O   | -1.327 | 25.838 | 22.586 |
| 1638 | ARG216 | N   | -2.103 | 23.733 | 22.582 |
| 1639 | ARG216 | CA  | -3.473 | 24.198 | 22.351 |
| 1640 | ARG216 | C   | -4.154 | 24.727 | 23.616 |
| 1641 | ARG216 | O   | -5.077 | 25.542 | 23.506 |
| 1642 | ARG216 | CB  | -4.3   | 23.068 | 21.765 |
| 1643 | ARG216 | CG  | -3.636 | 22.456 | 20.539 |
| 1644 | ARG216 | CD  | -4.555 | 21.415 | 19.912 |
| 1645 | ARG216 | NE  | -5.402 | 20.812 | 20.953 |
| 1646 | ARG216 | CZ  | -5.073 | 19.756 | 21.699 |
| 1647 | ARG216 | NH1 | -3.937 | 19.093 | 21.471 |
| 1648 | ARG216 | NH2 | -5.905 | 19.342 | 22.652 |
| 1649 | GLN217 | N   | -3.583 | 24.445 | 24.776 |
| 1650 | GLN217 | CA  | -4.102 | 25.002 | 26.031 |
| 1651 | GLN217 | C   | -3.624 | 26.435 | 26.28  |
| 1652 | GLN217 | O   | -4.198 | 27.131 | 27.125 |
| 1653 | GLN217 | CB  | -3.648 | 24.109 | 27.181 |
| 1654 | GLN217 | CG  | -4.235 | 22.711 | 27.043 |
| 1655 | GLN217 | CD  | -3.691 | 21.772 | 28.114 |
| 1656 | GLN217 | OE1 | -2.544 | 21.311 | 28.052 |
| 1657 | GLN217 | NE2 | -4.552 | 21.446 | 29.059 |
| 1658 | ILE218 | N   | -2.608 | 26.875 | 25.551 |
| 1659 | ILE218 | CA  | -2.179 | 28.276 | 25.625 |
| 1660 | ILE218 | C   | -2.638 | 29.086 | 24.409 |
| 1661 | ILE218 | O   | -2.242 | 30.25  | 24.267 |
| 1662 | ILE218 | CB  | -0.66  | 28.352 | 25.774 |
| 1663 | ILE218 | CG1 | 0.061  | 27.755 | 24.572 |
| 1664 | ILE218 | CG2 | -0.211 | 27.665 | 27.059 |
| 1665 | ILE218 | CD1 | 1.574  | 27.781 | 24.754 |
| 1666 | LEU219 | N   | -3.431 | 28.478 | 23.538 |
| 1667 | LEU219 | CA  | -3.953 | 29.194 | 22.365 |
| 1668 | LEU219 | C   | -4.858 | 30.352 | 22.75  |
| 1669 | LEU219 | O   | -5.716 | 30.229 | 23.629 |
| 1670 | LEU219 | CB  | -4.756 | 28.24  | 21.493 |
| 1671 | LEU219 | CG  | -3.859 | 27.411 | 20.59  |
| 1672 | LEU219 | CD1 | -4.674 | 26.345 | 19.873 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 1673 | LEU219 | CD2 | -3.135  | 28.304 | 19.588 |
| 1674 | LYS220 | N   | -4.667  | 31.454 | 22.047 |
| 1675 | LYS220 | CA  | -5.484  | 32.654 | 22.234 |
| 1676 | LYS220 | C   | -5.341  | 33.562 | 21.012 |
| 1677 | LYS220 | O   | -4.556  | 34.519 | 21.016 |
| 1678 | LYS220 | CB  | -5.01   | 33.38  | 23.489 |
| 1679 | LYS220 | CG  | -5.91   | 34.56  | 23.842 |
| 1680 | LYS220 | CD  | -5.389  | 35.289 | 25.074 |
| 1681 | LYS220 | CE  | -6.258  | 36.494 | 25.418 |
| 1682 | LYS220 | NZ  | -5.74   | 37.191 | 26.607 |
| 1683 | GLN221 | N   | -6.048  | 33.217 | 19.951 |
| 1684 | GLN221 | CA  | -5.987  | 34.031 | 18.732 |
| 1685 | GLN221 | C   | -6.904  | 35.234 | 18.892 |
| 1686 | GLN221 | O   | -7.981  | 35.112 | 19.48  |
| 1687 | GLN221 | CB  | -6.389  | 33.179 | 17.535 |
| 1688 | GLN221 | CG  | -5.417  | 32.015 | 17.369 |
| 1689 | GLN221 | CD  | -5.828  | 31.088 | 16.227 |
| 1690 | GLN221 | OE1 | -7.019  | 30.872 | 15.966 |
| 1691 | GLN221 | NE2 | -4.823  | 30.508 | 15.595 |
| 1692 | ARG222 | N   | -6.553  | 36.345 | 18.268 |
| 1693 | ARG222 | CA  | -7.309  | 37.589 | 18.486 |
| 1694 | ARG222 | C   | -8.774  | 37.467 | 18.066 |
| 1695 | ARG222 | O   | -9.669  | 37.72  | 18.877 |
| 1696 | ARG222 | CB  | -6.649  | 38.705 | 17.685 |
| 1697 | ARG222 | CG  | -7.362  | 40.034 | 17.911 |
| 1698 | ARG222 | CD  | -6.787  | 41.134 | 17.026 |
| 1699 | ARG222 | NE  | -7.505  | 42.401 | 17.232 |
| 1700 | ARG222 | CZ  | -8.368  | 42.909 | 16.349 |
| 1701 | ARG222 | NH1 | -8.626  | 42.255 | 15.213 |
| 1702 | ARG222 | NH2 | -8.98   | 44.068 | 16.604 |
| 1703 | GLU223 | N   | -9.009  | 36.864 | 16.912 |
| 1704 | GLU223 | CA  | -10.382 | 36.702 | 16.426 |
| 1705 | GLU223 | C   | -10.985 | 35.329 | 16.735 |
| 1706 | GLU223 | O   | -12.083 | 35.029 | 16.257 |
| 1707 | GLU223 | CB  | -10.395 | 36.959 | 14.926 |
| 1708 | GLU223 | CG  | -9.977  | 38.396 | 14.634 |
| 1709 | GLU223 | CD  | -9.946  | 38.649 | 13.13  |
| 1710 | GLU223 | OE1 | -9.041  | 39.35  | 12.701 |
| 1711 | GLU223 | OE2 | -10.749 | 38.047 | 12.434 |
| 1712 | SER224 | N   | -10.28  | 34.5   | 17.488 |
| 1713 | SER224 | CA  | -10.803 | 33.162 | 17.775 |
| 1714 | SER224 | C   | -11.036 | 32.957 | 19.266 |
| 1715 | SER224 | O   | -11.791 | 32.067 | 19.67  |
| 1716 | SER224 | CB  | -9.789  | 32.13  | 17.308 |
| 1717 | SER224 | OG  | -9.509  | 32.374 | 15.941 |
| 1718 | GLY225 | N   | -10.409 | 33.796 | 20.069 |
| 1719 | GLY225 | CA  | -10.436 | 33.613 | 21.517 |
| 1720 | GLY225 | C   | -9.539  | 32.435 | 21.884 |
| 1721 | GLY225 | O   | -8.577  | 32.109 | 21.174 |
| 1722 | GLU226 | N   | -9.863  | 31.807 | 22.998 |
| 1723 | GLU226 | CA  | -9.128  | 30.613 | 23.422 |
| 1724 | GLU226 | C   | -10.067 | 29.417 | 23.535 |
| 1725 | GLU226 | O   | -11.22  | 29.553 | 23.963 |
| 1726 | GLU226 | CB  | -8.424  | 30.894 | 24.745 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 1727 | GLU226 | CG  | -9.368  | 31.316 | 25.86  |
| 1728 | GLU226 | CD  | -8.548  | 31.714 | 27.084 |
| 1729 | GLU226 | OE1 | -8.364  | 30.873 | 27.952 |
| 1730 | GLU226 | OE2 | -8.166  | 32.875 | 27.147 |
| 1731 | ALA227 | N   | -9.567  | 28.262 | 23.127 |
| 1732 | ALA227 | CA  | -10.372 | 27.035 | 23.163 |
| 1733 | ALA227 | C   | -10.725 | 26.657 | 24.598 |
| 1734 | ALA227 | O   | -9.859  | 26.603 | 25.477 |
| 1735 | ALA227 | CB  | -9.587  | 25.904 | 22.508 |
| 1736 | ASP228 | N   | -12.009 | 26.456 | 24.833 |
| 1737 | ASP228 | CA  | -12.471 | 26.085 | 26.175 |
| 1738 | ASP228 | C   | -12.163 | 24.618 | 26.455 |
| 1739 | ASP228 | O   | -11.944 | 23.836 | 25.52  |
| 1740 | ASP228 | CB  | -13.961 | 26.399 | 26.323 |
| 1741 | ASP228 | CG  | -14.816 | 25.698 | 25.268 |
| 1742 | ASP228 | OD1 | -14.745 | 24.475 | 25.201 |
| 1743 | ASP228 | OD2 | -15.656 | 26.364 | 24.686 |
| 1744 | HIS229 | N   | -12.329 | 24.215 | 27.704 |
| 1745 | HIS229 | CA  | -11.958 | 22.854 | 28.129 |
| 1746 | HIS229 | C   | -12.84  | 21.733 | 27.559 |
| 1747 | HIS229 | O   | -12.334 | 20.622 | 27.37  |
| 1748 | HIS229 | CB  | -11.971 | 22.807 | 29.658 |
| 1749 | HIS229 | CG  | -13.265 | 23.255 | 30.319 |
| 1750 | HIS229 | ND1 | -14.34  | 22.487 | 30.584 |
| 1751 | HIS229 | CD2 | -13.557 | 24.519 | 30.78  |
| 1752 | HIS229 | CE1 | -15.293 | 23.238 | 31.171 |
| 1753 | HIS229 | NE2 | -14.808 | 24.494 | 31.292 |
| 1754 | GLY230 | N   | -14.024 | 22.066 | 27.068 |
| 1755 | GLY230 | CA  | -14.88  | 21.073 | 26.412 |
| 1756 | GLY230 | C   | -14.27  | 20.684 | 25.07  |
| 1757 | GLY230 | O   | -13.958 | 19.508 | 24.84  |
| 1758 | GLU231 | N   | -13.866 | 21.704 | 24.329 |
| 1759 | GLU231 | CA  | -13.239 | 21.508 | 23.021 |
| 1760 | GLU231 | C   | -11.809 | 21.001 | 23.152 |
| 1761 | GLU231 | O   | -11.365 | 20.21  | 22.315 |
| 1762 | GLU231 | CB  | -13.196 | 22.856 | 22.318 |
| 1763 | GLU231 | CG  | -14.589 | 23.417 | 22.086 |
| 1764 | GLU231 | CD  | -14.471 | 24.888 | 21.707 |
| 1765 | GLU231 | OE1 | -15.12  | 25.296 | 20.756 |
| 1766 | GLU231 | OE2 | -13.758 | 25.592 | 22.418 |
| 1767 | LEU232 | N   | -11.181 | 21.28  | 24.281 |
| 1768 | LEU232 | CA  | -9.822  | 20.803 | 24.524 |
| 1769 | LEU232 | C   | -9.841  | 19.292 | 24.755 |
| 1770 | LEU232 | O   | -9.061  | 18.578 | 24.112 |
| 1771 | LEU232 | CB  | -9.297  | 21.541 | 25.756 |
| 1772 | LEU232 | CG  | -7.777  | 21.685 | 25.784 |
| 1773 | LEU232 | CD1 | -7.057  | 20.385 | 26.124 |
| 1774 | LEU232 | CD2 | -7.256  | 22.293 | 24.486 |
| 1775 | VAL233 | N   | -10.877 | 18.804 | 25.419 |
| 1776 | VAL233 | CA  | -11.016 | 17.36  | 25.627 |
| 1777 | VAL233 | C   | -11.406 | 16.646 | 24.331 |
| 1778 | VAL233 | O   | -10.729 | 15.676 | 23.963 |
| 1779 | VAL233 | CB  | -12.066 | 17.13  | 26.71  |
| 1780 | VAL233 | CG1 | -12.478 | 15.667 | 26.802 |

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 1781 | VAL233 | CG2 | -11.571 | 17.632 | 28.062 |
| 1782 | GLY234 | N   | -12.258 | 17.278 | 23.536 |
| 1783 | GLY234 | CA  | -12.641 | 16.729 | 22.227 |
| 1784 | GLY234 | C   | -11.443 | 16.59  | 21.287 |
| 1785 | GLY234 | O   | -11.116 | 15.477 | 20.849 |
| 1786 | LEU235 | N   | -10.687 | 17.668 | 21.146 |
| 1787 | LEU235 | CA  | -9.532  | 17.691 | 20.238 |
| 1788 | LEU235 | C   | -8.375  | 16.809 | 20.702 |
| 1789 | LEU235 | O   | -7.846  | 16.046 | 19.882 |
| 1790 | LEU235 | CB  | -9.04   | 19.13  | 20.146 |
| 1791 | LEU235 | CG  | -10.08  | 20.034 | 19.495 |
| 1792 | LEU235 | CD1 | -9.781  | 21.505 | 19.761 |
| 1793 | LEU235 | CD2 | -10.2   | 19.75  | 18.003 |
| 1794 | ALA236 | N   | -8.162  | 16.713 | 22.006 |
| 1795 | ALA236 | CA  | -7.065  | 15.885 | 22.523 |
| 1796 | ALA236 | C   | -7.38   | 14.407 | 22.375 |
| 1797 | ALA236 | O   | -6.525  | 13.633 | 21.922 |
| 1798 | ALA236 | CB  | -6.861  | 16.193 | 24.002 |
| 1799 | PHE237 | N   | -8.66   | 14.095 | 22.475 |
| 1800 | PHE237 | CA  | -9.11   | 12.723 | 22.306 |
| 1801 | PHE237 | C   | -8.956  | 12.273 | 20.864 |
| 1802 | PHE237 | O   | -8.27   | 11.274 | 20.617 |
| 1803 | PHE237 | CB  | -10.58  | 12.657 | 22.682 |
| 1804 | PHE237 | CG  | -11.12  | 11.24  | 22.674 |
| 1805 | PHE237 | CD1 | -10.824 | 10.394 | 23.733 |
| 1806 | PHE237 | CD2 | -11.885 | 10.786 | 21.608 |
| 1807 | PHE237 | CE1 | -11.305 | 9.095  | 23.736 |
| 1808 | PHE237 | CE2 | -12.366 | 9.486  | 21.61  |
| 1809 | PHE237 | CZ  | -12.076 | 8.644  | 22.676 |
| 1810 | LEU238 | N   | -9.329  | 13.135 | 19.931 |
| 1811 | LEU238 | CA  | -9.272  | 12.754 | 18.516 |
| 1812 | LEU238 | C   | -7.845  | 12.681 | 17.984 |
| 1813 | LEU238 | O   | -7.532  | 11.745 | 17.236 |
| 1814 | LEU238 | CB  | -10.056 | 13.766 | 17.695 |
| 1815 | LEU238 | CG  | -11.539 | 13.75  | 18.042 |
| 1816 | LEU238 | CD1 | -12.279 | 14.795 | 17.221 |
| 1817 | LEU238 | CD2 | -12.145 | 12.369 | 17.814 |
| 1818 | LEU239 | N   | -6.947  | 13.467 | 18.554 |
| 1819 | LEU239 | CA  | -5.551  | 13.397 | 18.122 |
| 1820 | LEU239 | C   | -4.861  | 12.158 | 18.68  |
| 1821 | LEU239 | O   | -4.202  | 11.444 | 17.913 |
| 1822 | LEU239 | CB  | -4.821  | 14.652 | 18.586 |
| 1823 | LEU239 | CG  | -5.364  | 15.898 | 17.894 |
| 1824 | LEU239 | CD1 | -4.722  | 17.162 | 18.454 |
| 1825 | LEU239 | CD2 | -5.169  | 15.82  | 16.384 |
| 1826 | LEU240 | N   | -5.275  | 11.736 | 19.864 |
| 1827 | LEU240 | CA  | -4.667  | 10.56  | 20.485 |
| 1828 | LEU240 | C   | -5.217  | 9.265  | 19.877 |
| 1829 | LEU240 | O   | -4.445  | 8.316  | 19.674 |
| 1830 | LEU240 | CB  | -4.952  | 10.634 | 21.981 |
| 1831 | LEU240 | CG  | -3.966  | 9.808  | 22.798 |
| 1832 | LEU240 | CD1 | -2.53   | 10.2   | 22.479 |
| 1833 | LEU240 | CD2 | -4.227  | 9.976  | 24.289 |
| 1834 | ILE241 | N   | -6.425  | 9.337  | 19.333 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1835 | ILE241 | CA  | -7.027 | 8.197  | 18.621 |
| 1836 | ILE241 | C   | -6.509 | 8.091  | 17.184 |
| 1837 | ILE241 | O   | -6.406 | 6.98   | 16.64  |
| 1838 | ILE241 | CB  | -8.544 | 8.391  | 18.599 |
| 1839 | ILE241 | CG1 | -9.122 | 8.403  | 20.008 |
| 1840 | ILE241 | CG2 | -9.233 | 7.311  | 17.771 |
| 1841 | ILE241 | CD1 | -8.939 | 7.06   | 20.699 |
| 1842 | ALA242 | N   | -5.959 | 9.182  | 16.676 |
| 1843 | ALA242 | CA  | -5.353 | 9.154  | 15.345 |
| 1844 | ALA242 | C   | -4.049 | 8.363  | 15.361 |
| 1845 | ALA242 | O   | -3.842 | 7.511  | 14.487 |
| 1846 | ALA242 | CB  | -5.09  | 10.583 | 14.884 |
| 1847 | GLY243 | N   | -3.34  | 8.426  | 16.473 |
| 1848 | GLY243 | CA  | -2.135 | 7.612  | 16.614 |
| 1849 | GLY243 | C   | -2.461 | 6.175  | 17.012 |
| 1850 | GLY243 | O   | -2.095 | 5.238  | 16.289 |
| 1851 | HIS244 | N   | -3.274 | 6.021  | 18.047 |
| 1852 | HIS244 | CA  | -3.556 | 4.687  | 18.603 |
| 1853 | HIS244 | C   | -4.424 | 3.78   | 17.729 |
| 1854 | HIS244 | O   | -4.288 | 2.555  | 17.808 |
| 1855 | HIS244 | CB  | -4.271 | 4.846  | 19.946 |
| 1856 | HIS244 | CG  | -3.394 | 5.206  | 21.132 |
| 1857 | HIS244 | ND1 | -2.995 | 6.436  | 21.502 |
| 1858 | HIS244 | CD2 | -2.87  | 4.327  | 22.051 |
| 1859 | HIS244 | CE1 | -2.232 | 6.348  | 22.61  |
| 1860 | HIS244 | NE2 | -2.156 | 5.042  | 22.95  |
| 1861 | GLU245 | N   | -5.298 | 4.33   | 16.905 |
| 1862 | GLU245 | CA  | -6.157 | 3.454  | 16.101 |
| 1863 | GLU245 | C   | -6.041 | 3.723  | 14.61  |
| 1864 | GLU245 | O   | -5.883 | 2.788  | 13.812 |
| 1865 | GLU245 | CB  | -7.616 | 3.66   | 16.504 |
| 1866 | GLU245 | CG  | -7.895 | 3.313  | 17.963 |
| 1867 | GLU245 | CD  | -7.613 | 1.839  | 18.255 |
| 1868 | GLU245 | OE1 | -7.721 | 1.028  | 17.348 |
| 1869 | GLU245 | OE2 | -7.228 | 1.562  | 19.381 |
| 1870 | THR246 | N   | -5.987 | 4.996  | 14.26  |
| 1871 | THR246 | CA  | -6.101 | 5.374  | 12.849 |
| 1872 | THR246 | C   | -4.863 | 4.962  | 12.066 |
| 1873 | THR246 | O   | -4.949 | 4.04   | 11.244 |
| 1874 | THR246 | CB  | -6.314 | 6.88   | 12.759 |
| 1875 | THR246 | OG1 | -7.415 | 7.225  | 13.59  |
| 1876 | THR246 | CG2 | -6.614 | 7.344  | 11.338 |
| 1877 | THR247 | N   | -3.702 | 5.384  | 12.532 |
| 1878 | THR247 | CA  | -2.48  | 5.072  | 11.792 |
| 1879 | THR247 | C   | -2.013 | 3.634  | 12.044 |
| 1880 | THR247 | O   | -1.437 | 3.032  | 11.132 |
| 1881 | THR247 | CB  | -1.4   | 6.078  | 12.171 |
| 1882 | THR247 | OG1 | -1.937 | 7.39   | 12.062 |
| 1883 | THR247 | CG2 | -0.192 | 5.981  | 11.246 |
| 1884 | ALA248 | N   | -2.533 | 3.007  | 13.09  |
| 1885 | ALA248 | CA  | -2.225 | 1.596  | 13.35  |
| 1886 | ALA248 | C   | -2.915 | 0.676  | 12.342 |
| 1887 | ALA248 | O   | -2.236 | -0.089 | 11.643 |
| 1888 | ALA248 | CB  | -2.678 | 1.25   | 14.763 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 1889 | ASN249 | N   | -4.175 | 0.958  | 12.049 |
| 1890 | ASN249 | CA  | -4.878 | 0.157  | 11.042 |
| 1891 | ASN249 | C   | -4.453 | 0.517  | 9.624  |
| 1892 | ASN249 | O   | -4.313 | -0.39  | 8.791  |
| 1893 | ASN249 | CB  | -6.377 | 0.361  | 11.199 |
| 1894 | ASN249 | CG  | -6.902 | -0.561 | 12.291 |
| 1895 | ASN249 | OD1 | -6.261 | -1.569 | 12.613 |
| 1896 | ASN249 | ND2 | -8.133 | -0.32  | 12.703 |
| 1897 | MET250 | N   | -3.945 | 1.727  | 9.463  |
| 1898 | MET250 | CA  | -3.472 | 2.183  | 8.159  |
| 1899 | MET250 | C   | -2.137 | 1.529  | 7.787  |
| 1900 | MET250 | O   | -2.018 | 1.009  | 6.669  |
| 1901 | MET250 | CB  | -3.231 | 3.702  | 8.255  |
| 1902 | MET250 | CG  | -3.343 | 4.33   | 6.851  |
| 1903 | MET250 | SD  | -2.234 | 5.768  | 6.665  |
| 1904 | MET250 | CE  | -1.954 | 6.241  | 8.406  |
| 1905 | ILE251 | N   | -1.267 | 1.317  | 8.764  |
| 1906 | ILE251 | CA  | 0.019  | 0.667  | 8.477  |
| 1907 | ILE251 | C   | -0.132 | -0.844 | 8.328  |
| 1908 | ILE251 | O   | 0.449  | -1.427 | 7.402  |
| 1909 | ILE251 | CB  | 1.001  | 0.949  | 9.613  |
| 1910 | ILE251 | CG1 | 1.293  | 2.434  | 9.757  |
| 1911 | ILE251 | CG2 | 2.305  | 0.188  | 9.404  |
| 1912 | ILE251 | CD1 | 2.264  | 2.698  | 10.902 |
| 1913 | SER252 | N   | -1.081 | -1.421 | 9.047  |
| 1914 | SER252 | CA  | -1.254 | -2.875 | 8.973  |
| 1915 | SER252 | C   | -1.947 | -3.301 | 7.679  |
| 1916 | SER252 | O   | -1.444 | -4.204 | 6.998  |
| 1917 | SER252 | CB  | -2.03  | -3.36  | 10.197 |
| 1918 | SER252 | OG  | -3.28  | -2.684 | 10.279 |
| 1919 | LEU253 | N   | -2.85  | -2.465 | 7.194  |
| 1920 | LEU253 | CA  | -3.558 | -2.762 | 5.948  |
| 1921 | LEU253 | C   | -2.699 | -2.386 | 4.739  |
| 1922 | LEU253 | O   | -2.665 | -3.129 | 3.748  |
| 1923 | LEU253 | CB  | -4.857 | -1.963 | 5.994  |
| 1924 | LEU253 | CG  | -5.781 | -2.185 | 4.804  |
| 1925 | LEU253 | CD1 | -6.009 | -3.665 | 4.521  |
| 1926 | LEU253 | CD2 | -7.109 | -1.479 | 5.058  |
| 1927 | GLY254 | N   | -1.818 | -1.42  | 4.948  |
| 1928 | GLY254 | CA  | -0.841 | -1.031 | 3.933  |
| 1929 | GLY254 | C   | 0.161  | -2.148 | 3.671  |
| 1930 | GLY254 | O   | 0.267  | -2.62  | 2.531  |
| 1931 | THR255 | N   | 0.707  | -2.706 | 4.742  |
| 1932 | THR255 | CA  | 1.711  | -3.772 | 4.62   |
| 1933 | THR255 | C   | 1.123  | -5.042 | 4.017  |
| 1934 | THR255 | O   | 1.715  | -5.592 | 3.079  |
| 1935 | THR255 | CB  | 2.255  | -4.105 | 6.007  |
| 1936 | THR255 | OG1 | 2.837  | -2.935 | 6.563  |
| 1937 | THR255 | CG2 | 3.334  | -5.18  | 5.938  |
| 1938 | VAL256 | N   | -0.133 | -5.321 | 4.331  |
| 1939 | VAL256 | CA  | -0.797 | -6.505 | 3.781  |
| 1940 | VAL256 | C   | -1.11  | -6.37  | 2.291  |
| 1941 | VAL256 | O   | -0.832 | -7.307 | 1.531  |
| 1942 | VAL256 | CB  | -2.083 | -6.706 | 4.571  |

WO 03/057830

PCT/US02/40359

|      |        |     |        |         |        |
|------|--------|-----|--------|---------|--------|
| 1943 | VAL256 | CG1 | -3.028 | -7.693  | 3.905  |
| 1944 | VAL256 | CG2 | -1.774 | -7.144  | 5.993  |
| 1945 | THR257 | N   | -1.372 | -5.158  | 1.833  |
| 1946 | THR257 | CA  | -1.675 | -4.982  | 0.413  |
| 1947 | THR257 | C   | -0.401 | -4.902  | -0.427 |
| 1948 | THR257 | O   | -0.357 | -5.499  | -1.512 |
| 1949 | THR257 | CB  | -2.502 | -3.717  | 0.248  |
| 1950 | THR257 | OG1 | -3.63  | -3.818  | 1.106  |
| 1951 | THR257 | CG2 | -3.002 | -3.558  | -1.183 |
| 1952 | LEU258 | N   | 0.69   | -4.465  | 0.185  |
| 1953 | LEU258 | CA  | 1.976  | -4.434  | -0.526 |
| 1954 | LEU258 | C   | 2.588  | -5.828  | -0.61  |
| 1955 | LEU258 | O   | 3.147  | -6.205  | -1.648 |
| 1956 | LEU258 | CB  | 2.936  | -3.524  | 0.233  |
| 1957 | LEU258 | CG  | 2.45   | -2.08   | 0.263  |
| 1958 | LEU258 | CD1 | 3.329  | -1.229  | 1.172  |
| 1959 | LEU258 | CD2 | 2.391  | -1.492  | -1.141 |
| 1960 | LEU259 | N   | 2.248  | -6.652  | 0.368  |
| 1961 | LEU259 | CA  | 2.721  | -8.034  | 0.407  |
| 1962 | LEU259 | C   | 1.818  | -8.965  | -0.407 |
| 1963 | LEU259 | O   | 2.223  | -10.083 | -0.747 |
| 1964 | LEU259 | CB  | 2.742  | -8.462  | 1.869  |
| 1965 | LEU259 | CG  | 3.979  | -9.291  | 2.183  |
| 1966 | LEU259 | CD1 | 5.235  | -8.559  | 1.727  |
| 1967 | LEU259 | CD2 | 4.05   | -9.61   | 3.672  |
| 1968 | GLU260 | N   | 0.649  | -8.473  | -0.791 |
| 1969 | GLU260 | CA  | -0.221 | -9.215  | -1.707 |
| 1970 | GLU260 | C   | 0.163  | -8.932  | -3.151 |
| 1971 | GLU260 | O   | 0.033  | -9.804  | -4.019 |
| 1972 | GLU260 | CB  | -1.67  | -8.773  | -1.531 |
| 1973 | GLU260 | CG  | -2.53  | -9.85   | -0.883 |
| 1974 | GLU260 | CD  | -2.442 | -9.78   | 0.637  |
| 1975 | GLU260 | OE1 | -1.632 | -10.498 | 1.204  |
| 1976 | GLU260 | OE2 | -3.287 | -9.103  | 1.202  |
| 1977 | ASN261 | N   | 0.693  | -7.743  | -3.382 |
| 1978 | ASN261 | CA  | 1.158  | -7.381  | -4.723 |
| 1979 | ASN261 | C   | 2.669  | -7.181  | -4.742 |
| 1980 | ASN261 | O   | 3.134  | -6.032  | -4.804 |
| 1981 | ASN261 | CB  | 0.468  | -6.089  | -5.161 |
| 1982 | ASN261 | CG  | -0.986 | -6.311  | -5.586 |
| 1983 | ASN261 | OD1 | -1.784 | -6.942  | -4.881 |
| 1984 | ASN261 | ND2 | -1.339 | -5.701  | -6.705 |
| 1985 | PRO262 | N   | 3.404  | -8.259  | -4.986 |
| 1986 | PRO262 | CA  | 4.864  | -8.219  | -4.846 |
| 1987 | PRO262 | C   | 5.563  | -7.432  | -5.958 |
| 1988 | PRO262 | O   | 6.612  | -6.834  | -5.706 |
| 1989 | PRO262 | CB  | 5.298  | -9.652  | -4.871 |
| 1990 | PRO262 | CG  | 4.108  | -10.533 | -5.223 |
| 1991 | PRO262 | CD  | 2.912  | -9.601  | -5.319 |
| 1992 | ASP263 | N   | 4.884  | -7.222  | -7.077 |
| 1993 | ASP263 | CA  | 5.442  | -6.411  | -8.166 |
| 1994 | ASP263 | C   | 5.27   | -4.909  | -7.918 |
| 1995 | ASP263 | O   | 6.133  | -4.124  | -8.327 |
| 1996 | ASP263 | CB  | 4.783  | -6.822  | -9.488 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |         |
|------|--------|-----|--------|--------|---------|
| 1997 | ASP263 | CG  | 3.253  | -6.778 | -9.42   |
| 1998 | ASP263 | OD1 | 2.69   | -5.734 | -9.721  |
| 1999 | ASP263 | OD2 | 2.673  | -7.766 | -8.992  |
| 2000 | GLN264 | N   | 4.358  | -4.558 | -7.024  |
| 2001 | GLN264 | CA  | 4.149  | -3.154 | -6.675  |
| 2002 | GLN264 | C   | 5.104  | -2.803 | -5.545  |
| 2003 | GLN264 | O   | 5.782  | -1.769 | -5.59   |
| 2004 | GLN264 | CB  | 2.709  | -3.002 | -6.206  |
| 2005 | GLN264 | CG  | 1.723  | -3.483 | -7.265  |
| 2006 | GLN264 | CD  | 1.637  | -2.485 | -8.412  |
| 2007 | GLN264 | OE1 | 1.631  | -1.274 | -8.178  |
| 2008 | GLN264 | NE2 | 1.592  | -2.991 | -9.63   |
| 2009 | LEU265 | N   | 5.398  | -3.825 | -4.758  |
| 2010 | LEU265 | CA  | 6.389  | -3.701 | -3.693  |
| 2011 | LEU265 | C   | 7.808  | -3.677 | -4.263  |
| 2012 | LEU265 | O   | 8.639  | -2.888 | -3.798  |
| 2013 | LEU265 | CB  | 6.218  | -4.903 | -2.775  |
| 2014 | LEU265 | CG  | 7.134  | -4.809 | -1.565  |
| 2015 | LEU265 | CD1 | 6.869  | -3.518 | -0.802  |
| 2016 | LEU265 | CD2 | 6.958  | -6.023 | -0.662  |
| 2017 | ALA266 | N   | 7.993  | -4.309 | -5.411  |
| 2018 | ALA266 | CA  | 9.286  | -4.267 | -6.093  |
| 2019 | ALA266 | C   | 9.528  | -2.929 | -6.785  |
| 2020 | ALA266 | O   | 10.66  | -2.434 | -6.737  |
| 2021 | ALA266 | CB  | 9.333  | -5.39  | -7.123  |
| 2022 | LYS267 | N   | 8.466  | -2.235 | -7.167  |
| 2023 | LYS267 | CA  | 8.641  | -0.891 | -7.725  |
| 2024 | LYS267 | C   | 8.887  | 0.136  | -6.625  |
| 2025 | LYS267 | O   | 9.706  | 1.042  | -6.818  |
| 2026 | LYS267 | CB  | 7.406  | -0.501 | -8.523  |
| 2027 | LYS267 | CG  | 7.223  | -1.394 | -9.742  |
| 2028 | LYS267 | CD  | 6.072  | -0.894 | -10.604 |
| 2029 | LYS267 | CE  | 4.779  | -0.825 | -9.803  |
| 2030 | LYS267 | NZ  | 3.688  | -0.267 | -10.615 |
| 2031 | ILE268 | N   | 8.413  | -0.162 | -5.427  |
| 2032 | ILE268 | CA  | 8.717  | 0.664  | -4.254  |
| 2033 | ILE268 | C   | 10.181 | 0.531  | -3.84   |
| 2034 | ILE268 | O   | 10.879 | 1.544  | -3.697  |
| 2035 | ILE268 | CB  | 7.827  | 0.171  | -3.117  |
| 2036 | ILE268 | CG1 | 6.38   | 0.576  | -3.335  |
| 2037 | ILE268 | CG2 | 8.311  | 0.638  | -1.75   |
| 2038 | ILE268 | CD1 | 5.504  | 0.057  | -2.205  |
| 2039 | LYS269 | N   | 10.693 | -0.688 | -3.902  |
| 2040 | LYS269 | CA  | 12.068 | -0.95  | -3.463  |
| 2041 | LYS269 | C   | 13.116 | -0.675 | -4.542  |
| 2042 | LYS269 | O   | 14.306 | -0.554 | -4.228  |
| 2043 | LYS269 | CB  | 12.126 | -2.405 | -3.021  |
| 2044 | LYS269 | CG  | 11.167 | -2.628 | -1.858  |
| 2045 | LYS269 | CD  | 10.997 | -4.107 | -1.542  |
| 2046 | LYS269 | CE  | 12.315 | -4.756 | -1.148  |
| 2047 | LYS269 | NZ  | 12.106 | -6.181 | -0.856  |
| 2048 | ALA270 | N   | 12.679 | -0.53  | -5.782  |
| 2049 | ALA270 | CA  | 13.585 | -0.106 | -6.851  |
| 2050 | ALA270 | C   | 13.478 | 1.396  | -7.101  |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |         |
|------|--------|-----|--------|--------|---------|
| 2051 | ALA270 | O   | 14.286 | 1.974  | -7.838  |
| 2052 | ALA270 | CB  | 13.233 | -0.863 | -8.125  |
| 2053 | ASP271 | N   | 12.486 | 2.017  | -6.486  |
| 2054 | ASP271 | CA  | 12.271 | 3.453  | -6.649  |
| 2055 | ASP271 | C   | 11.505 | 4.006  | -5.448  |
| 2056 | ASP271 | O   | 10.267 | 4.02   | -5.445  |
| 2057 | ASP271 | CB  | 11.48  | 3.653  | -7.944  |
| 2058 | ASP271 | CG  | 11.354 | 5.125  | -8.337  |
| 2059 | ASP271 | OD1 | 10.975 | 5.919  | -7.482  |
| 2060 | ASP271 | OD2 | 11.493 | 5.405  | -9.517  |
| 2061 | PRO272 | N   | 12.238 | 4.705  | -4.592  |
| 2062 | PRO272 | CA  | 11.686 | 5.248  | -3.337  |
| 2063 | PRO272 | C   | 10.72  | 6.438  | -3.497  |
| 2064 | PRO272 | O   | 9.973  | 6.74   | -2.558  |
| 2065 | PRO272 | CB  | 12.887 | 5.657  | -2.54   |
| 2066 | PRO272 | CG  | 14.133 | 5.544  | -3.406  |
| 2067 | PRO272 | CD  | 13.673 | 4.968  | -4.734  |
| 2068 | GLY273 | N   | 10.586 | 6.971  | -4.702  |
| 2069 | GLY273 | CA  | 9.607  | 8.03   | -4.968  |
| 2070 | GLY273 | C   | 8.207  | 7.423  | -5.037  |
| 2071 | GLY273 | O   | 7.257  | 7.968  | -4.456  |
| 2072 | LYS274 | N   | 8.167  | 6.171  | -5.473  |
| 2073 | LYS274 | CA  | 6.916  | 5.418  | -5.566  |
| 2074 | LYS274 | C   | 6.39   | 4.954  | -4.21   |
| 2075 | LYS274 | O   | 5.225  | 4.55   | -4.144  |
| 2076 | LYS274 | CB  | 7.138  | 4.184  | -6.431  |
| 2077 | LYS274 | CG  | 7.528  | 4.547  | -7.856  |
| 2078 | LYS274 | CD  | 7.755  | 3.287  | -8.681  |
| 2079 | LYS274 | CE  | 8.177  | 3.615  | -10.107 |
| 2080 | LYS274 | NZ  | 8.465  | 2.383  | -10.858 |
| 2081 | THR275 | N   | 7.12   | 5.182  | -3.127  |
| 2082 | THR275 | CA  | 6.593  | 4.814  | -1.813  |
| 2083 | THR275 | C   | 5.522  | 5.804  | -1.352  |
| 2084 | THR275 | O   | 4.516  | 5.354  | -0.798  |
| 2085 | THR275 | CB  | 7.725  | 4.76   | -0.789  |
| 2086 | THR275 | OG1 | 8.169  | 6.074  | -0.485  |
| 2087 | THR275 | CG2 | 8.912  | 3.963  | -1.305  |
| 2088 | LEU276 | N   | 5.564  | 7.036  | -1.844  |
| 2089 | LEU276 | CA  | 4.543  | 8.012  | -1.446  |
| 2090 | LEU276 | C   | 3.312  | 7.905  | -2.346  |
| 2091 | LEU276 | O   | 2.175  | 8.051  | -1.876  |
| 2092 | LEU276 | CB  | 5.14   | 9.411  | -1.538  |
| 2093 | LEU276 | CG  | 4.182  | 10.462 | -0.987  |
| 2094 | LEU276 | CD1 | 3.836  | 10.177 | 0.472   |
| 2095 | LEU276 | CD2 | 4.77   | 11.861 | -1.133  |
| 2096 | ALA277 | N   | 3.53   | 7.375  | -3.539  |
| 2097 | ALA277 | CA  | 2.417  | 7.126  | -4.451  |
| 2098 | ALA277 | C   | 1.711  | 5.836  | -4.052  |
| 2099 | ALA277 | O   | 0.475  | 5.796  | -4.026  |
| 2100 | ALA277 | CB  | 2.963  | 7.021  | -5.869  |
| 2101 | ALA278 | N   | 2.472  | 4.947  | -3.431  |
| 2102 | ALA278 | CA  | 1.909  | 3.727  | -2.859  |
| 2103 | ALA278 | C   | 1.12   | 4.01   | -1.591  |
| 2104 | ALA278 | O   | 0.051  | 3.416  | -1.427  |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 2105 | ALA278 | CB  | 3.048  | 2.773  | -2.523 |
| 2106 | ILE279 | N   | 1.472  | 5.064  | -0.867 |
| 2107 | ILE279 | CA  | 0.698  | 5.447  | 0.324  |
| 2108 | ILE279 | C   | -0.692 | 5.926  | -0.078 |
| 2109 | ILE279 | O   | -1.691 | 5.368  | 0.396  |
| 2110 | ILE279 | CB  | 1.401  | 6.588  | 1.063  |
| 2111 | ILE279 | CG1 | 2.806  | 6.209  | 1.513  |
| 2112 | ILE279 | CG2 | 0.577  | 7.041  | 2.264  |
| 2113 | ILE279 | CD1 | 2.805  | 4.984  | 2.416  |
| 2114 | GLU280 | N   | -0.748 | 6.688  | -1.159 |
| 2115 | GLU280 | CA  | -2.037 | 7.217  | -1.616 |
| 2116 | GLU280 | C   | -2.849 | 6.159  | -2.358 |
| 2117 | GLU280 | O   | -4.075 | 6.123  | -2.217 |
| 2118 | GLU280 | CB  | -1.784 | 8.404  | -2.537 |
| 2119 | GLU280 | CG  | -0.943 | 9.484  | -1.862 |
| 2120 | GLU280 | CD  | -1.616 | 9.992  | -0.587 |
| 2121 | GLU280 | OE1 | -2.453 | 10.875 | -0.699 |
| 2122 | GLU280 | OE2 | -1.19  | 9.569  | 0.479  |
| 2123 | GLU281 | N   | -2.169 | 5.173  | -2.916 |
| 2124 | GLU281 | CA  | -2.857 | 4.083  | -3.604 |
| 2125 | GLU281 | C   | -3.402 | 3.048  | -2.616 |
| 2126 | GLU281 | O   | -4.497 | 2.514  | -2.842 |
| 2127 | GLU281 | CB  | -1.846 | 3.441  | -4.546 |
| 2128 | GLU281 | CG  | -2.451 | 2.329  | -5.39  |
| 2129 | GLU281 | CD  | -3.395 | 2.862  | -6.465 |
| 2130 | GLU281 | OE1 | -3.893 | 2.017  | -7.199 |
| 2131 | GLU281 | OE2 | -3.446 | 4.068  | -6.653 |
| 2132 | LEU282 | N   | -2.776 | 2.957  | -1.452 |
| 2133 | LEU282 | CA  | -3.272 | 2.102  | -0.369 |
| 2134 | LEU282 | C   | -4.527 | 2.703  | 0.232  |
| 2135 | LEU282 | O   | -5.563 | 2.03   | 0.269  |
| 2136 | LEU282 | CB  | -2.212 | 2.019  | 0.727  |
| 2137 | LEU282 | CG  | -1.025 | 1.151  | 0.332  |
| 2138 | LEU282 | CD1 | 0.163  | 1.385  | 1.256  |
| 2139 | LEU282 | CD2 | -1.415 | -0.319 | 0.305  |
| 2140 | LEU283 | N   | -4.511 | 4.018  | 0.378  |
| 2141 | LEU283 | CA  | -5.666 | 4.738  | 0.922  |
| 2142 | LEU283 | C   | -6.823 | 4.808  | -0.066 |
| 2143 | LEU283 | O   | -7.989 | 4.766  | 0.346  |
| 2144 | LEU283 | CB  | -5.202 | 6.145  | 1.257  |
| 2145 | LEU283 | CG  | -4.178 | 6.103  | 2.379  |
| 2146 | LEU283 | CD1 | -3.386 | 7.399  | 2.461  |
| 2147 | LEU283 | CD2 | -4.848 | 5.766  | 3.706  |
| 2148 | ARG284 | N   | -6.512 | 4.723  | -1.346 |
| 2149 | ARG284 | CA  | -7.561 | 4.67   | -2.355 |
| 2150 | ARG284 | C   | -8.306 | 3.337  | -2.3   |
| 2151 | ARG284 | O   | -9.482 | 3.316  | -1.923 |
| 2152 | ARG284 | CB  | -6.921 | 4.824  | -3.726 |
| 2153 | ARG284 | CG  | -7.99  | 4.956  | -4.798 |
| 2154 | ARG284 | CD  | -7.417 | 4.674  | -6.18  |
| 2155 | ARG284 | NE  | -6.879 | 3.305  | -6.258 |
| 2156 | ARG284 | CZ  | -7.603 | 2.231  | -6.583 |
| 2157 | ARG284 | NH1 | -8.911 | 2.35   | -6.816 |
| 2158 | ARG284 | NH2 | -7.021 | 1.032  | -6.658 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 2159 | ILE285 | N   | -7.588  | 2.233  | -2.423 |
| 2160 | ILE285 | CA  | -8.284  | 0.942  | -2.519 |
| 2161 | ILE285 | C   | -8.742  | 0.397  | -1.155 |
| 2162 | ILE285 | O   | -9.703  | -0.385 | -1.087 |
| 2163 | ILE285 | CB  | -7.36   | -0.039 | -3.247 |
| 2164 | ILE285 | CG1 | -8.033  | -1.383 | -3.499 |
| 2165 | ILE285 | CG2 | -6.045  | -0.238 | -2.501 |
| 2166 | ILE285 | CD1 | -7.119  | -2.327 | -4.272 |
| 2167 | PHE286 | N   | -8.188  | 0.934  | -0.082 |
| 2168 | PHE286 | CA  | -8.543  | 0.5    | 1.268  |
| 2169 | PHE286 | C   | -8.451  | 1.645  | 2.27   |
| 2170 | PHE286 | O   | -7.544  | 1.66   | 3.115  |
| 2171 | PHE286 | CB  | -7.575  | -0.594 | 1.708  |
| 2172 | PHE286 | CG  | -7.737  | -1.948 | 1.025  |
| 2173 | PHE286 | CD1 | -6.675  | -2.503 | 0.323  |
| 2174 | PHE286 | CD2 | -8.943  | -2.632 | 1.117  |
| 2175 | PHE286 | CE1 | -6.822  | -3.736 | -0.298 |
| 2176 | PHE286 | CE2 | -9.09   | -3.865 | 0.495  |
| 2177 | PHE286 | CZ  | -8.03   | -4.417 | -0.213 |
| 2178 | THR287 | N   | -9.377  | 2.584  | 2.193  |
| 2179 | THR287 | CA  | -9.413  | 3.636  | 3.212  |
| 2180 | THR287 | C   | -9.931  | 3.053  | 4.519  |
| 2181 | THR287 | O   | -10.843 | 2.216  | 4.543  |
| 2182 | THR287 | CB  | -10.294 | 4.801  | 2.77   |
| 2183 | THR287 | OG1 | -10.207 | 5.833  | 3.745  |
| 2184 | THR287 | CG2 | -11.759 | 4.423  | 2.643  |
| 2185 | ILE288 | N   | -9.305  | 3.459  | 5.609  |
| 2186 | ILE288 | CA  | -9.745  | 2.966  | 6.911  |
| 2187 | ILE288 | C   | -10.966 | 3.747  | 7.391  |
| 2188 | ILE288 | O   | -11.856 | 3.155  | 8.014  |
| 2189 | ILE288 | CB  | -8.584  | 3.044  | 7.894  |
| 2190 | ILE288 | CG1 | -8.04   | 4.459  | 8.013  |
| 2191 | ILE288 | CG2 | -7.469  | 2.097  | 7.461  |
| 2192 | ILE288 | CD1 | -6.938  | 4.507  | 9.052  |
| 2193 | ALA289 | N   | -11.116 | 4.965  | 6.89   |
| 2194 | ALA289 | CA  | -12.34  | 5.743  | 7.09   |
| 2195 | ALA289 | C   | -13.315 | 5.37   | 5.982  |
| 2196 | ALA289 | O   | -13.433 | 6.062  | 4.964  |
| 2197 | ALA289 | CB  | -12.003 | 7.228  | 7.013  |
| 2198 | GLU290 | N   | -13.969 | 4.239  | 6.174  |
| 2199 | GLU290 | CA  | -14.796 | 3.652  | 5.128  |
| 2200 | GLU290 | C   | -16.223 | 4.179  | 5.178  |
| 2201 | GLU290 | O   | -16.891 | 4.234  | 4.138  |
| 2202 | GLU290 | CB  | -14.766 | 2.14   | 5.34   |
| 2203 | GLU290 | CG  | -15.669 | 1.375  | 4.381  |
| 2204 | GLU290 | CD  | -15.736 | -0.091 | 4.802  |
| 2205 | GLU290 | OE1 | -16.751 | -0.475 | 5.367  |
| 2206 | GLU290 | OE2 | -14.809 | -0.819 | 4.472  |
| 2207 | THR291 | N   | -16.659 | 4.619  | 6.347  |
| 2208 | THR291 | CA  | -17.992 | 5.216  | 6.481  |
| 2209 | THR291 | C   | -17.983 | 6.47   | 7.349  |
| 2210 | THR291 | O   | -17.68  | 6.437  | 8.55   |
| 2211 | THR291 | CB  | -18.978 | 4.219  | 7.094  |
| 2212 | THR291 | OG1 | -18.522 | 3.832  | 8.382  |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 2213 | THR291 | CG2 | -19.168 | 2.961  | 6.257  |
| 2214 | ALA292 | N   | -18.397 | 7.562  | 6.734  |
| 2215 | ALA292 | CA  | -18.676 | 8.799  | 7.471  |
| 2216 | ALA292 | C   | -20.103 | 8.704  | 8.001  |
| 2217 | ALA292 | O   | -21.051 | 9.169  | 7.355  |
| 2218 | ALA292 | CB  | -18.552 | 9.986  | 6.521  |
| 2219 | THR293 | N   | -20.231 | 8.1    | 9.172  |
| 2220 | THR293 | CA  | -21.535 | 7.709  | 9.721  |
| 2221 | THR293 | C   | -22.161 | 8.802  | 10.585 |
| 2222 | THR293 | O   | -22.152 | 8.733  | 11.82  |
| 2223 | THR293 | CB  | -21.308 | 6.447  | 10.546 |
| 2224 | THR293 | OG1 | -20.564 | 5.523  | 9.756  |
| 2225 | THR293 | CG2 | -22.617 | 5.788  | 10.962 |
| 2226 | SER294 | N   | -22.703 | 9.805  | 9.913  |
| 2227 | SER294 | CA  | -23.293 | 10.956 | 10.601 |
| 2228 | SER294 | C   | -24.198 | 11.766 | 9.675  |
| 2229 | SER294 | O   | -25.386 | 11.443 | 9.529  |
| 2230 | SER294 | CB  | -22.167 | 11.822 | 11.164 |
| 2231 | SER294 | OG  | -20.976 | 11.559 | 10.426 |
| 2232 | ARG295 | N   | -23.598 | 12.789 | 9.076  |
| 2233 | ARG295 | CA  | -24.233 | 13.782 | 8.187  |
| 2234 | ARG295 | C   | -25.738 | 13.903 | 8.366  |
| 2235 | ARG295 | O   | -26.524 | 13.3   | 7.627  |
| 2236 | ARG295 | CB  | -23.905 | 13.424 | 6.747  |
| 2237 | ARG295 | CG  | -22.4   | 13.455 | 6.518  |
| 2238 | ARG295 | CD  | -21.819 | 14.841 | 6.786  |
| 2239 | ARG295 | NE  | -20.362 | 14.859 | 6.577  |
| 2240 | ARG295 | CZ  | -19.475 | 14.679 | 7.56   |
| 2241 | ARG295 | NH1 | -19.892 | 14.437 | 8.805  |
| 2242 | ARG295 | NH2 | -18.167 | 14.719 | 7.293  |
| 2243 | PHE296 | N   | -26.119 | 14.646 | 9.387  |
| 2244 | PHE296 | CA  | -27.528 | 14.825 | 9.712  |
| 2245 | PHE296 | C   | -28.176 | 15.754 | 8.701  |
| 2246 | PHE296 | O   | -27.736 | 16.899 | 8.529  |
| 2247 | PHE296 | CB  | -27.623 | 15.428 | 11.11  |
| 2248 | PHE296 | CG  | -29.052 | 15.695 | 11.562 |
| 2249 | PHE296 | CD1 | -29.564 | 16.985 | 11.533 |
| 2250 | PHE296 | CD2 | -29.843 | 14.643 | 12.002 |
| 2251 | PHE296 | CE1 | -30.871 | 17.221 | 11.936 |
| 2252 | PHE296 | CE2 | -31.149 | 14.879 | 12.406 |
| 2253 | PHE296 | CZ  | -31.663 | 16.167 | 12.37  |
| 2254 | ALA297 | N   | -29.2   | 15.255 | 8.032  |
| 2255 | ALA297 | CA  | -29.931 | 16.073 | 7.065  |
| 2256 | ALA297 | C   | -30.783 | 17.111 | 7.781  |
| 2257 | ALA297 | O   | -31.769 | 16.781 | 8.45   |
| 2258 | ALA297 | CB  | -30.819 | 15.165 | 6.224  |
| 2259 | THR298 | N   | -30.369 | 18.361 | 7.668  |
| 2260 | THR298 | CA  | -31.129 | 19.47  | 8.255  |
| 2261 | THR298 | C   | -32.139 | 20.005 | 7.246  |
| 2262 | THR298 | O   | -33.087 | 20.712 | 7.603  |
| 2263 | THR298 | CB  | -30.17  | 20.586 | 8.659  |
| 2264 | THR298 | OG1 | -29.565 | 21.12  | 7.488  |
| 2265 | THR298 | CG2 | -29.068 | 20.082 | 9.582  |
| 2266 | ALA299 | N   | -31.926 | 19.649 | 5.992  |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 2267 | ALA299 | CA  | -32.881 | 19.968 | 4.932  |
| 2268 | ALA299 | C   | -33.091 | 18.734 | 4.068  |
| 2269 | ALA299 | O   | -32.427 | 17.712 | 4.27   |
| 2270 | ALA299 | CB  | -32.331 | 21.11  | 4.086  |
| 2271 | ASP300 | N   | -34.041 | 18.817 | 3.151  |
| 2272 | ASP300 | CA  | -34.256 | 17.727 | 2.191  |
| 2273 | ASP300 | C   | -33.253 | 17.852 | 1.048  |
| 2274 | ASP300 | O   | -33.498 | 18.545 | 0.053  |
| 2275 | ASP300 | CB  | -35.679 | 17.801 | 1.648  |
| 2276 | ASP300 | CG  | -36.682 | 17.714 | 2.793  |
| 2277 | ASP300 | OD1 | -36.686 | 16.69  | 3.463  |
| 2278 | ASP300 | OD2 | -37.289 | 18.733 | 3.09   |
| 2279 | VAL301 | N   | -32.128 | 17.177 | 1.199  |
| 2280 | VAL301 | CA  | -31.029 | 17.337 | 0.244  |
| 2281 | VAL301 | C   | -31.065 | 16.261 | -0.833 |
| 2282 | VAL301 | O   | -30.956 | 15.062 | -0.55  |
| 2283 | VAL301 | CB  | -29.711 | 17.263 | 1.007  |
| 2284 | VAL301 | CG1 | -28.543 | 17.673 | 0.118  |
| 2285 | VAL301 | CG2 | -29.756 | 18.154 | 2.24   |
| 2286 | GLU302 | N   | -31.242 | 16.695 | -2.067 |
| 2287 | GLU302 | CA  | -31.23  | 15.75  | -3.184 |
| 2288 | GLU302 | C   | -29.799 | 15.413 | -3.603 |
| 2289 | GLU302 | O   | -29.141 | 16.178 | -4.318 |
| 2290 | GLU302 | CB  | -31.98  | 16.355 | -4.363 |
| 2291 | GLU302 | CG  | -32.053 | 15.344 | -5.497 |
| 2292 | GLU302 | CD  | -32.662 | 15.959 | -6.75  |
| 2293 | GLU302 | OE1 | -33.484 | 16.852 | -6.606 |
| 2294 | GLU302 | OE2 | -32.169 | 15.628 | -7.82  |
| 2295 | ILE303 | N   | -29.365 | 14.227 | -3.222 |
| 2296 | ILE303 | CA  | -28.014 | 13.766 | -3.539 |
| 2297 | ILE303 | C   | -28.053 | 12.812 | -4.726 |
| 2298 | ILE303 | O   | -28.452 | 11.647 | -4.6   |
| 2299 | ILE303 | CB  | -27.438 | 13.076 | -2.307 |
| 2300 | ILE303 | CG1 | -27.329 | 14.056 | -1.148 |
| 2301 | ILE303 | CG2 | -26.066 | 12.49  | -2.608 |
| 2302 | ILE303 | CD1 | -26.305 | 15.146 | -1.441 |
| 2303 | GLY304 | N   | -27.715 | 13.356 | -5.885 |
| 2304 | GLY304 | CA  | -27.705 | 12.592 | -7.139 |
| 2305 | GLY304 | C   | -29.056 | 11.935 | -7.402 |
| 2306 | GLY304 | O   | -29.187 | 10.708 | -7.311 |
| 2307 | GLY305 | N   | -30.079 | 12.757 | -7.573 |
| 2308 | GLY305 | CA  | -31.432 | 12.229 | -7.805 |
| 2309 | GLY305 | C   | -32.226 | 11.982 | -6.517 |
| 2310 | GLY305 | O   | -33.289 | 12.584 | -6.314 |
| 2311 | THR306 | N   | -31.694 | 11.132 | -5.653 |
| 2312 | THR306 | CA  | -32.399 | 10.717 | -4.431 |
| 2313 | THR306 | C   | -32.569 | 11.859 | -3.43  |
| 2314 | THR306 | O   | -31.597 | 12.497 | -3.015 |
| 2315 | THR306 | CB  | -31.591 | 9.598  | -3.782 |
| 2316 | THR306 | OG1 | -31.461 | 8.534  | -4.716 |
| 2317 | THR306 | CG2 | -32.278 | 9.051  | -2.537 |
| 2318 | LEU307 | N   | -33.811 | 12.127 | -3.066 |
| 2319 | LEU307 | CA  | -34.093 | 13.162 | -2.068 |
| 2320 | LEU307 | C   | -33.971 | 12.6   | -0.652 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 2321 | LEU307 | O   | -34.803 | 11.799 | -0.209 |
| 2322 | LEU307 | CB  | -35.513 | 13.67  | -2.295 |
| 2323 | LEU307 | CG  | -35.845 | 14.852 | -1.391 |
| 2324 | LEU307 | CD1 | -34.946 | 16.039 | -1.71  |
| 2325 | LEU307 | CD2 | -37.31  | 15.248 | -1.534 |
| 2326 | ILE308 | N   | -32.93  | 13.021 | 0.045  |
| 2327 | ILE308 | CA  | -32.738 | 12.616 | 1.439  |
| 2328 | ILE308 | C   | -33.586 | 13.486 | 2.362  |
| 2329 | ILE308 | O   | -33.481 | 14.719 | 2.356  |
| 2330 | ILE308 | CB  | -31.253 | 12.742 | 1.764  |
| 2331 | ILE308 | CG1 | -30.456 | 11.77  | 0.901  |
| 2332 | ILE308 | CG2 | -30.976 | 12.507 | 3.245  |
| 2333 | ILE308 | CD1 | -28.974 | 11.794 | 1.246  |
| 2334 | ARG309 | N   | -34.466 | 12.834 | 3.101  |
| 2335 | ARG309 | CA  | -35.386 | 13.543 | 3.993  |
| 2336 | ARG309 | C   | -34.674 | 14.125 | 5.209  |
| 2337 | ARG309 | O   | -33.807 | 13.486 | 5.824  |
| 2338 | ARG309 | CB  | -36.447 | 12.563 | 4.474  |
| 2339 | ARG309 | CG  | -37.117 | 11.841 | 3.312  |
| 2340 | ARG309 | CD  | -38.079 | 10.778 | 3.83   |
| 2341 | ARG309 | NE  | -38.721 | 10.055 | 2.721  |
| 2342 | ARG309 | CZ  | -40.046 | 9.951  | 2.594  |
| 2343 | ARG309 | NH1 | -40.85  | 10.528 | 3.49   |
| 2344 | ARG309 | NH2 | -40.566 | 9.278  | 1.566  |
| 2345 | ALA310 | N   | -35.099 | 15.325 | 5.566  |
| 2346 | ALA310 | CA  | -34.597 | 15.999 | 6.763  |
| 2347 | ALA310 | C   | -34.952 | 15.189 | 8.003  |
| 2348 | ALA310 | O   | -36.005 | 14.542 | 8.07   |
| 2349 | ALA310 | CB  | -35.223 | 17.386 | 6.853  |
| 2350 | GLY311 | N   | -34     | 15.115 | 8.913  |
| 2351 | GLY311 | CA  | -34.172 | 14.325 | 10.13  |
| 2352 | GLY311 | C   | -33.475 | 12.968 | 10.042 |
| 2353 | GLY311 | O   | -33.472 | 12.217 | 11.023 |
| 2354 | GLU312 | N   | -32.982 | 12.611 | 8.866  |
| 2355 | GLU312 | CA  | -32.294 | 11.322 | 8.719  |
| 2356 | GLU312 | C   | -30.776 | 11.471 | 8.737  |
| 2357 | GLU312 | O   | -30.236 | 12.577 | 8.599  |
| 2358 | GLU312 | CB  | -32.743 | 10.651 | 7.429  |
| 2359 | GLU312 | CG  | -34.243 | 10.386 | 7.453  |
| 2360 | GLU312 | CD  | -34.639 | 9.537  | 6.252  |
| 2361 | GLU312 | OE1 | -34.686 | 10.083 | 5.156  |
| 2362 | GLU312 | OE2 | -34.723 | 8.33   | 6.419  |
| 2363 | GLY313 | N   | -30.107 | 10.356 | 8.981  |
| 2364 | GLY313 | CA  | -28.64  | 10.335 | 8.994  |
| 2365 | GLY313 | C   | -28.079 | 9.813  | 7.673  |
| 2366 | GLY313 | O   | -28.674 | 8.944  | 7.02   |
| 2367 | VAL314 | N   | -26.996 | 10.429 | 7.237  |
| 2368 | VAL314 | CA  | -26.33  | 10.028 | 5.994  |
| 2369 | VAL314 | C   | -24.93  | 9.467  | 6.267  |
| 2370 | VAL314 | O   | -24.127 | 10.02  | 7.033  |
| 2371 | VAL314 | CB  | -26.28  | 11.246 | 5.073  |
| 2372 | VAL314 | CG1 | -25.639 | 10.942 | 3.724  |
| 2373 | VAL314 | CG2 | -27.681 | 11.804 | 4.861  |
| 2374 | VAL315 | N   | -24.674 | 8.328  | 5.649  |

WO 03/057830

PCT/US02/40359

|      |        |     |         |       |        |
|------|--------|-----|---------|-------|--------|
| 2375 | VAL315 | CA  | -23.386 | 7.646 | 5.773  |
| 2376 | VAL315 | C   | -22.647 | 7.666 | 4.435  |
| 2377 | VAL315 | O   | -23.025 | 6.975 | 3.479  |
| 2378 | VAL315 | CB  | -23.634 | 6.207 | 6.213  |
| 2379 | VAL315 | CG1 | -22.325 | 5.437 | 6.347  |
| 2380 | VAL315 | CG2 | -24.404 | 6.163 | 7.528  |
| 2381 | GLY316 | N   | -21.6   | 8.467 | 4.374  |
| 2382 | GLY316 | CA  | -20.789 | 8.539 | 3.152  |
| 2383 | GLY316 | C   | -19.797 | 7.382 | 3.096  |
| 2384 | GLY316 | O   | -18.903 | 7.28  | 3.946  |
| 2385 | LEU317 | N   | -19.978 | 6.508 | 2.121  |
| 2386 | LEU317 | CA  | -19.102 | 5.343 | 1.978  |
| 2387 | LEU317 | C   | -17.841 | 5.722 | 1.218  |
| 2388 | LEU317 | O   | -17.758 | 5.485 | 0.009  |
| 2389 | LEU317 | CB  | -19.835 | 4.256 | 1.199  |
| 2390 | LEU317 | CG  | -20.312 | 3.094 | 2.064  |
| 2391 | LEU317 | CD1 | -19.129 | 2.374 | 2.697  |
| 2392 | LEU317 | CD2 | -21.328 | 3.519 | 3.121  |
| 2393 | SER318 | N   | -16.794 | 6.056 | 1.951  |
| 2394 | SER318 | CA  | -15.563 | 6.559 | 1.34   |
| 2395 | SER318 | C   | -14.789 | 5.483 | 0.588  |
| 2396 | SER318 | O   | -14.286 | 5.777 | -0.503 |
| 2397 | SER318 | CB  | -14.689 | 7.158 | 2.434  |
| 2398 | SER318 | OG  | -13.375 | 7.32  | 1.915  |
| 2399 | ASN319 | N   | -14.954 | 4.222 | 0.954  |
| 2400 | ASN319 | CA  | -14.267 | 3.196 | 0.162  |
| 2401 | ASN319 | C   | -15.089 | 2.774 | -1.058 |
| 2402 | ASN319 | O   | -14.498 | 2.343 | -2.052 |
| 2403 | ASN319 | CB  | -13.899 | 1.982 | 1.004  |
| 2404 | ASN319 | CG  | -12.531 | 1.507 | 0.516  |
| 2405 | ASN319 | OD1 | -11.628 | 2.333 | 0.321  |
| 2406 | ASN319 | ND2 | -12.378 | 0.209 | 0.332  |
| 2407 | ALA320 | N   | -16.362 | 3.139 | -1.091 |
| 2408 | ALA320 | CA  | -17.181 | 2.889 | -2.283 |
| 2409 | ALA320 | C   | -17.001 | 4.055 | -3.248 |
| 2410 | ALA320 | O   | -16.897 | 3.856 | -4.464 |
| 2411 | ALA320 | CB  | -18.642 | 2.78  | -1.875 |
| 2412 | GLY321 | N   | -16.68  | 5.197 | -2.666 |
| 2413 | GLY321 | CA  | -16.233 | 6.36  | -3.426 |
| 2414 | GLY321 | C   | -14.942 | 6.045 | -4.17  |
| 2415 | GLY321 | O   | -14.924 | 6.106 | -5.404 |
| 2416 | ASN322 | N   | -13.958 | 5.508 | -3.466 |
| 2417 | ASN322 | CA  | -12.683 | 5.172 | -4.113 |
| 2418 | ASN322 | C   | -12.765 | 3.924 | -5.006 |
| 2419 | ASN322 | O   | -11.954 | 3.769 | -5.927 |
| 2420 | ASN322 | CB  | -11.651 | 4.902 | -3.035 |
| 2421 | ASN322 | CG  | -11.54  | 6.013 | -1.994 |
| 2422 | ASN322 | OD1 | -11.701 | 7.211 | -2.278 |
| 2423 | ASN322 | ND2 | -11.095 | 5.595 | -0.824 |
| 2424 | HIS323 | N   | -13.785 | 3.103 | -4.807 |
| 2425 | HIS323 | CA  | -14.068 | 1.985 | -5.716 |
| 2426 | HIS323 | C   | -15.037 | 2.337 | -6.846 |
| 2427 | HIS323 | O   | -15.541 | 1.435 | -7.525 |
| 2428 | HIS323 | CB  | -14.625 | 0.804 | -4.939 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |         |
|------|--------|-----|---------|--------|---------|
| 2429 | HIS323 | CG  | -13.581 | 0.008  | -4.19   |
| 2430 | HIS323 | ND1 | -13.802 | -0.807 | -3.144  |
| 2431 | HIS323 | CD2 | -12.233 | -0.04  | -4.46   |
| 2432 | HIS323 | CE1 | -12.634 | -1.351 | -2.748  |
| 2433 | HIS323 | NE2 | -11.664 | -0.875 | -3.563  |
| 2434 | ASP324 | N   | -15.353 | 3.608  | -7.007  |
| 2435 | ASP324 | CA  | -16.209 | 4.041  | -8.109  |
| 2436 | ASP324 | C   | -15.409 | 4.076  | -9.411  |
| 2437 | ASP324 | O   | -14.628 | 5.012  | -9.642  |
| 2438 | ASP324 | CB  | -16.72  | 5.431  | -7.737  |
| 2439 | ASP324 | CG  | -17.711 | 6.002  | -8.74   |
| 2440 | ASP324 | OD1 | -18.738 | 6.476  | -8.275  |
| 2441 | ASP324 | OD2 | -17.28  | 6.257  | -9.859  |
| 2442 | PRO325 | N   | -15.831 | 3.237  | -10.349 |
| 2443 | PRO325 | CA  | -15.082 | 2.989  | -11.595 |
| 2444 | PRO325 | C   | -15.201 | 4.099  | -12.648 |
| 2445 | PRO325 | O   | -14.504 | 4.065  | -13.667 |
| 2446 | PRO325 | CB  | -15.653 | 1.713  | -12.134 |
| 2447 | PRO325 | CG  | -16.9   | 1.346  | -11.345 |
| 2448 | PRO325 | CD  | -17.01  | 2.374  | -10.232 |
| 2449 | ASP326 | N   | -16.008 | 5.11   | -12.361 |
| 2450 | ASP326 | CA  | -16.206 | 6.248  | -13.259 |
| 2451 | ASP326 | C   | -15.146 | 7.312  | -12.983 |
| 2452 | ASP326 | O   | -14.924 | 8.216  | -13.797 |
| 2453 | ASP326 | CB  | -17.597 | 6.826  | -12.994 |
| 2454 | ASP326 | CG  | -18.675 | 5.753  | -13.155 |
| 2455 | ASP326 | OD1 | -19.125 | 5.571  | -14.277 |
| 2456 | ASP326 | OD2 | -18.963 | 5.068  | -12.179 |
| 2457 | GLY327 | N   | -14.468 | 7.162  | -11.857 |
| 2458 | GLY327 | CA  | -13.318 | 8.005  | -11.542 |
| 2459 | GLY327 | C   | -12.061 | 7.145  | -11.594 |
| 2460 | GLY327 | O   | -11.166 | 7.366  | -12.418 |
| 2461 | PHE328 | N   | -12.046 | 6.12   | -10.76  |
| 2462 | PHE328 | CA  | -10.893 | 5.218  | -10.705 |
| 2463 | PHE328 | C   | -11.119 | 4.009  | -11.602 |
| 2464 | PHE328 | O   | -11.92  | 3.114  | -11.3   |
| 2465 | PHE328 | CB  | -10.653 | 4.81   | -9.257  |
| 2466 | PHE328 | CG  | -10.261 | 5.995  | -8.376  |
| 2467 | PHE328 | CD1 | -9.098  | 6.702  | -8.651  |
| 2468 | PHE328 | CD2 | -11.07  | 6.379  | -7.314  |
| 2469 | PHE328 | CE1 | -8.737  | 7.784  | -7.858  |
| 2470 | PHE328 | CE2 | -10.709 | 7.459  | -6.519  |
| 2471 | PHE328 | CZ  | -9.542  | 8.161  | -6.791  |
| 2472 | GLU329 | N   | -10.377 | 4.006  | -12.696 |
| 2473 | GLU329 | CA  | -10.511 | 2.993  | -13.752 |
| 2474 | GLU329 | C   | -10.048 | 1.63   | -13.253 |
| 2475 | GLU329 | O   | -8.847  | 1.399  | -13.092 |
| 2476 | GLU329 | CB  | -9.673  | 3.409  | -14.962 |
| 2477 | GLU329 | CG  | -10.104 | 4.752  | -15.557 |
| 2478 | GLU329 | CD  | -9.106  | 5.864  | -15.215 |
| 2479 | GLU329 | OE1 | -8.54   | 5.804  | -14.132 |
| 2480 | GLU329 | OE2 | -8.904  | 6.724  | -16.059 |
| 2481 | ASN330 | N   | -10.987 | 0.698  | -13.249 |
| 2482 | ASN330 | CA  | -10.826 | -0.597 | -12.566 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |         |
|------|--------|-----|---------|--------|---------|
| 2483 | ASN330 | C   | -10.252 | -0.375 | -11.171 |
| 2484 | ASN330 | O   | -9.065  | -0.629 | -10.929 |
| 2485 | ASN330 | CB  | -9.925  | -1.547 | -13.355 |
| 2486 | ASN330 | CG  | -9.943  | -2.959 | -12.75  |
| 2487 | ASN330 | OD1 | -9.958  | -3.151 | -11.523 |
| 2488 | ASN330 | ND2 | -9.893  | -3.939 | -13.632 |
| 2489 | PRO331 | N   | -11.157 | -0.201 | -10.224 |
| 2490 | PRO331 | CA  | -10.787 | 0.129  | -8.843  |
| 2491 | PRO331 | C   | -10.287 | -1.061 | -8.012  |
| 2492 | PRO331 | O   | -9.994  | -0.904 | -6.822  |
| 2493 | PRO331 | CB  | -12.044 | 0.673  | -8.25   |
| 2494 | PRO331 | CG  | -13.21  | 0.356  | -9.172  |
| 2495 | PRO331 | CD  | -12.608 | -0.26  | -10.416 |
| 2496 | ASP332 | N   | -10.198 | -2.236 | -8.615  |
| 2497 | ASP332 | CA  | -9.742  | -3.417 | -7.889  |
| 2498 | ASP332 | C   | -8.267  | -3.667 | -8.179  |
| 2499 | ASP332 | O   | -7.609  | -4.447 | -7.478  |
| 2500 | ASP332 | CB  | -10.557 | -4.617 | -8.358  |
| 2501 | ASP332 | CG  | -12.048 | -4.356 | -8.173  |
| 2502 | ASP332 | OD1 | -12.43  | -3.961 | -7.08   |
| 2503 | ASP332 | OD2 | -12.784 | -4.566 | -9.127  |
| 2504 | THR333 | N   | -7.744  | -2.97  | -9.173  |
| 2505 | THR333 | CA  | -6.339  | -3.153 | -9.535  |
| 2506 | THR333 | C   | -5.433  | -2.224 | -8.735  |
| 2507 | THR333 | O   | -5.283  | -1.042 | -9.06   |
| 2508 | THR333 | CB  | -6.189  | -2.877 | -11.026 |
| 2509 | THR333 | OG1 | -7.072  | -3.748 | -11.718 |
| 2510 | THR333 | CG2 | -4.769  | -3.147 | -11.514 |
| 2511 | PHE334 | N   | -4.84   | -2.772 | -7.688  |
| 2512 | PHE334 | CA  | -3.868  | -2.017 | -6.89   |
| 2513 | PHE334 | C   | -2.589  | -1.762 | -7.684  |
| 2514 | PHE334 | O   | -1.817  | -2.686 | -7.979  |
| 2515 | PHE334 | CB  | -3.543  | -2.812 | -5.63   |
| 2516 | PHE334 | CG  | -2.485  | -2.162 | -4.744  |
| 2517 | PHE334 | CD1 | -2.784  | -1     | -4.047  |
| 2518 | PHE334 | CD2 | -1.221  | -2.728 | -4.638  |
| 2519 | PHE334 | CE1 | -1.82   | -0.404 | -3.246  |
| 2520 | PHE334 | CE2 | -0.256  | -2.132 | -3.837  |
| 2521 | PHE334 | CZ  | -0.556  | -0.969 | -3.142  |
| 2522 | ASP335 | N   | -2.407  | -0.509 | -8.064  |
| 2523 | ASP335 | CA  | -1.206  | -0.106 | -8.794  |
| 2524 | ASP335 | C   | -0.697  | 1.24   | -8.283  |
| 2525 | ASP335 | O   | -1.322  | 2.277  | -8.525  |
| 2526 | ASP335 | CB  | -1.55   | -0.019 | -10.277 |
| 2527 | ASP335 | CG  | -0.276  | 0.2    | -11.084 |
| 2528 | ASP335 | OD1 | 0.34    | -0.792 | -11.448 |
| 2529 | ASP335 | OD2 | 0.15    | 1.347  | -11.159 |
| 2530 | ILE336 | N   | 0.532   | 1.249  | -7.794  |
| 2531 | ILE336 | CA  | 1.118   | 2.426  | -7.127  |
| 2532 | ILE336 | C   | 1.596   | 3.552  | -8.058  |
| 2533 | ILE336 | O   | 2.207   | 4.512  | -7.579  |
| 2534 | ILE336 | CB  | 2.303   | 1.948  | -6.301  |
| 2535 | ILE336 | CG1 | 3.437   | 1.48   | -7.203  |
| 2536 | ILE336 | CG2 | 1.873   | 0.817  | -5.375  |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |         |
|------|--------|-----|---------|--------|---------|
| 2537 | ILE336 | CD1 | 4.676   | 1.131  | -6.396  |
| 2538 | GLU337 | N   | 1.41    | 3.407  | -9.361  |
| 2539 | GLU337 | CA  | 1.712   | 4.496  | -10.291 |
| 2540 | GLU337 | C   | 0.434   | 5.236  | -10.681 |
| 2541 | GLU337 | O   | 0.487   | 6.246  | -11.393 |
| 2542 | GLU337 | CB  | 2.393   | 3.936  | -11.533 |
| 2543 | GLU337 | CG  | 3.788   | 3.412  | -11.213 |
| 2544 | GLU337 | CD  | 4.442   | 2.871  | -12.481 |
| 2545 | GLU337 | OE1 | 3.934   | 3.167  | -13.552 |
| 2546 | GLU337 | OE2 | 5.372   | 2.089  | -12.348 |
| 2547 | ARG338 | N   | -0.697  | 4.719  | -10.229 |
| 2548 | ARG338 | CA  | -1.982  | 5.376  | -10.464 |
| 2549 | ARG338 | C   | -2.095  | 6.636  | -9.615  |
| 2550 | ARG338 | O   | -1.809  | 6.625  | -8.412  |
| 2551 | ARG338 | CB  | -3.085  | 4.393  | -10.082 |
| 2552 | ARG338 | CG  | -4.484  | 4.977  | -10.234 |
| 2553 | ARG338 | CD  | -5.532  | 3.961  | -9.809  |
| 2554 | ARG338 | NE  | -5.375  | 2.729  | -10.591 |
| 2555 | ARG338 | CZ  | -6.357  | 1.847  | -10.77  |
| 2556 | ARG338 | NH1 | -7.549  | 2.056  | -10.207 |
| 2557 | ARG338 | NH2 | -6.143  | 0.757  | -11.509 |
| 2558 | GLY339 | N   | -2.423  | 7.735  | -10.271 |
| 2559 | GLY339 | CA  | -2.685  | 8.98   | -9.55   |
| 2560 | GLY339 | C   | -4.038  | 8.895  | -8.852  |
| 2561 | GLY339 | O   | -5.086  | 9.045  | -9.489  |
| 2562 | ALA340 | N   | -3.994  | 8.767  | -7.534  |
| 2563 | ALA340 | CA  | -5.202  | 8.646  | -6.691  |
| 2564 | ALA340 | C   | -5.871  | 9.982  | -6.335  |
| 2565 | ALA340 | O   | -6.419  | 10.145 | -5.237  |
| 2566 | ALA340 | CB  | -4.817  | 7.907  | -5.414  |
| 2567 | ARG341 | N   | -5.844  | 10.917 | -7.27   |
| 2568 | ARG341 | CA  | -6.395  | 12.25  | -7.043  |
| 2569 | ARG341 | C   | -7.904  | 12.179 | -6.87   |
| 2570 | ARG341 | O   | -8.571  | 11.307 | -7.436  |
| 2571 | ARG341 | CB  | -6.045  | 13.131 | -8.235  |
| 2572 | ARG341 | CG  | -4.535  | 13.264 | -8.387  |
| 2573 | ARG341 | CD  | -4.175  | 14.135 | -9.583  |
| 2574 | ARG341 | NE  | -2.718  | 14.303 | -9.691  |
| 2575 | ARG341 | CZ  | -2.142  | 15.463 | -10.016 |
| 2576 | ARG341 | NH1 | -2.898  | 16.534 | -10.271 |
| 2577 | ARG341 | NH2 | -0.813  | 15.551 | -10.092 |
| 2578 | HIS342 | N   | -8.378  | 13.009 | -5.954  |
| 2579 | HIS342 | CA  | -9.801  | 13.12  | -5.603  |
| 2580 | HIS342 | C   | -10.342 | 11.888 | -4.88   |
| 2581 | HIS342 | O   | -11.547 | 11.621 | -4.961  |
| 2582 | HIS342 | CB  | -10.644 | 13.367 | -6.855  |
| 2583 | HIS342 | CG  | -10.32  | 14.641 | -7.606  |
| 2584 | HIS342 | ND1 | -10.757 | 15.877 | -7.303  |
| 2585 | HIS342 | CD2 | -9.536  | 14.758 | -8.731  |
| 2586 | HIS342 | CE1 | -10.259 | 16.758 | -8.195  |
| 2587 | HIS342 | NE2 | -9.504  | 16.064 | -9.078  |
| 2588 | HIS343 | N   | -9.49   | 11.15  | -4.184  |
| 2589 | HIS343 | CA  | -10.02  | 10.075 | -3.346  |
| 2590 | HIS343 | C   | -10.572 | 10.661 | -2.053  |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 2591 | HIS343 | O   | -9.984  | 11.572 | -1.455 |
| 2592 | HIS343 | CB  | -8.988  | 8.965  | -3.085 |
| 2593 | HIS343 | CG  | -7.691  | 9.253  | -2.333 |
| 2594 | HIS343 | ND1 | -7.374  | 10.313 | -1.562 |
| 2595 | HIS343 | CD2 | -6.597  | 8.421  | -2.319 |
| 2596 | HIS343 | CE1 | -6.125  | 10.166 | -1.079 |
| 2597 | HIS343 | NE2 | -5.643  | 8.993  | -1.549 |
| 2598 | VAL344 | N   | -11.634 | 10.052 | -1.563 |
| 2599 | VAL344 | CA  | -12.278 | 10.521 | -0.331 |
| 2600 | VAL344 | C   | -11.732 | 9.82   | 0.915  |
| 2601 | VAL344 | O   | -12.271 | 9.998  | 2.015  |
| 2602 | VAL344 | CB  | -13.787 | 10.343 | -0.45  |
| 2603 | VAL344 | CG1 | -14.412 | 11.457 | -1.282 |
| 2604 | VAL344 | CG2 | -14.141 | 8.977  | -1.019 |
| 2605 | ALA345 | N   | -10.581 | 9.178  | 0.768  |
| 2606 | ALA345 | CA  | -9.947  | 8.411  | 1.849  |
| 2607 | ALA345 | C   | -9.419  | 9.24   | 3.02   |
| 2608 | ALA345 | O   | -9.242  | 8.703  | 4.12   |
| 2609 | ALA345 | CB  | -8.757  | 7.686  | 1.237  |
| 2610 | PHE346 | N   | -9.169  | 10.518 | 2.787  |
| 2611 | PHE346 | CA  | -8.763  | 11.424 | 3.867  |
| 2612 | PHE346 | C   | -9.885  | 12.363 | 4.291  |
| 2613 | PHE346 | O   | -9.652  | 13.29  | 5.083  |
| 2614 | PHE346 | CB  | -7.571  | 12.253 | 3.409  |
| 2615 | PHE346 | CG  | -6.223  | 11.583 | 3.635  |
| 2616 | PHE346 | CD1 | -5.295  | 11.513 | 2.605  |
| 2617 | PHE346 | CD2 | -5.921  | 11.048 | 4.881  |
| 2618 | PHE346 | CE1 | -4.061  | 10.916 | 2.825  |
| 2619 | PHE346 | CE2 | -4.687  | 10.451 | 5.101  |
| 2620 | PHE346 | CZ  | -3.756  | 10.388 | 4.073  |
| 2621 | GLY347 | N   | -11.068 | 12.169 | 3.731  |
| 2622 | GLY347 | CA  | -12.177 | 13.091 | 3.979  |
| 2623 | GLY347 | C   | -12.007 | 14.367 | 3.158  |
| 2624 | GLY347 | O   | -10.882 | 14.764 | 2.825  |
| 2625 | PHE348 | N   | -13.123 | 14.988 | 2.822  |
| 2626 | PHE348 | CA  | -13.084 | 16.264 | 2.097  |
| 2627 | PHE348 | C   | -13.98  | 17.307 | 2.752  |
| 2628 | PHE348 | O   | -14.185 | 17.307 | 3.976  |
| 2629 | PHE348 | CB  | -13.497 | 16.085 | 0.64   |
| 2630 | PHE348 | CG  | -12.375 | 15.613 | -0.285 |
| 2631 | PHE348 | CD1 | -12.654 | 14.749 | -1.333 |
| 2632 | PHE348 | CD2 | -11.075 | 16.06  | -0.081 |
| 2633 | PHE348 | CE1 | -11.633 | 14.322 | -2.172 |
| 2634 | PHE348 | CE2 | -10.054 | 15.633 | -0.918 |
| 2635 | PHE348 | CZ  | -10.332 | 14.763 | -1.963 |
| 2636 | GLY349 | N   | -14.438 | 18.227 | 1.918  |
| 2637 | GLY349 | CA  | -15.269 | 19.339 | 2.376  |
| 2638 | GLY349 | C   | -14.484 | 20.194 | 3.353  |
| 2639 | GLY349 | O   | -13.286 | 20.433 | 3.165  |
| 2640 | VAL350 | N   | -15.121 | 20.525 | 4.458  |
| 2641 | VAL350 | CA  | -14.426 | 21.29  | 5.493  |
| 2642 | VAL350 | C   | -13.865 | 20.408 | 6.613  |
| 2643 | VAL350 | O   | -12.964 | 20.854 | 7.327  |
| 2644 | VAL350 | CB  | -15.384 | 22.334 | 6.062  |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 2645 | VAL350 | CG1 | -15.675 | 23.433 | 5.047  |
| 2646 | VAL350 | CG2 | -16.682 | 21.709 | 6.561  |
| 2647 | HIS351 | N   | -14.217 | 19.133 | 6.631  |
| 2648 | HIS351 | CA  | -13.875 | 18.287 | 7.784  |
| 2649 | HIS351 | C   | -12.75  | 17.284 | 7.532  |
| 2650 | HIS351 | O   | -12.711 | 16.259 | 8.223  |
| 2651 | HIS351 | CB  | -15.113 | 17.514 | 8.23   |
| 2652 | HIS351 | CG  | -16.205 | 18.349 | 8.87   |
| 2653 | HIS351 | ND1 | -16.137 | 18.987 | 10.054 |
| 2654 | HIS351 | CD2 | -17.46  | 18.588 | 8.36   |
| 2655 | HIS351 | CE1 | -17.304 | 19.619 | 10.29  |
| 2656 | HIS351 | NE2 | -18.122 | 19.372 | 9.242  |
| 2657 | GLN352 | N   | -11.876 | 17.53  | 6.568  |
| 2658 | GLN352 | CA  | -10.852 | 16.518 | 6.26   |
| 2659 | GLN352 | C   | -9.793  | 16.385 | 7.357  |
| 2660 | GLN352 | O   | -9.716  | 17.193 | 8.291  |
| 2661 | GLN352 | CB  | -10.178 | 16.785 | 4.923  |
| 2662 | GLN352 | CG  | -9.244  | 17.98  | 4.902  |
| 2663 | GLN352 | CD  | -8.308  | 17.803 | 3.712  |
| 2664 | GLN352 | OE1 | -7.316  | 18.528 | 3.568  |
| 2665 | GLN352 | NE2 | -8.572  | 16.766 | 2.934  |
| 2666 | CYS353 | N   | -9.049  | 15.296 | 7.271  |
| 2667 | CYS353 | CA  | -8.044  | 14.964 | 8.287  |
| 2668 | CYS353 | C   | -6.883  | 15.962 | 8.319  |
| 2669 | CYS353 | O   | -6.101  | 16.072 | 7.366  |
| 2670 | CYS353 | CB  | -7.524  | 13.567 | 7.961  |
| 2671 | CYS353 | SG  | -6.412  | 12.816 | 9.17   |
| 2672 | LEU354 | N   | -6.724  | 16.61  | 9.464  |
| 2673 | LEU354 | CA  | -5.607  | 17.549 | 9.666  |
| 2674 | LEU354 | C   | -4.308  | 16.852 | 10.059 |
| 2675 | LEU354 | O   | -3.224  | 17.358 | 9.747  |
| 2676 | LEU354 | CB  | -5.967  | 18.561 | 10.748 |
| 2677 | LEU354 | CG  | -6.805  | 19.7   | 10.188 |
| 2678 | LEU354 | CD1 | -7.148  | 20.701 | 11.284 |
| 2679 | LEU354 | CD2 | -6.054  | 20.396 | 9.057  |
| 2680 | GLY355 | N   | -4.414  | 15.6   | 10.478 |
| 2681 | GLY355 | CA  | -3.223  | 14.791 | 10.772 |
| 2682 | GLY355 | C   | -2.835  | 13.936 | 9.566  |
| 2683 | GLY355 | O   | -2.119  | 12.936 | 9.702  |
| 2684 | GLN356 | N   | -3.078  | 14.499 | 8.393  |
| 2685 | GLN356 | CA  | -2.896  | 13.81  | 7.119  |
| 2686 | GLN356 | C   | -1.414  | 13.677 | 6.799  |
| 2687 | GLN356 | O   | -0.939  | 12.562 | 6.544  |
| 2688 | GLN356 | CB  | -3.598  | 14.696 | 6.094  |
| 2689 | GLN356 | CG  | -3.657  | 14.117 | 4.691  |
| 2690 | GLN356 | CD  | -4.524  | 15.024 | 3.818  |
| 2691 | GLN356 | OE1 | -4.609  | 14.834 | 2.599  |
| 2692 | GLN356 | NE2 | -5.231  | 15.939 | 4.463  |
| 2693 | ASN357 | N   | -0.67   | 14.7   | 7.191  |
| 2694 | ASN357 | CA  | 0.781   | 14.7   | 7.005  |
| 2695 | ASN357 | C   | 1.476   | 13.761 | 7.989  |
| 2696 | ASN357 | O   | 2.328   | 12.977 | 7.554  |
| 2697 | ASN357 | CB  | 1.258   | 16.137 | 7.203  |
| 2698 | ASN357 | CG  | 2.78    | 16.244 | 7.261  |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 2699 | ASN357 | OD1 | 3.324  | 16.808 | 8.217  |
| 2700 | ASN357 | ND2 | 3.444  | 15.745 | 6.233  |
| 2701 | LEU358 | N   | 0.896  | 13.592 | 9.166  |
| 2702 | LEU358 | CA  | 1.515  | 12.727 | 10.168 |
| 2703 | LEU358 | C   | 1.271  | 11.264 | 9.826  |
| 2704 | LEU358 | O   | 2.234  | 10.487 | 9.791  |
| 2705 | LEU358 | CB  | 0.908  | 13.034 | 11.53  |
| 2706 | LEU358 | CG  | 1.612  | 12.261 | 12.639 |
| 2707 | LEU358 | CD1 | 3.089  | 12.639 | 12.712 |
| 2708 | LEU358 | CD2 | 0.931  | 12.493 | 13.982 |
| 2709 | ALA359 | N   | 0.102  | 10.986 | 9.272  |
| 2710 | ALA359 | CA  | -0.235 | 9.616  | 8.887  |
| 2711 | ALA359 | C   | 0.571  | 9.151  | 7.679  |
| 2712 | ALA359 | O   | 1.204  | 8.089  | 7.756  |
| 2713 | ALA359 | CB  | -1.723 | 9.558  | 8.566  |
| 2714 | ARG360 | N   | 0.794  | 10.045 | 6.728  |
| 2715 | ARG360 | CA  | 1.585  | 9.681  | 5.546  |
| 2716 | ARG360 | C   | 3.078  | 9.603  | 5.853  |
| 2717 | ARG360 | O   | 3.747  | 8.677  | 5.374  |
| 2718 | ARG360 | CB  | 1.354  | 10.721 | 4.459  |
| 2719 | ARG360 | CG  | -0.081 | 10.681 | 3.954  |
| 2720 | ARG360 | CD  | -0.325 | 11.752 | 2.898  |
| 2721 | ARG360 | NE  | -0.144 | 13.097 | 3.463  |
| 2722 | ARG360 | CZ  | 0.509  | 14.076 | 2.833  |
| 2723 | ARG360 | NH1 | 0.602  | 15.283 | 3.393  |
| 2724 | ARG360 | NH2 | 1.045  | 13.853 | 1.631  |
| 2725 | LEU361 | N   | 3.518  | 10.379 | 6.83   |
| 2726 | LEU361 | CA  | 4.921  | 10.356 | 7.239  |
| 2727 | LEU361 | C   | 5.238  | 9.078  | 8.005  |
| 2728 | LEU361 | O   | 6.174  | 8.36   | 7.628  |
| 2729 | LEU361 | CB  | 5.159  | 11.566 | 8.133  |
| 2730 | LEU361 | CG  | 6.612  | 11.69  | 8.572  |
| 2731 | LEU361 | CD1 | 7.537  | 11.811 | 7.365  |
| 2732 | LEU361 | CD2 | 6.778  | 12.888 | 9.498  |
| 2733 | GLU362 | N   | 4.306  | 8.658  | 8.846  |
| 2734 | GLU362 | CA  | 4.499  | 7.431  | 9.622  |
| 2735 | GLU362 | C   | 4.413  | 6.2    | 8.73   |
| 2736 | GLU362 | O   | 5.31   | 5.352  | 8.793  |
| 2737 | GLU362 | CB  | 3.418  | 7.347  | 10.694 |
| 2738 | GLU362 | CG  | 3.519  | 8.493  | 11.693 |
| 2739 | GLU362 | CD  | 2.341  | 8.447  | 12.662 |
| 2740 | GLU362 | OE1 | 1.268  | 8.901  | 12.284 |
| 2741 | GLU362 | OE2 | 2.517  | 7.891  | 13.736 |
| 2742 | LEU363 | N   | 3.541  | 6.253  | 7.736  |
| 2743 | LEU363 | CA  | 3.389  | 5.125  | 6.814  |
| 2744 | LEU363 | C   | 4.61   | 4.946  | 5.927  |
| 2745 | LEU363 | O   | 5.174  | 3.844  | 5.889  |
| 2746 | LEU363 | CB  | 2.184  | 5.364  | 5.914  |
| 2747 | LEU363 | CG  | 0.977  | 4.517  | 6.298  |
| 2748 | LEU363 | CD1 | 0.35   | 4.995  | 7.601  |
| 2749 | LEU363 | CD2 | -0.056 | 4.54   | 5.179  |
| 2750 | GLN364 | N   | 5.151  | 6.047  | 5.432  |
| 2751 | GLN364 | CA  | 6.296  | 5.955  | 4.529  |
| 2752 | GLN364 | C   | 7.559  | 5.544  | 5.276  |

WO 03/057830

PCT/US02/40359

|      |        |     |        |        |        |
|------|--------|-----|--------|--------|--------|
| 2753 | GLN364 | O   | 8.219  | 4.588  | 4.843  |
| 2754 | GLN364 | CB  | 6.505  | 7.308  | 3.86   |
| 2755 | GLN364 | CG  | 7.624  | 7.232  | 2.83   |
| 2756 | GLN364 | CD  | 7.846  | 8.592  | 2.181  |
| 2757 | GLN364 | OE1 | 7.741  | 9.637  | 2.835  |
| 2758 | GLN364 | NE2 | 8.108  | 8.565  | 0.886  |
| 2759 | ILE365 | N   | 7.707  | 6.019  | 6.503  |
| 2760 | ILE365 | CA  | 8.879  | 5.644  | 7.298  |
| 2761 | ILE365 | C   | 8.835  | 4.171  | 7.691  |
| 2762 | ILE365 | O   | 9.772  | 3.438  | 7.339  |
| 2763 | ILE365 | CB  | 8.94   | 6.511  | 8.554  |
| 2764 | ILE365 | CG1 | 9.202  | 7.973  | 8.208  |
| 2765 | ILE365 | CG2 | 10.012 | 5.996  | 9.506  |
| 2766 | ILE365 | CD1 | 10.539 | 8.151  | 7.497  |
| 2767 | VAL366 | N   | 7.667  | 3.695  | 8.099  |
| 2768 | VAL366 | CA  | 7.555  | 2.301  | 8.53   |
| 2769 | VAL366 | C   | 7.703  | 1.335  | 7.361  |
| 2770 | VAL366 | O   | 8.611  | 0.497  | 7.417  |
| 2771 | VAL366 | CB  | 6.21   | 2.076  | 9.217  |
| 2772 | VAL366 | CG1 | 6.011  | 0.606  | 9.565  |
| 2773 | VAL366 | CG2 | 6.085  | 2.923  | 10.477 |
| 2774 | PHE367 | N   | 7.094  | 1.641  | 6.225  |
| 2775 | PHE367 | CA  | 7.145  | 0.701  | 5.097  |
| 2776 | PHE367 | C   | 8.524  | 0.663  | 4.453  |
| 2777 | PHE367 | O   | 9.066  | -0.434 | 4.254  |
| 2778 | PHE367 | CB  | 6.125  | 1.099  | 4.034  |
| 2779 | PHE367 | CG  | 4.662  | 1.012  | 4.458  |
| 2780 | PHE367 | CD1 | 3.726  | 1.83   | 3.841  |
| 2781 | PHE367 | CD2 | 4.258  | 0.112  | 5.435  |
| 2782 | PHE367 | CE1 | 2.391  | 1.767  | 4.216  |
| 2783 | PHE367 | CE2 | 2.924  | 0.052  | 5.813  |
| 2784 | PHE367 | CZ  | 1.99   | 0.88   | 5.206  |
| 2785 | ASP368 | N   | 9.187  | 1.808  | 4.423  |
| 2786 | ASP368 | CA  | 10.522 | 1.869  | 3.83   |
| 2787 | ASP368 | C   | 11.52  | 1.102  | 4.686  |
| 2788 | ASP368 | O   | 12.115 | 0.138  | 4.185  |
| 2789 | ASP368 | CB  | 10.964 | 3.326  | 3.707  |
| 2790 | ASP368 | CG  | 10.101 | 4.09   | 2.701  |
| 2791 | ASP368 | OD1 | 10.208 | 5.31   | 2.678  |
| 2792 | ASP368 | OD2 | 9.508  | 3.443  | 1.847  |
| 2793 | THR369 | N   | 11.438 | 1.285  | 5.995  |
| 2794 | THR369 | CA  | 12.381 | 0.606  | 6.892  |
| 2795 | THR369 | C   | 12.07  | -0.88  | 7.076  |
| 2796 | THR369 | O   | 13.004 | -1.658 | 7.287  |
| 2797 | THR369 | CB  | 12.376 | 1.294  | 8.252  |
| 2798 | THR369 | OG1 | 11.058 | 1.242  | 8.778  |
| 2799 | THR369 | CG2 | 12.797 | 2.756  | 8.149  |
| 2800 | LEU370 | N   | 10.848 | -1.302 | 6.793  |
| 2801 | LEU370 | CA  | 10.523 | -2.729 | 6.862  |
| 2802 | LEU370 | C   | 11.145 | -3.486 | 5.703  |
| 2803 | LEU370 | O   | 12.038 | -4.319 | 5.916  |
| 2804 | LEU370 | CB  | 9.012  | -2.919 | 6.78   |
| 2805 | LEU370 | CG  | 8.302  | -2.463 | 8.044  |
| 2806 | LEU370 | CD1 | 6.792  | -2.589 | 7.882  |

WO 03/057830

PCT/US02/40359

|      |        |     |        |         |        |
|------|--------|-----|--------|---------|--------|
| 2807 | LEU370 | CD2 | 8.79   | -3.256  | 9.248  |
| 2808 | PHE371 | N   | 10.872 | -3.006  | 4.502  |
| 2809 | PHE371 | CA  | 11.266 | -3.75   | 3.303  |
| 2810 | PHE371 | C   | 12.728 | -3.529  | 2.918  |
| 2811 | PHE371 | O   | 13.332 | -4.398  | 2.278  |
| 2812 | PHE371 | CB  | 10.333 | -3.34   | 2.169  |
| 2813 | PHE371 | CG  | 8.861  | -3.634  | 2.463  |
| 2814 | PHE371 | CD1 | 7.935  | -2.599  | 2.503  |
| 2815 | PHE371 | CD2 | 8.447  | -4.94   | 2.692  |
| 2816 | PHE371 | CE1 | 6.601  | -2.867  | 2.784  |
| 2817 | PHE371 | CE2 | 7.112  | -5.209  | 2.971  |
| 2818 | PHE371 | CZ  | 6.19   | -4.172  | 3.019  |
| 2819 | ARG372 | N   | 13.335 | -2.472  | 3.436  |
| 2820 | ARG372 | CA  | 14.773 | -2.281  | 3.231  |
| 2821 | ARG372 | C   | 15.606 | -2.901  | 4.353  |
| 2822 | ARG372 | O   | 16.834 | -2.982  | 4.229  |
| 2823 | ARG372 | CB  | 15.084 | -0.795  | 3.116  |
| 2824 | ARG372 | CG  | 14.397 | -0.176  | 1.904  |
| 2825 | ARG372 | CD  | 14.777 | 1.291   | 1.76   |
| 2826 | ARG372 | NE  | 14.497 | 2.015   | 3.008  |
| 2827 | ARG372 | CZ  | 14.919 | 3.257   | 3.251  |
| 2828 | ARG372 | NH1 | 14.646 | 3.835   | 4.423  |
| 2829 | ARG372 | NH2 | 15.631 | 3.911   | 2.331  |
| 2830 | ARG373 | N   | 14.958 | -3.347  | 5.418  |
| 2831 | ARG373 | CA  | 15.671 | -4.087  | 6.457  |
| 2832 | ARG373 | C   | 15.659 | -5.559  | 6.09   |
| 2833 | ARG373 | O   | 16.694 | -6.238  | 6.097  |
| 2834 | ARG373 | CB  | 14.937 | -3.926  | 7.783  |
| 2835 | ARG373 | CG  | 15.657 | -4.637  | 8.922  |
| 2836 | ARG373 | CD  | 16.912 | -3.879  | 9.335  |
| 2837 | ARG373 | NE  | 16.548 | -2.554  | 9.862  |
| 2838 | ARG373 | CZ  | 16.405 | -2.304  | 11.165 |
| 2839 | ARG373 | NH1 | 16.663 | -3.261  | 12.059 |
| 2840 | ARG373 | NH2 | 16.046 | -1.087  | 11.576 |
| 2841 | VAL374 | N   | 14.474 | -6.032  | 5.749  |
| 2842 | VAL374 | CA  | 14.314 | -7.425  | 5.338  |
| 2843 | VAL374 | C   | 13.644 | -7.499  | 3.971  |
| 2844 | VAL374 | O   | 12.43  | -7.307  | 3.841  |
| 2845 | VAL374 | CB  | 13.473 | -8.164  | 6.376  |
| 2846 | VAL374 | CG1 | 13.297 | -9.625  | 5.984  |
| 2847 | VAL374 | CG2 | 14.086 | -8.075  | 7.77   |
| 2848 | PRO375 | N   | 14.432 | -7.873  | 2.976  |
| 2849 | PRO375 | CA  | 13.929 | -8.036  | 1.606  |
| 2850 | PRO375 | C   | 13.088 | -9.304  | 1.369  |
| 2851 | PRO375 | O   | 12.539 | -9.472  | 0.275  |
| 2852 | PRO375 | CB  | 15.165 | -8.072  | 0.76   |
| 2853 | PRO375 | CG  | 16.384 | -8.221  | 1.658  |
| 2854 | PRO375 | CD  | 15.865 | -8.159  | 3.084  |
| 2855 | GLY376 | N   | 12.945 | -10.158 | 2.371  |
| 2856 | GLY376 | CA  | 12.162 | -11.386 | 2.21   |
| 2857 | GLY376 | C   | 11.071 | -11.52  | 3.271  |
| 2858 | GLY376 | O   | 11.012 | -12.523 | 3.992  |
| 2859 | ILE377 | N   | 10.225 | -10.508 | 3.367  |
| 2860 | ILE377 | CA  | 9.092  | -10.568 | 4.299  |

WO 03/057830

PCT/US02/40359

|      |        |     |        |         |       |
|------|--------|-----|--------|---------|-------|
| 2861 | ILE377 | C   | 7.921  | -11.295 | 3.645 |
| 2862 | ILE377 | O   | 7.217  | -10.731 | 2.801 |
| 2863 | ILE377 | CB  | 8.663  | -9.148  | 4.656 |
| 2864 | ILE377 | CG1 | 9.836  | -8.352  | 5.203 |
| 2865 | ILE377 | CG2 | 7.529  | -9.169  | 5.674 |
| 2866 | ILE377 | CD1 | 9.433  | -6.919  | 5.526 |
| 2867 | ARG378 | N   | 7.743  | -12.55  | 4.009 |
| 2868 | ARG378 | CA  | 6.648  | -13.342 | 3.451 |
| 2869 | ARG378 | C   | 5.468  | -13.417 | 4.409 |
| 2870 | ARG378 | O   | 5.629  | -13.304 | 5.627 |
| 2871 | ARG378 | CB  | 7.186  | -14.734 | 3.163 |
| 2872 | ARG378 | CG  | 8.265  | -14.671 | 2.089 |
| 2873 | ARG378 | CD  | 8.975  | -16.01  | 1.929 |
| 2874 | ARG378 | NE  | 9.756  | -16.33  | 3.134 |
| 2875 | ARG378 | CZ  | 9.57   | -17.431 | 3.864 |
| 2876 | ARG378 | NH1 | 8.587  | -18.28  | 3.556 |
| 2877 | ARG378 | NH2 | 10.338 | -17.659 | 4.931 |
| 2878 | ILE379 | N   | 4.277  | -13.531 | 3.854 |
| 2879 | ILE379 | CA  | 3.096  | -13.713 | 4.703 |
| 2880 | ILE379 | C   | 3.14   | -15.13  | 5.272 |
| 2881 | ILE379 | O   | 3.519  | -16.07  | 4.563 |
| 2882 | ILE379 | CB  | 1.841  | -13.536 | 3.855 |
| 2883 | ILE379 | CG1 | 2.108  | -12.589 | 2.692 |
| 2884 | ILE379 | CG2 | 0.702  | -12.984 | 4.709 |
| 2885 | ILE379 | CD1 | 0.882  | -12.447 | 1.798 |
| 2886 | ALA380 | N   | 2.872  | -15.267 | 6.56  |
| 2887 | ALA380 | CA  | 2.895  | -16.598 | 7.174 |
| 2888 | ALA380 | C   | 1.533  | -17.277 | 7.07  |
| 2889 | ALA380 | O   | 1.435  | -18.51  | 7.097 |
| 2890 | ALA380 | CB  | 3.306  | -16.471 | 8.635 |
| 2891 | VAL381 | N   | 0.498  | -16.47  | 6.917 |
| 2892 | VAL381 | CA  | -0.839 | -17.005 | 6.651 |
| 2893 | VAL381 | C   | -1.231 | -16.745 | 5.2   |
| 2894 | VAL381 | O   | -0.782 | -15.768 | 4.59  |
| 2895 | VAL381 | CB  | -1.847 | -16.359 | 7.599 |
| 2896 | VAL381 | CG1 | -1.705 | -16.897 | 9.018 |
| 2897 | VAL381 | CG2 | -1.747 | -14.839 | 7.57  |
| 2898 | PRO382 | N   | -1.999 | -17.662 | 4.635 |
| 2899 | PRO382 | CA  | -2.615 | -17.424 | 3.329 |
| 2900 | PRO382 | C   | -3.477 | -16.166 | 3.352 |
| 2901 | PRO382 | O   | -4.045 | -15.802 | 4.391 |
| 2902 | PRO382 | CB  | -3.422 | -18.651 | 3.039 |
| 2903 | PRO382 | CG  | -3.29  | -19.627 | 4.198 |
| 2904 | PRO382 | CD  | -2.414 | -18.938 | 5.231 |
| 2905 | VAL383 | N   | -3.721 | -15.621 | 2.172 |
| 2906 | VAL383 | CA  | -4.415 | -14.327 | 2.051 |
| 2907 | VAL383 | C   | -5.892 | -14.388 | 2.452 |
| 2908 | VAL383 | O   | -6.376 | -13.473 | 3.126 |
| 2909 | VAL383 | CB  | -4.302 | -13.886 | 0.593 |
| 2910 | VAL383 | CG1 | -5.05  | -12.578 | 0.343 |
| 2911 | VAL383 | CG2 | -2.838 | -13.751 | 0.177 |
| 2912 | ASP384 | N   | -6.478 | -15.572 | 2.355 |
| 2913 | ASP384 | CA  | -7.876 | -15.767 | 2.759 |
| 2914 | ASP384 | C   | -8.031 | -15.962 | 4.271 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |         |        |
|------|--------|-----|---------|---------|--------|
| 2915 | ASP384 | O   | -9.156  | -16.094 | 4.761  |
| 2916 | ASP384 | CB  | -8.42   | -17.003 | 2.048  |
| 2917 | ASP384 | CG  | -8.293  | -16.849 | 0.534  |
| 2918 | ASP384 | OD1 | -9.1    | -16.128 | -0.032 |
| 2919 | ASP384 | OD2 | -7.312  | -17.346 | -0.002 |
| 2920 | GLU385 | N   | -6.926  | -15.995 | 5      |
| 2921 | GLU385 | CA  | -6.994  | -16.177 | 6.448  |
| 2922 | GLU385 | C   | -6.674  | -14.884 | 7.194  |
| 2923 | GLU385 | O   | -6.638  | -14.896 | 8.429  |
| 2924 | GLU385 | CB  | -6.01   | -17.259 | 6.874  |
| 2925 | GLU385 | CG  | -6.219  | -18.561 | 6.111  |
| 2926 | GLU385 | CD  | -7.651  | -19.079 | 6.248  |
| 2927 | GLU385 | OE1 | -8.017  | -19.462 | 7.349  |
| 2928 | GLU385 | OE2 | -8.266  | -19.256 | 5.205  |
| 2929 | LEU386 | N   | -6.406  | -13.81  | 6.463  |
| 2930 | LEU386 | CA  | -6.082  | -12.519 | 7.093  |
| 2931 | LEU386 | C   | -7.266  | -11.953 | 7.874  |
| 2932 | LEU386 | O   | -8.342  | -11.71  | 7.315  |
| 2933 | LEU386 | CB  | -5.676  | -11.542 | 5.996  |
| 2934 | LEU386 | CG  | -4.348  | -11.943 | 5.365  |
| 2935 | LEU386 | CD1 | -4.081  | -11.153 | 4.091  |
| 2936 | LEU386 | CD2 | -3.204  | -11.773 | 6.357  |
| 2937 | PRO387 | N   | -7.063  | -11.798 | 9.173  |
| 2938 | PRO387 | CA  | -8.132  | -11.39  | 10.091 |
| 2939 | PRO387 | C   | -8.419  | -9.89   | 10.047 |
| 2940 | PRO387 | O   | -7.84   | -9.095  | 10.805 |
| 2941 | PRO387 | CB  | -7.647  | -11.801 | 11.445 |
| 2942 | PRO387 | CG  | -6.191  | -12.224 | 11.339 |
| 2943 | PRO387 | CD  | -5.817  | -12.105 | 9.873  |
| 2944 | PHE388 | N   | -9.314  | -9.528  | 9.143  |
| 2945 | PHE388 | CA  | -9.775  | -8.145  | 9.012  |
| 2946 | PHE388 | C   | -10.688 | -7.79   | 10.176 |
| 2947 | PHE388 | O   | -11.522 | -8.597  | 10.603 |
| 2948 | PHE388 | CB  | -10.558 | -7.999  | 7.709  |
| 2949 | PHE388 | CG  | -9.785  | -8.343  | 6.437  |
| 2950 | PHE388 | CD1 | -8.78   | -7.498  | 5.987  |
| 2951 | PHE388 | CD2 | -10.097 | -9.492  | 5.721  |
| 2952 | PHE388 | CE1 | -8.076  | -7.809  | 4.831  |
| 2953 | PHE388 | CE2 | -9.393  | -9.804  | 4.565  |
| 2954 | PHE388 | CZ  | -8.381  | -8.963  | 4.121  |
| 2955 | LYS389 | N   | -10.5   | -6.599  | 10.707 |
| 2956 | LYS389 | CA  | -11.364 | -6.141  | 11.792 |
| 2957 | LYS389 | C   | -12.626 | -5.52   | 11.203 |
| 2958 | LYS389 | O   | -12.542 | -4.581  | 10.4   |
| 2959 | LYS389 | CB  | -10.611 | -5.115  | 12.633 |
| 2960 | LYS389 | CG  | -11.439 | -4.708  | 13.847 |
| 2961 | LYS389 | CD  | -10.677 | -3.763  | 14.767 |
| 2962 | LYS389 | CE  | -11.487 | -3.466  | 16.023 |
| 2963 | LYS389 | NZ  | -10.719 | -2.637  | 16.96  |
| 2964 | HIS390 | N   | -13.775 | -6.068  | 11.571 |
| 2965 | HIS390 | CA  | -15.055 | -5.523  | 11.102 |
| 2966 | HIS390 | C   | -15.385 | -4.226  | 11.836 |
| 2967 | HIS390 | O   | -15.845 | -4.213  | 12.983 |
| 2968 | HIS390 | CB  | -16.162 | -6.548  | 11.316 |

WO 03/057830

PCT/US02/40359

|      |        |     |         |        |        |
|------|--------|-----|---------|--------|--------|
| 2969 | HIS390 | CG  | -17.525 | -6.094 | 10.826 |
| 2970 | HIS390 | ND1 | -17.895 | -5.893 | 9.545  |
| 2971 | HIS390 | CD2 | -18.62  | -5.81  | 11.607 |
| 2972 | HIS390 | CE1 | -19.181 | -5.487 | 9.511  |
| 2973 | HIS390 | NE2 | -19.629 | -5.437 | 10.786 |
| 2974 | ASP391 | N   | -15.053 | -3.138 | 11.167 |
| 2975 | ASP391 | CA  | -15.269 | -1.789 | 11.683 |
| 2976 | ASP391 | C   | -15.392 | -0.871 | 10.48  |
| 2977 | ASP391 | O   | -14.395 | -0.539 | 9.835  |
| 2978 | ASP391 | CB  | -14.068 | -1.414 | 12.553 |
| 2979 | ASP391 | CG  | -14.172 | -0.02  | 13.18  |
| 2980 | ASP391 | OD1 | -14.984 | 0.771  | 12.707 |
| 2981 | ASP391 | OD2 | -13.241 | 0.324  | 13.884 |
| 2982 | SER392 | N   | -16.582 | -0.335 | 10.283 |
| 2983 | SER392 | CA  | -16.835 | 0.448  | 9.075  |
| 2984 | SER392 | C   | -16.261 | 1.863  | 9.129  |
| 2985 | SER392 | O   | -15.99  | 2.431  | 8.07   |
| 2986 | SER392 | CB  | -18.342 | 0.537  | 8.868  |
| 2987 | SER392 | OG  | -18.876 | 1.383  | 9.878  |
| 2988 | THR393 | N   | -15.944 | 2.392  | 10.297 |
| 2989 | THR393 | CA  | -15.451 | 3.768  | 10.313 |
| 2990 | THR393 | C   | -13.931 | 3.822  | 10.468 |
| 2991 | THR393 | O   | -13.294 | 4.722  | 9.909  |
| 2992 | THR393 | CB  | -16.183 | 4.53   | 11.411 |
| 2993 | THR393 | OG1 | -17.557 | 4.561  | 11.04  |
| 2994 | THR393 | CG2 | -15.703 | 5.972  | 11.528 |
| 2995 | ILE394 | N   | -13.365 | 2.816  | 11.118 |
| 2996 | ILE394 | CA  | -11.899 | 2.665  | 11.203 |
| 2997 | ILE394 | C   | -11.525 | 1.204  | 10.92  |
| 2998 | ILE394 | O   | -11.205 | 0.419  | 11.824 |
| 2999 | ILE394 | CB  | -11.37  | 3.095  | 12.577 |
| 3000 | ILE394 | CG1 | -11.744 | 4.533  | 12.921 |
| 3001 | ILE394 | CG2 | -9.847  | 2.978  | 12.624 |
| 3002 | ILE394 | CD1 | -10.977 | 5.529  | 12.055 |
| 3003 | TYR395 | N   | -11.59  | 0.854  | 9.649  |
| 3004 | TYR395 | CA  | -11.29  | -0.503 | 9.179  |
| 3005 | TYR395 | C   | -9.792  | -0.786 | 9.302  |
| 3006 | TYR395 | O   | -8.997  | 0.149  | 9.447  |
| 3007 | TYR395 | CB  | -11.747 | -0.572 | 7.721  |
| 3008 | TYR395 | CG  | -11.784 | -1.967 | 7.101  |
| 3009 | TYR395 | CD1 | -10.958 | -2.272 | 6.026  |
| 3010 | TYR395 | CD2 | -12.648 | -2.927 | 7.612  |
| 3011 | TYR395 | CE1 | -10.991 | -3.543 | 5.465  |
| 3012 | TYR395 | CE2 | -12.682 | -4.199 | 7.052  |
| 3013 | TYR395 | CZ  | -11.852 | -4.502 | 5.982  |
| 3014 | TYR395 | OH  | -11.882 | -5.763 | 5.427  |
| 3015 | GLY396 | N   | -9.433  | -2.053 | 9.421  |
| 3016 | GLY396 | CA  | -8.007  | -2.401 | 9.468  |
| 3017 | GLY396 | C   | -7.732  | -3.871 | 9.759  |
| 3018 | GLY396 | O   | -8.601  | -4.74  | 9.609  |
| 3019 | LEU397 | N   | -6.493  | -4.132 | 10.134 |
| 3020 | LEU397 | CA  | -6.031  | -5.497 | 10.406 |
| 3021 | LEU397 | C   | -5.334  | -5.577 | 11.751 |
| 3022 | LEU397 | O   | -4.297  | -4.938 | 11.961 |

WO 03/057830

PCT/US02/40359

|      |        |     |        |         |        |
|------|--------|-----|--------|---------|--------|
| 3023 | LEU397 | CB  | -5.051 | -5.894  | 9.311  |
| 3024 | LEU397 | CG  | -5.773 | -6.502  | 8.12   |
| 3025 | LEU397 | CD1 | -5.037 | -6.225  | 6.822  |
| 3026 | LEU397 | CD2 | -5.979 | -7.996  | 8.325  |
| 3027 | HIS398 | N   | -5.87  | -6.402  | 12.634 |
| 3028 | HIS398 | CA  | -5.274 | -6.514  | 13.967 |
| 3029 | HIS398 | C   | -4.348 | -7.718  | 14.107 |
| 3030 | HIS398 | O   | -3.651 | -7.848  | 15.12  |
| 3031 | HIS398 | CB  | -6.363 | -6.528  | 15.033 |
| 3032 | HIS398 | CG  | -6.737 | -5.14   | 15.525 |
| 3033 | HIS398 | ND1 | -7.052 | -4.804  | 16.79  |
| 3034 | HIS398 | CD2 | -6.795 | -3.984  | 14.781 |
| 3035 | HIS398 | CE1 | -7.311 | -3.482  | 16.851 |
| 3036 | HIS398 | NE2 | -7.152 | -2.975  | 15.607 |
| 3037 | ALA399 | N   | -4.306 | -8.567  | 13.094 |
| 3038 | ALA399 | CA  | -3.343 | -9.671  | 13.12  |
| 3039 | ALA399 | C   | -2.7   | -9.903  | 11.756 |
| 3040 | ALA399 | O   | -3.373 | -10.014 | 10.724 |
| 3041 | ALA399 | CB  | -4.014 | -10.936 | 13.633 |
| 3042 | LEU400 | N   | -1.383 | -10.004 | 11.794 |
| 3043 | LEU400 | CA  | -0.567 | -10.204 | 10.589 |
| 3044 | LEU400 | C   | 0.772  | -10.856 | 10.935 |
| 3045 | LEU400 | O   | 1.712  | -10.165 | 11.35  |
| 3046 | LEU400 | CB  | -0.307 | -8.845  | 9.946  |
| 3047 | LEU400 | CG  | 0.615  | -8.952  | 8.736  |
| 3048 | LEU400 | CD1 | 0.005  | -9.826  | 7.644  |
| 3049 | LEU400 | CD2 | 0.973  | -7.572  | 8.197  |
| 3050 | PRO401 | N   | 0.815  | -12.178 | 10.881 |
| 3051 | PRO401 | CA  | 2.084  | -12.9   | 10.974 |
| 3052 | PRO401 | C   | 2.88   | -12.822 | 9.671  |
| 3053 | PRO401 | O   | 2.413  | -13.242 | 8.602  |
| 3054 | PRO401 | CB  | 1.686  | -14.312 | 11.269 |
| 3055 | PRO401 | CG  | 0.197  | -14.466 | 10.993 |
| 3056 | PRO401 | CD  | -0.308 | -13.08  | 10.625 |
| 3057 | VAL402 | N   | 4.074  | -12.267 | 9.78   |
| 3058 | VAL402 | CA  | 5.008  | -12.183 | 8.653  |
| 3059 | VAL402 | C   | 6.358  | -12.814 | 8.998  |
| 3060 | VAL402 | O   | 7.008  | -12.485 | 9.998  |
| 3061 | VAL402 | CB  | 5.194  | -10.723 | 8.25   |
| 3062 | VAL402 | CG1 | 3.968  | -10.185 | 7.523  |
| 3063 | VAL402 | CG2 | 5.553  | -9.84   | 9.44   |
| 3064 | THR403 | N   | 6.772  | -13.729 | 8.146  |
| 3065 | THR403 | CA  | 8.039  | -14.428 | 8.342  |
| 3066 | THR403 | C   | 9.135  | -13.709 | 7.571  |
| 3067 | THR403 | O   | 9.102  | -13.66  | 6.335  |
| 3068 | THR403 | CB  | 7.888  | -15.853 | 7.827  |
| 3069 | THR403 | OG1 | 6.715  | -16.403 | 8.406  |
| 3070 | THR403 | CG2 | 9.077  | -16.723 | 8.22   |
| 3071 | TRP404 | N   | 10.089 | -13.156 | 8.298  |
| 3072 | TRP404 | CA  | 11.177 | -12.406 | 7.66   |
| 3073 | TRP404 | C   | 12.136 | -13.344 | 6.931  |
| 3074 | TRP404 | O   | 12.984 | -12.835 | 6.21   |
| 3075 | TRP404 | CB  | 11.969 | -11.654 | 8.719  |
| 3076 | TRP404 | CG  | 11.163 | -10.949 | 9.79   |

WO 03/057830

PCT/US02/40359

|      |        |     |         |         |        |
|------|--------|-----|---------|---------|--------|
| 3077 | TRP404 | CD1 | 10.886  | -11.444 | 11.043 |
| 3078 | TRP404 | CD2 | 10.559  | -9.637  | 9.729  |
| 3079 | TRP404 | NE1 | 10.155  | -10.524 | 11.721 |
| 3080 | TRP404 | CE2 | 9.943   | -9.428  | 10.972 |
| 3081 | TRP404 | CE3 | 10.506  | -8.656  | 8.749  |
| 3082 | TRP404 | CZ2 | 9.278   | -8.237  | 11.225 |
| 3083 | TRP404 | CZ3 | 9.838   | -7.468  | 9.009  |
| 3084 | TRP404 | CH2 | 9.226   | -7.257  | 10.239 |
| 3085 | TRP404 | OXT | 12.117  | -14.53  | 7.239  |
| 3086 | HEM1   | FE  | -8.08   | 12.05   | 10.226 |
| 3087 | HEM1   | NA  | -9.653  | 12.085  | 9.078  |
| 3088 | HEM1   | C1A | -10.7   | 13.004  | 9.077  |
| 3089 | HEM1   | C2A | -11.687 | 12.681  | 8.118  |
| 3090 | HEM1   | C3A | -11.292 | 11.525  | 7.568  |
| 3091 | HEM1   | C4A | -10.019 | 11.174  | 8.129  |
| 3092 | HEM1   | CHB | -9.224  | 10.115  | 7.699  |
| 3093 | HEM1   | C1B | -7.931  | 9.83    | 8.181  |
| 3094 | HEM1   | NB  | -7.308  | 10.582  | 9.182  |
| 3095 | HEM1   | C4B | -6.086  | 9.964   | 9.364  |
| 3096 | HEM1   | C3B | -5.946  | 8.85    | 8.506  |
| 3097 | HEM1   | C2B | -7.068  | 8.771   | 7.746  |
| 3098 | HEM1   | CMB | -7.416  | 7.755   | 6.682  |
| 3099 | HEM1   | CAB | -4.833  | 8.031   | 8.591  |
| 3100 | HEM1   | CBB | -4.44   | 7.051   | 7.74   |
| 3101 | HEM1   | CHC | -5.212  | 10.298  | 10.374 |
| 3102 | HEM1   | C1C | -5.439  | 11.223  | 11.336 |
| 3103 | HEM1   | NC  | -6.519  | 12.039  | 11.384 |
| 3104 | HEM1   | C4C | -6.227  | 12.887  | 12.426 |
| 3105 | HEM1   | C3C | -4.926  | 12.636  | 13.002 |
| 3106 | HEM1   | C2C | -4.491  | 11.556  | 12.313 |
| 3107 | HEM1   | CMC | -3.265  | 10.712  | 12.532 |
| 3108 | HEM1   | CAC | -4.462  | 13.435  | 14.055 |
| 3109 | HEM1   | CBC | -3.452  | 13.231  | 14.936 |
| 3110 | HEM1   | CHD | -7.061  | 13.855  | 12.91  |
| 3111 | HEM1   | C1D | -8.237  | 14.203  | 12.292 |
| 3112 | HEM1   | ND  | -8.777  | 13.572  | 11.18  |
| 3113 | HEM1   | C4D | -9.915  | 14.313  | 10.916 |
| 3114 | HEM1   | C3D | -10.045 | 15.413  | 11.808 |
| 3115 | HEM1   | C2D | -9.006  | 15.334  | 12.673 |
| 3116 | HEM1   | CMD | -8.71   | 16.241  | 13.844 |
| 3117 | HEM1   | CAD | -11.178 | 16.421  | 11.802 |
| 3118 | HEM1   | CBD | -10.91  | 17.624  | 10.918 |
| 3119 | HEM1   | CGD | -12.079 | 18.574  | 10.862 |
| 3120 | HEM1   | O1D | -13.198 | 18.167  | 11.204 |
| 3121 | HEM1   | O2D | -11.889 | 19.736  | 10.477 |
| 3122 | HEM1   | CHA | -10.849 | 14.026  | 9.961  |
| 3123 | HEM1   | CMA | -12.005 | 10.703  | 6.498  |
| 3124 | HEM1   | CAA | -12.907 | 13.51   | 7.748  |
| 3125 | HEM1   | CBA | -14.087 | 13.112  | 8.645  |
| 3126 | HEM1   | CGA | -15.442 | 13.596  | 8.14   |
| 3127 | HEM1   | O1A | -15.522 | 14.131  | 7.009  |
| 3128 | HEM1   | O2A | -16.439 | 13.4    | 8.866  |

5 **What is Claimed is:**

1. An isolated nucleic acid sequence encoding epothilone B hydroxylase or a mutant or variant thereof.
- 10 2. The isolated nucleic acid sequence of claim 1 comprising SEQ ID NO: 1, 30, 32, 34, 36, 37, 38, 39, 40, 41, 42, 60, 62, 64, 66, 68, 72 or 74.
3. The isolated nucleic acid sequence of claim 1 comprising SEQ ID NO:1.
- 15 4. The isolated nucleic acid sequence of claim 1 encoding a mutant with at least one amino acid substitution in an active site of the epothilone B hydroxylase enzyme.
- 20 5. The isolated nucleic acid sequence of claim 1 encoding a mutant with at least one amino acid substitution at amino acid GLU31, ARG67, ARG88, ILE92, ALA93, VAL106, ILE130, ALA140, MET176, PHE190, GLU 231, SER294, PHE237, or ILE365 of SEQ ID NO:2.
- 25 6. The isolated nucleic acid sequence of claim 1 encoding a mutant with at least one amino acid substitution at amino acid LEU39, GLN43, ALA45, MET57, LEU58, HIS62, PHE63, SER64, SER65, ASP66, ARG67, GLN68, SER69, LEU74, MET75, VAL76, ALA77, ARG78, GLN79, ILE80, ASP84, LYS85, PRO86, PHE87, ARG88, PRO89, SER90, LEU91, ILE92, ALA93, MET94, ASP95, HIS99, ARG103, 30 PHE110, ILE155, PHE169, GLN170, CYS172, SER173, SER174, ARG175, MET176, LEU177, SER178, ARG179, ARG186, PHE190, LEU193, VAL233, GLY234, LEU235, ALA236, PHE237, LEU238, LEU239, LEU240, ILE241, ALA242, GLY243, HIS244, GLU245, THR246, THR247, ALA248, ASN249, MET250, LEU283, THR287, ILE288, ALA289, GLU290, THR291, ALA292, 35 THR293, SER294, ARG295, PHE296, ALA297, THR298, GLU312, GLY313, VAL314, VAL315, GLY316, VAL344, ALA345, PHE346, GLY347, PHE348, VAL350, HIS351, GLN352, CYS353, LEU354, GLY355, GLN356, LEU358,

5 ALA359, GLU362, LYS389, ASP391, SER392, THR393, ILE394, or TYR395 of  
SEQ ID NO:2.

7. The isolated nucleic acid sequence of claim 1 encoding a variant  
comprising SEQ ID NO:43, 44, 45, 46, 47, 48 or 49.

10

8. A polypeptide encoded by the isolated nucleic acid sequence of claim  
1.

9. An isolated nucleic acid molecule that is capable of hybridizing to a  
15 nucleic acid sequence of claim 2, or to the complementary sequence of said nucleic  
acid sequence, under hybridization conditions of 3X SSC at 65°C for 16 hours, said  
isolated nucleic acid molecule being capable of remaining hybridized to said nucleic  
acid sequence, or to the complementary sequence of said nucleic acid sequence, under  
wash conditions of 0.5X SSC, 55°C for 30 minutes.

20

10. An isolated polypeptide comprising SEQ ID NO:2.

11. An isolated mutant polypeptide of epothilone B hydroxylase of SEQ  
25 ID NO:2 comprising an amino acid sequence with at least one amino acid substitution  
in an active site of epothilone B hydroxylase enzyme of SEQ ID NO:2.

12. An isolated mutant polypeptide of epothilone B hydroxylase of SEQ  
ID NO:2 comprising an amino acid sequence with at least one amino acid substitution  
30 at amino acid GLU31, ARG67, ARG88, ILE92, ALA93, VAL106, ILE130,  
ALA140, MET176, PHE190, GLU 231, SER294, PHE237, or ILE365 of SEQ ID  
NO:2.

13. An isolated mutant polypeptide of epothilone B hydroxylase of SEQ  
35 ID NO:2 comprising an amino acid sequence with at least one amino acid substitution  
at amino acid LEU39, GLN43, ALA45, MET57, LEU58, HIS62, PHE63, SER64,  
SER65, ASP66, ARG67, GLN68, SER69, LEU74, MET75, VAL76, ALA77,  
ARG78, GLN79, ILE80, ASP84, LYS85, PRO86, PHE87, ARG88, PRO89, SER90,  
LEU91, ILE92, ALA93, MET94, ASP95, HIS99, ARG103, PHE110, ILE155,

5 PHE169, GLN170, CYS172, SER173, SER174, ARG175, MET176, LEU177,  
 SER178, ARG179, ARG186, PHE190, LEU193, VAL233, GLY234, LEU235,  
 ALA236, PHE237, LEU238, LEU239, LEU240, ILE241, ALA242, GLY243,  
 HIS244, GLU245, THR246, THR247, ALA248, ASN249, MET250, LEU283,  
 THR287, ILE288, ALA289, GLU290, THR291, ALA292, THR293, SER294,  
 10 ARG295, PHE296, ALA297, THR298, GLU312, GLY313, VAL314, VAL315,  
 GLY316, VAL344, ALA345, PHE346, GLY347, PHE348, VAL350, HIS351,  
 GLN352, CYS353, LEU354, GLY355, GLN356, LEU358, ALA359, GLU362,  
 LYS389, ASP391, SER392, THR393, ILE394, or TYR395 of SEQ ID NO:2.

15 14. An isolated mutant polypeptide of epothilone B hydroxylase  
 comprising SEQ ID NO: 31, 33, 35, 61, 63, 65, 67, 69, 71, 73 or 75.

15. An isolated variant polypeptide of epothilone B hydroxylase  
 comprising SEQ ID NO: 43, 44, 45, 46, 47, 48 or 49.

20 16. An isolated nucleic acid sequence encoding a ferredoxin.

17. The isolated nucleic acid sequence of claim 16 comprising SEQ ID  
 NO:3.

25 18. A polypeptide encoded by the isolated nucleic acid sequence of claim  
 16.

19. An isolated nucleic acid molecule that is capable of hybridizing to the  
 30 nucleic acid sequence set forth in SEQ ID NO:3, or to the complementary sequence of  
 the nucleic acid sequence set forth in SEQ ID NO:3, under hybridization conditions of  
 3X SSC at 65°C for 16 hours, said isolated nucleic acid molecule being capable of  
 remaining hybridized to the nucleic acid sequence set forth in SEQ ID NO:3, or to the  
 complementary sequence of the nucleic acid sequence set forth in SEQ ID NO:3,  
 35 under wash conditions of 0.5X SSC, 55°C for 30 minutes.

20. A vector comprising the isolated nucleic acid sequence of claim 1.

21. The vector of claim 20 further comprising an isolated nucleic acid  
 40 sequence encoding a ferredoxin.

5

22. A host cell comprising the vector of claim 20.

23. A host cell comprising the vector of claim 21.

10 24. A method for producing recombinant microorganisms which hydroxylate epothilones having a terminal alkyl group to produce epothilones having a terminal hydroxyalkyl group, said method comprising transfecting a microorganism with the vector of claim 20 or 21.

15 25. A recombinantly produced microorganism that hydroxylates epothilones having a terminal alkyl group to produce epothilones having a terminal hydroxyalkyl group.

26. The recombinantly produced microorganism of claim 25 wherein said  
20 microorganism expresses a nucleic acid sequence of SEQ ID NO: 1, 30, 32, 34, 36, 37, 38, 39, 40, 41, 42, 60, 62, 64, 66, 68, 72 or 74.

27. A method for the preparation of at least one epothilone of the following formula I



where


A<sub>1</sub> and A<sub>2</sub> are independently selected from the group of optionally substituted C<sub>1</sub>-C<sub>3</sub> alkyl and alkenyl;

30 Q is an optionally substituted ring system containing one to three rings and at least one carbon to carbon double bond in at least one ring;

n, m, and o are integers selected from the group consisting of zero and 1, where at least one of m or n or o is 1; and

E is an epothilone core;


comprising the steps of contacting at least one epothilone of the following formula II



where A<sub>1</sub>, Q, A<sub>2</sub>, E, n, m, and o are defined as above;

- 5 with a recombinantly produced microorganism, or an enzyme derived therefrom,  
which is capable of selectively catalyzing the hydroxylation of Formula II, and  
effecting said hydroxylation.

28. A method for the preparation of an epothilone analog of Formula A




10

said method comprising biotransforming epothilone B to the epothilone analog of  
Formula A by incubation with a mutant epothilone B hydroxylase enzyme comprising  
SEQ ID NO:31.

15

29. A compound of Formula A



or a pharmaceutically acceptable salt thereof.

20

30. A homology model of epothilone B hydroxylase having a root mean  
square deviation of conserved residue backbone atoms of less than about 4.0 Å when  
superimposed on a corresponding backbone atoms described by structure coordinates  
listed in Appendix 1.

25

5           31.     A method for producing a mutant with altered biological properties, function, yield of a desired product, rate of reaction, substrate specificity, or activity as compared to epothilone B hydroxylase, said method comprising the steps of: identifying an amino acid of SEQ ID NO:2 to mutate; and mutating the identified amino acid to create a mutant protein.

10

          32.     The method of claim 31 wherein a homology model of epothilone B hydroxylase having a root mean square deviation of conserved residue backbone atoms of less than about 4.0 Å when superimposed on a corresponding backbone atoms described by structure coordinates listed in Appendix 1 is used to identify an  
15   amino acid of SEQ ID NO: 2 to mutate.

          33.     The method of claim 31 wherein the identified amino acid is LEU39, GLN43, ALA45, MET57, LEU58, HIS62, PHE63, SER64, SER65, ASP66, ARG67, GLN68, SER69, LEU74, MET75, VAL76, ALA77, ARG78, GLN79, ILE80, ASP84,  
20   LYS85, PRO86, PHE87, ARG88, PRO89, SER90, LEU91, ILE92, ALA93, MET94, ASP95, HIS99, ARG103, PHE110, ILE155, PHE169, GLN170, CYS172, SER173, SER174, ARG175, MET176, LEU177, SER178, ARG179, ARG186, PHE190, LEU193, VAL233, GLY234, LEU235, ALA236, PHE237, LEU238, LEU239, LEU240, ILE241, ALA242, GLY243, HIS244, GLU245, THR246, THR247,  
25   ALA248, ASN249, MET250, LEU283, THR287, ILE288, ALA289, GLU290, THR291, ALA292, THR293, SER294, ARG295, PHE296, ALA297, THR298, GLU312, GLY313, VAL314, VAL315, GLY316, VAL344, ALA345, PHE346, GLY347, PHE348, VAL350, HIS351, GLN352, CYS353, LEU354, GLY355, GLN356, LEU358, ALA359, GLU362, LYS389, ASP391, SER392, THR393,  
30   ILE394, or TYR395 of SEQ ID NO:2.

35

          34.     The method of claim 31 wherein the identified amino acid is GLU31, ARG67, ARG88, ILE92, ALA93, VAL106, ILE130, ALA140, MET176, PHE190, GLU 231, SER294, PHE237, or ILE365 of SEQ ID NO:2.

5           35.     The method of claim 31 wherein the mutant protein improves yield of  
a desired product as compared to the yield of a desired product obtained using  
epothilone B hydroxylase.

10           36.     The method of claim 35 wherein the desired product is epothilone F.

          37.     The method of claim 31 wherein the mutant improves the rate of  
reaction as compared to the rate of reaction using epothilone B hydroxylase.


15           38.     The method of claim 31 wherein the mutant exhibits altered substrate  
specificity as compared to substrate specificity of epothilone B hydroxylase.

          39.     The method of claim 38 wherein amino acid SER294 is mutated.

20           40.     The method of claim 31 wherein the mutant exhibits essentially  
similar biological activity or function to epothilone B hydroxylase.

          41. A machine-readable data storage medium comprising a data storage  
material encoded with structure coordinates set forth in Appendix 1.

## 5 Figure 1. Biotransformation of epothilone B to epothilone F



## 5 Figure 2. Nucleotide sequence alignments used to design the PCR Primers:

Alignment used to design primers P450-1<sup>+</sup> and P450-1a<sup>+</sup>

|    |                      |                                |
|----|----------------------|--------------------------------|
| 10 | STMSUACB<br>NO: 5)   | tcctcatcgccggccacgagac (SEQ ID |
|    | STMSUBCB<br>NO: 6)   | tgctggtcgccggccacgagac (SEQ ID |
|    | 3702259<br>NO: 7)    | tgctcatcaccggccaggacac (SEQ ID |
| 15 | SSU65940<br>NO: 8)   | --ctgttcgccgggcacgactc (SEQ ID |
|    | STMOLEP<br>NO: 9)    | tgctcatcgcgggccacgagac (SEQ ID |
| 20 | SERCP450A<br>NO: 10) | tgctggtcgccgggcacgagac (SEQ ID |

Alignment used to design primers P450-2<sup>+</sup> and P450-2<sup>-</sup>


|    |                      |                                |
|----|----------------------|--------------------------------|
| 25 | STMSUACB<br>NO: 11)  | cggcgcggtggaggaaactgct (SEQ ID |
|    | STMSUBCB<br>NO: 12)  | gggcgccgtcgaggagctgct (SEQ ID  |
|    | 3702259<br>NO: 13)   | ccgcaccctggaggagctgct (SEQ ID  |
| 30 | SSU65940<br>NO: 14)  | cggcgcggtcgaggagatgct (SEQ ID  |
|    | STMOLEP<br>NO: 15)   | cgcggcggtggaggagatgct (SEQ ID  |
| 35 | SERCP450A<br>NO: 16) | cggcgcgatcgaggagaccct (SEQ ID  |

Alignment used to design primer P450-3<sup>-</sup>

|    |                      |                                         |
|----|----------------------|-----------------------------------------|
| 40 | STMSUACB<br>NO: 17)  | ttcggcttcggcgtgcaccagtgcctgggc (SEQ ID  |
|    | STMSUBCB<br>NO: 18)  | ttcggcttcggcgtccaccagtgcctggga (SEQ ID  |
| 45 | 3702259<br>NO: 19)   | ttcggctggggccccccaccactgcctgggc (SEQ ID |
|    | SSU65940<br>NO: 20)  | ttcggtcacggcgtccacaagtgtcctggc (SEQ ID  |
|    | STMOLEP<br>NO: 21)   | ttcgggcacggagcgcaccactgcatcggc (SEQ ID  |
| 50 | SERCP450A<br>NO: 22) | ttcggccacggcatccacttctgcgtgggc (SEQ ID  |

5 **Figure 3: Sequence alignment between Epo-B hydroxylase and EryF (PDB code 1JIN chain A)**


|    |                |                                                                                                                                                                                              |
|----|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10 | EPO-B<br>1JINA | MTDVEETTATLPLARKCPFSP--PEYERLRRESPVSRVGLPSGQTAWALTRLEDIREML<br>-----ATVPDLESDFHVDWYSTYAELETAPVTPVRFL-GQDAWLVTGYDEAKAAL<br>**:* .. .* . * .*** :***: * : ** ** :* :: : *                      |
| 15 | EPO-B<br>1JINA | SSPHFSSD--RQSPSFPLMVARQI--RREDKP-FRPSLIAMDPPEHGKARRDVVGEFTVK<br>SDLRLSSDPKKKYPGVEVEFPAYLGFPEDVRNYFATNMGTSDPPTHRLRLKLVSQEFTVR<br>* . :**** :: *.. : .. : . : : * .. : ; *** * : * : * ****;   |
| 20 | EPO-B<br>1JINA | RMKALQPRIQQIVDEHIDALLAGPKPADLVQALSLPVPSLVICELLGVPYSDEHFFQSCS<br>RVEAMRPRVEQITAELLDEV-GDSGVVDIVDRFAHPLPIKVICELLGVDEAARGAFGRWS<br>*::*:***:***. * :* : ... .*:*: :: *:* ***** : : * *          |
| 25 | EPO-B<br>1JINA | SRMLSREVT-AEERMTAFESLENYLDELVTKEANATEDDLLGRQILKQRESGEADHGEL<br>SEILVMDPERAEQRGQAAREVVNFILDLVERRRTEPGDDLLSALISVQDDDDGRLSADL<br>*.:* : ***: * .. : *:: :** ::::: :* * . :: :*. . .**           |
| 30 | EPO-B<br>1JINA | VGLAFLLLIAGHETTANMISLGTVTLLNPDQLAKIKADPGKTLAAIEELLRIFTIAETA<br>TSIALVLLLAGFEASVSLIGIGTYLLLTHPDQLALVRADPSALPNAVEEILRYIAPPETT<br>..*:*:***:***.***:***:*** ** :***** :****. *;***:*** :: .***: |
|    | EPO-B<br>1JINA | TSRFATADVEIGGTLIRAGEGVVGLSNAGNHDPDGFENPDTFDIERGARHHVAFGFGVHQ<br>T-RFAAEEVEIGGVAIPQYSTVLVANGAANRDPSPQFPDPHRFDVTRDTRGHLSFGQGIHF<br>* ***: :*****. * . *: ..*.*:***. * :*. **: *.:* *;*** *:*   |
|    | EPO-B<br>1JINA | CLGQNLARLELQIVFDTLFRRVPGIRIAPVDELFPFKHDSTIYGLHALPVTW--<br>CMGRPLAKLEGEVALRALFGRFPALSLGIDADDVVWRRSLLLRGIDHLPVRLDG<br>*:*: ***:*** :::: :** *.*. : :. .*: : :. : *:. ***                       |



5

**FIGURE 4**

5



10

Figure 5