



US00D949762S

(12) **United States Design Patent**
Atsuta

(10) **Patent No.:** **US D949,762 S**

(45) **Date of Patent:** **** Apr. 26, 2022**

(54) **DISK BRAKE FRICTION PAD FOR VEHICLES**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **NISSIN KOGYO CO., LTD.**, Tomi (JP)

JP H06-85937 U 12/1994
JP D 981432 S 5/1997

(Continued)

(72) Inventor: **Daiki Atsuta**, Tomi (JP)

OTHER PUBLICATIONS

(73) Assignee: **HITACHI ASTEMO, LTD.**, Hitachinaka (JP)

“Nissin Pad Type—R (Racing Pad)” Nissin., posted date Jul. 10, 2017 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL: <http://nissinbrakeperformance.com/nissinpadtype-r/>> (Year: 2017).*

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/752,877**

(22) Filed: **Sep. 29, 2020**

Primary Examiner — Darlington Ly

Assistant Examiner — Nasim Abdulaziz Ali

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm* — WHDA, LLP

Apr. 6, 2020 (JP) 2020-007188

(51) **LOC (13) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/180**

(58) **Field of Classification Search**
USPC D12/106, 114, 118, 122, 161, 162, 179,
D12/180, 207, 217, 400
CPC F16D 65/0972; F16D 65/092; F16D
65/0006; F16D 65/0971; F16D 2200/0056
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a disk brake friction pad for vehicles, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D506,423 S * 6/2005 Matsumoto D12/180
D507,773 S * 7/2005 Ono D12/180
D631,410 S * 1/2011 Hiramori D12/180
D631,411 S * 1/2011 Hiramori D12/180
8,225,911 B2 * 7/2012 Lin F16D 65/092
188/73.37
D764,987 S * 8/2016 Radhakrishnan D12/180
D784,222 S * 4/2017 Buxton D12/180
D787,393 S * 5/2017 Buxton D12/180
10,041,554 B2 * 8/2018 Ishikawa F16D 65/0971


(Continued)

DESCRIPTION

FIG. 1 is a front elevational view of a disk brake friction pad for vehicles, showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a cross-sectional view thereof, taken along line 7-7 of FIG. 1; and,
FIG. 8 is a front perspective view thereof.

The broken lines shown in the drawings illustrate portions of the disk brake friction pad for vehicles that are environmental structures and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

10,487,894	B2 *	11/2019	Meggiolan	B32B 15/14
11,098,772	B2 *	8/2021	Aonuma	F16D 55/228
2005/0067235	A1 *	3/2005	Pham	F16D 65/0971
				188/250 B
2006/0157307	A1 *	7/2006	Tsurumi	F16D 65/0971
				188/250 G
2009/0014262	A1 *	1/2009	Camilo-Martinez	F16D 65/095
				188/2 R
2009/0032343	A1 *	2/2009	Liu	F16D 65/092
				188/250 B
2010/0243385	A1 *	9/2010	Kaneko	F16D 65/0972
				188/73.31
2014/0360822	A1 *	12/2014	Kobayashi	F16D 65/0971
				188/250 E

FOREIGN PATENT DOCUMENTS

JP	D 981432-1	S	9/1997
JP	D 1151625	S	9/2002
JP	2013-177908	A	9/2013

OTHER PUBLICATIONS

“RP-X™ Racing Brake Pads” EBC Brakes., posted date May 8, 2020 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL:https://ebcbrakes.com/products/rp-x-racing-brake-pads/> (Year: 2020).*

“ACDelco 14D562CH Advantage Ceramic Front Disc Brake Pad Set” ACDelco., posted date Jun. 8, 2014 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL:https://www.amazon.com/ACDelco-14D562CH-Advantage-Ceramic-Front/dp/B00KULEN3E> (Year: 2014).*

“Nissin® NPO-160W-SA—Semi-Metallic Front Disc Brake Pads” Nissin., posted date Feb. 27, 2018 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL:https://www.carid.com/zimmermann/coat-z-drilled-and-slotted-brake-rotor.html> (Year: 2018).* Decision to Grand Design Registration Dec. 18, 2020, issued in counterpart JP Application No. 2020-007188, with brief English translation.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

