

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
3 February 2005 (03.02.2005)

PCT

(10) International Publication Number
WO 2005/010881 A1

(51) International Patent Classification⁷: **G11B 20/12**

Hyung Sun [KR/KR]; 286-266, Huigyeong 2-dong, Dong-daemoon-gu, Seoul 130-878 (KR).

(21) International Application Number:
PCT/KR2004/001826

(74) **Agent: PARK, Lae Bong**; 1Fl., Dongun Bldg., 413-4, Dogok 2-dong, Gangnam-gu, Seoul 135-272 (KR).

(22) International Filing Date: 22 July 2004 (22.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10-2003-0051252 25 July 2003 (25.07.2003) KR

(71) **Applicant (for all designated States except US): LG Electronics Inc.** [KR/KR]; 20, Yoido-dong, Youngdungpo-gu, Seoul 150-010 (KR).

(81) **Designated States** (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(72) **Inventors; and**

(75) **Inventors/Applicants (for US only): KIM, Byung Jin** [KR/KR]; 111-204, Hansol Chungu APT., 110, Jeongja-dong, Bundang-gu, Sungnam, Kyunggi-do, 463-010 (KR). **SEO, Kang Soo** [KR/KR]; 606-503, Chowon Hanyang Apt., 897-5, Pyoungan-dong, Dongan-gu, Anyang, Kyunggi-do, 431-075 (KR). **KIM,**

(84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) **Title:** RECORDING MEDIUM HAVING A DATA STRUCTURE FOR MANAGING REPRODUCTION OF TEXT SUBTITLE DATA RECORDED THEREON AND RECORDING AND REPRODUCING METHODS AND APPARATUSES

Object Data Segment Syntax

```
Object_data_segment () {  
    segment_type  
    segment_length  
    object_type  
    if (object_type == text)  
        text_object_data ()  
    else {  
        object_data ()  
    }  
}
```

```
text_object_data () {  
    object_id  
    text_object_number  
    for (j=0; j<text_object_number; j++) {  
        text_property_fields  
        font_property_fields  
        text_length  
        for (i=0; i<text_length; i++) {  
            character_code  
        }  
    }  
}
```

(57) **Abstract:** In the data structure for managing reproduction of text subtitle data, a text subtitle information area stores at least one text subtitle information segment. The text subtitle information segment is represented by a single PES packet of transport packets. In one embodiment, the text subtitle information segment includes an identifier identifying the text subtitle information segment as a text subtitle information segment and includes style information for text subtitle data.



WO 2005/010881 A1



Published:

— *with international search report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

DESCRIPTION

RECORDING MEDIUM HAVING A DATA STRUCTURE FOR MANAGING REPRODUCTION OF TEXT SUBTITLE DATA RECORDED THEREON AND RECORDING AND REPRODUCING METHODS AND APPARATUSES

1. TECHNICAL FIELD

The present invention relates to a high-density recording medium such as a Blu-ray Disc-ROM (BD-ROM) and associated methods and apparatuses of recording and reproducing.

2. BACKGROUND ART

Optical disks capable of storing large amounts of high-quality digital video/audio data such as DVDs (digital versatile disks) and DVD recording/reproducing apparatuses are now commercially available on the market.

Subtitle data such as caption or logo data to be superimposed on main video data of a DVD is recorded thereon as graphic data. An optical disk reproducing apparatus reproduces the subtitle graphic data and main video data of the DVD and displays the main video data and subtitle data together on the screen of an external display apparatus connected to the optical disk reproducing apparatus.

A user of such an optical disk reproducing apparatus, therefore, can view the main video data of a DVD overlaid with related subtitle data (e.g., caption or logo images) using a display apparatus connected to the optical disk reproducing apparatus.

In the mean time, the standardization of new high-density optical disks having higher storage capacity than a DVD has

been progressing rapidly. The Blu-ray Disk ROM (BD-ROM) is an example of such new optical disks. An effective method for managing and reproducing subtitle data and graphic image data of the BD-ROM is not yet available.

5 3. DISCLOSURE OF INVENTION

A recording medium according to the present invention includes a data structure for managing reproduction of text subtitle data.

In one embodiment, the recording medium stores at least
10 one text subtitle information segment. The text subtitle information segment is represented by a single PES packet of transport packets. The text subtitle information segment includes an identifier identifying the text subtitle information segment as a text subtitle information segment and
15 includes style information for text subtitle data. For example, the style information may indicate at least one of font size, font style and font set for text subtitle data.

In one example embodiment, the text subtitle information segment also includes the text subtitle data. For example, the
20 text subtitle data may be character code data.

In another exemplary embodiment, the recording medium stores at least one text subtitle information segment. Here, the text subtitle information segment includes an identifier identifying the text subtitle information segment as a text
25 subtitle information segment, includes character code data as text subtitle data and includes style information for the text subtitle data.

In a further exemplary embodiment, the recording medium stores at least one text subtitle information segment
30 represented by a single PES packet of transport packets. The text subtitle information segment includes an identifier identifying the text subtitle information segment as a text

subtitle information segment and includes text property information for text subtitle data. For example, the text property information may include text alignment information.

In a still further example embodiment, the recording medium stores at least one text subtitle information segment where the text subtitle information segment includes an identifier identifying the text subtitle information segment as a text subtitle information segment, includes text property information for text subtitle data, and includes style information for text subtitle data.

The present invention further provides apparatuses and methods for recording and reproducing the data structure according to the present invention.

4. BRIEF DESCRIPTION OF DRAWINGS

The accompanying drawings, which are included to provide a further understanding of the invention, illustrate the exemplary embodiments of the invention, and together with the description, serve to explain the principles of the present invention.

In the drawings:

FIG. 1 illustrates an example of a plurality of objects displayed in a page in accordance with the present invention;

FIG. 2 illustrates presentation graphic data recorded on a high-density optical disk in accordance with the present invention;

FIG. 3 illustrates an example embodiment of the data structure for a page composition segment recorded on a high-density recording medium in accordance with the present invention;

FIG. 4 illustrates an example embodiment of the data structure for a color definition segment recorded on a high-density recording medium in accordance with the present

invention;

FIGS. 5-8 illustrate example embodiments of the data structure for an object data segment recorded on a high-density recording medium in accordance with the present
5 invention;

FIG. 9 illustrates an example embodiment of the data structure for an end of display set segment recorded on a high-density recording medium in accordance with the present invention;

10 FIG. 10 illustrates a schematic diagram of an embodiment of an optical disk reproducing apparatus of the present invention;

FIGS. 11 and 12 illustrate objects of text subtitle data displayed in various styles in accordance with the present
15 invention;

FIG. 13 illustrates another exemplary embodiment of the page composition segment syntax in accordance with the present invention; and

FIGS. 14-15 illustrate other exemplary embodiments of the
20 object data segment syntax in accordance with the present invention.

5. MODES FOR CARRYING OUT THE INVENTION

In order that the invention may be fully understood, exemplary embodiments thereof will now be described with
25 reference to the accompanying drawings.

According to the present invention, a plurality of objects of presentation graphic data may be included in one page. For example, up to two objects may be displayed in one page as shown in FIG. 1. An object of presentation graphic
30 data recorded on a BD-ROM disk may be recorded as text subtitle data, BMP (bit map) subtitle data, graphic image data, etc. Each object defines a region of presentation graphic data.

Text subtitle data, BMP subtitle data, or graphic image data corresponding to each of the objects is recorded as an object data segment (ODS). At least one object data segment (ODS) may be managed along with one page composition segment (PCS), one color lookup table definition segment (CDS), and one end of display set segment (END) in a hierarchical way as shown in FIG. 2. Each of the above-mentioned segments will be described in detail below.

Each segment in the hierarchical structure is first organized into an MPEG packetized elementary stream (PES) packet and again organized into MPEG transport packets (TPs) before being recorded on a BD-ROM. Namely, each segment (e.g., PCS, CDS, ODS, etc.) is represented by one PES packet. A unique packet ID corresponding to the data type of the object data segment (ODS) is written into the corresponding PES packet. For example, if the object data segment is BMP subtitle data, a unique packet ID, PID_bmp, is written into the corresponding PES packet. Likewise, if the object data segment is text subtitle data, a unique packet ID, PID_text, is written into the corresponding PES packet. The optical disk apparatus for reproducing the BD-ROM, therefore, identifies the data type of each PES packet by examining the packet ID written in the PES packet. The presentation graphic data and main audio/video streams are multiplexed into a single transport stream and stored as a single file.

FIG. 3 illustrates an example embodiment of the data structure for a page composition segment recorded on a high-density recording medium in accordance with the present invention. As shown, the page composition segment (PCS) includes information regarding a segment type, a segment length, a page time-out, a page version number and a page state. The segment type is information for indicating that the segment is a page composition segment (PCS). The segment

length indicates the length of the segment. The page time-out is information indicative of when to remove buffering data of the corresponding page from a buffer in a reproducing apparatus. The page version number indicates the version of this PCS. The page state indicates the state of the PCS (e.g., only updating the CDSs linked to the ODSs).

The page composition segment (PCS) also includes a color lookup table ID (CLUT_id), and an indicator of the number of object entries. The CLUT ID indicates the identifier of a CLUT and CDSs having the same CLUT ID are linked to the PCS. For each object entry (i.e., each region of presentation graphic data), the PCS also includes an object ID, an object cropping flag (is_object_cropping), and object horizontal/vertical addresses. The object ID indicates the identifier of an object and links each ODS having that object ID (discussed in detail below) to the PCS. In this manner, ODSs and CDSs may be linked together by the CLUT ID and object ID given in the PCS. The object horizontal/vertical addresses indicate the position of the object on the presentation page (e.g., such as shown in Fig. 1).

If the object cropping flag (is_object_cropping) is set to '1', the object cropping flag information may include object horizontal/vertical cropping data and object cropping width/height data. The object horizontal/vertical cropping data and the object cropping width/length data are recorded for partially displaying an object image. Specifically, the object horizontal/vertical cropping information specify the position of a cropping rectangle (the cropping area) having the dimensions provided by the object cropping width/length. Only that much of the object lying within the cropping rectangle will be displayed.

FIG. 4 illustrates an example embodiment of the data structure for a color lookup table definition segment

recorded on a high-density recording medium in accordance with the present invention. As shown in FIG. 4, the color lookup table definition segment (CDS) includes a segment type, a segment length, and a color lookup table ID (CLUT_id). The
5 segment type identifies the segment as a CDS, and the segment length indicates the length of the CDS. The CLUT ID information indicates a family of CLUTs to which the CDS belongs. As will be described in detail below, the CDS provides a single color definition. The family of CLUTs
10 provides a color palette from which to select color definitions.

The color lookup table definition segment may further include information regarding color lookup table entry ID, a brightness value (Y-value), a red chrominance value (Cr-value),
15 a blue chrominance value (Cb-value), and a transparency value (T-value). Accordingly, when linked to an object by a PCS, these values control color attributes of the displayed object such as luminance or brightness, chrominance (Cr and Cb) and transparency. The CLUT entry ID identifies the entry of this
20 CDS in the family of CLUTs (identified by the CLUT ID) to which this CDS belongs.

Fig. 5 illustrates an example embodiment of the data structure for an object data segment recorded on a high-density recording medium in accordance with the present
25 invention. As shown, the object data segment (ODS) includes a segment type, a segment length, and an object type. The segment type indicates the type of the segment as an ODS. The segment length provides the length of the ODS. The object type identifies whether the object data segment is a text subtitle
30 segment, BMP subtitle segment, BMP graphic segment, etc. Namely, the object type identifies the type of data represented by the object data segment.

If the object type indicates that the object data segment

is a text subtitle segment, the text object data includes an object ID and a text object number. The object ID identifies the object with which the text subtitle segment is associated. The text object number indicates the number of text objects in
5 this text subtitle segment. For each text object, the text object data includes text property fields, font property fields, and a text length indicator. The text and font property fields will be described below with respect to Figs. 6 and 7. The text length indicator indicates the length of the
10 text forming this text object of the text subtitle, and a character code is supplied to indicate each character forming the text object.

As shown in FIG. 6, the text property fields include text style information such as text-alignment (e.g., left, right,
15 center, justify, etc.), text-decoration (e.g., overline, underline, line-through, blink, none, etc.), text-indent (e.g., size of the indent), text-transform (e.g., capitalize, uppercase, lowercase, none, etc.), letter-spacing, white-space, word-spacing, and text-justify.

20 As shown in FIG. 7, the font property fields include font style information such as font, font-family, font-size, font-variant, and font-weight.

If the object type in the ODS were to indicate that the object data segment is BMP subtitle data, the BMP object data
25 includes an object ID, an object width, an object height, run-length code, etc. as shown in FIG. 8. The object ID identifies the object with which the BMP subtitle segment is associated. The object width indicates the width of the object, and the object height indicates the height of the object. The run-
30 length code provides the bit map data in run-length coded format.

FIG. 9 illustrates an example embodiment of the data structure for an end of display set segment recorded on a

high-density recording medium in accordance with the present invention. As shown, the end of display set segment (END) includes a segment type, a reserved portion and a segment length. The segment type indicates the segment is an end of display set segment. The reserved portion is reserved for future use, and the segment length indicates the length of the segment.

FIG. 10 illustrates a schematic diagram of an embodiment of an optical disk recording and reproducing apparatus according to the present invention. As shown, an AV encoder 9 receives and encodes data (e.g., text subtitle data, etc.). The AV encoder 9 outputs the encoded data along with coding information and stream attribute information. A multiplexer 8 multiplexes the encoded data based on the coding information and stream attribute information to create, for example, an MPEG-2 transport stream. A source packetizer 7 packetizes the transport packets from the multiplexer 8 into source packets in accordance with the audio/video format of the optical disk. As shown in FIG. 10, the operations of the AV encoder 9, the multiplexer 8 and the source packetizer 7 are controlled by a controller 10. The controller 10 receives user input on the recording operation, and provides control information to AV encoder 9, multiplexer 8 and the source packetizer 7. For example, the controller 10 instructs the AV encoder 9 on the type of encoding to perform, instructs the multiplexer 8 on the transport stream to create, and instructs the source packetizer 7 on the source packet format. The controller 10 further controls a drive 3 to record the output from the source packetizer 7 on the optical disk.

For example, based on information received via the user interface (e.g., instruction set saved on disk, provided over an intranet or internet by a computer system, etc.) the controller 10 controls the drive 3 to record one or more of

the data structures of FIGS. 2-9 and 13-15 (described below) on the optical disk.

During reproduction, the controller 10 controls the drive 3 to reproduce this data structure. Based on the information 5 contained therein, as well as user input received over the user interface (e.g., control buttons on the recording and reproducing apparatus or a remote associated with the apparatus), the controller 10 controls the drive 3 to reproduce the data from the optical disk.

10 The reproduced source packets are received by a source depacketizer 4 and converted into a data stream (e.g., an MPEG-2 transport packet stream). A demultiplexer 5 demultiplexes the data stream into encoded data. An AV decoder 6 decodes the encoded data to produce the original data that 15 was feed to the AV encoder 9. During reproduction, the controller 10 controls the operation of the source depacketizer 4, demultiplexer 5 and AV decoder 6. The controller 10 receives user input on the reproducing operation, and provides control information to AV decoder 6, 20 demultiplexer 5 and the source packetizer 4. For example, the controller 10 instructs the AV decoder 9 on the type of decoding to perform, instructs the demultiplexer 5 on the transport stream to demultiplex, and instructs the source depacketizer 4 on the source packet format.

25 While FIG. 10 has been described as a recording and reproducing apparatus, it will be understood that only a recording or only a reproducing apparatus may be provided using those portions of FIG. 10 providing the recording or reproducing function.

30 If a user of the optical disk apparatus requests reproduction of text subtitle data among presentation graphic data recorded on the BD-ROM 1, the controller 10 identifies the text subtitle data by checking the packet ID of the PES

packet corresponding to the object data segment (ODS) of the text subtitle data as described with reference to FIG. 2 or by checking the object type contained in the object data segment (ODS) of the text subtitle data as described with reference to
5 FIG. 5.

The controller 10 then presents the text subtitle data in various styles according to the text style information included in the text property fields and font style information included in the font property fields, both
10 contained in the object data segment (ODS) of the text subtitle data. As shown in FIG. 11, two objects (Object 1 of a graphic image and Object 2 of text subtitle data) may be simultaneously presented in one page. The object of the text subtitle data (Object 2) may be presented in various text and
15 font styles as shown in FIGS. 11 and 12.

In another embodiment of the present invention, the object type, text property fields, and font property fields, which were included in the object data segment (ODS), are included in the page composition segment (PCS) as shown in FIG.
20 13. In this case, the controller 10 of the optical disk apparatus presents the object of the text subtitle data in various styles according to the object type information, text property fields, and font property fields included in the page composition segment.

25 In still another embodiment of the present invention, the text style and font style information is stored in the object data segment (ODS) of the text subtitle data, but the text property fields and font property fields are not classified explicitly. Instead, the text style and font style information
30 is recorded sequentially after a predetermined identification code (e.g., Escape code = 0xffff). In this case, the controller 10 of the optical disk apparatus presents the object of the text subtitle data in various text and font

styles according to the text style and font style information that follows the predetermined identification code.

In yet another embodiment of the present invention, the text object data segment (Text-ODS) is recorded in parallel with the page composition segment (PCS), color lookup table definition segment (CDS), and a different type of object data segment (ODS) (e.g., BMP object data segment or graphic image object data segment). In this embodiment, the segment type information included in the text object data segment (Text-ODS) has a unique value indicating that the segment is a text object data segment. The other fields in the text-ODS are as described with respect to FIG. 5.

The other type of object data segment (ODS) (e.g., BMP object data segment (BMP-ODS)) is shown in FIG. 15. This ODS includes segment type information having a unique value for indicating that the segment is, for example, a BMP object data segment (BMP-ODS). The other fields in the ODS are as described with respect to FIG. 8.

The controller 10 of the optical disk apparatus is capable of selectively reproducing text object data segments by referring to the segment type information and displaying the text objects in various text and font styles according to the text property fields and font property fields included therein.

The present invention provides a recording medium having a data structure for managing the reproduction of subtitle data, and provides methods and apparatuses for recording the data structure on the recording medium.

While the invention has been disclosed with respect to a limited number of embodiments, those skilled in the art, having the benefit of this disclosure, will appreciate numerous modifications and variations there from. For example, while described with respect to a Blu-ray ROM optical disk in

several instances, the present invention is not limited to this standard of optical disk or to optical disks. It is intended that all such modifications and variations fall within the spirit and scope of the invention.

5

CLAIMS

1. A recording medium having a data structure for managing reproduction of text subtitle data, comprising:

a text subtitle information area storing at least one
5 text subtitle information segment, the text subtitle
information segment being represented by a single PES packet
of transport packets, the text subtitle information segment
including an identifier identifying the text subtitle
information segment as a text subtitle information segment and
10 including style information for text subtitle data.

2. The recording medium of claim 1, wherein the text
subtitle information segment includes more than one text
subtitle region, and the text subtitle information segment
includes style information for each region.

15 3. The recording medium of claim 1, wherein the style
information indicates at least one of font size, font style
and font set for text subtitle data.

4. The recording medium of claim 1, wherein the text
subtitle information segment includes text subtitle data.

20 5. The recording medium of claim 4, wherein the text
subtitle data is character code data.

6. The recording medium of claim 4, wherein the text
subtitle information segment includes an indicator of a number
of text subtitle regions, and for each region, the text
25 subtitle information segment includes text subtitle data and
associated style information.

7. The recording medium of claim 1, further comprising:
a palette information area storing a palette information
segment, the palette information segment providing color
30 information; and wherein

the text subtitle information segment and the palette

information segment are linked.

8. A recording medium having a data structure for managing reproduction of text subtitle data, comprising:

a text subtitle information area storing at least one
5 text subtitle information segment, the text subtitle
information segment including an identifier identifying the
text subtitle information segment as a text subtitle
information segment, including character code data as text
subtitle data and including style information for the text
10 subtitle data.

9. The recording medium of claim 8, wherein the text
subtitle information segment includes an indicator of a number
of text subtitle regions, and for each region, the text
subtitle information segment includes text subtitle data and
15 associated style information.

10. A recording medium having a data structure for managing reproduction of text subtitle data, comprising:

a text subtitle information area storing at least one
text subtitle information segment, the text subtitle
20 information segment being represented by a single PES packet
of transport packets, the text subtitle information segment
including an identifier identifying the text subtitle
information segment as a text subtitle information segment and
including text property information for text subtitle data.

25 11. The recording medium of claim 10, wherein the text
property information includes text alignment information.

12. The recording medium of claim 10, wherein the text
subtitle information segment further includes style
information for text subtitle data.

30 13. The recording medium of claim 12, wherein the style
information indicates at least one of font size, font style
and font set for text subtitle data.

14. The recording medium of claim 10, further comprising:

a palette information area storing a palette information segment, the palette information segment providing color information; and wherein

the text subtitle information segment and the palette
5 information segment are linked.

15. A recording medium having a data structure for managing reproduction of text subtitle data, comprising:

a text subtitle information area storing at least one text subtitle information segment, the text subtitle
10 information segment including an identifier identifying the text subtitle information segment as a text subtitle information segment, including text property information for text subtitle data, and including style information for text subtitle data.

15 16. A method of recording a data structure for managing reproduction of text subtitle data on a recording medium, the method comprising:

recording at least one text subtitle information segment on the recording medium, the text subtitle information segment
20 being represented by a PES packet of transport packets, the text subtitle information segment including an identifier identifying the text subtitle information segment as a text subtitle information segment and including style information for text subtitle data.

25 17. A method of reproducing a data structure for managing reproduction of text subtitle data from a recording medium, comprising:

reproducing at least one text subtitle information segment from the recording medium, the text subtitle
30 information segment being represented by a PES packet of transport packets, the text subtitle information segment including an identifier identifying the text subtitle information segment as a text subtitle information segment and

including style information for text subtitle data.

18. An apparatus for recording a data structure for managing reproduction of text subtitle data on a recording medium, comprising:

5 a driver for driving an optical recording device to record data on the recording medium; and

 a controller for controlling the driver to record at least one text subtitle information segment on the recording medium, the text subtitle information segment being
10 represented by a PES packet of transport packets, the text subtitle information segment including an identifier identifying the text subtitle information segment as a text subtitle information segment and including style information for text subtitle data.

15 19. An apparatus for reproducing a data structure for managing reproduction of text subtitle data from a recording medium, comprising:

 a driver for driving an optical reproducing device to reproduce data recorded on the recording medium; and
20 a controller for controlling the driver to reproduce at least one text subtitle information segment from the recording medium, the text subtitle information segment being represented by a PES packet of transport packets, the text subtitle information segment including an identifier
25 identifying the text subtitle information segment as a text subtitle information segment and including style information for text subtitle data.

FIG. 1




FIG. 3

Page Composition Segment Syntax

```
page_composition_segment () {  
    segment_type  
    segment_length  
    page_time_out  
    page_version_number  
    page_state  
    CLUT_id  
    number_of_object_entries  
    if (i=0; i<unmber_of_object_entries; i++) {  
        object_id  
        is_object_crpping  
        object_horizontal_address  
        object_vertical_address  
        if (is_object_cropping) {  
            object_horizontal_cropping  
            object_verticall_cropping  
            object_cropping_width  
            object_cropping_height  
        }  
    }  
}
```

FIG. 4

CLUT Definition Segment Syntax

```
CLUT_definition_segment () {  
    segment_type  
    segment_length  
    CLUT_id  
    for (color_index=0; color_index <256; color_index++)  
        CLUT_entry_id  
        Y-value  
        Cr-value  
        Cb-value  
        T-value  
    }  
}
```

Object Data Segment Syntax

```

Object_data_segment () {
    segment_type
    segment_length
    object_type
    if (object_type == text)
        text_object_data ()
    else {
        object_data ()
    }
}

```

FIG. 5

```

text_object_data() {
    object_id
    text_object_number
    for (j=0; j<text_object_number; j++) {
        text_property fields
        font_property fields
        text_length
        for (i=0; i<text_length; i++) {
            character_code
        }
    }
}

```

FIG. 6

Text Property	
Property	Contents
Text-align	left, right, center, justify
Text-decoration	underline, underline, line-through, blink, none
Text-indent	size
Text-transform	capitalize, uppercase, lowercase, none
Letter-spacing	-
White-space	nowrap, normal
Word-spacing	size
Text-justify	auto, distribute-all, inter-cluster, inter-indeograph, inter-word, newspaper

FIG. 7

Font Property	
Property	Contents
Font	font-style, font-variant, font-weight, font-size, line-height, font-family
Font-family	serif, sans-serif, cursive, fantasy, monospace
Font-size	xx-small, x-small, medium, large, x-large, xx-large, small, medium
Font-style	italic, oblique, normal
Font-variant	small-caps, normal
Font-weight	normal, bold, lighter



Object Data Segment Syntax**FIG. 9****End of Display set Segment Syntax**

FIG. 10




FIG. 11




FIG. 12




FIG. 13

Page Composition Segment Syntax

```
page_composition_segment () {  
    segment_type  
    segment_length  
    page_time_out  
    page_version_number  
    page_state  
    CLUT_id  
    number_of_object_entries  
    if (i=0; i<unmber_of_object_entries; i++) {  
        object_id  
        object_type  
        text_property_fields  
        font_property_fields  
        is_object_crpping  
        object_horizontal_address  
        object_vertical_address  
        if (is_object_cropping) {  
            object_horizontal_cropping  
            object_verticall_cropping  
            object_cropping_width  
            object_cropping_height  
        }  
    }  
}
```

FIG. 14

Text-Object Data Segment Syntax

```
Object_data_segment ( ) {  
    segment_type  
    segment_length  
    text_object_data ( ) {  
        object_id  
        text_object_number  
        for (j=0; j<text_object_number; j++) {  
            text_property fields  
            font_property fields  
            text_length  
            for (i=0; i<text_length; i++) {  
                character_code  
            }  
        }  
    }  
}
```

FIG. 15

BMP-Object Data Segment Syntax

```
Object_data_segment ( ) {  
    segment_type  
    segment_length  
    bmp_object_data ( ) {  
        object_id  
        object_width  
        object_height  
        do { run_length_code  
        } while (run_length_code != '0 x0000 ' )  
    }  
}
```

INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR2004/001826

A. CLASSIFICATION OF SUBJECT MATTER**IPC7 G11B 20/12**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

G11B 20/12 G11B 27/00 G11B 7/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI, PAJ "subtitle, text, identifi*", additional, auxiliary, presentation, palette, style, segment"

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 6,288,900 B1 (SONY CORP.) 11 SEP 2001 See the whole document	1, 8, 10, 15-19
A	EP 0,791,925 A2 (SONY CORP.) 27 AUG 1997 See the whole document	1, 8, 10, 15-19
A	JP 2001-135066 A (NIPPON COLUMBIA CO., LTD.) 18 MAY 2001. See the whole document	1, 8, 10, 15-19
A	US 6,275,457 B1 (SONY CORP.) 14 AUG 2001 See the whole document	1, 8, 10, 15-19

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

06 NOVEMBER 2004 (06.11.2004)

Date of mailing of the international search report

06 NOVEMBER 2004 (06.11.2004)

Name and mailing address of the ISA/KR



Korean Intellectual Property Office
920 Dunsan-dong, Seo-gu, Daejeon 302-701,
Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

KIM, Yong Woong

Telephone No. 82-42-481-5698

