



US00D577654S

(12) **United States Design Patent**  
**Iwai**

(10) **Patent No.:** **US D577,654 S**

(45) **Date of Patent:** **\*\* Sep. 30, 2008**

- (54) **TIRE FOR AUTOMOBILE**
- (75) Inventor: **Yoshitaka Iwai**, Hyogo-ken (JP)
- (73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

|              |         |                  |       |         |
|--------------|---------|------------------|-------|---------|
| D524,236 S   | 7/2006  | Marazzi et al.   | ..... | D12/524 |
| D531,108 S   | 10/2006 | Marazzi et al.   | ..... | D12/523 |
| D545,756 S * | 7/2007  | Feider et al.    | ..... | D12/521 |
| D546,272 S * | 7/2007  | Shinohara et al. | ..... | D12/521 |
| D551,156 S * | 9/2007  | Shinohara et al. | ..... | D12/521 |
| D555,574 S * | 11/2007 | Krupa et al.     | ..... | D12/521 |
| D559,767 S * | 1/2008  | Graas et al.     | ..... | D12/521 |

- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/298,967**

\* cited by examiner  
*Primary Examiner*—Stacia Cadmus  
 (74) *Attorney, Agent, or Firm*—Richard B. O’Planick

- (22) Filed: **Dec. 17, 2007**
- (30) **Foreign Application Priority Data**  
 Jul. 3, 2007 (JP) ..... 2007-017957

(57) **CLAIM**  
 The ornamental design for a tire for automobile, as shown and described.

- (51) **LOC (8) Cl.** ..... **12-15**
- (52) **U.S. Cl.** ..... **D12/521; D12/523; D12/524; D12/528**
- (58) **Field of Classification Search** ..... D12/505–532, D12/900–901, 500, 502; 152/209.1, 209.8–209.13, 152/209.28, 455  
 See application file for complete search history.



**DESCRIPTION**

FIG. 1 is a perspective view of a tire for automobile showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a right side elevational view thereof;  
 FIG. 4 is a left side elevational view thereof; and,  
 FIG. 5 is an enlarged fragmentary front elevational view thereof.

In the drawings the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 are for illustrative purposes only and form no part of the claimed design.

- (56) **References Cited**  
 U.S. PATENT DOCUMENTS  
 D432,957 S \* 10/2000 Ricquet ..... D12/521  
 D447,097 S \* 8/2001 Graas et al. .... D12/523  
 D490,047 S 5/2004 Heinen et al. .... D12/524  
 D490,049 S 5/2004 Heinen et al. .... D12/524  
 D512,013 S \* 11/2005 Delu et al. .... D12/521  
 D522,442 S 6/2006 Shirouzu ..... D12/515  
 D524,232 S \* 7/2006 Heinen et al. .... D12/521

**1 Claim, 5 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5