

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
20 January 2005 (20.01.2005)

PCT

(10) International Publication Number
WO 2005/004890 A1

(51) International Patent Classification⁷: **A61K 35/78**,
A61P 15/00

(21) International Application Number:
PCT/EP2004/007374

(22) International Filing Date: 6 July 2004 (06.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
MI2003A001428 11 July 2003 (11.07.2003) IT

(71) Applicant (for all designated States except US): **INDENA S.P.A.** [IT/IT]; Viale Ortles, 12, I-20139 Milano (IT).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **BOMBARDELLI**,
Ezio [IT/IT]; Via Val di Sole, 22, I-20141 Milano (IT).

(74) Agents: **BIANCHETTI, Giuseppe** et al.; Via Plinio, 63,
I-20129 Milano (IT).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: COMBINATIONS OF VASOACTIVE AGENTS AND THEIR USE IN THE TREATMENT OF SEXUAL DYSFUNCTIONS

(57) Abstract: This invention relates to combinations of vasoactive substances which are useful in the treatment of sexual dysfunctions associated with poor local blood supply and/or insufficient lubrication. The active compounds are selected from a: - esculoside or visnadine; - forskolin or extracts containing it, or alternatively, purified lipophilic extracts of plants of the genus *Ipomea*; - esters of ximenynic acid; - optionally, at least one compound selected from a icarin or derivatives or extracts thereof which contain it, amentoflavone, and *Ginkgo biloba* dimeric flavones. The combination of these vasoactive substances is incorporated in gels and lotions designed to be applied to the genital organs. These formulations are useful in inducing erection of the male and female sex organs and enhancing orgasm and sexual performance. The formulations are particularly useful in the treatment of female sexual dysfunctions.



WO 2005/004890 A1

COMBINATIONS OF VASOACTIVE AGENTS AND THEIR USE IN THE TREATMENT OF SEXUAL DYSFUNCTIONS

This invention relates to combinations of vasoactive substances which are useful in the treatment of sexual dysfunctions associated with poor local blood supply and/or insufficient lubrication.

Loss of erectile capacity in men is an event which adversely affects the
5 physical, emotional and social sphere of the sufferer. When this sexual dysfunction arises, men come to expect yet another "failure" whenever they have sexual intercourse, thus generating a particular state of mind which is both cause and effect of a problem that was originally only physical.

As sexuality is an important means of communication between a couple,
10 deterioration of erectile potency leads to a build-up of emotional tension between the two partners and a consequent deterioration in their relationship. Loss or absence of erectile capacity and lubrication to various extents also constitutes a serious problem in women, with adverse consequences on the couple's relationship. A variety of mediators and receptors are involved in the
15 tumescence of the male and female genital organs. Acetylcholine (Ach), for example, is the best-known parasympathetic neurotransmitter. *In vitro*, it causes relaxation of smooth muscle striations previously contracted by noradrenaline, and contraction of smooth muscle cell isolates. This suggests that the main action of Ach is to contract the smooth muscles and determine
20 the release of a substance which causes cavernous relaxation. In addition to Ach, the parasympathetic nerves also release other neurotransmitters, including nitric oxide (NO), VIP and CGRP (calcitonin gene-related peptide).

Nitric oxide (NO) is synthesised from L-Arginine through the action of the enzyme NOs (nitric oxide synthetase). The two sources of NO in the penis

and clitoris are represented by the parasympathetic nerve endings and the endothelium, synthesised by different NOs enzymes: nNOs (neuronal NOs), which is present in the cytoplasm of the parasympathetic nerves, and eNOs (endothelial NOs), found in the endothelium of the blood vessels and trabecular tissue, which mainly seems to bond to the cell membranes. Numerous experiments have demonstrated that stimulation of the parasympathetic nerves leads to the release of NO as a result of direct action by the nerve endings (reaction catalysed by nNOs) and indirect action resulting from the effect of Ach, released by the parasympathetic nerves, on the vascular endothelium, with stimulation of eNos. There is also evidence in support of a tonic release of NO by the endothelium and the involvement of partial oxygen pressure. In fact, periods when partial oxygen tension is low, as in conditions of flaccidity, are associated with reduced NOs activity. Finally, various studies have confirmed the ability of other substances, whose physiological significance has not yet been established, to determine the release of NO by the endothelium. The clinical evidence that NO plays a part in the erection of the penis includes the observation that intracavernous injection of NO-releasing substances can produce an erection in impotent men as well as men with normal sexual potency.

The Ach released by the parasympathetic fibres bonds to muscarinic receptors present on the endothelial cell membranes and the smooth muscle cell membranes. In the endothelium, this bond promotes the activation of eNOs with subsequent release of NO and inhibition of noradrenaline (NA). Inhibition of NA release is essential to the physiology of the erection. NA, released by the sympathetic nerve endings, bonds with $\alpha 1$ -adrenergic

membrane receptors (in the cavernous tissue, type α receptors outnumber type β receptors by a ratio of 10:1), leading to an increase in the activity of phospholipase C (PLC), which converts phosphatidylinositol (PIP) into inositol triphosphate (IP3) and diacylglycerol (DAG). IP3 induces the release
5 of calcium ions from the sarcoplasmic reticulum, and DAG stimulates the enzyme protein kinase C (PKC). This enzyme, by opening the L-type calcium channels and closing the potassium channels, increases the intracytoplasmic calcium concentration, leading to contraction of the smooth muscles.

The NO released by the parasympathetic nerve endings and the
10 endothelium is a lipophilic molecule, and therefore able to cross the smooth muscle cell membrane.

Despite its short half-life (approx. 5 seconds), after reaching the cytoplasm of the muscle cell it stimulates its receptor, the enzyme guanylate cyclase, to convert guanosine triphosphate (GTP) into the second active messenger, cyclic
15 guanosine monophosphate (cGMP). The intracytoplasmic levels of cGMP are controlled by the extent of the nitrergic stimulus and the catabolism rate of the enzyme phosphodiesterase V (PDE). Once stimulated, cGMP activates the enzyme protein kinase G (PKG), which closes the L-type calcium channels and opens the potassium channels. VIP, like the prostanoids (PGE1), mainly acts via
20 specific receptors on the surface of the smooth muscle cell, stimulating the enzyme adenylate cyclase (a membrane enzyme). This enzyme converts ATP into cyclic AMP (cAMP), which in turn causes a reduction in the intracellular calcium concentration and relaxation of the smooth muscles.

It has now been discovered that by associating esculoside or visnadine,
25 icarin and derivatives or extracts which contain it, amentoflavone, dimers of *Ginkgo biloba*, forskolin or purified extracts of *Coleus forskolii*, purified

extracts of plants of the genus *Ipomea* and esters of ximenynic acid, which modify physiologically dulled or altered parameters, and exploiting the synergic interactions between the active constituents, the functionality of the genital organs can be restored very effectively.

5 This invention relates in particular to combinations of vasoactive substances useful in the treatment of sexual dysfunctions associated with poor local blood supply to the male and female sex organs.

The topical compositions according to the invention contain:

- esculoside or visnadine;
- 10 - forskolin or extracts containing it, or alternatively, purified lipophilic extracts of plants of the genus *Ipomea*;
- esters of ximenynic acid;
- optionally, at least one compound selected from a icarin or derivatives or extracts thereof which contain it, amentoflavone, and
- 15 *Ginkgo biloba* dimeric flavones.

Visnadine is a coumarin mainly found in the seeds of *Ammi visnaga*, a plant traditionally used to treat anginoid disorders. The compound has recently been used in the pharmaceutical field as a coronary dilator. We have demonstrated on various occasions that this compound, when applied

20 topically, has a strong vasokinetic action on the precapillary arteries and arterioles, increasing the blood flow and tissue perfusion (EP 0418806). The supply of arterial blood to the erectile tissues induces the start of the erection and maintains it for as long as the compound is present in the tissues. Visnadine also has an anti-phosphodiesterase activity useful to maintain the

25 cyclic nucleotides.

Esculoside, a coumarin glucoside present in many plants, such as *Aesculus hippocastanum*, *Fraxinus communis*, etc., possesses a vasokinetic

action and venotropic activity at both venous and arterial levels.

Icarin and its derivatives act on cGMP phosphodiesterase V. High levels of cGMP are required to maintain the erection in the male and female genital organs and therefore the performance necessary for sexual intercourse.

- 5 Icarin derivatives include 7-hydroxyethyl-icarin or 7-aminoethyl-icarin, 7-hydroxyethyl-3-O-ramnosyl-icarin, 7-aminoethyl-7-desgluco-3-ramnosyl-icarin, 8-dihydro-icarin and its glucosides in 7 and 3, and 7-hydroxyethyl-7-desgluco-icarin.

- 10 Amentoflavone is a biflavone present in modest amounts in numerous plants, such as *Ginkgo biloba*, *Brakeringea zanguebarica* and *Taxus sp.* The addition of amentoflavone is particularly useful in some formulations, and is one of the subjects of this invention, because it acts as a very powerful inhibitor of phosphodiesterase and on the release of oxytocin, which is a known aphrodisiac at low doses.

- 15 Forskolin, and the extracts which contain it, is a known adenylate cyclase agonist. A purified extract of *Coleus forskolii* is particularly preferred.

Extracts of plants of the genus *Ipomea* also possess a significant activity on adenylate cyclase; the standardised lipophilic extracts of *Ipomea hederacea*, *Ipomea parassitica* and *Ipomea batatas* are particularly preferred.

- 20 The formulations according to the invention improve sexual performance, especially in women. For example, a combination in gel form containing 1% esculoside, 0.2% forskolin and 1% ethyl ximenynate was administered to a group of 10 female volunteers of child-bearing age. The efficacy test, in which the blood flow parameters in the external genital organs were instrumentally measured by a non-invasive method (Laser Doppler and
25 optical probe videocapillaroscopy), demonstrated that the blood flow increased by up to 200% of the basal value; as regards subjective sensations, the patients reported general well-being, and sexual excitement within half an

hour. In men, application of the formulations according to the invention leads to a rapid erection which is prolonged for as long as required to complete the act of sexual intercourse.

The following examples illustrate the invention.

5 EXAMPLE 1

Esculocide	1.00 g
Ethyl ximeninate	2.00 g
Coleus purified extract > 80%	0.20 g
Polyethylene 400	10.00 g
Ethoxydiglycol (Transcutol - Gattefossé)	10.00 g
Caprylic/Capric PEG-6 glycerides (Softigen 767 - Huls)	10.00 g
Sorbitol	10.00 g
Polysorbate 20	8.00 g
Carbomer (Ultrez 10 - BF Goodrich)	1.00 g
Imidazolidinyl urea	0.30 g
Xanthane gum (Keltrol TF - Kelco)	0.30 g
Methyl paraben	0.20 g
Disodium EDTA	0.10 g
Hydroxytoluene butoxide	0.05 g
10% sol. sodium hydroxide	2.00 g
Perfume (Jenny - Dragoco)	0.01 g
Water	q.s. to 100 g

EXAMPLE 2

Visnadine	1.00 g
Ethyl ximeninate	2.00 g
Coleus purified extract > 80%	0.20 g
polyethylene 400	10.00 g
Ethoxydiglycol (Transcutol - Gattefossé)	10.00 g
Caprylic/Capric PEG-6 glycerides (Softigen 767 - Huls)	10.00 g
Sorbitol	10.00 g
Polysorbate 20	8.00 g
Carbomer (Ultrez 10 - BF Goodrich)	1.00 g
Imidazolidinyl urea	0.30 g
Xanthane gum (Keltrol TF - Kelco)	0.30 g
Methyl paraben	0.20 g
Disodium EDTA	0.10 g
Hydroxytoluene butoxide	0.05 g
10% sol. sodium hydroxide	2.00 g
Perfume (Jenny - Dragoco)	0.01 g
Water	q.s. to 100 g

EXAMPLE 3

Visnadine	1.00 g
7-hydroxyethyl-7-desgluco-icarin	1.00 g
Forskolin	0.20 g
Amentoflavone	0.20 g
Ethyl ximeninate	2.00g
Polyethylene 400	10.00 g
Ethoxydiglycol (Transcutol - Gattefossé)	10.00 g
Caprylic/Capric PEG-6 glycerides (Softigen 767 - Huls)	10.00 g
Sorbitol	10.00 g
Polysorbate 20	8.00 g
Carbomer (Ultrez 10 - BF Goodrich)	1.00 g
Imidazolidinyl urea	0.30 g
Xanthane gum (Keltrol TF - Kelco)	0.30 g
Methyl paraben	0.20 g
Disodium EDTA	0.10 g
Hydroxytoluene butoxide	0.05 g
10% sol. sodium hydroxide	2.00 g
Perfume (Jenny - Dragoco)	0.01 g
Water	q.s. to 100 g

EXAMPLE 4

Esculotide	1.00 g
7-Hydroxyethyl-7desgluco-icarin	1.00 g
<i>Ipomea hederacea</i> lyophilic standardized extract	0.20 g
<i>Ginkgo biloba</i> dimeric flavones	0.20 g
Ethyl ximeninate	1.00 g
Polyethylene 400	10.00 g
Ethoxydiglycol (Transcutol - Gattefossé)	10.00 g
Caprylic/Capric PEG-6 glycerides (Softigen 767 - Huls)	10.00 g
Sorbitol	10.00 g
Polysorbate 20	8.00 g
Carbomer (Ultrez 10 - BF Goodrich)	1.00 g
Imidazolidinyl urea	0.30 g
Xanthane gum (Keltrol TF - Kelco)	0.30 g
Methyl paraben	0.20 g
Disodium EDTA	0.10 g
Hydroxytoluene butoxide	0.05 g
10% Sol. sodium hydroxide	2.00 g
Perfume (Jenny - Dragoco)	0.01 g
Water	q.s. to 100 g

CLAIMS

1. Topical compositions containing:
 - esculoside or visnadine;
 - 5 - forskolin or extracts containing it, or alternatively, purified lipophilic extracts of plants of the genus *Ipomea*;
 - esters of ximenynic acid;
 - optionally, at least one compound selected from icarin or derivatives or extracts thereof which contain it, amentoflavone, and *Gingko*
 - 10 *biloba* dimeric flavones.
2. Compositions as claimed in claim 1, wherein icarin derivatives comprise 7-hydroxyethyl-7-desgluco-icarin, 7-hydroxyethyl-icarin, 7-aminoethyl-icarin, 7-hydroxyethyl-3-O-rhamnosyl-icarin, 7-aminoethyl-3-rhamnosyl-icarin, 8-dihydro-icarin or its glycosides in 7 and 3.
- 15 3. Compositions as claimed in claim 1, wherein *Gingko biloba* dimeric flavones comprise amentoflavone.
4. Compositions as claimed in claim 1, wherein the ximenynic acid ester is the ethyl ester.
5. Compositions as claimed in claim 1 containing Visnadine, *Coleus*
- 20 *forskolii* purified extract, ximenynic acid ethyl ester, lubricants and anti-irritant excipients.
6. Compositions as claimed in claim 1 containing esculoside, *Coleus forskolii* purified extract, ximenynic acid ethyl ester.
7. Compositions as claimed in claim 1 containing Visnadine, Forskolin e
- 25 ethyl ximenynate.
8. Compositions as claimed in claim 1 wherein the purified extracts of *Ipomea* plants are selected from *Ipomea hederacea*, *Ipomea parassitica*, *Ipomea batatas*.

9. The use of a combination of:
- esculoside or visnadine;
 - forskolin or extracts containing it, or alternatively, purified lipophilic extracts of plants of the genus *Ipomea*;
 - 5 - esters of ximenynic acid;
 - optionally, at least one compound selected from a icarin or derivatives or extracts thereof which contain it, amentoflavone, and *Ginkgo biloba* dimeric flavones;
- for the preparation of compositions for the topical treatment of sexual
- 10 dysfunctions.

INTERNATIONAL SEARCH REPORT

International Application No

/EP2004/007374

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K35/78 A61P15/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, EMBASE, BIOSIS, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2003/008020 A1 (HEATON JEREMY P W ET AL) 9 January 2003 (2003-01-09) paragraph '0014!; claim 3 paragraph '0026! paragraph '0035! -----	1-9
Y	US 2002/034557 A1 (CROSBY MARTIN G ET AL) 21 March 2002 (2002-03-21) claims; examples -----	1-9
Y	DREWES SIEGFRIED E ET AL: "Recent findings on natural products with erectile-dysfunction activity." PHYTOCHEMISTRY. APR 2003, vol. 62, no. 7, April 2003 (2003-04), pages 1019-1025, XP004410106 ISSN: 0031-9422 page 1022, column 2 -----	1-9
-/--		



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

26 November 2004

Date of mailing of the international search report

09/12/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Winger, R

INTERNATIONAL SEARCH REPORT

International Application No

/EP2004/007374

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 304 603 A (INDENA SPA) 1 March 1989 (1989-03-01) page 2, line 1 - line 22 -----	1-9
Y	EP 0 418 806 A (INDENA SPA) 27 March 1991 (1991-03-27) cited in the application page 2, line 1 - line 51 -----	1-9
Y	EP 0 692 250 A (INDENA SPA) 17 January 1996 (1996-01-17) claims -----	1-9
Y	US 2002/013280 A1 (XIN ZHONGCHENG) 31 January 2002 (2002-01-31) paragraph '0008! -----	1-9

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/EP2004/007374

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2003008020 A1	09-01-2003	US 2002035067 A1 US 6284763 B1 US 2004063719 A1 AU 5403499 A CA 2340206 A1 WO 0012110 A2 EP 1235563 A2	21-03-2002 04-09-2001 01-04-2004 21-03-2000 09-03-2000 09-03-2000 04-09-2002
US 2002034557 A1	21-03-2002	US 2004202739 A1 AU 7363601 A CA 2417552 A1 EP 1328281 A1 WO 0200240 A2	14-10-2004 08-01-2002 03-01-2002 23-07-2003 03-01-2002
EP 0304603 A	01-03-1989	IT 1223290 B AT 81588 T DE 3875425 D1 DE 3875425 T2 EP 0304603 A1 ES 2052645 T3 GR 3006068 T3 US 5104655 A	19-09-1990 15-11-1992 26-11-1992 11-03-1993 01-03-1989 16-07-1994 21-06-1993 14-04-1992
EP 0418806 A	27-03-1991	IT 1233753 B AT 99542 T CA 2025855 A1 DE 69005753 D1 DE 69005753 T2 EP 0418806 A1 ES 2062240 T3 HK 161095 A JP 2731976 B2 JP 3145427 A KR 128057 B1 KR 132730 B1 US 5176919 A	14-04-1992 15-01-1994 22-03-1991 17-02-1994 28-04-1994 27-03-1991 16-12-1994 20-10-1995 25-03-1998 20-06-1991 01-04-1998 17-04-1998 05-01-1993
EP 0692250 A	17-01-1996	IT 1270602 B AT 218339 T AU 686381 B2 AU 2491995 A CA 2153604 A1 DE 69526882 D1 DE 69526882 T2 DK 692250 T3 EP 0692250 A2 ES 2177593 T3 HK 1011617 A1 JP 8169896 A KR 255527 B1 KR 257228 B1 PT 692250 T SG 44320 A1 US 5679358 A	07-05-1997 15-06-2002 05-02-1998 25-01-1996 13-01-1996 11-07-2002 02-01-2003 30-09-2002 17-01-1996 16-12-2002 11-10-2002 02-07-1996 01-05-2000 15-05-2000 30-09-2002 19-12-1997 21-10-1997
US 2002013280 A1	31-01-2002	US 2003153515 A1	14-08-2003