



US00D496646S1

(12) **United States Design Patent**
Lowinger

(10) **Patent No.:** **US D496,646 S**

(45) **Date of Patent:** **** Sep. 28, 2004**

(54) **TWO-WAY RADIO WRIST WATCH WITH INTERCHANGEABLE FACEPLATES**

(75) Inventor: **Ben Lowinger**, New York, NY (US)

(73) Assignee: **US Electronics, Inc.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/199,403**

(22) Filed: **Feb. 18, 2004**

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/138; D10/31; D10/34**

(58) **Field of Search** D14/137, 138, D14/218, 147-148, 247-248, 144, 142, 191, 341-347, 205, 206, 223; 379/433.01-433.13, 419, 434, 428.01-428.04, 420.01-420.04, 440; D24/167; 455/550.1-90.3; D21/517; D10/30-32, 37-39, 128, 40, 34; 368/10, 13

References Cited

U.S. PATENT DOCUMENTS

D17,284 S	*	4/1887	Rapp	D10/34
D77,057 S	*	12/1928	Burgess	D10/32
D210,462 S	*	3/1968	Roberts	D14/155
4,419,770 A	*	12/1983	Yagi et al.	455/301
D279,671 S	*	7/1985	Stanton	D14/192
D326,452 S	*	5/1992	Roegner	D14/138
5,218,577 A	*	6/1993	Seager	368/10
5,224,076 A	*	6/1993	Thorp	368/10
5,235,560 A	*	8/1993	Seager	368/10
5,274,613 A	*	12/1993	Seager	368/13
D359,700 S	*	6/1995	Abrams	D10/106
D360,794 S	*	8/1995	Morin	D6/601
D383,073 S	*	9/1997	Miller	D10/31
D391,178 S	*	2/1998	Wolff	D10/40
D398,540 S	*	9/1998	Lee	D10/30
D399,433 S	*	10/1998	Bruce et al.	D10/30
D424,532 S	*	5/2000	Chida	D14/344

D429,468 S	*	8/2000	Nakai et al.	D10/31
D447,426 S	*	9/2001	Jannard et al.	D10/32
D452,006 S	*	12/2001	Komulainen	D24/167
D452,226 S	*	12/2001	Simpson et al.	D14/167
D460,430 S	*	7/2002	Wada et al.	D14/138
D464,941 S	*	10/2002	Latto et al.	D14/156
6,459,890 B1	*	10/2002	Kim	455/351
D466,879 S	*	12/2002	Wada et al.	D14/138
6,564,075 B1	*	5/2003	Mitamura	455/575.1
2002/0105859 A1	*	8/2002	Davidson et al.	368/13

* cited by examiner

Primary Examiner—Jeffrey Asch

(57) **CLAIM**

The ornamental design for a two-way radio wrist watch with interchangeable faceplates, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, and right side perspective view of the two-way radio wrist watch with interchangeable faceplates with upright antenna and first interchangeable faceplate;

FIG. 2 is a bottom view of the Device;

FIG. 3 is a top view of the Device with upright antenna;


FIG. 4 is a left side view of the Device with upright antenna; FIG. 5 is a right side view of the Device with upright antenna;

FIG. 6 is a front view of the Device with upright antenna; FIG. 7 is a rear view of the Device with upright antenna; FIG. 8 is a front view of the Device with folded antenna and second interchangeable face-plate; and,

FIG. 9 is a front, bottom, and left side perspective view of the Device with folded antenna, third interchangeable faceplate. The stippled shading utilized on the third interchangeable faceplate is meant to represent a darker contrasting color compared to the rest of the device.

The wristband has been shown in different positions throughout the views to illustrate the adjustable and flexible nature thereof.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5



FIG. 6




FIG. 7



FIG. 8




FIG. 9