

가

1

(mechanical counter)

2

(two coaxially arranged housing portions)

가 5497944 (WO91/14468)
(metered dose inhalers ; MDI's)

25 500

(50bar)
5472143 (WO94/07607)

4260082

2291

135

(rotary sawtooth wedge arrangement)

(latching mechanism)

EP96/04351

USSN 08/726219

(medical aerosol therapy)

(atomiser)

가

PCT/

PCT

WO-93/24167

(wedge drive)

4817822

(locked wheel)

(locking pawl)

(rot

atable disk-like scale)

(window)

PCT

WO-86/05991

(teeth)

(helix member)

PCT

WO-92/09324

(worm gear)

PCT

WO-86/02275

1

가 2

가 2
 , 가 ,
 1 2 2 가 (tooth arrangement) 2
 가 (involute tooth) ()
 가 2
 (marker means) (screwthreaded spindle) 가 ,
 30° 360° 2 2 360° ,
 2
 action mountings) (snap-
 1 1/30 10
 1
 ction) (limb) , (resetting proje
 가 , 가
 가 1 가
 가 가 가 가
 가 1 1 가 1 1 2
 1
 가 (rigid entrainment means)
 가 가 가
 가 가
 4 2 2 2 가 2
 2 가 2 가 2
 가 360° 1/2 2

1/2 가 , 2 120° 가 , 2 가
 3 가 , 120° , 2 가
 가 (flank) 2 가
 가 가
 가 가
 1 가 가 1 가 가
 가 가 가 360° 가 가 1 가
 () 1 가 2 1
 (quasi-continuously) 360° 가
 가 (high step-up ratio) 가
 2 1 1 2 가
 가 1 2 1 2
 line) 2 (rotatably mounted roller) 가 (helical
 가
 2 3 1 가 가
 2 1 2 가 가
 1 1 2 1 가 가
 1 2 1 2 가 가
 (single-tooth transmission arrangement) 가
 가 2 1 10 1
 () 가

ate ; PBT) PBT (Teflon: polytetrafluoroethylene) (polybutyleneterephthal
 acryl-butadiene-styrene) PBT PBT PBT 가
 (DE-OS) 195 36 902.5 () 가
 (DE-OS) 195 45 226.7 () 가

- 1. 가 2 , , 1
(mounting) , ; 가 ; 2 ;
- 2. 1 ,
- 3. 1 , 2
- 4. 1 3 , 2 , 2 가 ; 2
- 5. 4 , 4 ; 2
- 6. 4 , 2 가 2 4 , , 가 2 2 ; 2
- 7. 1 3 , 2 1/2
- 8. 1 3 ,
- 9. 1 3 ,
- 10. 1 3 ,
- 11. 10 , , 1
- 12. 10 ,
- 13. 1 3 ,
- 14. 1 3 , 가 ,
- 15. 14 , (entrainment means)
- 16. 1 3 , 가 , 가 ; 1 가
- 17. 가

16 , 2 1 , 360° , 1 1

18.

17 , 1 2 ;

19.

1 3 2 , 가 , 1
2 ;
1 , 2 ;
, 2 1

20.

1 3 , ,
2 2가 , ;
,

21.

1 3 , 1 ,
2 2 ;
2 가 , 2 ;
2 가 , 2

22.

가 2 가 , 1 3

23.

가 2 가 ,
가 가 ,

24.

23 , .

25.

23 24 , 가

26.

23 24 , ,

27.

26 , .

28.

23 24 , 1 3

29.

23 24 (metered dose inhaler)

30.

22 (metered dose inhaler)

