

(51) International Patent Classification:

E04H 4/16 (2006.01) *A46B 13/00* (2006.01)

(21) International Application Number:

PCT/IB2020/055094

(22) International Filing Date:

28 May 2020 (28.05.2020)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/853,963 29 May 2019 (29.05.2019) US

(71) Applicant: ZODIAC POOL CARE EUROPE [FR/FR];

2-4 Rue Edison, Parc d'Activite du Chene, 69500 Bron (FR).

(72) Inventor: BESNIER, Amaud; 12 me Toulouse Lautrec,

31850 Montrabe (FR).

(81) Designated States (unless otherwise indicated, for every

kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP,

KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- in black and white; the international application as filed contained color or greyscale and is available for download from PATENTSCOPE

(54) Title: BRUSH ASSEMBLIES PRINCIPALLY FOR AUTOMATIC SWIMMING POOL CLEANERS




FIG. 1

(57) Abstract: Brushes (14) for robotic or other automatic swimming pool cleaners which include circumferentially-spaced blades (30) extending radially from cylindrical cores (26). The blades (30) are not longitudinally continuous, some or all of the blades are discontinuous along the lengths of the cores, creating fluid-flow paths tending to reduce the pump blade effect when the cleaners are operating.



**BRUSH ASSEMBLIES PRINCIPALLY FOR
AUTOMATIC SWIMMING POOL CLEANERS**

CROSS-REFERENCE TO RELATED APPLICATION

This application claims the benefit of and priority to U.S. Provisional Patent Application Serial No. 62/853,963, filed May 29, 2019, the entire contents of which are hereby incorporated herein by this reference.

FIELD OF THE INVENTION

This invention relates to cleaning devices for swimming pools and spas and more particularly, although not necessarily exclusively, to autonomous vehicles configured to facilitate filtering of debris from water of pools and spas.

BACKGROUND OF THE INVENTION

Automatic swimming pool cleaners (APCs) conventionally include various features designed to improve their cleaning performance. At least some robotic APCs, for example, are constructed with brushes adjacent the fronts and rears of the bodies of the devices. The brushes frequently are formed with elongated cylindrical cores whose longitudinal axes are oriented transverse to the normal forward direction of travel of their associated APC and which are configured to rotate about the longitudinal axes to help draw debris into suspension in water for collection by a fluid inlet of the APC.

Some brushes further may include circumferentially-spaced wipers, or blades, which extend radially from the cylindrical cores along their lengths. These blades, when present, typically are (longitudinally) continuous along the lengths of the cores and are identically shaped and sized. At times, however, these brushes are subject to a “pump blade” effect that continuously pushes debris in front of the cleaner rather than toward the fluid inlet.

U.S. Patent No. 9,758,978 to Shiomi-Shlomi, *et al*, describes different cleaning brushes for use as components of robotic APCs. At least one such brush includes a cylindrical central portion in the form of an elongated tube. The brush additionally comprises left- and right-handed helical fins and first and second protuberances. According to the Shiomi-Shlomi patent, the left-handed fins have a positive slope relative to a longitudinal axis of the central portion, whereas the right-handed fins have a negative slope relative to that axis. Further stated in the Shiomi-Shlomi patent is that these fins may “be replaced by spaced apart ring shaped fins that surround the central portion” of the brush. In either circumstance, however, the fins are oriented predominantly circumferentially about the central portion.

In at least some versions of the brush of the Shiomi-Shlomi patent, the first and second protuberances are “identical to each other.” The protuberances may be “arrange[d] in rows that are parallel to the longitudinal axis” of the central portion. They also may extend radially from the central portion. Accordingly, the protuberances are bounded by the fins (as shown in, *e.g.*, Fig. 1 of the Shiomi-Shlomi patent) and thus impede fluid flow between adjacent fins.

Detailed in the Shiomi-Shlomi patent is that such a brush “trims algae and converges . . . loose dirt efficiently toward the suction inlet” of the robotic APC. This occurs as parallel brushes of the APC rotate about their longitudinal axes. Such rotation of one brush may occur in synchronicity with or independently of another.

SUMMARY OF THE INVENTION

The present invention provides alternatives to conventional brushes, including those of the Shiomi-Shlomi patent. At least one version employs circumferentially-spaced blades extending radially from cylindrical cores. Rather than all

being longitudinally continuous, however, most or all of the blades are discontinuous along the length of a core. Discontinuous regions of blades may be staggered longitudinally, moreover, creating fluid-flow paths tending to counteract the pump blade effect.

Fluid-flow paths of the invention preferably have at least some circumferential component, so pool water may flow about most, if not all, of the circumference of the core of a brush. Such paths advantageously are not circular, however. Indeed, for some embodiments the paths beneficially assume a zig-zag shape because of the staggered discontinuities. Serpentine fluid-flow paths may be formed alternatively or additionally, as may other non-linear or linear shapes.

Brushes of the invention may attach to APCs in any desired manner. Typically, they are driven directly or indirectly by a motor of an APC and rotate about longitudinal brush axes that are transverse to the direction of movement of the APC. Further, they often are (but need not be) positioned so as to form leading and trailing edges of bodies of APCs, as shown in the Shlomi-Shlomi patent.

It thus is an optional, non-exclusive object of the present invention to provide brushes for robotic or other APCs.

It is an additional optional, non-exclusive object of the present invention to provide APCs with brushes facilitating the pushing of debris toward cleaner inlets rather than away therefrom.

It is a further optional, non-exclusive object of the present invention to provide brushes in which fluid-flow paths with at least some circumferential component are formed.

It is, moreover, an optional, non-exclusive object of the present invention to provide circumferentially non-linear fluid-flow paths on brushes.

Other objects, features, and advantages of the present invention will be apparent to those skilled in the relevant art with reference to the remaining text and the drawings of this application.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1-2 are perspective views of portions of brush assemblies of the present invention prior to being wrapped about interfaces for use as parts of APCs.

FIG. 3 is a plan view of two such portions of FIG. 1 arranged side-by-side.

FIG. 4 is a brush assembly of the present invention shown as wrapped about an interface for use as part of an APC.

DETAILED DESCRIPTION

Brush assembly 10 of FIG. 4 may include one or more brushes 14. Each brush 14 may be wrapped about a tube, shaft, or other appropriate component such as interface 18. Interface 18, in turn, is configured to rotate, driven directly or indirectly by a motor of an APC. As shown in FIG. 4, interface 18 may include a recess 22 to frictionally receive a rotating shaft connected directly or indirectly to the motor. Brush assembly 10 additionally may include any components suitable to connect to a body of the APC for use.

As interface 18 rotates, so too do the brushes 14 wrapped about (or otherwise attached to) the interface 18. Such rotation may be clockwise or counter-clockwise as appropriate or desired. Rotation of brushes 14 as an associated APC travels along an immersed pool surface tends to disturb debris present on or near the surface. A rationale for disturbing the debris is to suspend it in water being ingested through an inlet

of the APC in order to pass the debris-laden water through a filter which retains at least some of the debris.

Often, however, rotation of conventional brushes results in substantial debris being pushed away from the inlet rather than being directed toward it. One significant reason for this result is that blades of the brushes are longitudinally continuous (or substantially so), hence preventing establishment of circumferential water-flow paths around the cores of the brushes. This “pump blade” effect reduces cleaning efficiency of the APCs.

Brushes 14 of the invention may be formed of plastic or other flexible material and beneficially possess sufficient flexibility to wrap about interface 18 and frictionally contact pool surfaces without damaging them. A brush 14 may comprise core or base 26 and blades 30. Blades 30 preferably protrude outward from base 26 and are integrally molded therewith, although they may attach to base 26 in other manners if desired.

Brush 14 additionally may include connectors to facilitate their interaction with interface 18. For example, FIGS. 1-3 illustrate prongs 34 and recesses 38. When brushes 14 are wrapped about interface 18 as shown in FIG. 4, prongs 34 may be received by corresponding recesses 38 to secure each brush 14 about interface 18. Persons skilled in the art will recognize that numerous other means of securing a brush 14 to interface 18 may be employed instead, however.

When a brush 14 is wrapped about (or otherwise attached to) interface 18, base 26 becomes generally cylindrical as depicted in FIG. 4. In such event blades 30 may be described as being parallel to one another and spaced about the perimeter, or circumference, of the base 26. And if base 26 is ascribed a length L (see FIG. 3), blades

30 may be described as extending generally longitudinally along the length L. Blades 30 need not necessarily be shaped, positioned, or oriented as illustrated in FIGS. 1-4, however.

Advantageously, blades 30 are not continuous along length L. Instead, gaps G exist about the circumference of base 26 where no blade 30 is present. At least some of these gaps G beneficially extend around the entire circumference of base 26 to form fluid-flow paths P, through which debris-laden water may flow along base 26 unimpeded by blades 30. Alternatively, some gaps G may extend around at least a majority of the circumference of base 26.

Moreover, discontinuities of circumferentially-adjacent blades 30 may be staggered longitudinally (as well shown in FIG. 3). Gaps G hence may form flow paths P that are non-linear; *e.g.*, serpentine or zig-zag in shape. Although shapes such as these are presently preferred, paths P alternatively may have different non-linear (or linear) shapes instead. In any event, the fluid-flow paths P tend to counteract the “pump blade” effect as brushes 14 rotate, reducing the amount of debris pushed away from APC inlets and improving cleaning efficiency.

Exemplary concepts or combinations of features of the invention may include:

- A. A brush comprising generally longitudinally-oriented blades that are discontinuous along a length of the brush.

- B. A brush comprising circumferentially-spaced, generally longitudinally-oriented blades having discontinuities positioned so as to form at least one fluid-flow path along at least a majority of a circumference of the brush.

C. A brush assembly comprising a brush consistent with statement “A” or “B” as well as an interface for connecting the brush to an APC.

D. An APC comprising the brush assembly of statement “C.”

E. A brush consistent with statement “B” in which the at least one fluid-flow path is non-linear.

F. A brush consistent with statement “E” in which the at least one fluid-flow path is serpentine or zig-zag shaped.

These examples are not intended to be mutually exclusive, exhaustive, or restrictive in any way, and the invention is not limited to these example embodiments but rather encompasses all possible modifications and variations within the scope of any claims ultimately drafted and issued in connection with the invention (and their equivalents). For avoidance of doubt, any combination of features not physically impossible or expressly identified as non-combinable herein may be within the scope of the invention.

The entire contents of the Shlomi-Shlomi patent are incorporated herein by this reference. Further, although applicant has described filters for use with APCs, persons skilled in the relevant field will recognize that the present invention may be employed in other devices such as (but not limited to) manual pool cleaners. Finally, references to “pools” and “swimming pools” herein may also refer to spas or other water containing vessels used for recreation or therapy and for which cleaning is needed or desired.

What is claimed is:

1. A pool cleaning brush having a length and comprising a plurality of generally longitudinally-oriented blades that are discontinuous along the length.
2. A pool cleaning brush according to claim 1 having a circumference in use and in which adjacent blades of the generally longitudinally-oriented blades are spaced about the circumference.
3. A pool cleaning brush according to claim 2 in which discontinuities of the plurality of generally longitudinally-oriented blades form at least one fluid flow path along at least a majority of the circumference.
4. A pool cleaning brush according to claim 3 in which the at least one fluid flow path is non-linear.
5. A pool cleaning brush according to claim 4 in which the at least one fluid flow path is serpentine or zig-zag shaped.
6. A brush assembly comprising:
 - a. a brush having a length and comprising a plurality of generally longitudinally-oriented blades that are discontinuous along the length; and
 - b. an interface configured to connect the brush to an automatic swimming pool cleaner.

7. A brush assembly according to claim 6 in which discontinuities of the plurality of generally longitudinally-oriented blades form at least one non-linear fluid flow path along at least a majority of the circumference.

8. An automatic swimming pool cleaner comprising a brush having a length and including a plurality of generally longitudinally-oriented blades that are discontinuous along the length.

9. An automatic swimming pool cleaner according to claim 8 in which the brush has a circumference in use and in which adjacent blades of the generally longitudinally-oriented blades are spaced about the circumference.

10. An automatic swimming pool cleaner according to claim 9 in which discontinuities of the plurality' of generally longitudinally-oriented blades form at least one fluid flow path along at least a majority of the circumference.

11. A pool cleaning brush according to claim 10 in which the at least one fluid flow path is non-linear.

12. A pool cleaning brush according to claim 11 in which the at least one fluid flow path is serpentine or zig-zag shaped.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No

PCT/IB2020/055094

A. CLASSIFICATION OF SUBJECT MATTER
 INV. E04H4/16 A46B13/00
 ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

E04H A61D A46B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 2015/181406 A1 (INGENIERIA Y MARKETING S A [ES]) 3 December 2015 (2015-12-03) figures 1,10,11, 9 -----	1-3,6, 8-10
X	US 2018/328062 A1 (ORTIZ GARY [US] ET AL) 15 November 2018 (2018-11-15) figures 46,52,105 -----	1-12
X	FR 2 993 298 A1 (AQUA PRODUCTS INC [US]) 17 January 2014 (2014-01-17) figure 10 -----	1-12
X	EP 1 978 184 A2 (GARDEN POOL SUPPLIES COMPANY L [CN]) 8 October 2008 (2008-10-08) figures 3A,3B, 4, 5 ----- -/--	1-12

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

14 August 2020

Date of mailing of the international search report

26/08/2020

Name and mailing address of the ISA/
 European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040,
 Fax: (+31-70) 340-3016

Authorized officer

Decker, Robert

INTERNATIONAL SEARCH REPORT

International application No

PCT/IB2020/055094

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 2016/201404 A1 (AQUA PRODUCTS INC [US]) 15 December 2016 (2016-12-15) figures 2,21-29 -----	1-12
X	US 2002/083541 A1 (PORAT JOSEPH [US]) 4 July 2002 (2002-07-04) figures 1-4 -----	1-12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/IB2020/055094

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 2015181406	A1	03-12-2015	EP 3156563 A1 19-04-2017
			ES 2772798 T3 08-07-2020
			US 2017114560 A1 27-04-2017
			WO 2015181406 A1 03-12-2015

US 2018328062	A1	15-11-2018	NONE

FR 2993298	A1	17-01-2014	AU 2013206751 A1 30-01-2014
			ES 2527883 A2 02-02-2015
			FR 2993298 A1 17-01-2014
			US 2014015959 A1 16-01-2014
			US 2016319559 A1 03-11-2016
			US 2018341272 A1 29-11-2018
			US 2019271987 A1 05-09-2019

EP 1978184	A2	08-10-2008	CN 101280634 A 08-10-2008
			EP 1978184 A2 08-10-2008
			ES 2404670 T3 28-05-2013
			US 2008244843 A1 09-10-2008

WO 2016201404	A1	15-12-2016	NONE

US 2002083541	A1	04-07-2002	NONE
