

(12) United States Patent

Strong et al.

(54) METHOD AND APPARATUS FOR A FILE SHARING AND SYNCHRONIZATION **SYSTEM**

(71) Applicant: **Dropbox, Inc.**, San Francisco, CA (US)

(72) Inventors: Jack Benjamin Strong, Austin, TX

(US); Gibu Thomas, San Francisco, CA (US)

(73) Assignee: **Dropbox, Inc.**, San Francisco, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 104 days.

(21) Appl. No.: 16/508,059

(22)Filed: Jul. 10, 2019

(65)**Prior Publication Data**

> US 2019/0334986 A1 Oct. 31, 2019

Related U.S. Application Data

- (63) Continuation of application No. 14/873,195, filed on Oct. 2, 2015, now Pat. No. 10,380,099, which is a continuation of application No. 14/075,598, filed on Nov. 8, 2013, now Pat. No. 9,037,540, which is a continuation of application No. 13/757,024, filed on Feb. 1, 2013, now Pat. No. 8,600,934, which is a continuation of application No. 12/928,998, filed on Dec. 23, 2010, now Pat. No. 8,370,298, which is a continuation of application No. 12/157,772, filed on (Continued)
- (51) Int. Cl. G06F 16/23 (2019.01)G06F 16/182 (2019.01)G06F 16/176 (2019.01)G06F 16/51 (2019.01)G06F 16/48 (2019.01)

US 11,269,852 B2 (10) Patent No.:

(45) **Date of Patent:**

Mar. 8, 2022

(52) U.S. Cl. CPC G06F 16/2365 (2019.01); G06F 16/1767 (2019.01); G06F 16/182 (2019.01); G06F

16/48 (2019.01); G06F 16/51 (2019.01)

(58) Field of Classification Search

CPC G06F 16/2365; G06F 16/182; G06F 16/1767; G06F 16/51; G06F 16/48

See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

11/1992 Pruul et al. 5,165,031 A 5,452,448 A * 9/1995 Sakuraba G06F 11/1464

(Continued)

OTHER PUBLICATIONS

Advisory Action from U.S. Appl. No. 14/873,004, dated May 19, 2020, 3 pages.


(Continued)

Primary Examiner — James Trujillo Assistant Examiner — Fariborz Khoshnoodi (74) Attorney, Agent, or Firm — Keller Jolley Preece

ABSTRACT

A computer-implemented method is provided for managing and sharing picture files. In one embodiment of the present invention, the method comprises providing a server platform and providing a datastore on the server platform for maintaining full resolution copies of the files shared between a plurality of sharing clients. A synchronization engine is provided on the server platform and is configured to send real-time updates to a plurality of sharing clients when at least one of the sharing clients updates or changes one of said files. A web interface may also be provided that allows a user to access files in the datastore through the use of a web browser.

20 Claims, 5 Drawing Sheets



US 11,269,852 B2 Page 2

Related U.S. Application Data					2002/0044159	A1	4/2002	Kuroiwa et al.
				_	2002/0059604			Papagan et al.
	Jun. 13, 2008, now Pat. No. 7,885,925, which is a continuation of application No. 11/269,498, filed on				2002/0065848 2002/0066050			Walker et al. Lerman et al.
				п	2002/0000030			Deshpande H04L 63/0876
	Nov. 8, 2005,		2002,00007772	***	77 2002	709/204		
(60)	Droszicional ar	mlication	n No. 60/626,121, filed on Nov	. 7	2002/0129096			Mansour et al.
(00)	8, 2004.	prication	1 No. 00/020,121, filed off No.	v.	2002/0184264			Berg et al.
	6, 2004.				2002/0198858 2003/0004952			Stanley et al. Nixon et al.
(56)		Referen	ces Cited		2003/0014478		1/2003	
(50)		Itticiti	ees cited		2003/0037114			Nishio et al.
	U.S. I	PATENT	DOCUMENTS		2003/0041094			Lara et al.
					2003/0055825 2003/0058277			Chen et al. Bowman-Amuah
	5,862,346 A		Kley et al.		2003/0074418		4/2003	
	6,052,735 A 6,125,369 A		Ulrich et al. Wu et al.		2003/0097361			Huang et al.
	6,256,634 B1		Moshaiov et al.		2003/0131098			Huntington et al.
	6,260,040 B1		Kauffman et al.		2003/0154187 2003/0159136			Hayakawa G06F 16/273 Huang et al.
	6,272,545 B1		Flanagin et al. Nishikawa et al.		2003/0172127			Northrup et al.
	6,348,932 B1 6,407,750 B1		Gioscia et al.		2003/0217181	A1*	11/2003	Kiiskinen G06F 16/275
	6,467,034 B1	10/2002			2002/0240522		11/2002	709/248
	6,496,979 B1		Chen et al.		2003/0218633 2004/0024979			Mikhail et al. Kaminsky et al.
	6,636,873 B1	10/2003	Carini et al. Bookspan et al.		2004/0024979			Fushiki et al.
	6,636,888 B1 6,725,281 B1	4/2004	Zintel et al.		2004/0044799			Sivaraman H04L 67/1095
	6,795,688 B1		Plasson et al.				_,	709/253
	6,904,185 B1		Wilkins et al.		2004/0054736			Danielle et al.
	6,938,076 B2 7,039,723 B2		Meyer et al.		2004/0068524 2004/0088420			Aboulhosn et al. Allen et al.
	7,039,723 B2 7,103,357 B2		Hu et al. Kirani et al.		2004/0107236			Nakagawa et al.
	7,139,555 B2	11/2006	Apfel		2004/0123048			Mullins et al.
	7,143,194 B1		Curley et al.		2004/0126750 2004/0143598			Theilmann et al. Drucker et al.
	7,162,454 B1 7,228,352 B1		Donner et al. Yaguchi et al.		2004/0143398			Smith et al.
	7,263,712 B2		Spencer		2004/0148375			Levett et al.
	7,317,699 B2		Godfrey et al.		2004/0172423			Kaasten et al.
	7,319,536 B1		Wilkins et al.		2004/0177319 2004/0267905			Horn et al. McDonough et al.
	7,321,919 B2 7,369,161 B2		Jacobs et al. Earswar et al.		2004/026/303		12/2004	Farai
	7,372,485 B1		Bodnar et al.		2005/0015441			Attwood et al.
	7,421,458 B1	9/2008	Taylor et al.		2005/0038863			Onyon et al.
	7,441,180 B1		Kaczmarek et al.		2005/0044164 2005/0044165			O'Farrell et al. O'Farrell et al.
	7,502,795 B1 7,576,752 B1		Svendsen et al. Benson et al.		2005/0050479			Bogdan G06F 8/20
	7,644,124 B1	1/2010						716/102
	7,680,067 B2		Prasad et al.		2005/0091595			Shappell et al.
	7,707,500 B2		Martinez		2005/0149481 2005/0149508			Hesselink et al. Deshpande et al.
	7,747,596 B2 7,773,106 B2		Bigioi et al. Serdy, Jr. et al.		2005/0165869			Huang et al.
	7,774,326 B2		Arrouye et al.		2005/0193361		9/2005	Vitanov et al.
	7,809,682 B2		Paterson et al.		2005/0198015			Sezan et al.
	7,873,353 B2 7,885,925 B1		Kloba et al. Strong et al.		2005/0208803 2005/0223061			Rohatgi et al. Auerbach et al.
	7,917,628 B2		Hesselink et al.		2005/0246373			Faulkner et al.
	7,930,270 B2	4/2011			2005/0246374		11/2005	
	7,962,137 B2		Coppinger et al.		2005/0248374 2005/0262166			Kushnick Rajeev et al.
	7,962,622 B2 8,001,088 B2*		Friend et al. Tawa, Jr	2	2005/0202100			Berger et al.
	0,001,000 B2	0/2011	707/67		2006/0018444			Pantana et al.
	8,019,900 B1	9/2011	Sekar et al.		2006/0052091			Onyon et al.
	8,230,026 B2		Gilhuly et al.		2006/0069809	Al*	3/2006	Serlet G06F 16/1837 709/248
	8,321,374 B2 8,341,345 B2		Holt et al. Tulskie et al.		2006/0085429	A1	4/2006	Wener et al.
	8,370,298 B2		Strong et al.		2006/0101053			Proctor et al.
	8,600,934 B2	12/2013	Strong et al.		2006/0101064			Strong et al.
	8,612,439 B2		Prahlad et al.		2006/0123010 2006/0156239			Landry Jobs et al.
	8,620,861 B1 8,650,498 B1		Uhrhane et al. Mihovilovic		2006/0156239			Bodlaender et al.
	8,965,847 B1	2/2015			2006/0170669	A1	8/2006	Walker et al.
	9,037,540 B2	5/2015	Strong et al.		2006/0184673			Liebman
	9,131,054 B2		Vendrow et al.		2006/0198015 2006/0242206			Engler et al. Brezak et al.
	9,501,762 B2 9,817,878 B2		Babenko et al. Newhouse		2006/0242200			Tam et al.
	0,057,318 B1		Rashid et al.		2007/0005581	A1	1/2007	Arrouye et al.
1	0,158,708 B2	11/2018	Strong et al.		2007/0005707		1/2007	Teodosiu et al.
	0,320,904 B2		Strong et al.		2007/0016586		1/2007	Samji et al.
2002	2/0013852 A1	1/2002	Ј аліК		2007/0016695	Al	1/2007	Rabbers et al.

(56)	References (Cited	2016/0028811 A1 2016/0028812 A1	1/2016 Rashid et al. 1/2016 Strong et al.
U.S.	PATENT DO	CUMENTS	2016/0028813 A1 2016/0028814 A1	1/2016 Strong et al. 1/2016 Strong et al. 1/2016 Strong et al.
2007/0043830 A1	2/2007 Hous		2016/0028852 A1 2016/0055171 A1	1/2016 Strong et al. 2/2016 Araki et al.
2007/0078938 A1	4/2007 Hu e		2017/0093780 A1	3/2017 Lieb et al.
2007/0156434 A1	7/2007 Mart 8/2007 Mae		2018/0278684 A1	9/2018 Rashid et al.
2007/0179989 A1 2007/0180075 A1	8/2007 Maes 8/2007 Chas		2010/02/000/1111	3,2010 11101110 10 111
2007/0180073 A1 2007/0180084 A1	8/2007 Chas		OFF	TED DUDI ICATIONS
2007/0198473 A1	8/2007 Carr		OTE	HER PUBLICATIONS
2007/0209005 A1	9/2007 Shav			TIG A 1 NT 15/000 040 1 / 1 NF 10
2007/0239898 A1	10/2007 Frier	nd et al.	•	U.S. Appl. No. 15/992,342, dated May 19,
2007/0250645 A1	10/2007 Mea		2020, 3 pages.	
2007/0276836 A1	11/2007 Chat			Item-Based Top-N Recommendation Algo-
2007/0288614 A1	12/2007 May 12/2007 Ozzi	et al.		ions on Information Systems, vol. 22, No. 1,
2007/0294366 A1 2008/0109448 A1	5/2008 Abox		Jan. 2004, pp. 143-177	
2008/0126936 A1	5/2008 Willi			m U.S. Appl. No. 14/873,004, dated Feb. 12,
2008/0140732 A1	6/2008 Wils		2020, 18 pages.	- IIS A1 No. 15/002 242 dated Eab 25
2008/0168185 A1	7/2008 Robb			m U.S. Appl. No. 15/992,342, dated Feb. 25,
2008/0184125 A1	7/2008 Sule		2020, 19 pages.	Dropbox as a Network Drive," Oct. 14,
2008/0189627 A1	8/2008 Niki		2011, Youtube, 1 page.	
2008/0195729 A1	8/2008 Char			n from U.S. Appl. No. 15/964,267, dated Jul.
2008/0195739 A1 2008/0208870 A1	8/2008 Ozzi 8/2008 Tsan		27, 2020, 21 pages.	11011 0.3.71ppi. 110. 13/304,207, dated sui.
2008/0208970 A1	8/2008 Vari			n from U.S. Appl. No. 16/397,945, dated Jul.
2008/0250083 A1	10/2008 Kova		23, 2020, 18 pages.	in in our constraints and constraints and constraints
2008/0307504 A1	12/2008 Cisle			om U.S. Appl. No. 14/873,004, dated Aug.
2009/0024931 A1	1/2009 Bae		12, 2020, 6 pages.	, , ,
2009/0064284 A1	3/2009 Posto		Notice of Allowance fro	om U.S. Appl. No. 14/873,004, dated Jun. 12,
2009/0094252 A1 2009/0183060 A1	4/2009 Won 7/2009 Helle		2020, 11 pages.	
2009/0183000 A1 2009/0187609 A1	7/2009 Hello 7/2009 Barto		Notice of Allowance fro	om U.S. Appl. No. 14/873,187, dated Jul. 30,
2009/0197009 A1 2009/0192976 A1	7/2009 Bark		2020, 8 pages.	
2009/0300020 A1	12/2009 Cher			om U.S. Appl. No. 15/992,342, dated Aug.
2009/0327900 A1	12/2009 Noll		27, 2020, 5 pages.	
2010/0063670 A1	3/2010 Brze			om U.S. Appl. No. 15/992,342, dated Jun. 15,
2010/0115614 A1	5/2010 Baril		2020, 10 pages.	II.G. A. 1.N. 12/571512 1 . 1
2010/0205196 A1 2010/0241980 A1	8/2010 Schr 9/2010 Sosn			or U.S. Appl. No. 13/571,512 dated Apr. 6,
2010/0241980 A1 2010/0332682 A1	12/2010 Shar		2018, 17 pages.	uml No. 12/571 512 dated Apr. 22, 2015, 22
2011/0010332 A1	1/2011 Vasu		pages.	Appl. No. 13/571,512 dated Apr. 23, 2015, 23
2011/0106880 A1	5/2011 Stroi	ng et al.		appl. No. 13/571,512 dated Feb. 24, 2014, 17
2012/0016915 A1	1/2012 Choi		pages.	ippi. 100. 13/3/1,312 dated 1 60. 2 1, 201 1, 17
2012/0084355 A1	4/2012 Lock			Appl. No. 13/571,512 dated Jun. 13, 2014, 22
2012/0096389 A1 2012/0102410 A1	4/2012 Flam 4/2012 Gew		pages.	
2012/0102410 A1 2012/0127156 A1	5/2012 Gew			Appl. No. 13/571,512 dated May 19, 2016,
2012/0197862 A1	8/2012 Woy		21 pages.	
2012/0330887 A1	12/2012 Your		Office Action for U.S. A	Appl. No. 13/571,512 dated Oct. 20, 2016, 27
2013/0007207 A1	1/2013 Dieta		pages.	
2013/0066975 A1	3/2013 Kant		Office Action for U.S. A	Appl. No. 13/571,512 dated Oct. 26, 2017, 28
2013/0067594 A1	3/2013 Kant		pages.	
2013/0091550 A1 2013/0110903 A1	4/2013 Joyc 5/2013 Mye	rscough et al.		Appl. No. 13/571,512 dated Sep. 23, 2014, 25
2013/0117423 A1	5/2013 Gupt		pages.	4 1 37 14/072 004 1 4 1 4 10 2010
2013/0191451 A1	7/2013 Tse			Appl. No. 14/873,004 dated Aug. 10, 2018,
2013/0198868 A1	8/2013 Geor	rgiev	19 pages.	Appl No. 14/972 004 dated Eab 0, 2019, 29
2013/0205251 A1	8/2013 Cisle			Appl. No. 14/873,004 dated Feb. 9, 2018, 28
2013/0212486 A1	8/2013 Josh		pages.	Appl. No. 14/873,004 dated Jul. 17, 2019, 17
2013/0232187 A1 2013/0246610 A1	9/2013 Worl 9/2013 Hira		pages.	Appr. No. 14/8/3,004 dated 3df. 17, 2019, 17
2013/0275509 A1	10/2013 Micu			Appl. No. 14/873,004 dated Nov. 23, 2018,
2013/0282830 A1	10/2013 Bese		34 pages.	. ipp:///o/ 1 // 0/5,00 / dated 110 // 25, 2016,
2013/0305039 A1	11/2013 Gaud	da et al.	1 0	Appl. No. 14/873,004 dated Oct. 26, 2017, 26
2013/0311598 A1	11/2013 Arro		pages.	11
2013/0311986 A1	11/2013 Arro		Office Action for U.S. A	Appl. No. 15/992,342 dated Jul. 31, 2019, 29
2013/0318582 A1 2014/0095457 A1	11/2013 McC 4/2014 Quai		pages.	
2014/0093437 A1 2014/0181016 A1	6/2014 Whit			a Drive Letter to Google Drive in Windows,"
2014/0188868 A1	7/2014 Hunt			ed from https://www.cnet.com/how-to/how-
2014/0317031 A1	10/2014 Babe		. •	o-Google-Drive-in-Windows/ on Oct. 7, 2016,
2015/0213101 A1	7/2015 Stroi		pp. 1-2.	605 YWY 5 DI - 1 - 1 - 2 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3
2015/0264115 A1	9/2015 Reill			-605—HW 5-Distributed SGD for Matrix
2015/0358406 A1	12/2015 Sche			c," Carnegie Mellon University, Pittsburgh,
2016/0026704 A1	1/2016 Stroi	-	PA, Nov. 12, 2015, pp.	
2016/0028809 A1	1/2016 Stroi	-	* *	498, Mar. 7, 2007, Office Action.
2016/0028810 A1	1/2016 Stroi	ng et al.	O.S. Appr. No. 11/209,	498, Aug. 22, 2007, Office Action.

(56) References Cited

OTHER PUBLICATIONS


U.S. Appl. No. 11/269,498, Mar. 25, 2008, Office Action.
U.S. Appl. No. 12/157,772, Oct. 6, 2010, Notice of Allowance.
U.S. Appl. No. 12/928,998, Apr. 22, 2011, Office Action.
U.S. Appl. No. 12/928,998, Nov. 23, 2011, Office Action.
U.S. Appl. No. 12/928,998, Oct. 9, 2012, Notice of Allowance.
U.S. Appl. No. 13/757,024, Jul. 25, 2013, Notice of Allowance.
U.S. Appl. No. 13/757,024, Oct. 30, 2013, Notice of Allowance.
U.S. Appl. No. 14/075,598, Jan. 14, 2015, Notice of Allowance.
U.S. Appl. No. 14/683,341, Nov. 16, 2017, Office Action.
U.S. Appl. No. 14/683,341, Jun. 25, 2018, Notice of Allowance.
U.S. Appl. No. 14/872,019, Nov. 16, 2017, Office Action.
U.S. Appl. No. 14/872,019, Aug. 29, 2018, Office Action.
U.S. Appl. No. 14/872,019, Feb. 26, 2019, Office Action.
U.S. Appl. No. 14/872,019, Aug. 14, 2019, Office Action.
U.S. Appl. No. 14/873,197, Oct. 5, 2017, Office Action.
U.S. Appl. No. 14/873,197, Jul. 11, 2018, Office Action.
U.S. Appl. No. 14/873,197, Dec. 14, 2018, Office Action.
U.S. Appl. No. 14/873,197, Jun. 3, 2019, Office Action.
U.S. Appl. No. 14/872,943, Oct. 4, 2017, Office Action.
U.S. Appl. No. 14/872,943, Jul. 11, 2018, Office Action.
U.S. Appl. No. 14/872,943, Dec. 19, 2018, Office Action.
U.S. Appl. No. 14/872,943, Jun. 17, 2019, Office Action.
U.S. Appl. No. 14/872,004, Jan. 18, 2018, Office Action.
U.S. Appl. No. 14/872,004, Sep. 6, 2018, Office Action.
U.S. Appl. No. 14/872,004, Mar. 28, 2019, Office Action.
U.S. Appl. No. 14/873,186, Mar. 22, 2018, Office Action.
U.S. Appl. No. 14/873,186, Dec. 13, 2018, Office Action.

```
U.S. Appl. No. 14/873,186, May 15, 2019, Notice of Allowance.
U.S. Appl. No. 14/873,187, Apr. 17, 2018, Office Action.
U.S. Appl. No. 14/873,187, Dec. 10, 2018, Office Action.
U.S. Appl. No. 14/873,187, Apr. 24, 2019, Office Action.
U.S. Appl. No. 14/873,195, Apr. 19, 2018, Office Action.
U.S. Appl. No. 14/873,195, Oct. 26, 2018, Office Action.
U.S. Appl. No. 14/873,195, Apr. 2, 2019, Notice of Allowance.U.S. Appl. No. 14/873,199, Jun. 1, 2018, Office Action.
U.S. Appl. No. 14/873,199, Jan. 25, 2019, Notice of Allowance.
U.S. Appl. No. 14/873,197, Aug. 29, 2019, Notice of Allowance.
Notice of Allowance from U.S. Appl. No. 14/873,187, dated Jun. 24,
2020, 13 pages.
U.S. Appl. No. 14/873,187, Jan. 10, 2020, Office Action.
Advisory Action from U.S. Appl. No. 15/964,267, dated Feb. 18,
2021, 3 pages.
Notice of Allowance from U.S. Appl. No. 16/397,945, dated Feb.
25, 2021, 2 pages.
Final Office Action from U.S. Appl. No. 15/964,267, dated Nov. 30,
2020, 27 pages.
Final Office Action from U.S. Appl. No. 16/397,945, dated Sep. 29,
2020, 20 pages.
Notice of Allowance from U.S. Appl. No. 16/397,945, dated Jan. 6,
2021, 11 pages.
Non-Final Office Action from U.S. Appl. No. 15/964,267, dated
Aug. 6, 2021, 26 pages.
Non-Final Office Action from U.S. Appl. No. 16/991,446, dated Jul.
8, 2021, 18 pages.
```

Notice of Allowance from U.S. Appl. No. 16/991,446, dated Oct. 4,

2021, 10 pages.

^{*} cited by examiner






FIG. 2




Photo Sharing:

• Client app that allows PC—to—PC sharing of high—resolution pictures • Buddy lists and album group management

Share

Videos and slideshows

 Changes to albums synchronized automatically across all devices Synchronize

Mar. 8, 2022

Collaborative annotation of pictures

Fast, easy access to high—resolution images on your computer

Access

Access thru a website that mirrors the view from your desktop

 Easy restoration of app settings, preferences and data on any PC Server backup of shared pictures and application settings

Backup




FIG. 5

Email




FIG. 6

METHOD AND APPARATUS FOR A FILE SHARING AND SYNCHRONIZATION SYSTEM

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 14/873,195, filed on Oct. 2, 2015, which is a continuation of U.S. patent application Ser. No. 14/075,598, 10 filed Nov. 8, 2013 which issued as U.S. Pat. No. 9,037,540, which is a continuation of U.S. patent application Ser. No. 13/757,024, filed on Feb. 1, 2013 which issued as U.S. Pat. No. 8,600,934, which is a continuation of U.S. patent application Ser. No. 12/928,998, filed on Dec. 23, 2010 which issued as U.S. Pat. No. 8,370,298, which is a continuation of U.S. patent application Ser. No. 12/157,772, filed on Jun. 13, 2008 which issued as U.S. Pat. No. 7,885,925, which is a continuation of application Ser. No. 11/269,498, filed on Nov. 8, 2005, which claims priority 20 from provisional application No. 60/626,121 filed Nov. 8, 2004. Each of the aforementioned applications are hereby incorporated by reference in their entirety.

TECHNICAL FIELD

The field of the invention generally relates to data management, and more specifically, to methods of synchronizing data used in personal information managers or other programs, especially when the file or data is used or shared ³⁰ among multiple computing devices.

BACKGROUND

File sharing and data management, in general, is a prob- 35 lem today. With all of the various types of files on different devices such as personal computers, personal digital assistants, or cellular phones, the management of data in an efficient manner from device-to-device is a challenge for users.

In the context of data files in general, files worked on at one location by a user may not be accessible from a device at another location. For example, a user working at home may have files left there on a home computer that are not accessible from a computer at work. Data on one device may 45 be lost because the user failed to regularly back-up the data files on the device. In other situations, short of forwarding each file or email to another account, switching accounts at an internet service providers may cause a user to lose their emails and other personal files resident on that ISPs server. 50 All of these problems with data portability, management, and access create inefficiencies for a user.

Some known systems have tried to address these issues. In the photo sharing context, websites such as Ofoto have allowed users to load files to the Ofoto website to share 55 among multiple devices and multiple users. This does allow some access to images when the user is not at his/her home computer and to share photos with users at remote locations. The sharing of files, however, among multiple users is typically limited to low-resolution versions of the original 60 images, and this sharing of lower quality files may cause a user difficulty in viewing the image. Additionally, there is no data persistence as the files on the server may be deleted after a certain period of inactivity. In systems where users use peer-to-peer sharing or email picture files to each other, 65 images may be lost or hard to track down because the original email was lost or poorly organized among the users

2

files. Additionally, dynamic updating of shared files is not present. The data or file is copied one time and is then static on the sharee's system.

SUMMARY

The present invention provides solutions for at least some of the drawbacks discussed above. Specifically, some embodiments of the present invention provide a repository for a database of files shared in-sync, in real-time across multiple computers or computing devices. Embodiments of the present invention may provide an improved desktop or client application which offers easy sharing of files, automatic synchronization, file access from anywhere, and transparent backup. The present invention desires to be user centric (instead of computer or desktop centric) in the sense that the user can access the user's data regardless of which physical computer or device the user is using. At least some of these and other objectives described herein will be met by embodiments of the present invention.

In one embodiment of the present invention, an improved data management system is provided. The system may comprise a server platform that enables synchronization, back-up, web access, and sharing of applications and data. This allows for a user's data to be accessible from any pc or web browser. Changes to files, email, and/or calendar entries may be synchronized automatically across a user's computers. The shared files will be updated including but not limited to new metadata, improvements to the files, or the like. The system may be configured for transparent backup to a central server. Such systems give the user an ability to reproduce applications with the user's settings and data on any computer with "one click".

In another embodiment of the present invention, a native suite of client applications may be provided that allows for management and access of all the user's data locally on the user's hard drive. The client applications may be downloaded to reside on a user's computer and provide access to a server platform that functions to synchronize files across multiple computing devices and allows for backup of the user's files. The client applications may allow for management of personal email, photo files, video files, personal calendar entries or the like. A rich user interface is provided to make file access and management fast and easy. The client applications take the thinking out of data management and back-up by making it automatic and transparent.

In another embodiment of the present invention, a synchronization engine is provided that allows users to synchronize metadata on files on the system. By way of example and not limitation, this is particularly useful in the sharing of electronic photos where collaborative tagging of files by different users may be enabled by the invention to more accurately organize and search for picture files. The updating and synchronizing of metadata allows all users to benefit from more detailed metadata that may be provided by one user, which is then cascaded or pushed to picture files resident on other computers of other users that share the file.

In one aspect, the present invention allows for the persistence of data. The user can change computers, emails accounts, but the emails, photos, or other user files may persist and can be downloaded to the user's system at different computer terminals or portable devices. These applications may be accessed through a web application if the user is on a public terminal or if the user is at a computer they do not own. The client may be also be downloaded to the computer. The present invention provides real-time, synchronized storage of a users files at a central server. This

creates a backup for the user and no longer ties the user to any one particular physical device, so long as the user has access to the server.

A further understanding of the nature and advantages of the invention will become apparent by reference to the 5 remaining portions of the specification and drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are included as part of the present specification, illustrate the presently preferred embodiment of the present invention and together with the general description given above and the detailed description of the preferred embodiment given below serve to explain and teach the principles of the present invention.

FIG. 1 illustrates a block diagram of an exemplary client server architecture, according to one embodiment of the present invention;

FIG. 2 illustrates a block diagram of an exemplary process for synchronizing a data object amongst the clients, according to one embodiment of the present invention;

FIG. 3 illustrates a block diagram of an exemplary architecture of a server platform, according to one embodiment of the present invention;

FIG. 4 illustrates a block diagram of an exemplary photo sharing application, according to one embodiment of the present invention;

FIG. 5 illustrates a block diagram of an exemplary synchronization architecture, according to one embodiment of ³⁰ the present invention; and

FIG. 6 illustrates a block diagram of an exemplary method is provided for aggregating messages from multiple email accounts into a single virtual account which is synchronized across multiple computers and devices, according to one 35 embodiment of the present invention.

DETAILED DESCRIPTION

It is to be understood that both the foregoing general 40 description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention, as claimed. It may be noted that, as used in the specification and the appended claims, the singular forms "a", "an" and "the" include plural referents unless the 45 context clearly dictates otherwise. Thus, for example, reference to "a processor" may include may include multiple processors, and the like. References cited herein are hereby incorporated by reference in their entirety, except to the extent that they conflict with teachings explicitly set forth in 50 this specification.

A "server" in a hardware configuration may be a computer such as a personal computer (PC) or other intelligent device. A server typically performs the bulk of the centralized or generalized tasks in the network and often has more 55 memory, processing speed, and storage than the other device on the client-server network. Alternatively, the server may perform specialized tasks such as distributing electronic mail, data storage or printing. In the software arrangement, a "server" typically is a program that provides data, stores 60 data, or provides some service to other programs to lo which the server is connected. A server may be a program with higher priority, greater memory, or greater capabilities compared to the other programs connected through the network. A server also may be a program that includes specialized 65 capabilities or has higher priority with respect to certain tasks or functions.

4

A "client" in the software arrangement is generally a program used by a user. A client program typically makes use of data, processing, storage, or other resources of another program. A client may be used to communicate with a source or destination through a higher priority, more powerful, more capable or different program. The client may run on a computer such as a personal computer (PC), intelligent device, personal digital assistant (PDA) or workstation used by a user. In use, the client may carryout tasks in the process of which the client may request information or otherwise may use the resources of another object such as the server or another client to accomplish such tasks. Synchronization

Referring now to FIGS. 1 and 2, one embodiment of a system for sharing files among multiple computing devices will now be described. One of the components of the present invention is that if a user has multiple computers, the data is kept in-sync and in real-time across all of the users computers connected to a network. If the user makes a change on one computer to the database or a file, the change is synchronized to the server and synchronized in real-time to the user's other computers. This means that changes made on one computer are kept up-to-date on the server. The user can sit down at any of the user's other computers (or at a set of computers defined by the user) and pick-up where the user left off. The user can also log onto to a website and using a web application, pick-up where the user left off. This allows the user's files to be accessed from any number of different workspaces. Additionally, it should be understood that clients that run on mobile devices may be used to access the user's files.

FIG. 1 shows how computers or devices running clients 10, 12, 14, 16, and 18 may be coupled to each other via servers. FIG. 1 is a logical diagram of various clients communicating through a server platform. Client 10 and client 12 are able to hook into the wide area network 20 by means of logically connecting to a server 22. The wide area network 20 could be the Internet or an intranet or any other such wide area network or even a local area network. In like manner, client 14 has access to the wide area network 20 through server 24 and client 16 and client 18 have access through server 26. Although multiple servers are shown for this example, it should be understood that some embodiments may use only one server for the server platform to connect all sharing clients together.

The respective servers 22, 24, and 26 can communicate with one another directly or indirectly. The actual clients may not have the capability to communicate with any other entity besides the respective server to which they are connected but through the wide area network and the ability of the servers to communicate.

The net effect of such an arrangement allows any client to communicate with any other client through the transport connection between servers. This allows each client, regardless of the server to which it is connected, the ability to send messages to each other client over the wide area network 20. In this manner, clients may be given the ability to control replication as will be shown hereafter without regard to the type of server to which they may be connected or the client's ability to directly communicate with another client. By way of example and not limitation, the servers 22, 24, and 26 may form a server platform and at least one of the servers may run a synchronization engine for distributing updates among different clients.

FIG. 2 is a schematic depicting the basic paradigm for synchronizing a data object amongst the clients. Referring to FIG. 2, changes or updates 30 from a sharing client 34 will

be sent to the synchronization engine 32 which will forward or update a copy of a data object on each of the clients listed as part of the plurality of sharing clients 34 in order to synchronize that data object with other sharing clients. Each client preferably has the ability to communicate with a server and have the appropriate software running thereon. The sharing client 34 may operate to synchronize a local database on the local computer with a remote database, such as a server database on a datastore 40 in FIG. 3 that may be maintained on one server or a server farm. In this example, the server or server farm may be coupled to the network, and receive and transmit communications via a firewall, provided by a server fain, provider, that implements well-know security features.

There are a variety of ways to notify the sharing clients 34 that a change has been made. In one embodiment of the present invention, if changes are made by one of the sharing clients 34 to a particular data object, an update message 30 is sent from the particular sharing client to the synchroni- 20 zation engine 32. The synchronization engine, in turn, will make the particular adjustment to the original or copy of the data object on the server and distribute the data object out to each of the sharing clients 34. The update message 30 may include instructions, such as a delete command to remove a 25 particular data object or a modify command for modifying a particular data object. One way of representing a modification to an existing data object or the creation of a new data object is to include the actual data object in its modified form. Thus in some embodiments, updates are represented by sending a new copy of the entire object.

This two way synchronization may occur in real-time which, for example and not limitation, may occur with the files being updated whenever an autosave occurs to the data or file being edited. The autosaved version may be updated to the server having the synchronization engine and then pushed out or cascaded to the sharing clients. Some sharing clients may be configured to accept updates to files that are not currently being edited on at the local client, to prevent 40 any conflicts. In some embodiments, the user may be prompted that there has been an update on a file they are editing locally and may accept or reject the changes. For changes to metadata, some embodiments of the present invention may allow simultaneous edits and merge them 45 without notifying the user. If two users are editing separate fields, both changes will persist. If both users modify the same field, one of the changes will be silently discarded. For files, the user will be prompted to choose which version to keep.

Referring now to FIG. 3, a schematic showing the architecture of a server platform according to the present invention will now be described. In this embodiment, the server platform may be at least one server 22 which has a synchronization engine 32 which communicates with sharing 55 clients 34 running on devices which may be but are not limited to desktop computers and laptop computers. This allows updates received by the server to be updated to the sharing clients 34. The sharing clients 34 may also communicate with each other as indicated by arrow 36.

As seen in FIG. 3, the server 22 may include a datastore 40 that holds complete copies of the user files being shared. In a picture sharing environment, full resolution and complete copies of those files are also resident on the local computers of each sharing client 34. In other words, complete copies of files exist at the server level and at the local level for each of the computers or devices sharing the files.

6

A database engine **42** and file management engine **44** may also be used to organize and access the files in the datastore **40**

FIG. 3 also shows that instead of using a sharing client 34, a web browser 50 may also be used to access the user files resident in the datastore 40 of the server 22. Although a web browser such as Microsoft Internet Explorer is shown in FIG. 3, it should be understood that a variety of other browsers such as Netscape, WAP browsers, or the like may also be used. In one embodiment of the present invention, the server 22 may include a web front end 52 that allows a user to access files such as shared photo files, email, data files, and/or calendar files. The web front end 52 may be a website or web application that allows the user to access the datastore 40 for picture files, calendars, and/or data files. In this embodiment, mail services and photo services may also be available through the web front end 52 through mail gateways on the server (SMTP and POP/IMAP for sending and receiving email) and photo gateways (printing gateways or MMS gateways for handling media files). Again, files in datastore 40 are again pushed out to other sharing clients 34 so that the most recent versions are available to the users of the shared files.

Although files may be accessed through the web interface and are not limited to the following, the primary method of accessing information is through a native client on the user's local hard drive or computing device. The files being accessed are accessed from the user's local hard drive. This also allows the user to access files while offline. When connections are continuously available, the files are continuously synchronized. When a continuous connection is not available, then the next time the user's connected, the changes will be synchronized.

In one embodiment, the sharing client 34 may have two modes of operation namely (1) an off-line mode wherein the client machine is not connected to the network and (2) an on-line mode wherein the client machine is connected to the network. In the off-line mode, the sharing client 34 performs only local operations. When operating in the on-line mode, the client 34 will be configured to receive real-time updates with the synchronization engine 32 to perform global synchronization operations.

When communications are first established between the server 22 and the desktop computer, there are potentially a number of modified, unsynchronized objects on the two computers. Again there may be variety of ways to determine which files need updating. Synchronization may be based on the time of the last update or may be based on some other criteria set by the user. For example and not limitation, the system may utilize an appropriate sequence number scheme employed by the local database on a sharing client 34. Specifically, a sequence number may be communicated of the last activity with respect to the local database of which the server database was aware. The synchronization engine 32 will then communicate records for all activity occurrences that have sequence numbers greater than the sequence number communicated. Other embodiments may have the synchronization engine maintain a log of changes. The log is provided to sharing client 34 when communications are established. The log indicates object identifiers for the objects that have been modified, added, or deleted in the server's datastore.

In some cases, an object will have changed in both the server and the local device. If so, the user is prompted to resolve the conflict by deciding which modification should be retained. In one embodiment of the invention, the server instance of the object is received by sharing client 34 from

a synchronization engine and used to create a new object in desktop object store. The sharing client **34** may prompt a user to decide which of the two objects (server or client) should be retained. If the server version of the object is selected, it replaces the desktop version. If the desktop version is selected, it is sent to the server synchronization engine to overwrite the existing version of the object in server object store.

FIG. 4 describes the application of the present embodiment of the system to a photo sharing application. In this application, the application of the sharing client 34 allows PC-to-PC sharing of high-resolution pictures. The full resolution copies of the pictures are resident on the computers running the sharing client 34 and also on the datastore 40 on the server 22 of the server platform. The sharing client 34 is may include buddy lists and album group management to organize the files being shared. In addition to picture files, other files such as but not limited to videos and slideshows may also be shared.

When a user with a sharing client 34 makes changes to 20 albums or files on a local computer, the changes are synchronized automatically across all devices. The saved changes are sent from one sharing client 34 to the synchronization engine 32 on the server 122. The synchronization engine 32 will have the datastore 40 updated with the latest 25 file and also transmit this latest version to other sharing clients 34 that are designated as sharing with the sharing client 34 that originated the changes. Changes are synchronized even when annotation or metadata is updated for a file. This allows for collaborative annotation of pictures or other 30 files.

The present invention allows fast, easy access to high-resolution images on the computer of each user sharing the files. Access is also available through a website that mirrors the view from the user desktop. Furthermore, since full 35 resolution copies of files are resident in the datastore 40 of the server 22, server backup of shared pictures and application settings occur automatically. This allows for easy restoration of application settings, preferences and data on any PC.

Two-Level Sharing:

Referring now to FIG. 5, in one aspect of synchronization, some embodiments of the present invention control the release of updates to computers outside of a defined subset 60 of computers. The present invention may provide a 45 multi-phase commit process for shared files and data objects where changes are visible only to a single user or group of users until they are published to a wider audience 62. By way of example and not limitation, updates the user makes to a file may be reflected on the user's own computers, but not on any of the other computers (outside the subset) where the user has shared the file until the user publishes the changes. It is a two-step file save process. The draft change may also be released to a subset of users who are sharing the document

For example, an application may automatically save changes to a document as a user edits it. These changes will be saved to the datastore and synchronized to other computers belonging to the user who made the changes. They will not be visible to other users until the owner chooses to 60 publish them. This could be a multi-phase process where the changes are first published to a group which is a subset of all users who have access to the data object before being published to a wider audience. This is analogous to a two phase commit in a transactional database with a few important distinctions. In a traditional database, the changed record is locked (inaccessible to other users) until the

8

transaction is committed and uncommitted changes are only visible within a single session. In this model, the original object is not locked, and the changes are stored in the database and are accessible to other sessions.

In one embodiment of the present invention, when a user first accesses a repository in the datastore, a separate logical branch is created. This branch is accessible to the user from any computer. In the beginning, this branch is empty, and all accesses are passed through to the original repository. As the user edits objects in the repository, the revisions are stored in the branch, and accesses to modified objects will incorporate these revisions. When the user publishes his changes, the modified records in the branch will be integrated with the main repository, where they will be available to other users. It is possible to create multiple levels of branches, some of which may be shared with other users, allowing the sharing of draft changes with a group of users before they are committed. The user does not need to understand the concept of a branch, only the concept of publishing changes.

For instance, in the photo sharing case, the user can modify a picture with red eye reduction, after the user has already shared the original file with a plurality of people. Immediately, those changes will be synchronized across all of the user's multiple computers or device, but not with the previous shares. Once the user is completely done editing the picture, the server can publish the changes to all his/her shares. It should be understood of course that additional layers of sharing may be implemented to more precisely control the level of access to any particular files. Some embodiments may have multiple layers of sharing.

File Restoration

Embodiments of the present invention may also provide a method for installing applications in which all of a user's settings and data are automatically restored. An application utilizing the platform of the present invention will automatically synchronize all of its settings and data to at least one server. When a user installs an application that he has previously used on another system, all settings and data are automatically restored to their most recent state as part of the install process. In the photo sharing instance, what this means is if a user suffers a hard drive crash or other catastrophic loss of data, the user can automatically reinstall the application and all the data, including buddy lists, album structures, preferences, etc., without having to manually recreate it. If the system was configured to share these files, then the system will have a copy of the files on datastore 40.

Thus data is restored as it was, the last time the user used it. All of the preferences, applications, and data are the same as the last time the user used it. A user would start the installer and would not need to reconfigure the computer to have the preferences and settings from the last use.

Collaborative Metatagging

The present invention also allows for improved metatagging. Tagging is painful and sometimes too much of a burden for a single user. Any updates or tagging will then be synchronized. The sharing experience becomes much richer when the files can be more accurately sorted through metadata. The collaborative tagging improves organizing of pictures. For example and not limitation, all the pictures that a user likes can be sorted and will then be on the user local drive.

The present invention provides a method for allowing photo metadata to be collaboratively created and edited. When a user shares a photo album with others, the user may choose to grant the recipients permission to update metadata relating to the photos in the album (e.g., location and people or objects in the pictures). In the present embodiment, these

changes will be propagated to all recipients of the album, allowing them to search on the metadata. So, if one user is not organized enough to enter captions or people for the metadata for that file, if the user shares the album with a plurality of other people, changes entered by any of those people will be propagated to everyone sharing the files, thus enhancing everyone's viewing experience.

Email Aggregation and Synchronization

Referring now to FIG. 6, in another aspect of the present invention, a method is provided for aggregating messages from multiple email accounts into a single virtual account which is synchronized across multiple computers and devices. This will provide a non-browser method to access personal email. In one embodiment of the invention, the server 22 checks all of a user's personal email accounts 80 15 and imports the messages into the datastore 40. The messages are synchronized to all of the user's computers and devices, as are any further changes to the mailstore (e.g. deletions, flags, filing to a folder). The present invention gives customers a virtual Microsoft Exchange experience for 20 their personal email. The layer of abstraction provided by the present invention will give customers freedom from worrying about checking multiple different email accounts through a browser, and instead have access to one inbox, with one set of contacts, etc., that is replicated across all of 25 the user's computers and a server to allow the user to access from anywhere. So, if the user deletes an email message on one computer, or adds a contact to the client in one computer, the change is immediately propagated to all the other

For the present invention, the email integration is based on: 1) aggregation of multiple personal email accounts (all from a central place and all on a central account) and 2) centralization on the server to allow a user to access from multiple computers with the same inbox and contact list. If 35 an email is moved on one server, it moves it in all inboxes. This occurs for personal email aggregated from POP, IMAP accounts, etc). Files are synchronized by the server 22 to all other clients which may access the integrated email. Thus, the present embodiments build a synchronization engine and 40 layer the email client application on top of the synchronization engine. The datastore integrates with the synchronization engine to send updated files to the sharing clients.

Thus, the server 22 in this embodiment also handles aggregation of emails from multiple accounts. The client 45 runs on the local computer and accesses the server with the datastore. The synchronization and aggregation occurs at the server. As mentioned, this system is for the personal email accounts. Multiple personal email accounts are checked through multiple browsers or multiple sessions. In the user's 50 local client, the emails are aggregated. This creates some email portability. All the emails are on the local server and not just on the server of the email service. The present invention provides real-time synchronization among multiple devices and provides aggregation of multiple personal 55 email accounts. The synchronization keeps the connection open at all times so that update changes will be reflected on the new computers.

In one embodiment of the invention, the mailstore will receive email from the personal email accounts for integration and storage on a datastore **40** on server **22**. Files on those personal email accounts may then be deleted to reflect changes made in the mailstore. For example and not limitation, spam email that a user deletes from the files on the mailstore will also be deleted from the individual personal 65 accounts so that they are not present if the user accesses the personal accounts directly. Most of these personal accounts

10

are web-based, browser-based accounts. Updates that the user makes to mailstore on the server 22 will be reflected back to those email services. Changes may be reflected back to the originating service via POP, IMAP, or another protocol such as but not limited to Web-DAV.

While the invention has been described and illustrated with reference to certain particular embodiments thereof, those skilled in the art will appreciate that various adaptations, changes, modifications, substitutions, deletions, or additions of procedures and protocols may be made without departing from the spirit and scope of the invention. For example, with any of the above embodiments, the synchronization engine may synchronize with a personal information module (PIM) (such as but not limited to Microsoft Outlook or the Palm Desktop) or with a Personal Digital Assistant (PDA) (such as but not limited to a Palm device or any Windows CE device). In a further alternative, the present invention may also be used to update a user's personal calendar. This may be a calendar that is separate from the one the user may have at work. Additionally, the integrated email, calendar, and other applications may form a suite of applications where there is one interface accessed by the user that synchronizes multiple sources (emails, photos, and calendars). This will be a way to synchronize all personal data.

The publications discussed or cited herein are provided solely for their disclosure prior to the filing date of the present application. Nothing herein is to be construed as an admission that the present invention is not entitled to antedate such publication by virtue of prior invention. Further, the dates of publication provided may be different from the actual publication dates which may need to be independently confirmed. All publications mentioned herein are incorporated herein by reference to disclose and describe the structures and/or methods in connection with which the publications are cited.

Expected variations or differences in the results are contemplated in accordance with the objects and practices of the present invention. It is intended, therefore, that the invention be defined by the scope of the claims which follow and that such claims be interpreted as broadly as is reasonable.

What is claimed is:

1. A method comprising:

receiving, by a content management system and from a first client device associated with a first user, an indication that the first user is accessing a file that the content management system stores and synchronizes between the first client device and a second client device associated with a second user;

detecting, by the content management system while the first user is accessing the file, an update to the file based on information received from the second client device associated with the second user;

providing, to the first client device while the first user is accessing the file, a prompt indicating the update to the file initiated by the second client device based on detecting the update to the file;

detecting a second update to the file different from the update initiated by the second client device; and

based on detecting the second update to the file, preserving both the update and the second update to persist within the file.

2. The method of claim 1, further comprising:

detecting the second update while detecting the update to the file initiated by the second client device and based on information received from the first client device associated with the first user;

- determining that the second update modifies content in a different portion of the file than the update initiated by the second client device; and
- based on determining that the second update modifies content in a different portion than the update, preserving both the update and the second update to persist within the file.
- 3. The method of claim 1, further comprising:
- detecting the second update while detecting the update to the file initiated by the second client device and based on information received from the first client device associated with the first user;
- determining that the second update modifies content in a same portion of the file as the update initiated by the second client device; and
- based on determining that the second update modifies content in the same portion than as update, providing a prompt to the first client device requesting an indication of which update to keep between the update and the 20 second update.
- **4**. The method of claim **1**, wherein providing the prompt indicating the update to the file comprises providing an option with respect to the update to the file initiated by the second client device.
- 5. The method of claim 4, wherein the option with respect to the update comprises an option to accept the update to the file.
 - **6**. The method of claim **5**, further comprising:
 - receiving, from the first client device, an indication that the first user selected the option to accept the update to the file; and
 - providing, to the first client device in response to the indication that the first user selected the option to accept the update, an updated version of the file that includes the update to the file initiated by the second client device.
- 7. The method of claim 4, wherein the option with respect to the update comprises an option to reject the update to the $_{40}$ file
- **8**. The method of claim **1**, wherein providing the prompt indicating the update to the file comprises providing the prompt to prevent conflicts for the file in real time while the file is being edited at the second client device.
- 9. A non-transitory computer readable storage medium comprising instructions that, when executed by at least one processor, cause a computing device to:
 - receive, by a content management system and from a first client device associated with a first user, an indication 50 that the first user is accessing a file that the content management system stores and synchronizes between the first client device and a second client device associated with a second user;
 - detect, by the content management system while the first 55 user is accessing the file, an update to the file based on information received from the second client device associated with the second user;
 - provide, to the first client device while the first user is accessing the file, a prompt indicating the update to the 60 file initiated by the second client device based on detecting the update to the file;
 - detect a second update to the file different from the update initiated by the second client device; and
 - based on detecting the second update to the file, preserve 65 both the update and the second update to persist within the file.

12

- 10. The non-transitory computer readable storage medium of claim 9, wherein providing the prompt indicating the update to the file comprises indicating the prompt to prevent conflicts for the file.
- 11. The non-transitory computer readable storage medium of claim 9, wherein detecting the update to the file based on the information received from the second client device comprises detecting that the second user is accessing the file on the second client device.
- 12. The non-transitory computer readable storage medium of claim 9, wherein detecting the update to the file based on the information received from the second client device comprises detecting edits to the file applied by the second user on the second client device.
- 13. The non-transitory computer readable storage medium of claim 12, wherein providing, to the first client device, the prompt indicating the update to the file comprises providing an option with respect to the edits to the file applied by the second user on the second client device.
- 14. The non-transitory computer readable storage medium of claim 13, wherein the option with respect to the edits comprises an option to accept the edits to the file.
- 15. The non-transitory computer readable storage medium of claim 14, further comprising instructions that, when
 executed by the at least one processor, cause the computing device to:
 - receive, from the first client device, an indication that the first user selected the option to accept the edits to the file; and
 - provide, to the first client device, an updated version of the file that includes the edits to the file applied by the second user on the second client device.
 - 16. A system, comprising:

at least one processor; and

- a non-transitory computer readable storage medium comprising instructions that, when executed by the at least one processor, cause the system to:
- receive, by a content management system and from a first client device associated with a first user, an indication that the first user is accessing a file that the content management system stores and synchronizes between the first client device and a second client device associated with a second user;
- detect, by the content management system while the first user is accessing the file, an update to the file based on information received from the second client device associated with the second user;
- provide, to the first client device while the first user is accessing the file, a prompt indicating the update to the file initiated by the second client device based on detecting the update to the file;
- detect a second update to the file different from the update initiated by the second client device; and
- based on detecting the second update to the file, preserve both the update and the second update to persist within the file.
- 17. The system of claim 16, wherein detecting the update to the file based on the information received from the second client device comprises detecting that the second user is accessing the file on the second client device.
- 18. The system of claim 16, wherein detecting the update to the file based on the information received from the second client device comprises detecting edits to the file applied by the second user on the second client device.
- 19. The system of claim 18, wherein providing, to the first client device, the prompt indicating the update to the file comprises providing an option to accept the edits to the file.

20. The system of claim 19, further comprising instructions that, when executed by the at least one processor, cause the system to:

receive, from the first client device, an indication that the first user selected the option to accept the edits to the 5 file; and

provide, to the first client device, an updated version of the file that includes the edits to the file applied by the second user on the second client device.

* * * * 10