



US00PP28191P3

(12) **United States Plant Patent**
Suphachadiwong

(10) **Patent No.:** **US PP28,191 P3**

(45) **Date of Patent:** **Jul. 11, 2017**

(54) **SANSEVIERIA** HYBRID PLANT NAMED
'SUPSAN1402'

(50) Latin Name: *Sansevieria* Thunb.
Varietal Denomination: **Supsan1402**

(71) Applicant: **Thumrong Suphachadiwong,**
Bangphra (TH)

(72) Inventor: **Thumrong Suphachadiwong,**
Bangphra (TH)

(73) Assignee: **Suphatchatwong Innovation Co., Ltd.,**
Bangphra (TH)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 117 days.

(21) Appl. No.: **14/757,005**

(22) Filed: **Nov. 6, 2015**

(65) **Prior Publication Data**
US 2016/0143206 P1 May 19, 2016

(30) **Foreign Application Priority Data**
Nov. 14, 2014 (QZ) PBR 2014/2946

(51) **Int. Cl.**
A01H 5/12 (2006.01)

(52) **U.S. Cl.**
USPC **Plt./382**

(58) **Field of Classification Search**
USPC **Plt./373, 382**
See application file for complete search history.

Primary Examiner — Susan McCormick Ewoldt

Assistant Examiner — Karen Redden

(74) *Attorney, Agent, or Firm* — Samuel R. McCoy, Jr.

(57) **ABSTRACT**

A new and distinct *Sansevieria* cultivar named
'Supsan1402' which is characterized by the combination of
pineapple-like foliage with a limited number of arched
leaves radiating from a basal rosette, unique coloration and
patterning of the foliage, narrow foliage, soft and brittle
foliage which will not inflict bodily harm, and the stability
of all characteristics from generation to generation. The new
variety is a *Sansevieria*, typically produced as an indoor
ornamental plant.

2 Drawing Sheets

1

Latin name of the genus and species: The Latin name of
the genus and species of the novel variety disclosed herein
is *Sansevieria* Thunb.

Variety denomination: The inventive variety of *Sansevi-*
eria disclosed herein has been given the variety denomina-
tion 'Supsan1402'.

**CROSS REFERENCE TO RELATED
APPLICATIONS**

This application claims priority to the Community Plant
Variety Rights application number 2014/2946, filed Nov. 14,
2014, which is herein incorporated by reference.

BACKGROUND OF THE INVENTION

Parentage: The *Sansevieria* variety 'Supsan1402' origi-
nated as a seedling selection from the controlled pollination
of the unpatented, proprietary seed parent, *Sansevieria*
hybrid 'VH5', with the unpatented, proprietary pollen par-
ent, *Sansevieria* 'MH5'. Both parents were developed by,
and are owned by, the inventor and were never commercially
released. Said crossing was conducted by the inventor in a
small, netted greenhouse in Chonburi, Thailand in Decem-
ber of 2010. Seeds resulting from the cross were harvested
and subsequently sown in March of 2011. Resulting progeny
were grown to maturity for the evaluation of unique char-
acteristics. Of these progeny, several varieties were selected
which exhibited a pineapple-like growth habit with a limited
number of arched leaves radiating from a basal rosette,
unique coloration and patterning of the foliage, and foliage

2

which was soft and brittle so as not to inflict injury if the
plants were to come into contact with a hand or other body
part.

After further observation of said candidate varieties, one
plant was selected in March of 2012 which exhibited a
combination of unique characteristics suitable for commer-
cial release. After identifying the new variety as a potentially
interesting selection, the inventor continued confidential
testing and propagation, assessing stability of the unique
characteristics of this variety. The new cultivar was given
the breeder denomination 'Supsan1402'.

Asexual Reproduction: Asexual reproduction of
'Supsan1402' by way of harvesting vegetative ground
shoots was first initiated in April of 2012 at Chonburi,
Thailand. Access to all plants was restricted, as plants were
kept in a greenhouse not open to the public. Through
subsequent propagation of vegetative ground shoots, eight
generations have been reproduced, which have shown that
the unique features of this cultivar are stable and reproduced
true to type.

SUMMARY OF THE INVENTION

The cultivar 'Supsan1402' has not been observed under
all possible environmental conditions and the phenotype
may vary somewhat with variations in environment such as
temperature, day length, and light intensity, without, how-
ever, any variance in genotype. The following traits have
been repeatedly observed and are determined to be the
unique characteristics of 'Supsan1402'. These characteris-
tics in combination distinguish 'Supsan1402' as a new and
distinct *Sansevieria* cultivar:

1. *Sansevieria* ‘Supsan1402’ exhibits a limited number of leaves; and
2. *Sansevieria* ‘Supsan1402’ exhibits a pineapple-like growth habit with a limited number of arched leaves radiating from a basal rosette; and
3. *Sansevieria* ‘Supsan1402’ exhibits foliage with a unique color pattern of dark green and silver; and,
4. *Sansevieria* ‘Supsan1402’ exhibits narrow foliage; and
5. *Sansevieria* ‘Supsan1402’ exhibits soft and brittle foliage which will not inflict bodily harm if plants come into contact with a hand or other body part.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 illustrates, as nearly true as it is reasonably possible to make the same in color photographs of this type, an exemplary plant of ‘Supsan1402’ grown in a commercial greenhouse in Chonburi, Thailand. This plant is approximately 20 weeks old, shown planted in a 10.5 cm container.

FIG. 2 illustrates, as nearly true as it is reasonably possible to make the same in color photographs of this type, the typical foliage of ‘Supsan1402’.

BOTANICAL DESCRIPTION OF THE PLANT

The following observations and measurements describe a twenty week-old ‘Supsan1402’ plant grown in a commercial greenhouse in Chonburi, Thailand. The plants were grown under plastic with a 20% shade cloth, thus controlling the amount of sunlight and sheltering said plants from rain.

Those skilled in the art will appreciate that certain characteristics will vary with older or, conversely, with younger plants. ‘Supsan1402’ has not been observed under all possible environmental conditions. Where dimensions, sizes, colors and other characteristics are given, it is to be understood that such characteristics are approximations or averages set forth as accurately as practicable. The phenotype of the variety may differ from the descriptions set forth herein with variations in environmental, climactic and cultural conditions. Color notations are based on *The Royal Horticultural Society Colour Chart*, The Royal Horticultural Society, London, 2015 (sixth edition).

A botanical description of ‘Supsan1402’ and comparisons with other varieties of *Sansevieria* are provided below.

Plant description:

Growth habit.—Monopodial; rosulate.

Average height.—30.3 cm.

Plant spread.—Average of 31.1 cm.

Growth rate.—Approximately 5 cm per month.

Propagation type.—Division of vegetative ground shoots; harvesting ground shoots from the mother plant.

Propagation details.—The time needed to root a shoot division is approximately 2 to 3 months with temperatures ranging from approximately 14 to 40 degrees Celsius.

Disease resistance.—Similar to other *Sansevieria* varieties.

Drought tolerance and cold tolerance.—Similar to other *Sansevieria* varieties.

Root system:

General.—Moderately dense and moderately branched rooting; roots are moderately thick to slightly fibrous.

Texture.—Slightly fleshy.

Color.—Greyed-Orange RHS N170B.

Foliage:

Arrangement.—Rosulate.

Abundance; density.—18 leaves on a 20 week-old plant.

Lamina.—Dimensions — 24.1 cm long (including the leaf sheath) and 2.1 cm wide. Thickness — Approximately 0.6 cm. Shape of blade — Linear; strongly carinate and succulent. Aspect — Leaves are arched and emerge from the soil at an average angle of 65° to soil level (with 0° being horizontal). Apex — Pungent yet not sharp to the touch. Base — Decurrent. Margin — Entire. Texture of top surface — Glabrous, moderately glossy. Texture of bottom surface — Glabrous, moderately glossy. Color — Juvenile foliage, adaxial surface — Green, in between near RHS 137B and 137C; radially banded and marbled with Yellow-Green near RHS 147D to Greyed-Green near RHS 193A. Juvenile foliage, abaxial surface — Green near RHS 137B; radially banded and marbled with Yellow-Green RHS 148D to Greyed-Green RHS 194B. Mature foliage, adaxial surface — Green, in between RHS 139A and N189A, yet darker; strongly radially banded and marbled with Green near RHS 137B and 137C. Mature foliage, abaxial surface — Green, near RHS 139A; strongly radially banded and marbled with Yellow-Green RHS 148D to Greyed-Green RHS 191B. Venation — Parallel. Venation Coloration — Not distinguishable from the leaf surface; coloration is the same as surrounding leaf.

Petiole.—No petioles present, leaves sessile.

Sheath.—Dimensions — 2.8 cm long and 1.8 cm wide, on average. Color — Yellow-Green, near RHS 145C to 145D. Texture — Glabrous; moderately glossy.

Inflorescence: No flowering has been observed to date.

COMPARISONS WITH THE PARENT PLANTS

Plants of the new cultivar ‘Supsan1402’ are similar to the seed parent, *Sansevieria* ‘VH5’, in most horticultural characteristics. However ‘Supsan1402’ differs from the seed parent in the following characteristics:

1. ‘Supsan1402’ exhibits a larger overall plant size when compared to ‘VH5’.
2. The foliage color of ‘Supsan1402’ is more attractive when compared to the foliage color of ‘VH5’.
3. When compared to ‘Supsan1402’, ‘VH5’ exhibits more vigorous growth and a greater number of shoots per plant, in plants of equivalent age.

Plants of the new cultivar ‘Supsan1402’ are similar to the pollen parent, *Sansevieria* ‘MH5’, in most horticultural characteristics. However ‘Supsan1402’ differs from the pollen parent in the following characteristics:

1. ‘Supsan1402’ exhibits a more compact growth habit and a smaller overall plant size when compared to ‘MH5’.
2. ‘Supsan1402’ exhibits a more distinct patterning of the foliage color when compared to the foliage patterning of ‘MH5’.
3. When compared to ‘Supsan1402’, ‘MH5’ exhibits more vigorous growth and a greater number of shoots per plant, in plants of equivalent age.

COMPARISONS WITH SIMILAR *SANSEVIERIA* CULTIVARS KNOWN TO THE INVENTOR

‘Supsan1402’ is similar in many horticultural characteristics to the commercial variety *Sansevieria* ‘Farah’ (un-

patented in the United States). However 'Supsan1402' differs from 'Farah' in the following characteristics:

1. The primary foliage color of 'Supsan1402' is dark green, whereas the primary foliage color of 'Farah' is a lighter green color.
2. The secondary foliage color of 'Supsan1402' is silver, whereas 'Farah' almost completely lacks a secondary foliage color.
3. The abaxial foliage color of 'Supsan1402' is silver and green, whereas the abaxial foliage color of 'Farah' is green.
4. 'Supsan1402' exhibits thicker foliage when compared to the foliage of 'Farah'.

5. 'Supsan1402' exhibits wider foliage when compared to the foliage of 'Farah'.
6. The foliage of 'Supsan1402' is more arched when compared to the upright foliage of 'Farah'.
7. 'Supsan1402' produces fewer ground shoot offsets and is therefore less dense, when compared to 'Farah'.

That which is claimed is:

1. A new and distinct variety of *Sansevieria* plant named 'Supsan1402', substantially as described and illustrated herein.

* * * * *

FIG. 1



FIG. 2

