



(86) Date de dépôt PCT/PCT Filing Date: 2004/09/17
(87) Date publication PCT/PCT Publication Date: 2005/03/24
(85) Entrée phase nationale/National Entry: 2006/02/27
(86) N° demande PCT/PCT Application No.: EP 2004/010471
(87) N° publication PCT/PCT Publication No.: 2005/026210
(30) Priorités/Priorities: 2003/09/18 (US10/666,332);
2004/06/25 (GB0414309.5)

(51) Cl.Int./Int.Cl. *C07K 16/28* (2006.01),
C12N 15/79 (2006.01), *C12N 15/62* (2006.01),
A61K 39/395 (2006.01), *C12N 15/13* (2006.01),
C12N 5/10 (2006.01), *A61P 37/00* (2006.01)

(71) Demandeur/Applicant:
NOVARTIS AG, CH

(72) Inventeurs/Inventors:
KOLBINGER, FRANK, DE;
CARBALLIDO HERRERA, JOSE M., AT;
ASZODI, ANDRAS, AT;
SALDANHA, JOSE W., GB;
HALL, BRUCE M., AU;
...

(74) Agent: FETHERSTONHAUGH & CO.

(54) Titre : MOLECULES DE LIAISON THERAPEUTIQUES
(54) Title: THERAPEUTIC BINDING MOLECULES

(57) **Abrégé/Abstract:**

A molecule comprising at least one antigen binding site, comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3, said CDR1 having the amino acid sequence Asn-Tyr-Ile-Ile-His (NYIIH), said CDR2 having the amino acid sequence Tyr-Phe-Asn-ProTyr-Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) and said CDR3 having the amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT); e.g. further comprising in sequence the hypervariable regions CDR1', CDR2' and CDR3', CDR1' having the amino acid sequence Arg-Ala-Ser-Gln-Asn-Ile-Gly-ThrSer-Ile-Gln (RASQNIQTSLQ), CDR2' having the amino acid sequence Ser-Ser-Ser-Glu-SerIle-Ser (SSSESIS) and CDR3' having the amino acid sequence Gln-Gln-Ser-Asn-Thr-Trp Pro-Phe-Thr (QQSNTWPFT), e.g. a chimeric or humanised antibody, useful as a pharmaceutical.



(72) **Inventeurs(suite)/Inventors(continued)**: GREGORI, SILVIA, IT; RONCAROLO, MARIA GRAZIA, IT;
LOUX, VERONIQUE, FR; AVERSA, GREGORIO, CA; JESCHKE, MARGIT, CH

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
24 March 2005 (24.03.2005)

PCT

(10) International Publication Number
WO 2005/026210 A3

(51) International Patent Classification⁷: **C07K 16/28**,
C12N 15/13, 15/62, 15/79, 5/10, A61K 39/395, A61P
37/00

Gregorio [IT/CA]; 4525 West Sixth Ave., Vancouver, BC
V6R 4V4 (CA). **JESCHKE, Margit** [DE/CH]; Grenzacher
Str. 10, CH-4058 Basel (CH).

(21) International Application Number:
PCT/EP2004/010471

(74) Agent: **GRUBB, Philip**; Novartis AG, Corporate Intellec-
tual Property, CH-4002 Basel (CH).

(22) International Filing Date:
17 September 2004 (17.09.2004)

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/666,332 18 September 2003 (18.09.2003) US
0414309.5 25 June 2004 (25.06.2004) GB

(71) Applicant (*for all designated States except AT, US*): **NO-
VARTIS AG** [CH/CH]; Lichtstrasse 35, CH-4056 Basel
(CH).

(71) Applicant (*for AT only*): **NOVARTIS PHARMA GMBH**
[AT/AT]; Brunner Strasse 59, A-1230 Vienna (AT).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **KOLBINGER,
Frank** [DE/DE]; Thuner Ring 4, 79395 Neuenburg
(DE). **CARBALLIDO HERRERA, José, M.** [ES/AT];
Bernhard Weissgasse 6/3, A-2380 Perchtoldsdorf (AT).
ASZÓDI, András [HU/AT]; Bujattigasse 15B/19, A-1140
Vienna (AT). **SALDANHA, José, W.** [GB/GB]; 21 Fille-
brook Avenue, Enfield, London EN1 3BD (GB). **HALL,
Bruce, M.** [AU/AU]; 14 Vernon Street, Strathfield, NSW
2135 (AU). **GREGORI, Silvia** [IT/IT]; Via Romagna, 19,
I-20090 Buccinasco (IT). **RONCAROLO, Maria, Grazia**
[IT/IT]; Via Fratelli Cervi, Residenza Andromeda i. 131,
I-20090 Segrate (IT). **LOUX, Véronique** [FR/FR]; 24, rue
du 19 Novembre, F-68870 Bartenheim (FR). **AVERSA,**

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(88) Date of publication of the international search report:
14 July 2005

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: THERAPEUTIC BINDING MOLECULES

(57) Abstract: A molecule comprising at least one antigen binding site, comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3, said CDR1 having the amino acid sequence Asn-Tyr-Ile-Ile-His (NYIIH), said CDR2 having the amino acid sequence Tyr-Phe-Asn-Pro-Tyr-Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) and said CDR3 having the amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT); e.g. further comprising in sequence the hypervariable regions CDR1', CDR2' and CDR3', CDR1' having the amino acid sequence Arg-Ala-Ser-Gln-Asn-Ile-Gly-ThrSer-Ile-Gln (RASQNIGTSIQ), CDR2' having the amino acid sequence Ser-Ser-Ser-Glu-SerIle-Ser (SSSESIS) and CDR3' having the amino acid sequence Gln-Gln-Ser-Asn-Thr-Trp Pro-Phe-Thr (QSNTPWFT), e.g. a chimeric or humanised antibody, useful as a pharmaceutical.



WO 2005/026210 A3

Therapeutic binding molecules

Field of the Invention

The present invention relates to organic compounds, such as to binding molecules against CD45 antigen isoforms, such as for example monoclonal antibodies (mAbs), and use thereof.

Background of the Invention

One approach in the treatment of a variety of diseases is to achieve the elimination or the inactivation of pathogenic leukocytes and the potential for induction of tolerance to inactivate pathological immune responses.

Organ, cell and tissue transplant rejection and the various autoimmune diseases are thought to be primarily the result of T-cell mediated immune response triggered by helper T-cells which are capable of recognizing specific antigens which are captured, processed and presented to the helper T cells by antigen presenting cell (APC) such as macrophages and dendritic cells, in the form of an antigen-MHC complex, i.e. the helper T-cell when recognizing specific antigens is stimulated to produce cytokines such as IL-2 and to express or upregulate some cytokine receptors and other activation molecules and to proliferate. Some of these activated helper T-cells may act directly or indirectly, i.e. assisting effector cytotoxic T-cells or B cells, to destroy cells or tissues expressing the selected antigen. After the termination of the immune response some of the mature clonally selected cells remain as memory helper and memory cytotoxic T-cells, which circulate in the body and rapidly recognize the antigen if appearing again. If the antigen triggering this response is an innocuous environmental antigen the result is allergy, if the antigen is not a foreign antigen, but a self antigen, it can result in autoimmune disease; if the antigen is an antigen from a transplanted organ, the result can be graft rejection.

The immune system has developed to recognize self from non-self. This property enables an organism to survive in an environment exposed to the daily challenges of pathogens. This specificity for non-self and tolerance towards self arises during the development of the T cell repertoire in the thymus through processes of positive and negative selection, which also comprise the recognition and elimination of autoreactive T cells. This type of tolerance is

referred to as central tolerance. However, some of these autoreactive cells escape this selective mechanism and pose a potential hazard for the development of autoimmune diseases. To control the autoreactive T cells that have escaped to the periphery, the immune system has peripheral regulatory mechanisms that provide protection against autoimmunity.

5 These mechanisms are a basis for peripheral tolerance.

Cell surface antigens recognized by specific mAbs are generally designated by a CD (Cluster of Differentiation) number assigned by successive International Leukocyte Typing workshops and the term CD45 applied herein refers to the cell surface leukocyte common antigen CD45; and an mAb to that antigen is designated herein as "anti-CD45".

10 Antibodies against the leukocyte common antigen (LCA) or CD45 are a major component of anti-lymphocyte globulin (ALG). CD45 belongs to the family of transmembrane tyrosine phosphatases and is both a positive and negative regulator of cell activation, depending upon receptor interaction. The phosphatase activity of CD45 appears to be required for activation of Src-family kinases associated with antigen receptor of B and T lymphocytes
15 (Trowbridge IS et al, Annu Rev Immunol. 1994;12:85-116). Thus, in T cell activation, CD45 is essential for signal 1 and CD45-deficient cells have profound defects in TCR-mediated activation events.

The CD45 antigen exists in different isoforms comprising a family of transmembrane glycoproteins. Distinct isoforms of CD45 differ in their extracellular domain structure which
20 arise from alternative splicing of 3 variable exons coding for part of the CD45 extracellular region (Streuli MF. et al, J. Exp. Med. 1987; 166:1548-1566). The various isoforms of CD45 have different extra-cellular domains, but have the same transmembrane and cytoplasmic segments having two homologous, highly conserved phosphatase domains of approximately 300 residues. Different isoform combinations are differentially expressed on subpopulations
25 of T and B lymphocytes (Thomas ML. et al, Immunol. Today 1988; 9:320-325). Some monoclonal antibodies recognize an epitope common to all the different isoforms, while other mAbs have a restricted (CD45R) specificity, dependent on which of the alternatively spliced exons (A, B or C) they recognize. For example, monoclonal antibodies recognizing the product of exon A are consequently designated CD45RA, those recognizing the various
30 isoforms containing exon B have been designated CD45RB (Beverley PCL et al, Immunol. Supp. 1988; 1:3-5). Antibodies such as UCHL1 selectively bind to the 180 kDa isoform CD45RO (without any of the variable exons A, B or C) which appears to be restricted to a

subset of activated T cells, memory cells and cortical thymocytes and is not detected on B cells (Terry LA et al, Immunol. 1988; 64:331-336).

Description of the Figures

- 5 Figure 1 shows that the inhibition of primary MLR by the "candidate mAb" is dose-dependent in the range of 0.001 and 10 µg/ml. "Concentration" is concentration of the "candidate mAb".
- Figure 2 shows the plasmid map of the expression vector HCMV-G1 HuA6-VHQ comprising the heavy chain having the nucleotide sequence SEQ ID NO:12 (3921-4274) in the complete expression vector nucleotide sequence SEQ ID NO:15.
- 10 Figure 3 shows the plasmid map of the expression vector HCMV-G1 HuA6-VHE comprising the heavy chain having the nucleotide sequence SEQ ID NO:11 (3921-4274) in the complete expression vector nucleotide sequence SEQ ID NO:16.
- Figure 4 shows the plasmid map of the expression vector HCMV-K HuAb-VL1 humV1 comprising the light chain having the nucleotide sequence SEQ ID NO:14 (3964-4284) in the
15 complete expression vector nucleotide sequence SEQ ID NO:17.
- Figure 5 shows the plasmid map of the expression vector HCMV-K HuAb- VL1 humV2 comprising the light chain having the nucleotide sequence SEQ ID NO:13 (3926-4246) in the complete expression vector nucleotide sequence SEQ ID NO:18.
- Figure 6 shows the plasmid map of the expression vector LCVL1SP20 comprising the light
20 chain having the nucleotide sequence SEQ ID NO:33 in the complete expression vector nucleotide sequence SEQ ID NO:36.
- Figure 7 shows the plasmid map of the expression vector LCVL2SP20 comprising the light chain having the nucleotide sequence SEQ ID NO:13 in the complete expression vector nucleotide sequence SEQ ID NO:39.
- 25 Figure 8 shows the plasmid map of the expression vector HCVHEN73D Sp20 comprising the heavy chain having the nucleotide sequence SEQ ID NO:34 in the complete expression vector nucleotide sequence SEQ ID NO:37.
- Figure 9 shows the plasmid map of the expression vector HCVHQN73D Sp20 comprising the heavy chain having the nucleotide sequence SEQ ID NO:35 in the complete expression
30 vector nucleotide sequence SEQ ID NO:38.

Figure 10 shows the plasmid map of the expression vector HCVHESp20 comprising the heavy chain having the nucleotide sequence SEQ ID NO:11 in the complete expression vector nucleotide sequence SEQ ID NO:40.

5 Figure 11 shows the plasmid map of the expression vector HCVHQSp20 comprising the heavy chain having the nucleotide sequence SEQ ID NO:12 in the complete expression vector nucleotide sequence SEQ ID NO:41.

Figure 12 shows Size Exclusion Chromatography analysis of VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2, and of VHE/humV1 together with VHE-N73D/humV1.

10 Figure 13 shows Cation Exchange Chromatography of VHE/humV2, VHE/humV1, VHQ/humV2, VHQ/humV1 and of VHE/humV2 together with VHE-N73D/humV1.

Figure 14 shows Reverse Phase Chromatography of VHE/humV2 and VHE-N73D/humV1.

Description of the Invention

We have now found a binding molecule which comprises a polypeptide sequence which
15 binds to CD45RO and CD45RB, hereinafter also designated as a "CD45RO/RB binding molecule". These binding molecule according to the invention may induce immunosuppression, inhibit primary T cell responses and induce T cell tolerance. Furthermore, the binding molecules of the invention inhibit primary mixed lymphocyte responses (MLR). Cells derived from cultures treated with CD45RO/RB binding molecules
20 preferredly also have impaired proliferative responses in secondary MLR even in the absence of CD45RO/RB binding molecules in the secondary MLR. Such impaired proliferative responses in secondary MLR are an indication of the ability of binding molecules of the invention to induce tolerance. In addition it is found that the CD45RO/RB binding molecules of the invention may induce cell death through apoptosis in human T
25 lymphocytes, may support the differentiation of T cells with a characteristic T regulatory cell (Treg) phenotype; and/or may induce T regulatory cells capable of suppressing naïve T cell activation.

Furthermore, it is found that *in vivo* administration of CD45RO/RB binding molecule to severe combined immunodeficiency (SCID) mice undergoing xeno-GVHD following injection
30 with human PBMC may prolong mice survival, compared to control treated mice, even though circulating human T cells may still be detected in CD45RO/RB binding molecule treated mice. CD45RB/RO binding molecule may also suppress the inflammatory process

that mediates human allograft skin rejection. In addition it is found that CD45RO/RB binding molecule may suppress the inflammatory process that mediates human allograft skin rejection, in particular, may suppress the inflammatory process that mediates human allograft skin rejection *in vivo* in SCID mice transplanted with human skin and engrafted with mononuclear splenocytes. And furthermore, it is found that CD45RB/RO binding molecule may lead to prolonged human islet allograft survival by preventing graft-infiltration and by inhibiting the leukocyte-mediated rejection reaction *in vivo*.

By "CD45RO/RB binding molecule" is meant any molecule capable of binding specifically to the CD45RB and CD45RO isoforms of the CD45 antigen, either alone or associated with other molecules. The binding reaction may be shown by standard methods (qualitative assay) including for example any kind of binding assay such as direct or indirect immunofluorescence together with fluorescence microscopy or cytofluorimetric (FACS) analysis, enzyme-linked immunosorbent assay (ELISA) or radioimmunoassay in which binding of the molecule to cells expressing a particular CD45 isoform can be visualized. In addition, the binding of this molecule may result in the alteration of the function of the cells expressing these isoforms. For example inhibition of primary or secondary mixed lymphocyte response (MLR) may be determined, such as an *in vitro* assay or a bioassay for determining the inhibition of primary or secondary MLR in the presence and in the absence of a CD45RO/RB binding molecule and determining the differences in primary MLR inhibition.

Alternatively, the *in vitro* functional modulatory effects can also be determined by measuring the PBMC or T cells or CD4⁺ T cells proliferation, production of cytokines, change in the expression of cell surface molecules e.g. following cell activation in MLR, or following stimulation with specific antigen such as tetanus toxoid or other antigens, or with polyclonal stimulators such as phytohemagglutinin (PHA) or anti-CD3 and anti-CD28 antibodies or phorbol esters and Ca²⁺ ionophores. The cultures are set up in a similar manner as described for MLR except that instead of allogeneic cells as stimulators soluble antigen or polyclonal stimulators such as those mentioned above are used. T cell proliferation is measured preferably as described above by ³H-thymidine incorporation.

Cytokine production is measured preferably by sandwich ELISA where a cytokine capture antibody is coated on the surface of a 96-well plate, the supernatants from the cultures are added and incubated for 1 hr at room temperature and a detecting antibody specific for the particular cytokine is then added, following a second-step antibody conjugated to an enzyme

such as Horseradish peroxidase followed by the corresponding substrate and the absorbance is measured in a plate reader. The change in cell surface molecules may be preferably measured by direct or indirect immunofluorescence after staining the target cells with antibodies specific for a particular cell surface molecule. The antibody can be either
5 directly labeled with flourochrome or a fluorescently labeled second step antibody specific for the first antibody can be used, and the cells are analysed with a cytofluorimeter.

The binding molecule of the invention has a binding specificity for both CD45RO and CD45RB ("CD45RB/RO binding molecule").

Preferably the binding molecule binds to CD45RO isoforms with a dissociation constant (K_d)
10 $<20\text{nM}$, preferably with a $K_d <15\text{nM}$ or $<10\text{nM}$, more preferably with a $K_d <5\text{nM}$. Preferably the binding molecule binds to CD45RB isoforms with a $K_d <50\text{nM}$, preferably with a $K_d <15\text{nM}$ or $<10\text{nM}$, more preferably with a $K_d <5\text{nM}$.

In a further preferred embodiment the binding molecule of the invention binds those CD45 isoforms which

- 15
- 1) include the A and B epitopes but not the C epitope of the CD45 molecule; and/or
 - 2) include the B epitope but not the A and not the C epitope of the CD45 molecule; and/or
 - 3) do not include any of the A, B or C epitopes of the CD45 molecule.

In yet a further preferred embodiment the binding molecule of the invention does not bind CD45 isoforms which include

- 20
- 1) all of the A, B and C epitopes of the CD45 molecule; and/or
 - 2) both the B and C epitopes but not the A epitope of the CD45 molecule.

In further preferred embodiments the binding molecule of the invention further

- 25
- 1) recognises memory and in vivo alloactivated T cells; and/or
 - 2) binds to its target on human T cells, such as for example PEER cells; wherein said binding preferably is with a $K_d <15\text{nM}$, more preferably with a $K_d <10\text{nM}$, most preferably with a $K_d <5\text{nM}$; and/or
 - 3) inhibits in vitro alloreactive T cell function, preferably with an IC_{50} of about less than 100nM , preferably less than 50nM or 30nM , more preferably with an IC_{50} of about 10 or 5nM , most preferably with an IC_{50} of about $0,5\text{nM}$ or even $0,1\text{nM}$; and/or
 - 30 4) induces cell death through apoptosis in human T lymphocytes; and/or

- 5) induces alloantigen-specific T cell tolerance *in vitro*; and/or
- 6) prevents lethal xenogeneic graft versus host disease (GvHD) induced in SCID mice by injection of human PBMC when administered in an effective amount; and/or
- 7) binds to T lymphocytes, monocytes, stem cells, natural killer cells and/or granulocytes, but not to platelets or B lymphocytes; and/or
- 8) supports the differentiation of T cells with a characteristic T regulatory cell (Treg) phenotype; and/or
- 9) induces T regulatory cells capable of suppressing naïve T cell activation; and/or
- 10) suppresses the inflammatory process that mediates human allograft skin rejection, in particular, suppresses the inflammatory process that mediates human allograft skin rejection *in vivo* in SCID mice transplanted with human skin and engrafted with mononuclear splenocytes; and/or
- 11) prolongs human islet allograft survival in a hu-PBL-NOD/SCID mice model.

In a further preferred embodiment the binding molecule of the invention binds to the same epitope as the monoclonal antibody "A6" as described by Aversa et al., Cellular Immunology 158, 314-328 (1994).

Due to the above-described binding properties and biological activities, such binding molecules of the invention are particularly useful in medicine, for therapy and/or prophylaxis. Diseases in which binding molecules of the invention are particularly useful include autoimmune diseases, transplant rejection, dermatitis, inflammatory bowel disease and/or allergies, as will be further set out below.

We have found that a molecule comprising a polypeptide of SEQ ID NO: 1 and a polypeptide of SEQ ID NO: 2 is a CD45RO/RB binding molecule. We also have found the hypervariable regions CDR1', CDR2' and CDR3' in a CD45RO/RB binding molecule of SEQ ID NO:1, CDR1' having the amino acid sequence Arg-Ala-Ser-Gln-Asn-Ile-Gly-Thr-Ser-Ile-Gln (RASQNIGTSIQ) (SEQ ID NO:19), CDR2' having the amino acid sequence Ser-Ser-Ser-Glu-Ser-Ile-Ser (SSSESIS) (SEQ ID NO:20) and CDR3' having the amino acid sequence Gln-Gln-Ser-Asn-Thr-Trp-Pro-Phe-Thr (QQSNTWPFT) (SEQ ID NO:21).

We also have found the hypervariable regions CDR1, CDR2 and CDR3 in a CD45RO/RB binding molecule of SEQ ID NO:2, CDR1 having the amino acid sequence Asn-Tyr-Ile-Ile-His (NYIIH) (SEQ ID NO:22), CDR2 having the amino acid sequence Tyr-Phe-Asn-Pro-Tyr-

Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) (SEQ ID NO:23) and CDR3 having the amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT) (SEQ ID NO:24).

CDRs are 3 specific complementary determining regions which are also called hypervariable regions which essentially determine the antigen binding characteristics. These CDRs are part of the variable region, e.g. of SEQ ID NO: 1 or SEQ ID NO: 2, respectively, wherein these CDRs alternate with framework regions (FR's) e.g. constant regions. A SEQ ID NO: 1 is part of a light chain, e.g. of SEQ ID NO: 3, and a SEQ ID NO:2 is part of a heavy chain, e.g. of SEQ ID NO: 4, in a chimeric antibody according to the present invention. The CDRs of a heavy chain together with the CDRs of an associated light chain essentially constitute the antigen binding site of a molecule of the present invention. It is known that the contribution made by a light chain variable region to the energetics of binding is small compared to that made by the associated heavy chain variable region and that isolated heavy chain variable regions have an antigen binding activity on their own. Such molecules are commonly referred to as single domain antibodies.

In one aspect the present invention provides a binding molecule comprising at least one antigen binding site, e.g. a CD45RO/RB binding molecule, comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3, said CDR1 having the amino acid sequence Asn-Tyr-Ile-Ile-His (NYIIH) (SEQ ID NO:22), said CDR2 having the amino acid sequence Tyr-Phe-Asn-Pro-Tyr-Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) (SEQ ID NO:23) and said CDR3 having the amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT) (SEQ ID NO:24); e.g. and direct equivalents thereof.

In another aspect the present invention provides a molecule comprising at least one antigen binding site, e.g. a CD45RO/RB binding molecule, comprising

a) a first domain comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3, said CDR1 having the amino acid sequence Asn-Tyr-Ile-Ile-His (NYIIH) (SEQ ID NO:22), said CDR2 having the amino acid sequence Tyr-Phe-Asn-Pro-Tyr-Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) (SEQ ID NO:23) and said CDR3 having the amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT) (SEQ ID NO:24); and

b) a second domain comprising in sequence the hypervariable regions CDR1', CDR2' and CDR3', CDR1' having the amino acid sequence Arg-Ala-Ser-Gln-Asn-Ile-Gly-Thr-Ser-Ile-Gln (RASQNIGTSIQ) (SEQ ID NO:19), CDR2' having the amino acid sequence Ser-Ser-Ser-Glu-Ser-Ile-Ser (SSSESIS) (SEQ ID NO:20) and CDR3' having the amino acid
5 sequence Gln-Gln-Ser-Asn-Thr-Trp-Pro-Phe-Thr (QQSNTWPFT) (SEQ ID NO:21),
e.g. and direct equivalents thereof.

In a preferred embodiment the first domain comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3 is an immunoglobulin heavy chain, and the second domain comprising in sequence the hypervariable regions CDR1', CDR2' and CDR3' is an
10 immunoglobulin light chain.

In a further aspect the present invention provides a molecule, e.g. a CD45RO/RB binding molecule, comprising a polypeptide of SEQ ID NO: 1 and/or a polypeptide of SEQ ID NO: 2, preferably comprising in one domain a polypeptide of SEQ ID NO: 1 and in another domain a polypeptide of SEQ ID NO: 2, e.g. a chimeric monoclonal antibody, and in another aspect
15 a molecule, e.g. a CD45RO/RB binding molecule, comprising a polypeptide of SEQ ID NO: 3 and/or a polypeptide of SEQ ID NO: 4, preferably comprising in one domain a polypeptide of SEQ ID NO: 3 and in another domain a polypeptide of SEQ ID NO: 4, e.g. a chimeric monoclonal antibody.

When the antigen binding site comprises both the first and second domains or a polypeptide
20 of SEQ ID NO: 1 or SEQ ID NO:3, respectively, and a polypeptide of SEQ ID NO: 2 or of SEQ ID NO:4, respectively, these may be located on the same polypeptide, or, preferably each domain may be on a different chain, e.g. the first domain being part of an heavy chain, e.g. immunoglobulin heavy chain, or fragment thereof and the second domain being part of a light chain, e.g. an immunoglobulin light chain or fragment thereof.

25 We have further found that a CD45RO/RB binding molecule according to the present invention is a CD45RO/RB binding molecule in mammalian, e.g. human, body environment. A CD45RO/RB binding molecule according to the present invention can thus be designated as a monoclonal antibody (mAb), wherein the binding activity is determined mainly by the CDR regions as described above, e.g. said CDR regions being associated with other
30 molecules without binding specificity, such as framework, e.g. constant regions, which are substantially of human origin.

In another aspect the present invention provides a CD45RO/RB binding molecule which is not the monoclonal antibody "A6" as described by Aversa et al., Cellular Immunology 158, 314-328 (1994), which is incorporated by reference for the passages characterizing A6.

5 In another aspect the present invention provides a CD45RO/RB binding molecule according to the present invention which is a chimeric, a humanised or a fully human monoclonal antibody.

Examples of a CD45RO/RB binding molecules include chimeric or humanised antibodies e.g. derived from antibodies as produced by B-cells or hybridomas and or any fragment thereof, e.g. F(ab')₂ and Fab fragments, as well as single chain or single domain antibodies.

10 A single chain antibody consists of the variable regions of antibody heavy and light chains covalently bound by a peptide linker, usually consisting of from 10 to 30 amino acids, preferably from 15 to 25 amino acids. Therefore, such a structure does not include the constant part of the heavy and light chains and it is believed that the small peptide spacer should be less antigenic than a whole constant part. By a chimeric antibody is meant an

15 antibody in which the constant regions of heavy and light chains or both are of human origin while the variable domains of both heavy and light chains are of non-human (e.g. murine) origin. By a humanised antibody is meant an antibody in which the hypervariable regions (CDRs) are of non-human (e.g. murine) origin while all or substantially all the other part, e.g. the constant regions and the highly conserved parts of the variable regions are of human

20 origins. A humanised antibody may however retain a few amino acids of the murine sequence in the parts of the variable regions adjacent to the hypervariable regions.

Hypervariable regions, i.e. CDR's according to the present invention may be associated with any kind of framework regions, e.g. constant parts of the light and heavy chains, of human origin. Suitable framework regions are e.g. described in "Sequences of proteins of

25 immunological interest", Kabat, E.A. et al, US department of health and human services, Public health service, National Institute of health. Preferably the constant part of a human heavy chain may be of the IgG1 type, including subtypes, preferably the constant part of a human light chain may be of the κ or λ type, more preferably of the κ type. Preferably, said heavy chain comprises not more than one glycosylation site, most preferably the

30 glycosylation site is a N-glycosylation site, and most preferably the one glycosylation site is located in the constant part of the heavy chain. Most preferably no glycosylation site is present in the variable region, preferably no glycosylation site in the framework region.

A preferred constant part of a heavy chain is a polypeptide of SEQ ID NO: 4 (without the CDR1', CDR2' and CDR3' sequence parts which are specified above) and a preferred constant part of a light chain is a polypeptide of SEQ ID NO: 3 (without the CDR1, CDR2 and CDR3 sequence parts which are specified above).

We also have found a humanised antibody comprising a light chain variable region of amino acid SEQ ID NO:7 or of amino acid SEQ ID NO:8, which comprises CDR1', CDR2' and CDR3' according to the present invention and/or a heavy chain variable region of SEQ:ID NO:9 or of SEQ:ID NO:10, which comprises CDR1, CDR2 and CDR3 according to the present invention. Further another humanised antibody is provided comprising a light chain variable region of amino acid SEQ ID NO:7 or of amino acid SEQ ID NO:8, which comprises CDR1', CDR2' and CDR3' according to the present invention and/or a heavy chain variable region of SEQ:ID NO:31 or of SEQ:ID NO:32, which comprises CDR1, CDR2 and CDR3 according to the present invention.

In another aspect the present invention provides a humanised antibody comprising a polypeptide of SEQ ID NO:9 or of SEQ ID NO:10 and a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8. A still further aspect of the invention provides a binding molecule which is a humanised antibody comprising a polypeptide of SEQ ID NO:31 or of SEQ ID NO:32 and a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8.

In another aspect the present invention provides a humanised antibody comprising

- a polypeptide of SEQ ID NO:9 and a polypeptide of SEQ ID NO:7 (such as VHE/humV2),
- a polypeptide of SEQ ID NO:9 and a polypeptide of SEQ ID NO:8 (such as VHE/humV1),
- a polypeptide of SEQ ID NO:10 and a polypeptide of SEQ ID NO:7 (such as VHQ/humV2),
- a polypeptide of SEQ ID NO:10 and a polypeptide of SEQ ID NO:8 (such as VHQ/humV1),
- a polypeptide of SEQ ID NO:31 and a polypeptide of SEQ ID NO:7 (such as VHEN73D/humV2),
- a polypeptide of SEQ ID NO:31 and a polypeptide of SEQ ID NO:8 (such as VHEN73D/humV1),
- a polypeptide of SEQ ID NO:32 and a polypeptide of SEQ ID NO:7 (such as VHQN73D/humV2), or
- a polypeptide of SEQ ID NO:32 and a polypeptide of SEQ ID NO:8 (such as VHQN73D/humV1).

A polypeptide according to the present invention, e.g. of a herein specified sequence, e.g. of CDR1 (SEQ ID NO:22), CDR2 (SEQ ID NO:23), CDR3 (SEQ ID NO:24), CDR1' (SEQ ID NO:19), CDR2' (SEQ ID NO:20), CDR3' (SEQ ID NO:21), or of a SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32 includes direct equivalents of said (poly)peptide (sequence); e.g. including a functional derivative of said polypeptide. Said functional derivative may include covalent modifications of a specified sequence, and/or said functional derivative may include amino acid sequence variants of a specified sequence.

"Polypeptide", if not otherwise specified herein, includes any peptide or protein comprising amino acids joined to each other by peptide bonds, having an amino acid sequence starting at the N-terminal extremity and ending at the C-terminal extremity. Preferably the polypeptide of the present invention is a monoclonal antibody, more preferred is a chimeric (V-grafted) or humanised (CDR-grafted) monoclonal antibody. The humanised (CDR-grafted) monoclonal antibody may or may not include further mutations introduced into the framework (FR) sequences of the acceptor antibody. Preferably the humanized or chimeric antibody comprises no more than one glycosylation site. Most preferably said one glycosylation site is a N-glycosylation site. Most preferably no glycosylation site is present in the variable region, and even more preferably no glycosylation site is present in the variable region of the heavy chain, most preferably no glycosylation site is present in the framework regions (FR's).

A functional derivative of a polypeptide as used herein includes a molecule having a qualitative biological activity in common with a polypeptide to the present invention, i.e. having the ability to bind to CD45RO and CD45RB. A functional derivative includes fragments and peptide analogs of a polypeptide according to the present invention. Fragments comprise regions within the sequence of a polypeptide according to the present invention, e.g. of a specified sequence. The term "derivative" is used to define amino acid sequence variants, and covalent modifications of a polypeptide according to the present invention. e.g. of a specified sequence. The functional derivatives of a polypeptide according to the present invention, e.g. of a specified sequence, preferably have at least about 65%, more preferably at least about 75%, even more preferably at least about 85%, most preferably at least about 95% overall sequence homology with the amino acid sequence of a polypeptide according to the present invention, e.g. of a specified sequence, and substantially retain the ability to bind to CD45RO and CD45RB. Preferably, the functional

derivative has at least the binding affinity of a binding molecule comprising a polypeptide of SEQ ID NO:1 and/or a polypeptide of SEQ ID NO:2, of a humanised antibody comprising a polypeptide of SEQ ID NO:9 or of SEQ ID NO:10 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8; or of a humanised antibody comprising a polypeptide of SEQ ID NO:31 or of
5 SEQ ID NO:32 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8.

The term "covalent modification" includes modifications of a polypeptide according to the present invention, e.g. of a specified sequence; or a fragment thereof with an organic proteinaceous or non-proteinaceous derivatizing agent, fusions to heterologous polypeptide sequences, and post-translational modifications. Covalent modified polypeptides, e.g. of a
10 specified sequence, still have the ability bind to CD45RO and CD45RB by crosslinking. Covalent modifications are traditionally introduced by reacting targeted amino acid residues with an organic derivatizing agent that is capable of reacting with selected sides or terminal residues, or by harnessing mechanisms of post-translational modifications that function in selected recombinant host cells. Certain post-translational modifications are the result of the
15 action of recombinant host cells on the expressed polypeptide. Glutaminyl and asparaginyl residues are frequently post-translationally deamidated to the corresponding glutamyl and aspartyl residues. Alternatively, these residues are deaminated under mildly acidic conditions. Other post-translational modifications include hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, tyrosine or threonyl residues, methylation of the
20 α -amino groups of lysine, arginine, and histidine side chains, see e.g. T. E. Creighton, Proteins: Structure and Molecular Properties, W. H. Freeman & Co., San Francisco, pp. 79-86 (1983). Covalent modifications e.g. include fusion proteins comprising a polypeptide according to the present invention, e.g. of a specified sequence and their amino acid sequence variants, such as immunoadhesins, and N-terminal fusions to heterologous signal
25 sequences.

"Homology" with respect to a native polypeptide and its functional derivative is defined herein as the percentage of amino acid residues in the candidate sequence that are identical with the residues of a corresponding native polypeptide, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent homology, and not
30 considering any conservative substitutions as part of the sequence identity. Neither N- or C-terminal extensions nor insertions shall be construed as reducing identity or homology. Methods and computer programs for the alignment are well known.

"Amino acid(s)" refer to all naturally occurring L- α -amino acids, e.g. and including D-amino acids. The amino acids are identified by either the well known single-letter or three-letter designations.

The term "amino acid sequence variant" refers to molecules with some differences in their amino acid sequences as compared to a polypeptide according to the present invention, e.g. of a specified sequence. Amino acid sequence variants of a polypeptide according to the present invention, e.g. of a specified sequence, still have the ability to bind to CD45RO and CD45RB. Substitutional variants are those that have at least one amino acid residue removed and a different amino acid inserted in its place at the same position in a polypeptide according to the present invention, e.g. of a specified sequence. These substitutions may be single, where only one amino acid in the molecule has been substituted, or they may be multiple, where two or more amino acids have been substituted in the same molecule. Insertional variants are those with one or more amino acids inserted immediately adjacent to an amino acid at a particular position in a polypeptide according to the present invention, e.g. of a specified sequence. Immediately adjacent to an amino acid means connected to either the α -carboxy or α -amino functional group of the amino acid. Deletional variants are those with one or more amino acids in a polypeptide according to the present invention, e.g. of a specified sequence, removed. Ordinarily, deletional variants will have one or two amino acids deleted in a particular region of the molecule.

We also have found the polynucleotide sequences of

- GGCCAGTCAGAACATTGGCACAAGCATACAGTG (SEQ ID NO:25), encoding the amino acid sequence of CDR1;
- TTCTTCTGAGTCTATCTCTGG (SEQ ID NO:26), encoding the amino acid sequence of CDR 2;
- ACAAAGTAATACCTGGCCATTACGTT (SEQ ID NO:27), encoding the amino acid sequence of CDR 3;
- TTATATTATCCACTG (SEQ ID NO:28), encoding the amino acid sequence of CDR1';
- TTTTAATCCTTACAATCATGGTACTAAGTACAATGAGAAGTTCAAAGGCAG (SEQ ID NO:29), encoding the amino acid sequence of CDR2';
- AGGACCCTATGCCTGGTTTGACACCTG (SEQ ID NO:30), encoding the amino acid sequence of CDR3';
- SEQ ID NO:5 encoding a polypeptide of SEQ ID NO: 1, i.e. the variable region of a light chain of an mAb according to the present invention;

- SEQ ID NO:6 encoding a polypeptide of SEQ ID NO:2, i.e. the variable region of the heavy chain of an mAb according to the present invention;
- SEQ ID NO:11 encoding a polypeptide of SEQ ID NO:9, i.e. a heavy chain variable region including CDR1, CDR2 and CDR3 according to the present invention;
- 5 - SEQ ID NO:12 encoding a polypeptide of SEQ ID NO:10, i.e. a heavy chain variable region including CDR1, CDR2 and CDR3 according to the present invention;
- SEQ ID NO:13 encoding a polypeptide of SEQ ID NO:7, i.e. a light chain variable region including CDR1', CDR2' and CDR3' according to the present invention;
- SEQ ID NO:14 encoding a polypeptide of SEQ ID NO:8, i.e. a light chain variable region
- 10 including CDR1', CDR2' and CDR3' according to the present invention;
- SEQ ID NO:33 encoding a polypeptide of SEQ ID NO:8, i.e. a light chain variable region including CDR1', CDR2' and CDR3' according to the present invention;
- SEQ ID NO:34 encoding a polypeptide of SEQ ID NO:31, i.e. a heavy chain variable region including CDR1, CDR2 and CDR3 according to the present invention; and
- 15 - SEQ ID NO:35 encoding a polypeptide of SEQ ID NO:32, i.e. a heavy chain variable region including CDR1, CDR2 and CDR3 according to the present invention;

In another aspect the present invention provides isolated polynucleotides comprising polynucleotides encoding a CD45RO/RB binding molecule, e.g. encoding the amino acid sequence of CDR1, CDR2 and CDR3 according to the present invention and/or, preferably

20 and, polynucleotides encoding the amino acid sequence of CDR1', CDR2' and CDR3' according to the present invention; and

Polynucleotides comprising a polynucleotide of SEQ ID NO: 5 and/or, preferably and, a polynucleotide of SEQ ID NO: 6; and

polynucleotides comprising polynucleotides encoding a polypeptide of SEQ ID NO:7 or SEQ

25 ID NO:8 and/or, preferably and, a polypeptide of SEQ ID NO:9 or SEQ ID NO:10; e.g. encoding

- a polypeptide of SEQ ID NO:7 and a polypeptide of SEQ ID NO:9,
- a polypeptide of SEQ ID NO:7 and a polypeptide of SEQ ID NO:10,
- a polypeptide of SEQ ID NO:8 and a polypeptide of SEQ ID NO:9, or
- 30 - a polypeptide of SEQ ID NO:8 and a polypeptide of SEQ ID NO:10; and

polynucleotides comprising a polynucleotide of SEQ ID NO:11 or of SEQ ID NO:12 and/or, preferably and, a polynucleotide of SEQ ID NO:13 or a polynucleotide of SEQ ID NO:14, preferably comprising

- a polynucleotide of SEQ ID NO:11 and a polynucleotide of SEQ ID NO:13,
- 5 - a polynucleotide of SEQ ID NO:11 and a polynucleotide of SEQ ID NO:14,
- a polynucleotide of SEQ ID NO:12 and a polynucleotide of SEQ ID NO:13, or
- a polynucleotide of SEQ ID NO:12 and a polynucleotide of SEQ ID NO:14; and

polynucleotides comprising polynucleotides encoding a polypeptide of SEQ ID NO:31 or of SEQ ID NO:32 and/or, preferably and, a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8;

10 e.g. encoding

- a polypeptide of SEQ ID NO:31 and a polypeptide of SEQ ID NO:7,
- a polypeptide of SEQ ID NO:31 and a polypeptide of SEQ ID NO:8,
- a polypeptide of SEQ ID NO:32 and a polypeptide of SEQ ID NO:7, or
- a polypeptide of SEQ ID NO:32 and a polypeptide of SEQ ID NO:8; and

15 polynucleotides comprising a polynucleotide of SEQ ID NO:34 or of SEQ ID NO:35 and/or, preferably and, a polynucleotide of SEQ ID NO:33; SEQ ID NO:14 or 13.

- a polypeptide of SEQ ID NO:34 and a polypeptide of SEQ ID NO:33,
- a polypeptide of SEQ ID NO:34 and a polypeptide of SEQ ID NO:14,
- a polypeptide of SEQ ID NO:34 and a polypeptide of SEQ ID NO:13,
- 20 - a polypeptide of SEQ ID NO:35 and a polypeptide of SEQ ID NO:33,
- a polypeptide of SEQ ID NO:35 and a polypeptide of SEQ ID NO:14, or
- a polypeptide of SEQ ID NO:35 and a polypeptide of SEQ ID NO:13.

"Polynucleotide", if not otherwise specified herein, includes any polyribonucleotide or polydeoxyribonucleotide, which may be unmodified RNA or DNA, or modified RNA or DNA, including without limitation single and double stranded RNA, and RNA that is a mixture of single- and double-stranded regions.

25

A polynucleotide according to the present invention, e.g. a polynucleotide encoding the amino acid sequence CDR1, CDR2, CDR3, CDR1', CDR2', CDR3', or of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32 respectively, such as a polynucleotide of SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:33, SEQ ID NO:34 or SEQ ID NO:35 respectively, includes allelic variants thereof

30

and/or their complements; e.g. including a polynucleotide that hybridizes to the nucleotide sequence of SEQ ID NO: 5, SEQ ID NO:6, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:33, SEQ ID NO:34 or SEQ ID NO:35, respectively; e.g. encoding a polypeptide having at least 80% identity to SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32, respectively, e.g. including a functional derivative of said polypeptide, e.g. said functional derivative having at least 65% homology with SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32, respectively, e.g. said functional derivative including covalent modifications of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32, respectively, e.g. said functional derivative including amino acid sequence variants of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32, respectively; e.g. a SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:33, SEQ ID NO:34 or SEQ ID NO:35, respectively includes a sequence, which as a result of the redundancy (degeneracy) of the genetic code, also encodes a polypeptide of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32, respectively, or encodes a polypeptide with an amino acid sequence which has at least 80% identity with the amino acid sequence of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:31 or SEQ ID NO:32, respectively. Preferably, the allelic variants or functional derivative has at least the binding affinity of a binding molecule comprising a polypeptide of SEQ ID NO:1 and/or a polypeptide of SEQ ID NO:2, of a humanised antibody comprising a polypeptide of SEQ ID NO:9 or of SEQ ID NO:10 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8; or of a humanised antibody comprising a polypeptide of SEQ ID NO:31 or of SEQ ID NO:32 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8.

A CD45RO/RB binding molecule, e.g. which is a chimeric or humanised antibody, may be produced by recombinant DNA techniques. Thus, one or more DNA molecules encoding the CD45RO/RB may be constructed, placed under appropriate control sequences and transferred into a suitable host (organism) for expression by an appropriate vector.

In another aspect the present invention provides a polynucleotide which encodes a single, heavy and/or a light chain of a CD45RO/RB binding molecule according to the present invention; and the use of a polynucleotide according to the present invention for the production of a CD45RO/RB binding molecule according to the present invention by recombinant means.

A CD45RO/RB binding molecule may be obtained according, e.g. analogously, to a method as conventional together with the information provided herein, e.g. with the knowledge of the amino acid sequence of the hypervariable or variable regions and the polynucleotide sequences encoding these regions. A method for constructing a variable domain gene is e.g. described in EP 239 400 and may be briefly summarized as follows: A gene encoding a variable region of a mAb of whatever specificity may be cloned. The DNA segments encoding the framework and hypervariable regions are determined and the DNA segments encoding the hypervariable regions are removed. Double stranded synthetic CDR cassettes are prepared by DNA synthesis according to the CDR and CDR' sequences as specified herein. These cassettes are provided with sticky ends so that they can be ligated at junctions of a desired framework of human origin. Polynucleotides encoding single chain antibodies may also be prepared according to, e.g. analogously, to a method as conventional. A polynucleotide according to the present invention thus prepared may be conveniently transferred into an appropriate expression vector.

Appropriate cell lines may be found according, e.g. analogously, to a method as conventional. Expression vectors, e.g. comprising suitable promotor(s) and genes encoding heavy and light chain constant parts are known e.g. and are commercially available. Appropriate hosts are known or may be found according, e.g. analogously, to a method as conventional and include cell culture or transgenic animals.

In another aspect the present invention provides an expression vector comprising a polynucleotide encoding a CD45RO/RB binding molecule according to the present invention, e.g. of sequence SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40 or SEQ ID NO:41.

In another aspect the present invention provides

- An expression system comprising a polynucleotide according to the present invention wherein said expression system or part thereof is capable of producing a CD45RO/RB

binding molecule according to the present invention, when said expression system or part thereof is present in a compatible host cell;

and

- An isolated host cell which comprises an expression system as defined above.

- 5 We have further found that a CD45RO/RB binding molecule according to the present invention inhibit primary alloimmune responses in a dose-dependent fashion as determined by in vitro MLR. The results indicate that the cells which had been alloactivated in the presence of a CD45RO/RB binding molecule according to the present invention are impaired in their responses to alloantigen. This confirms the indication that a CD45RO/RB binding
- 10 molecule according to the present invention can act directly on the effector alloreactive T cells and modulate their function. In addition, the functional properties of T cells derived from the primary MLR were further studied in restimulation experiments in secondary MLR, using specific stimulator cells or third-party stimulators to assess the specificity of the observed functional effects. We have found that the cells derived from primary MLRs in which a
- 15 CD45RO/RB binding molecule according to the present invention is present, were impaired in their ability to respond to subsequent optimal stimulation with specific stimulator cells, although there was no antibody added to the secondary cultures. The specificity of the inhibition was demonstrated by the ability of cells treated with a CD45RO/RB binding molecule according to the present invention to respond normally to stimulator cells from
- 20 unrelated third-party donors. Restimulation experiments using T cells derived from primary MLR cultures thus indicate that the cells which had been alloactivated a CD45RO/RB binding molecule according to the present invention are hyporesponsive, i.e. tolerant, to the original alloantigen. Further biological activities are described in examples 7, and 9 to 13.

- Furthermore we have found that cell proliferation in cells pre-treated with a CD45RO/RB
- 25 binding molecule according to the present invention could be rescued by exogenous IL-2. This indicates that treatment of alloreactive T cells with a CD45RO/RB binding molecule according to the present invention induces a state of tolerance. Indeed, the reduced proliferative responses observed in cells treated with a CD45RO/RB binding molecule according to the present invention, was due to impairment of T cell function, and these
- 30 cells were able to respond to exogenous IL-2, indicating that these cells are in an anergic, true unresponsive state. The specificity of this response was shown by the ability of cells treated with a CD45RO/RB binding molecule according to the present invention to proliferate normally to unrelated donor cells to the level of the control treated cells.

In addition experiments indicate that the binding of a CD45RO/RB binding molecule according to the present invention to CD45RO and CD45RB may inhibit the memory responses of peripheral blood mononuclear cells (PBMC) from immunized donors to specific recall antigen. Binding of a CD45RO/RB binding molecule according to the present invention to CD45RO and CD45RB thus is also effective in inhibiting memory responses to soluble Ag. The ability of a CD45RO/RB binding molecule according to the present invention to inhibit recall responses to tetanus in PBMC from immunized donors indicate that a CD45RO/RB binding molecule according to the present invention is able to target and modulate the activation of memory T cells. E.g. these data indicate that a CD45RO/RB binding molecule according to the present invention in addition to recognizing alloreactive and activated T cells is able to modulate their function, resulting in induction of T cell anergy. This property may be important in treatment of ongoing immune responses to autoantigens and allergens and possibly to alloantigens as seen in autoimmune diseases, allergy and chronic rejection, and diseases, such as psoriasis, inflammatory bowel disease, where memory responses play a role in the maintenance of disease state. It is believed to be an important feature in a disease situation, such as in autoimmune diseases in which memory responses to autoantigens may play a major role for the disease maintenance.

We have also found that a CD45RO/RB binding molecule according to the present invention may modulate T cell proliferative responses in a mixed lymphocyte response (MLR) *in vivo*, i.e. a CD45RO/RB binding molecule according to the present invention was found to have corresponding inhibitory properties in vivo testing, such as for example, prevention of lethal xenogeneic graft versus host disease (GvHD) or suppression of inflammatory process that mediates human allograft skin rejection in SCID mice models, or prolonging of human islet allograft survival in a hu-PBL-NOD/SCID mice model.

A CD45RO/RB binding molecule according to the present invention may thus have immunosuppressive and tolerogenic properties and may be useful for in vivo and ex-vivo tolerance induction to alloantigens, autoantigens, allergens and bacterial flora antigens, e.g. a CD45RO/RB binding molecule according to the present invention may be useful in the treatment and prophylaxis of diseases e.g. including autoimmune diseases, such as, but not limited to, rheumatoid arthritis, psoriatic arthritis, autoimmune thyroiditis, Graves disease, type I and type II diabetes, multiple sclerosis, Crohn's disease (CD), ulcerative colitis (UC), systemic lupus erythematosus, Sjögren syndrome, scleroderma, autoimmune gastritis, glomerulonephritis, transplant rejection, such as, but not limited to, organ and tissue allograft

and xenograft rejection, e.g. for the treatment of recipients of e.g. heart, lung, combined heart-lung, liver, kidney, pancreatic, skin or corneal transplants, graft versus host disease (GVHD), such as following bone marrow transplantation, and/or pancreatic islet cell transplant rejection, and/or also psoriasis, dermatitis such as atopic and contact dermatitis including allergic contact dermatitis, inflammatory bowel disease and/or allergies, including allergic asthma.

In another aspect the present invention provides the use of a CD45RO/RB binding molecule according to the present invention as a pharmaceutical, e.g. in the treatment and prophylaxis of autoimmune diseases, transplant rejection, e.g. pancreatic islet cell transplant rejection or graft versus host disease (GVHD), psoriasis, dermatitis, inflammatory bowel disease and/or allergies.

In another aspect the present invention provides a CD45RO/RB binding molecule according to the present invention for the production of a medicament in the treatment and prophylaxis of diseases associated with autoimmune diseases, transplant rejection, e.g. pancreatic islet cell transplant rejection or graft versus host disease (GVHD), psoriasis, dermatitis, inflammatory bowel disease and/or allergies.

In another aspect the present invention provides a method of treatment and/or prophylaxis of diseases associated with autoimmune diseases, transplant rejection, psoriasis, dermatitis, inflammatory bowel disease and/or allergies comprising administering to a subject in need of such treatment and/or prophylaxis an effective amount of a CD45RO/RB binding molecule according to the present invention, e.g. in the form of a pharmaceutical composition according to the present invention.

One embodiment of the present invention provides a method of treatment and/or prophylaxis of a disease associated with islet cell transplant rejection, e.g. islet cell transplant rejection, comprising administering to a subject in need of such treatment and/or prophylaxis an effective amount of a molecule or a humanised antibody according to the present invention.

In preferred embodiments said CD45RO/RB binding molecule for use as a pharmaceutical, for the production of a medicament or in a method of treatment and/or prophylaxis of a disease associated with autoimmune diseases, transplant rejection, psoriasis, dermatitis, inflammatory bowel disease and/or allergies comprises a polypeptide of SEQ ID NO:31 or of SEQ ID NO:32 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8. Preferably the

CD45RO/RB binding molecule comprises a polypeptide of SEQ ID NO:31 and a polypeptide of SEQ ID NO:8.

An "effective amount" of a CD45RO/RB binding molecule is an amount sufficient to effect beneficial or desired results including clinical results such decreasing one or more symptoms
5 resulting from the autoimmune disease, transplant rejection, psoriasis, dermatitis, inflammatory bowel disease and/or allergy, increasing the quality of life of those suffering from, decreasing the dose of other medications required to treat such diseases, enhancing effect of another medication, delaying the progression of the disease, and/or prolonging survival of patients, either directly or indirectly.

10 An effective amount can be administered in one or more administrations and may or may not be achieved in conjunction with another drug, compound, or pharmaceutical composition. Thus, an "effective amount" may be considered in the context of administering one or more therapeutic agents, and a single agent may be considered to be given in an effective amount if, in conjunction with one or more other agents, a desirable result may be or is achieved.

15 Further is provided that a CD45RO/RB binding molecule of the invention may be administered as the sole active ingredient or together with other drugs in immunomodulating regimens or other anti-inflammatory agents e.g. for the treatment or prevention of diseases associated with autoimmune diseases, transplant rejection, psoriasis, dermatitis
20 inflammatory bowel disease and/or allergies. For example, a CD45RO/RB binding molecule of the invention may be used in combination with a calcineurin inhibitor, e.g. cyclosporine A, cyclosporine G, FK-506, ABT-281, ASM 981; an mTOR inhibitor, e.g. rapamycin, 40-O-(2-hydroxy)ethyl-rapamycin, CCI779, ABT578, AP23573, AP23464, AP23675, AP23841, TAFA-93, biolimus-7 or bioimus-9; a corticosteroid; cyclophosphamide; azathioprine; methotrexate; a S1P receptor agonist, e.g. FTY 720 or an analogue thereof; leflunomide or analogs
25 thereof; mizoribine; mycophenolic acid; mycophenolate mofetil; 15-deoxyspergualine or analogs thereof; immunosuppressive monoclonal antibodies, e.g., monoclonal antibodies to leukocyte receptors, e.g., MHC, CD2, CDS, CD4, CD11a/CD18, CD7, CD25, CD27, B7, CD40, CD45, CD58, CD137, ICOS, CD150 (SLAM), OX40, 4-1BB or their ligands, e.g. CD154; or other immunomodulatory compounds, e.g. a recombinant binding molecule
30 having at least a portion of the extracellular domain of CTLA4 or a mutant thereof, e.g. an at least extracellular portion of CTLA4 or a mutant thereof joined to a non-CTLA4 protein sequence, e.g. CTLA4Ig (e.g. designated ATCC 68629) or a mutant thereof, e.g. LEA29Y, or

other adhesion molecule inhibitors, e.g. mAbs or low molecular weight inhibitors including LFA-1 antagonists, Selectin antagonists and VLA-4 antagonists.

An effective amount of a CD45RO/RB binding molecule of the invention, alone or in conjunction with another drug, compound, or pharmaceutical composition can be administered by any conventional route, including injection or by gradual infusion over time. The administration may, for example, be oral, intravenous, intraperitoneal, intramuscular, intracavity, subcutaneous, topical or transdermal. By "co-administration" is meant administration of the components of the compositions of the invention together or at substantially the same time, either in the same vehicle or in separate vehicles, so that upon oral administration, for example, both compounds are present simultaneously in the gastrointestinal tract. Preferably, the compounds are administered as a fixed combination.

In another aspect the present invention provides a pharmaceutical composition comprising a CD45RO/RB binding molecule according to the present invention in association with at least one pharmaceutically acceptable carrier or diluent.

The term "pharmaceutically-acceptable carrier or diluent" as used herein means one or more compatible solid or liquid fillers, diluents or encapsulating substances which are suitable for administration into a mammals including humans. The term "carrier" denotes an organic or inorganic ingredient, natural or synthetic, with which the active ingredient is combined to facilitate the application.

The term "pharmaceutically acceptable" means a non-toxic material that does not interfere with the effectiveness of the biological activity of the active ingredients. Such preparations may routinely contain pharmaceutically acceptable concentrations of salts, buffering agents, preservatives, compatible carriers, supplementary immune potentiating agents such as adjuvants and cytokines and optionally other therapeutic agents, such as chemotherapeutic agents.

When used in medicine, the salts should be pharmaceutically acceptable, but non-pharmaceutically acceptable salts may conveniently be used to prepare pharmaceutically-acceptable salts thereof and are not excluded from the scope of the invention.

The pharmaceutical compositions may contain suitable buffering agents, including: acetic acid in a salt; citric acid in a salt; boric acid in a salt; and phosphoric acid in a salt.

The pharmaceutical compositions also may contain, optionally, suitable preservatives, such as: benzalkonium chloride; chlorobutanol; parabens and thimerosal.

5 The doses of polypeptide or nucleic acid encoding said polypeptide administered to a subject can be chosen in accordance with different parameters, in particular in accordance with the mode of administration used and the state of the subject. Other factors include the desired period of treatment. In the event that a response in a subject is insufficient at the initial doses applied, higher doses (or effectively higher doses by a different, more localized delivery route) may be employed to the extent that patient tolerance permits.

10 The pharmaceutical compositions may conveniently be presented in unit dosage form and may be prepared by any of the methods well-known in the art of pharmacy. All methods include the step of bringing the active agent into association with a carrier which constitutes one or more accessory ingredients. In general, the compositions are prepared by uniformly and intimately bringing the active compound into association with a liquid carrier, a finely divided solid carrier, or both, and then, if necessary, shaping the product.

15 Compositions suitable for oral administration may be presented as discrete units, such as capsules, tablets, lozenges, each containing a predetermined amount of the active compound. Other compositions include suspensions in aqueous liquids or non-aqueous liquids such as a syrup, elixir or an emulsion.

20 Compositions suitable for parenteral administration conveniently comprise a sterile aqueous or non-aqueous preparation of a polypeptide or nucleic acid encoding the polypeptide, which is preferably isotonic with the blood of the recipient. This preparation may be formulated according to known methods using suitable dispersing or wetting agents and suspending agents. The sterile injectable preparation also may be a sterile injectable solution or suspension in a non-toxic parenterally-acceptable diluent or solvent, for example, as a
25 solution in 1,3-butane diol. Among the acceptable vehicles and solvents that may be employed are water, Ringer's solution, and isotonic sodium chloride solution. In addition, sterile, fixed oils are conventionally employed as a solvent or suspending medium. For this purpose any bland fixed oil may be employed including synthetic mono- or di-glycerides. In addition, fatty acids such as oleic acid may be used in the preparation of injectables.

30 Carrier formulation suitable for oral, subcutaneous, intravenous, intramuscular, etc. administrations can be found in Remington's Pharmaceutical Sciences, Mack Publishing Co., Easton, PA.

A pharmaceutical composition may comprise further, e.g. active, ingredients, e.g. other immunomodulatory antibodies such as, but not confined to anti-ICOS, anti-CD154, anti-CD134L or recombinant proteins such as, but not confined to rCTLA-4 (CD152), rOX40 (CD134), or anti-inflammatory agents or immunomodulatory compounds such as, but not
5 confined to cyclosporin A, FTY720, RAD, rapamycin, FK506, 15-deoxyspergualin, steroids; as described above. Such pharmaceutical composition may comprise a CD45RO/RB binding molecule according to the invention and immunomodulating drugs and/or anti-inflammatory agents in separate unit dosage forms, preferably wherein the unit dosage forms are suitable for administration of the component compounds in synergistically effective amounts, together
10 with instruction for use, optionally with further means for facilitating compliance with the administration of the component compounds, e.g. a label or drawings. The compositions of the invention can be administered as a free combination, or can be formulated into a fixed combination. Absolute dosages of the compounds will vary depending on a number of factors, e.g. the individual, the route of administration, the desired duration, the rate of
15 release of the active agent and the nature and severity of the condition to be treated.

Diseases as outlined above to be treated with a CD45RO/RB binding molecule of the present invention alone or in combination with other drugs include, but are not limited to autoimmune diseases, including rheumatoid arthritis, psoriatic arthritis, autoimmune thyroiditis, Graves disease, type I and type II diabetes, multiple sclerosis, Crohn's disease
20 (CD), ulcerative colitis (UC), systemic lupus erythematosus, Sjögren syndrome, scleroderma, autoimmune gastritis and glomerulonephritis; transplant rejection, including, but are not limited to, organ and tissue allograft and xenograft rejection, e.g. for the treatment of recipients of e.g. heart, lung, combined heart-lung, liver, kidney, pancreatic, skin or corneal transplants, graft versus host disease (GVHD), such as following bone marrow
25 transplantation, and/or pancreatic islet cell transplant rejection; psoriasis; dermatitis such as atopic and contact dermatitis including allergic contact dermatitis; inflammatory bowel disease and/or allergies, including allergic asthma.

EXAMPLES

The invention will be more fully understood by reference to the following examples. They should not, however, be construed as limiting the scope of the invention. In the following examples all temperatures are in degree Celsius.

- 5 The "candidate mAb" or "chimeric antibody" is a CD45RO/RB binding molecule according to the present invention comprising light chain of SEQ ID NO:3 and heavy chain of SEQ ID NO:4.

- The "humanised antibody" is a CD45RO/RB binding molecule according to the present invention comprising a polypeptide of SEQ ID NO:8 and polypeptide of SEQ ID NO:9
 10 (VHE/humV1, VHE/VL1 or VHE/VLh), a polypeptide of SEQ ID NO:8 and a polypeptide of SEQ ID NO:10 (VHQ/humV1, VHQ/VL1 or VHQ/VLh); a polypeptide of SEQ ID NO:7 and polypeptide of SEQ ID NO:9 (VHE/humV2, VHE/VL2 or VHE/VLm); a polypeptide of SEQ ID NO:7 and polypeptide of SEQ ID NO:10 (VHQ/humV2, VHQ/VL2 or VHQ/VLm); a polypeptide of SEQ ID NO:8 and polypeptide of SEQ ID NO:31 (VHEN73D/humV1,
 15 VHEN73D/VL1 or VHEN73D/VLh); a polypeptide of SEQ ID NO:8 and polypeptide of SEQ ID NO:32 (VHQN73D/humV1, VHQN73D/VL1 or VHQN73D/VLh); a polypeptide of SEQ ID NO:7 and polypeptide of SEQ ID NO:31 (VHEN73D/humV2, VHEN73D/VL2 or VHEN73D/VLm); or a polypeptide of SEQ ID NO:7 and polypeptide of SEQ ID NO:32 (VHQN73D/humV2, VHQN73D/VL2 or VHEN73D /VLm).

- 20 The following abbreviations are used:

APC	antigen presenting cell
CEX	cation exchange chromatography
c.p.m.	counts per minute
dhfr	dihydrofolate reductase
25 EDTA	ethylen dinitrilo tetra acidic acid
ELISA	enzyme linked immuno-sorbant assay
ESI-Q-TOF	electrospray ionization – quadrupole – time of flight
FACS	fluorescence activated cell sorting
Fc	fragment crystallizable
30 F(ab') ₂	fragment antigen-binding; bivalent
FITC	fluorescein isothiocyanate
FBS	foetal bovine serum

	GVHD	graft-vs-host disease
	HCMV	human cytomegalovirus promoter
	HPLC	High Performance Liquid Chromatography
	IFN- γ	interferon gamma
5	IgE	immunoglobulin isotype E
	IgG	immunoglobulin isotype G
	IL-2	interleukin-2
	IU	international units
	MALDI-TOF	matrix assisted laser desorption ionization – time of flight
10	MLR	mixed lymphocyte reaction
	MLC	mixed lymphocyte culture
	MP1	matrix protein 1 from hemophilus influenza
	MTX	methotrexate
	PBS	phosphate-buffered saline
15	PBL	peripheral blood leukocytes
	PBMC	peripheral blood mononuclear cells
	PCR	polymerase chain reaction
	RP	reverse phase chromatography
	SEC	size exclusion chromatography
20	SCID	severe combined immunodeficiency
	T _{reg}	T regulatory cells
	xGVHD	xeno-graft-vs-host disease

25 **Example 1: Primary mixed lymphocyte response (MLR)**

Cells

Blood samples are obtained from healthy human donors. Peripheral blood mononuclear cells (PBMC) are isolated by centrifugation over Ficoll-Hypaque (Pharmacia LKB) from leukocytes from whole peripheral blood, leukopheresis or buffy coats with known blood type, but
 30 unknown HLA type. In some MLR experiments, PBMC are directly used as the stimulator cells after the irradiation at 40 Gy. In the other experiments, T cells were depleted from PBMC by using CD2 or CD3 Dynabeads (Dyna, Oslo, Norway). Beads and contaminating cells are removed by magnetic field. T cell-depleted PBMC are used as simulator cells after the irradiation.

PBMC, CD3⁺ T cells or CD4⁺ T cells are used as the responder cells in MLR. Cells are prepared from different donors to stimulator cells. CD3⁺ T cells are purified by negative selection using anti-CD16 mAb (Zymed, CA), goat anti-mouse IgG Dynabeads, anti-CD14 Dynabeads, CD19 Dynabeads. In addition anti-CD8 Dynabeads are used to purify CD4⁺ T cells. The cells obtained are analyzed by FACScan or FACSCalibur (Becton Dickinson & Co., CA) and the purity of the cells obtained was >75%. Cells are suspended in RPMI1640 medium, supplemented with 10 % heat-inactivated FBS, penicillin, streptomycin and L-glutamine.

Reagents

10 The chimeric anti-CD45R0/RB mAb "candidate mAb" and an isotype matched control chimeric antibody is also generated. Mouse (Human) control IgG₁ antibody specific for KLH (keyhole limpet hemocyanin) or recombinant human IL-10 is purchased from BD Pharmingen (San Diego, CA). Anti-human CD154 mAb 5c8 is according to Lederman et al 1992.

15 *Primary Mixed lymphocyte response (MLR)*

Aliquots of 1 x 10⁵ PBMC or 5 X 10⁴ of CD3⁺ or CD4⁺ cells are mixed with 1 x 10⁵ irradiated PBMC or 5 x 10⁴ T cells-depleted irradiated (50 Gy) PBMC in the each well of 96-well culture plates (Costar, Cambridge, MA) in the presence of the indicated mAb or absence of Ab. In some experiments, F(ab')₂ fragment of goat anti-mouse Ig or goat anti-human Ig specific for Fc portion (Jackson ImmunoResearch, West Grove, PA) is added at 10 µg/ml in addition to the candidate mAb To ensure optimal in vitro cross-linking of the target CD45 molecules. The mixed cells are cultured for 4 or 5 days at 37°C in 5% CO₂ and proliferation is determined by pulsing the cells with ³H-thymidine for the last 16 - 20 hours of culture. Other experiments are similar to those described above, but with the following exceptions: 1) 20 Medium used is EX-VIVO (Bio-Whittaker) containing 10% FBS and 1% human plasma; 2) Anti-mouse total IgG (5 µg/ml) is used as secondary cross-linking step; 3) Irradiation of 25 stimulator cells is 60 Gy.

Primary MLR is performed in the presence of the "candidate mAb" or control chimeric IgG₁ (10 µg/ml) both with a second step reagent, F(ab')₂ fragment of goat anti-human Ig specific for Fc portion (10 µg/ml). Percentage inhibition by the "candidate mAb" is calculated in comparison with the cell proliferation in the presence of control IgG₁. Results are shown in

5 TABLE 1 below:

TABLE 1

Inhibition of primary MLR by 10 µg/ml of a candidate mAb according to the present invention

Responder	Stimulator (Irr. PBMC)	% of Inhibition
#211 CD4	#219 CD3	63.51
#220 CD4	#219 CD3 depl.	63.07
#227 CD4	#220 CD3 depl.	65.96
#229 CD4	#219 CD3 depl.	50.76
Average $\pm$ SD		60.83 $\pm$ 6.83 *

* Significantly different from control value (P<0.001)

10 A candidate mAb according to the present invention inhibits primary MLR as can be seen from TABLE 1. The average inhibitory effect is 60.83 $\pm$ 6.83 % in four different donors-derived CD4⁺ T cells and statistically significant.

The inhibition of primary MLR by the "candidate mAb" is shown to be dose-dependent in the range of 0.001 and 10 µg/ml of the "candidate mAb" as shown in Figure 1.

15 The IC₅₀ for the inhibition of primary MLR by a "candidate mAb" is determined from the results of three separate MLR experiments using one donor PBMC as responder cells. Thus, responder CD4⁺ T cells from Donor #229 and #219 and irradiated PBMC depleted of T cells as stimulators are mixed in the presence of a "candidate mAb" or control chimeric Ab with 10 µg/ml of F(ab')₂ fragment of goat anti-human Ig. Experiments are repeated 3 times and percentage of proliferation in the presence of a "candidate mAb" is calculated in comparison
20 with the T cell proliferation in the presence of control Ab. IC₅₀ value is determined using Origin (V. 6.0®). The cellular activity IC₅₀ value is calculated to be 0.87 $\pm$ 0.35 nM (0.13 $\pm$ 0.052 µg/ml).

Example 2: Secondary MLR

In order to assess whether a "candidate mAb" induces unresponsiveness of CD4⁺ T cells to specific alloantigens, secondary MLR is performed in the absence of any antibodies after the primary MLC. CD4⁺ T cells are cultured with irradiated allogeneic stimulator cells (T cells-depleted PBMC) in the presence of the indicated antibody in 96-well culture plates for 10 days (primary MLC). Then, cells are collected, layered on a Ficoll-Hypaque gradient to remove dead cells, washed twice with RPMI, and restimulated with the same stimulator, 3rd party stimulator cells or IL-2 (50 U/ml). The cells are cultured for 3 days and the proliferative response is determined by pulsing the cells with ³H-thymidine for the last 16 - 20 hours of culture.

Specifically, CD4⁺ T cells are cultured with irradiated allogeneic stimulator cells (T cells-depleted PBMC taken from other donors) in the presence of 10 µg/ml of the "candidate mAb", control IgG1 chimeric Ab and F(ab')₂ fragment of goat anti-human Ig. Primary MLR proliferation is determined on day 5. For secondary MLR, the responder and stimulator cells are cultured for 10 days in the presence of the "candidate mAb", then the cells are harvested, washed twice in RPMI1640 and restimulated with specific stimulator, third-party stimulators or IL-2 (50 U/ml) in the absence of any Ab. Cell proliferation is determined on day 3. Results set out in TABLE 2:

TABLE 2

Responder CD4 ⁺ T cells Donor #	% Inhibition of 2 ^{ry} MLR
#211	49.90*
#220	59.33*
#227	58.68*

* Significantly different from control value (p=<0.001 determined by t-test, SigmaStat V.2.03). # p=<0.046

In order to test whether the impaired proliferation is due to unresponsiveness as a consequence of the treatment with a "candidate mAb", the cells derived from primary MLR are cultured in the presence of IL-2 (50 U/ml). Addition of IL-2 results in the rescue of proliferative responses of the T cells which had been treated with a "candidate mAb" in primary MLR, to levels similar to those observed in the presence of IgG₁ control Ab. These data indicate that the impaired secondary response in T cells treated with a "candidate mAb" is due to functional alteration of the responder T cells which become unresponsive to the specific stimulator cells.

Percentage inhibition is calculated according to the following formula:

$$\frac{\text{c.p.m. with control Ab} - \text{c.p.m. with "candidate mAb"}}{\text{c.p.m. with control Ab}} \times 100$$

Statistical analysis is performed using SigmaStat (Vers. 2.03).

The data is analyzed by two-way ANOVA followed by Dunnett method. In all test procedures probabilities <0.05 are considered as significant. In some experiments t-test is used (SigmaStat V.2.03).

Example 3: In vivo survival studies in SCID-mice

Engraftment of hu-PBL in SCID mice

Human peripheral blood mononuclear cells (PBMC) are injected intraperitoneally into SCID mice C.B 17 /Gbmstac-Prkdc^{scid} Lyst^{bg} mice (Taconic, Germantown, NY) in an amount sufficient to induce a lethal xenogeneic graft-versus-host disease (xGvHD) in >90% of the mice within 4 weeks after cell transfer. Such treated SCID mice are hereinafter designated as hu-PBL-SCID mice

Mab-treatment of hu-PBL-SCID mice

Hu-PBL-SCID mice are treated with a "candidate mAb" or mouse or chimeric isotype matched mAb controls at day 0, immediately after PBMC injection, at day 3, day 7 and at weekly intervals thereafter. Mabs are delivered subcutaneously in 100 µl PBS at a final

concentration of 5 mg/kg body weight. The treatment was stopped when all control mice were dead.

Evaluation of treatment results

The main criterion to assess the efficacy of a "candidate mAb" in this study was the survival of the hu-PBL-SCID mice. The significance of the results is evaluated by the statistical method of survival analysis using the Log-rank test (Mantel method) with the help of the Systat v9.01 software. The method of survival analysis is a non-parametric test, which not only consider whether a particular mouse is still alive but also whether if it was sacrificed for reasons irrelevant to the treatment/disease such as the requirement of perform in vitro analysis with its organs/cells. Biopsies of liver, lung, kidney and spleen are obtained from dead mice for further evaluation. In addition, hu-PBL-SCID mice are weighed at the beginning (before cell transfer) and throughout (every two days) the experiment as an indirect estimation of their health status. Linear regression lines were generated using the body weight versus days post-PBMC transfer values obtained from each mouse and subsequently, their slopes (control versus anti-CD45 treated mice) were compared using the non-parametric Mann-Whitney test.

Results

All hu-PBL-SCID mice treated with mouse mAb controls had infiltrated human leukocytes in the lung, liver and spleen and died (4/4) within ca. 2 to 3 weeks after cell transfer. Death is a likely consequence of xGvHD. Control mAb-treated mice furthermore lost weight in a linear manner, ca. 10% and more within 3 weeks.

All hu-PBL-SCID mice treated with a "candidate mAb" survived (4/4) without any apparent sign of disease more than 4 weeks, even although "candidate mAb"-treatment was stopped after 3 weeks. "Candidate mAb"-treated mice increased weight in a linear manner, up to ca. 5% within 4 weeks.

Example 4: Expression of antibodies of the invention

Expression of humanised antibody comprising a SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10 SEQ ID NO:31 or SEQ ID NO:32

Expression vectors according to the plasmid maps shown in Figures 2 to 11 are constructed, comprising the corresponding nucleotides encoding the amino acid sequence of humanised light chain variable region humV1 (SEQ ID NO:8; Figures 4 and 6), humanised light chain

variable region humV2 (SEQ ID NO:7; Figures 5 and 7), humanised heavy chain variable region VHE (SEQ ID NO:9; Figure 3 and 10), or humanised heavy chain variable region VHQ (SEQ ID NO:10; Figures 2 and 11), humanised heavy chain variable region VHE-N73D (SEQ ID NO:31; Figure 8) or humanised heavy chain variable region VHQ-N73D (SEQ ID NO:32; Figure 9), respectively. These expression vectors have the DNA (nucleotide) sequences SEQ ID NO: 15 and SEQ ID NO: 41 (VHQ), SEQ ID NO: 16 and SEQ ID NO: 40 (VHE), SEQ ID NO: 17 and SEQ ID NO 36 (humV1), SEQ ID NO: 18 and SEQ ID NO: 39 (humV2), or SEQ ID NO 37 (VHE-N73D) and SEQ ID NO 38 (VHQ-N73D).

Construction of humanised antibody heavy and light chain expression vectors for expression in COS cells

Human kappa light chain expression vectors for versions VLh and VLm

In order to construct the final expression vector encoding for the complete humanised light chain of human kappa isotype, DNA fragments encoding the complete light chain variable regions (VLh and VLm) were excised from the VLh and VLm containing PCR-Script cloning vectors (Stratagene) (VLm region) using HindIII and BglII. The gel-purified fragments were then subcloned into the HindIII and BamHI sites of C21-HCMV Kappa expression vector which was created during construction of the humanised anti-IgE antibody TESC-21 (Kolbinger et al 1993) and which originally received from M. Bendig (MRC Collaborative Centre, London, UK) (Maeda et al. 1991). The ligation products were purified by phenol/chloroform extraction, and electroporated into electrocoporation-competent Epicurian Coli® XL1-Blue strain (Cat. N° #200228, Stratagene). After plating on LB/amp agar plates overnight at 37°C, each 12 colonies were picked to prepare plasmid DNA from a 3 ml culture using the BioRobot 9600 (Qiagen). This yielded the light chain expression vectors for the humanised antibody versions VLh and VLm, respectively, as further described in the Figures.

Human gamma-1 heavy chain expression vectors for VHQ

For the construction of the VHQ expression vector, a step-wise approach was taken. First, the complete variable region of VHQ was assembled by PCR according to the methodology as described in Kolbinger et al 1993 (Protein Eng. 1993 Nov; 6(8):971-80) and subcloned into the C21-HCMV-gamma-1 expression from which the C21 insert had been removed using the same enzymes. A HindIII/BamHI fragment of PCRScript clone VHQ containing the complete variable region was then subcloned into expression vector C21-HCMV-gamma-1 cleaved

with the same enzymes. This yielded the final expression vector for the humanised antibody version VHQ.

Human gamma-1 heavy chain expression vectors for VHE

The construction of the final VHE expression vector encoding for the complete humanised heavy chain of human gamma-1 isotype was achieved by directly ligating a HindIII and BamHI restricted PCR fragment encoding the variable region into the HindIII and BamHI sites of C21-HCMV gamma-1 expression vector which was created during construction of the humanised anti-IgE antibody TESC-21 (Kolbinger et al. 1993) and which was also originally received from M. Bendig (MRC Collaborative Centre, London, UK) (Maeda et al. 1991).

Transient expression in COS cells

The following transfection protocol is adapted for adherent COS cells in 150 mm cell culture dishes, using SuperFect™ Transfection Reagent (Cat. N°301305, Qiagen). The four different expression vectors described above are used for transient transfection of cells. For expression of humanised antibody, each of two clones containing heavy chain inserts (VHE or VHQ, respectively) are co-transfected into cells with each of the two clones encoding for the light chains (humV1 or humV2, respectively), in total 4 different combinations of heavy and light chain expression vectors (VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2). Before transfection, the plasmids are linearized with the restriction endonuclease PvuI which cleaves in the region encoding the resistance gene for ampicillin. The day before transfection, 4×10^6 COS cells in 30 ml of fresh culture medium are seeded in 150 mm cell culture dishes. Seeding at this cell density generally yielded 80% confluency after 24 hours. On the day of transfection, four different combinations of linearized heavy- and light-chain DNA expression vectors (15 µg each) are diluted in a total volume of 900 µl of fresh medium without serum and antibiotics. 180 µl of SuperFect Transfection Reagent is then mixed thoroughly with the DNA solution. The DNA mixture is incubated for 10 min at room temperature to allow complex formation. While complex formation takes place, the growth medium is removed from COS cell cultures, and cells are washed once with PBS. 9 ml of fresh culture medium (containing 10% FBS and antibiotics) are then added to each reaction tube containing the transfection complexes and well mixed. The final preparation is immediately transferred to each of 4 cultures to be transfected and gently mixed. Cell cultures are then incubated with the DNA complexes for 3 hours at 37°C and 5% CO₂. After incubation, the medium containing transfection complexes is removed and replaced with 30

ml of fresh culture medium. At 48 hr post transfection, the culture supernatants are harvested.

Concentration of culture supernatants

For ELISA and FACS analysis, the culture supernatants collected from COS cells transfected with heavy- and light- chain plasmids are concentrated as follows. 10 ml of each supernatant are added to Centriprep YM-50 Centrifugal Filter Devices (Cat. N° 4310, Millipore) as described by the manufacturer. The Centriprep filters are centrifuged for 10 min at 3000 rpm at room temperature. The centrifugation step is then repeated again with the remaining 20 ml of supernatant using only 5 min of centrifugation and supervising the concentration evolution. The intermediate 500 µl of concentrated supernatant is recovered, transferred to new Microcon Centrifugal Filter Devices (Cat. N° 42412, Microcon) and further concentrated following the manufacturer's protocol. The concentrated supernatants are centrifuged four times for 24 min at 3000 rpm at room temperature, one time for 10 min at 6000 rpm and then, three times for 5 min, always supervising the concentration evolution. The final volume of concentrated conditioned medium achieved is 100-120 µl corresponding to a 250 to 300-fold concentration of original culture medium and is stored at 4°C until use. For comparison and control, culture medium from untransfected cells is similarly concentrated, using the same centrifugation protocol described above.

Generation of stable Sp2/0 myeloma transfectants secreting humanised anti-CD45RO/RB antibodies

The mouse myeloma cell line Sp2/0 (ATCC, CRL-1581) is electroporated with the above described CHO-expression vectors encoding heavy (VHE or VHQ) and light (humV1 or humV2) chain of the CD45RO/RB binding humanised antibodies. Four different combinations of heavy and light chain expression vectors (VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2) are used for transfection according to the following protocol: 20 µg supercoiled DNA of each plasmid is mixed in an electroporation cuvette (0.4 cm gap) with 8×10^6 live Sp2/0 cells suspended in DMEM / 10%FCS culture medium. Electroporation settings are 1500 V, 25 µF using a BioRad GenePulser instrument. After electroporation, cells are cultured for 20 h in culture medium (DMEM supplemented with 10% FCS penicillin, streptomycin and L-glutamine). On day two the selection drug G418 (Cat. N° 10131-019, Gibco) is added to a final concentration of 1 mg active drug / ml and the cells are distributed into one 96-well plate, 200 µl each well with approx. 10^5 cells per well. Ten to 15 days later, G418-surviving clones are expanded in G418-containing medium. Secretion of humanised

mAbs from these transfectants is assessed by ELISA, using a coating antibody goat anti-human IgG/Fcγ (Cat. N° 109-005-098, Jackson Labs) and a peroxidase-coupled antibody against human kappa light chain (Cat. N° A-7164, Sigma). Transfectants, which score positive in this assay are selected for a comparison of productivity on a per cell per day basis, again using ELISA (see below). The best clone of each transfectant is selected for immediate subcloning by limiting dilution, using a seeding density of 1 cell per well.

Productivity of G418-surviving subclones is again determined as described above.

Subclones are expanded in G418-containing selection medium, until the culture volume reaches 150 ml, at which stage the culture is continued without G418 in flasks destined to feed roller bottles.

After the first transfection and selection, stable transfectants grow out of the 96-well plates at a frequency of 20.8 % for VHE/humV1, 11.5 % for VHQ/humV1, 18.8 % for VHE/humV2 and 7.3 % for VHQ/humV2. After two rounds of subcloning the best two producers are clone 1.33.25 (3.87 pg/cell/day) and clone 1.33.26 (3.43 pg/cell/day) for VHE/humV1 and clone 12.1.4 (1.19 pg/cell/day) and clone 12.1.20 (1.05 pg/cell/day) for VHQ/humV1. The stable Sp2/0 transfectants for VHE/humV1 and VHQ/humV1 are subsequently expanded for antibody production and purification.

The antibodies are purified from supernatants of stably transfected SP2/0 myeloma cell lines containing 10% FCS by a combination of affinity chromatography using an immobilized anti-human IgGFc matrix and size-exclusion chromatography. If required, endotoxin is removed using an Acticlean Etox column (Sterogene Bioseparations).

Construction of humanised antibody heavy and light chain expression vectors for expression in Sp2/0 cells

Human kappa light chain expression vectors for versions VLh and VLm:

The humV1 (= VL1) or humV2 (= VL2) cDNA is amplified by PCR from the CHO expression plasmid SEQ ID NO: 17 or SEQ ID NO: 18 respectively, using the primers HuCD45LC-Mlu (5' – AAAACGCGTTGTGACATTCTGCTGACCCAGTCT - 3'; SEQ ID NO: 42) and HuCD45LC-Hind (5' – AAAAAAGCTTGGTCCCCTGGCCGAACGTGAA – 3'; SEQ ID NO: 43). Each 321 bp PCR fragment is digested with *Mlu*I and *Hind*III and ligated directly into the light chain expression vector chA6HCK.dhfr which is digested with the same enzymes. The resulting plasmids are named LCVL1Sp20 (SEQ ID NO: 36; Figure 6) and LCVL2Sp20 (SEQ ID NO: 39; Figure 7) respectively. LCVL1Sp20 is then used for the expression in Sp2/0 cells

of the humanised CD45RO/RB-binding molecules VHE/humV1, VHQ/humV1 or VHE-N73D/humV1; LCVL2Sp20 may then be used for the expression in Sp2/0 cells of the humanised CD45RO/RB-binding molecules VHE/humV2, VHQ/humV2 or VHE-N73D/humV2.

5 *Human gamma-1 heavy chain expression vectors for VHQ and for VHE*

The two humanised V_H cDNA regions are amplified by PCR from the recombinant plasmids HCMV-G1 HuA6-VHE (SEQ ID NO: 16; Figure 3) and HCMV-G1 HuA6-VHQ (SEQ ID NO: 15 Figure 2) respectively, using the PCR primers HuCD45HCEup (5' – CAGGCAGAGGTGCAGCTGGTGGAGTCA – 3'; SEQ ID NO: 44) or HuCD45HCQup (5' –
 10 CAGGCACAGGTGCAGCTGGTGGAGTCA – 3'; SEQ ID NO: 45) and HuCD45HClo (5' – AAATCCTTCTAGAACTCACCTGAGGAGAC – 3'; SEQ ID NO: 46). The PCR fragments' 3' ends were digested with *Bst*EII. Each PCR fragment is then cloned into the heavy chain cassette vector HCcassREAL cut with *Bst*EII and the blunt end cutter *Hinc*II. The resulting plasmids are intermediates to the final expression constructs and are named
 15 HCcassHVESP20 and HCcassHVQSP20, respectively. This subcloning also leads to a change of the leader sequence which is associated to both of the V_H regions in the original vectors. Whereas the old leader sequence's amino acid sequence is MDWTWRVFCLLAVVAPGAHS (SEQ ID NO: 47), it has been replaced during the subcloning with MAWVWTLPLFLMAAAQSVQA (SEQ ID NO: 48).
 20 The intermediates HCcassVHESP20 or HCcassVHQSP20 are digested with *Sca*I and subsequently, the plasmids are digested with *Bam*HI and *Eco*RI. The 2.9 kb fragments containing the Ig heavy chain promoter and the V_H region are purified and ligated with the 8.7 kb fragment of *Bam*HI- and *Eco*RI-digested of a heavy chain expression construct. The resulting plasmids are named HCVHESp20 (SEQ ID NO: 40; Figure 10) and HCVHQSp20
 25 (SEQ ID NO: 41; 11), respectively; and are used for the expression in Sp2/0 cells of the humanised CD45RO/RB-binding molecules VHE/humV1, VHQ/humV1.

Human gamma-1 heavy chain expression vector for VHEN73D

Expression vectors HCVHESp20 (SEQ ID NO: 40; Figure 10) and HCVHQSp20 (SEQ ID NO: 41; Figure 11), are used as templates for site-directed mutagenesis to achieve a N73D
 30 mutation (exchange of an asparagine to aspartate in amino acid position 73 of the CD45RO/RB-binding molecule's heavy chain). This mutation eliminates a putative N-glycosylation site. Mutagenesis is performed with the QuikChange® Multi-Site Directed

Mutagenesis kit (Stratagene) and the primer aCD45H-N73D (5' - phospho GCCACACTAACTGCAGACAAATCCATCAGCACAGC - 3'; SEQ ID NO: 49) according to the kit manual. The sequence of the resulting constructs HCVHEN73DSp20 and HCVHQN73DSp20 is confirmed and is disclosed as SEQ NO: 37 and SEQ NO: 38, and
5 Figures 8 and 9, respectively. HCVHEN73DSp20 (SEQ NO: 37) together with the light chain expression construct LCVL1SP20 (SEQ NO: 36) are used for the expression in Sp2/0 cells of the humanised CD45RO/RB-binding molecule VHE-N73D/humV1.

Generation of stable Sp2/0 myeloma transfectants secreting humanised anti-CD45RO/RB antibody VHE-N73D/humV1

10 The mouse myeloma cell line Sp2/0 Ag14.10 is electroporated with vectors encoding heavy (HCVHEN73DSp20; SEQ ID NO: 37) and light (LCVL1SP20; SEQ ID NO: 36) chain of the humanised CD45RO/RB binding molecule VHEN73D/humV1. For transfection, cells in exponential growth phase with a viability higher than 95% are used. Cells are washed twice with cold TF-buffer (272 mM sucrose, 1 mM MgCl₂, 7 mM phosphate buffer pH 7.4) and cell
15 concentration is adjusted to 2×10^7 cells/ml in TF-buffer. 0.8 ml cell suspension is mixed with 15 µg each of the heavy and light chain plasmid construct and placed on ice for 10 minutes. Five transfections are done by electroporation using the Biorad Gene Pulser (280V and 25 µF). After electroporation cells are placed on ice for 15 minutes followed by transfer into 50 ml cold culture medium (RPMI-based medium without FCS) and incubated for 2 days at 37 °
20 C and 5% CO₂.

For selection of transfectants, cells were cultivated in the presence of 1.1 mg/ml G418 (Geneticin, Gibco lot 3069464) for approximately 2 to 3 weeks. The dhfr (dihydrofolate reductase) amplification marker located on the light chain construct allows amplification of the dhfr gene as well as of the transgene by the folic acid analogue methotrexate (MTX). For
25 gene amplification, G418 resistant cells are cultivated in the presence of 200 nM MTX for a period of 2-3 weeks followed by a further increase in the MTX concentration at 1 µM resulting in an amplified heterogeneous cell pool. The antibody concentration is determined by analytical ProteinA HPLC. The best producing pools are selected for cloning by limiting dilution, using a seeding density of 0.3 cell per well to isolate high producer clones.

Example 5: Determination of recombinant human IgG expression by ELISACharacterization of VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2

To determine IgG concentrations of recombinant human antibody expressed in the culture supernatants, a sandwich ELISA protocol has been developed and optimized using human IgG as standard. Flat bottom 96-well microtiter plates (Cat. N° 4-39454, Nunc Immunoplate Maxisorp) are coated overnight at 4°C with 100 µl of goat anti-human IgG (whole molecule, Cat. N° I1011, SIGMA) at the final concentration of 0.5 µg/ml in PBS. Wells are then washed 3 times with washing buffer (PBS containing 0.05% Tween 20) and blocked for 1.5 hours at 37°C with blocking buffer (0.5% BSA in PBS). After 3 washing cycles, the antibody samples and the standard human IgG (Cat.No. I4506, SIGMA) are prepared by serial 1.5-fold dilution in blocking buffer. 100 µl of diluted samples or standard are transferred in duplicate to the coated plate and incubated for 1 hour at room temperature. After incubation, the plates are washed 3 times with washing buffer and subsequently incubated for 1 hour with 100 µl of horseradish peroxidase-conjugated goat anti-human IgG kappa-light chain (Cat. N° A-7164, SIGMA) diluted at 1/4000 in blocking buffer. Control wells received 100 µl of blocking buffer or concentrated normal culture medium. After washing, the colorimetric quantification of bound peroxidase in the sample and standard wells is performed, using a TMB Peroxidase EIA Substrate Kit (Cat. N° 172-1067, Bio-Rad) according to the manufacturer's instructions. The peroxidase mixture is added at 100 µl per well and incubated for 30 min at room temperature in the dark. The colorimetric reaction is stopped by addition of 100 µl of 1 M sulfuric acid and the absorbance in each well is read at 450 nm, using an ELISA plate reader (Model 3350-UV, BioRad).

With a correlation coefficient of 0.998 for the IgG standard curve, the following concentrations are determined for the four different culture concentrates (ca. 250-300 fold concentrated) obtained from transfected COS cells:

VHE/humV1 supernatant = 8.26 µg/ml

VHE/humV2 supernatant = 6.27 µg/ml

VHQ/humV1 supernatant = 5.3 µg/ml

VHQ/humV2 supernatant = 5.56 µg/ml

Size Exclusion Chromatography analysis (SEC)

The affinity-purified antibodies VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2 are analyzed by Size Exclusion Chromatography (SEC) on a TSKgel Super SW3000SWXL in order to determine the protein content, the percentage of small aggregates (oligomeric antibodies) as well as possible by- and degradation products. The chromatograms show for VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2 that the main peak is split and that the separation is more pronounced for pools with heavy chain E (Figure 12). The results suggest that there are at least two molecules with a retention time typical for an IgG antibody present in each sample.

10 *SDS-PAGE under reducing conditions*

Analysis of the humanized CD45RO/RB binding molecules VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2 by SDS-PAGE under reducing conditions (gradient gel, 4 to 20% Tris-Glycine gel, Novex) shows the presence of an unexpected additional band, migrating slightly above the band corresponding to the heavy chain band in each sample.

15 The difference in mass is estimated to be in the range of 2 to 4 kDa. Western Blot analysis reveals that the upper band is recognized by anti-human (H + L) antibodies suggesting that the additional band is a heavy chain variant.

Cation Exchange Chromatography (CEX)

The charge heterogeneity is evaluated by cation exchange chromatography (CEX) using a PolyCatA column (PolyLC Inc). While the chimeric mAb is essentially free of charge heterogeneity other than the C-terminal lysine variants, all humanized CD45RO/RB binding molecules, i.e. VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2, are found to be very heterogeneous in charge. A common reason for charge heterogeneity in antibodies is the presence/absence of Lys at the C-terminal end of the antibody heavy chain resulting in three peaks in CEX. The high number of peaks visible on each chromatogram (>10; Figure 13) indicates that at least one additional modification is present in all four CD45RO/RB binding molecules.

SDS-PAGE

In order to evaluate the molecular differences between the two antibody species found in the protein pools of VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2, VHE/humV2 is chosen to be further analysed. The two SEC peaks of VHE/humV2 are collected in a semi-preparative mode and re-analyzed by SEC to confirm their purity. The fractions collected by SEC (Fraction 1 and Fraction 2) are then analyzed by SDS-PAGE under reducing conditions. The proportion of the unexpected additional band at about 49 kDa is different between the two fractions. Fraction 2 is almost free of this additional higher band.

ESI- Q-TOF Mass Spectrometry

SEC fractions F1, F2 and the protein pool of VHE/humV2 are then further analyzed by ESI-Q-TOF mass spectrometry. In the spectrograms of the protein pool and Fraction 2, the same groups of signals are observed. The first group of signals at about 148'000 Da, is found in the protein pool and the Fraction 2, is not detected in Fraction 1. In Fraction 1, a second group of signals (at about 150'300 Da) is detected in addition to another group of signals at about 152'500 Da. The second group of signals at about 150'320 Da could not be correlated to any usually observed antibody forms. These findings suggests that the two peaks in SEC and the two upper bands in reduced SDS-PAGE correspond each to variants of an expected protein.

Reverse Phase Chromatography

To obtain a less complex pattern in mass spectrometry, the antibody chains are further separately analyzed. The fractions are reduced and alkylated. In order to confirm completeness of the reactions the reduced and alkylated samples are analyzed by reverse phased (RP) chromatography (SORBAX, Poroshell 300SB-C8). After reduction and alkylation, the peak shape is almost the same as after reduction only. A shift in retention time is observed. Similar patterns are obtained for the SEC Fraction 1 and the Fraction 2 reduced and alkylated samples. The VHE/humV2 protein pool sample, SEC Fraction 1 and SEC Fraction 2 (reduced & alkylated) are analyzed with ESI- Q-TOF mass spectrometry. Several mass peaks could be assigned to expected antibody forms. The same major peaks are found in all the three samples (protein pool, F1 and F2) but their intensities in Fraction 2 are very low (Figure 14).

Carbohydrates analysis of heavy chain variants

The reduced and alkylated antibody is injected on the reverse phase (RP) chromatography column and the two peaks corresponding the heavy chain variants are collected. The oligosaccharide profiles of these RP-fractionated antibodies are then determined. Among the anticipated G0 and G1 oligosaccharides residues found in all samples, several other peaks are detected in the chromatogram of the Fraction 1 (traces of those peaks are also detectable in chromatograms of Fraction 2 and protein pool).

Taken together, the results suggest that the larger antibody species contain additional glycosylation, not typically found in SP2/0 expressed monoclonal antibodies, accounting for the mass difference. Since the large, complex glycosylation found by carbohydrate analysis and mass spectrometry would be very unlikely for the conserved glycosylation site in the constant region of the antibody, a search for other possible sites is made in the amino acid sequence of the humanized antibodies. A potential site (N73) for N-glycosylation (N-X-S) is identified in the variable domain of the two heavy chain variants.

Preparative fractionation by CEX

Further analyses is performed using material purified from pool VHE/humV1. To reduce the heterogeneity of the material, the C-terminal -lysine is removed by carboxypeptidase-B treatment. The VHE/humV1 antibody is fractionated by preparative cation exchange chromatography using SP Sepharose (Pharmacia). The column is equilibrated with 25 mM sodium phosphate buffer, pH 6.0 (= buffer A) and bound protein is eluted with 250 mM NaCl in buffer A (= buffer B; gradient from 0-65% B). The purity of the fractions is analysed by using CEX. The fractions collected are re-injected on the SEC column to look for a correlation between the results obtained with the two techniques. The chromatogram indicates that the first group of peaks in CEX correlates with the pre-peak in SEC analysis of the antibody, that the second group of peaks in CEX leads together to the first peak in SEC analysis of the protein pool (or Fraction 1), and that the last peak in CEX elutes as the last peak in SEC (or Fraction 2).

In conclusion, the results described above (oligosaccharide profile for the SEC Fractions 1 and 2, CEX pattern obtained after de-carboxylation, SEC pattern obtained for the fractions collected in CEX, mass spectrometry) strongly suggest the presence of antibody species with complex oligosaccharides causing a) mass heterogeneity, leading to a double peak in

SEC and b) the observed double heavy chain band in reduced SDS-PAGE charge heterogeneity, leading to the CEX pattern.

Analytical characterization of CEX fractions

Since the larger antibody species elute earlier on CEX, showing that they are less positively charged, the presence of sialic acid (a component of complex glycosylation and negatively charged) is measured in the different fractions obtained by preparative CEX. Sialic acid is present in all 4 samples to varying degrees. The sialic acid found is most likely the N-glycolyl-neuraminic acid form (based on the shorter retention time as compared to the N-acetyl-neuraminic acid standard). The very low presence of sialic acid in one CEX fraction in contrast to its very high abundance in another CEX fraction strongly suggest that the negatively charged sugar component contributes to the mass/charge heterogeneity. The CEX fractions are analyzed by ESI-Q-TOF mass spectrometry.

SDS-PAGE

The same fractions are also analyzed by SDS-PAGE under reducing conditions. It can be concluded that the upper heavy chain band corresponds to the portion of antibody with a complex oligosaccharide profile containing sialic acid. The lower heavy chain band corresponds to the expected antibody displaying a conventional oligosaccharide profile.

Separation on Mono-S column of papain digested CEX fractions

In order to confirm the usage of the potential glycosylation site in the variable domain of the heavy chain, about 1 mg of each CEX fraction is treated with papain to separate the Fab and the Fc part of the antibody. Preparative chromatography is performed on a Mono-S column. Each of the sub-fraction collected is re-injected onto the RP column to identify its content in terms of Fab and/or Fc domains. Each of the sub-fraction collected is then analyzed with ESI-Q-TOF mass spectrometry. The results obtained show that a) the conserved glycosylation site in the Fc part of the heavy chain is occupied by bi-antennary oligosaccharide forms with none (G0), one (G1) or two terminal (G2) galactose units; b) that in contrast, the irregular glycosylation site (N73) carries complex oligosaccharides containing N-glycolyl neuraminic acid.

In conclusion, the asparagine residue N73 in the variable domain of the heavy chain is found to be partially N-glycosylated. These sugar species cause mass heterogeneity as well as charge heterogeneity that are detected by SDS-PAGE, size exclusion chromatography and cation exchange chromatography.

Characterization of VHE-N73D/humV1

In order to eliminate the heterogeneity of the humanized VHE/humV1, VHE/humV2, VHQ/humV1 and VHQ/humV2 antibodies the asparagine residue at position N73 in the variable domain of the heavy chain is substituted by an aspartic acid residue (see example 4). The VHE-N73D/humV1 is then further analysed:

Size Exclusion Chromatography analysis (SEC)

SEC is performed as described above. A clear difference between VHE/humV1 and VHE-N73D /humV1 is observed in SEC. In contrast to the double peak obtained for VHE/humV1, only one peak is obtained for VHE-N73D /humV1 (Figure 12). Approximately 0.2% of aggregates are quantified by SEC.

SDS-PAGE under reducing conditions

VHE/humV2 and VHE-N73D/humV1 are further analysed by SDS-PAGE under reducing conditions as outlined above. Only one band is visible for VHE-N73D/humV1 at the expected heavy chain (HC) position (about 50 kDa). The HC-band observed for VHE-N73D/humV1 corresponds to the lower band of the doublet observed for VHE/humV2. The position of the light chain band is the same for the proteins analyzed.

Cation Exchange Chromatography (CEX)

Cation Exchange Chromatography (CEX) is performed as outlined above. Results obtained for CEX analysis show that the charge heterogeneity of VHE-N73D/humV1 is reduced to the C-terminal Lysine variants (three peaks) as compared to the high charge heterogeneity of VHE/humV2 (>10; Figure 13)

MALDI TOF analyse (mass spectrometry)

The detected mass for the heavy chain and the light chain obtained by MALDI TOF analyse (mass spectrometry) are in close agreement with the expected mass, deduced from the amino acid sequence of VHE-N73D/humV1.

Reverse Phase chromatography (RP)

After reduction with DDT the two humanized antibodies VHE/humV2 and VHE-N73D/humV1 are analyzed by Reverse Phase chromatography (RP). Due to the partial glycosylation on asparagine N73, two "heavy chains" are observed for VHE/humV2 (double peak at about

18.5 min) amongst the peak corresponding to the light chain (at about 17.3 min). For VHE-N73D/humV1, only one peak is observed for the heavy chain (Figure 14).

Example 6: FACS competition analysis (binding affinity)

- 5 The human T-cell line PEER is chosen as the target cell for FACS analysis because it expressed the CD45 antigen on its cell surface. To analyze the binding affinity of humanised antibody supernatants, competition experiments using FITC-labeled chimeric antibody as a reference are performed and compared with the inhibition of purified mouse antibody and of chimeric antibody. PEER cell cultures are centrifuged for 10 seconds at 3000 rpm and the
- 10 medium is removed. Cells are resuspended in FACS buffer (PBS containing 1% FBS and 0.1% sodium azide) and seeded into 96-well round-bottom microtiter plate at a cell density of 1×10^5 cells per well. The plate is centrifuged and the supernatant is discarded. For blocking studies, 25 μ l of concentrated untransfected medium or isotype matched control antibody (negative controls), unlabeled mouse antibody or chimeric antibody (positive
- 15 controls) as well as concentrated supernatant containing the various combinations of humanised antibody (samples), is first added in each well at the indicated concentrations in the text. After 1 hour of incubation at 4°C, PEER cells are washed with 200 μ l of FACS buffer by centrifugation. Cells are subsequently incubated for 1 hour at 4°C with chimeric antibody conjugated with FITC in 25 μ l of FACS buffer at the final concentration of 20 μ g/ml.
- 20 Cells are washed and resuspended in 300 μ l of FACS buffer containing 2 μ g/ml propidium iodide which allows gating of viable cells. The cell preparations are analyzed on a flow cytometer (FACSCalibur, Becton Dickinson).

FACS analyses indicate a dose-dependent blockade of fluorochrome-labeled chimeric antibody by the concentrated humanised antibody culture supernatants. No dose-dependent

25 blockade of chimeric antibody binding is seen with the isotype matched control antibody, indicating that the blocking effect by the different humanised antibody combinations is epitope specific and that epitope specificity appears to be retained after the humanisation process.

Undiluted supernatant from the above mentioned SP2/0 transfectants or chimeric antibody

30 (positive controls) or isotype matched control antibody (negative controls) at 2 μ g/ml in culture medium are incubated with 1.5×10^5 PEER cells in 100 μ l for 30 min at 4°C. Then, 100 μ l PBS containing FITC-labeled chimeric antibody is added to each sample and incubation at

4°C continues for another 30 minutes. After washing, cells are resuspended in FACS-PBS containing 1 µg/ml 7-Amino-Actinomycin D and analyzed by flow cytometry using a Becton Dickinson FACSCalibur instrument and the CellQuest Pro Software. Gating was on live cells, i.e. 7-Amino-Actinomycin D – negative events.

- 5 FACS analyses show that unlabeled humanised CD45RB/RO binding molecules, e.g. VHE/humV1 and VHQ/humV1 but not the isotype matched control antibody compete with FITC-labeled chimeric antibody for binding to the human CD45-positive T cell line PEER.

Specificity of VHE-N73D/humV1

- 10 To evaluate whether the modification of the humanised CD45R0/RB binding molecule VHE/humV1, i.e. the exchange of the asparagine to aspartate in amino acid position 73 of the CD45R0/RB-binding molecule's heavy chain, modified the reactivity with the cognate epitope, the reactivity of VHE-N73D/humV1 with a CD45-expressing human T cell line PEER is analysed in a competition binding experiment.

- 15 PEER cells are incubated with VHE-N73D/humV1, with its chimeric predecessor or with a non-binding isotype control IgG1 antibody. Unbound antibody is washed off and the cells are subjected to an incubation with fluorochrome fluorescein isothiocyanate (FITC) labeled chimeric anti-CD45R0/RB mAb or FITC-labeled isotype IgG1 control antibody. After washing, the cells are subjected to flow cytometry analysis to quantitate the amount of FITC-labeled antibody bound to the pre-incubated PEER cell: PEER cell cultures are centrifuged
- 20 for 10 min at 400 times the standard gravity force (g) and the medium is removed. Cells are resuspended in FACS buffer (PBS containing 1% v/v FBS, 0.1 w/v EDTA and 0.1% w/v sodium azide) and seeded into 96-well V-bottom microtiter plates at a cell density of 1×10^5 cells per well. The plate is centrifuged and the supernatant is discarded. Each sample of cells is incubated for 30 minutes at 4°C in 50 µl of FACS buffer containing 20 µg/ml of either
- 25 chimeric anti-CD45R0/RB mAb, VHE-N73D/humV1 or IgG1 control Ab. Next, PEER cells are washed twice with 150 µl of FACS buffer by centrifugation. Cells are subsequently incubated for 30 minutes at 4°C in 50 µl of FACS buffer containing 20 µg/ml of either FITC-conjugated chimeric mAb or FITC-conjugated 3G5 control Ab. Finally, cells are washed and resuspended in 200 µl of FACS buffer containing 7-amino actinomycin D (7-AAD) at 1 µg/ml,
- 30 which allows identification of viable cells during analysis. The cell preparations are analysed on a FACSCalibur flow cytometer (Becton Dickinson).

It is observed that the unlabeled VHE-N73D/humV1 and the unlabeled chimeric anti-CD45R0/RB mAb but not the IgG1 control antibody prevent the FITC-labeled chimeric anti-CD45R0/RB mAb from binding to CD45-expressing PEER cells as determined by a decreased fluorescence signal. In conclusion, it is found that the modification of the VHE/humV1 antibody to VHE-N73D/humV1 does not change the epitope specificity of the humanised anti-CD45R0/RB binding molecule.

Affinity of VHE-N73D/humV1 for human or cynomolgus CD45

To determine the affinity of the VHE-N73D/humV1 antibody for its epitope, the reactivity of VHE-N73D/humV1 with a human CD45-expressing T cell line PEER or the cynomolgus monkey CD45-expressing T cell line HSC-F can be quantitated in a competition binding experiment, similar to the procedure described in Daley et al., 1995; J. Mol. Biol. 253:243.

Briefly, the staining intensity of PEER or HSC-F cells with FITC-labeled antibody in the presence of various concentrations of unlabeled competitor antibody is used to calculate the unlabeled antibodies' affinities. More precisely, in a first step, the concentration and fluorochrome labeling stoichiometry of the FITC-labeled mouse-derived anti-human CD45RB/RO binding molecule A6 (mA6) is measured. Next, the concentration of the target molecule, CD45, on the surface of the PEER or HSC-F cell line is determined with the help of the above mentioned FITC-conjugated mA6 yes (mouse-derived anti-huCD45) antibody and using fluorescent beads with known molecular labeling degree. With the concentration of cellular CD45 receptors and its FITC-conjugated ligand known, the affinity of FITC-conjugated mA6 to cellular CD45 receptors is determined by a FACS based equilibrium titration procedure. Finally, the affinity of the unlabeled antibody VHE-N73D/humV1 is determined from competition staining reactions with FITC-conjugated mA6 on PEER or HSC-F cells measuring the increase in FITC fluorescence as a function of the total concentration of VHE-N73D/humV1. If the cubic equation which represents the algebraically explicit description of binding equilibria in a mixture of two competing ligands binding to one receptor is implemented into the program Origin 7.5, the software program is used to calculate the dissociation constant (K_d) value for VHE-N73D/humV1 upon re-iterative curve fitting analyses.

In one experiment the dissociation constant of VHE-N73D/humV1 for the human PEER cellular target is calculated as 2.44 ± 0.07 nM – for the cynomolgus HSC-F cell target it is

calculated as 1.67 ± 0.00 nM, assuming divalent antibody binding to the target CD45RO/RB molecules.

Example 7: Biological activities of CD45RB/RO binding molecules

5 In this study, we have addressed whether CD45RB/RO binding chimeric antibody, when present in cultures of polyclonally activated primary human T cells (i) supports the differentiation of T cells with a characteristic Treg phenotype, (ii) prevents or enhances apoptosis following T cell activation, and (iii) affects expression of subset-specific antigens and receptors after restimulation.

10 CD45RB/RO binding chimeric antibody enhances cell death in polyclonally activated T cells

Primary T cells (mixture of CD4+ and CD8+ T subsets) were subjected to activation by anti-CD3 plus anti-CD28 mAb (200 ng/ml each) in the presence or absence (=control) of CD45RB/RO binding chimeric antibody. Excess antibodies were removed by washing on day
15 2. 7-amino-actinomycin D (7-AAD) as a DNA-staining dye taken up by apoptotic and necrotic cells was used to measure cell death following activation. The results show that activation of T cells in the presence of CD45RB/RO binding chimeric antibody increased the fraction of 7-AAD positive cells than two-fold on day 2 after activation. On day 7, the portion of 7-AAD positive cells was again similar in CD45RB/RO binding chimeric antibody-treated and control
20 cultures.

CD45RB/RO binding chimeric antibody but not control mAb treated T cells display a T regulatory cell (Treg) phenotype

Increased expression of CD25 and the negative regulatory protein CTLA-4 (CD152) is a marker of Treg cells. Functional suppression of primary and secondary T cell responses by
25 CD45RB/RO binding chimeric antibody may be due to the induction of Treg cells. To address this issue, T cells were activated by anti-CD3 + CD28 mAbs and cultured in the presence of CD45RB/RO binding chimeric antibody or anti-LPS control mAb. The time course of CTLA-4 and CD25 expression reveals marked differences between controls and CD45RB/RO binding chimeric antibody-treated T cells on days 1 and 3 after secondary
30 stimulation, indicating a Treg phenotype.

Intracellular CTLA-4 expression is sustained in the presence of CD45RB/RO binding chimeric antibody

It has been reported that substantial amounts of CTLA-4 can also be found intracellularly. Therefore, in parallel to surface CTLA-4 staining, intracellular CTLA-4 expression was
 5 analyzed. Moderate differences between T cell cultures were seen on day 4 after stimulation. After prolonged culture, however, high levels of intracellular CTLA-4 were sustained only in CD45RB/RO binding chimeric antibody-treated but not in control T cells.

CD45RB/RO binding chimeric antibody-treated T cells become double positive for CD4 and CD8

10 Following stimulation, T cells induce and upregulate the expression of several surface receptors, such as CD25, CD152 (CTLA-4), CD154 (CD40-Ligand) and others. In contrast, the level of expression of CD4 or CD8 is thought to stay relatively constant. We reproducibly observed a strong increase of both CD4 and CD8 antigens on CD45RB/RO binding chimeric antibody-treated but not on control Ab-treated T cells after activation. The emergence of a
 15 CD4/CD8 double-positive T cell population seems to be due to the upregulation of CD4 on the CD8+ subset and conversely, CD8 on the CD4+ subset. This contrasts with a moderately low percentage of double positive T cells in control cultures.

High IL-2 receptor alpha-chain, but very low beta-chain expression by CD45RB/RO binding chimeric antibody-treated T cells

20 Treg cells are known to be constitutively positive for CD25, the IL-2 receptor alpha-chain. The regulation of other subunits of the trimeric IL-2 receptor on Treg cells is not known. Recently we have compared the expression of the beta-chain of IL-2 receptor, e.g. CD122, on T cells activated and propagated in the presence or absence of CD45RB/RO binding chimeric antibody. The results show that CD45RB/RO binding chimeric antibody-treated T
 25 cells have about ten-fold lower CD122 expression as compared to T cells in control cultures. This difference may indicate that Treg cells require factors other than IL-2 to proliferate.

Example 8: Sequences of the invention (CDR sequences of the invention are underlined)

30 SEQ ID NO:1

Part of the amino acid sequence of chimeric light chain

DILLTQSPAILSVSPGERVSFSCRASQNIGTSIQWYQQRTNGSPRLLIRSSSESISGIPSRFSG
 SGSGTDFTLSINSVESEDIADYYCQQSNTWPFTFGSGTKLEIK

SEQ ID NO:2**Part of the amino acid sequence of chimeric heavy chain**

EVQLQQSGPELVKPGASVKMSCKASGYTFTNYIIHWVKQEPGQGLEWIGYFNPYNHGTKY
5 NEKFKGRATLTADKSSNTAYMDLSSLTSEDSAIYYCARSGPYAWFDTWGQGTTVTVSS

SEQ ID NO:3**Amino acid sequence of chimeric light chain**

DILLTQSPAILSVPGERVSFSCRASQNIQTSIQWYQQRTNGSPRLLIRSSSESISGIPSRFSG
10 SGSGTDFTLSINSVESEDIADYYCQQSNTWPFTFGSGTKLEIKRTVAAPSVFIFPPSDEQLKS
GTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSSTLSLSTLTLSKADYE
KHKVYACEVTHQGLSSPVTKSFNRGEC

SEQ ID NO:4

15 **Amino acid sequence of chimeric heavy chain**

EVQLQQSGPELVKPGASVKMSCKASGYTFTNYIIHWVKQEPGQGLEWIGYFNPYNHGTKY
NEKFKGRATLTADKSSNTAYMDLSSLTSEDSAIYYCARSGPYAWFDTWGQGTTVTVSSAS
TKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY
SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGGPSVFL
20 FPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVV
SVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEMTKNQVS
LTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFS
CSVMHEALHNHYTQKSLSLSPGK

25 **SEQ ID NO:5**

Nucleotide sequence encoding a polypeptide of SEQ ID NO:1

GACATTCTGCTGACCCAGTCTCCAGCCATCCTGTCTGTGAGTCCAGGAGAAAGAGTCA
GTTTCTCCTGCAGGGCCAGTCAGAACATTGGCACAAGCATACAGTGGTATCAACAAAGA
ACAAATGGTTCTCCAAGGCTTCTCATAAGGTCTTCTTCTGAGTCTATCTCTGGGATCCCT
30 TCCAGGTTTAGTGGCAGTGGATCAGGGACAGATTTTACTCTTAGCATCAACAGTGTGGA
GTCTGAAGATATTGCAGATTATTACTGTCAACAAAGTAATACCTGGCCATTACAGTTTCGG
CTCGGGGACCAAGCTTGAAATCAAA

SEQ ID NO:6**Nucleotide sequence encoding a polypeptide of SEQ ID NO:2**

GAGGTGCAGCTGCAGCAGTCAGGACCTGAACTGGTAAAGCCTGGGGCTTCAGTGAAG
ATGTCCTGCAAGGCCTCTGGATACACATTCATAATTATATTATCCACTGGGTGAAGCA
5 GGAGCCTGGTCAGGGCCTTGAATGGATTGGATATTTTAATCCTTACAATCATGGTACTA
AGTACAATGAGAAGTTCAAAGGCAGGGCCACACTAACTGCAGACAAATCCTCCAACACA
GCCTACATGGACCTCAGCAGCCTGACCTCTGAGGACTCTGCGATCTACTACTGTGCAA
GATCAGGACCCTATGCCTGGTTTGACACCTGGGGCCAAGGGACCACGGTCACCGTCTC
CTCA

10

SEQ ID NO:7**Part of amino acid sequence of humanised light chain designated humV2 (humV2 = VLm)**

DILLTQSPAT LSLSPGERAT FSCRASQNIG TSIQWYQQKT NGAPRLLIRS SSESISGIPS
15 RFSGSGSGTD FTLTISLEP EDFAVYYCQQ SNTWPFTFGQ GTKLEIK

SEQ ID NO:8**Part of amino acid sequence of humanised light chain designated humV1 (humV1 = VLh)**

20 DILLTQSPAT LSLSPGERAT LSCRASQNIG TSIQWYQQKP GQAPRLLIRS SSESISGIPS
RFSGSGSGTD FTLTISLEP EDFAVYYCQQ SNTWPFTFGQ GTKLEIK

SEQ ID NO:9**Part of amino acid sequence of humanised heavy chain designated VHE**

25 EVQLVESGAE VKKPGASVKV SCKASGYTFT NYIIHWVKQE PGQGLEWIGY
FNPYNHGTTY NEKFKGRATL TANKSISTAY MELSSLRSED TAVYYCARSG
PYAWFDTWGQ GTTVTVSS

SEQ ID NO:10

30 **Part of amino acid sequence of humanised heavy chain designated VHQ**
QVQLVESGAE VKKPGASVKV SCKASGYTFT NYIIHWVKQE PGQGLEWIGY
FNPYNHGTTY NEKFKGRATL TANKSISTAY MELSSLRSED TAVYYCARSG
PYAWFDTWGQ GTTVTVSS

SEQ ID NO:11**Nucleotide sequence encoding amino acid sequence SEQ ID NO:9**

GAGGTGCAGCTGGTGGAGTCAGGAGCCGAAGTGAAAAAGCCTGGGGCTTCAGTGAAG
GTGTCCTGCAAGGCCTCTGGATACACATTCACTAATTATATTATCCACTGGGTGAAGCA
5 GGAGCCTGGTCAGGGCCTTGAATGGATTGGATATTTTAATCCTTACAATCATGGTACTA
AGTACAATGAGAAGTTCAAAGGCAGGGCCACACTAACTGCAAACAAATCCATCAGCACA
GCCTACATGGAGCTCAGCAGCCTGCGCTCTGAGGACACTGCGGTCTACTACTGTGCAA
GATCAGGACCCTATGCCTGGTTTGACACCTGGGGCCAAGGGACCACGGTCACCGTCTC
CTCA

10

SEQ ID NO:12**Nucleotide sequence encoding amino acid sequence SEQ ID NO:10**

CAGGTGCAGCTGGTGGAGTCAGGAGCCGAAGTGAAAAAGCCTGGGGCTTCAGTGAAG
GTGTCCTGCAAGGCCTCTGGATACACATTCACTAATTATATTATCCACTGGGTGAAGCA
15 GGAGCCTGGTCAGGGCCTTGAATGGATTGGATATTTTAATCCTTACAATCATGGTACTA
AGTACAATGAGAAGTTCAAAGGCAGGGCCACACTAACTGCAAACAAATCCATCAGCACA
GCCTACATGGAGCTCAGCAGCCTGCGCTCTGAGGACACTGCGGTCTACTACTGTGCAA
GATCAGGACCCTATGCCTGGTTTGACACCTGGGGCCAAGGGACCACGGTCACCGTCTC
CTCA

20

SEQ ID NO:13**Nucleotide sequence encoding amino acid sequence SEQ ID NO:7**

GACATTCTGCTGACCCAGTCTCCAGCCACCCTGTCTCTGAGTCCAGGAGAAAGAGCCA
CTTTCTCCTGCAGGGCCAGTCAGAACATTGGCACAAGCATACAGTGGTATCAACAAAAA
25 ACAAATGGTGCTCCAAGGCTTCTCATAAGGTCTTCTTCTGAGTCTATCTCTGGGATCCC
TTCCAGGTTTAGTGGCAGTGGATCAGGGACAGATTTTACTCTTACCATCAGCAGTCTGG
AGCCTGAAGATTTTGCAGTGTATTACTGTCAACAAAGTAATACCTGGCCATTACAGTTC
GGCCAGGGGACCAAGCTGGAGATCAAA

SEQ ID NO:14**Nucleotide sequence encoding amino acid sequence SEQ ID NO:8**

GACATTCTGCTGACCCAGTCTCCAGCCACCCTGTCTCTGAGTCCAGGAGAAAGAGCCA
CTCTCTCCTGCAGGGCCAGTCAGAACATTGGCACAAGCATACAGTGGTATCAACAAAAA
CCAGGTCAGGCTCCAAGGCTTCTCATAAGGTCTTCTTCTGAGTCTATCTCTGGGATCCC

TTCCAGGTTTAGTGGCAGTGGATCAGGGACAGATTTTACTCTTACCATCAGCAGTCTGG
 AGCCTGAAGATTTTGCAGTGTATTACTGTCAACAAAGTAATACCTGGCCATTACAGTTC
 GGCCAGGGGACCAAGCTGGAGATCAAA

5 SEQ ID NO:15

Nucleotide sequence of the expression vector HCMV-G1 HuA6-VHQ

**(Complete DNA Sequence of a humanised heavy chain expression vector comprising
 SEQ ID NO:12 (VHQ) from 3921-4274)**

10	1	AGCTTTTTC	AAAAGCCTAG	GCCTCCAAAA	AAGCCTCCTC	ACTACTTCTG
	51	GAATAGCTCA	GAGGCCGAGG	CGGCCTCGGC	CTCTGCATAA	ATAAAAAAAA
	101	TTAGTCAGCC	ATGGGGCGGA	GAATGGGCGG	AACTGGGCGG	AGTTAGGGGC
	151	GGGATGGGCG	GAGTTAGGGG	CGGGACTATG	GTTGCTGACT	AATTGAGATG
	201	CATGCTTTGC	ATACTTCTGC	CTGCTGGGGA	GCCTGGTTGC	TGACTAATTG
15	251	AGATGCATGC	TTTGCATACT	TCTGCCTGCT	GGGGAGCCTG	GGGACTTTCC
	301	ACACCCTAAC	TGACACACAT	TCCACAGCTG	CCTCGCGCGT	TTCGGTGATG
	351	ACGGTGAAAA	CCTCTGACAC	ATGCAGCTCC	CGGAGACGGT	CACAGCTTGT
	401	CTGTAAGCGG	ATGCCGGGAG	CAGACAAGCC	CGTCAGGGCG	CGTCAGCGGG
	451	TGTTGGCGGG	TGTCGGGGCG	CAGCCATGAC	CCAGTCACGT	AGCGATAGCG
20	501	GAGTGTATAC	TGGCTTAACT	ATGCGGCATC	AGAGCAGATT	GTACTGAGAG
	551	TGCACCATAT	GCGGTGTGAA	ATACCGCACA	GATGCGTAAG	GAGAAAATAC
	601	CGCATCAGGC	GCTCTTCCGC	TTCCTCGCTC	ACTGACTCGC	TGCGCTCGGT
	651	CGTTCGGCTG	CGGCGAGCGG	TATCAGCTCA	CTCAAAGGCG	GTAATACGGT
	701	TATCCACAGA	ATCAGGGGAT	AACGCAGGAA	AGAACATGTG	AGCAAAAGGC
25	751	CAGCAAAAGG	CCAGGAACCG	TAAAAAGGCC	GCGTTGCTGG	CGTTTTTCCA
	801	TAGGCTCCGC	CCCCCTGACG	AGCATCACAA	AAATCGACGC	TCAAGTCAGA
	851	GGTGGCGAAA	CCCGACAGGA	CTATAAAGAT	ACCAGGCGTT	TCCCCCTGGA
	901	AGCTCCCTCG	TGCGCTCTCC	TGTTCCGACC	CTGCCGCTTA	CCGGATACCT
	951	GTCCGCCTTT	CTCCCTTCGG	GAAGCGTGGC	GCTTTCTCAT	AGCTCACGCT
30	1001	GTAGGTATCT	CAGTTCGGTG	TAGGTCGTTC	GCTCCAAGCT	GGGCTGTGTG
	1051	CACGAACCCC	CCGTTTCAGCC	CGACCGCTGC	GCCTTATCCG	GTAAGTATCG
	1101	TCTTGAGTCC	AACCCGGTAA	GACACGACTT	ATCGCCACTG	GCAGCAGCCA
	1151	CTGGTAACAG	GATTAGCAGA	GCGAGGTATG	TAGGCGGTGC	TACAGAGTTC
	1201	TTGAAGTGGT	GGCCTAACTA	CGGCTACACT	AGAAGGACAG	TATTTGGTAT
35	1251	CTGCGCTCTG	CTGAAGCCAG	TTACCTTCGG	AAAAAGAGTT	GGTAGCTCTT
	1301	GATCCGGCAA	ACAAACCACC	GCTGGTAGCG	GTGGTTTTTT	TGTTTGCAAG

1351	CAGCAGATTA	CGCGCAGAAA	AAAAGGATCT	CAAGAAGATC	CTTTGATCTT	
1401	TTCTACGGGG	TCTGACGCTC	AGTGGAACGA	AAACTCACGT	TAAGGGATTT	
1451	TGGTCATGAG	ATTATCAAAA	AGGATCTTCA	CCTAGATCCT	TTTAAATTAA	
1501	AAATGAAGTT	TTAAATCAAT	CTAAAGTATA	TATGAGTAAA	CTTGGTCTGA	
5	1551	CAGTTACCAA	TGCTTAATCA	GTGAGGCACC	TATCTCAGCG	ATCTGTCTAT
	1601	TTCGTTCATC	CATAGTTGCC	TGACTCCCCG	TCGTGTAGAT	AACTACGATA
	1651	CGGGAGGGCT	TACCATCTGG	CCCCAGTGCT	GCAATGATAC	CGCGAGACCC
	1701	ACGCTCACCG	GCTCCAGATT	TATCAGCAAT	AAACCAGCCA	GCCGGAAGGG
	1751	CCGAGCGCAG	AAGTGGTCCT	GCAACTTTAT	CCGCCTCCAT	CCAGTCTATT
10	1801	AATTGTTGCC	GGGAAGCTAG	AGTAAGTAGT	TCGCCAGTTA	ATAGTTTGCG
	1851	CAACGTTGTT	GCCATTGCTG	CAGGCATCGT	GGTGTACGC	TCGTCGTTTG
	1901	GTATGGCTTC	ATTCAGCTCC	GGTTCCCAAC	GATCAAGGCG	AGTTACATGA
	1951	TCCCCCATGT	TGTGCAAAAA	AGCGGTTAGC	TCCTTCGGTC	CTCCGATCGT
	2001	TGTCAGAAGT	AAGTTGGCCG	CAGTGTTATC	ACTCATGGTT	ATGGCAGCAC
15	2051	TGCATAATTC	TCTTACTGTC	ATGCCATCCG	TAAGATGCTT	TTCTGTGACT
	2101	GGTGAGTACT	CAACCAAGTC	ATTCTGAGAA	TAGTGTATGC	GGCGACCGAG
	2151	TTGCTCTTGC	CCGGCGTCAA	CACGGGATAA	TACCGCGCCA	CATAGCAGAA
	2201	CTTTAAAAGT	GCTCATCATT	GGAAAACGTT	CTTCGGGGCG	AAAACCTCTCA
	2251	AGGATCTTAC	CGCTGTTGAG	ATCCAGTTCG	ATGTAACCCA	CTCGTGCACC
20	2301	CAACTGATCT	TCAGCATCTT	TTACTTTCAC	CAGCGTTTCT	GGGTGAGCAA
	2351	AAACAGGAAG	GCAAAATGCC	GCAAAAAAGG	GAATAAGGGC	GACACGGAAA
	2401	TGTTGAATAC	TCATACTCTT	CCTTTTTTCAA	TATTATTGAA	GCATTTATCA
	2451	GGGTATTATT	CTCATGAGCG	GATACATATT	TGAATGTATT	TAGAAAAATA
	2501	AACAAATAGG	GGTTCGCGC	ACATTTCCCC	GAAAAGTGCC	ACCTGACGTC
25	2551	TAAGAAACCA	TTATTATCAT	GACATTAACC	TATAAAAATA	GGCGTATCAC
	2601	GAGGCCCTTT	CGTCTTCAAG	AATTCAGCTT	GGCTGCAGTG	AATAATAAAA
	2651	TGTGTGTTTG	TCCGAAATAC	GCGTTTTGAG	ATTTCTGTCT	CCGACTAAAT
	2701	TCATGTCGCG	CGATAGTGGT	GTTTATCGCC	GATAGAGATG	GCGATATTGG
	2751	AAAAATCGAT	ATTTGAAAAT	ATGGCATATT	GAAAATGTCT	CCGATGTGAG
30	2801	TTTCTGTGTA	ACTGATATCG	CCATTTTTTC	AAAAGTGATT	TTTGGGCATA
	2851	CGCGATATCT	GGCGATAGCG	CTTATATCGT	TTACGGGGGA	TGGCGATAGA
	2901	CGACTTTGGT	GACTTGGGCG	ATTCTGTGTG	TCGCAAATAT	CGCAGTTTCG
	2951	ATATAGGTGA	CAGACGATAT	GAGGCTATAT	CGCCGATAGA	GGCGACATCA
	3001	AGCTGGCACA	TGGCCAATGC	ATATCGATCT	ATACATTGAA	TCAATATTGG
35	3051	CCATTAGCCA	TATTATTCAT	TGGTTATATA	GCATAAATCA	ATATTGGCTA
	3101	TTGGCCATTG	CATACGTTGT	ATCCATATCA	TAATATGTAC	ATTTATATTG
	3151	GCTCATGTCC	AACATTACCG	CCATGTTGAC	ATTGATTATT	GACTAGTTAT

3201	TAATAGTAAT	CAATTACGGG	GTCATTAGTT	CATAGCCCAT	ATATGGAGTT
3251	CCGCGTTACA	TAACTTACGG	TAAATGGCCC	GCCTGGCTGA	CCGCCCCAACG
3301	ACCCCCGCCC	ATTGACGTCA	ATAATGACGT	ATGTTCCCAT	AGTAACGCCA
3351	ATAGGGACTT	TCCATTGACG	TCAATGGGTG	GAGTATTTAC	GGTAAACTGC
5	3401	CCACTTGGCA	GTACATCAAG	TGTATCATAT	GCCAAGTACG
	3451	ACGTCAATGA	CGGTAAATGG	CCCGCCTGGC	ATTATGCCCA
	3501	TTATGGGACT	TTCTTACTTG	GCAGTACATC	TACGTATTAG
	3551	TACCATGGTG	ATGCGGTTTT	GGCAGTACAT	CAATGGGCGT
	3601	TTGACTCACG	GGGATTTCCA	AGTCTCCACC	CCATTGACGT
10	3651	TTGTTTTTGGC	ACCAAATCA	ACGGGACTTT	CCAAAATGTC
	3701	CGCCCCATTG	ACGCAAATGG	GCGGTAGGCG	TGTACGGTGG
	3751	TAAGCAGAGC	TCGTTTAGTG	AACCGTCAGA	TCGCCTGGAG
	3801	CGCTGTTTTG	ACCTCCATAG	AAGACACCGG	GACCGATCCA
	3851	GCTTGCCGCC	ACCATGGACT	GGACCTGGAG	GGTGTCTGCT
15	3901	TGGCCCCCGG	CGCCCACAGC	CAGGTGCAGC	TGGTGGAGTC
	3951	GTGAAAAAGC	CTGGGGCTTC	AGTGAAGGTG	TCCTGCAAGG
	4001	CACATTCACT	AATTATATTA	TCCACTGGGT	GAAGCAGGAG
	4051	GCCTTGAATG	GATTGGATAT	TTTAATCCTT	ACAATCATGG
	4101	AATGAGAAGT	TCAAAGGCAG	GGCCACACTA	ACTGCAAACA
20	4151	CACAGCCTAC	ATGGAGCTCA	GCAGCCTGCG	CTCTGAGGAC
	4201	ACTACTGTGC	AAGATCAGGA	CCCTATGCCT	GGTTTGACAC
	4251	GGGACCACGG	TCACCGTCTC	CTCAGGTGAG	TTCTAGAAGG
	4301	AGCTTTCTGG	GGCAGGCCAG	GCCTGACCTT	GGCTTTGGGG
	4351	GCTAAGGTGA	GGCAGGTGGC	GCCAGCCAGG	TGCACACCCA
25	4401	GCCCAGACAC	TGGACGCTGA	ACCTCGCGGA	CAGTTAAGAA
	4451	TCTGCGCCCT	GGGCCCAGCT	CTGTCCCACA	CCGCGGTCAC
	4501	CTCTCTTGCA	GCCTCCACCA	AGGGCCCATC	GGTCTTCCCC
	4551	CCTCCAAGAG	CACCTCTGGG	GGCACAGCGG	CCCTGGGCTG
	4601	GACTACTTCC	CCGAACCGGT	GACGGTGTCG	TGGAAGTCAG
30	4651	CAGCGGCGTG	CACACCTTCC	CGGCTGTCCT	ACAGTCCTCA
	4701	CCCTCAGCAG	CGTGGTGACC	GTGCCCTCCA	GCAGCTTGGG
	4751	TACATCTGCA	ACGTGAATCA	CAAGCCCAGC	AACACCAAGG
	4801	AGTTGGTGAG	AGGCCAGCAC	AGGGAGGGAG	GGTGTCTGCT
	4851	CTCAGCGCTC	CTGCCTGGAC	GCATCCCGGC	TATGCAGCCC
35	4901	CAGCAAGGCA	GGCCCCGTCT	GCCTCTTCAC	CCGGAGGCCT
	4951	CACTCATGCT	CAGGGAGAGG	GTCTTCTGGC	TTTTTCCCCA
	5001	AGGCACAGGC	TAGGTGCCCC	TAACCCAGGC	CCTGCACACA

	5051	TGCTGGGCTC	AGACCTGCCA	AGAGCCATAT	CCGGGAGGAC	CCTGCCCCTG
	5101	ACCTAAGCCC	ACCCCAAAGG	CCAAACTCTC	CACTCCCTCA	GCTCGGACAC
	5151	CTTCTCTCCT	CCCAGATTCC	AGTAACTCCC	AATCTTCTCT	CTGCAGAGCC
	5201	CAAATCTTGT	GACAAAACCTC	ACACATGCCC	ACCGTGCCCA	GGTAAGCCAG
5	5251	CCCAGGCCTC	GCCCTCCAGC	TCAAGGCGGG	ACAGGTGCCC	TAGAGTAGCC
	5301	TGCATCCAGG	GACAGGCCCC	AGCCGGGTGC	TGACACGTCC	ACCTCCATCT
	5351	CTTCCTCAGC	ACCTGAACTC	CTGGGGGGAC	CGTCAGTCTT	CCTCTTCCCC
	5401	CCAAAACCCA	AGGACACCCT	CATGATCTCC	CGGACCCCTG	AGGTCACATG
	5451	CGTGGTGGTG	GACGTGAGCC	ACGAAGACCC	TGAGGTCAAG	TTCAACTGGT
10	5501	ACGTGGACGG	CGTGGAGGTG	CATAATGCCA	AGACAAAGCC	GCGGGAGGAG
	5551	CAGTACAACA	GCACGTACCG	TGTGGTCAGC	GTCCTCACCG	TCCTGCACCA
	5601	GGACTGGCTG	AATGGCAAGG	AGTACAAGTG	CAAGGTCTCC	AACAAAGCCC
	5651	TCCCAGCCCC	CATCGAGAAA	ACCATCTCCA	AAGCCAAAGG	TGGGACCCGT
	5701	GGGGTGCAG	GGCCACATGG	ACAGAGGCCG	GCTCGGCCCA	CCCTCTGCCC
15	5751	TGAGAGTGAC	CGCTGTACCA	ACCTCTGTCC	CTACAGGGCA	GCCCCGAGAA
	5801	CCACAGGTGT	ACACCCTGCC	CCCATCCCCG	GATGAGCTGA	CCAAGAACCA
	5851	GGTCAGCCTG	ACCTGCCTGG	TCAAAGGCTT	CTATCCCAGC	GACATCGCCG
	5901	TGGAGTGGGA	GAGCAATGGG	CAGCCGGAGA	ACAAC TACAA	GACCACGCCT
	5951	CCCGTGCTGG	ACTCCGACGG	CTCCTTCTTC	CTCTACAGCA	AGCTCACCGT
20	6001	GGACAAGAGC	AGGTGGCAGC	AGGGGAACGT	CTTCTCATGC	TCCGTGATGC
	6051	ATGAGGCTCT	GCACAACCAC	TACACGCAGA	AGAGCCTCTC	CCTGTCTCCG
	6101	GGTAAATGAG	TGCGACGGCC	GGCAAGCCCC	CGCTCCCCCG	GCTCTCGCGG
	6151	TCGCACGAGG	ATGCTTGGCA	CGTACCCCTT	GTACATACTT	CCCGGGCGCC
	6201	CAGCATGGAA	ATAAAGCACC	CAGCGCTGCC	CTGGGCCCCCT	GCGAGACTGT
25	6251	GATGGTTCTT	TCCACGGGTC	AGGCCGAGTC	TGAGGCCTGA	GTGGCATGAG
	6301	ATCTGATATC	ATCGATGAAT	TCGAGCTCGG	TACCCGGGGA	TCGATCCAGA
	6351	CATGATAAGA	TACATTGATG	AGTTTGGACA	AACCACAACCT	AGAATGCAGT
	6401	GAAAAAATG	CTTTATTTGT	GAAATTTGTG	ATGCTATTGC	TTTATTTGTA
	6451	ACCATTATAA	GCTGCAATAA	ACAAGTTAAC	AACAACAATT	GCATTCATTT
30	6501	TATGTTTCAG	GTTTCAGGGG	AGGTGTGGGA	GGTTTTTTTAA	AGCAAGTAAA
	6551	ACCTCTACAA	ATGTGGTATG	GCTGATTATG	ATCTCTAGTC	AAGGCACTAT
	6601	ACATCAAATA	TTCCTTATTA	ACCCCTTTAC	AAATTAAAAA	GCTAAAGGTA
	6651	CACAATTTTT	GAGCATAGTT	ATTAATAGCA	GACACTCTAT	GCCTGTGTGG
	6701	AGTAAGAAAA	AACAGTATGT	TATGATTATA	ACTGTTATGC	CTACTTATAA
35	6751	AGGTTACAGA	ATATTTTTCC	ATAATTTTCT	TGTATAGCAG	TGCAGCTTTT
	6801	TCCTTTGTGG	TGTAAATAGC	AAAGCAAGCA	AGAGTTCTAT	TACTAAACAC
	6851	AGCATGACTC	AAAAAACTTA	GCAATTCTGA	AGGAAAGTCC	TTGGGGTCTT

6901 CTACCTTTCT CTTCTTTTTT GGAGGAGTAG AATGTTGAGA GTCAGCAGTA
6951 GCCTCATCAT CACTAGATGG CATTTCTTCT GAGCAAAACA GGTTTTCTCT
7001 ATTAAAGGCA TTCCACCACT GCTCCCATTC ATCAGTTCCA TAGGTTGGAA
7051 TCTAAAATAC ACAAACAATT AGAATCAGTA GTTTAACACA TTATACACTT
5 7101 AAAAATTTTA TATTTACCTT AGAGCTTTAA ATCTCTGTAG GTAGTTTGTC
7151 CAATTATGTC ACACCACAGA AGTAAGGTTC CTTCACAAAG ATCCGGGACC
7201 AAAGCGGCCA TCGTGCCTCC CCACTCCTGC AGTTCGGGGG CATGGATGCG
7251 CGGATAGCCG CTGCTGGTTT CCTGGATGCC GACGGATTTG CACTGCCGGT
7301 AGAACTCCGC GAGGTCGTCC AGCCTCAGGC AGCAGCTGAA CCAACTCGCG
10 7351 AGGGGATCGA GCCCGGGGTG GGCGAAGAAC TCCAGCATGA GATCCCCGCG
7401 CTGGAGGATC ATCCAGCCGG CGTCCCGGAA AACGATTCCG AAGCCCAACC
7451 TTTCATAGAA GGCGGCGGTG GAATCGAAAT CTCGTGATGG CAGGTTGGGC
7501 GTCGCTTGGT CGGTCATTTC GAACCCCAAG GTCCCGCTCA GAAGAACTCG
7551 TCAAGAAGGC GATAGAAGGC GATGCGCTGC GAATCGGGAG CGGCGATACC
15 7601 GTAAAGCACG AGGAAGCGGT CAGCCCATTC GCCGCCAAGC TCTTCAGCAA
7651 TATCACGGGT AGCCAACGCT ATGTCCTGAT AGCGGTCCGC CACACCCAGC
7701 CGGCCACAGT CGATGAATCC AGAAAAGCGG CCATTTTCCA CCATGATATT
7751 CGGCAAGCAG GCATCGCCAT GGGTCACGAC GAGATCCTCG CCGTCGGGCA
7801 TGCGCGCCTT GAGCCTGGCG AACAGTTCGG CTGGCGCGAG CCCCTGATGC
20 7851 TCTTCGTCCA GATCATCCTG ATCGACAAGA CCGGCTTCCA TCCGAGTACG
7901 TGCTCGCTCG ATGCGATGTT TCGCTTGGTG GTCGAATGGG CAGGTAGCCG
7951 GATCAAGCGT ATGCAGCCGC CGCATTGCAT CAGCCATGAT GGATACTTTC
8001 TCGGCAGGAG CAAGGTGAGA TGACAGGAGA TCCTGCCCCG GCACTTCGCC
8051 CAATAGCAGC CAGTCCCTTC CCGCTTCAGT GACAACGTCG AGCACAGCTG
25 8101 CGCAAGGAAC GCCCGTCGTG GCCAGCCACG ATAGCCGCGC TGCCTCGTCC
8151 TGCAGTTCAT TCAGGGCACC GGACAGGTCG GTCTTGACAA AAAGAACCGG
8201 GCGCCCCTGC GCTGACAGCC GGAACACGGC GGCATCAGAG CAGCCGATTG
8251 TCTGTTGTGC CCAGTCATAG CCGAATAGCC TCTCCACCCA AGCGGCCGGA
8301 GAACCTGCGT GCAATCCATC TTGTTCAATC ATGCGAAACG ATCCTCATCC
30 8351 TGTCTCTTGA TCAGATCTTG ATCCCCTGCG CCATCAGATC CTTGGCGGCA
8401 AGAAAGCCAT CCAGTTTACT TTGCAGGGCT TCCCAACCTT ACCAGAGGGC
8451 GCCCCAGCTG GCAATTCCGG TTCGCTTGCT GTCCATAAAA CCGCCCAGTC
8501 TAGCTATCGC CATGTAAGCC CACTGCAAGC TACCTGCTTT CTCTTTGCGC
8551 TTGCGTTTTT CCTTGTCAG ATAGCCCAGT AGCTGACATT CATCCGGGGT
35 8601 CAGCACCGTT TCTGCGGACT GGCTTTCTAC GTGTTCCGCT TCCTTTAGCA
8651 GCCCTTGCGC CCTGAGTGCT TGCGGCAGCG TGAAGCT

SEQ ID NO:16**Nucleotide sequence of the expression vector HCMV-G1 HuA6-VHE****(Complete DNA Sequence of a humanised heavy chain expression vector comprising****SEQ ID NO: 11 (VHE) from 3921-4274)**

5

1	AGCTTTTTCG	AAAAGCCTAG	GCCTCCAAAA	AAGCCTCCTC	ACTACTTCTG
51	GAATAGCTCA	GAGGCCGAGG	CGGCCTCGGC	CTCTGCATAA	ATAAAAAAAA
101	TTAGTCAGCC	ATGGGGCGGA	GAATGGGCGG	AACTGGGCGG	AGTTAGGGGC
151	GGGATGGGCG	GAGTTAGGGG	CGGGACTATG	GTTGCTGACT	AATTGAGATG
10 201	CATGCTTTGC	ATACTTCTGC	CTGCTGGGGA	GCCTGGTTGC	TGACTAATTG
251	AGATGCATGC	TTTGCATACT	TCTGCCTGCT	GGGGAGCCTG	GGGACTTTCC
301	ACACCCTAAC	TGACACACAT	TCCACAGCTG	CCTCGCGCGT	TTCGGTGATG
351	ACGGTGAAAA	CCTCTGACAC	ATGCAGCTCC	CGGAGACGGT	CACAGCTTGT
401	CTGTAAGCGG	ATGCCGGGAG	CAGACAAGCC	CGTCAGGGCG	CGTCAGCGGG
15 451	TGTTGGCGGG	TGTCGGGGCG	CAGCCATGAC	CCAGTCACGT	AGCGATAGCG
501	GAGTGTATAC	TGGCTTAACT	ATGCGGCATC	AGAGCAGATT	GTACTGAGAG
551	TGCACCATAT	GCGGTGTGAA	ATACCGCACA	GATGCGTAAG	GAGAAAATAC
601	CGCATCAGGC	GCTCTTCCGC	TTCCTCGCTC	ACTGACTCGC	TGCGCTCGGT
651	CGTTCGGCTG	CGGCGAGCGG	TATCAGCTCA	CTCAAAGGCG	GTAATACGGT
20 701	TATCCACAGA	ATCAGGGGAT	AACGCAGGAA	AGAACATGTG	AGCAAAAGGC
751	CAGCAAAAGG	CCAGGAACCG	TAAAAAGGCC	GCGTTGCTGG	CGTTTTTCCA
801	TAGGCTCCGC	CCCCCTGACG	AGCATCACAA	AAATCGACGC	TCAAGTCAGA
851	GGTGGCGAAA	CCCGACAGGA	CTATAAAGAT	ACCAGGCGTT	TCCCCCTGGA
901	AGCTCCCTCG	TGCGCTCTCC	TGTTCCGACC	CTGCCGCTTA	CCGGATACCT
25 951	GTCCGCCTTT	CTCCCTTCGG	GAAGCGTGGC	GCTTTCTCAT	AGCTCACGCT
1001	GTAGGTATCT	CAGTTCGGTG	TAGGTCGTTC	GCTCCAAGCT	GGGCTGTGTG
1051	CACGAACCCC	CCGTTTCAGCC	CGACCGCTGC	GCCTTATCCG	GTAAGTATCG
1101	TCTTGAGTCC	AACCCGGTAA	GACACGACTT	ATCGCCACTG	GCAGCAGCCA
1151	CTGGTAACAG	GATTAGCAGA	GCGAGGTATG	TAGGCGGTGC	TACAGAGTTC
30 1201	TTGAAGTGGT	GGCCTAACTA	CGGCTACACT	AGAAGGACAG	TATTTGGTAT
1251	CTGCGCTCTG	CTGAAGCCAG	TTACCTTCGG	AAAAAGAGTT	GGTAGCTCTT
1301	GATCCGGCAA	ACAAACCACC	GCTGGTAGCG	GTGGTTTTTT	TGTTTGCAAG
1351	CAGCAGATTA	CGCGCAGAAA	AAAAGGATCT	CAAGAAGATC	CTTTGATCTT
1401	TTCTACGGGG	TCTGACGCTC	AGTGGAACGA	AAACTCACGT	TAAGGGATTT
35 1451	TGGTCATGAG	ATTATCAAAA	AGGATCTTCA	CCTAGATCCT	TTTAAATTAA
1501	AAATGAAGTT	TTAAATCAAT	CTAAAGTATA	TATGAGTAAA	CTTGGTCTGA

1551	CAGTTACCAA	TGCTTAATCA	GTGAGGCACC	TATCTCAGCG	ATCTGTCTAT
1601	TTCGTTTCATC	CATAGTTGCC	TGACTCCCCG	TCGTGTAGAT	AACTACGATA
1651	CGGGAGGGCT	TACCATCTGG	CCCCAGTGCT	GCAATGATAC	CGCGAGACCC
1701	ACGCTCACCG	GCTCCAGATT	TATCAGCAAT	AAACCAGCCA	GCCGGAAGGG
5	1751	CCGAGCGCAG	AAGTGGTCCT	GCAACTTTAT	CCGCCTCCAT
	1801	AATTGTTGCC	GGGAAGCTAG	AGTAAGTAGT	TCGCCAGTTA
	1851	CAACGTTGTT	GCCATTGCTG	CAGGCATCGT	GGTGTACACG
	1901	GTATGGCTTC	ATTCAGCTCC	GGTTCCCAAC	GATCAAGGCG
	1951	TCCCCCATGT	TGTGCAAAAA	AGCGGTTAGC	TCCTTCGGTC
10	2001	TGTCAGAAGT	AAGTTGGCCG	CAGTGTTATC	ACTCATGGTT
	2051	TGCATAATTC	TCTTACTGTC	ATGCCATCCG	TAAGATGCTT
	2101	GGTGAGTACT	CAACCAAGTC	ATTCTGAGAA	TAGTGTATGC
	2151	TTGCTCTTGC	CCGGCGTCAA	CACGGGATAA	TACCGCGCCA
	2201	CTTTAAAAGT	GCTCATCATT	GGAAAACGTT	CTTCGGGGCG
15	2251	AGGATCTTAC	CGCTGTTGAG	ATCCAGTTCG	ATGTAACCCA
	2301	CAACTGATCT	TCAGCATCTT	TTACTTTTAC	CAGCGTTTCT
	2351	AAACAGGAAG	GCAAAATGCC	GCAAAAAGG	GAATAAGGGC
	2401	TGTTGAATAC	TCATACTCTT	CCTTTTTTCAA	TATTATTGAA
	2451	GGGTATTATT	CTCATGAGCG	GATACATATT	TGAATGTATT
20	2501	AACAAATAGG	GGTCCGCGC	ACATTTCCCC	GAAAAGTGCC
	2551	TAAGAAACCA	TTATTATCAT	GACATTAACC	TATAAAAATA
	2601	GAGGCCCTTT	CGTCTTCAAG	AATTCAGCTT	GGCTGCAGTG
	2651	TGTGTGTTTG	TCCGAAATAC	GCGTTTTGAG	ATTTCTGTCT
	2701	TCATGTCGCG	CGATAGTGGT	GTTTATCGCC	GATAGAGATG
25	2751	AAAAATCGAT	ATTTGAAAAT	ATGGCATATT	GAAAATGTCT
	2801	TTTCTGTGTA	ACTGATATCG	CCATTTTTTCC	AAAAGTGATT
	2851	CGCGATATCT	GGCGATAGCG	CTTATATCGT	TTACGGGGGA
	2901	CGACTTTGGT	GACTTGGGCG	ATTCTGTGTG	TCGCAAATAT
	2951	ATATAGGTGA	CAGACGATAT	GAGGCTATAT	CGCCGATAGA
30	3001	AGCTGGCACA	TGGCCAATGC	ATATCGATCT	ATACATTGAA
	3051	CCATTAGCCA	TATTATTCAT	TGGTTATATA	GCATAAATCA
	3101	TTGGCCATTG	CATACGTTGT	ATCCATATCA	TAATATGTAC
	3151	GCTCATGTCC	AACATTACCG	CCATGTTGAC	ATTGATTATT
	3201	TAATAGTAAT	CAATTACGGG	GTCATTAGTT	CATAGCCCAT
35	3251	CCGCGTTACA	TAACTTACGG	TAAATGGCCC	GCCTGGCTGA
	3301	ACCCCCGCCC	ATTGACGTCA	ATAATGACGT	ATGTTCCCAT
	3351	ATAGGGACTT	TCCATTGACG	TCAATGGGTG	GAGTATTTAC

	3401	CCACTTGGCA	GTACATCAAG	TGTATCATAT	GCCAAGTACG	CCCCCTATTG
	3451	ACGTCAATGA	CGGTAAATGG	CCCGCCTGGC	ATTATGCCCA	GTACATGACC
	3501	TTATGGGACT	TTCTTACTTG	GCAGTACATC	TACGTATTAG	TCATCGCTAT
	3551	TACCATGGTG	ATGCGGTTTT	GGCAGTACAT	CAATGGGCGT	GGATAGCGGT
5	3601	TTGACTCACG	GGGATTTCCA	AGTCTCCACC	CCATTGACGT	CAATGGGAGT
	3651	TTGTTTTGGC	ACCAAAATCA	ACGGGACTTT	CCAAAATGTC	GTAACAACCTC
	3701	CGCCCCATTG	ACGCAAATGG	GCGGTAGGCG	TGTACGGTGG	GAGGTCTATA
	3751	TAAGCAGAGC	TCGTTTAGTG	AACCGTCAGA	TCGCCTGGAG	ACGCCATCCA
	3801	CGCTGTTTTG	ACCTCCATAG	AAGACACCGG	GACCGATCCA	GCCTCCGCAA
10	3851	GCTTGCCGCC	ACCATGGACT	GGACCTGGAG	GGTGTTCCTG	CTGCTGGCCG
	3901	TGGCCCCCGG	CGCCCACAGC	GAGGTGCAGC	TGGTGGAGTC	AGGAGCCGAA
	3951	GTGAAAAAGC	CTGGGGCTTC	AGTGAAGGTG	TCCTGCAAGG	CCTCTGGATA
	4001	CACATTCACT	AATTATATTA	TCCACTGGGT	GAAGCAGGAG	CCTGGTCAGG
	4051	GCCTTGAATG	GATTGGATAT	TTTAATCCTT	ACAATCATGG	TACTAAGTAC
15	4101	AATGAGAAGT	TCAAAGGCAG	GGCCACACTA	ACTGCAAACA	AATCCATCAG
	4151	CACAGCCTAC	ATGGAGCTCA	GCAGCCTGCG	CTCTGAGGAC	ACTGCGGTCT
	4201	ACTACTGTGC	AAGATCAGGA	CCCTATGCCT	GGTTTGACAC	CTGGGGCCAA
	4251	GGGACCACGG	TCACCGTCTC	CTCAGGTGAG	TTCTAGAAGG	ATCCCAAGCT
	4301	AGCTTTCTGG	GGCAGGCCAG	GCCTGACCTT	GGCTTTGGGG	CAGGGAGGGG
20	4351	GCTAAGGTGA	GGCAGGTGGC	GCCAGCCAGG	TGCACACCCA	ATGCCCATGA
	4401	GCCCAGACAC	TGGACGCTGA	ACCTCGCGGA	CAGTTAAGAA	CCCAGGGGCC
	4451	TCTGCGCCCT	GGGCCCAGCT	CTGTCCCACA	CCGCGGTCAC	ATGGCACCAC
	4501	CTCTCTTGCA	GCCTCCACCA	AGGGCCCATC	GGTCTTCCCC	CTGGCACCCCT
	4551	CCTCCAAGAG	CACCTCTGGG	GGCACAGCGG	CCCTGGGCTG	CCTGGTCAAG
25	4601	GACTACTTCC	CCGAACCGGT	GACGGTGTCG	TGGAACCTCAG	GCGCCCTGAC
	4651	CAGCGGCGTG	CACACCTTCC	CGGCTGTCCT	ACAGTCCTCA	GGACTCTACT
	4701	CCCTCAGCAG	CGTGGTGACC	GTGCCCTCCA	GCAGCTTGGG	CACCCAGACC
	4751	TACATCTGCA	ACGTGAATCA	CAAGCCCAGC	AACACCAAGG	TGGACAAGAA
	4801	AGTTGGTGAG	AGGCCAGCAC	AGGGAGGGAG	GGTGTCTGCT	GGAAGCCAGG
30	4851	CTCAGCGCTC	CTGCCTGGAC	GCATCCCGGC	TATGCAGCCC	CAGTCCAGGG
	4901	CAGCAAGGCA	GGCCCCGTCT	GCCTCTTCAC	CCGGAGGCCT	CTGCCCCGCC
	4951	CACTCATGCT	CAGGGAGAGG	GTCTTCTGGC	TTTTTCCCCA	GGCTCTGGGC
	5001	AGGCACAGGC	TAGGTGCCCC	TAACCCAGGC	CCTGCACACA	AAGGGGCAGG
	5051	TGCTGGGCTC	AGACCTGCCA	AGAGCCATAT	CCGGGAGGAC	CCTGCCCCCTG
35	5101	ACCTAAGCCC	ACCCCAAAGG	CCAAACTCTC	CACTCCCTCA	GCTCGGACAC
	5151	CTTCTCTCCT	CCCAGATTCC	AGTAACTCCC	AATCTTCTCT	CTGCAGAGCC
	5201	CAAATCTTGT	GACAAAACCTC	ACACATGCCC	ACCGTGCCCA	GGTAAGCCAG

5251 CCCAGGCCTC GCCCTCCAGC TCAAGGCGGG ACAGGTGCCC TAGAGTAGCC
 5301 TGCATCCAGG GACAGGCCCC AGCCGGGTGC TGACACGTCC ACCTCCATCT
 5351 CTTCTCAGC ACCTGAACTC CTGGGGGGAC CGTCAGTCTT CCTCTTCCCC
 5401 CCAAAACCCA AGGACACCCT CATGATCTCC CGGACCCCTG AGGTCACATG
 5 5451 CGTGGTGGTG GACGTGAGCC ACGAAGACCC TGAGGTCAAG TTCAACTGGT
 5501 ACGTGGACGG CGTGGAGGTG CATAATGCCA AGACAAAGCC GCGGGAGGAG
 5551 CAGTACAACA GCACGTACCG TGTGGTCAGC GTCCTCACCG TCCTGCACCA
 5601 GGACTGGCTG AATGGCAAGG AGTACAAGTG CAAGGTCTCC AACAAAGCCC
 5651 TCCCAGCCCC CATCGAGAAA ACCATCTCCA AAGCCAAAGG TGGGACCCGT
 10 5701 GGGGTGCGAG GGCCACATGG ACAGAGGCCG GCTCGGCCCA CCCTCTGCCC
 5751 TGAGAGTGAC CGCTGTACCA ACCTCTGTCC CTACAGGGCA GCCCCGAGAA
 5801 CCACAGGTGT ACACCCTGCC CCCATCCCGG GATGAGCTGA CCAAGAACCA
 5851 GGTCAGCCTG ACCTGCCTGG TCAAAGGCTT CTATCCCAGC GACATCGCCG
 5901 TGGAGTGGGA GAGCAATGGG CAGCCGGAGA ACAACTACAA GACCACGCCT
 15 5951 CCCGTGCTGG ACTCCGACGG CTCCTTCTTC CTCTACAGCA AGCTCACCGT
 6001 GGACAAGAGC AGGTGGCAGC AGGGGAACGT CTTCTCATGC TCCGTGATGC
 6051 ATGAGGCTCT GCACAACCAC TACACGCAGA AGAGCCTCTC CCTGTCTCCG
 6101 GGTAAATGAG TGCACGGGCC GGCAAGCCCC CGCTCCCCGG GCTCTCGCGG
 6151 TCGCACGAGG ATGCTTGGCA CGTACCCCTT GTACATACTT CCCGGGCGCC
 20 6201 CAGCATGGAA ATAAAGCACC CAGCGCTGCC CTGGGCCCTT GCGAGACTGT
 6251 GATGGTTCTT TCCACGGGTC AGGCCGAGTC TGAGGCCTGA GTGGCATGAG
 6301 ATCTGATATC ATCGATGAAT TCGAGCTCGG TACCCGGGGA TCGATCCAGA
 6351 CATGATAAGA TACATTGATG AGTTTGGACA AACCACAACCT AGAATGCAGT
 6401 GAAAAAATG CTTTATTTGT GAAATTTGTG ATGCTATTGC TTTATTTGTA
 25 6451 ACCATTATAA GCTGCAATAA ACAAGTTAAC AACAACAATT GCATTCATTT
 6501 TATGTTTCAG GTTCAGGGGG AGGTGTGGGA GGTTTTTTTAA AGCAAGTAAA
 6551 ACCTCTACAA ATGTGGTATG GCTGATTATG ATCTCTAGTC AAGGCACTAT
 6601 ACATCAAATA TTCCTTATTA ACCCCTTTAC AAATTAAAAA GCTAAAGGTA
 6651 CACAATTTTT GAGCATAGTT ATTAATAGCA GACACTCTAT GCCTGTGTGG
 30 6701 AGTAAGAAAA AACAGTATGT TATGATTATA ACTGTTATGC CTACTTATAA
 6751 AGGTTACAGA ATATTTTTCCT ATAATTTTCT TGTATAGCAG TGCAGCTTTT
 6801 TCCTTTGTGG TGTAATAGC AAAGCAAGCA AGAGTTCTAT TACTAAACAC
 6851 AGCATGACTC AAAAACTTA GCAATTCTGA AGGAAAGTCC TTGGGGTCTT
 6901 CTACCTTTCT CTTCTTTTTT GGAGGAGTAG AATGTTGAGA GTCAGCAGTA
 35 6951 GCCTCATCAT CACTAGATGG CATTTCTTCT GAGCAAAACA GGTTTTCCTC
 7001 ATTAAAGGCA TTCCACCACT GCTCCCATTC ATCAGTTCCA TAGGTTGGAA
 7051 TCTAAAATAC ACAAACAATT AGAATCAGTA GTTTAACACA TTATACACTT

7101	AAAAATTTTA	TATTTACCTT	AGAGCTTTAA	ATCTCTGTAG	GTAGTTTGTC
7151	CAATTATGTC	ACACCACAGA	AGTAAGGTTC	CTTCACAAAG	ATCCGGGACC
7201	AAAGCGGCCA	TCGTGCCTCC	CCACTCCTGC	AGTTCGGGGG	CATGGATGCG
7251	CGGATAGCCG	CTGCTGGTTT	CCTGGATGCC	GACGGATTTG	CACTGCCGGT
5 7301	AGAACTCCGC	GAGGTCGTCC	AGCCTCAGGC	AGCAGCTGAA	CCAACTCGCG
7351	AGGGGATCGA	GCCCCGGGTG	GGCGAAGAAC	TCCAGCATGA	GATCCCCGCG
7401	CTGGAGGATC	ATCCAGCCGG	CGTCCCGGAA	AACGATTCCG	AAGCCCAACC
7451	TTTCATAGAA	GGCGGCGGTG	GAATCGAAAT	CTCGTGATGG	CAGGTTGGGC
7501	GTCGCTTGGT	CGGTCATTTT	GAACCCCAAG	GTCCCGCTCA	GAAGAACTCG
10 7551	TCAAGAAGGC	GATAGAAGGC	GATGCGCTGC	GAATCGGGAG	CGGCGATACC
7601	GTAAAGCACG	AGGAAGCGGT	CAGCCCATTC	GCCGCCAAGC	TCTTCAGCAA
7651	TATCACGGGT	AGCCAACGCT	ATGTCCTGAT	AGCGGTCCGC	CACACCCAGC
7701	CGGCCACAGT	CGATGAATCC	AGAAAAGCGG	CCATTTTCCA	CCATGATATT
7751	CGGCAAGCAG	GCATCGCCAT	GGGTCACGAC	GAGATCCTCG	CCGTCGGGCA
15 7801	TGCGCGCCTT	GAGCCTGGCG	AACAGTTCGG	CTGGCGCGAG	CCCCTGATGC
7851	TCTTCGTCCA	GATCATCCTG	ATCGACAAGA	CCGGCTTCCA	TCCGAGTACG
7901	TGCTCGCTCG	ATGCGATGTT	TCGCTTGGTG	GTCGAATGGG	CAGGTAGCCG
7951	GATCAAGCGT	ATGCAGCCGC	CGCATTGCAT	CAGCCATGAT	GGATACTTTC
8001	TCGGCAGGAG	CAAGGTGAGA	TGACAGGAGA	TCCTGCCCCG	GCACTTCGCC
20 8051	CAATAGCAGC	CAGTCCCTTC	CCGCTTCAGT	GACAACGTCG	AGCACAGCTG
8101	CGCAAGGAAC	GCCCCGTCGT	GCCAGCCACG	ATAGCCGCGC	TGCCTCGTCC
8151	TGCAGTTCAT	TCAGGGCACC	GGACAGGTCG	GTCTTGACAA	AAAGAACCGG
8201	GCGCCCCTGC	GCTGACAGCC	GGAACACGGC	GGCATCAGAG	CAGCCGATTG
8251	TCTGTTGTGC	CCAGTCATAG	CCGAATAGCC	TCTCCACCCA	AGCGGCCGGA
25 8301	GAACCTGCGT	GCAATCCATC	TTGTTCAATC	ATGCGAAACG	ATCCTCATCC
8351	TGTCTCTTGA	TCAGATCTTG	ATCCCCTGCG	CCATCAGATC	CTTGGCGGCA
8401	AGAAAGCCAT	CCAGTTTACT	TTGCAGGGCT	TCCCAACCTT	ACCAGAGGGC
8451	GCCCCAGCTG	GCAATTCCGG	TTGCTTGCT	GTCCATAAAA	CCGCCAGTTC
8501	TAGCTATCGC	CATGTAAGCC	CACTGCAAGC	TACCTGCTTT	CTCTTTGCGC
30 8551	TTGCGTTTTT	CCTTGTCCAG	ATAGCCCAGT	AGCTGACATT	CATCCGGGGT
8601	CAGCACCGTT	TCTGCGGACT	GGCTTTCTAC	GTGTTCCGCT	TCCTTTAGCA
8651	GCCCTTGCGC	CCTGAGTGCT	TGCGGCAGCG	TGAAGCT	

SEQ ID NO:17**Nucleotide sequence of the expression vector HCMV-K HuAb-VL1 hum V1****(Complete DNA Sequence of a humanised light chain expression vector comprising****SEQ ID NO: 14 (humV1=VLh) from 3964-4284)**

5

```
1  CTAGCTTTTT GCAAAAGCCT AGGCCTCCAA AAAAGCCTCC TCACTACTTC
51  TGGAATAGCT CAGAGGCCGA GCGGCCTCG GCCTCTGCAT AAATAAAAAA
101  AATTAGTCAG CCATGGGGCG GAGAATGGGC GGAAGTGGGC GGAGTTAGGG
151  GCGGGATGGG CGGAGTTAGG GCGGGACTA TGGTTGCTGA CTAATTGAGA
10  201  TGCATGCTTT GCATACTTCT GCCTGCTGGG GAGCCTGGTT GCTGACTAAT
251  TGAGATGCAT GCTTTGCATA CTTCTGCCTG CTGGGGAGCC TGGGGACTTT
301  CCACACCCTA ACTGACACAC ATTCCACAGC TGCCTCGCGC GTTTCGGTGA
351  TGACGGTGAA AACCTCTGAC ACATGCAGCT CCCGGAGACG GTCACAGCTT
401  GTCTGTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG CGCGTCAGCG
15  451  GGTGTTGGCG GGTGTCGGGG CGCAGCCATG ACCCAGTCAC GTAGCGATAG
501  CGGAGTGTAT ACTGGCTTAA CTATGCGGCA TCAGAGCAGA TTGTACTGAG
551  AGTGCACCAT ATGCGGTGTG AAATACCGCA CAGATGCGTA AGGAGAAAAT
601  ACCGCATCAG GCGCTCTTCC GCTTCCTCGC TCACTGACTC GCTGCGCTCG
651  GTCGTTTCGGC TCGGGCGAGC GGTATCAGCT CACTCAAAGG CGGTAATACG
20  701  GTTATCCACA GAATCAGGGG ATAACGCAGG AAAGAACATG TGAGCAAAAG
751  GCCAGCAAAA GGCCAGGAAC CGTAAAAAGG CCGCGTTGCT GCGTTTTTTC
801  CATAGGCTCC GCCCCCTGA CGAGCATCAC AAAAATCGAC GCTCAAGTCA
851  GAGGTGGCGA AACCCGACAG GACTATAAAG ATACCAGGCG TTCCCCCTG
901  GAAGCTCCCT CGTGCGCTCT CCTGTTCCGA CCCTGCCGCT TACCGGATAC
25  951  CTGTCCGCCT TTCTCCCTTC GGAAGCGTG GCGCTTTCTC ATAGCTCACG
1001  CTGTAGGTAT CTCAGTTCGG TGTAGGTCGT TCGCTCCAAG CTGGGCTGTG
1051  TGCACGAACC CCCCGTTCAG CCCGACCGCT GCGCCTTATC CGGTAAGTAT
1101  CGTCTTGAGT CCAACCCGGT AAGACACGAC TTATCGCCAC TGGCAGCAGC
1151  CACTGGTAAC AGGATTAGCA GAGCGAGGTA TGTAGGCGGT GCTACAGAGT
30  1201  TCTTGAAGTG GTGGCCTAAC TACGGCTACA CTAGAAGGAC AGTATTTGGT
1251  ATCTGCGCTC TGCTGAAGCC AGTTACCTTC GGAAAAAGAG TTGGTAGCTC
1301  TTGATCCGGC AAACAAACCA CCGCTGGTAG CCGTGGTTTT TTTGTTTGCA
1351  AGCAGCAGAT TACGCGCAGA AAAAAAGGAT CTCAAGAAGA TCCTTTGATC
1401  TTTTCTACGG GGTCTGACGC TCAGTGGAAC GAAAACTCAC GTTAAGGGAT
35  1451  TTTGGTCATG AGATTATCAA AAAGGATCTT CACCTAGATC CTTTTAAATT
1501  AAAAATGAAG TTTTAAATCA ATCTAAAGTA TATATGAGTA AACTTGGTCT
```

1551 GACAGTTACC AATGCTTAAT CAGTGAGGCA CCTATCTCAG CGATCTGTCT
 1601 ATTTTCGTTCA TCCATAGTTG CCTGACTCCC CGTCGTGTAG ATAACTACGA
 1651 TACGGGAGGG CTTACCATCT GGCCCCAGTG CTGCAATGAT ACCGCGAGAC
 1701 CCACGCTCAC CGGCTCCAGA TTTATCAGCA ATAAACCAGC CAGCCGGAAG
 5 1751 GGCCGAGCGC AGAAGTGGTC CTGCAACTTT ATCCGCCTCC ATCCAGTCTA
 1801 TTAATTGTTG CCGGGAAGCT AGAGTAAGTA GTTCGCCAGT TAATAGTTTG
 1851 CGCAACGTTG TTGCCATTGC TGCAGGCATC GTGGTGTAC GCTCGTCGTT
 1901 TGGTATGGCT TCATTCAGCT CCGGTTCCCA ACGATCAAGG CGAGTTACAT
 1951 GATCCCCCAT GTTGTGCAA AAAGCGGTTA GCTCCTTCGG TCCTCCGATC
 10 2001 GTTGTGAGAA GTAAGTTGGC CGCAGTGTTA TCACTCATGG TTATGGCAGC
 2051 ACTGCATAAT TCTCTTACTG TCATGCCATC CGTAAGATGC TTTTCTGTGA
 2101 CTGGTGAGTA CTCAACCAAG TCATTCTGAG AATAGTGTAT GCGGCGACCG
 2151 AGTTGCTCTT GCCCGGCGTC AACACGGGAT AATACCGCGC CACATAGCAG
 2201 AACTTTAAAA GTGCTCATCA TTGGAAAACG TTCTTCGGGG CGAAAACCTCT
 15 2251 CAAGGATCTT ACCGCTGTTG AGATCCAGTT CGATGTAACC CACTCGTGCA
 2301 CCCAACTGAT CTTCAGCATC TTTTACTTTC ACCAGCGTTT CTGGGTGAGC
 2351 AAAAACAGGA AGGCAAAATG CCGCAAAAAA GGAATAAGG GCGACACGGA
 2401 AATGTTGAAT ACTCATACTC TTCCTTTTTT AATATTATTG AAGCATTTAT
 2451 CAGGGTTATT GTCTCATGAG CGGATACATA TTTGAATGTA TTTAGAAAAA
 20 2501 TAAACAAATA GGGGTTCCGC GCACATTTCC CCGAAAAGTG CCACCTGACG
 2551 TCTAAGAAAC CATTATTATC ATGACATTAA CCTATAAAAA TAGGCGTATC
 2601 ACGAGGCCCT TTCGTCTTCA AGAATTCAGC TTGGCTGCAG TGAATAATAA
 2651 AATGTGTGTT TGTCCGAAAT ACGCGTTTTG AGATTTCTGT CGCCGACTAA
 2701 ATTCATGTCG CGCGATAGTG GTGTTTATCG CCGATAGAGA TGGCGATATT
 25 2751 GGAAAAATCG ATATTTGAAA ATATGGCATA TTGAAAATGT CGCCGATGTG
 2801 AGTTTCTGTG TAACTGATAT CGCCATTTTT CCAAAGTGA TTTTGGGCA
 2851 TACGCGATAT CTGGCGATAG CGCTTATATC GTTTACGGGG GATGGCGATA
 2901 GACGACTTTG GTGACTTGGG CGATTCTGTG TGTCGCAAAT ATCGCAGTTT
 2951 CGATATAGGT GACAGACGAT ATGAGGCTAT ATCGCCGATA GAGGCGACAT
 30 3001 CAAGCTGGCA CATGGCCAAT GCATATCGAT CTATACATTG AATCAATATT
 3051 GGCCATTAGC CATATTATTC ATTGGTTATA TAGCATAAAT CAATATTGGC
 3101 TATTGGCCAT TGCATACGTT GTATCCATAT CATAATATGT ACATTTATAT
 3151 TGGCTCATGT CCAACATTAC CGCCATGTTG ACATTGATTA TTGACTAGTT
 3201 ATTAATAGTA ATCAATTACG GGGTCATTAG TTCATAGCCC ATATATGGAG
 35 3251 TTCCGCGTTA CATAACTTAC GGTAATGGC CCGCCTGGCT GACCGCCCAA
 3301 CGACCCCCGC CCATTGACGT CAATAATGAC GTATGTTCCC ATAGTAACGC
 3351 CAATAGGGAC TTTCCATTGA CGTCAATGGG TGGAGTATTT ACGGTAAACT

	3401	GCCCACTTGG	CAGTACATCA	AGTGTATCAT	ATGCCAAGTA	CGCCCCCTAT
	3451	TGACGTCAAT	GACGGTAAAT	GGCCCGCCTG	GCATTATGCC	CAGTACATGA
	3501	CCTTATGGGA	CTTTCCTACT	TGGCAGTACA	TCTACGTATT	AGTCATCGCT
	3551	ATTACCATGG	TGATGCGGTT	TTGGCAGTAC	ATCAATGGGC	GTGGATAGCG
5	3601	GTTTGACTCA	CGGGGATTTT	CAAGTCTCCA	CCCCATTGAC	GTCAATGGGA
	3651	GTTTGTTTTG	GCACCAAAT	CAACGGGACT	TTCCAAAATG	TCGTAACAAC
	3701	TCCGCCCCAT	TGACGCAAAT	GGGCGGTAGG	CGTGTACGGT	GGGAGGTCTA
	3751	TATAAGCAGA	GCTCGTTTAG	TGAACCGTCA	GATCGCCTGG	AGACGCCATC
	3801	CACGCTGTTT	TGACCTCCAT	AGAAGACACC	GGGACCGATC	CAGCCTCCGC
10	3851	AAGCTTGATA	TCGAATTCTT	GCAGCCCGGG	GGATCCGCCC	GCTTGCCGCC
	3901	ACCATGGAGA	CCCCCGCCCA	GCTGCTGTTC	CTGCTGCTGC	TGTGGCTGCC
	3951	CGACACCACC	GGCGACATTC	TGCTGACCCA	GTCTCCAGCC	ACCCTGTCTC
	4001	TGAGTCCAGG	AGAAAGAGCC	ACTCTCTCCT	GCAGGGCCAG	TCAGAACATT
	4051	GGCACAAGCA	TACAGTGGTA	TCAACAAAAA	CCAGGTCAGG	CTCCAAGGCT
15	4101	TCTCATAAGG	TCTTCTTCTG	AGTCTATCTC	TGGGATCCCT	TCCAGGTTTA
	4151	GTGGCAGTGG	ATCAGGGACA	GATTTTACTC	TTACCATCAG	CAGTCTGGAG
	4201	CCTGAAGATT	TTGCAGTGTA	TTACTGTCAA	CAAAGTAATA	CCTGGCCATT
	4251	CACGTTCTGGC	CAGGGGACCA	AGCTGGAGAT	CAAACGTGAG	TATTCTAGAA
	4301	AGATCCTAGA	ATTCTAAACT	CTGAGGGGGT	CGGATGACGT	GGCCATTCTT
20	4351	TGCCTAAAGC	ATTGAGTTTA	CTGCAAGGTC	AGAAAAGCAT	GCAAAGCCCT
	4401	CAGAATGGCT	GCAAAGAGCT	CCAACAAAAC	AATTTAGAAC	TTTATTAAGG
	4451	AATAGGGGGA	AGCTAGGAAG	AAACTCAAAA	CATCAAGATT	TTAAATACGC
	4501	TTCTTGGTCT	CCTTGCTATA	ATTATCTGGG	ATAAGCATGC	TGTTTTCTGT
	4551	CTGTCCCTAA	CATGCCCTGT	GATTATCCGC	AAACAACACA	CCCAAGGGCA
25	4601	GAACTTTGTT	ACTTAAACAC	CATCCTGTTT	GCTTCTTTCC	TCAGGAACTG
	4651	TGGCTGCACC	ATCTGTCTTC	ATCTTCCCGC	CATCTGATGA	GCAGTTGAAA
	4701	TCTGGAAGT	CCTCTGTTGT	GTGCCTGCTG	AATAACTTCT	ATCCCAGAGA
	4751	GGCCAAAGTA	CAGTGGAAGG	TGGATAACGC	CCTCCAATCG	GGTAACTCCC
	4801	AGGAGAGTGT	CACAGAGCAG	GACAGCAAGG	ACAGCACCTA	CAGCCTCAGC
30	4851	AGCACCTGA	CGCTGAGCAA	AGCAGACTAC	GAGAAACACA	AAGTCTACGC
	4901	CTGCGAAGTC	ACCCATCAGG	GCCTGAGCTC	GCCCGTCACA	AAGAGCTTCA
	4951	ACAGGGGAGA	GTGTTAGAGG	GAGAAGTGCC	CCCACCTGCT	CCTCAGTTCC
	5001	AGCCTGACCC	CCTCCCATCC	TTTGGCCTCT	GACCCTTTTT	CCACAGGGGA
	5051	CCTACCCCTA	TTGCGGTCCT	CCAGCTCATC	TTTCACCTCA	CCCCCTCCT
35	5101	CCTCCTTGGC	TTTAATTATG	CTAATGTTGG	AGGAGAATGA	ATAAATAAAG
	5151	TGAATCTTTG	CACCTGTGGT	TTCTCTCTTT	CCTCATTTAA	TAATTATTAT
	5201	CTGTTGTTTA	CCAACACTC	AATTTCTCTT	ATAAGGGACT	AAATATGTAG

	5251	TCATCCTAAG	GCGCATAACC	ATTTATAAAA	ATCATCCTTC	ATTCTATTTT
	5301	ACCCTATCAT	CCTCTGCAAG	ACAGTCCTCC	CTCAAACCCA	CAAGCCTTCT
	5351	GTCCTCACAG	TCCCCTGGGC	CATGGTAGGA	GAGACTTGCT	TCCTTGTTTT
	5401	CCCCTCCTCA	GCAAGCCCTC	ATAGTCCTTT	TTAAGGGTGA	CAGGTCTTAC
5	5451	AGTCATATAT	CCTTTGATTC	AATTCCCTGA	GAATCAACCA	AAGCAAATTT
	5501	TTCAAAAGAA	GAAACCTGCT	ATAAAGAGAA	TCATTCATTG	CAACATGATA
	5551	TAAAATAACA	ACACAATAAA	AGCAATTAAA	TAAACAAACA	ATAGGGAAAT
	5601	GTTTAAGTTC	ATCATGGTAC	TTAGACTTAA	TGGAATGTCA	TGCCTTATTT
	5651	ACATTTTTAA	ACAGGTACTG	AGGGACTCCT	GTCTGCCAAG	GGCCGTATTG
10	5701	AGTACTTTCC	ACAACCTAAT	TTAATCCACA	CTATACTGTG	AGATTAAAAA
	5751	CATTCATTAA	AATGTTGCAA	AGGTTCTATA	AAGCTGAGAG	ACAAATATAT
	5801	TCTATAACTC	AGCAATCCCA	CTTCTAGATG	ACTGAGTGTC	CCCACCCACC
	5851	AAAAAACTAT	GCAAGAATGT	TCAAAGCAGC	TTTATTTACA	AAAGCCAAAA
	5901	ATTGGAAATA	GCCCGATTGT	CCAACAATAG	AATGAGTTAT	TAAACTGTGG
15	5951	TATGTTTATA	CATTAGAATA	CCCAATGAGG	AGAATTAACA	AGCTACAAC
	6001	ATACCTACTC	ACACAGATGA	ATCTCATAAA	AATAATGTTA	CATAAGAGAA
	6051	ACTCAATGCA	AAAGATATGT	TCTGTATGTT	TTCATCCATA	TAAAGTTCAA
	6101	AACCAGGTAA	AAATAAAGTT	AGAAATTTGG	ATGGAAATTA	CTCTTAGCTG
	6151	GGGGTGGGCG	AGTTAGTGCC	TGGGAGAAGA	CAAGAAGGGG	CTTCTGGGGT
20	6201	CTTGGTAATG	TTCTGTTCCCT	CGTGTGGGGT	TGTGCAGTTA	TGATCTGTGC
	6251	ACTGTTCTGT	ATACACATTA	TGCTTCAAAA	TAACTTCACA	TAAAGAACAT
	6301	CTTATACCCA	GTTAATAGAT	AGAAGAGGAA	TAAGTAATAG	GTCAAGACCA
	6351	CGCAGCTGGT	AAGTGGGGGG	GCCTGGGATC	AAATAGCTAC	CTGCCTAATC
	6401	CTGCCCTCTT	GAGCCCTGAA	TGAGTCTGCC	TTCCAGGGCT	CAAGGTGCTC
25	6451	AACAAAACAA	CAGGCCTGCT	ATTTTCCTGG	CATCTGTGCC	CTGTTTGGCT
	6501	AGCTAGGAGC	ACACATACAT	AGAAATTAAA	TGAAACAGAC	CTTCAGCAAG
	6551	GGGACAGAGG	ACAGAATTAA	CCTTGCCCAG	AACTGGAAA	CCCATGTATG
	6601	AACACTCACA	TGTTTGGGAA	GGGGGAAGGG	CACATGTAAA	TGAGGACTCT
	6651	TCCTCATTCT	ATGGGGCACT	CTGGCCCTGC	CCCTCTCAGC	TACTCATCCA
30	6701	TCCAACACAC	CTTTCTAAGT	ACCTCTCTCT	GCCTACACTC	TGAAGGGGTT
	6751	CAGGAGTAAC	TAACACAGCA	TCCCTTCCCT	CAAATGACTG	ACAATCCCTT
	6801	TGTCCTGCTT	TGTTTTTCTT	TCCAGTCAGT	ACTGGGAAAG	TGGGGAAGGA
	6851	CAGTCATGGA	GAAACTACAT	AAGGAAGCAC	CTTGCCCTTC	TGCCTCTTGA
	6901	GAATGTTGAT	GAGTATCAAA	TCTTTCAAAC	TTTGGAGGTT	TGAGTAGGGG
35	6951	TGAGACTCAG	TAATGTCCCT	TCCAATGACA	TGAACTTGCT	CACTCATCCC
	7001	TGGGGGCCAA	ATTGAACAAT	CAAAGGCAGG	CATAATCCAG	CTATGAATTC
	7051	TAGGATCGAT	CCAGACATGA	TAAGATACAT	TGATGAGTTT	GGACAAACCA

7101	CAACTAGAAT	GCAGTGAAAA	AAATGCTTTA	TTTGTGAAAT	TTGTGATGCT
7151	ATTGCTTTAT	TTGTAACCAT	TATAAGCTGC	AATAACAAG	TTAACAACAA
7201	CAATTGCATT	CATTTTATGT	TTCAGGTTCA	GGGGGAGGTG	TGGGAGGTTT
7251	TTTAAAGCAA	GTAAAACCTC	TACAAATGTG	GTATGGCTGA	TTATGATCTC
5	7301	TAGTCAAGGC	ACTATACATC	AAATATTCCT	TATTAACCCC
	7351	AAAAAGCTAA	AGGTACACAA	TTTTTGAGCA	TAGTTATTAA
	7401	TCTATGCCTG	TGTGGAGTAA	GAAAAAACAG	TATGTTATGA
	7451	TATGCCTACT	TATAAAGGTT	ACAGAATATT	TTTCCATAAT
	7501	AGCAGTGCAG	CTTTTTCTCT	TGTGGTGTA	ATAGCAAAGC
10	7551	TCTATTACTA	AACACAGCAT	GACTCAAAAA	ACTTAGCAAT
	7601	AGTCCTTGGG	GTCTTCTACC	TTTCTCTTCT	TTTTTGGAGG
	7651	TGAGAGTCAG	CAGTAGCCTC	ATCATCACTA	GATGGCATT
	7701	AAACAGGTTT	TCCTCATTA	AGGCATTCCA	CCACTGCTCC
	7751	TTCCATAGGT	TGGAATCTAA	AATACACAAA	CAATTAGAAT
15	7801	ACACATTATA	CACTTAAAAA	TTTTATATTT	ACCTTAGAGC
	7851	TGTAGGTAGT	TTGTCCAATT	ATGTCACACC	ACAGAAGTAA
	7901	CAAAGATCCG	GGACCAAAGC	GGCCATCGTG	CCTCCCCACT
	7951	GGGGGCATGG	ATGCGCGGAT	AGCCGCTGCT	GGTTTCCTGG
	8001	ATTTGCACTG	CCGGTAGAAC	TCCGCGAGGT	CGTCCAGCCT
20	8051	CTGAACCAAC	TCGCGAGGGG	ATCGAGCCCC	GGGTGGGCGA
	8101	CATGAGATCC	CCGCGCTGGA	GGATCATCCA	GCCGGCGTCC
	8151	TTCCGAAGCC	CAACCTTTCA	TAGAAGGCGG	CGGTGGAATC
	8201	GATGGCAGGT	TGGGCGTCGC	TTGGTCGGTC	ATTTCGAACC
	8251	GCTCAGAAGA	ACTCGTCAAG	AAGGCGATAG	AAGGCGATGC
25	8301	GGGAGCGGCG	ATACCGTAAA	GCACGAGGAA	GCGGTCAGCC
	8351	CAAGCTCTTC	AGCAATATCA	CGGGTAGCCA	ACGCTATGTC
	8401	TCCGCCACAC	CCAGCCGGCC	ACAGTCGATG	AATCCAGAAA
	8451	TTCCACCATG	ATATTCGGCA	AGCAGGCATC	GCCATGGGTC
	8501	CCTCGCCGTC	GGGCATGCGC	GCCTTGAGCC	TGGCGAACAG
30	8551	GCGAGCCCCCT	GATGCTCTTC	GTCCAGATCA	TCCTGATCGA
	8601	TTCCATCCGA	GTACGTGCTC	GCTCGATGCG	ATGTTTCGCT
	8651	ATGGGCAGGT	AGCCGGATCA	AGCGTATGCA	GCCGCCGCAT
	8701	ATGATGGATA	CTTTCTCGGC	AGGAGCAAGG	TGAGATGACA
	8751	CCCCGGCACT	TCGCCCAATA	GCAGCCAGTC	CCTTCCCGCT
35	8801	CGTCGAGCAC	AGCTGCGCAA	GGAACGCCCC	TCGTGGCCAG
	8851	CGCGCTGCCT	CGTCCTGCAG	TTCATTGAGG	GCACCGGACA
	8901	GACAAAAGA	ACCGGGCGCC	CCTGCGCTGA	CAGCCGGAAC

8951 CAGAGCAGCC GATTGTCTGT TGTGCCCAGT CATAGCCGAA TAGCCTCTCC
9001 ACCCAAGCGG CCGGAGAACC TGC GTGCAAT CCATCTTGTT CAATCATGCG
9051 AAACGATCCT CATCCTGTCT CTTGATCAGA TCTTGATCCC CTGCGCCATC
9101 AGATCCTTGG CGGCAAGAAA GCCATCCAGT TTACTTTGCA GGGCTTCCCA
5 9151 ACCTTACCAG AGGGCGCCCC AGCTGGCAAT TCCGGTTCGC TTGCTGTCCA
9201 TAAAACCGCC CAGTCTAGCT ATCGCCATGT AAGCCCACTG CAAGCTACCT
9251 GCTTTCTCTT TGC GCTTGCG TTTTCCCTTG TCCAGATAGC CCAGTAGCTG
9301 ACATTCATCC GGGGTCAGCA CCGTTTCTGC GGACTGGCTT TCTACGTGTT
9351 CCGCTTCCTT TAGCAGCCCT TGC GCCCTGA GTGCTTGCGG CAGCGTGAAG

10

SEQ ID NO:18**Nucleotide sequence of the expression vector HCMV-K HuAb-VL1 hum V2****(Complete DNA Sequence of a humanised light chain expression vector comprising****SEQ ID NO: 13 (humV2=VLm) from 3926-4246)**

15

1 CTAGCTTTTT GCAAAAGCCT AGGCCTCCAA AAAAGCCTCC TCACTACTTC
51 TGGAATAGCT CAGAGGCCGA GGCGGCCTCG GCCTCTGCAT AAATAAAAAA
101 AATTAGTCAG CCATGGGGCG GAGAATGGGC GGAAGTGGGC GGAGTTAGGG
151 GCGGGATGGG CGGAGTTAGG GGCGGGACTA TGGTTGCTGA CTAATTGAGA
20 201 TGCATGCTTT GCATACTTCT GCCTGCTGGG GAGCCTGGTT GCTGACTAAT
251 TGAGATGCAT GCTTTGCATA CTTCTGCCTG CTGGGGAGCC TGGGGACTTT
301 CCACACCCTA ACTGACACAC ATTCCACAGC TGCCTCGCGC GTTTCGGTGA
351 TGACGGTGAA AACCTCTGAC ACATGCAGCT CCCGGAGACG GTCACAGCTT
401 GTCTGTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG CGCGTCAGCG
25 451 GGTGTTGGCG GGTGTCGGGG CGCAGCCATG ACCCAGTCAC GTAGCGATAG
501 CGGAGTGTAT ACTGGCTTAA CTATGCGGCA TCAGAGCAGA TTGTACTGAG
551 AGTGCACCAT ATGCGGTGTG AAATACCGCA CAGATGCGTA AGGAGAAAAT
601 ACCGCATCAG GCGCTCTTCC GCTTCCTCGC TCACTGACTC GCTGCGCTCG
651 GTCGTTCGGC TCGGGCGAGC GGTATCAGCT CACTCAAAGG CGGTAATACG
30 701 GTTATCCACA GAATCAGGGG ATAACGCAGG AAAGAACATG TGAGCAAAAG
751 GCCAGCAAAA GGCCAGGAAC CGTAAAAAGG CCGCGTTGCT GGC GTTTTTTC
801 CATAGGCTCC GCCCCCTGA CGAGCATCAC AAAAATCGAC GCTCAAGTCA
851 GAGGTGGCGA AACCCGACAG GACTATAAAG ATACCAGGCG TTTCCCCCTG
901 GAAGCTCCCT CGTGCGCTCT CCTGTTCCGA CCCTGCCGCT TACCGGATAC
35 951 CTGTCCGCCT TTCTCCCTTC GGAAGCGTG GCGCTTTCTC ATAGCTCACG
1001 CTGTAGGTAT CTCAGTTCGG TGTAGGTCGT TCGCTCCAAG CTGGGCTGTG

1051	TGCACGAACC	CCCCGTTCAG	CCCGACCGCT	GCGCCTTATC	CGGTAACTAT
1101	CGTCTTGAGT	CCAACCCGGT	AAGACACGAC	TTATCGCCAC	TGGCAGCAGC
1151	CACTGGTAAC	AGGATTAGCA	GAGCGAGGTA	TGTAGGCGGT	GCTACAGAGT
1201	TCTTGAAGTG	GTGGCCTAAC	TACGGCTACA	CTAGAAGGAC	AGTATTTGGT
5	1251	ATCTGCGCTC	TGCTGAAGCC	AGTTACCTTC	GGAAAAAGAG
	1301	TTGATCCGGC	AAACAAACCA	CCGCTGGTAG	CGGTGGTTTT
	1351	AGCAGCAGAT	TACGCGCAGA	AAAAAAGGAT	CTCAAGAAGA
	1401	TTTTCTACGG	GGTCTGACGC	TCAGTGGAAC	GAAAACTCAC
	1451	TTTGGTCATG	AGATTATCAA	AAAGGATCTT	CACCTAGATC
10	1501	AAAAATGAAG	TTTTAAATCA	ATCTAAAGTA	TATATGAGTA
	1551	GACAGTTACC	AATGCTTAAT	CAGTGAGGCA	CCTATCTCAG
	1601	ATTTGTTTCA	TCCATAGTTG	CCTGACTCCC	CGTCGTGTAG
	1651	TACGGGAGGG	CTTACCATCT	GGCCCCAGTG	CTGCAATGAT
	1701	CCACGCTCAC	CGGCTCCAGA	TTTATCAGCA	ATAAACCAGC
15	1751	GGCCGAGCGC	AGAAGTGGTC	CTGCAACTTT	ATCCGCCTCC
	1801	TTAATTGTTG	CCGGGAAGCT	AGAGTAAGTA	GTTGCGCCAGT
	1851	CGCAACGTTG	TTGCCATTGC	TGCAGGCATC	GTGGTGTCAC
	1901	TGGTATGGCT	TCATTCAGCT	CCGGTTCCCA	ACGATCAAGG
	1951	GATCCCCCAT	GTTGTGCAAA	AAAGCGGTTA	GCTCCTTCGG
20	2001	GTTGTCAGAA	GTAAGTTGGC	CGCAGTGTTA	TCACTCATGG
	2051	ACTGCATAAT	TCTCTTACTG	TCATGCCATC	CGTAAGATGC
	2101	CTGGTGAGTA	CTCAACCAAG	TCATTCTGAG	AATAGTGTAT
	2151	AGTTGCTCTT	GCCCGGCGTC	AACACGGGAT	AATACCGCGC
	2201	AACTTTAAAA	GTGCTCATCA	TTGGAAAACG	TTCTTCGGGG
25	2251	CAAGGATCTT	ACCGCTGTTG	AGATCCAGTT	CGATGTAACC
	2301	CCCAACTGAT	CTTCAGCATC	TTTTACTTTC	ACCAGCGTTT
	2351	AAAAACAGGA	AGGCAAAATG	CCGCAAAAAA	GGGAATAAGG
	2401	AATGTTGAAT	ACTCATACTC	TTCTTTTTTC	AATATTATTG
	2451	CAGGGTTATT	GTCTCATGAG	CGGATACATA	TTTGAATGTA
30	2501	TAAACAAATA	GGGGTTCCGC	GCACATTTCC	CCGAAAAGTG
	2551	TCTAAGAAAC	CATTATTATC	ATGACATTAA	CCTATAAAAA
	2601	ACGAGGCCCT	TTCGTCTTCA	AGAATTCAGC	TTGGCTGCAG
	2651	AATGTGTGTT	TGTCCGAAAT	ACGCGTTTTG	AGATTTCTGT
	2701	ATTCATGTCG	CGCGATAGTG	GTGTTTATCG	CCGATAGAGA
35	2751	GGAAAAATCG	ATATTTGAAA	ATATGGCATA	TTGAAAATGT
	2801	AGTTTCTGTG	TAAGTGATAT	CGCCATTTTT	CCAAAAGTGA
	2851	TACGCGATAT	CTGGCGATAG	CGCTTATATC	GTTTACGGGG

2901	GACGACTTTG	GTGACTTGGG	CGATTCTGTG	TGTCGCAAAT	ATCGCAGTTT	
2951	CGATATAGGT	GACAGACGAT	ATGAGGCTAT	ATCGCCGATA	GAGGCGACAT	
3001	CAAGCTGGCA	CATGGCCAAT	GCATATCGAT	CTATACATTG	AATCAATATT	
3051	GGCCATTAGC	CATATTATTC	ATTGGTTATA	TAGCATAAAT	CAATATTGGC	
5	3101	TATTGGCCAT	TGCATACGTT	GTATCCATAT	CATAATATGT	ACATTTATAT
	3151	TGGCTCATGT	CCAACATTAC	CGCCATGTTG	ACATTGATTA	TTGACTAGTT
	3201	ATTAATAGTA	ATCAATTACG	GGGTCATTAG	TTCATAGCCC	ATATATGGAG
	3251	TTCCGCGTTA	CATAACTTAC	GGTAAATGGC	CCGCCTGGCT	GACCGCCCAA
	3301	CGACCCCCGC	CCATTGACGT	CAATAATGAC	GTATGTTCCC	ATAGTAACGC
10	3351	CAATAGGGAC	TTTCCATTGA	CGTCAATGGG	TGGAGTATTT	ACGGTAAACT
	3401	GCCCACTTGG	CAGTACATCA	AGTGTATCAT	ATGCCAAGTA	CGCCCCCTAT
	3451	TGACGTCAAT	GACGGTAAAT	GGCCGCGCTG	GCATTATGCC	CAGTACATGA
	3501	CCTTATGGGA	CTTTCCTACT	TGGCAGTACA	TCTACGTATT	AGTCATCGCT
	3551	ATTACCATGG	TGATGCGGTT	TTGGCAGTAC	ATCAATGGGC	GTGGATAGCG
15	3601	GTTTGACTCA	CGGGGATTTT	CAAGTCTCCA	CCCCATTGAC	GTCAATGGGA
	3651	GTTTGTTTTG	GCACCAAAT	CAACGGGACT	TTCCAAAATG	TCGTAACAAC
	3701	TCCGCCCCAT	TGACGCAAAT	GGGCGGTAGG	CGTGTACGGT	GGGAGGTCTA
	3751	TATAAGCAGA	GCTCGTTTAG	TGAACCGTCA	GATCGCCTGG	AGACGCCATC
	3801	CACGCTGTTT	TGACCTCCAT	AGAAGACACC	GGGACCGATC	CAGCCTCCGC
20	3851	AAGCTTGCCG	CCACCATGGA	GACCCCCGCC	CAGCTGCTGT	TCCTGCTGCT
	3901	GCTGTGGCTG	CCCGACACCA	CCGGCGACAT	TCTGCTGACC	CAGTCTCCAG
	3951	CCACCCTGTC	TCTGAGTCCA	GGAGAAAGAG	CCACTTTCTC	CTGCAGGGCC
	4001	AGTCAGAACA	TTGGCACAAG	CATACAGTGG	TATCAACAAA	AAACAAATGG
	4051	TGCTCCAAGG	CTTCTCATAA	GGTCTTCTTC	TGAGTCTATC	TCTGGGATCC
25	4101	CTTCCAGGTT	TAGTGGCAGT	GGATCAGGGA	CAGATTTTAC	TCTTACCATC
	4151	AGCAGTCTGG	AGCCTGAAGA	TTTTGCAGTG	TATTACTGTC	AACAAAGTAA
	4201	TACCTGGCCA	TTCACGTTTC	GCCAGGGGAC	CAAGCTGGAG	ATCAAACGTG
	4251	AGTATTCTAG	AAAGATCCTA	GAATTCTAAA	CTCTGAGGGG	GTCGGATGAC
	4301	GTGGCCATTC	TTTGCCTAAA	GCATTGAGTT	TACTGCAAGG	TCAGAAAAGC
30	4351	ATGCAAAGCC	CTCAGAATGG	CTGCAAAGAG	CTCCAACAAA	ACAATTTAGA
	4401	ACTTTATTAA	GGAATAGGGG	GAAGCTAGGA	AGAAACTCAA	AACATCAAGA
	4451	TTTTAAATAC	GCTTCTTGGT	CTCCTTGCTA	TAATTATCTG	GGATAAGCAT
	4501	GCTGTTTTCT	GTCTGTCCCT	AACATGCCCT	GTGATTATCC	GCAAACAACA
	4551	CACCCAAGGG	CAGAACTTTG	TTACTTAAAC	ACCATCCTGT	TTGCTTCTTT
35	4601	CCTCAGGAAC	TGTGGCTGCA	CCATCTGTCT	TCATCTTCCC	GCCATCTGAT
	4651	GAGCAGTTGA	AATCTGGAAC	TGCCTCTGTT	GTGTGCCTGC	TGAATAACTT
	4701	CTATCCCAGA	GAGGCCAAAG	TACAGTGGAA	GGTGGATAAC	GCCCTCCAAT

4751	CGGGTAACTC	CCAGGAGAGT	GTCACAGAGC	AGGACAGCAA	GGACAGCACC
4801	TACAGCCTCA	GCAGCACCCCT	GACGCTGAGC	AAAGCAGACT	ACGAGAAACA
4851	CAAAGTCTAC	GCCTGCGAAG	TCACCCATCA	GGGCCTGAGC	TCGCCCCGTCA
4901	CAAAGAGCTT	CAACAGGGGA	GAGTGTTAGA	GGGAGAAGTG	CCCCCACCTG
5	4951	CTCCTCAGTT	CCAGCCTGAC	CCCCTCCCAT	CCTTTGGCCT
	5001	TTCCACAGGG	GACCTACCCC	TATTGCGGTC	CTCCAGCTCA
	5051	CACCCCCCTC	CTCCTCCTTG	GCTTTAATTA	TGCTAATGTT
	5101	GAATAAATAA	AGTGAATCTT	TGCACCTGTG	GTTTCTCTCT
	5151	AATAATTATT	ATCTGTTGTT	TACCAACTAC	TCAATTTCTC
10	5201	CTAAATATGT	AGTCATCCTA	AGGCGCATAA	CCATTTATAA
	5251	TCATTCTATT	TTACCCTATC	ATCCTCTGCA	AGACAGTCCT
	5301	CACAAGCCTT	CTGTCCTCAC	AGTCCCCTGG	GCCATGGTAG
	5351	CTTCCTTGTT	TTCCCCCTCCT	CAGCAAGCCC	TCATAGTCCT
	5401	GACAGGTCTT	ACAGTCATAT	ATCCTTTGAT	TCAATTCCCT
15	5451	CAAAGCAAAT	TTTTCAAAAG	AAGAAACCTG	CTATAAAGAG
	5501	TGCAACATGA	TATAAAATAA	CAACACAATA	AAAGCAATTA
	5551	CAATAGGGAA	ATGTTTAAGT	TCATCATGGT	ACTTAGACTT
	5601	CATGCCTTAT	TTACATTTTT	AAACAGGTAC	TGAGGGACTC
	5651	AGGGCCGTAT	TGAGTACTTT	CCACAACCTA	ATTTAATCCA
20	5701	TGAGATTAAA	AACATTCATT	AAAATGTTGC	AAAGGTTCTA
	5751	AGACAAATAT	ATTCTATAAC	TCAGCAATCC	CACTTCTAGA
	5801	TCCCCACCCA	CCAAAAAACT	ATGCAAGAAT	GTTCAAAGCA
	5851	CAAAGCCAA	AAATTGGAAA	TAGCCCGATT	GTCCAACAAT
	5901	ATTAAACTGT	GGTATGTTTA	TACATTAGAA	TACCCAATGA
25	5951	CAAGCTACAA	CTATACCTAC	TCACACAGAT	GAATCTCATA
	6001	TACATAAGAG	AAACTCAATG	CAAAGATAT	GTTCTGTATG
	6051	TATAAAGTTC	AAAACCAGGT	AAAAATAAAG	TTAGAAATTT
	6101	TACTCTTAGC	TGGGGGTGGG	CGAGTTAGTG	CCTGGGAGAA
	6151	GGCTTCTGGG	GTCTTGGTAA	TGTTCTGTTC	CTCGTGTGGG
30	6201	TATGATCTGT	GCACTGTTCT	GTATACACAT	TATGCTTCAA
	6251	CATAAAGAAC	ATCTTATACC	CAGTTAATAG	ATAGAAGAGG
	6301	AGGTCAAGAC	CACGCAGCTG	GTAAGTGGGG	GGGCCTGGGA
	6351	ACCTGCCTAA	TCCTGCCCTC	TTGAGCCCTG	AATGAGTCTG
	6401	CTCAAGGTGC	TCAACAAAAC	AACAGGCCTG	CTATTTTCCT
35	6451	CCCTGTTTGG	CTAGCTAGGA	GCACACATAC	ATAGAAATTA
	6501	ACCTTCAGCA	AGGGGACAGA	GGACAGAATT	AACCTTGCCC
	6551	AACCCATGTA	TGAACACTCA	CATGTTTGGG	AAGGGGGAAG

6601 AATGAGGACT CTTCTCATT CTATGGGGCA CTCTGGCCCT GCCCCTCTCA
 6651 GCTACTCATC CATCCAACAC ACCTTTCTAA GTACCTCTCT CTGCCTACAC
 6701 TCTGAAGGGG TTCAGGAGTA ACTAACACAG CATCCCTTCC CTCAAATGAC
 6751 TGACAATCCC TTTGTCCTGC TTTGTTTTTC TTTCCAGTCA GTACTGGGAA
 5 6801 AGTGGGGAAG GACAGTCATG GAGAACTAC ATAAGGAAGC ACCTTGCCCT
 6851 TCTGCCTCTT GAGAATGTTG ATGAGTATCA AATCTTTCAA ACTTTGGAGG
 6901 TTTGAGTAGG GGTGAGACTC AGTAATGTCC CTTCCAATGA CATGAACTTG
 6951 CTCCTCATC CCTGGGGGCC AAATTGAACA ATCAAAGGCA GGCATAATCC
 7001 AGCTATGAAT TCTAGGATCG ATCCAGACAT GATAAGATAC ATTGATGAGT
 10 7051 TTGGACAAAC CACAAC TAGA ATGCAGTGAA AAAAATGCTT TATTTGTGAA
 7101 ATTTGTGATG CTATTGCTTT ATTTGTAACC ATTATAAGCT GCAATAAACA
 7151 AGTTAACAAC AACAAATTGCA TTCATTTTAT GTTTCAGGTT CAGGGGGAGG
 7201 TGTGGGAGGT TTTTAAAGC AAGTAAACC TCTACAAATG TGGTATGGCT
 7251 GATTATGATC TCTAGTCAAG GCACTATACA TCAAATATTC CTTATTAACC
 15 7301 CCTTTACAAA TAAAAAGCT AAAGGTACAC AATTTTGTGAG CATAGTTATT
 7351 AATAGCAGAC ACTCTATGCC TGTGTGGAGT AAGAAAAAAC AGTATGTTAT
 7401 GATTATAACT GTTATGCCTA CTTATAAAGG TTACAGAATA TTTTTCATA
 7451 ATTTTCTTGT ATAGCAGTGC AGCTTTTTC TTTGTGGTGT AAATAGCAAA
 7501 GCAAGCAAGA GTTCTATTAC TAAACACAGC ATGACTCAAA AAACCTTAGCA
 20 7551 ATTCTGAAGG AAAGTCCTTG GGGTCTTCTA CCTTTCTCTT CTTTTTTGGA
 7601 GGAGTAGAAT GTTGAGAGTC AGCAGTAGCC TCATCATCAC TAGATGGCAT
 7651 TTCTTCTGAG CAAAACAGGT TTTCCTCATT AAAGGCATTC CACCACTGCT
 7701 CCCATTCATC AGTTCCATAG GTTGGAACTT AAAATACACA AACAAATTAGA
 7751 ATCAGTAGTT TAACACATTA TACACTTAAA AATTTTATAT TTACCTTAGA
 25 7801 GCTTTAAATC TCTGTAGGTA GTTTGTCCAA TTATGTCACA CCACAGAAGT
 7851 AAGGTTCTT CACAAAGATC CGGGACCAAA GCGGCCATCG TGCCTCCCCA
 7901 CTCCTGCAGT TCGGGGGCAT GGATGCGCGG ATAGCCGCTG CTGGTTTCCT
 7951 GGATGCCGAC GGATTTGCAC TGCCGGTAGA ACTCCGCGAG GTCGTCCAGC
 8001 CTCAGGCAGC AGCTGAACCA ACTCGCGAGG GGATCGAGCC CGGGGTGGGC
 30 8051 GAAGAACTCC AGCATGAGAT CCCCGCGCTG GAGGATCATC CAGCCGGCGT
 8101 CCCGGAAAAC GATTCCGAAG CCCAACCTTT CATAGAAGGC GGCGGTGGAA
 8151 TCGAAATCTC GTGATGGCAG GTTGGGCGTC GCTTGGTCGG TCATTTCGAA
 8201 CCCCAGAGTC CCGCTCAGAA GAACTCGTCA AGAAGGCGAT AGAAGGCGAT
 8251 GCGCTGCGAA TCGGGAGCGG CGATACCGTA AAGCACGAGG AAGCGGTCAG
 35 8301 CCCATTCGCC GCCAAGCTCT TCAGCAATAT CACGGGTAGC CAACGCTATG
 8351 TCCTGATAGC GGTCCGCCAC ACCCAGCCGG CCACAGTCGA TGAATCCAGA
 8401 AAAGCGGCCA TTTTCCACCA TGATATTCGG CAAGCAGGCA TCGCCATGGG

8451 TCACGACGAG ATCCTCGCCG TCGGGCATGC GCGCCTTGAG CCTGGCGAAC
8501 AGTTCGGCTG GCGCGAGCCC CTGATGCTCT TCGTCCAGAT CATCCTGATC
8551 GACAAGACCG GCTTCCATCC GAGTACGTGC TCGCTCGATG CGATGTTTCG
8601 CTTGGTGGTC GAATGGGCAG GTAGCCGGAT CAAGCGTATG CAGCCGCCGC
5 8651 ATTGCATCAG CCATGATGGA TACTTTCTCG GCAGGAGCAA GGTGAGATGA
8701 CAGGAGATCC TGCCCCGGCA CTTCGCCCAA TAGCAGCCAG TCCCTTCCCG
8751 CTTCAGTGAC AACGTCGAGC ACAGCTGCGC AAGGAACGCC CGTCGTGGCC
8801 AGCCACGATA GCCGCGCTGC CTCGTCCTGC AGTTCATTCA GGGCACCGGA
8851 CAGGTCGGTC TTGACAAAAA GAACCGGGCG CCCCTGCGCT GACAGCCGGA
10 8901 ACACGGCGGC ATCAGAGCAG CCGATTGTCT GTTGTGCCCA GTCATAGCCG
8951 AATAGCCTCT CCACCCAAGC GGCCGGAGAA CCTGCGTGCA ATCCATCTTG
9001 TTCAATCATG CGAAACGATC CTCATCCTGT CTCTTGATCA GATCTTGATC
9051 CCCTGCGCCA TCAGATCCTT GGCGGCAAGA AAGCCATCCA GTTTACTTTG
9101 CAGGGCTTCC CAACCTTACC AGAGGGCGCC CCAGCTGGCA ATTCCGGTTC
15 9151 GCTTGCTGTC CATAAAACCG CCCAGTCTAG CTATCGCCAT GTAAGCCCAC
9201 TGCAAGCTAC CTGCTTTCTC TTTGCGCTTG CGTTTTCCCT TGTCCAGATA
9251 GCCCAGTAGC TGACATTCAT CCGGGGTCAG CACCGTTTCT GCGGACTGGC
9301 TTTCTACGTG TTCCGCTTCC TTTAGCAGCC CTTGCGCCCT GAGTGCTTGC
9351 GGCAGCGTGA AG

20

SEQ ID NO:31:**Part of amino acid sequence of humanised heavy chain designated VHE-N73D**

EVQLVESGAE VKKPGASVKV SCKASGYTFT NYIIHWVKQE PGQGLEWIGY
FNPYNHGTKY NEKFKGRATL TADKSISTAY MELSSLRSED TAVYYCARSG

25 PYAWFDTWGQ GTTVTVSS**SEQ ID NO:32:****Part of amino acid sequence of humanised heavy chain designated VHQ-N73D**

QVQLVESGAE VKKPGASVKV SCKASGYTFT NYIIHWVKQE PGQGLEWIGY
30 FNPYNHGTKY NEKFKGRATL TADKSISTAY MELSSLRSED TAVYYCARSG

PYAWFDTWGQ GTTVTVSS

SEQ ID NO:33:**Nucleotide sequence encoding amino acid sequence SEQ ID NO: 8**

GACATTCTGCTGACCCAGTCTCCAGCCACCCTGTCTCTGAGTCCAGGAGAAAGAGCCA
CTCTCTCCTGCAGGGCCAGTCAGAACATTGGCACAAGCATACAGTGGTATCAACAAAAA
5 CCAGGTCAGGCTCCAAGGCTTCTCATAAGGTCTTCTTCTGAGTCTATCTCTGGGATCCC
TTCCAGGTTTAGTGGCAGTGGATCAGGGACAGATTTTACTCTTACCATCAGCAGTCTGG
AGCCTGAAGATTTTGCAGTGTATTACTGTCAACAAAGTAATACCTGGCCATTACAGTTC
GGCCAGGGGACCAAGCTTGAAATCAAA

10 SEQ ID NO:34:**Nucleotide sequence encoding amino acid sequence SEQ ID NO: 31**

GAGGTGCAGCTGGTGGAGTCAGGAGCCGAAGTGAAAAAGCCTGGGGCTTCAGTGAAG
GTGTCCTGCAAGGCCTCTGGATACACATTCACTAATTATATTATCCACTGGGTGAAGCA
GGAGCCTGGTCAGGGCCTTGAATGGATTGGATATTTTAATCCTTACAATCATGGTACTA
15 AGTACAATGAGAAGTTCAAAGGCAGGGCCACACTAACTGCAGACAAATCCATCAGCACA
GCCTACATGGAGCTCAGCAGCCTGCGCTCTGAGGACACTGCGGTCTACTACTGTGCAA
GATCAGGACCCTATGCCTGGTTTGACACCTGGGGCCAAGGGACCACGGTCACCGTCTC
CTCA

20 SEQ ID NO:35**Nucleotide sequence encoding amino acid sequence SEQ ID NO: 32**

CAGGTGCAGCTGGTGGAGTCAGGAGCCGAAGTGAAAAAGCCTGGGGCTTCAGTGAAG
GTGTCCTGCAAGGCCTCTGGATACACATTCACTAATTATATTATCCACTGGGTGAAGCA
GGAGCCTGGTCAGGGCCTTGAATGGATTGGATATTTTAATCCTTACAATCATGGTACTA
25 AGTACAATGAGAAGTTCAAAGGCAGGGCCACACTAACTGCAGACAAATCCATCAGCACA
GCCTACATGGAGCTCAGCAGCCTGCGCTCTGAGGACACTGCGGTCTACTACTGTGCAA
GATCAGGACCCTATGCCTGGTTTGACACCTGGGGCCAAGGGACCACGGTCACCGTCTC
CTCA

30 SEQ ID No 36**Nucleotide sequence of expression vector LCVL1Sp20**

1 CTAGAGTCCT AGAGAGGTCT GGTGGAGCCT GCAAAAGTCC AGCTTTCAAA
51 GGAACACAGA AGTATGTGTA TGAATATTA GAAGATGTTG CTTTTACTCT
101 TAAGTTGGTT CCTAGGAAAA ATAGTTAAAT ACTGTGACTT TAAAATGTGA

	151	GAGGGTTTTTC	AAGTACTCAT	TTTTTTTAAAT	GTCCAAAATT	TTTGTCAATC
	201	AATTTGAGGT	CTTGTTTGTG	TAGAACTGAC	ATTACTTAAA	GTTTAACCGA
	251	GGAATGGGAG	TGAGGCTCTC	TCATACCCTA	TTCAGAACTG	ACTTTTAACA
	301	ATAATAAATT	AAGTTTAAAA	TATTTTTTAAA	TGAATTGAGC	AATGTTGAGT
5	351	TGGAGTCAAG	ATGGCCGATC	AGAACCAGAA	CACCTGCAGC	AGCTGGCAGG
	401	AAGCAGGTCA	TGTGGCAAGG	CTATTTGGGG	AAGGGAAAAT	AAAACCACTA
	451	GGTAAACTTG	TAGCTGTGGT	TTGAAGAAGT	GGTTTTGAAA	CACTCTGTCC
	501	AGCCCCACCA	AACCGAAAGT	CCAGGCTGAG	CAAAACACCA	CCTGGGTAAAT
	551	TTGCATTTCT	AAAATAAGTT	GAGGATTCAG	CCGAAACTGG	AGAGGTCCTC
10	601	TTTTAACTTA	TTGAGTTCAA	CCTTTTAATT	TTAGCTTGAG	TAGTTCTAGT
	651	TTCCCCAAAC	TTAAGTTTAT	CGACTTCTAA	AATGTATTTA	GAACTCATTT
	701	TCAAAATTAG	GTTATGTAAG	AAATTGAAGG	ACTTTAGTGT	CTTTAATTTT
	751	TAATATATTT	AGAAAACCTC	TTAAAATTAC	TCTATTATTC	TTCCCTCTGA
	801	TTATTGGTCT	CCATTCAATT	CTTTTCCAAT	ACCCGAAGCA	TTTACAGTGA
15	851	CTTTGTTTCT	GATCTTTTTT	AGTTGTTTGT	TTTGCCTTAC	TATTAAGACT
	901	TTGACATTCT	GGTCAAAACG	GCTTCACAAA	TCTTTTTTCAA	GACCACTTTC
	951	TGAGTATTCA	TTTTAGGAGA	AATACTTTTT	TTTTAAATGA	ATGCAATTAT
	1001	CTAGGACCTG	CAGGCATGCT	GTTTTCTGTC	TGTCCCTAAC	ATGCCCTGTG
	1051	ATTATCCGCA	AACAACACAC	CCAAGGGCAG	AACTTTGTTA	CTTAAACACC
20	1101	ATCCTGTTTG	CTTCTTTCCT	CAGGAACTGT	GGCTGCACCA	TCTGTCTTCA
	1151	TCTTCCCGCC	ATCTGATGAG	CAGTTGAAAT	CTGGAAGTGC	CTCTGTTGTG
	1201	TGCCTGCTGA	ATAACTTCTA	TCCCAGAGAG	GCCAAAGTAC	AGTGGAAGGT
	1251	GGATAACGCC	CTCCAATCGG	GTAACCTCCA	GGAGAGTGTC	ACAGAGCAGG
	1301	ACAGCAAGGA	CAGCACCTAC	AGCCTCAGCA	GCACCCTGAC	GCTGAGCAAA
25	1351	GCAGACTACG	AGAAACACAA	AGTCTACGCC	TGCGAAGTCA	CCCATCAGGG
	1401	CCTGAGCTCG	CCCGTCACAA	AGAGCTTCAA	CAGGGGAGAG	TGTTAGAGGG
	1451	AGAAGTGCCC	CCACCTGCTC	CTCAGTTCCA	GCCTGACCCC	CTCCCATCCT
	1501	TTGGCCTCTG	ACCCTTTTTT	CACAGGGGAC	CTACCCCTAT	TGCGGTCCTC
	1551	CAGCTCATCT	TTACCTCAC	CCCCCTCCTC	CTCCTTGGCT	TTAATTATGC
30	1601	TAATGTTGGA	GGAGAATGAA	TAAATAAAGT	GAATCTTTGC	ACCTGTGGTT
	1651	TCTCTCTTTC	CTCATTTAAT	AATTATTATC	TGTTGTTTTA	CCAACACTC
	1701	AATTTCTCTT	ATAAGGGACT	AAATATGTAG	TCATCCTAAG	GCGGGATATC
	1751	GAGATCTGAA	GCTGATCCAG	ACATGATAAG	ATACATTGAT	GAGTTTGGAC
	1801	AAACCACAAC	TAGAATGCAG	TGAAAAAAAT	GCTTTATTTG	TGAAATTTGT
35	1851	GATGCTATTG	CTTTATTTGT	AACCATTATA	AGCTGCAATA	AACAAGTTAA
	1901	CAACAACAAT	TGCATTCAAT	TTATGTTTCA	GGTTCAGGGG	GAGGTGTGGG
	1951	AGGTTTTTTA	AAGCAAGTAA	AACCTCTACA	AATGTGGTAT	GGCTGATTAT

2001	GATCTCTAGT	CAAGGCACTA	TACATCAAAT	ATTCCTTATT	AACCCCTTTA	
2051	CAAATTAAAA	AGCTAAAGGT	ACACAATTTT	TGAGCATAGT	TATTAATAGC	
2101	AGACACTCTA	TGCCTGTGTG	GAGTAAGAAA	AAACAGTATG	TTATGATTAT	
2151	AACTGTTATG	CCTACTTATA	AAGGTTACAG	AATATTTTTC	CATAATTTTC	
5	2201	TTGTATAGCA	GTGCAGCTTT	TTCCCTTTGTG	GTGTAAATAG	CAAAGCAAGC
	2251	AAGAGTTCTA	TTACTAAACA	CAGCATGACT	CAAAAAACTT	AGCAATTCTG
	2301	AAGGAAAGTC	CTTGGGGTCT	TCTACCTTTC	TCTTCTTTTT	TGGAGGAGTA
	2351	GAATGTTGAG	AGTCAGCAGT	AGCCTCATCA	TCACTAGATG	GCATTTCTTC
	2401	TGAGCAAAAC	AGGTTTTTCT	CATTAAAGGC	ATTCCACCAC	TGCTCCCAT
10	2451	CATCAGTTCC	ATAGGTTGGA	ATCTAAAATA	CACAAACAAT	TAGAATCAGT
	2501	AGTTTAACAC	ATTATACACT	TAAAAATTTT	ATATTTACCT	TAGAGCTTTA
	2551	AATCTCTGTA	GGTAGTTTGT	CCAATTATGT	CACACCACAG	AAGTAAGGTT
	2601	CCTTCACAAA	GATCCGGACC	AAAGCGGCCA	TCGTGCCTCC	CCACTCCTGC
	2651	AGTTCGGGGG	CATGGATGCG	CGGATAGCCG	CTGCTGGTTT	CCTGGATGCC
15	2701	GACGGATTTG	CACTGCCGGT	AGAACTCCGC	GAGGTCGTCC	AGCCTCAGGC
	2751	AGCAGCTGAA	CCAATCGCG	AGGGGATCGA	GCATCCCCCA	TGGTCTTATA
	2801	AAAATGCATA	GCTTTAGGAG	GGGAGCAGAG	AACTTGAAAG	CATCTTCCTG
	2851	TTAGTCTTTC	TTCTCGTAGA	CTTCAAACCT	ATACTTGATG	CCTTTTTCTC
	2901	CCTGGACCTC	AGAGAGGACG	CCTGGGTATT	CTGGGAGAAG	TTTATATTTT
20	2951	CCCAAATCAA	TTTCTGGGAA	AAACGTGTCA	CTTTCAAATT	CCTGCATGAT
	3001	CCTTGTCACA	AAGAGTCTGA	GGTGGCCTGG	TTGATTCATG	GCTTCCTGGT
	3051	AAACAGAACT	GCCTCCGACT	ATCCAAACCA	TGTCTACTTT	ACTTGCCAAT
	3101	TCCGGTTGTT	CAATAAGTCT	TAAGGCATCA	TCCAAACTTT	TGGCAAGAAA
	3151	ATGAGCTCCT	CGTGGTGGTT	CTTTGAGTTC	TCTACTGAGA	ACTATATTAA
25	3201	TTCTGTCCTT	TAAAGGTCGA	TTCTTCTCAG	GAATGGAGAA	CCAGGTTTTT
	3251	CTACCCATAA	TCACCAGATT	CTGTTTACCT	TCCACTGAAG	AGGTTGTGGT
	3301	CATTCTTTGG	AAGTACTTGA	ACTCGTTCCT	GAGCGGAGGC	CAGGGTCGGT
	3351	CTCCGTTCTT	GCCAATCCCC	ATATTTTGGG	ACACGGCGAC	GATGCAGTTC
	3401	AATGGTCGAA	CCATGATGGC	AGCGGGGATA	AAATCCTACC	AGCCTTCACG
30	3451	CTAGGATTGC	CGTCAAGTTT	GGGGGTACCG	AGCTCGAATT	AGCTTTTTGC
	3501	AAAAGCCTAG	GCCTCCAAAA	AAGCCTCCTC	ACTACTTCTG	GAATAGCTCA
	3551	GAGGGCCGAG	GCGGCCTCGG	CCTCTGCATA	AATAAAAAAA	ATTAGTCAGC
	3601	CATGGGGCGG	AGAATGGGCG	GAACTGGGCG	GAGTTAGGGG	CGGGATGGGC
	3651	GGAGTTAGGG	GCGGGACTAT	GGTTGCTGAC	TAATTGAGAT	GCATGCTTTG
35	3701	CATACTTCTG	CCTGCTGGGG	AGCCTGGGGA	CTTTCCACAC	CTGGTTGCTG
	3751	ACTAATTGAG	ATGCATGCTT	TGCATACTTC	TGCCTGCTGG	GGAGCCTGGG
	3801	GACTTTCCAC	ACCCTAACTG	ACACACATTC	CACAGCTGCC	TCGCGCGTTT

	3851	CGGTGATGAC	GGTGAAAACC	TCTGACACAT	GCAGCTCCCCG	GAGACGGTCA
	3901	CAGCTTGTCT	GTAAGCGGAT	GCCGGGAGCA	GACAAGCCCCG	TCAGGGCGCG
	3951	TCAGCGGGTG	TTGGCGGGTG	TCGGGGCGCA	GCCATGACCC	AGTCACGTAG
	4001	CGATAGCGGA	GTGTATACTG	GCTTAACTAT	GCGGCATCAG	AGCAGATTGT
5	4051	ACTGAGAGTG	CACCATATGC	GGCCGCATAT	GCGGTGTGAA	ATACCGCACA
	4101	GATGCGTAAG	GAGAAAATAC	CGCATCAGGC	GCTCTTCCGC	TTCTCTGCTC
	4151	ACTGACTCGC	TGCGCTCGGT	CGTTCGGCTG	CGGCGAGCGG	TATCAGCTCA
	4201	CTCAAAGGCG	GTAATACGGT	TATCCACAGA	ATCAGGGGAT	AACGCAGGAA
	4251	AGAACATGTG	AGCAAAAGGC	CAGCAAAAGG	CCAGGAACCG	TAAAAAGGCC
10	4301	GCGTTGCTGG	CGTTTTTCCA	TAGGCTCCGC	CCCCCTGACG	AGCATCACAA
	4351	AAATCGACGC	TCAAGTCAGA	GGTGGCGAAA	CCCGACAGGA	CTATAAAGAT
	4401	ACCAGGCGTT	TCCCCCTGGA	AGCTCCCTCG	TGCGCTCTCC	TGTTCCGACC
	4451	CTGCCGCTTA	CCGGATACCT	GTCCGCCTTT	CTCCCTTCGG	GAAGCGTGGC
	4501	GCTTTCTCAT	AGCTCACGCT	GTAGGTATCT	CAGTTCGGTG	TAGGTCGTTC
15	4551	GCTCCAAGCT	GGGCTGTGTG	CACGAACCCC	CCGTTCAAGC	CGACCGCTGC
	4601	GCCTTATCCG	GTAACATATCG	TCTTGAGTCC	AACCCGGTAA	GACACGACTT
	4651	ATCGCCACTG	GCAGCAGCCA	CTGGTAACAG	GATTAGCAGA	GCGAGGTATG
	4701	TAGGCGGTGC	TACAGAGTTC	TTGAAGTGGT	GGCCTAACTA	CGGCTACACT
	4751	AGAAGGACAG	TATTTGGTAT	CTGCGCTCTG	CTGAAGCCAG	TTACCTTCGG
20	4801	AAAAAGAGTT	GGTAGCTCTT	GATCCGGCAA	ACAAACCACC	GCTGGTAGCG
	4851	GTGGTTTTTT	TGTTTGCAAG	CAGCAGATTA	CGCGCAGAAA	AAAAGGATCT
	4901	CAAGAAGATC	CTTTGATCTT	TTCTACGGGG	TCTGACGCTC	AGTGGAACGA
	4951	AAACTCACGT	TAAGGGATTT	TGGTCATGAG	ATTATCAAAA	AGGATCTTCA
	5001	CCTAGATCCT	TTTAAATTAA	AAATGAAGTT	TTAAATCAAT	CTAAAGTATA
25	5051	TATGAGTAAA	CTTGGTCTGA	CAGTTACCAA	TGCTTAATCA	GTGAGGCACC
	5101	TATCTCAGCG	ATCTGTCTAT	TTCGTTCATC	CATAGTTGCC	TGACTCCCCG
	5151	TCGTGTAGAT	AACTACGATA	CGGGAGGGCT	TACCATCTGG	CCCCAGTGCT
	5201	GCAATGATAC	CGCGAGACCC	ACGCTCACCG	GCTCCAGATT	TATCAGCAAT
	5251	AAACCAGCCA	GCCGGAAGGG	CCGAGCGCAG	AAGTGGTCCT	GCAACTTTAT
30	5301	CCGCCTCCAT	CCAGTCTATT	AATTGTTGCC	GGGAAGCTAG	AGTAAGTAGT
	5351	TCGCCAGTTA	ATAGTTTGCG	CAACGTTGTT	GCCATTGCTG	CAGGCATCGT
	5401	GGTGTCACGC	TCGTGTTTTG	GTATGGCTTC	ATTCAGCTCC	GGTTCCCAAC
	5451	GATCAAGGCG	AGTTACATGA	TCCCCCATGT	TGTGCAAAAA	AGCGGTTAGC
	5501	TCCTTCGGTC	CTCCGATCGT	TGTCAGAAGT	AAGTTGGCCG	CAGTGTTATC
35	5551	ACTCATGGTT	ATGGCAGCAC	TGCATAATTC	TCTTACTGTC	ATGCCATCCG
	5601	TAAGATGCTT	TTCTGTGACT	GGTGAGTACT	CAACCAAGTC	ATTCTGAGAA
	5651	TAGTGTATGC	GGCGACCGAG	TTGCTCTTGC	CCGGCGTCAA	CACGGGATAA

5701	TACCGCGCCA	CATAGCAGAA	CTTTAAAAGT	GCTCATCATT	GGAAAACGTT	
5751	CTTCGGGGCG	AAAACCTCTCA	AGGATCTTAC	CGCTGTTGAG	ATCCAGTTTCG	
5801	ATGTAACCCA	CTCGTGCACC	CAACTGATCT	TCAGCATCTT	TTACTTTCAC	
5851	CAGCGTTTCT	GGGTGAGCAA	AAACAGGAAG	GCAAAATGCC	GCAAAAAAGG	
5	5901	GAATAAGGGC	GACACGGAAA	TGTTGAATAC	TCATACTCTT	CCTTTTTCAA
5951	TATTATTGAA	GCATTTATCA	GGGTTATTGT	CTCATGAGCG	GATACATATT	
6001	TGAATGTATT	TAGAAAAATA	AACAAATAGG	GGTTCCGCGC	ACATTTCCCC	
6051	GAAAAGTGCC	ACCTGACGTC	TAAGAAACCA	TTATTATCAT	GACATTAACC	
6101	TATAAAAATA	GGCGTATCAC	GAGGCCCTTT	CGTCTTCAAG	AATTCAGCTG	
10	6151	CTCGAGGAAG	AGCTCAAACC	CATGCTACTC	TCTGGCTTGA	TGGAAGCAAC
6201	GCTTTCATAG	CTGAGCTGTC	ATAAATAATA	AAGAGATTTT	TTTATTAATA	
6251	TTGAAAAGAT	GGGTTATTTA	TGTAAGACTC	TGTCTTCATT	TTAAAAACCA	
6301	CACCTTCCAG	TAGTATTCTG	TTACTGTTCT	GGCAATCACT	GTGATCAAGA	
6351	AGCTACACGG	TGAGTTGTGC	TTCTCAGTCC	TAAGGGATAC	ATCTACAAGA	
15	6401	GGCTCCCAT	CTCGAAGCTC	AGGAAACATT	GTAGAAAAGG	AGGCAAAAGA
6451	CTGACAGAGC	CAGAGGACCA	AGAAATTTGT	TGTGAGGTTG	TGTCTCCTAC	
6501	TAACAATATA	AGCAATATCT	ATAAATTGTT	GATATCATGG	CTACTAAAAT	
6551	GTGAGTTGAA	CGAGGAGGAC	ACAAATGAAC	ATGACAATCA	GAATGAGGCC	
6601	TCTCACCTGC	AAAAAACACT	ATAGAGAAGC	AGATAAAGCT	GTCAGCAGAA	
20	6651	GAGGCGCACC	TCCTTATAGA	AGAAGCCTAC	CAGGTTTGAT	ATATCAGCCT
6701	TGAAAACCTA	CATAGTATTT	ACATTATATC	GAGTCTATGA	GACATATTTA	
6751	GTAATGCATA	TGTATGTGTG	TGTGTGCATG	TATGTGTGTA	AATACATATG	
6801	TTCATAGAAA	AATGTGTAAA	AAGAGATCAT	GAATTTAAGA	GAGAACTGGG	
6851	ACAATTTTTT	TCAGGGAGTT	GTAATCAGGA	AAGTTAAGGG	AAAAATGTTG	
25	6901	TAATTAAAAT	TCAGGCTCAG	AAACAAACAA	AGGAAAAGAA	AAAAAAACAA
6951	CAACAACAAC	AAAAAAACAA	AACAAAGGAG	AAGCTGTATG	GCCACAATAG	
7001	CATCTACAGC	TAACTGTGAA	AGGATAATGG	AACAAGTTAT	GTACTGCCTA	
7051	GAGCAGTATG	ATGCCTAAAT	CATCTCGACA	TGGAGGAAAA	TAGAACAAAG	
7101	ACACTCTACA	TAGACTATGA	TAGAAATCAA	AATAAGGTGT	AAGACATAGA	
30	7151	ACATTAGTTT	TGTTTGTGTG	TCAAAGAGAC	TCACATTCCC	ACAAAAAAAT
7201	CTGTGGGATT	TTACAGGTCT	GCAATAAGCT	GCTGACCTGA	TGATTTCTGC	
7251	AGCTGTGCCT	ACCCTTTGCT	GATTTGCATG	TACCCAAAGC	ATAGCTTACT	
7301	GACATGAGGA	TTTCTTCATA	GTCAGGTCAC	ACCCTTTGCT	GGAGTCAGAA	
7351	TCACACTGAT	CACACACAGT	CATGAGTGTG	CTCACTCAGG	TCCTGGCGTT	
35	7401	GCTGCTGCTG	TGGCTTACAG	GTAATGAAGA	CAGCACTAGA	ATTTTATTGA
7451	GCTTCCTGTA	CACTGTGCTG	CTTGTCTCTG	TGAAAATTCT	CTTGTGAATT	
7501	AATCATGTGG	GGATCTGTTT	TCAATTTTTT	AATTGTAGGT	ACGCGTTGTG	

7551 ACATTCTGCT GACCCAGTCT CCAGCCACCC TGTCTCTGAG TCCAGGAGAA
 7601 AGAGCCACTC TCTCCTGCAG GGCCAGTCAG AACATTGGCA CAAGCATACA
 7651 GTGGTATCAA CAAAAACCAG GTCAGGCTCC AAGGCTTCTC ATAAGGTCTT
 7701 CTTCTGAGTC TATCTCTGGG ATCCCTTCCA GGTTTAGTGG CAGTGGATCA
 5 7751 GGGACAGATT TTACTCTTAC CATCAGCAGT CTGGAGCCTG AAGATTTTGC
 7801 AGTGTATTAC TGTCACAAA GTAATACCTG GCCATTCACG TTCGGCCAGG
 7851 GGACCAAGCT TGAAATCAAA CGTAAGTAGA ATCCAAAGTC TCTTTCTTCC
 7901 GTTGTCTATG TCTGTGGCTT CTATGTCTAA AAATGATGTA TAAAATCTTA
 7951 CTCTGAAACC AGATTCTGGC ACTCTCCAAG GCAAAGATAC AGAGTAACTC
 10 8001 CGTAAGCAAA GCTGGGAATA GGCTAGACAT GTTCTCTGGA GAATGAATGC
 8051 CAGTGTAATA ATTAACACAA GTGATAGTTT CAGAAATGCT CTAGTT

SEQ ID NO:37**Nucleotide sequence of the expression vector HCVHEN73DSp20**

15 1 ctagagaggt ctggtggagc ctgcaaaagt ccagctttca aaggaacaca gaagtatgtg
 61 tatggaatat tagaagatgt tgcttttact cttaagttgg ttcctaggaa aatagtttaa
 121 atactgtgac tttaaaatgt gagaggggtt tcaagtactc attttttttaa atgtccaaaa
 181 tttttgtcaa tcaatttgag gtcttggttg tgtagaactg acattactta aagtttaacc
 241 gaggaatggg agtgaggctc tctcataccc tattcagaac tgacttttaa caataataaa
 20 301 ttaagtttaa aatattttta aatgaattga gcaatggtga gttggagtca agatggccga
 361 tcagaaccag aacacctgca gcagctggca ggaagcaggt catgtggcaa ggctatttgg
 421 ggaagggaaa ataaaaccac taggtaaact tgtagctgtg gtttgaagaa gtggttttga
 481 aacactctgt ccagccccac caaaccgaaa gtccaggctg agcaaaacac cacctgggta
 541 atttgcattt ctaaaataag ttgaggattc agccgaaact ggagaggtcc tcttttaact
 25 601 tattgagttc aaccttttaa ttttagcttg agtagttcta gtttcccaa acttaagttt
 661 atcgacttct aaaatgtatt taagctttct ggggcaggcc aggcctgacc ttggctttgg
 721 ggcagggagg gggctaaggt gaggcagggt gcgccagcca ggtgcacacc caatgcccat
 781 gagcccagac actggacgct gaacctcgcg gacagttaag aaccagggg cctctgcgcc
 841 ctgggcccag ctctgtccca caccgcggtc acatggcacc acctctcttg cagcctccac
 30 901 caagggccca tcggtcttcc ccctggcacc ctccctccaag agcacctctg ggggcacagc
 961 ggccctgggc tgctggtca aggactactt ccccgaaacc gtgacggtgt cgtggaactc
 1021 aggcgccttg accagcggcg tgcacacctt cccggctgtc ctacagtcct caggactcta
 1081 ctccctcagc agcgtggtga ccgtgccctc cagcagcttg ggcaccaga cctacatctg
 1141 caacgtgaat cacaagccca gcaacaccaa ggtggacaag agagttggtg agaggccagc
 35 1201 acagggaggg aggggtgtctg ctggaagcca ggctcagcgc tcctgcctgg acgcatcccg
 1261 gctatgcagt cccagtccag ggcagcaagg caggccccgt ctgcctcttc acccgagggc
 1321 ctctgcccgc cccactcatg ctcagggaga gggctctctg gctttttccc caggctctgg
 1381 gcaggcacag gctaggtgcc cctaaccag gccctgcaca caaaggggca ggtgctgggc
 1441 tcagacctgc caagagccat atccgggagg accctgcccc tgacctaaag ccaccccaaa

1501 ggccaaactc tccactccct cagctcggac accttctctc ctcccagatt ccagtaactc
 1561 ccaatcttct ctctgcagag cccaaatctt gtgacaaaac tcacacatgc ccaccgtgcc
 1621 caggtaagcc agcccaggcc tcgccctcca gctcaaggcg ggacagggtgc cctagagtag
 1681 cctgcatcca gggacaggcc ccagccgggt gctgacacgt ccacctccat ctcttcctca
 5 1741 gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc
 1801 ctcatgatct cccggacccc tgaggtcaca tgcggtggagg tggacgtgag ccacgaagac
 1861 cctgagggtca agttcaactg gtacgtggac ggcggtggagg tgcataatgc caagacaaag
 1921 ccgcgggagg agcagtacaa cagcacgtac cgtgtgggtca gcgtcctcac cgtcctgcac
 1981 caggactggc tgaatggcaa ggagtacaag tgcaagggtct ccaacaaagc cctcccagcc
 10 2041 cccatcgaga aaaccatctc caaagccaaa ggtgggaccc gtgggggtgcg agggccacat
 2101 ggacagaggc cggctcggcc caccctctgc cctgagagtgc accgctgtac caacctctgt
 2161 ccctacaggg cagccccgag aaccacaggt gtacaccctg ccccatccc gggaggagat
 2221 gaccaagaac caggtcagcc tgacctgcct ggtcaaaggc ttctatccca gcgacatcgc
 2281 cgtggagtgg gagagcaatg ggcagccgga gaacaactac aagaccacgc ctcccgtgct
 15 2341 ggactccgac ggctccttct tcctctatag caagctcacc gtggacaaga gcagggtggca
 2401 gcaggggaac gtcttctcat gctccgtgat gcatgaggct ctgcacaacc actacacgca
 2461 gaagagcctc tcctgtccc cgggtaaagt agtgcgacgg ccggcaagcc cccgctcccc
 2521 gggctctcgc ggtcgcacga ggatgcttgg cacgtacccc gtctacatac ttcccaggca
 2581 cccagcatgg aaataaagca cccaccactg ccctgggccc ctgcgagact gtgatggttc
 20 2641 tttccacggg tcaggccgag tctgaggcct gaggggcatg agggaggcag agcgggtccc
 2701 actgtcccca cactggccca ggctgtgcag gtgtgcctgg gccgcctagg gtgggggtca
 2761 gccaggggct gccctcggca ggggtggggga tttgccagcg tggccctccc tccagcagca
 2821 gctgccctgg gctgggccac gagaagccct aggagccctt ggggacagac acacagcccc
 2881 tgctctgtga ggagactgtc ctgtcctgtg agcgccctgt cctccgaccc cgatgcccac
 25 2941 tcgggggcat gcctagtcca tgcgcgtagg gacaggccct ccctcaccca tctaccccca
 3001 cggcactaac ccctggcagc cctgcccagc ctgcaccccg catggggaca caaccgactc
 3061 cggggacatg cactctcggg ccctgtggag ggactgggtgc agatgcccac acacacactc
 3121 agcccagacc cgttcaacaa accccgcact gaggttggtc gagcgggagt gcggccagag
 3181 cctgcctcgg ccgtcaggga ggactcccgg gctcactcga aggaggtgcc accatttcag
 30 3241 ctttggtagc ttttcttctt cttttaaat ttctaaagct cattaatgt ctttgatggt
 3301 tcttttgtga tgacaataaa atatcctttt taagtcttgt acttcgtgat gggagccgcc
 3361 ttctgtgtc cacgcgcctc ctgcccccg tgggaagcac ggtcaggagg aggctggtcc
 3421 agctgcacct cgggggctcc ctgcactcgc ccccgccctc ctgcagccac acgcattgcc
 3481 cgagcgaccc tccctggccc ctgtcactac atggaccctt ggggcttctc ctcttttcta
 35 3541 catggatgca gtttctcctc ctgctgggca cgggtgctgcc tgccctggtc actctgcggg
 3601 ggacagggcc tccaggga aa gctgggtcga ggctgggagc tggctcaggc tggccaggca
 3661 gagccacagg gagggccttc cagaaccaac catggtccga agcgagagggt ggggtgtcaga
 3721 tccagacatg ataagataca ttgatgagtt tggacaaacc acaactagaa tgcagtga aa
 3781 aaaatgcttt atttgtgaaa tttgtgatgc tattgcttta tttgtaacca ttataagctg
 40 3841 caataaacia gttaacaaca acaattgcat tcattttatg tttcagggttc agggggagggt
 3901 gtgggagggt ttttaaagca agtaaaacct ctacaaatgt ggtatggctg attatgatct

3961 ctagtcaagg cactatacat caaatattcc ttattaaccc ctttacaat taaaaagcta
 4021 aaggtacaca atttttgagc atagttatta atagcagaca ctctatgcct gtgtggagta
 4081 agaaaaaaca gtatgttatg attataactg ttatgcctac ttataaaggt tacagaatat
 4141 ttttccataa ttttcttgta tagcagtgcg gctttttcct ttgtggtgta aatagcaaag
 5 4201 caagcaagag ttctattact aaacacagca tgactcaaaa aacttagcaa ttctgaagga
 4261 aagtccttgg ggtcttctac ctttctcttc ttttttggag gagtagaatg ttgagagtca
 4321 gcagtagcct catcatcact agatggcatt tcttctgagc aaaacagggt ttctcatta
 4381 aaggcattcc accactgctc ccattcatca gttccatagg ttggaatcta aaatacacia
 4441 acaattagaa tcagtagttt aacacattat acacttaaaa attttatatt taccttagag
 10 4501 ctttaaactc ctgtaggtag tttgtccaat tatgtcacac cacagaagta aggttccttc
 4561 acaaagatcc ggaccaaagc ggccatcgtg cctccccact cctgcagttc gggggcatgg
 4621 atgcgcggat agccgctgct ggtttcctgg atgccgacgg atttgcactg ccggtagaac
 4681 tccgcgaggt cgtccagcct caggcagcag ctgaaccaac tcgcgagggg atcgagcccg
 4741 ggggtgggca agaactccag catgagatcc ccgcgctgga ggatcatcca gccggcgtcc
 15 4801 cggaaaacga ttccgaagcc caacctttca tagaaggcgg cgggtggaatc gaaatctcgt
 4861 gatggcaggt tgggcgtcgc ttggtcggtc atttcgaacc ccagagtccc gtcagaaga
 4921 actcgtcaag aaggcgatag aaggcgatgc gctgcgaatc gggagcggcg ataccgtaaa
 4981 gcacgaggaa gcggtcagcc cattcgccgc caagctcttc agcaatatca cgggtagcca
 5041 acgctatgtc ctgatagcgg tccgccacac ccagccggcc acagtcgatg aatccagaaa
 20 5101 agcggccatt ttccaccatg atattcggca agcaggcatc gccatgggtc acgacgagat
 5161 cctcgcctgc gggcatgcgc gccttgagcc tggcgaacag ttccgctggc gcgagcccct
 5221 gatgctcttc gtccagatca tctgatcga caagaccggc ttccatccga gtacgtgctc
 5281 gctcgatgcg atgtttcgct tgggtggtcga atgggcaggt agccggatca agcgtatgca
 5341 gccgccgcat tgcattcagcc atgatggata ctttctcggc aggagcaagg tgagatgaca
 25 5401 ggagatcctg ccccgccact tcgcccaata gcagccagtc ccttcccgtc tcagtacaaa
 5461 cgtcgagcac agctgcgcaa ggaacgcccg tcgtggccag ccacgatagc cgcgctgcct
 5521 cgtcctgcag ttcatcagg gcaccggaca ggtcggctct gacaaaaaga accgggcgcc
 5581 cctgcgctga cagccggaac acggcggcat cagagcagcc gattgtctgt tgtgcccagt
 5641 catagccgaa tagcctctcc acccaagcgg ccggagaacc tgcgtgcaat ccatcttggt
 30 5701 caatcatgcg aaacgatcct catcctgtct cttgatcaga tcttgatccc ctgcgccatc
 5761 agatccttgg cggcaagaaa gccatccagt ttactttgca gggcttccca acctaccag
 5821 agggcgcccc agctggcaat tccggttcgc ttgctgtcca taaaaccgcc cagtctagct
 5881 atcgccatgt aagccactg caagctacct gctttctctt tgcgcttgcg ttttcccttg
 5941 tccagatagc ccagtagctg acattcatcc ggggtcagca ccgtttctgc ggactggctt
 35 6001 tctacgtgtt ccgcttcctt tagcagccct tgcgccctga gtgcttgcg cagcgtgaag
 6061 ctttttgcaa aagcctaggc ctccaaaaaa gcctcctcac tacttctgga atagctcaga
 6121 ggccgagggc gcctcggcct ctgcataaat aaaaaaatt agtcagccat ggggcggaga
 6181 atgggcggaa ctgggcggag ttaggggcgg gatgggcgga gttaggggcg ggactatggt
 6241 tgctgactaa ttgagatgca tgctttgcat acttctgcct gctggggagc ctggggactt
 40 6301 tccacacctg gttgctgact aattgagatg catgctttgc atacttctgc ctgctgggga
 6361 gcctggggac tttccacacc ctaactgaca cacattccac agctgcctcg cgcgtttcgg

6421 tgatgacggt gaaaacctct gacacatgca gctcccggag acggtcacag cttgtctgta
 6481 agcggatgcc gggagcagac aagcccgtca gggcgcgtca gcgggtgttg gcgggtgtcg
 6541 gggcgcagcc atgacccagt cacgtagcga tagcggagtg tatactggct taactatgcg
 6601 gcatcagagc agattgtact gagagtgcac catatgcggt gtgaaatacc gcacagatgc
 5 6661 gtaaggagaa aataccgcat caggcgctct tccgcttctt cgctcactga ctcgctgcgc
 6721 tcggtcgttc ggctgcggcg agcggtatca gctcactcaa aggcggtaat acggttatcc
 6781 acagaatcag gggataacgc aggaaagaac atgtgagcaa aaggccagca aaaggccagg
 6841 aaccgtaaaa aggccgcgctt gctggcgctt tccatagggc tccgcccccc tgacgagcat
 6901 cacaaaaatc gacgctcaag tcagagggtg cgaaaccgga caggactata aagataccag
 10 6961 gcgtttcccc ctggaagctc cctcgtgcgc tctcctgttc cgacctgcc gcttaccgga
 7021 tacctgtccg cttttctccc ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg
 7081 tatctcagtt cgggtgtaggt cgttcgctcc aagctgggct gtgtgcacga acccccgtt
 7141 cagcccagacc gctgcgcctt atccggtaac tatcgtcttg agtccaaccc ggtaagacac
 7201 gacttatcgc cactggcagc agccactggg aacaggatta gcagagcgag gtatgtaggc
 15 7261 ggtgctacag agttcttgaa gtggtggcct aactacggct acactagaag gacagtattt
 7321 ggtatctgcg ctctgctgaa gccagttacc ttcggaaaaa gagttggtag ctcttgatcc
 7381 ggcaaacaaa ccaccgctgg tagcgggtgg ttttttgttt gcaagcagca gattacgcgc
 7441 agaaaaaaag gatctcaaga agatcctttg atcttttcta cggggtctga cgctcagtgg
 7501 aacgaaaact cacgttaagg gattttggtc atgagattat caaaaaggat cttcacctag
 20 7561 atccttttaa attaaaaatg aagtttttaa tcaatctaaa gtatatatga gtaaacttgg
 7621 tctgacagtt accaatgctt aatcagtgag gcacctatct cagcgatctg tctatttcgt
 7681 tcatccatag ttgcctgact ccccgctcgt tagataacta cgatacggga gggcttacca
 7741 tctggcccca gtgctgcaat gataccgcga gaccacgct caccggctcc agatttatca
 7801 gcaataaacc agccagccgg aagggccgag cgcagaagtg gtcctgcaac tttatccgcc
 25 7861 tccatccagt ctattaattg ttgccgggaa gctagagtaa gtagttcgcc agttaatagt
 7921 ttgcgcaacg ttggtgccat tgctgcaggc atcgtgggtg cacgctcgtc gtttggtatg
 7981 gcttcattca gctccggttc ccaacgatca aggcgagtta catgatcccc catgttgtgc
 8041 aaaaaagcgg ttagctcctt cggtcctccg atcgttgtca gaagtaagtt ggccgcagtg
 8101 ttatcactca tggttatggc agcactgcat aattctctta ctgtcatgcc atccgtaaga
 30 8161 tgcttttctg tgactggtga gtactcaacc aagtcattct gagaatagt tatgcggcga
 8221 ccgagttgct cttgcccggc gtcaacacgg gataataccg cgccacatag cagaacttta
 8281 aaagtgctca tcattggaaa acgttcttcg gggcgaaaac tctcaaggat cttaccgctg
 8341 ttgagatcca gttcgatgta acccactcgt gcaccaact gatcttcagc atcttttact
 8401 ttcaccagcg tttctgggtg agcaaaaaca ggaaggcaaa atgccgcaaa aaagggaata
 35 8461 agggcgacac ggaaatgttg aatactcata ctcttccttt ttcaatatta ttgaagcatt
 8521 tatcagggtt attgtctcat gagcggatac atatttgaat gtatttagaa aaataaacia
 8581 ataggggttc cgcgcacatt tccccgaaaa gtgccacctg acgtctaaga aaccattatt
 8641 atcatgacat taacctataa aataggcgt atcacgaggc ctttctgtct tcaagaattc
 8701 gagctcggta cccatcagcc aaaaagcatg cctgccacac aacatcaatt tctggaaaac
 40 8761 gctacactta attatttcta gtagaacagc tctttggttt gccaaaaaga atcacctata
 8821 gtggcatcta agcacaaaaa ggagaaaaaa atcacaaaga aatgattgag aggcataata

8881 aaaattatca aaaaattatg agttttacga tttcatcttt ttccaagttg aaatcatagg
 8941 gtggcctttaa cacagtgaca aggaatgtgc atgctgccat tatggtgctc tgcctaaaat
 9001 gggttgagcc ttgtcatgct acagagaaac tgtcatacag caggggggtgc caaatttcca
 9061 tatttttttta tatcattgag caggtgcaca gaagaccaga aagcactttc tatcaggctg
 5 9121 gccttcctct tcctttccag tatgaagcaa aaactgccaa tgaaactagc aattgttaaa
 9181 ttcctttttc aaacagtatt tgtgctatca gaacatagtg cattcaaaag tctagcctga
 9241 gagaacaacc cagttttatt cattcctcct actacctctc tcattcccac tgtttgtgtt
 9301 ctccctccca ttttaattgt ctatctagtc caaactaagc acacgatcca gtccacatta
 9361 aacaacatgt tttcacttta agtcaaatac aagacacctt taatatcagc ccttgttcat
 10 9421 aatcgtgctt ctagtgactt aatgtacatg tcacactgta ctggtgggtt ttgtgtctca
 9481 tcatgaacaa tgttggtgaag gtattaagtg gagagtaagc agaattagat tcctctaag
 9541 atgcacaccc aactaagag cagaaataat attaaaaata gaaaaaaaaag ttttacatga
 9601 gatttcaa at acccaggtat gagctgcagt ttcttcaagt taaagcatcg aggttgctcag
 9661 ttacactatt acaggaaaca tatgcagagt ttttatttta gtatattagt tttcacatat
 15 9721 gtggaattac tattaaacta ttctttcttt tcaaatgctt accattgtaa atgagtttgt
 9781 gactttgtgt aggtgagtg acatgactct ggatgcctaa gaggactgaa gaagttggag
 9841 ttataggtag ttttattcta cttgactgtt cagtgcataa aatacaactg aggtccttta
 9901 aactgctgtt catgaacttc ttaattgata tatctcatga gatctctaaa ctatttttat
 9961 tatgacacgt ttcaccattt tcaactgtaac gatttttatg ttttatatta atgtaactat
 20 10021 atgacacttc ccaaaatccc catattcaca attgaactgt ttcaaagttt taccttgact
 10081 tatgggaaat gaaaaccac attttataat tttaaaatga aatgtttatt ttatatctt
 10141 gcaaatttca caaggaaaga ttagtcaactg gtgtgtgaga gcagaggagc ataagagttc
 10201 aggaatagaa tccattatga ttctggaggc aaggagaac tgatgccaa gtttcagtat
 10261 aagagcagta tccactggaa aggataaagt cactacatct gagcacagag caggacatct
 25 10321 acataatgag tggtcactaa tgggccactg ttacactggt atatgtataa ggctcaagaa
 10381 tgagcactga ggctgtaagg tgtatgggtg aggacatcag gatgtaaacc cagctcaggt
 10441 agaggactca gaggacagca cagtcagcat gaactaataa acatcagata agataaggca
 10501 caagctcagc tatataggtt aagggatctt tgtaaactct attgtgcatc cagtctagtt
 10561 caatgtgact taggaagccc agtcatatgc aaatctagag aagactttag agtagaaatc
 30 10621 tgaggctcac ctacatacc agcaagcgag tgaccagtta gtcttaaggc accacttctt
 10681 agacatcatg gcttgggtgt ggaccttgcc attcctgatg gcagctgccc aaagtaagac
 10741 atcagaaaaa agagttccaa ggggaattga agcagttcca tgaatactca ccttcctgtg
 10801 ttctttttcac aggtgtccag gcagagggtgc agctgggtgga gtcaggagcc gaagtgaana
 10861 agcctggggc ttcagtgaag gtgtcctgca aggcctctgg atacacattc actaattata
 35 10921 ttatccactg ggtgaagcag gagcctggtc agggccttga atggattgga tattttaatc
 10981 cttaaatca tggactaag tacaatgaga agttcaaagg cagggccaca ctaactgcag
 11041 acaaatccat cagcacagcc tacatggagc tcagcagcct gcgctctgag gacactgcgg
 11101 tctactactg tgcaagatca ggacctatg cctgggttga cacctggggc caagggacca
 11161 cggtcaccgt ctctcaggt aagaatggcc actctagggc ctttggtttc tgctgctgcc
 40 11221 tgtgggattt catgagcatt gcaaagttgt cctcgggaca tgttccgagg ggacctgggc
 11281 ggactggcca ggaggggacg ggcactgggg tgcttgagg atctgggagc ctctgtggat

11341 tttccgatgc ctttggaaaa tgggactgag gttgggtgcg tctgagacag taactcagcc
 11401 tgggggcttg gtgaagatcg ccgcacagca gcgagtccgt gaaatatctt atttagactt
 11461 gtgaggtgcg ctgtgtgtca atttacatct taaatccttt attggctgga aagagaattg
 11521 ttggagtggg tgaatccagc caggaggac gcggggggat cca

5

SEQ ID NO: 38**Nucleotide sequence of the expression vector HCVHQN73DSp20**

	1	CTAGAGAGGT	CTGGTGGAGC	CTGCAAAAGT	CCAGCTTTCA	AAGGAACACA	GAAGTATGTG
	61	TATGGAATAT	TAGAAGATGT	TGCTTTTACT	CTTAAGTTGG	TTCCTAGGAA	AAATAGTTAA
10	121	ATACTGTGAC	TTTAAATGT	GAGAGGGTTT	TCAAGTACTC	ATTTTTTTAA	ATGTCCAAAA
	181	TTTTTGTCAA	TCAATTTGAG	GTCTTGTTTG	TGTAGAACTG	ACATTACTTA	AAGTTTAACC
	241	GAGGAATGGG	AGTGAGGCTC	TCTCATACCC	TATTCAGAAC	TGACTTTTAA	CAATAATAAA
	301	TTAAGTTTAA	AATATTTTAA	AATGAATTGA	GCAATGTTGA	GTTGGAGTCA	AGATGGCCGA
	361	TCAGAACCAG	AACACCTGCA	GCAGCTGGCA	GGAAGCAGGT	CATGTGGCAA	GGCTATTTGG
15	421	GGAAGGGAAA	ATAAAACCAC	TAGGTAAACT	TGTAGCTGTG	GTTTGAAGAA	GTGGTTTTGA
	481	AACACTCTGT	CCAGCCCCAC	CAAACCGAAA	GTCCAGGCTG	AGCAAAACAC	CACCTGGGTA
	541	ATTTGCATTT	CTAAAATAAG	TTGAGGATTC	AGCCGAAACT	GGAGAGGTCC	TCTTTTAACT
	601	TATTGAGTTC	AACCTTTTAA	TTTtagCTTG	AGTAGTTCTA	GTTTCCCCAA	ACTTAAGTTT
	661	ATCGACTTCT	AAAATGTATT	TAAGCTTTCT	GGGGCAGGCC	AGGCCTGACC	TTGGCTTTGG
20	721	GGCAGGGAGG	GGGCTAAGGT	GAGGCAGGTG	GCGCCAGCCA	GGTGCACACC	CAATGCCCAT
	781	GAGCCCAGAC	ACTGGACGCT	GAACCTCGCG	GACAGTTAAG	AACCCAGGGG	CCTCTGCGCC
	841	CTGGGCCCAG	CTCTGTCCCA	CACCGCGGTC	ACATGGCACC	ACCTCTCTTG	CAGCCTCCAC
	901	CAAGGGCCCA	TCGGTCTTCC	CCCTGGCACC	CTCCTCCAAG	AGCACCTCTG	GGGGCACAGC
	961	GGCCCTGGGC	TGCCTGGTCA	AGGACTACTT	CCCCGAACCG	GTGACGGTGT	CGTGGAATCT
25	1021	AGGCGCCCTG	ACCAGCGGCG	TGCACACCTT	CCCGGCTGTC	CTACAGTCCT	CAGGACTCTA
	1081	CTCCCTCAGC	AGCGTGGTGA	CCGTGCCCTC	CAGCAGCTTG	GGCACCAGCA	CCTACATCTG
	1141	CAACGTGAAT	CACAAGCCCA	GCAACACCAA	GGTGGACAAG	AGAGTTGGTG	AGAGGCCAGC
	1201	ACAGGGAGGG	AGGGTGTCTG	CTGGAAGCCA	GGCTCAGCGC	TCCTGCCTGG	ACGCATCCCG
	1261	GCTATGCAGT	CCCAGTCCAG	GGCAGCAAGG	CAGGCCCCGT	CTGCCTCTTC	ACCCGGAGGC
30	1321	CTCTGCCCCG	CCCACTCATG	CTCAGGGAGA	GGGTCTTCTG	GCTTTTTTCC	CAGGCTCTGG
	1381	GCAGGCACAG	GCTAGGTGCC	CCTAACCAG	GCCCTGCACA	CAAAGGGGCA	GGTGCTGGGC
	1441	TCAGACCTGC	CAAGAGCCAT	ATCCGGGAGG	ACCCTGCCCC	TGACCTAAGC	CCACCCAAA
	1501	GGCCAAACTC	TCCAATCCCT	CAGCTCGGAC	ACCTTCTCTC	CTCCCAGATT	CCAGTAACTC
	1561	CCAATCTTCT	CTCTGCAGAG	CCCAAATCTT	GTGACAAAAC	TCACACATGC	CCACCGTGCC
35	1621	CAGGTAAGCC	AGCCCAGGCC	TCGCCCTCCA	GCTCAAGGCG	GGACAGGTGC	CCTAGAGTAG
	1681	CCTGCATCCA	GGGACAGGCC	CCAGCCGGGT	GCTGACACGT	CCACCTCCAT	CTCTTCCTCA
	1741	GCACCTGAAC	TCCTGGGGGG	ACCGTCAGTC	TTCTCTTCC	CCCCAAAACC	CAAGGACACC
	1801	CTCATGATCT	CCCGGACCCC	TGAGGTCACA	TGCGTGGTGG	TGGACGTGAG	CCACGAAGAC
	1861	CCTGAGGTCA	AGTTCAACTG	GTACGTGGAC	GGCGTGGAGG	TGCATAATGC	CAAGACAAAG
40	1921	CCGCGGGAGG	AGCAGTACAA	CAGCACGTAC	CGTGTGGTCA	GCGTCCTCAC	CGTCCTGCAC
	1981	CAGGACTGGC	TGAATGGCAA	GGAGTACAAG	TGCAAGGTCT	CCAACAAAGC	CCTCCCAGCC

	2041	CCCATCGAGA	AAACCATCTC	CAAAGCCAAA	GGTGGGACCC	GTGGGGTGCG	AGGGCCACAT
	2101	GGACAGAGGC	CGGCTCGGCC	CACCCTCTGC	CCTGAGAGTG	ACCGCTGTAC	CAACCTCTGT
	2161	CCCTACAGGG	CAGCCCCGAG	AACCACAGGT	GTACACCCTG	CCCCCATCCC	GGGAGGAGAT
	2221	GACCAAGAAC	CAGGTCAGCC	TGACCTGCCT	GGTCAAAGGC	TTCTATCCCA	GCGACATCGC
5	2281	CGTGGAGTGG	GAGAGCAATG	GGCAGCCGGA	GAACAACTAC	AAGACCACGC	CTCCCGTGCT
	2341	GGACTCCGAC	GGCTCCTTCT	TCCTCTATAG	CAAGCTCACC	GTGGACAAGA	GCAGGTGGCA
	2401	GCAGGGGAAC	GTCTTCTCAT	GCTCCGTGAT	GCATGAGGCT	CTGCACAACC	ACTACACGCA
	2461	GAAGAGCCTC	TCCCTGTCCC	CGGGTAAATG	AGTGCACGCG	CCGGCAAGCC	CCCGCTCCCC
	2521	GGGCTCTCGC	GGTCGCACGA	GGATGCTTGG	CACGTACCCC	GTCTACATAC	TTCCCAGGCA
10	2581	CCCAGCATGG	AAATAAAGCA	CCCACCACTG	CCCTGGGCCC	CTGCGAGACT	GTGATGGTTC
	2641	TTTCCACGGG	TCAGGCCGAG	TCTGAGGCCT	GAGTGGCATG	AGGGAGGCAG	AGCGGGTCCC
	2701	ACTGTCCCCA	CACTGGCCCA	GGCTGTGCAG	GTGTGCCTGG	GCCGCCTAGG	GTGGGGCTCA
	2761	GCCAGGGGCT	GCCCTCGGCA	GGGTGGGGGA	TTTGCCAGCG	TGGCCCTCCC	TCCAGCAGCA
	2821	GCTGCCCTGG	GCTGGGCCAC	GAGAAGCCCT	AGGAGCCCCT	GGGGACAGAC	ACACAGCCCC
15	2881	TGCCTCTGTA	GGAGACTGTC	CTGTCCTGTG	AGCGCCCTGT	CCTCCGACCC	CGATGCCAC
	2941	TCGGGGGCAT	GCCTAGTCCA	TGCGCGTAGG	GACAGGCCCT	CCCTCACCCA	TCTACCCCCA
	3001	CGGCACTAAC	CCCTGGCAGC	CCTGCCCAGC	CTCGCACCCG	CATGGGGACA	CAACCGACTC
	3061	CGGGGACATG	CACTCTCGGG	CCCTGTGGAG	GGACTGGTGC	AGATGCCAC	ACACACACTC
	3121	AGCCCAGACC	CGTTCAACAA	ACCCCGCACT	GAGGTTGGTC	GAGCGGGAGT	GCGGCCAGAG
20	3181	CCTGCCTCGG	CCGTCAGGGA	GGACTCCCGG	GCTCACTCGA	AGGAGGTGCC	ACCATTTCAG
	3241	CTTTGGTAGC	TTTTCTTCTT	CTTTTAAATT	TTCTAAAGCT	CATTAATTGT	CTTTGATGTT
	3301	TCTTTTGTGA	TGACAATAAA	ATATCCTTTT	TAAGTCTTGT	ACTTCGTGAT	GGGAGCCGCC
	3361	TTCCTGTGTC	CACGCGCCTC	CTGCCCCCGG	TGGGAAGCAC	GGTCAGGAGG	AGGCTGGTCC
	3421	AGCTGCACCT	CGGGGGCTCC	CTGCACTCGC	CCCCCGCCTC	CTGCAGCCAC	ACGCATTGCC
25	3481	CGAGCGACCC	TCCCTGGCCC	CTGTCACTAC	ATGGACCCCT	GGGGCTTCTC	CTCTTTTCTA
	3541	CATGGATGCA	GTTTCTCCTC	CTGCTGGGCA	CGGTGCTGCC	TGCCCTGGTC	ACTCTGCGGG
	3601	GGACAGGGCC	TCCAGGGAAA	GCTGGGTCGA	GGCTGGGAGC	TGGCTCAGGC	TGGCCAGGCA
	3661	GAGCCACAGG	GAGGGCCTTC	CAGAACCAAC	CATGGTCCGA	AGCGAGAGGT	GGGTGTCAGA
	3721	TCCAGACATG	ATAAGATACA	TTGATGAGTT	TGGACAAACC	ACAAC TAGAA	TGCAGTGAAA
30	3781	AAAATGCTTT	ATTTGTGAAA	TTTGTGATGC	TATTGCTTTA	TTTGTAACCA	TTATAAGCTG
	3841	CAATAAACAA	GTTAACAACA	ACAATTGCAT	TCATTTTATG	TTTCAGGTTC	AGGGGGAGGT
	3901	GTGGGAGGTT	TTTTAAAGCA	AGTAAAACCT	CTACAAATGT	GGTATGGCTG	ATTATGATCT
	3961	CTAGTCAAGG	CACTATACAT	CAAATATTCC	TTATTAACCC	CTTTACAAAT	TAAAAAGCTA
	4021	AAGGTACACA	ATTTTTGAGC	ATAGTTATTA	ATAGCAGACA	CTCTATGCCT	GTGTGGAGTA
35	4081	AGAAAAACA	GTATGTTATG	ATTATAACTG	TTATGCCTAC	TTATAAAGGT	TACAGAATAT
	4141	TTTTCCATAA	TTTTCTTGTA	TAGCAGTGCA	GCTTTTTCCT	TTGTGGTGTA	AATAGCAAAG
	4201	CAAGCAAGAG	TTCTATTACT	AAACACAGCA	TGACTCAAAA	AACTTAGCAA	TTCTGAAGGA
	4261	AAGTCCTTGG	GGTCTTCTAC	CTTTCTCTTC	TTTTTTGGAG	GAGTAGAATG	TTGAGAGTCA
	4321	GCAGTAGCCT	CATCATCACT	AGATGGCATT	TCTTCTGAGC	AAAACAGGTT	TCCTCATTA
40	4381	AAGGCATTCC	ACCACTGCTC	CCATTTCATCA	GTTCCATAGG	TTGGAATCTA	AAATACACAA
	4441	ACAATTAGAA	TCAGTAGTTT	AACACATTAT	ACACTTAAAA	ATTTTATATT	TACCTTAGAG

	4501	CTTTAAATCT	CTGTAGGTAG	TTTGTCCAAT	TATGTCACAC	CACAGAAGTA	AGGTTTCCTTC
	4561	ACAAAGATCC	GGACCAAAGC	GGCCATCGTG	CCTCCCCACT	CCTGCAGTTC	GGGGGCATGG
	4621	ATGCGCGGAT	AGCCGCTGCT	GGTTTCCTGG	ATGCCGACGG	ATTTGCACTG	CCGGTAGAAC
	4681	TCCGCGAGGT	CGTCCAGCCT	CAGGCAGCAG	CTGAACCAAC	TCGCGAGGGG	ATCGAGCCCC
5	4741	GGGTGGGCGA	AGAACTCCAG	CATGAGATCC	CCGCGCTGGA	GGATCATCCA	GCCGGCGTCC
	4801	CGGAAAACGA	TTCCGAAGCC	CAACCTTTCA	TAGAAGGCGG	CGGTGGAATC	GAAATCTCGT
	4861	GATGGCAGGT	TGGGCGTCGC	TTGGTCGGTC	ATTTCGAACC	CCAGAGTCCC	GCTCAGAAGA
	4921	ACTCGTCAAG	AAGGCGATAG	AAGGCGATGC	GCTGCGAATC	GGGAGCGGCG	ATACCGTAAA
	4981	GCACGAGGAA	GCGGTCAGCC	CATTCGCCGC	CAAGCTCTTC	AGCAATATCA	CGGGTAGCCA
10	5041	ACGCTATGTC	CTGATAGCGG	TCCGCCACAC	CCAGCCGGCC	ACAGTCGATG	AATCCAGAAA
	5101	AGCGGCCATT	TTCCACCATG	ATATTCGGCA	AGCAGGCATC	GCCATGGGTC	ACGACGAGAT
	5161	CCTCGCCGTC	GGGCATGCGC	GCCTTGAGCC	TGGCGAACAG	TTCGGCTGGC	GCGAGCCCCT
	5221	GATGCTCTTC	GTCCAGATCA	TCCTGATCGA	CAAGACCGGC	TTCCATCCGA	GTACGTGCTC
	5281	GCTCGATGCG	ATGTTTCGCT	TGGTGGTCGA	ATGGGCAGGT	AGCCGGATCA	AGCGTATGCA
15	5341	GCCGCCGCAT	TGCATCAGCC	ATGATGGATA	CTTTCTCGGC	AGGAGCAAGG	TGAGATGACA
	5401	GGAGATCCTG	CCCCGGCACT	TCGCCCAATA	GCAGCCAGTC	CCTTCCCGCT	TCAGTGACAA
	5461	CGTCGAGCAC	AGCTGCGCAA	GGAACGCCCC	TCGTGGCCAG	CCACGATAGC	CGCGCTGCCT
	5521	CGTCCTGCAG	TTCAATTCAGG	GCACCGGACA	GGTCGGTCTT	GACAAAAAGA	ACCGGGCGCC
	5581	CCTGCGCTGA	CAGCCGGAAC	ACGGCGGCAT	CAGAGCAGCC	GATTGTCTGT	TGTGCCCAGT
20	5641	CATAGCCGAA	TAGCCTCTCC	ACCCAAGCGG	CCGGAGAACC	TGCGTGCAAT	CCATCTTGTT
	5701	CAATCATGCG	AAACGATCCT	CATCCTGTCT	CTTGATCAGA	TCTTGATCCC	CTGCGCCATC
	5761	AGATCCTTGG	CGGCAAGAAA	GCCATCCAGT	TTACTTTGCA	GGGCTTCCCA	ACCTTACCAG
	5821	AGGGCGCCCC	AGCTGGCAAT	TCCGGTTCGC	TTGCTGTCCA	TAAAACCGCC	CAGTCTAGCT
	5881	ATCGCCATGT	AAGCCCACTG	CAAGCTACCT	GCTTTCTCTT	TGCGCTTGCG	TTTTCCCTTG
25	5941	TCCAGATAGC	CCAGTAGCTG	ACATTTCATCC	GGGGTCAGCA	CCGTTTCTGC	GGACTGGCTT
	6001	TCTACGTGTT	CCGCTTCCTT	TAGCAGCCCT	TGCGCCCTGA	GTGCTTGCGG	CAGCGTGAAG
	6061	CTTTTTTGCAA	AAGCCTAGGC	CTCCAAAAAA	GCCTCCTCAC	TACTTCTGGA	ATAGCTCAGA
	6121	GGCCGAGGCG	GCCTCGGCCT	CTGCATAAAT	AAAAAAAATT	AGTCAGCCAT	GGGGCGGAGA
	6181	ATGGGCGGAA	CTGGGCGGAG	TTAGGGGCGG	GATGGGCGGA	GTTAGGGGCG	GGACTATGGT
30	6241	TGCTGACTAA	TTGAGATGCA	TGCTTTGCAT	ACTTCTGCCT	GCTGGGGAGC	CTGGGGACTT
	6301	TCCACACCTG	GTTGCTGACT	AATTGAGATG	CATGCTTTGC	ATACTTCTGC	CTGCTGGGGA
	6361	GCCTGGGGAC	TTTCCACACC	CTAACTGACA	CACATTCCAC	AGCTGCCTCG	CGCGTTTCGG
	6421	TGATGACGGT	GAAAACCTCT	GACACATGCA	GCTCCCGGAG	ACGGTCACAG	CTTGTCTGTA
	6481	AGCGGATGCC	GGGAGCAGAC	AAGCCCGTCA	GGGCGCGTCA	GCGGGTGTTG	GCGGGTGTCG
35	6541	GGGCGCAGCC	ATGACCCAGT	CACGTAGCGA	TAGCGGAGTG	TATACTGGCT	TAACTATGCG
	6601	GCATCAGAGC	AGATTGTACT	GAGAGTGCAC	CATATGCGGT	GTGAAATACC	GCACAGATGC
	6661	GTAAGGAGAA	AATACCGCAT	CAGGCGCTCT	TCCGCTTCCT	CGCTCACTGA	CTCGCTGCGC
	6721	TCGGTCGTTC	GGCTGCGGCG	AGCGGTATCA	GCTCACTCAA	AGGCGGTAAT	ACGGTTATCC
	6781	ACAGAATCAG	GGGATAACGC	AGGAAAGAAC	ATGTGAGCAA	AAGGCCAGCA	AAAGGCCAGG
40	6841	AACCGTAAAA	AGGCCGCGTT	GCTGGCGTTT	TTCCATAGGC	TCCGCCCCCC	TGACGAGCAT
	6901	CACAAAAATC	GACGCTCAAG	TCAGAGGTGG	CGAAACCCGA	CAGGACTATA	AAGATAACCAG

	6961	GCGTTTCCCC	CTGGAAGCTC	CCTCGTGCGC	TCTCCTGTTC	CGACCCTGCC	GCTTACCGGA
	7021	TACCTGTCCG	CCTTTCTCCC	TTCGGGAAGC	GTGGCGCTTT	CTCATAGCTC	ACGCTGTAGG
	7081	TATCTCAGTT	CGGTGTAGGT	CGTTCGCTCC	AAGCTGGGCT	GTGTGCACGA	ACCCCCGTT
	7141	CAGCCCGACC	GCTGCGCCTT	ATCCGGTAAC	TATCGTCTTG	AGTCCAACCC	GGTAAGACAC
5	7201	GACTTATCGC	CACTGGCAGC	AGCCACTGGT	AACAGGATTA	GCAGAGCGAG	GTATGTAGGC
	7261	GGTGCTACAG	AGTTCTTGAA	GTGGTGGCCT	AACTACGGCT	ACACTAGAAG	GACAGTATTT
	7321	GGTATCTGCG	CTCTGCTGAA	GCCAGTTACC	TTCGGAAAAA	GAGTTGGTAG	CTCTTGATCC
	7381	GGCAAACAAA	CCACCGCTGG	TAGCGGTGGT	TTTTTTGTTT	GCAAGCAGCA	GATTACGCGC
	7441	AGAAAAAAG	GATCTCAAGA	AGATCCTTTG	ATCTTTTCTA	CGGGGTCTGA	CGCTCAGTGG
10	7501	AACGAAAAC	CACGTTAAGG	GATTTTGGTC	ATGAGATTAT	CAAAAAGGAT	CTTCACCTAG
	7561	ATCCTTTTAA	ATTAAAAATG	AAGTTTTTAA	TCAATCTAAA	GTATATATGA	GTAAACTTGG
	7621	TCTGACAGTT	ACCAATGCTT	AATCAGTGAG	GCACCTATCT	CAGCGATCTG	TCTATTTCTG
	7681	TCATCCATAG	TTGCCTGACT	CCCCGTCGTG	TAGATAACTA	CGATACGGGA	GGGCTTACCA
	7741	TCTGGCCCCA	GTGCTGCAAT	GATACCGCGA	GACCCACGCT	CACCGGCTCC	AGATTTATCA
15	7801	GCAATAAACC	AGCCAGCCGG	AAGGGCCGAG	CGCAGAAGTG	GTCCTGCAAC	TTTATCCGCC
	7861	TCCATCCAGT	CTATTAATTG	TTGCCGGGAA	GCTAGAGTAA	GTAGTTCGCC	AGTTAATAGT
	7921	TTGCGCAACG	TTGTTGCCAT	TGCTGCAGGC	ATCGTGGTGT	CACGCTCGTC	GTTTGGTATG
	7981	GCTTCATTCA	GCTCCGGTTC	CCAACGATCA	AGGCGAGTTA	CATGATCCCC	CATGTTGTGC
	8041	AAAAAAGCGG	TTAGCTCCTT	CGGTCCTCCG	ATCGTTGTCA	GAAGTAAGTT	GGCCGCAGTG
20	8101	TTATCACTCA	TGGTTATGGC	AGCACTGCAT	AATTCTCTTA	CTGTCATGCC	ATCCGTAAGA
	8161	TGCTTTTCTG	TGACTGGTGA	GTACTCAACC	AAGTCATTCT	GAGAATAGTG	TATGCGGCGA
	8221	CCGAGTTGCT	CTTGCCCCGC	GTCAACACGG	GATAATACCG	CGCCACATAG	CAGAACTTTA
	8281	AAAGTGCTCA	TCATTGGAAA	ACGTTCTTCG	GGGCGAAAAC	TCTCAAGGAT	CTTACCGCTG
	8341	TTGAGATCCA	GTTCGATGTA	ACCCACTCGT	GCACCCAAC	GATCTTCAGC	ATCTTTTACT
25	8401	TTCACCAGCG	TTTCTGGGTG	AGCAAAAACA	GGAAGGCAAA	ATGCCGCAAA	AAAGGGAATA
	8461	AGGGCGACAC	GGAAATGTTG	AATACTCATA	CTCTTCCTTT	TTCAATATTA	TTGAAGCATT
	8521	TATCAGGGTT	ATTGTCTCAT	GAGCGGATAC	ATATTTGAAT	GTATTTAGAA	AAATAAACAA
	8581	ATAGGGGTTC	CGCGCACATT	TCCCCGAAAA	GTGCCACCTG	ACGTCTAAGA	AACCATTATT
	8641	ATCATGACAT	TAACCTATAA	AAATAGGCGT	ATCACGAGGC	CCTTTCGTCT	TCAAGAATTC
30	8701	GAGCTCGGTA	CCCATCAGCC	AAAAAGCATG	CCTGCCACAC	AACATCAATT	TCTGGAAAAC
	8761	GCTACACTTA	ATTATTTCTA	GTAGAACAGC	TCTTTGGTTT	GCCAAAAAGA	ATCACCTATA
	8821	GTGGCATCTA	AGCACAAAAA	GGAGAAAAAA	ATCACAAAGA	AATGATTGAG	AGGCATAATA
	8881	AAAATTATCA	AAAATTATG	AGTTTACGA	TTTCATCTTT	TTCCAAGTTG	AAATCATAGG
	8941	GTGGCTTTAA	CACAGTGACA	AGGAATGTGC	ATGCTGCCAT	TATGGTGCTC	TGCCTAAAAT
35	9001	GGTTGGAGCC	TTGTCATGCT	ACAGAGAAAC	TGTCATACAG	CAGGGGGTGC	CAAATTTCCA
	9061	TATTTTTTTA	TATCATTGAG	CAGGTGCACA	GAAGACCAGA	AAGCACTTTC	TATCAGGCTG
	9121	GCCTTCCTCT	TCCTTTCCAG	TATGAAGCAA	AAACTGCCAA	TGAAACTAGC	AATTGTTAAA
	9181	TTCCTTTTTT	AAACAGTATT	TGTGCTATCA	GAACATAGTG	CATTCAAAAG	TCTAGCCTGA
	9241	GAGAACAACC	CAGTTTTATT	CATTCCTCCT	ACTACCTCTC	TCATTCCCAC	TGTTTGTGTT
40	9301	CTCCCTCCCA	TTTAAATTGT	CTATCTAGTC	CAAATAAGC	ACACGATCCA	GTCCACATTA
	9361	AACAACATGT	TTTCACTTTA	AGTCAAATAC	AAGACACCTT	TAATATCAGC	CCTTGTTTCAT

	9421	AATCGTGCTT	CTAGTGA	CTT	AATGTACATG	TCACACTGTA	CTGTTGGGTT	TTGTGTCTCA
	9481	TCATGAACAA	TGTTGTGAAG	GTATTAAGTG	GAGAGTAAGC	AGAATTAGAT	TCCTCTAATG	
	9541	ATGCACACCC	ACACTAAGAG	CAGAAATAAT	ATTAAAAATA	GAAAAAAAAG	TTTTACATGA	
	9601	GATTTCAAAT	ACCCAGGTAT	GAGCTGCAGT	TTCTTCAAGT	TAAAGCATCG	AGGTTGTCAG	
5	9661	TTACACTATT	ACAGGAAACA	TATGCAGAGT	TTTTATTTTA	GTATATTAGT	TTTCACATAT	
	9721	GTGGAATTAC	TATTAAACTA	TTCTTTCTTT	TCAAATGCTT	ACCATTGTAA	ATGAGTTTGT	
	9781	GACTTTGTGT	AGGTGAGTGC	ACATGACTCT	GGATGCCTAA	GAGGACTGAA	GAAGTTGGAG	
	9841	TTATAGGTAG	TTTTATTCTA	CTTGACTGTT	CAGTGCTAAA	AATACAACTG	AGGTCCTTTA	
	9901	AACTGCTGTT	CATGAAC TTC	TTAATTGATA	TATCTCATGA	GATCTCTAAA	CTATTTTTAT	
10	9961	TATGACACGT	TTCACCATTT	TCACTGTAAC	GATTTTTTATG	TTTTATATTA	ATGTAAC TAT	
	10021	ATGACACTTC	CCAAAATCCC	CATATTCACA	ATTGAACTGT	TTCAAAGTTT	TACCTTGACT	
	10081	TATGGGAAAT	GAAAACCCAC	ATTTTATAAT	TTTAAAATGA	AATGTTTATT	TTATATTTCT	
	10141	GCAAATTTCA	CAAGGAAAGA	TTAGTCACTG	GTGTGTGAGA	GCAGAGGAGC	ATAAGAGTTC	
	10201	AGGAATAGAA	TCCATTATGA	TTCTGGAGGC	AAGGAAGAAC	TGATGCCAAG	GTTTCAGTAT	
15	10261	AAGAGCAGTA	TCCACTGGAA	AGGATAAAGT	CACTACATCT	GAGCACAGAG	CAGGACATCT	
	10321	ACATAATGAG	TGGTCACTAA	TGGGCCACTG	TTACACTGTT	ATATGTATAA	GGCTCAAGAA	
	10381	TGAGCACTGA	GGCTGTAAAG	TGTATGGGTG	AGGACATCAG	GATGTAAACC	CAGCTCAGGT	
	10441	AGAGGACTCA	GAGGACAGCA	CAGTCAGCAT	GAAC TAATAA	ACATCAGATA	AGATAAGGCA	
	10501	CAAGCTCAGC	TATATAGGGT	AAGGGATCTT	TGTAAATCTG	ATTGTGCATC	CAGTCTAGTT	
20	10561	CAATGTGACT	TAGGAAGCCC	AGTCATATGC	AAATCTAGAG	AAGACTTTAG	AGTAGAAATC	
	10621	TGAGGCTCAC	CTCACATA CC	AGCAAGCGAG	TGACCAGTTA	GTCTTAAGGC	ACCACTTCTT	
	10681	AGACATCATG	GCTTGGGTGT	GGACCTTGCC	ATTCCTGATG	GCAGCTGCCC	AAAGTAAGAC	
	10741	ATCAGAAAAA	AGAGTTCCAA	GGGGAATTGA	AGCAGTTCCA	TGAATACTCA	CCTTCCTGTG	
	10801	TTCTTTTCAC	AGGTGTCCAG	GCACAGGTGC	AGCTGGTGGA	GTCAGGAGCC	GAAGTGAAAA	
25	10861	AGCCTGGGGC	TTCAGTGAAG	GTGTCCTGCA	AGGCCTCTGG	ATACACATTC	ACTAATTATA	
	10921	TTATCCACTG	GGTGAAGCAG	GAGCCTGGTC	AGGGCCTTGA	ATGGATTGGA	TATTTTAATC	
	10981	CTTACAATCA	TGGTACTAAG	TACAATGAGA	AGTTCAAAGG	CAGGGCCACA	CTAACTGCAG	
	11041	ACAAATCCAT	CAGCACAGCC	TACATGGAGC	TCAGCAGCCT	GCGCTCTGAG	GACACTGCGG	
	11101	TCTACTACTG	TGCAAGATCA	GGACCCTATG	CCTGGTTTGA	CACCTGGGGC	CAAGGGACCA	
30	11161	CGGTCACCGT	CTCCTCAGGT	AAGAATGGCC	ACTCTAGGGC	CTTTGTTTTT	TGCTGCTGCC	
	11221	TGTGGGATTT	CATGAGCATT	GCAAAGTTGT	CCTCGGGACA	TGTTCCGAGG	GGACCTGGGC	
	11281	GGACTGGCCA	GGAGGGGACG	GGCACTGGGG	TGCCTTGAGG	ATCTGGGAGC	CTCTGTGGAT	
	11341	TTTCCGATGC	CTTTGGAAAA	TGGGACTGAG	GTTGGGTGCG	TCTGAGACAG	TAAGTCAGCC	
	11401	TGGGGGCTTG	GTGAAGATCG	CCGCACAGCA	GCGAGTCCGT	GAAATATCTT	ATTTAGACTT	
35	11461	GTGAGGTGCG	CTGTGTGTCA	ATTTACATCT	TAAATCCTTT	ATTGGCTGGA	AAGAGAATTG	
	11521	TTGGAGTGGG	TGAATCCAGC	CAGGAGGGAC	GCGGGGGGAT	CCA		

SEQ ID NO: 39**Nucleotide sequence of expression vector LCVL2Sp20**

40	1	CTAGAGTCCT	AGAGAGGTCT	GGTGGAGCCT	GCAAAAGTCC	AGCTTTCAAA
	51	GGAACACAGA	AGTATGTGTA	TGGAATATTA	GAAGATGTTG	CTTTTACTCT

101	TAAGTTGGTT	CCTAGGAAAA	ATAGTTAAAT	ACTGTGACTT	TAAAATGTGA
151	GAGGGTTTTTC	AAGTACTCAT	TTTTTTAAAT	GTCCAAAATT	TTTGTCAATC
201	AATTTGAGGT	CTTGTTTGTG	TAGAACTGAC	ATTACTTAAA	GTTTAACCGA
251	GGAATGGGAG	TGAGGCTCTC	TCATACCCTA	TTCAGAACTG	ACTTTTAACA
5	301	ATAATAAATT	AAGTTTAAAA	TATTTTAAAA	TGAATTGAGC
	351	TGGAGTCAAG	ATGGCCGATC	AGAACCAGAA	CACCTGCAGC
	401	AAGCAGGTCA	TGTGGCAAGG	CTATTTGGGG	AAGGGAAAAT
	451	GGTAAACTTG	TAGCTGTGGT	TTGAAGAAGT	GGTTTTGAAA
	501	AGCCCCACCA	AACCGAAAGT	CCAGGCTGAG	CAAAACACCA
10	551	TTGCATTTCT	AAAATAAGTT	GAGGATTCAG	CCGAAACTGG
	601	TTTTAACTTA	TTGAGTTCAA	CCTTTTAATT	TTAGCTTGAG
	651	TTCCCCAAAC	TTAAGTTTAT	CGACTTCTAA	AATGTATTTA
	701	TCAAAATTAG	GTTATGTAAG	AAATTGAAGG	ACTTTAGTGT
	751	TAATATATTT	AGAAAAC TTC	TTAAAATTAC	TCTATTATTC
15	801	TTATTGGTCT	CCATTCAATT	CTTTTCCAAT	ACCCGAAGCA
	851	CTTTGTTTCT	GATCTTTTTT	AGTTGTTTGT	TTTGCCTTAC
	901	TTGACATTCT	GGTCAAAACG	GCTTCACAAA	TCTTTTTTCAA
	951	TGAGTATTCA	TTTTAGGAGA	AATACTTTTT	TTTTAAATGA
	1001	CTAGGACCTG	CAGGCATGCT	GTTTTCTGTC	TGTCCCTAAC
20	1051	ATTATCCGCA	AACAACACAC	CCAAGGGCAG	AACTTTGTTA
	1101	ATCCTGTTTG	CTTCTTTCCT	CAGGAACTGT	GGCTGCACCA
	1151	TCTTCCCGCC	ATCTGATGAG	CAGTTGAAAT	CTGGAAGTGC
	1201	TGCCTGCTGA	ATAACTTCTA	TCCCAGAGAG	GCCAAAGTAC
	1251	GGATAACGCC	CTCCAATCGG	GTAAC TCCA	GGAGAGTGTC
25	1301	ACAGCAAGGA	CAGCACCTAC	AGCCTCAGCA	GCACCCTGAC
	1351	GCAGACTACG	AGAAACACAA	AGTCTACGCC	TGCGAAGTCA
	1401	CCTGAGCTCG	CCCGTCACAA	AGAGCTTCAA	CAGGGGAGAG
	1451	AGAAGTGCCC	CCACCTGCTC	CTCAGTTCCA	GCCTGACCCC
	1501	TTGGCCTCTG	ACCCTTTTTT	CACAGGGGAC	CTACCCCTAT
30	1551	CAGCTCATCT	TTCACCTCAC	CCCCCTCCTC	CTCCTTGGCT
	1601	TAATGTTGGA	GGAGAATGAA	TAAATAAAGT	GAATCTTTGC
	1651	TCTCTCTTTC	CTCATTTAAT	AATTATTATC	TGTTGTTTTA
	1701	AATTTCTCTT	ATAAGGGACT	AAATATGTAG	TCATCCTAAG
	1751	GAGATCTGAA	GCTGATCCAG	ACATGATAAG	ATACATTGAT
35	1801	AAACCACAAC	TAGAATGCAG	TGAAAAAAAT	GCTTTATTTG
	1851	GATGCTATTG	CTTTATTTGT	AACCATTATA	AGCTGCAATA
	1901	CAACAACAAT	TGCATTCATT	TTATGTTTCA	GGTTCAGGGG
	1951	AGGTTTTTTA	AAGCAAGTAA	AACCTCTACA	AATGTGGTAT
	2001	GATCTCTAGT	CAAGGCACTA	TACATCAAAT	ATTCCTTATT
40	2051	CAAATTAAAA	AGCTAAAGGT	ACACAATTTT	TGAGCATAGT
	2101	AGACACTCTA	TGCCTGTGTG	GAGTAAGAAA	AAACAGTATG

	2151	AACTGTTATG	CCTACTTATA	AAGGTTACAG	AATATTTTTC	CATAATTTTC
	2201	TTGTATAGCA	GTGCAGCTTT	TTCCTTTGTG	GTGTAAATAG	CAAAGCAAGC
	2251	AAGAGTTCTA	TTACTAAACA	CAGCATGACT	CAAAAAACTT	AGCAATTCTG
	2301	AAGGAAAGTC	CTTGGGGTCT	TCTACCTTTC	TCTTCTTTTT	TGGAGGAGTA
5	2351	GAATGTTGAG	AGTCAGCAGT	AGCCTCATCA	TCACTAGATG	GCATTTCTTC
	2401	TGAGCAAAAC	AGGTTTTTCT	CATTAAAGGC	ATTCCACCAC	TGCTCCCATT
	2451	CATCAGTTCC	ATAGGTTGGA	ATCTAAAATA	CACAAACAAT	TAGAATCAGT
	2501	AGTTTAAACAC	ATTATACACT	TAAAAATTTT	ATATTTACCT	TAGAGCTTTA
	2551	AATCTCTGTA	GGTAGTTTGT	CCAATTATGT	CACACCACAG	AAGTAAGGTT
10	2601	CCTTCACAAA	GATCCGGACC	AAAGCGGCCA	TCGTGCCTCC	CCACTCCTGC
	2651	AGTTCGGGGG	CATGGATGCG	CGGATAGCCG	CTGCTGGTTT	CCTGGATGCC
	2701	GACGGATTTG	CAC TGCCGGT	AGAACTCCGC	GAGGTCGTCC	AGCCTCAGGC
	2751	AGCAGCTGAA	CCAACTCGCG	AGGGGATCGA	GCATCCCCCA	TGGTCTTATA
	2801	AAAATGCATA	GCTTTAGGAG	GGGAGCAGAG	AACTTGAAAG	CATCTTCCTG
15	2851	TTAGTCTTTC	TTCTCGTAGA	CTTCAAACCT	ATACTTGATG	CCTTTTTTCT
	2901	CCTGGACCTC	AGAGAGGACG	CCTGGGTATT	CTGGGAGAAG	TTTATATTTT
	2951	CCCAAATCAA	TTTCTGGGAA	AAACGTGTCA	CTTTCAAATT	CCTGCATGAT
	3001	CCTTGTCACA	AAGAGTCTGA	GGTGGCCTGG	TTGATTCATG	GCTTCCTGGT
	3051	AAACAGAACT	GCCTCCGACT	ATCCAAACCA	TGTCTACTTT	ACTTGCCAAT
20	3101	TCCGGTTGTT	CAATAAGTCT	TAAGGCATCA	TCCAAACTTT	TGGCAAGAAA
	3151	ATGAGCTCCT	CGTGGTGGTT	CTTTGAGTTC	TCTACTGAGA	ACTATATTAA
	3201	TTCTGTCCTT	TAAAGGTCGA	TTCTTCTCAG	GAATGGAGAA	CCAGGTTTTC
	3251	CTACCCATAA	TCACCAGATT	CTGTTTACCT	TCCACTGAAG	AGGTTGTGGT
	3301	CATTCTTTGG	AAGTACTTGA	ACTCGTTCCT	GAGCGGAGGC	CAGGGTCGGT
25	3351	CTCCGTTCTT	GCCAATCCCC	ATATTTTGGG	ACACGGCGAC	GATGCAGTTC
	3401	AATGGTCGAA	CCATGATGGC	AGCGGGGATA	AAATCCTACC	AGCCTTCACG
	3451	CTAGGATTGC	CGTCAAGTTT	GGGGGTACCG	AGCTCGAATT	AGCTTTTTGC
	3501	AAAAGCCTAG	GCCTCCAAAA	AAGCCTCCTC	ACTACTTCTG	GAATAGCTCA
	3551	GAGGGCCGAG	GCGGCCTCGG	CCTCTGCATA	AATAAAAAAA	ATTAGTCAGC
30	3601	CATGGGGCGG	AGAATGGGCG	GAACTGGGCG	GAGTTAGGGG	CGGGATGGGC
	3651	GGAGTTAGGG	GCGGGACTAT	GGTTGCTGAC	TAATTGAGAT	GCATGCTTTG
	3701	CATACTTCTG	CCTGCTGGGG	AGCCTGGGGA	CTTTCCACAC	CTGGTTGCTG
	3751	ACTAATTGAG	ATGCATGCTT	TGCATACTTC	TGCCTGCTGG	GGAGCCTGGG
	3801	GACTTTCCAC	ACCCTAACTG	ACACACATTC	CACAGCTGCC	TCGCGCGTTT
35	3851	CGGTGATGAC	GGTGAAAACC	TCTGACACAT	GCAGCTCCCG	GAGACGGTCA
	3901	CAGCTTGTCT	GTAAGCGGAT	GCCGGGAGCA	GACAAGCCCG	TCAGGGCGCG
	3951	TCAGCGGGTG	TTGGCGGGTG	TCGGGGCGCA	GCCATGACCC	AGTCACGTAG
	4001	CGATAGCGGA	GTGTATACTG	GCTTAACTAT	GCGGCATCAG	AGCAGATTGT
	4051	ACTGAGAGTG	CACCATATGC	GGCCGCATAT	GCGGTGTGAA	ATACCGCACA
40	4101	GATGCGTAAG	GAGAAAATAC	CGCATCAGGC	GCTCTTCCGC	TTCTCGCTC
	4151	ACTGACTCGC	TGCGCTCGGT	CGTTCGGCTG	CGGCGAGCGG	TATCAGCTCA

	4201	CTCAAAGGCG	GTAATACGGT	TATCCACAGA	ATCAGGGGAT	AACGCAGGAA
	4251	AGAACATGTG	AGCAAAAGGC	CAGCAAAAGG	CCAGGAACCG	TAAAAAGGCC
	4301	GCGTTGCTGG	CGTTTTTCCA	TAGGCTCCGC	CCCCCTGACG	AGCATCACAA
	4351	AAATCGACGC	TCAAGTCAGA	GGTGGCGAAA	CCCGACAGGA	CTATAAAGAT
5	4401	ACCAGGCGTT	TCCCCCTGGA	AGCTCCCTCG	TGCGCTCTCC	TGTTCCGACC
	4451	CTGCCGCTTA	CCGGATACCT	GTCCGCCTTT	CTCCCTTCGG	GAAGCGTGGC
	4501	GCTTTCTCAT	AGCTCACGCT	GTAGGTATCT	CAGTTCGGTG	TAGGTCGTTC
	4551	GCTCCAAGCT	GGGCTGTGTG	CACGAACCCC	CCGTTTCAGCC	CGACCGCTGC
	4601	GCCTTATCCG	GTAACATATCG	TCTTGAGTCC	AACCCGGTAA	GACACGACTT
10	4651	ATCGCCACTG	GCAGCAGCCA	CTGGTAACAG	GATTAGCAGA	GCGAGGTATG
	4701	TAGGCGGTGC	TACAGAGTTC	TTGAAGTGGT	GGCCTAACTA	CGGCTACACT
	4751	AGAAGGACAG	TATTTGGTAT	CTGCGCTCTG	CTGAAGCCAG	TTACCTTCGG
	4801	AAAAAGAGTT	GGTAGCTCTT	GATCCGGCAA	ACAAACCACC	GCTGGTAGCG
	4851	GTGGTTTTTT	TGTTTGCAAG	CAGCAGATTA	CGCGCAGAAA	AAAAGGATCT
15	4901	CAAGAAGATC	CTTTGATCTT	TTCTACGGGG	TCTGACGCTC	AGTGGAACGA
	4951	AAACTCACGT	TAAGGGATTT	TGGTCATGAG	ATTATCAAAA	AGGATCTTCA
	5001	CCTAGATCCT	TTTAAATTAA	AAATGAAGTT	TTAAATCAAT	CTAAAGTATA
	5051	TATGAGTAAA	CTTGGTCTGA	CAGTTACCAA	TGCTTAATCA	GTGAGGCACC
	5101	TATCTCAGCG	ATCTGTCTAT	TTCGTTTCATC	CATAGTTGCC	TGACTCCCCG
20	5151	TCGTGTAGAT	AACTACGATA	CGGGAGGGCT	TACCATCTGG	CCCCAGTGCT
	5201	GCAATGATAC	CGCGAGACCC	ACGCTCACCC	GCTCCAGATT	TATCAGCAAT
	5251	AAACCAGCCA	GCCGGAAGGG	CCGAGCGCAG	AAGTGGTCCT	GCAACTTTAT
	5301	CCGCCTCCAT	CCAGTCTATT	AATTGTTGCC	GGGAAGCTAG	AGTAAGTAGT
	5351	TCGCCAGTTA	ATAGTTTGCG	CAACGTTGTT	GCCATTGCTG	CAGGCATCGT
25	5401	GGTGTCACGC	TCGTGCTTTG	GTATGGCTTC	ATTCAGCTCC	GGTTCCCAAC
	5451	GATCAAGGCG	AGTTACATGA	TCCCCCATGT	TGTGCAAAAA	AGCGGTTAGC
	5501	TCCTTCGGTC	CTCCGATCGT	TGTCAGAAGT	AAGTTGGCCG	CAGTGTTATC
	5551	ACTCATGGTT	ATGGCAGCAC	TGCATAATTC	TCTTACTGTC	ATGCCATCCG
	5601	TAAGATGCTT	TTCTGTGACT	GGTGAGTACT	CAACCAAGTC	ATTCTGAGAA
30	5651	TAGTGTATGC	GGCGACCGAG	TTGCTCTTGC	CCGGCGTCAA	CACGGGATAA
	5701	TACCGCGCCA	CATAGCAGAA	CTTTAAAAGT	GCTCATCATT	GGAAAACGTT
	5751	CTTCGGGGCG	AAAACCTCTCA	AGGATCTTAC	CGCTGTTGAG	ATCCAGTTCG
	5801	ATGTAACCCA	CTCGTGCACC	CAACTGATCT	TCAGCATCTT	TTACTTTTAC
	5851	CAGCGTTTCT	GGGTGAGCAA	AAACAGGAAG	GCAAAATGCC	GCAAAAAAGG
35	5901	GAATAAGGGC	GACACGGAAA	TGTTGAATAC	TCATACTCTT	CCTTTTTCAA
	5951	TATTATTGAA	GCATTTATCA	GGGTTATTGT	CTCATGAGCG	GATACATATT
	6001	TGAATGTATT	TAGAAAAATA	AACAAATAGG	GGTTCCGCGC	ACATTTCCCC
	6051	GAAAAGTGCC	ACCTGACGTC	TAAGAAACCA	TTATTATCAT	GACATTAACC
	6101	TATAAAAATA	GGCGTATCAC	GAGGCCCTTT	CGTCTTCAAG	AATTCAGCTG
40	6151	CTCGAGGAAG	AGCTCAAACC	CATGCTACTC	TCTGGCTTGA	TGGAAGCAAC
	6201	GCTTTCATAG	CTGAGCTGTC	ATAAATAATA	AAGAGATTTT	TTTATTAATA

6251	TTGAAAAGAT	GGGTTATTTA	TGTAAGACTC	TGTCTTCATT	TTAAAAACCA
6301	CACCTTCCAG	TAGTATTCTG	TTACTGTTCT	GGCAATCACT	GTGATCAAGA
6351	AGCTACACGG	TGAGTTGTGC	TTCTCAGTCC	TAAGGGATAC	ATCTACAAGA
6401	GGCTCCCATA	CTCGAAGCTC	AGGAAACATT	GTAAGAAAGG	AGGCAAAAGA
5 6451	CTGACAGAGC	CAGAGGACCA	AGAAATTTGT	TGTGAGGTTG	TGTCTCCTAC
6501	TAACAATATA	AGCAATATCT	ATAAATTGTT	GATATCATGG	CTACTAAAAT
6551	GTGAGTTGAA	CGAGGAGGAC	ACAAATGAAC	ATGACAATCA	GAATGAGGCC
6601	TCTCACCTGC	AAAAAACACT	ATAGAGAAGC	AGATAAAGCT	GTCAGCAGAA
6651	GAGGCGCACC	TCCTTATAGA	AGAAGCCTAC	CAGGTTTGAT	ATATCAGCCT
10 6701	TGAAAACCTA	CATAGTATTT	ACATTATATC	GAGTCTATGA	GACATATTTA
6751	GTAATGCATA	TGTATGTGTG	TGTGTGCATG	TATGTGTGTA	AATACATATG
6801	TTCATAGAAA	AATGTGTAAA	AAGAGATCAT	GAATTTAAGA	GAGAACTGGG
6851	ACAATTTTTT	TCAGGGAGTT	GTAATCAGGA	AAGTTAAGGG	AAAAATGTTG
6901	TAATTAAAAT	TCAGGCTCAG	AAACAAACAA	AGGAAAAGAA	AAAAAAACAA
15 6951	CAACAACAAC	AAAAAAACAA	AACAAAGGAG	AAGCTGTATG	GCCACAATAG
7001	CATCTACAGC	TAACTGTGAA	AGGATAATGG	AACAAGTTAT	GTACTGCCTA
7051	GAGCAGTATG	ATGCCTAAAT	CATCTCGACA	TGGAGGAAAA	TAGAACAAAG
7101	ACACTCTACA	TAGACTATGA	TAGAAATCAA	AATAAGGTGT	AAGACATAGA
7151	ACATTAGTTT	TGTTTGTGTT	TCAAAGAGAC	TCACATTCCC	ACAAAAAAT
20 7201	CTGTGGGATT	TTACAGGTCT	GCAATAAGCT	GCTGACCTGA	TGATTTCTGC
7251	AGCTGTGCCT	ACCCTTTGCT	GATTTGCATG	TACCCAAAGC	ATAGCTTACT
7301	GACATGAGGA	TTTCTTCATA	GTCAGGTCAC	ACCCTTTGCT	GGAGTCAGAA
7351	TCACACTGAT	CACACACAGT	CATGAGTGTG	CTCACTCAGG	TCCTGGCGTT
7401	GCTGCTGCTG	TGGCTTACAG	GTAATGAAGA	CAGCACTAGA	ATTTTATTGA
25 7451	GCTTCCTGTA	CACTGTGCTG	CTTGTCTCTG	TGAAAATTCT	CTTGTGAATT
7501	AATCATGTGG	GGATCTGTTT	TCAATTTTTT	AATTGTAGGT	ACGCGTTGTG
7551	ACATTCTGCT	GACCCAGTCT	CCAGCCACCC	TGTCTCTGAG	TCCAGGAGAA
7601	AGAGCCACTT	TCTCCTGCAG	GGCCAGTCAG	AACATTGGCA	CAAGCATACA
7651	GTGGTATCAA	CAAAAAACAA	ATGGTGCTCC	AAGGCTTCTC	ATAAGGTCTT
30 7701	CTTCTGAGTC	TATCTCTGGG	ATCCCTTCCA	GGTTTAGTGG	CAGTGGATCA
7751	GGGACAGATT	TTACTCTTAC	CATCAGCAGT	CTGGAGCCTG	AAGATTTTGC
7801	AGTGTATTAC	TGTCAACAAA	GTAATACCTG	GCCATTCACG	TTCGGCCAGG
7851	GGACCAAGCT	TGAAATCAAA	CGTAAGTAGA	ATCCAAAGTC	TCTTTCTTCC
7901	GTTGTCTATG	TCTGTGGCTT	CTATGTCTAA	AAATGATGTA	TAAAATCTTA
35 7951	CTCTGAAACC	AGATTCTGGC	ACTCTCCAAG	GCAAAGATAC	AGAGTAACTC
8001	CGTAAGCAAA	GCTGGGAATA	GGCTAGACAT	GTTCTCTGGA	GAATGAATGC
8051	CAGTGTAATA	ATTAACACAA	GTGATAGTTT	CAGAAATGCT	CTAGTT

SEQ ID NO: 40**Nucleotide sequence of expression vector HCVHESp20**

	1	CTAGAGAGGT	CTGGTGGAGC	CTGCAAAAGT	CCAGCTTTCA	AAGGAACACA
	51	GAAGTATGTG	TATGGAATAT	TAGAAGATGT	TGCTTTTACT	CTTAAGTTGG
5	101	TTCCTAGGAA	AAATAGTTAA	ATACTGTGAC	TTTAAAATGT	GAGAGGGTTT
	151	TCAAGTACTC	ATTTTTTTTAA	ATGTCCAAAA	TTTTTGTCAA	TCAATTTGAG
	201	GTCTTGTTTG	TGTAGAACTG	ACATTACTTA	AAGTTTAACC	GAGGAATGGG
	251	AGTGAGGCTC	TCTCATACCC	TATTCAGAAC	TGACTTTTAA	CAATAATAAA
	301	TTAAGTTTAA	AATATTTTTTA	AATGAATTGA	GCAATGTTGA	GTTGGAGTCA
10	351	AGATGGCCGA	TCAGAACCAG	AACACCTGCA	GCAGCTGGCA	GGAAGCAGGT
	401	CATGTGGCAA	GGCTATTTTG	GGAAGGGAAA	ATAAAACCAC	TAGGTAAACT
	451	TGTAGCTGTG	GTTTGAAGAA	GTGGTTTTGA	AACACTCTGT	CCAGCCCCAC
	501	CAAACCGAAA	GTCCAGGCTG	AGCAAAACAC	CACCTGGGTA	ATTTGCATTT
	551	CTAAAATAAG	TTGAGGATTC	AGCCGAAACT	GGAGAGGTCC	TCTTTTAACT
15	601	TATTGAGTTC	AACCTTTTAA	TTTTAGCTTG	AGTAGTTCTA	GTTTCCCCAA
	651	ACTTAAGTTT	ATCGACTTCT	AAAATGTATT	TAAGCTTTCT	GGGGCAGGCC
	701	AGGCCTGACC	TTGGCTTTTG	GGCAGGGAGG	GGGCTAAGGT	GAGGCAGGTG
	751	GCGCCAGCCA	GGTGCACACC	CAATGCCCAT	GAGCCCAGAC	ACTGGACGCT
	801	GAACCTCGCG	GACAGTTAAG	AACCCAGGGG	CCTCTGCGCC	CTGGGCCCCAG
20	851	CTCTGTCCCA	CACCGCGGTC	ACATGGCACC	ACCTCTCTTG	CAGCCTCCAC
	901	CAAGGGCCCA	TCGGTCTTCC	CCCTGGCACC	CTCCTCCAAG	AGCACCTCTG
	951	GGGGCACAGC	GGCCCTGGGC	TGCCTGGTCA	AGGACTACTT	CCCCGAACCG
	1001	GTGACGGTGT	CGTGGAAGTC	AGGCGCCCTG	ACCAGCGGCG	TGCACACCTT
	1051	CCCGGCTGTC	CTACAGTCCT	CAGGACTCTA	CTCCCTCAGC	AGCGTGGTGA
25	1101	CCGTGCCCTC	CAGCAGCTTG	GGCACCCAGA	CCTACATCTG	CAACGTGAAT
	1151	CACAAGCCCA	GCAACACCAA	GGTGGACAAG	AGAGTTGGTG	AGAGGCCAGC
	1201	ACAGGGAGGG	AGGGTGTCTG	CTGGAAGCCA	GGCTCAGCGC	TCCTGCCTGG
	1251	ACGCATCCCG	GCTATGCAGT	CCCAGTCCAG	GGCAGCAAGG	CAGGCCCCGT
	1301	CTGCCTCTTC	ACCCGGAGGC	CTCTGCCCCG	CCCCTCATG	CTCAGGGAGA
30	1351	GGGTCTTCTG	GCTTTTTTCC	CAGGCTCTGG	GCAGGCACAG	GCTAGGTGCC
	1401	CCTAACCCAG	GCCCTGCACA	CAAAGGGGCA	GGTGCTGGGC	TCAGACCTGC
	1451	CAAGAGCCAT	ATCCGGGAGG	ACCCTGCCCC	TGACCTAAGC	CCACCCCAA
	1501	GGCCAAACTC	TCCACTCCCT	CAGCTCGGAC	ACCTTCTCTC	CTCCCAGATT
	1551	CCAGTAACTC	CCAATCTTCT	CTCTGCAGAG	CCCAAATCTT	GTGACAAAAC
35	1601	TCACACATGC	CCACCGTGCC	CAGGTAAGCC	AGCCCAGGCC	TCGCCCTCCA
	1651	GCTCAAGGCG	GGACAGGTGC	CCTAGAGTAG	CCTGCATCCA	GGGACAGGCC
	1701	CCAGCCGGGT	GCTGACACGT	CCACCTCCAT	CTCTTCCTCA	GCACCTGAAC
	1751	TCCTGGGGGG	ACCGTCAGTC	TTCTCTTCC	CCCCAAAACC	CAAGGACACC
	1801	CTCATGATCT	CCCGGACCCC	TGAGGTCACA	TGCGTGGTGG	TGGACGTGAG
40	1851	CCACGAAGAC	CCTGAGGTCA	AGTTCAACTG	GTACGTGGAC	GGCGTGGAGG
	1901	TGCATAATGC	CAAGACAAAG	CCGCGGGAGG	AGCAGTACAA	CAGCACGTAC

	1951	CGTGTGGTCA	GCGTCCTCAC	CGTCCTGCAC	CAGGACTGGC	TGAATGGCAA
	2001	GGAGTACAAG	TGCAAGGTCT	CCAACAAAGC	CCTCCCAGCC	CCCATCGAGA
	2051	AAACCATCTC	CAAAGCCAAA	GGTGGGACCC	GTGGGGTGCG	AGGGCCACAT
	2101	GGACAGAGGC	CGGCTCGGCC	CACCCTCTGC	CCTGAGAGTG	ACCGCTGTAC
5	2151	CAACCTCTGT	CCCTACAGGG	CAGCCCCGAG	AACCACAGGT	GTACACCCTG
	2201	CCCCCATCCC	GGGAGGAGAT	GACCAAGAAC	CAGGTCAGCC	TGACCTGCCT
	2251	GGTCAAAGGC	TTCTATCCCA	GCGACATCGC	CGTGGAGTGG	GAGAGCAATG
	2301	GGCAGCCGGA	GAACAACACTAC	AAGACCACGC	CTCCCGTGCT	GGACTCCGAC
	2351	GGCTCCTTCT	TCCTCTATAG	CAAGCTCACC	GTGGACAAGA	GCAGGTGGCA
10	2401	GCAGGGGAAC	GTCTTCTCAT	GCTCCGTGAT	GCATGAGGCT	CTGCACAACC
	2451	ACTACACGCA	GAAGAGCCTC	TCCCTGTCCC	CGGGTAAATG	AGTGCGACGG
	2501	CCGGCAAGCC	CCCGCTCCCC	GGGCTCTCGC	GGTCGCACGA	GGATGCTTGG
	2551	CACGTACCCC	GTCTACATAC	TTCCCAGGCA	CCCAGCATGG	AAATAAAGCA
	2601	CCCACCACTG	CCCTGGGCCC	CTGCGAGACT	GTGATGGTTC	TTTCCACGGG
15	2651	TCAGGCCGAG	TCTGAGGCCT	GAGTGGCATG	AGGGAGGCAG	AGCGGGTCCC
	2701	ACTGTCCCCA	CACTGGCCCA	GGCTGTGCAG	GTGTGCCTGG	GCCGCCTAGG
	2751	GTGGGGCTCA	GCCAGGGGCT	GCCCTCGGCA	GGGTGGGGGA	TTTGCCAGCG
	2801	TGGCCCTCCC	TCCAGCAGCA	GCTGCCCTGG	GCTGGGCCAC	GAGAAGCCCT
	2851	AGGAGCCCCT	GGGGACAGAC	ACACAGCCCC	TGCCTCTGTA	GGAGACTGTC
20	2901	CTGTCCTGTG	AGCGCCCTGT	CCTCCGACCC	CGATGCCAC	TCGGGGGCAT
	2951	GCCTAGTCCA	TGCGCGTAGG	GACAGGCCCT	CCCTCACCCA	TCTACCCCCA
	3001	CGGCACTAAC	CCCTGGCAGC	CCTGCCCAGC	CTCGCACCCG	CATGGGGACA
	3051	CAACCGACTC	CGGGGACATG	CACTCTCGGG	CCCTGTGGAG	GGACTGGTGC
	3101	AGATGCCAC	ACACACACTC	AGCCCAGACC	CGTTCAACAA	ACCCCGCACT
25	3151	GAGGTGGTTC	GAGCGGGAGT	GCGGCCAGAG	CCTGCCTCGG	CCGTCAGGGA
	3201	GGACTCCCGG	GCTCACTCGA	AGGAGGTGCC	ACCATTTTCAG	CTTTGGTAGC
	3251	TTTTCTTCTT	CTTTTAAATT	TTCTAAAGCT	CATTAATTGT	CTTTGATGTT
	3301	TCTTTTGTGA	TGACAATAAA	ATATCCTTTT	TAAGTCTTGT	ACTTCGTGAT
	3351	GGGAGCCGCC	TTCTGTGTGC	CACGCGCCTC	CTGCCCCCGG	TGGGAAGCAC
30	3401	GGTCAGGAGG	AGGCTGGTCC	AGCTGCACCT	CGGGGGCTCC	CTGCACTCGC
	3451	CCCCCGCCTC	CTGCAGCCAC	ACGCATTGCC	CGAGCGACCC	TCCCTGGCCC
	3501	CTGTCACTAC	ATGGACCCCT	GGGGCTTCTC	CTCTTTTCTA	CATGGATGCA
	3551	GTTTCTCCTC	CTGCTGGGCA	CGGTGCTGCC	TGCCCTGGTC	ACTCTGCGGG
	3601	GGACAGGGCC	TCCAGGGAAA	GCTGGGTCGA	GGCTGGGAGC	TGGCTCAGGC
35	3651	TGGCCAGGCA	GAGCCACAGG	GAGGGCCTTC	CAGAACCAAC	CATGGTCCGA
	3701	AGCGAGAGGT	GGGTGTCAGA	TCCAGACATG	ATAAGATACA	TTGATGAGTT
	3751	TGGACAAACC	ACAAC TAGAA	TGCAGTGAAA	AAAATGCTTT	ATTTGTGAAA
	3801	TTTGTGATGC	TATTGCTTTA	TTTGTAACCA	TTATAAGCTG	CAATAAACAA
	3851	GTTAACAACA	ACAATTGCAT	TCATTTTATG	TTTCAGGTTC	AGGGGGAGGT
40	3901	GTGGGAGGTT	TTTTAAAGCA	AGTAAAACCT	CTACAAATGT	GGTATGGCTG
	3951	ATTATGATCT	CTAGTCAAGG	CACTATACAT	CAAATATTCC	TTATTAACCC

	4001	CTTTACAAAT	TAAAAAGCTA	AAGGTACACA	ATTTTTGAGC	ATAGTTATTA
	4051	ATAGCAGACA	CTCTATGCCT	GTGTGGAGTA	AGAAAAACA	GTATGTTATG
	4101	ATTATAACTG	TTATGCCTAC	TTATAAAGGT	TACAGAATAT	TTTTCATAA
	4151	TTTTCTTGTA	TAGCAGTGCA	GCTTTTTCTT	TTGTGGTGTA	AATAGCAAAG
5	4201	CAAGCAAGAG	TTCTATTACT	AAACACAGCA	TGACTCAAAA	AACTTAGCAA
	4251	TTCTGAAGGA	AAGTCCTTGG	GGTCTTCTAC	CTTCTCTTTC	TTTTTTGGAG
	4301	GAGTAGAATG	TTGAGAGTCA	GCAGTAGCCT	CATCATCACT	AGATGGCATT
	4351	TCTTCTGAGC	AAAACAGGTT	TTCCTCATTA	AAGGCATTCC	ACCACTGCTC
	4401	CCATTCATCA	GTTCCATAGG	TTGGAATCTA	AAATACACAA	ACAATTAGAA
10	4451	TCAGTAGTTT	AACACATTAT	ACACTTAAAA	ATTTTATATT	TACCTTAGAG
	4501	CTTTAAATCT	CTGTAGGTAG	TTTGTCCAAT	TATGTCACAC	CACAGAAGTA
	4551	AGGTTCTTTC	ACAAAGATCC	GGACCAAAGC	GGCCATCGTG	CCTCCCCACT
	4601	CCTGCAGTTC	GGGGGCATGG	ATGCGCGGAT	AGCCGCTGCT	GGTTTCCTGG
	4651	ATGCCGACGG	ATTTGCACTG	CCGGTAGAAC	TCCGCGAGGT	CGTCCAGCCT
15	4701	CAGGCAGCAG	CTGAACCAAC	TCGCGAGGGG	ATCGAGCCCG	GGGTGGGCGA
	4751	AGAACTCCAG	CATGAGATCC	CCGCGCTGGA	GGATCATCCA	GCCGGCGTCC
	4801	CGGAAAACGA	TTCCGAAGCC	CAACCTTTCA	TAGAAGGCGG	CGGTGGAATC
	4851	GAAATCTCGT	GATGGCAGGT	TGGGCGTCGC	TTGGTCGGTC	ATTTCGAACC
	4901	CCAGAGTCCC	GCTCAGAAGA	ACTCGTCAAG	AAGGCGATAG	AAGGCGATGC
20	4951	GCTGCGAATC	GGGAGCGGCG	ATACCGTAAA	GCACGAGGAA	GCGGTCAGCC
	5001	CATTCGCCGC	CAAGCTCTTC	AGCAATATCA	CGGGTAGCCA	ACGCTATGTC
	5051	CTGATAGCGG	TCCGCCACAC	CCAGCCGGCC	ACAGTCGATG	AATCCAGAAA
	5101	AGCGGCCATT	TTCCACCATG	ATATTCGGCA	AGCAGGCATC	GCCATGGGTC
	5151	ACGACGAGAT	CCTCGCCGTC	GGGCATGCGC	GCCTTGAGCC	TGGCGAACAG
25	5201	TTCGGCTGGC	GCGAGCCCCT	GATGCTCTTC	GTCCAGATCA	TCCTGATCGA
	5251	CAAGACCGGC	TTCCATCCGA	GTACGTGCTC	GCTCGATGCG	ATGTTTCGCT
	5301	TGGTGGTCGA	ATGGGCAGGT	AGCCGGATCA	AGCGTATGCA	GCCGCCGCAT
	5351	TGCATCAGCC	ATGATGGATA	CTTCTCTGGC	AGGAGCAAGG	TGAGATGACA
	5401	GGAGATCCTG	CCCCGGCACT	TCGCCCAATA	GCAGCCAGTC	CCTTCCCGCT
30	5451	TCAGTGACAA	CGTCGAGCAC	AGCTGCGCAA	GGAACGCCCC	TCGTGGCCAG
	5501	CCACGATAGC	CGCGCTGCCT	CGTCCTGCAG	TTCATTCAGG	GCACCGGACA
	5551	GGTCGGTCTT	GACAAAAAGA	ACCGGGCGCC	CCTGCGCTGA	CAGCCGGAAC
	5601	ACGGCGGCAT	CAGAGCAGCC	GATTGTCTGT	TGTGCCCAGT	CATAGCCGAA
	5651	TAGCCTCTCC	ACCCAAGCGG	CCGGAGAACC	TGCGTGCAAT	CCATCTTGTT
35	5701	CAATCATGCG	AAACGATCCT	CATCCTGTCT	CTTGATCAGA	TCTTGATCCC
	5751	CTGCGCCATC	AGATCCTTGG	CGGCAAGAAA	GCCATCCAGT	TTACTTTGCA
	5801	GGGCTTCCCA	ACCTTACCAG	AGGGCGCCCC	AGCTGGCAAT	TCCGGTTCGC
	5851	TTGCTGTCCA	TAAAACCGCC	CAGTCTAGCT	ATCGCCATGT	AAGCCCACTG
	5901	CAAGCTACCT	GCTTTCTCTT	TGCGCTTGCG	TTTTCCTTGG	TCCAGATAGC
40	5951	CCAGTAGCTG	ACATTCATCC	GGGGTCAGCA	CCGTTTCTGC	GGACTGGCTT
	6001	TCTACGTGTT	CCGCTTCCTT	TAGCAGCCCT	TGCGCCCTGA	GTGCTTGCGG

	6051	CAGCGTGAAG	CTTTTTGCAA	AAGCCTAGGC	CTCCAAAAAA	GCCTCCTCAC
	6101	TACTTCTGGA	ATAGCTCAGA	GGCCGAGGCG	GCCTCGGCCT	CTGCATAAAT
	6151	AAAAAAAATT	AGTCAGCCAT	GGGGCGGAGA	ATGGGCGGAA	CTGGGCGGAG
	6201	TTAGGGGCGG	GATGGGCGGA	GTTAGGGGCG	GGACTATGGT	TGCTGACTAA
5	6251	TTGAGATGCA	TGCTTTGCAT	ACTTCTGCCT	GCTGGGGAGC	CTGGGGACTT
	6301	TCCACACCTG	GTTGCTGACT	AATTGAGATG	CATGCTTTGC	ATACTTCTGC
	6351	CTGCTGGGGA	GCCTGGGGAC	TTTCCACACC	CTAACTGACA	CACATTCCAC
	6401	AGCTGCCTCG	CGCGTTTCGG	TGATGACGGT	GAAAACCTCT	GACACATGCA
	6451	GCTCCCGGAG	ACGGTCACAG	CTTGTCTGTA	AGCGGATGCC	GGGAGCAGAC
10	6501	AAGCCCGTCA	GGGCGCGTCA	GCGGGTGTTG	GCGGGTGTCG	GGGCGCAGCC
	6551	ATGACCCAGT	CACGTAGCGA	TAGCGGAGTG	TATACTGGCT	TAACATGCG
	6601	GCATCAGAGC	AGATTGTACT	GAGAGTGCAC	CATATGCGGT	GTGAAATACC
	6651	GCACAGATGC	GTAAGGAGAA	AATACCGCAT	CAGGCGCTCT	TCCGCTTCCT
	6701	CGCTCACTGA	CTCGCTGCGC	TCGGTCGTTC	GGCTGCGGCG	AGCGGTATCA
15	6751	GCTCACTCAA	AGGCGGTAAT	ACGGTTATCC	ACAGAATCAG	GGGATAACGC
	6801	AGGAAAGAAC	ATGTGAGCAA	AAGGCCAGCA	AAAGGCCAGG	AACCGTAAAA
	6851	AGGCCGCGTT	GCTGGCGTTT	TTCCATAGGC	TCCGCCCCCC	TGACGAGCAT
	6901	CACAAAAATC	GACGCTCAAG	TCAGAGGTGG	CGAAACCCGA	CAGGACTATA
	6951	AAGATAACCAG	GCGTTTCCCC	CTGGAAGCTC	CCTCGTGCGC	TCTCCTGTTC
20	7001	CGACCCTGCC	GCTTACCGGA	TACCTGTCCG	CCTTTCTCCC	TTCGGGAAGC
	7051	GTGGCGCTTT	CTCATAGCTC	ACGCTGTAGG	TATCTCAGTT	CGGTGTAGGT
	7101	CGTTCGCTCC	AAGCTGGGCT	GTGTGCACGA	ACCCCCCGTT	CAGCCCGACC
	7151	GCTGCGCCTT	ATCCGGTAAC	TATCGTCTTG	AGTCCAACCC	GGTAAGACAC
	7201	GACTTATCGC	CACTGGCAGC	AGCCACTGGT	AACAGGATTA	GCAGAGCGAG
25	7251	GTATGTAGGC	GGTGCTACAG	AGTTCTTGAA	GTGGTGGCCT	AACTACGGCT
	7301	ACACTAGAAG	GACAGTATTT	GGTATCTGCG	CTCTGCTGAA	GCCAGTTACC
	7351	TTCGGAAAAA	GAGTTGGTAG	CTCTTGATCC	GGCAAACAAA	CCACCGCTGG
	7401	TAGCGGTGGT	TTTTTTGTTT	GCAAGCAGCA	GATTACGCGC	AGAAAAAAG
	7451	GATCTCAAGA	AGATCCTTTG	ATCTTTTCTA	CGGGGTCTGA	CGCTCAGTGG
30	7501	AACGAAAAC	CACGTTAAGG	GATTTTGCTC	ATGAGATTAT	CAAAAAGGAT
	7551	CTTCACCTAG	ATCCTTTTAA	ATTAAAAATG	AAGTTTTTAA	TCAATCTAAA
	7601	GTATATATGA	GTAAACTTGG	TCTGACAGTT	ACCAATGCTT	AATCAGTGAG
	7651	GCACCTATCT	CAGCGATCTG	TCTATTTCTG	TCATCCATAG	TTGCCTGACT
	7701	CCCCGTCGTG	TAGATAACTA	CGATACGGGA	GGGCTTACCA	TCTGGCCCCA
35	7751	GTGCTGCAAT	GATACCGCGA	GACCCACGCT	CACCGGCTCC	AGATTTATCA
	7801	GCAATAAACC	AGCCAGCCGG	AAGGGCCGAG	CGCAGAAGTG	GTCCTGCAAC
	7851	TTTATCCGCC	TCCATCCAGT	CTATTAATTG	TTGCCGGGAA	GCTAGAGTAA
	7901	GTAGTTCGCC	AGTTAATAGT	TTGCGCAACG	TTGTTGCCAT	TGCTGCAGGC
	7951	ATCGTGGTGT	CACGCTCGTC	GTTTGGTATG	GCTTCATTCA	GCTCCGGTTC
40	8001	CCAACGATCA	AGGCGAGTTA	CATGATCCCC	CATGTTGTGC	AAAAAAGCGG
	8051	TTAGCTCCTT	CGGTCCTCCG	ATCGTTGTCA	GAAGTAAGTT	GGCCGCAGTG

	8101	TTATCACTCA	TGGTTATGGC	AGCACTGCAT	AATTCTCTTA	CTGTCATGCC
	8151	ATCCGTAAGA	TGCTTTTCTG	TGACTGGTGA	GTACTCAACC	AAGTCATTCT
	8201	GAGAATAGTG	TATGCGGCGA	CCGAGTTGCT	CTTGCCCGGC	GTCAACACGG
	8251	GATAATACCG	CGCCACATAG	CAGAACTTTA	AAAGTGCTCA	TCATTGGAAA
5	8301	ACGTTCTTCG	GGGCGAAAAC	TCTCAAGGAT	CTTACCGCTG	TTGAGATCCA
	8351	GTTCGATGTA	ACCCACTCGT	GCACCCAAC	GATCTTCAGC	ATCTTTTACT
	8401	TTCACCAGCG	TTTCTGGGTG	AGCAAAAACA	GGAAGGCAAA	ATGCCGCAAA
	8451	AAAGGGAATA	AGGGCGACAC	GGAAATGTTG	AATACTCATA	CTCTTCCTTT
	8501	TTCAATATTA	TTGAAGCATT	TATCAGGGTT	ATTGTCTCAT	GAGCGGATAC
10	8551	ATATTTGAAT	GTATTTAGAA	AAATAAACAA	ATAGGGGTTC	CGCGCACATT
	8601	TCCCCGAAAA	GTGCCACCTG	ACGTCTAAGA	AACCATTATT	ATCATGACAT
	8651	TAACCTATAA	AAATAGGCGT	ATCACGAGGC	CCTTTCGTCT	TCAAGAATTC
	8701	GAGCTCGGTA	CCCATCAGCC	AAAAAGCATG	CCTGCCACAC	AACATCAATT
	8751	TCTGGAAAAC	GCTACACTTA	ATTATTTCTA	GTAGAACAGC	TCTTTGGTTT
15	8801	GCCAAAAAGA	ATCACCTATA	GTGGCATCTA	AGCACAAAAA	GGAGAAAAAA
	8851	ATCACAAAGA	AATGATTGAG	AGGCATAATA	AAAATTATCA	AAAAATTATG
	8901	AGTTTTACGA	TTTCATCTTT	TTCCAAGTTG	AAATCATAGG	GTGGCTTTAA
	8951	CACAGTGACA	AGGAATGTGC	ATGCTGCCAT	TATGGTGCTC	TGCCTAAAAT
	9001	GGTTGGAGCC	TTGTCATGCT	ACAGAGAAAC	TGTCATACAG	CAGGGGGTGC
20	9051	CAAATTTCCA	TATTTTTTTA	TATCATTGAG	CAGGTGCACA	GAAGACCAGA
	9101	AAGCACTTTC	TATCAGGCTG	GCCTTCCTCT	TCCTTTCCAG	TATGAAGCAA
	9151	AAACTGCCAA	TGAAACTAGC	AATTGTATAA	TTCTTTTTTC	AAACAGTATT
	9201	TGTGCTATCA	GAACATAGTG	CATTCAAAAG	TCTAGCCTGA	GAGAACAACC
	9251	CAGTTTTATT	CATTCCTCCT	ACTACCTCTC	TCATTCCCAC	TGTTTGTGTT
25	9301	CTCCCTCCCA	TTTTAATTGT	CTATCTAGTC	CAAATAAGC	ACACGATCCA
	9351	GTCCACATTA	AACAACATGT	TTTCACTTTA	AGTCAAATAC	AAGACACCTT
	9401	TAATATCAGC	CCTTGTTTCAT	AATCGTGCTT	CTAGTGACTT	AATGTACATG
	9451	TCACACTGTA	CTGTTGGGTT	TTGTGTCTCA	TCATGAACAA	TGTTGTGAAG
	9501	GTATTAAGTG	GAGAGTAAGC	AGAATTAGAT	TCCTCTAATG	ATGCACACCC
30	9551	ACACTAAGAG	CAGAAATAAT	ATTAAAAATA	GAAAAAAAAG	TTTTACATGA
	9601	GATTTCAAAT	ACCCAGGTAT	GAGCTGCAGT	TTCTTCAAGT	TAAAGCATCG
	9651	AGGTTGTCAG	TTACACTATT	ACAGGAAACA	TATGCAGAGT	TTTTATTTTA
	9701	GTATATTAGT	TTTCACATAT	GTGGAATTAC	TATTAAACTA	TTCTTTCTTT
	9751	TCAAATGCTT	ACCATTGTAA	ATGAGTTTGT	GACTTTGTGT	AGGTGAGTGC
35	9801	ACATGACTCT	GGATGCCTAA	GAGGACTGAA	GAAGTTGGAG	TTATAGGTAG
	9851	TTTTATTCTA	CTTGACTGTT	CAGTGCTAAA	AATACAACTG	AGGTCCTTTA
	9901	AACTGCTGTT	CATGAACCTC	TTAATTGATA	TATCTCATGA	GATCTCTAAA
	9951	CTATTTTTAT	TATGACACGT	TTCAACATTT	TCACTGTAAC	GATTTTTATG
	10001	TTTTATATTA	ATGTAACAT	ATGACACTTC	CCAAAATCCC	CATATTCACA
40	10051	ATTGAACTGT	TTCAAAGTTT	TACCTTGACT	TATGGGAAAT	GAAAACCCAC
	10101	ATTTTATAAT	TTTAAAATGA	AATGTTTATT	TTATATTTCT	GCAAATTTCA

10151 CAAGGAAAGA TTAGTCACTG GTGTGTGAGA GCAGAGGAGC ATAAGAGTTC
 10201 AGGAATAGAA TCCATTATGA TTCTGGAGGC AAGGAAGAAC TGATGCCAAG
 10251 GTTTCAGTAT AAGAGCAGTA TCCACTGGAA AGGATAAAGT CACTACATCT
 10301 GAGCACAGAG CAGGACATCT ACATAATGAG TGGTCACTAA TGGGCCACTG
 5 10351 TTACACTGTT ATATGTATAA GGCTCAAGAA TGAGCACTGA GGCTGTAAGG
 10401 TGTATGGGTG AGGACATCAG GATGTAAACC CAGCTCAGGT AGAGGACTCA
 10451 GAGGACAGCA CAGTCAGCAT GAACTAATAA ACATCAGATA AGATAAGGCA
 10501 CAAGCTCAGC TATATAGGGT AAGGGATCTT TGTAATCTG ATTGTGCATC
 10551 CAGTCTAGTT CAATGTGACT TAGGAAGCCC AGTCATATGC AAATCTAGAG
 10 10601 AAGACTTTAG AGTAGAAATC TGAGGCTCAC CTCACATACC AGCAAGCGAG
 10651 TGACCAGTTA GTCTTAAGGC ACCACTTCTT AGACATCATG GCTTGGGTGT
 10701 GGACCTTGCC ATTCCTGATG GCAGCTGCCC AAAGTAAGAC ATCAGAAAAA
 10751 AGAGTTCCAA GGGGAATTGA AGCAGTTCCA TGAATACTCA CCTTCCTGTG
 10801 TTCTTTTCAC AGGTGTCCAG GCAGAGGTGC AGCTGGTGGA GTCAGGAGCC
 15 10851 GAAGTGAAAA AGCCTGGGGC TTCAGTGAAG GTGTCCTGCA AGGCCTCTGG
 10901 ATACACATTC ACTAATTATA TTATCCACTG GGTGAAGCAG GAGCCTGGTC
 10951 AGGGCCTTGA ATGGATTGGA TATTTTAATC CTTACAATCA TGGTACTAAG
 11001 TACAATGAGA AGTTCAAAGG CAGGGCCACA CTAAGTCAA ACAATCCAT
 11051 CAGCACAGCC TACATGGAGC TCAGCAGCCT GCGCTCTGAG GACACTGCGG
 20 11101 TCTACTACTG TGCAAGATCA GGACCCTATG CCTGGTTTGA CACCTGGGGC
 11151 CAAGGGACCA CGGTCACCGT CTCCTCAGGT AAGAATGGCC ACTCTAGGGC
 11201 CTTTGTTTTTC TGCTGCTGCC TGTGGGATTT CATGAGCATT GCAAAGTTGT
 11251 CCTCGGGACA TGTTCGAGG GGACCTGGGC GGACTGGCCA GGAGGGGACG
 11301 GGCAGTGGGG TGCCTTGAGG ATCTGGGAGC CTCTGTGGAT TTTCCGATGC
 25 11351 CTTTGGA AAA TGGGACTGAG GTTGGGTGCG TCTGAGACAG TAACTCAGCC
 11401 TGGGGGCTTG GTGAAGATCG CCGCACAGCA GCGAGTCCGT GAAATATCTT
 11451 ATTTAGACTT GTGAGGTGCG CTGTGTGTCA ATTTACATCT TAAATCCTTT
 11501 ATTGGCTGGA AAGAGAATTG TTGGAGTGGG TGAATCCAGC CAGGAGGGAC
 11551 GCGGGGGGAT CCA

SEQ ID NO:41**Nucleotide sequence of expression vector HCVHQSp20**

1 CTAGAGAGGT CTGGTGGAGC CTGCAAAAGT CCAGCTTTCA AAGGAACACA
 51 GAAGTATGTG TATGGAATAT TAGAAGATGT TGCTTTTACT CTTAAGTTGG
 35 101 TTCCTAGGAA AAATAGTTAA ATACTGTGAC TTTAAAATGT GAGAGGGTTT
 151 TCAAGTACTC ATTTTTTTTAA ATGTCCAAAA TTTTGTCAA TCAATTTGAG
 201 GTCTTGTTTG TGTAGAACTG ACATTACTTA AAGTTTAACC GAGGAATGGG
 251 AGTGAGGCTC TCTCATACCC TATTCAGAAC TGAATTTTAA CAATAATAAA
 301 TTAAGTTTAA AATATTTTTTA AATGAATTGA GCAATGTTGA GTTGGAGTCA
 40 351 AGATGGCCGA TCAGAACCAG AACACCTGCA GCAGCTGGCA GGAAGCAGGT
 401 CATGTGGCAA GGCTATTTTG GGAAGGGAAA ATAAAACCAC TAGGTAAACT

	451	TGTAGCTGTG	GTTTGAAGAA	GTGGTTTTGA	AACACTCTGT	CCAGCCCCAC
	501	CAAACCGAAA	GTCCAGGCTG	AGCAAAACAC	CACCTGGGTA	ATTTGCATTT
	551	CTAAAATAAG	TTGAGGATTC	AGCCGAAACT	GGAGAGGTCC	TCTTTTAACT
	601	TATTGAGTTC	AACCTTTTAA	TTTTAGCTTG	AGTAGTTCTA	GTTTCCCCAA
5	651	ACTTAAGTTT	ATCGACTTCT	AAAATGTATT	TAAGCTTTCT	GGGGCAGGCC
	701	AGGCCTGACC	TTGGCTTTGG	GGCAGGGAGG	GGGCTAAGGT	GAGGCAGGTG
	751	GCGCCAGCCA	GGTGCACACC	CAATGCCCAT	GAGCCCAGAC	ACTGGACGCT
	801	GAACCTCGCG	GACAGTTAAG	AACCCAGGGG	CCTCTGCGCC	CTGGGCCCAG
	851	CTCTGTCCCA	CACCGCGGTC	ACATGGCACC	ACCTCTCTTG	CAGCCTCCAC
10	901	CAAGGGCCCA	TCGGTCTTCC	CCCTGGCACC	CTCCTCCAAG	AGCACCTCTG
	951	GGGGCACAGC	GGCCCTGGGC	TGCCTGGTCA	AGGACTACTT	CCCCGAACCG
	1001	GTGACGGTGT	CGTGGAATC	AGGCGCCCTG	ACCAGCGGCG	TGCACACCTT
	1051	CCCGGCTGTC	CTACAGTCCT	CAGGACTCTA	CTCCCTCAGC	AGCGTGGTGA
	1101	CCGTGCCCTC	CAGCAGCTTG	GGCACCCAGA	CCTACATCTG	CAACGTGAAT
15	1151	CACAAGCCCA	GCAACACCAA	GGTGGACAAG	AGAGTTGGTG	AGAGGCCAGC
	1201	ACAGGGAGGG	AGGGTGTCTG	CTGGAAGCCA	GGCTCAGCGC	TCCTGCCTGG
	1251	ACGCATCCCC	GCTATGCAGT	CCCAGTCCAG	GGCAGCAAGG	CAGGCCCCGT
	1301	CTGCCTCTTC	ACCCGGAGGC	CTCTGCCCGC	CCCCTCATG	CTCAGGGAGA
	1351	GGGTCTTCTG	GCTTTTTC	CAGGCTCTGG	GCAGGCACAG	GCTAGGTGCC
20	1401	CCTAACCCAG	GCCCTGCACA	CAAAGGGGCA	GGTGCTGGGC	TCAGACCTGC
	1451	CAAGAGCCAT	ATCCGGGAGG	ACCCTGCCCC	TGACCTAAGC	CCACCCCAA
	1501	GGCCAAACTC	TCCACTCCCT	CAGCTCGGAC	ACCTTCTCTC	CTCCCAGATT
	1551	CCAGTAACTC	CCAATCTTCT	CTCTGCAGAG	CCCAAATCTT	GTGACAAAAC
	1601	TCACACATGC	CCACCGTGCC	CAGGTAAGCC	AGCCCAGGCC	TCGCCCTCCA
25	1651	GCTCAAGGCG	GGACAGGTGC	CCTAGAGTAG	CCTGCATCCA	GGGACAGGCC
	1701	CCAGCCGGGT	GCTGACACGT	CCACCTCCAT	CTCTTCCTCA	GCACCTGAAC
	1751	TCCTGGGGGG	ACCGTCAGTC	TTCTCTTCC	CCCCAAAACC	CAAGGACACC
	1801	CTCATGATCT	CCCGGACCCC	TGAGGTCACA	TGCGTGGTGG	TGGACGTGAG
	1851	CCACGAAGAC	CCTGAGGTCA	AGTTCAACTG	GTACGTGGAC	GGCGTGGAGG
30	1901	TGCATAATGC	CAAGACAAAG	CCGCGGGAGG	AGCAGTACAA	CAGCACGTAC
	1951	CGTGTGGTCA	GCGTCCTCAC	CGTCCTGCAC	CAGGACTGGC	TGAATGGCAA
	2001	GGAGTACAAG	TGCAAGGTCT	CCAACAAAGC	CCTCCCAGCC	CCCATCGAGA
	2051	AAACCATCTC	CAAAGCCAAA	GGTGGGACCC	GTGGGGTGCG	AGGGCCACAT
	2101	GGACAGAGGC	CGGCTCGGCC	CACCTCTGTC	CCTGAGAGTG	ACCGCTGTAC
35	2151	CAACCTCTGT	CCCTACAGGG	CAGCCCCGAG	AACCACAGGT	GTACACCCTG
	2201	CCCCCATCCC	GGGAGGAGAT	GACCAAGAAC	CAGGTCAGCC	TGACCTGCCT
	2251	GGTCAAAGGC	TTCTATCCCA	GCGACATCGC	CGTGGAGTGG	GAGAGCAATG
	2301	GGCAGCCGGA	GAACAACCTAC	AAGACCACGC	CTCCCGTGCT	GGACTCCGAC
	2351	GGCTCCTTCT	TCCTCTATAG	CAAGCTCACC	GTGGACAAGA	GCAGGTGGCA
40	2401	GCAGGGGAAC	GTCTTCTCAT	GCTCCGTGAT	GATGAGGCT	CTGCACAACC
	2451	ACTACACGCA	GAAGAGCCTC	TCCCTGTCCC	CGGGTAAATG	AGTGCGACGG

	2501	CCGGCAAGCC	CCCGCTCCCC	GGGCTCTCGC	GGTCGCACGA	GGATGCTTGG
	2551	CACGTACCCC	GTCTACATAC	TCCCCAGGCA	CCCAGCATGG	AAATAAAGCA
	2601	CCCACCACTG	CCCTGGGCCC	CTGCGAGACT	GTGATGGTTC	TTTCCACGGG
	2651	TCAGGCCGAG	TCTGAGGCCT	GAGTGGCATG	AGGGAGGCAG	AGCGGGTCCC
5	2701	ACTGTCCCCA	CACTGGCCCA	GGCTGTGCAG	GTGTGCCTGG	GCCGCCTAGG
	2751	GTGGGGCTCA	GCCAGGGGCT	GCCCTCGGCA	GGGTGGGGGA	TTTGCCAGCG
	2801	TGGCCCTCCC	TCCAGCAGCA	GCTGCCCTGG	GCTGGGCCAC	GAGAAGCCCT
	2851	AGGAGCCCCT	GGGGACAGAC	ACACAGCCCC	TGCCTCTGTA	GGAGACTGTC
	2901	CTGTCCTGTG	AGCGCCCTGT	CCTCCGACCC	CGATGCCCAC	TCGGGGGCAT
10	2951	GCCTAGTCCA	TGCGCGTAGG	GACAGGCCCT	CCCTCACCCA	TCTACCCCCA
	3001	CGGCACTAAC	CCCTGGCAGC	CCTGCCCAGC	CTCGCACCCG	CATGGGGACA
	3051	CAACCGACTC	CGGGGACATG	CACTCTCGGG	CCCTGTGGAG	GGACTGGTGC
	3101	AGATGCCCAC	ACACACACTC	AGCCCAGACC	CGTTCAACAA	ACCCCGCACT
	3151	GAGGTTGGTC	GAGCGGGAGT	GCGGCCAGAG	CCTGCCTCGG	CCGTCAGGGA
15	3201	GGACTCCCGG	GCTCACTCGA	AGGAGGTGCC	ACCATTTTCAG	CTTTGGTAGC
	3251	TTTTCTTCTT	CTTTTAAATT	TTCTAAAGCT	CATTAATTGT	CTTTGATGTT
	3301	TCTTTTGTGA	TGACAATAAA	ATATCCTTTT	TAAGTCTTGT	ACTTCGTGAT
	3351	GGGAGCCGCC	TTCCTGTGTC	CACGCGCCTC	CTGCCCCCGG	TGGGAAGCAC
	3401	GGTCAGGAGG	AGGCTGGTCC	AGCTGCACCT	CGGGGGCTCC	CTGCACTCGC
20	3451	CCCCCGCCTC	CTGCAGCCAC	ACGCATTGCC	CGAGCGACCC	TCCCTGGCCC
	3501	CTGTCACTAC	ATGGACCCCT	GGGGCTTCTC	CTCTTTTCTA	CATGGATGCA
	3551	GTTTCTCCTC	CTGCTGGGCA	CGGTGCTGCC	TGCCCTGGTC	ACTCTGCGGG
	3601	GGACAGGGCC	TCCAGGGAAA	GCTGGGTCGA	GGCTGGGAGC	TGGCTCAGGC
	3651	TGGCCAGGCA	GAGCCACAGG	GAGGGCCTTC	CAGAACCAAC	CATGGTCCGA
25	3701	AGCGAGAGGT	GGGTGTCAGA	TCCAGACATG	ATAAGATACA	TTGATGAGTT
	3751	TGGACAAACC	ACAAC TAGAA	TGCAGTGAAA	AAAATGCTTT	ATTTGTGAAA
	3801	TTTGTGATGC	TATTGCTTTA	TTTGTAACCA	TTATAAGCTG	CAATAAACAA
	3851	GTAAACAACA	ACAATTGCAT	TCATTTTATG	TTTCAGGTTC	AGGGGGAGGT
	3901	GTGGGAGGTT	TTTTAAAGCA	AGTAAAACCT	CTACAAATGT	GGTATGGCTG
30	3951	ATTATGATCT	CTAGTCAAGG	CACTATACAT	CAAATATTCC	TTATTAACCC
	4001	CTTTACAAAT	TAAAAAGCTA	AAGGTACACA	ATTTTGTGAGC	ATAGTTATTA
	4051	ATAGCAGACA	CTCTATGCCT	GTGTGGAGTA	AGAAAAAACA	GTATGTTATG
	4101	ATTATAACTG	TTATGCCTAC	TTATAAAGGT	TACAGAATAT	TTTTCCATAA
	4151	TTTTCTTGTA	TAGCAGTGCA	GCTTTTTTCT	TTGTGGTGTA	AATAGCAAAG
35	4201	CAAGCAAGAG	TTCTATTACT	AAACACAGCA	TGACTCAAAA	AACTTAGCAA
	4251	TTCTGAAGGA	AAGTCCTTGG	GGTCTTCTAC	CTTTCTCTTC	TTTTTTGGAG
	4301	GAGTAGAATG	TTGAGAGTCA	GCAGTAGCCT	CATCATCACT	AGATGGCATT
	4351	TCTTCTGAGC	AAAACAGGTT	TTCCTCATTA	AAGGCATTCC	ACCACTGCTC
	4401	CCATTTCATCA	GTTCCATAGG	TTGGAATCTA	AAATACACAA	ACAATTAGAA
40	4451	TCAGTAGTTT	AACACATTAT	ACACTTAAAA	ATTTTATATT	TACCTTAGAG
	4501	CTTTAAATCT	CTGTAGGTAG	TTTGTCCAAT	TATGTCACAC	CACAGAAGTA

	4551	AGGTTTCCTTC	ACAAAGATCC	GGACCAAAGC	GGCCATCGTG	CCTCCCCACT
	4601	CCTGCAGTTC	GGGGGCATGG	ATGCGCGGAT	AGCCGCTGCT	GGTTTCCTGG
	4651	ATGCCGACGG	ATTTGCACTG	CCGGTAGAAC	TCCGCGAGGT	CGTCCAGCCT
	4701	CAGGCAGCAG	CTGAACCAAC	TCGCGAGGGG	ATCGAGCCCC	GGGTGGGCGA
5	4751	AGAACTCCAG	CATGAGATCC	CCGCGCTGGA	GGATCATCCA	GCCGGCGTCC
	4801	CGGAAAACGA	TTCCGAAGCC	CAACCTTTCA	TAGAAGGCGG	CGGTGGAATC
	4851	GAAATCTCGT	GATGGCAGGT	TGGGCGTCGC	TTGGTCGGTC	ATTTCGAACC
	4901	CCAGAGTCCC	GCTCAGAAGA	ACTCGTCAAG	AAGGCGATAG	AAGGCGATGC
	4951	GCTGCGAATC	GGGAGCGGCG	ATACCGTAAA	GCACGAGGAA	GCGGTCAGCC
10	5001	CATTCGCCGC	CAAGCTCTTC	AGCAATATCA	CGGGTAGCCA	ACGCTATGTC
	5051	CTGATAGCGG	TCCGCCACAC	CCAGCCGGCC	ACAGTCGATG	AATCCAGAAA
	5101	AGCGGCCATT	TTCCACCATG	ATATTCGGCA	AGCAGGCATC	GCCATGGGTC
	5151	ACGACGAGAT	CCTCGCCGTC	GGGCATGCGC	GCCTTGAGCC	TGGCGAACAG
	5201	TTGCGCTGGC	GCGAGCCCCT	GATGCTCTTC	GTCCAGATCA	TCCTGATCGA
15	5251	CAAGACCGGC	TTCCATCCGA	GTACGTGCTC	GCTCGATGCG	ATGTTTCGCT
	5301	TGGTGGTCGA	ATGGGCAGGT	AGCCGGATCA	AGCGTATGCA	GCCGCCGCAT
	5351	TGCATCAGCC	ATGATGGATA	CTTTCTCGGC	AGGAGCAAGG	TGAGATGACA
	5401	GGAGATCCTG	CCCCGGCACT	TCGCCCAATA	GCAGCCAGTC	CCTTCCCGCT
	5451	TCAGTGACAA	CGTCGAGCAC	AGCTGCGCAA	GGAACGCCCC	TCGTGGCCAG
20	5501	CCACGATAGC	CGCGCTGCCT	CGTCCTGCAG	TTCATTGAGG	GCACCGGACA
	5551	GGTCGGTCTT	GACAAAAAGA	ACCGGGCGCC	CCTGCGCTGA	CAGCCGGAAC
	5601	ACGGCGGCAT	CAGAGCAGCC	GATTGTCTGT	TGTGCCCAGT	CATAGCCGAA
	5651	TAGCCTCTCC	ACCCAAGCGG	CCGGAGAACC	TGCGTGCAAT	CCATCTTGTT
	5701	CAATCATGCG	AAACGATCCT	CATCCTGTCT	CTTGATCAGA	TCTTGATCCC
25	5751	CTGCGCCATC	AGATCCTTGG	CGGCAAGAAA	GCCATCCAGT	TTACTTTGCA
	5801	GGGCTTCCCA	ACCTTACCAG	AGGGCGCCCC	AGCTGGCAAT	TCCGGTTCGC
	5851	TTGCTGTCCA	TAAAACCGCC	CAGTCTAGCT	ATCGCCATGT	AAGCCCCTG
	5901	CAAGCTACCT	GCTTTCTCTT	TGCGCTTGCG	TTTTCCCTTG	TCCAGATAGC
	5951	CCAGTAGCTG	ACATTCATCC	GGGGTCAGCA	CCGTTTCTGC	GGACTGGCTT
30	6001	TCTACGTGTT	CCGCTTCCTT	TAGCAGCCCT	TGCGCCCTGA	GTGCTTGCGG
	6051	CAGCGTGAAG	CTTTTTGCAA	AAGCCTAGGC	CTCCAAAAAA	GCCTCCTCAC
	6101	TACTTCTGGA	ATAGCTCAGA	GGCCGAGGCG	GCCTCGGCCT	CTGCATAAAT
	6151	AAAAAAAATT	AGTCAGCCAT	GGGGCGGAGA	ATGGGCGGAA	CTGGGCGGAG
	6201	TTAGGGGCGG	GATGGGCGGA	GTTAGGGGCG	GGACTATGGT	TGCTGACTAA
35	6251	TTGAGATGCA	TGCTTTGCAT	ACTTCTGCCT	GCTGGGGAGC	CTGGGGACTT
	6301	TCCACACCTG	GTTGCTGACT	AATTGAGATG	CATGCTTTGC	ATACTTCTGC
	6351	CTGCTGGGGA	GCCTGGGGAC	TTTCCACACC	CTAACTGACA	CACATTCCAC
	6401	AGCTGCCTCG	CGCGTTTCGG	TGATGACGGT	GAAAACCTCT	GACACATGCA
	6451	GCTCCCGGAG	ACGGTCACAG	CTTGTCTGTA	AGCGGATGCC	GGGAGCAGAC
40	6501	AAGCCCGTCA	GGGCGCGTCA	GCGGGTGTTG	GCGGGTGTCG	GGGCGCAGCC
	6551	ATGACCCAGT	CACGTAGCGA	TAGCGGAGTG	TATACTGGCT	TAACATATGCG

	6601	GCATCAGAGC	AGATTGTACT	GAGAGTGCAC	CATATGCGGT	GTGAAATACC
	6651	GCACAGATGC	GTAAGGAGAA	AATACCGCAT	CAGGCGCTCT	TCCGCTTCCT
	6701	CGCTCACTGA	CTCGCTGCGC	TCGGTCGTTC	GGCTGCGGCG	AGCGGTATCA
	6751	GCTCACTCAA	AGGCGGTAAT	ACGGTTATCC	ACAGAATCAG	GGGATAACGC
5	6801	AGGAAAGAAC	ATGTGAGCAA	AAGGCCAGCA	AAAGGCCAGG	AACCGTAAAA
	6851	AGGCCGCGTT	GCTGGCGTTT	TTCCATAGGC	TCCGCCCCCC	TGACGAGCAT
	6901	CACAAAAATC	GACGCTCAAG	TCAGAGGTGG	CGAAACCCGA	CAGGACTATA
	6951	AAGATACCAG	GCGTTTCCCC	CTGGAAGCTC	CCTCGTGCGC	TCTCCTGTTC
	7001	CGACCCTGCC	GCTTACCGGA	TACCTGTCCG	CCTTTCTCCC	TTCGGGAAGC
10	7051	GTGGCGCTTT	CTCATAGCTC	ACGCTGTAGG	TATCTCAGTT	CGGTGTAGGT
	7101	CGTTCGCTCC	AAGCTGGGCT	GTGTGCACGA	ACCCCCCGTT	CAGCCCGACC
	7151	GCTGCGCCTT	ATCCGGTAAC	TATCGTCTTG	AGTCCAACCC	GGTAAGACAC
	7201	GACTTATCGC	CACTGGCAGC	AGCCACTGGT	AACAGGATTA	GCAGAGCGAG
	7251	GTATGTAGGC	GGTGCTACAG	AGTTCTTGAA	GTGGTGGCCT	AACTACGGCT
15	7301	ACACTAGAAG	GACAGTATTT	GGTATCTGCG	CTCTGCTGAA	GCCAGTTACC
	7351	TTCGGAAAAA	GAGTTGGTAG	CTCTTGATCC	GGCAAACAAA	CCACCGCTGG
	7401	TAGCGGTGGT	TTTTTTGT	GCAAGCAGCA	GATTACGCGC	AGAAAAAAG
	7451	GATCTCAAGA	AGATCCTTTG	ATCTTTTCTA	CGGGGTCTGA	CGCTCAGTGG
	7501	AACGAAAAC	CACGTTAAGG	GATTTTGGTC	ATGAGATTAT	CAAAAAGGAT
20	7551	CTTCACCTAG	ATCCTTTTAA	ATTAAAAATG	AAGTTTAA	TCAATCTAAA
	7601	GTATATATGA	GTAAACTTGG	TCTGACAGTT	ACCAATGCTT	AATCAGTGAG
	7651	GCACCTATCT	CAGCGATCTG	TCTATTTCTG	TCATCCATAG	TTGCCTGACT
	7701	CCCCGTCGTG	TAGATAACTA	CGATACGGGA	GGGCTTACCA	TCTGGCCCCA
	7751	GTGCTGCAAT	GATACCGCGA	GACCCACGCT	CACCGGCTCC	AGATTTATCA
25	7801	GCAATAAACC	AGCCAGCCGG	AAGGGCCGAG	CGCAGAAGTG	GTCCTGCAAC
	7851	TTTATCCGCC	TCCATCCAGT	CTATTAATTG	TTGCCGGGAA	GCTAGAGTAA
	7901	GTAGTTCGCC	AGTTAATAGT	TTGCGCAACG	TTGTTGCCAT	TGCTGCAGGC
	7951	ATCGTGGTGT	CACGCTCGTC	GTTTGGTATG	GCTTCATTCA	GCTCCGGTTC
	8001	CCAACGATCA	AGGCGAGTTA	CATGATCCCC	CATGTTGTGC	AAAAAAGCGG
30	8051	TTAGCTCCTT	CGGTCCTCCG	ATCGTTGTCA	GAAGTAAGTT	GGCCGCAGTG
	8101	TTATCACTCA	TGGTTATGGC	AGCACTGCAT	AATTCTCTTA	CTGTCATGCC
	8151	ATCCGTAAGA	TGCTTTTCTG	TGACTGGTGA	GTACTCAACC	AAGTCATTCT
	8201	GAGAATAGTG	TATGCGGCGA	CCGAGTTGCT	CTTGCCCGGC	GTCAACACGG
	8251	GATAATAACG	CGCCACATAG	CAGAACTTTA	AAAGTGCTCA	TCATTGGAAA
35	8301	ACGTTCTTCG	GGGCGAAAAC	TCTCAAGGAT	CTTACCGCTG	TTGAGATCCA
	8351	GTTCGATGTA	ACCCACTCGT	GCACCCAAC	GATCTTCAGC	ATCTTTTACT
	8401	TTCACCAGCG	TTTCTGGGTG	AGCAAAAACA	GGAAGGCAAA	ATGCCGCAAA
	8451	AAAGGGAATA	AGGGCGACAC	GGAAATGTTG	AATACTCATA	CTCTTCCTTT
	8501	TTCAATATTA	TTGAAGCATT	TATCAGGGTT	ATTGTCTCAT	GAGCGGATAC
40	8551	ATATTTGAAT	GTATTTAGAA	AAATAAACAA	ATAGGGGTTC	CGCGCACATT
	8601	TCCCCGAAAA	GTGCCACCTG	ACGTCTAAGA	AACCATTATT	ATCATGACAT

	8651	TAACCTATAA	AAATAGGCGT	ATCACGAGGC	CCTTTCGTCT	TCAAGAATTC
	8701	GAGCTCGGTA	CCCATCAGCC	AAAAAGCATG	CCTGCCACAC	AACATCAATT
	8751	TCTGGAAAAC	GCTACACTTA	ATTATTTCTA	GTAGAACAGC	TCTTTGGTTT
	8801	GCCAAAAAGA	ATCACCTATA	GTGGCATCTA	AGCACAAAAA	GGAGAAAAAA
5	8851	ATCACAAAGA	AATGATTGAG	AGGCATAATA	AAAATTATCA	AAAAATTATG
	8901	AGTTTTACGA	TTTCATCTTT	TTCCAAGTTG	AAATCATAGG	GTGGCTTTAA
	8951	CACAGTGACA	AGGAATGTGC	ATGCTGCCAT	TATGGTGCTC	TGCCTAAAAT
	9001	GGTTGGAGCC	TTGTCATGCT	ACAGAGAAAC	TGTCATACAG	CAGGGGGTGC
	9051	CAAATTTCCA	TATTTTTTTA	TATCATTGAG	CAGGTGCACA	GAAGACCAGA
10	9101	AAGCACTTTC	TATCAGGCTG	GCCTTCCTCT	TCCTTTCCAG	TATGAAGCAA
	9151	AAACTGCCAA	TGAAACTAGC	AATTGTTAAA	TTCTTTTTTC	AAACAGTATT
	9201	TGTGCTATCA	GAACATAGTG	CATTCAAAAG	TCTAGCCTGA	GAGAACAACC
	9251	CAGTTTTATT	CATTCCTCCT	ACTACCTCTC	TCATTCCCAC	TGTTTGTGTT
	9301	CTCCCTCCCA	TTTTAATTGT	CTATCTAGTC	CAAATAAGC	ACACGATCCA
15	9351	GTCCACATTA	AACAACATGT	TTTCACTTTA	AGTCAAATAC	AAGACACCTT
	9401	TAATATCAGC	CCTTGTTTCAT	AATCGTGCTT	CTAGTGACTT	AATGTACATG
	9451	TCACACTGTA	CTGTTGGGTT	TTGTGTCTCA	TCATGAACAA	TGTTGTGAAG
	9501	GTATTAAGTG	GAGAGTAAGC	AGAATTAGAT	TCCTCTAATG	ATGCACACCC
	9551	ACACTAAGAG	CAGAAATAAT	ATTAAAAATA	GAAAAAAAAG	TTTTACATGA
20	9601	GATTTCAAAT	ACCCAGGTAT	GAGCTGCAGT	TTCTTCAAGT	TAAAGCATCG
	9651	AGGTTGTCAG	TTACACTATT	ACAGGAAACA	TATGCAGAGT	TTTTATTTTA
	9701	GTATATTAGT	TTTCACATAT	GTGGAATTAC	TATTAAACTA	TTCTTTCTTT
	9751	TCAAATGCTT	ACCATTGTAA	ATGAGTTTGT	GACTTTGTGT	AGGTGAGTGC
	9801	ACATGACTCT	GGATGCCTAA	GAGGACTGAA	GAAGTTGGAG	TTATAGGTAG
25	9851	TTTTATTCTA	CTTGACTGTT	CAGTGCTAAA	AATACAACCTG	AGGTCCTTTA
	9901	AACTGCTGTT	CATGAACCTC	TTAATTGATA	TATCTCATGA	GATCTCTAAA
	9951	CTATTTTTAT	TATGACACGT	TTCACCATTT	TCACTGTAAC	GATTTTTATG
	10001	TTTTATATTA	ATGTAACCTAT	ATGACACTTC	CCAAAATCCC	CATATTCACA
	10051	ATTGAACTGT	TTCAAAGTTT	TACCTTGACT	TATGGGAAAT	GAAAACCCAC
30	10101	ATTTTATAAT	TTTAAAATGA	AATGTTTATT	TTATATTTCT	GCAAATTTCA
	10151	CAAGGAAAGA	TTAGTCACTG	GTGTGTGAGA	GCAGAGGAGC	ATAAGAGTTC
	10201	AGGAATAGAA	TCCATTATGA	TTCTGGAGGC	AAGGAAGAAC	TGATGCCAAG
	10251	GTTTCAGTAT	AAGAGCAGTA	TCCACTGGAA	AGGATAAAGT	CACTACATCT
	10301	GAGCACAGAG	CAGGACATCT	ACATAATGAG	TGGTCACTAA	TGGGCCACTG
35	10351	TTACACTGTT	ATATGTATAA	GGCTCAAGAA	TGAGCACTGA	GGCTGTAAGG
	10401	TGTATGGGTG	AGGACATCAG	GATGTAAACC	CAGCTCAGGT	AGAGGACTCA
	10451	GAGGACAGCA	CAGTCAGCAT	GAACATAATA	ACATCAGATA	AGATAAGGCA
	10501	CAAGCTCAGC	TATATAGGGT	AAGGGATCTT	TGTAAATCTG	ATTGTGCATC
	10551	CAGTCTAGTT	CAATGTGACT	TAGGAAGCCC	AGTCATATGC	AAATCTAGAG
40	10601	AAGACTTTAG	AGTAGAAATC	TGAGGCTCAC	CTCACATACC	AGCAAGCGAG
	10651	TGACCAGTTA	GTCTTAAGGC	ACCACTTCTT	AGACATCATG	GCTTGGGTGT

10701 GGACCTTGCC ATTCCTGATG GCAGCTGCCC AAAGTAAGAC ATCAGAAAAA
 10751 AGAGTTCCAA GGGGAATTGA AGCAGTTCCA TGAATACTCA CCTTCCTGTG
 10801 TTCTTTTCAC AGGTGTCCAG GCACAGGTGC AGCTGGTGGA GTCAGGAGCC
 10851 GAAGTGAAAA AGCCTGGGGC TTCAGTGAAG GTGTCCTGCA AGGCCTCTGG
 5 10901 ATACACATTC ACTAATTATA TTATCCACTG GGTGAAGCAG GAGCCTGGTC
 10951 AGGGCCTTGA ATGGATTGGA TATTTTAATC CTTACAATCA TGGTACTAAG
 11001 TACAATGAGA AGTTCAAAGG CAGGGCCACA CTAAGTCAA ACAAATCCAT
 11051 CAGCACAGCC TACATGGAGC TCAGCAGCCT GCGCTCTGAG GACACTGCGG
 11101 TCTACTACTG TGCAAGATCA GGACCTTATG CCTGGTTTGA CACCTGGGGC
 10 11151 CAAGGGACCA CGGTCACCGT CTCCTCAGGT AAGAATGGCC ACTCTAGGGC
 11201 CTTTGTTTTT TGCTGCTGCC TGTGGGATTT CATGAGCATT GCAAAGTTGT
 11251 CCTCGGGACA TGTTCCGAGG GGACCTGGGC GGACTGGCCA GGAGGGGACG
 11301 GGCACCTGGG TGCTTGAGG ATCTGGGAGC CTCTGTGGAT TTTCCGATGC
 11351 CTTTGAAAAA TGGGACTGAG GTTGGGTGCG TCTGAGACAG TAACTCAGCC
 15 11401 TGGGGGCTTG GTGAAGATCG CCGCACAGCA GCGAGTCCGT GAAATATCTT
 11451 ATTTAGACTT GTGAGGTGCG CTGTGTGTCA ATTTACATCT TAAATCCTTT
 11501 ATTGGCTGGA AAGAGAATTG TTGGAGTGGG TGAATCCAGC CAGGAGGGAC
 11551 GCGGGGGGAT CCA

20

Example 9: In vitro efficacy of CD45RO/RB binding humanised antibodies

VHE/humV1 and VHQ/humV1

To determine the efficacy of the CD45R0/RB binding humanised antibodies VHE/humV1 and
 VHQ/humV1 in comparison to the chimeric antibody the ability to induce apoptosis in human
 25 T cells and also the ability to inhibit human T cell proliferation is analysed.

Cells and reagents

Peripheral blood mononuclear cells (PBMC) are isolated from leukopheresis samples of
 healthy human donors with known blood type, but unknown HLA type by centrifugation over
 Ficoll-Hypaque (Pharmacia LKB). PBMC used as stimulators are first depleted of T and NK
 30 cells by using CD3-coated ferromagnetic beads (Miltenyi). Beads and contaminating cells
 are removed by magnetic field. T cell-depleted PBMC are used as stimulator cells after
 irradiation (50 Gy). CD4⁺ T cells are used as responder cells in MLR and are isolated from
 PBMC with a CD4 T cell negative selection kit (Miltenyi).

The obtained cells are analyzed by FACScan or FACSCalibur (Becton Dickinson & Co., CA) and the purity of the obtained cells is >75%. Cells are suspended in RPMI1640 medium supplemented with 10% heat-inactivated FCS, penicillin, streptomycin and L-glutamine.

Apoptosis assays

- 5 Human PBMC of three healthy voluntary donors are cultured in growth medium (RPMI1640+10%FCS) overnight (<16h) in the presence of CD45R0/RB binding chimeric mAb, humanized antibodies (VHE/humV1 and VHQ/humV1) or anti-LPS control mAb. If indicated, a cross-linking reagent, F(ab')₂-fragment of goat anti-human IgG (Cat.No. 109-006-098, JacksonLab) is included at a µg/ml concentration being twice as high as the
- 10 sample's anti-CD45 antibodies concentration. The PBS-concentration in all wells introduced by the antibody reagents is kept constant among all samples, namely at 20% (v/v) for samples without cross-linker or at 40% (v/v) for samples with cross-linker. Earlier experiments demonstrate that the amount of PBS does not affect the readout.

- After overnight culture in the presence of the antibodies, the samples are subjected to flow
- 15 cytometry analyses and stained with the apoptosis marker AnnexinV-FITC (Cat.No. 556419, BD/Pharmingen) and the T cell marker CD2-PE (Cat.No. 556609, BD/Pharmingen). The samples are run in a Becton Dickinson FACSCalibur instrument and the data are analyzed using the CellQuest Pro Software.

- From the data collected, curves are fitted using the software Origin v7.0300 The equation
- 20 used for fitting is

$$y = \frac{A_1 - A_2}{1 + (x / x_0)^p} + A_2 \quad (\text{"Sigmoid-Logistic"})$$

- A₁: final value (for fitting sessions set to "shared " and "floating")
- 25 A₂: initial value (for fitting sessions set to "shared " and "floating")
- p: power
- X₀: ED₅₀; IC₅₀ (see below).

In the absence of cross-linker, VHE/humV1 is most effective, with an ED_{50} value of 148 ± 71 nM, followed by VHQ/humV1 with 377 ± 219 nM. CD45R0/RB binding chimeric antibody is less effective with an ED_{50} value of 2440 ± 1205 nM.

5 In the presence of a cross-linking antiserum, the ED_{50} values are shifted dramatically towards higher efficacy by at least two orders of magnitude. In addition, the presence of cross-linker permitted higher levels of apoptosis at very high antibody concentrations, now reaching up to 80 %, whereas the absence of cross-linker only allowed for up to 50% of apoptosis. In the presence of cross-linker, the curves (antibody concentration / % apoptosis) are bi-modal with two plateaus: the first plateau is reached at low antibody concentrations (~
10 5nM), where the apoptosis level corresponds to the maximum level obtained in the absence of cross-linker. The second plateau is reached at high antibody concentrations (~ 500 nM) and apoptosis is observed within 70-80% of the T cell population.

Both CD45R0/RB binding humanised mAb are equally effective and better or equal compared to CD45R0/RB binding chimeric mAb with respect to their ability to induce
15 apoptosis in primary human T cells.

Mixed Lymphocyte Reaction assays

One $\times 10^5$ PBMC or 5×10^4 of $CD4^+$ cells are mixed with 1×10^5 or 5×10^4 T cells-depleted irradiated (50 Gy) PBMC in each well of 96-well culture plates in the presence or absence of the different concentrations of mAb.

20 The mixed cells are cultured for 5 days and proliferation is determined by pulsing the cells with 3H -thymidine for the last 16 – 20 hours of culture. MLR inhibition at each antibody concentration is expressed as percentage inhibition as described in Example 2.

The effect of increasing concentrations of VHE/humV1 and VHQ/humV1 on MLR is evaluated in three responder:stimulator combinations. All antibodies inhibit the MLR in a
25 dose-dependent manner. The IC_{50} values (see above) are similar for the humanized Ab VHE/humV1 (7 ± 7 nM) and VHQ/humV1 (39 ± 54 nM). Both humanised antibodies are more potent in inhibiting MLR than the parental chimeric antibody (IC_{50} of 347 ± 434 nM). As usually seen with MLR experiments, donor variability is high in these experiments.

VHE-N73D/humV1

To address the biologic effect of VHE-N73D/humV1 inducing apoptosis in human peripheral blood mononuclear cells (PBMC), the target PBMC are incubated overnight in the presence of various concentrations of VHE-N73D/humV1 and are subsequently analyzed for binding of the apoptosis marker AnnexinV by flow cytometry analysis: Human PBMC are incubated overnight in 1 ml tissue culture medium containing various concentrations of either VHE-N73D/humV1, or another humanized CD45RO/RB binding molecule variant, VHE/humV1, or chimeric anti-CD45RO/RB mAb or an isotype IgG1 control mAb. In addition, crosslinking F(ab')₂ fragments of goat-anti-human Ig Fc at 2x the mass concentration of each mAb is added, mimicking crosslinking of the CD45RO/RB binding molecules by Fc-receptors, which can occur in vivo. On the next day, the cells are washed by centrifugation for 10 min at 400 times the standard gravity force (g) and the medium is removed. Cells are resuspended in FACS buffer (PBS containing 1% v/v FBS, 0.1% w/v EDTA and 0.1% w/v sodium azide) and seeded into 96-well V-bottom microtiter plates at a cell density of 1×10^5 cells per well. Each sample of cells is incubated for 30 minutes at 4°C in 50 µl of FACS buffer containing 100 µg/ml of normal mouse serum to block unspecific binding sites on cells and with phycoerythrin (PE)-conjugated CD2 to identify human T cells. After washing twice by centrifugation, cells are resuspended in 100 µl calcium-proficient AnnexinV-staining buffer (Vendor BD/Pharmingen kit 556419) containing 1:100 v/v FITC-labeled AnnexinV. Upon incubation for 15 minutes at room temperature in the dark, 7-amino actinomycin D (7-AAD) is added to give a final concentration of 1 µg/ml and analyzed using a FACSCalibur flow cytometer (Becton Dickinson). ED₅₀ values for the antibodies' efficacy to induce apoptosis can be calculated from an analysis of the amount of apoptosis (= intensity of the AnnexinV-FITC fluorescence) induced as a function of antibody concentration using the software Origin 7.5 with a Sigmoidal/Logistic curve fitting equation.

Upon such analyses, a biphasic effect of all tested CD45RO/RB binding molecules is observed: at low concentrations of antibody, a low level of less than 30% T cell apoptosis is found. The ED₅₀ value for reaching this level of apoptosis is calculated as 0.31 ± 0.13 nM for VHE-N73D/humV1. At higher concentrations of antibody, apoptosis can be induced in up to 70% of the T cells. The ED₅₀ value for reaching this higher level of apoptosis is calculated as 352 ± 83 nM for VHE-N73D/humV1. In summary, it is found that VHE-N73D/humV1 also induces apoptosis in human T cells, which can be enhanced by crosslinking

Example 10: Specificity of CD45RB/RO binding molecule**Chimeric CD45RB/RO binding molecule**

The CD45 molecule is expressed on all leukocytes. However, different CD45 isoforms are expressed by the various leukocyte subsets. In order to determine the leukocyte subset reactivity of CD45RB/RO binding chimeric antibody molecule immunofluorescent labeling of human leukocytes with subset-specific markers and simultaneous immunofluorescent labeling with a dye-conjugated CD45RB/RO binding chimeric antibody is performed, followed by flow cytometry analysis.

Briefly, specific subsets of a freshly isolated preparation of human peripheral blood mononuclear cells (PBMC), human platelets, human peripheral blood neutrophils or human bone-marrow derived hematopoietic stem cells are identified by incubation with phycoerythrin-coupled antibodies against CD2 (T lymphocytes), CD14 (monocytes), CD19 (B lymphocytes), CD34 (stem cells), CD42a (platelets), CD56 (natural killer cells) or CD66b (granulocytes). Simultaneous binding of a FITC-labeled chimeric CD45RB/RO binding molecule is detected on T lymphocytes, monocytes, stem cells, natural killer cells and granulocytes, but not on platelets or B lymphocytes.

VHE-N73D/humV1

In order to determine the leukocyte subset reactivity of VHE-N73D/humV1 immunofluorescent labeling of human leukocytes with subset-specific markers and simultaneous immunofluorescent labeling with a dye-conjugated VHE-N73D/humV1 is performed, followed by flow cytometry analysis.

Briefly, specific subsets of a freshly isolated preparation of human peripheral blood mononuclear cells (PBMC) or human peripheral blood neutrophils are identified upon incubation with phycoerythrin-coupled antibodies against CD3, CD4, CD8 (T lymphocytes), CD14 (monocytes), CD16 (natural killer cells and monocytes), CD19 (B lymphocytes), or CD66b (granulocytes). Simultaneous binding of a FITC-labeled VHE-N73D/humV1 is detected on T lymphocytes, monocytes, natural killer cells and granulocytes, but not on B lymphocytes. Thus, VHE-N73D/humV1 molecules do not react with human B lymphocytes.

Example 11: In vitro induction of suppressor T cells (T regulatory cells) and of functionally paralyzed T cells

To demonstrate the ability of a CD45RO/RB binding chimeric antibody to induce suppressor T cells, the antibody is included at various concentrations during the generation of CD8+ T cell lines reactive with the antigen matrix protein 1 (MP1) of hemophilus influenza. These lines are generated through repeated co-culture of CD8+ human lymphocytes with CD14+ human monocytes pulsed with the antigen. Later on, CD14+ monocytes can be replaced with a human leukocyte antigen-2 positive cell line as an MP1 antigen-presenting cell (APC). If such MP1-specific CD8+ T cells from a culture including CD45RO/RB binding chimeric antibody are mixed with freshly isolated human CD8+ T cells and this mixture of cells is stimulated with the MP1 antigen on APC, the addition of CD8+ T cells from the culture in the presence of CD45RO/RB binding molecule is able to reduce the IFN- γ production in an antibody-dose-dependent fashion. No CD45RO/RB binding chimeric antibody is present during this IFN- γ assay culture, indicating that the pre-treatment with the CD45RO/RB mAb has induced CD8+ T cells capable of suppressing the activation of freshly isolated T cells. Because of this induction of suppressor T regulatory cells by the CD45RO/RB binding chimeric antibody, the antibody may be useful in diseases, where a dysregulated and/or activated T cell population is thought to contribute to the pathology. Examples of such diseases include autoimmune diseases, transplant rejection, psoriasis, dermatitis, inflammatory bowel disease and allergies.

To demonstrate the ability of a chimeric CD45RO/RB binding molecule to render T cells hyporesponsive (anergic) to further stimulation, i.e. to functionally paralyze T cells, the antibody is included during the generation of CD8+ T cell lines reactive with the antigen matrix protein 1 (MP1) of hemophilus influenza as outlined above. Paralysis is assessed by activating the T cells (exposed prior to CD45RO/RB binding chimeric antibody) with MP1 antigen presented by APC. No CD45RO/RB binding molecule is present in this culture. CD8+ T cells not exposed to CD45RO/RB binding chimeric antibody previously produce IFN- γ upon the mentioned stimulus. In contrast, CD8+ T cells pre-treated with CD45RO/RB binding chimeric antibody show a markedly reduced to inexistent production of this cytokine in response to the antigen-stimulus, demonstrating the CD45RO/RB binding chimeric antibody's ability to functionally paralyze human T cells. Because of this induction of functional T cell hyporesponsiveness by the CD45RO/RB binding molecule, the antibody may be used in diseases, such autoimmune diseases, transplant rejection, psoriasis,

dermatitis, inflammatory bowel disease or allergies, where an activated T cell population is thought to contribute to the pathology.

Example 12: In vivo studies in SCID-hu Skin mice

- 5 The therapeutic benefit of the CD45RB/RO binding chimeric antibody in skin inflammation is tested using SCID mice. Human skin from normal individuals is transplanted onto SCID mice (SCID-hu Skin) and the inflammatory process is mimicked by adoptive transferring of mononuclear leukocytes isolated from human individuals unrelated to the human skin donor.

Transplantation of human adult skin in SCID mice (SCID-hu Skin mice)

- 10 Two small pieces (1 cm²) of human adult skin (obtained from the West Hungarian Regional Tissue Bank; WHRTB, Gyor) consisting of the entire epidermis, the papillary dermis and part of the reticular dermis, are transplanted at the right and left upper-back sides of SCID mice C.B 17 /GbmSTac-Prkdc^{scid} Lysf^{bg} mice (Taconic, Germantown, NY) in replacement of mouse skin. The quality of the grafts is monitored during 5-6 weeks following transplantation and successfully transplanted mice (SCID-hu Skin mice, generally >85%) are selected for in vivo testing of CD45RB/RO binding chimeric antibody.

Engraftment of human mononuclear cells in SCID mice

- Mononuclear leukocytes (Spl) are isolated from human adult spleen biopsies (WHRTB, Gyor) after cell suspension (using a cell dissociation sieve equipped with a size 50 mesh) and standard density gradient procedures. Aliquots of ~5 x10⁸ Spl are re-suspended in 1.5 ml of RPMI-10% FCS and injected intraperitoneally (i.p.), on experimental day 0, into the SCID-hu Skin mice. These Spl numbers have been found in previous experiments to be sufficient to induce a lethal xeno-GvHD in >90% of the mice within 4-6 weeks after cell transfer.

Antibody treatment of SCID-hu Skin mice

- 25 SCID-hu Skin mice, reconstituted with human Spl, are treated with CD45RB/RO binding chimeric antibody or with anti-LPS control mAb at day 0, immediately after mononuclear cell injection, at days 3 and 7 and at weekly intervals thereafter. Antibodies are delivered subcutaneously (s.c.) in 100 µl PBS at a final concentration of 1 mg/kg body weight (b.w.).

Evaluation of anti-CD45 treatment

- 30 The efficacy of CD45RB/RO binding chimeric antibody is assessed by the survival of the transplanted mice and by monitoring the rejection of the skin grafts. The significance of the

results is evaluated by the statistical method of survival analysis using the Log-rank test (Mantel method) with the help of Systat v10 software. At the end of the experiment biopsies of human skin grafts and mouse liver, lung, kidney and spleen are obtained from sacrificed mice for histological purposes. All mice are weighed at the beginning (before cell transfer) and throughout the experiment (every two days) as an indirect estimation of their health status. Linear regression lines are generated using the body weight versus days post-PBMC transfer values obtained from each mouse and subsequently, their slopes (control versus anti-CD45 treated mice) are compared using the non parametric Mann-Whitney test.

Results

10 The human skin grafts are very well tolerated by the SCID mice. Initially, the grafts undergo a period of keratinocyte hyperproliferation resulting in the formation of hyperkeratotic crusts. About 5 weeks after transplantation, the crusts fall off the grafts and reveal a tissue containing all the characteristic structures observed in normal human skin. During this process, the human skin grafts fuse with the adjacent mouse skin and generate a network of
15 freshly grown human vessels that connect the grafts with the underlying mouse tissue. The circulating human Spl transferred into SCID-hu Skin mice (at experimental day 0, approx. 6 weeks after skin transplantation) infiltrate the skin grafts and after recognition of alloantigen molecules expressed on the human skin mount an inflammatory response, that has resemblance with the skin inflammatory process occurring in psoriatic skin, and that in some
20 cases completely destroy the graft.

Treatment of these mice with CD45RB/RO binding chimeric antibody suppresses the inflammatory process and prevents the rejection of the human skin grafts. In contrast, the sample obtained from the control treated mouse shows a massive infiltration with multiple signs of necrosis and a dramatic destruction of the epidermis. This process is easily
25 monitored by eye and documented by simple photography of the mice.

Six out of six SCID-hu Skin mice transferred with allogeneic human Spl and treated with control anti-LPS mAb show a strong inflammatory response clearly visible by eye 23 days after mononuclear cell transfer. All mice show considerable lesions, including erythema, scaling and pronounced pustules. In contrast the skin grafts of all mice treated with
30 CD45RB/RO binding chimeric antibody have a normal appearance. The dramatic differences between the two groups of mice is specifically due to the antibody treatment since the human skin of all mice have an identical look at the beginning of the experiment. This aspect

is not changed until the second week after cell transfer, the time at which the control group started to developed skin lesions. The experiment is terminated at day 34 after mononuclear cell transfer. By that time, one of the control mice is already dead (day 30) and four other are sacrificed (days 27, 27, 27 and 30) due to a strong xeno-GvHD. The pathologic reactions
5 observed in the antibody control treated mice also correlates with a loss of body weight in these animals.

In contrast, the CD45RB/RO binding chimeric antibody treated group displays a healthy status during the whole experimentation time.

10 **Example 13: In vivo activities of an CD45RB/RO binding chimeric antibody in an human islet cell transplantation model**

Mice

NOD/SCID female mice (Charles River Laboratories, Calco, Italy) are kept under specific pathogen free conditions. Glucose level in the venous tail blood is quantified using
15 Glucometer Elite system (Bayer, Germany). Diabetes is induced in NOD/SCID mice by intravenous injection of 180 mg/kg of streptozotocin (Sigma, St.Luis, MO). A diagnosis of diabetes is made after 2 concecutive glucose measurements higher than 250 mg/dl.

Islet preparations and transplantation

Pancreata are obtained from heart-beating cadaveric multiorgan donors. Islets are isolated
20 according to the method as described in Bertuzzi et al., Diabetes, 1999, 48: 1971-8. The purified islets are cultured in sterile flasks containing 25 ml of M199 medium (Seromed Biochrom, Berlin, Germany) supplemented with 10% FCS, 1% L-glutamine, 100 units/ml penicillin and 100 µg/ml streptomycin (complete medium). The islets are incubated at 30° in 5% CO₂ and 95% humidified air. Mice are anestetized wirg an intraperitoneal injection of
25 avertin and aliquots of 1500 IE of human islets are transplanted under the kidney capsule of recipient diabetic NOD/SCID mice as described in Davalli A.M. et al., Diabetes, 1996, 45: 1161-7. After transplantation, 50x10⁶ freshly isolated PBMC are injected intraperitoneally to NOD/SCID mice.

Treatment of transplanted mice

Hu-PBL-NOD/SCID transplanted mice are s.c. treated at day 0, +3 and +5 with 1 mg/kg of an CD45RB/RO binding chimeric antibody. Control mice are treated either with saline solution or with IgG purified mAb (Vinci.Biochem, Italy).

5 *Histological analysis*

Kidney poles containing human islet graft are snap-frozen in Tissue Tek (Miles Lab., IN) and stores at -70°. 5 µm thick frozen sections are stained with biotinylated mAb against human insulin or human CD3 followed by streptavidin-peroxidase conjugate. Diaminobenzidine (DAKO, Carpenteria, CA) is used as chromogen and hematoxin as counterstain.

10 Lymphocyte infiltration of the grafts is evaluated on hematoxin and eosin-stained frozen sections.

Results

Normal NOD/SCID mice transplanted with human islets remain normoglycemic up to 100 days post-transplantation, whereas the mean rejection time of hu-PBL-NOD/SCID mice
15 transplanted with human islets is 35±13 days. Short treatment of hu-PBL-NOD/SCID mice transplanted with human islets with an mAb of the present invention significantly prolongs human islets survival with a survival rate of >70% at day 60 and 50% at day 100 post-transplantation.

Histological analysis of human islet grafts performed 100 day post-transplantational in hu-
20 PBL-NOD/SCID mice show a massive infiltration of CD3⁺, CD4⁺ and CD8⁺ positive T cells in control recipient mice. In contrast, in recipient mice treated with an CD45RB/RO binding chimeric antibody a significantly lower infiltration of human cells is observed. The positive staining for insulin demonstrates the graft function in hu-PBL-NOD/SCID recipient mice treated with an CD45RB/RO binding chimeric antibody compared to control recipient mice. In
25 islet –transplanted and with an CD45RB/RO binding chimeric antibody treated hu-PBL-NOD/SCID mice lower amounts of human IFN-γ are detected in serum compared to control recipient mice.

These data indicate that short term treatment with an CD45RB/RO binding chimeric antibody leads to prolonged human islet allograft survival by preventing graft-infiltration and by
30 inhibiting the leukocyte-mediated rejection reaction in vivo.

Claims

1. A binding molecule comprising at least one antigen binding site, comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3, said CDR1 having the amino acid
5 sequence Asn-Tyr-Ile-Ile-His (NYIIH), said CDR2 having the amino acid sequence Tyr-Phe-Asn-Pro-Tyr-Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) and said CDR3 having the amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT).
- 10 2. A binding molecule according to claim 1 comprising
 - a) a first domain comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3, said CDR1 having the amino acid sequence Asn-Tyr-Ile-Ile-His (NYIIH), said CDR2 having the amino acid sequence Tyr-Phe-Asn-Pro-Tyr-Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) and said CDR3 having the
15 amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT); and
 - b) a second domain comprising in sequence the hypervariable regions CDR1', CDR2' and CDR3', CDR1' having the amino acid sequence Arg-Ala-Ser-Gln-Asn-Ile-Gly-Thr-Ser-Ile-Gln (RASQNIGTSLQ), CDR2' having the amino acid sequence Ser-Ser-Ser-Glu-Ser-Ile-Ser (SSSESIS) and CDR3' having the amino acid sequence Gln-Gln-Ser-
20 Asn-Thr-Trp-Pro-Phe-Thr (QQSNTWPFT).
3. A binding molecule according to any one of claims 1 or 2, which is a chimeric or humanised binding molecule.
- 25 4. A binding molecule according to any one of claims 1 to 3, wherein the chimeric or humanised binding molecule is a chimeric or humanised monoclonal antibody.
5. A binding molecule according to any one of claims 1 to 4, comprising not more than one glycosylation site.
- 30 6. A binding molecule according to claim 5, wherein the glycosylation site is a N-glycosylation site.

7. A binding molecule according to any one of claims 1 to 6, wherein no glycosylation site is present in the variable region.
8. A binding molecule according to any one of claims 1 to 7, comprising a polypeptide of SEQ ID NO:1 and/or a polypeptide of SEQ ID NO:2.
9. A binding molecule according to any one of claims 1 to 7, comprising a polypeptide of SEQ ID NO:3 and/or a polypeptide of SEQ ID NO:4.
10. A binding molecule according to any one of claims 8 or 9 which is a chimeric monoclonal antibody.
11. A binding molecule which is a humanised antibody comprising a polypeptide of SEQ ID NO:9 or of SEQ ID NO:10 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8.
12. A binding molecule which is a humanised antibody comprising a polypeptide of SEQ ID NO:31 or of SEQ ID NO:32 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8.
13. A binding molecule which is a humanised antibody comprising
- a polypeptide of SEQ ID NO:9 and a polypeptide of SEQ ID NO:7,
 - a polypeptide of SEQ ID NO:9 and a polypeptide of SEQ ID NO:8,
 - a polypeptide of SEQ ID NO:10 and a polypeptide of SEQ ID NO:7,
 - a polypeptide of SEQ ID NO:10 and a polypeptide of SEQ ID NO:8,
 - a polypeptide of SEQ ID NO:31 and a polypeptide of SEQ ID NO:7,
 - a polypeptide of SEQ ID NO:31 and a polypeptide of SEQ ID NO:8,
 - a polypeptide of SEQ ID NO:32 and a polypeptide of SEQ ID NO:7, or
 - a polypeptide of SEQ ID NO:32 and a polypeptide of SEQ ID NO:8.
14. Isolated polynucleotides comprising polynucleotides encoding a binding molecule according to any one of claims 1 to 13.
15. Polynucleotides according to claim 14 encoding the amino acid sequence of CDR1, CDR2 and CDR3 according to claim 2 and/or polynucleotides encoding the amino acid sequence of CDR1', CDR2' and CDR3' according to claim 2.

16. Polynucleotides encoding the amino acid sequence of CDR1', CDR2' and CDR3', according to said CDR1' having the amino acid sequence Arg-Ala-Ser-Gln-Asn-Ile-Gly-Thr-Ser-Ile-Gln (RASQNIGTSIQ), CDR2' having the amino acid sequence Ser-Ser-Ser-Glu-Ser-Ile-Ser (SSSESIS) and CDR3' having the amino acid sequence Gln-Gln-Ser-Asn-Thr-Trp-Pro-Phe-Thr (QQSNTWPFT).
17. Polynucleotides comprising a polynucleotide of SEQ ID NO: 5 and/or a polynucleotide of SEQ ID NO: 6.
18. Polynucleotides comprising polynucleotides encoding a polypeptide of SEQ ID NO:7 or SEQ ID NO:8 and/or a polypeptide of SEQ ID NO:9 or SEQ ID NO:10.
19. Polynucleotides comprising a polynucleotide of SEQ ID NO:11 or of SEQ ID NO:12 and/or a polynucleotide of SEQ ID NO:13 or SEQ ID NO:14.
20. Polynucleotides comprising polynucleotides encoding a polypeptide of SEQ ID NO:7 or SEQ ID NO:8 and/or a polypeptide of SEQ ID NO:31 or SEQ ID NO:32.
21. Polynucleotides comprising a polynucleotide of SEQ ID NO:34 or of SEQ ID NO:35 and/or a polynucleotide of SEQ ID NO:33; SEQ ID NO:14 or SEQ ID NO:13.
22. An expression vector comprising polynucleotides according to any one of claims 14 to 21.
23. An expression system comprising a polynucleotide according to any one of claims 14 to 21, wherein said expression system or part thereof is capable of producing a polypeptide of any one of claims 1 to 13, when said expression system or part thereof is present in a compatible host cell.
24. An expression system comprising a polynucleotide according to any one of claims 14 to 21, wherein said expression system or part thereof is capable of producing a binding molecule comprising at least one antigen binding site, comprising in sequence the hypervariable regions CDR1, CDR2 and CDR3, said CDR1 having the amino acid

sequence Asn-Tyr-Ile-Ile-His (NYIIH), said CDR2 having the amino acid sequence Tyr-Phe-Asn-Pro-Tyr-Asn-His-Gly-Thr-Lys-Tyr-Asn-Glu-Lys-Phe -Lys-Gly (YFNPYNHGTTYNEKFKG) and said CDR3 having the amino acid sequence Ser-Gly-Pro-Tyr-Ala-Trp-Phe-Asp-Thr (SGPYAWFDT), when said expression system or part thereof is present in a compatible host cell.

25. An isolated host cell which comprises an expression system according to claim 23 or 24.

26. Use of a binding molecule or of a humanised antibody according to any one of claims 1 to 13 as a pharmaceutical.

27. Use according to claim 26 in the treatment and/or prophylaxis of autoimmune diseases, transplant rejection, psoriasis, dermatitis, inflammatory bowel disease and/or allergies.

28. Use according to claim 27 in the treatment and/or prophylaxis of graft versus host disease (GVHD).

29. Use of a binding molecule or of a humanised antibody according to any one of claims 1 to 13 in the preparation of a medicament for treatment of pancreatic islet cell transplant rejection.

30. Use according to any one of claims 26 to 29, wherein the binding molecule or a humanised antibody comprises a polypeptide of SEQ ID NO:31 or of SEQ ID NO:32 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8.

31. A pharmaceutical composition comprising a molecule or a humanised antibody according to any one of claims 1 to 13 in association with at least one pharmaceutically acceptable carrier or diluent.

32. A method of treatment and/or prophylaxis of diseases associated with autoimmune diseases, transplant rejection, psoriasis, dermatitis, inflammatory bowel disease and/or allergies comprising administering to a subject in need of such treatment and/or prophylaxis an effective amount of a molecule or a humanised antibody according to any one of claims 1 to 13.

33. A method of treatment and/or prophylaxis of psoriasis comprising administering to a subject in need of such treatment and/or prophylaxis an effective amount of a binding molecule or a humanised antibody according to any one of claims 1 to 13.

5

34. A method of treatment and/or prophylaxis of graft versus host disease (GVHD) comprising administering to a subject in need of such treatment and/or prophylaxis an effective amount of a molecule or a humanised antibody according to any one of claims 1 to 13.

10

35. A method of treatment and/or prophylaxis of a disease associated with pancreatic islet cell transplant rejection comprising administering to a subject in need of such treatment and/or prophylaxis an effective amount of a binding molecule or a humanised antibody according to any one of claims 1 to 13.

15

36. The method according to any one of claims 32 to 35, wherein the binding molecule or the humanised antibody comprises a polypeptide of SEQ ID NO:31 or of SEQ ID NO:32 and/or a polypeptide of SEQ ID NO:7 or of SEQ ID NO:8.

20

37. Use of a binding molecule having a binding specificity for both CD45RO and CD45RB in medicine.

38. The use according to claim 37, wherein the binding molecule is a chimeric, a humanised or a fully human monoclonal antibody.

25

39. The use according to claim 37 or 38, wherein the binding molecule binds to a CD45RO isoform with a dissociation constant (K_d) $<15\text{nM}$.

30

40. The use according to any of claims 37 to 38, wherein the binding molecule binds to a CD45RB isoform with a dissociation constant (K_d) $<15\text{nM}$.

41. The use according to any of claims 37 to 40, wherein the binding molecule binds CD45 isoforms which
- include the A and B epitopes, but not the C epitope of the CD45 molecule; and/or

- include the B epitope, but not the A and not the C epitope of the CD45 molecule;
and/or
- isoforms which do not include any one of the A, B or C epitopes of the CD45 molecule.

- 5 42. The use according to any of claims 37 to 41, wherein the binding molecule does not bind CD45 isoforms which
- include all of the A, B and C epitopes of the CD45 molecule; and/or
 - include both the B and C epitopes, but not the A epitope of the CD45 molecule.
- 10 43. The use according to any of claims 37 to 42, wherein the binding molecule binds to its target epitope on PEER cells, and wherein said binding is with a $K_d < 15 \text{ nM}$.

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11






Figure 12


VHE/humV1



VHE/humV2



VHQ/humV1



VHQ/humV2







Figure 13


VHE/humV2




VHE/humV1



VHQ/humV2



VHQ/humV1



FID = Off

SMAV = 0.100, SMAV(R) = 0.200, RefTol = 100.00, PhSc = 10.00, InpH = On

