



## (51) International Patent Classification:

H04N 5/445 (2006.01) H04N 21/4788 (2011.01)  
H04N 7/173 (2006.01) H04N 21/482 (2011.01)  
H04N 21/462 (2011.01)

## (21) International Application Number:

PCT/US2015/054251

## (22) International Filing Date:

6 October 2015 (06.10.2015)

## (25) Filing Language:

English

## (26) Publication Language:

English

## (30) Priority Data:

62/061,684 8 October 2014 (08.10.2014) US  
62/097,571 29 December 2014 (29.12.2014) US

(71) Applicant: THOMSON LICENSING [FR/FR]; 1-5 rue  
Jeanne d'Arc, 92130 Issy les Moulineaux (FR).

(72) Inventors: RETUREAU, Arnaud; 8223 Norton Avenue  
#3, West Hollywood, CA 90046 (US). AHMED, Samir;  
5106 Huck Finn Lane, Culver City, CA 90230 (US).

(74) Agents: SHEDD, Robert, D. et al.; 4 Research Way, Prin-  
ceton, NJ 08540 (US).

(81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,  
BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,  
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,  
HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,  
KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG,  
MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM,  
PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC,  
SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,  
TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,  
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ,  
TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU,  
TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE,  
DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU,  
LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,  
SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, KM, ML, MR, NE, SN, TD, TG).

[Continued on next page]

## (54) Title: ELECTRONIC PROGRAM GUIDE DISPLAYING MEDIA SERVICE RECOMMENDATIONS




FIG. 11

(57) Abstract: The generation of an electronic program grid guide is described. The electronic program grid guide (1200) represents various broadcast content providers, special content providers, and recommended media assets that are available from such providers. The media assets are recommended in view of user profile information where the listed media assets and content providers can change from time period to time period when displayed in the electronic program grid guide.



---

**Published:**

— *with international search report (Art. 21(3))*

## **ELECTRONIC PROGRAM GUIDE DISPLAYING MEDIA SERVICE RECOMMENDATIONS**

### **Field of the Invention**

5           The invention concerns electronic program guides, and more specifically electronic program guides that display recommendations for media services from broadcast content delivery services and special content delivery services.

### **Background of the Invention**

10           With the variety of media assets available from traditional broadcast sources such as over the air broadcast networks, cable networks, satellite networks, and the like, it is difficult to keep track of all of the various media that a user can consume. This situation becomes even more complex when considering all of the different media available from special content providers such as M-GO, NETFLIX, VUDU, and the like that provide media assets in the form of streaming media, on demand media, and the like where a user  
15           selects the specific media they want to consume from such special content provider. To resolve such problems of knowing what media assets to select, there is a need to help users organize such offerings among the different content providers.

### **Summary of the Invention**

20           According to one aspect of the present disclosure, a method and apparatus for generating an electronic program grid guide are described. The electronic program grid guide represents various broadcast content providers, special content providers, and recommended media assets that are available from such providers. The media assets are recommended in view of user profile information where the listed media assets and content providers can change from time period to time period when displayed in the  
25           electronic program grid guide.

            According to another aspect of the present disclosure, a method to recommend media assets available during a plurality of time periods from at least one broadcast provider and at least one special content provider in accordance with a user profile, and while generating for display a grid having a first axis and a second axis, the first axis for  
30           identifying the recommended media assets and a second axis identifying respective times when the recommended media assets are available is described. In addition, the

exemplary method has an operation to provide along the first axis first information related to the at least one broadcast content provider and recommended media assets available from the at least one broadcast content provider during a first time period from the plurality of time periods, and an operation to provide along the first axis second  
5 information related to the at least one special content provider and recommended media assets available from the at least one special content provider during the first time period from the plurality of time periods.

According to another aspect of the present disclosure, an apparatus of a processor and memory is configured to execute instructions recommending media assets available  
10 during a plurality of time periods from at least one broadcast provider and at least one special content provider in accordance with a user profile, and while generating for display a grid having a first axis and a second axis, the first axis for identifying the recommended media assets and a second axis identifying respective times when the recommended media assets are available is described. In addition, the exemplary  
15 apparatus has instructions, when executed, to provide along the first axis first information related to the at least one broadcast content provider and recommended media assets available from the at least one broadcast content provider during a first time period from the plurality of time periods, and instructions to provide along the first axis second  
20 information related to the at least one special content provider and recommended media assets available from the at least one special content provider during the first time period from the plurality of time periods.

### **Brief Description of the Drawings**

These and other aspects, features and advantages of the present disclosure will be described or become apparent from the following detailed description of the exemplary  
25 embodiments, which is to be read in connection with the accompanying drawings.

In the drawings, wherein like reference numerals denote similar elements throughout the views:

FIG. 1 shows a block diagram of an illustrative embodiment of a system for delivering content to a home or end user.

30 FIG. 2 presents a block diagram of an illustrative embodiment system that presents an arrangement of media servers, online social networks, and consuming devices for consuming media.

FIG.3 shows a block diagram of an illustrative embodiment of a set top box/digital video recorder.

FIG. 4 presents a block diagram of an illustrative embodiment of an online social network as implemented in an online social server.

5           FIG. 5 presents an illustrative embodiment of a view of an online social networking page.

FIG. 6 details a block diagram of an illustrative embodiment a method that considers whether a particular media asset being consumed by a user can be accessed by a second non-consuming user.

10           FIG. 7 is a block diagram of an illustrative embodiment of a method to determine what media asset a non-consuming user is to receive in response to information about an asset that a consuming user is consuming.

FIGS. 8-10 provide views of illustrative embodiments of an electronic program guide grid detailing the media that different consuming users have accessed.

15           FIG. 11 is a block diagram of an illustrative embodiment of a method of using a user profile to recommend media assets available from broadcast content providers and special content providers during different time periods.

FIGS. 12-14 provide views of illustrative embodiments of an electronic program guide grid detailing recommended media available from broadcast content providers and  
20   special content providers during different time periods.

It should be understood that the drawing(s) are for purposes of illustrating the concepts of the disclosure and are not necessarily the only possible configuration for illustrating the disclosure.

### Detailed Description of the Invention

It should be understood that the elements shown in the figures can be implemented in various forms of hardware, software or combinations thereof. Preferably, these elements are implemented in a combination of hardware and software on one or more appropriately programmed general-purpose devices, which can include a processor, memory and input/output interfaces. Herein, the phrase "coupled" is defined to mean directly connected to or indirectly connected with through one or more intermediate components. Such intermediate components can include both hardware and software based components.

The present description illustrates the principles of the present disclosure. It will thus be appreciated that those skilled in the art will be able to devise various arrangements that, although not explicitly described or shown herein, embody the principles of the disclosure and are included within its scope.

All examples and conditional language recited herein are intended for instructional purposes to aid the reader in understanding the principles of the disclosure and the concepts contributed by the inventor to furthering the art, and are to be construed as being without limitation to such specifically recited examples and conditions.

Moreover, all statements herein reciting principles, aspects, and embodiments of the disclosure, as well as specific examples thereof, are intended to encompass both structural and functional equivalents thereof. Additionally, it is intended that such equivalents include both currently known equivalents as well as equivalents developed in the future, i.e., any elements developed that perform the same function, regardless of structure.

Thus, for example, it will be appreciated by those skilled in the art that the block diagrams presented herein represent conceptual views of illustrative circuitry embodying the principles of the disclosure. Similarly, it will be appreciated that any flow charts, flow diagrams, state transition diagrams, pseudocode, and the like represent various processes which can be substantially represented in computer readable media and so executed by a computer or processor, whether or not such computer or processor is

explicitly shown. The computer readable media and code written on can be implemented in a transitory state (signal) and a non-transitory state (tangible medium such as CD-ROM, DVD, Blu-Ray, Hard Drive, flash card, or other type of tangible storage medium).

5           The functions of the various elements shown in the figures can be provided through the use of dedicated hardware as well as hardware capable of executing software in association with appropriate software. When provided by a processor, the functions can be provided by a single dedicated processor, by a single shared processor, or by a plurality of individual processors, some of which can be shared. Moreover, explicit use  
10 of the term “processor” or “controller” should not be construed to refer exclusively to hardware capable of executing software, and can implicitly include, without limitation, digital signal processor (“DSP”) hardware, read only memory (“ROM”) for storing software, random access memory (“RAM”), and nonvolatile storage.

15           Other hardware, conventional and/or custom, can also be included. Similarly, any switches shown in the figures are conceptual only. Their function can be carried out through the operation of program logic, through dedicated logic, through the interaction of program control and dedicated logic, or even manually, the particular technique being selectable by the implementer as more specifically understood from the context.

20           In the claims hereof, any element expressed as a means for performing a specified function is intended to encompass any way of performing that function including, for example, a) a combination of circuit elements that performs that function or b) software in any form, including, therefore, firmware, microcode or the like, combined with  
25 appropriate circuitry for executing that software to perform the function. The disclosure as defined by such claims resides in the fact that the functionalities provided by the various recited means are combined and brought together in the manner which the claims call for. It is thus regarded that any means that can provide those functionalities are equivalent to those shown herein.

30           Using inventive concepts, the principles discussed below present a scenario where users share their media consuming habits using communication media online social networks such as FACEBOOK®, LINKEDIN®, and the like.

The term online social network (OSN) can also be defined as an architecture that allows a first user to communicate with one or more users, without having to send a unique message to each user. That is, in the social network, there is efficiency in how messages are communicated to such users. In addition, social networks typically have a feature in which users permissively indicate whether or not they want to be “linked” to a second user. This type of feature can be implemented where a first user adds a second user to their list. The social networking site can then recommend other users that the first user knows, which would be presented with the list of users that are on a list controlled by the second user. The social network of the first user can thus be expanded by drawing upon the social network of the second user.

Within the description below, the principles of the present invention provide mechanisms for a user to transmit to their social network various information about the assets that the user is consuming. This fosters new ways of social interaction such as virtual group viewing, rating, recommending, etc. Specifically, when using a consuming device such as a phone, tablet, set top box, video game system, personal computer, and the like, a user can indicate what media is consumed (watched/listened) while using the consuming device.

Different fields are introduced below where such fields are used to indicate different properties about a media asset. The fields are described in this application using the use of a “tag” in the form of <<FIELD>>. Particular attributes for such fields can be added using various separations as indicated <<FIELD &ATTRIBUTE1 &ATTRIBUTE2 &ATTRIBUTE3 ...>. It is understood that fields and attributes can also be constructed where a particular hash combination (MD5, SHA1, and the like) can represent the contents of a field and associated attributes. Other implementations can be performed in accordance with the principles of the present invention.



<<SERVICE ID>	This field represents a particular social networking service or other messaging medium that can be used.
&FACEBOOK®	FACEBOOK®
&TWITTER	Twitter
&LINKEDIN®	Linked-In
&FLICKER®	FLICKER® Photo Sharing
&QZONE®	Q-Zone
&MYSPACE®	MYSPACE®
&BEBOS®	BEBOS®
&SMS	Text Messaging Service
&USERNAME	User Name of a person using a social networking service

TABLE 1

<<ASSETID>>	This field represents the “name” of the media asset which is used for identifying the particular asset
&UUID	A universal unique identifier that is used for the media asset. This can be a unique MD5, SHA1, other type of hash, or other type of identifier
&NAME	A text name for the media asset
&TIME	Time that a media asset is being accessed. This information can be seconds, hours, days, day of the week, date, and other time related information
&ASSETCOMPLETE	The % of completion in the consumption of an asset

TABLE 2

The term media asset (as described below for TABLE 3) can be: a video based media, an audio based media, a television show, a movie, an interactive service, a video game, a HTML based web page, a video on demand, an audio/video broadcast, a radio program, advertisement, a podcast, and the like.

<<ASSETTYPE>	This field represents the type of asset that is being communicated to a user of a social networking website.
&VIDEO	Video based asset
&AUDIO	Audio based asset
&PHOTO	Photo based asset
&TELEVISION	Television show asset which can be audio, video, or a combination of both
&MOVIE	Movie asset which can be audio, video, or a combination of both
&HTML	HTML based web page
&PREVIEW	Trailer which can be audio, video, or a combination of both
&ADMOVE	Advertisement asset – expected to be video and/or audio based such as a flash animation, H.264 video, SVC video, and the like.
&ADSTAT	Advertisement asset – expected to be a static image such as a JPG, PNG, and the like that can be used as a banner ad
&TEXT	Text Message
&RADIO	An audio asset that comes from terrestrial and/or satellite radio
&GAME	Game asset.
&INTERACTIVE	An interactive based media asset
&PODCAST	Podcast that is audio, video, or a combination of both
&APPLICATION	Indicates that a user utilized a particular type of application or accessed a particular service

TABLE 3

<<PERMISSIONS>	This field represents the various permissions for a particular asset.
&FULLRECORD	Allows an asset to be fully recorded to a user's device.
&NORECORD	Prevents an asset from being recorded to a user's device.
&FULLVIEW	Allows a user to fully consume a media asset.
&TIMEVIEW	A parameter that limits a user's consumption of an asset to a predetermined amount of time. This parameter can be followed by a numeric value indicating how many seconds the asset can be viewed.
&TIMEEXPIRE	A parameter that indicates when a user's ability to a consume a media asset expires. This value can be followed by two numeric

	values that indicate the date the asset expires and the particular time of day (GMT format)
&FRAME	A parameter that specifies that only a frame from a particular asset is to be viewed, such as a still image. A numeric value can be used to specify a particular frame. Alternatively, a numeric value representing a time code which indicates where in the asset the frame is supposed to be generated.
&INTERVAL	A parameter that indicates a particular interval in a media asset that a user can access. This attribute can be two numeric values indicating different frame numbers of the video asset. This attribute can also be two numeric values representing time codes for a particular media asset. The first value being the start of the interval and the second value being the end of the interval.
&HIGH	A parameter that indicates that a high definition version of an media asset is to be available
&LOW	A parameter that indicates that a low definition version of a media asset is to be available.

TABLE 4

<<LOCATION>	This field represents the location of a particular media asset
&URL	The location of a media asset expressed as a uniform resource locator and/or IP address
&PATHPATH...	The location of a media asset expressed as a particular local or remote path which can have multiple subdirectories.
&REMOTE	The location of a media asset in a remote location which would be specified by text after the remote attribute.
&LOCAL	The location of a media asset in a local location which would be specified by text after the remote attribute.
&BROADCAST	The location being a broadcast source such as satellite, broadcast television channel, cable channel, radio station, and the like
&BROADCASTID	The identifier of the broadcast channel used for transmitting a media asset, and the like

TABLE 5

<<PARENTALRATING>>	Parental Rating Information that is used to rate a particular media asset. Different parental ratings that can be used include Y, Y7, G, PG, 14 and MA. Other systems can be used.
<<CONTENTRATING>	A content rating that assigns a particular value to a media asset which is the critic rating of content. Typically, this is denoted as how many stars a movie has received. Other numeric values (0-100) or letter grades (A, B, C, D and F) can be used as well.

TABLE 6

Initially, systems for delivering various types of content and for providing online social networking services to a user will be described.

Turning now to FIG. 1, a block diagram of an embodiment of a system 100 for  
 5 delivering content to a home or end user is shown. The content originates from a content source 102, such as a movie studio or production house. The content can be supplied in at least one of two forms. One form can be a broadcast form of content. The broadcast content is provided to the broadcast affiliate manager 104, which is typically a national broadcast service, such as the American Broadcasting Company (ABC), National  
 10 Broadcasting Company (NBC), Columbia Broadcasting System (CBS), etc. The broadcast affiliate manager can collect and store the content, and can schedule delivery of the content over a deliver network, shown as delivery network 1 (106). Delivery network 1 (106) can include satellite link transmission from a national center to one or more regional or local centers. Delivery network 1 (106) can also include local content  
 15 delivery using local delivery systems such as over the air broadcast, satellite broadcast, cable broadcast or from an external network via IP. The locally delivered content is provided to a user's set top box/digital video recorder (DVR) 108 in a user's home, where the content will subsequently be included in the body of available content that can be searched by the user.

20 A second form of content is referred to as special content. Special content can include content delivered as premium viewing, pay-per-view, or other content otherwise not provided to the broadcast affiliate manager. In many cases, the special content can be

content requested by the user in the form of streaming media from a service such as M-GO, NETFLIX, AMAZON, and the like. The special content can be delivered to a content manager 110. The content manager 110 can be a service provider, such as an Internet website, affiliated, for instance, with a content provider, broadcast service, or delivery network service. The content manager 110 can also incorporate Internet content into the delivery system, or explicitly into a search only such that content can be searched that has not yet been delivered to the user's set top box/digital video recorder 108. The content manager 110 can deliver the content to the user's set top box/digital video recorder 108 over a separate delivery network, delivery network 2 (112). Delivery network 2 (112) can include high-speed broadband Internet type communications systems. It is important to note that the content from the broadcast affiliate manager 104 can also be delivered using all or parts of delivery network 2 (112) and content from the content manager 110 can be delivered using all or parts of Delivery network 1 (106). In addition, the user can also obtain content directly from the Internet via delivery network 2 (112) without necessarily having the content managed by the content manager 110. In addition, the scope of the search goes beyond available content to content that can be broadcast or made available in the future.

The set top box/digital video recorder 108 can receive different types of content from one or both of delivery network 1 and delivery network 2. The set top box/digital video recorder 108 processes the content, and provides a separation of the content based on user preferences and commands. The set top box/digital video recorder can also include a storage device, such as a hard drive or optical disk drive, for recording and playing back audio and video content. Further details of the operation of the set top box/digital video recorder 108 and features associated with playing back stored content will be described below in relation to FIG. 3. The processed content is provided to a display device 114. The display device 114 can be a conventional 2-D type display or can alternatively be an advanced 3-D display. It should be appreciated that other devices having display capabilities such as wireless phones, PDAs, computers, gaming platforms, remote controls, multi-media players, or the like, can employ the teachings of the present disclosure and are considered within the scope of the present disclosure.

Delivery network 2 is coupled to an online social network 116 which represents a website or server in which provides a social networking function. For instance, a user operating set top box 108 can access the online social network 116 to access electronic

messages from other users, check into recommendations made by other users for content choices, see pictures posted by other users, refer to other websites that are available through the “Internet Content” path.

Online social network server 116 can also be connected with content manager 110  
 5 where information can be exchanged between both elements. Media that is selected for viewing on set top box 108 via content manager 110 can be referred to in an electronic message for online social networking 116 from this connection. This message can be posted to the status information of the consuming user who is viewing the media on set top box 108. That is, a user using set top box 108 can instruct that a command be issued  
 10 from content manager 110 that indicates information such as the <<ASSETID>>, <<ASSETTYPE>>, and <<LOCATION>> of a particular media asset which can be in a message to online social networking server 116 listed in <<SERVICE ID>> for a particular user identified by &USERNAME.

Content manager 110 sends this information to the indicated social networking  
 15 server 116 listed in the <<SERVICE ID>>, where an electronic message for &USERNAME has the information comporting to the <<ASSETID>>, <<ASSETTYPE>>, and <<LOCATION>> of the media asset posted to status information of the user. Other users who can access the social networking server 116 can read the status information of the consuming user to see what media the consuming user  
 20 has viewed.

FIG. 2 presents a block diagram of a system 200 that presents an arrangement of media servers, online social networks, and consuming devices for consuming media. Media servers 210, 215, 225, and 230 represent media servers where media is stored. Such media servers can be a hard drive, a plurality of hard drives, a server farm, a disc  
 25 based storage device, and any other type of mass storage device that is used for the delivery of media over a broadband network.

Media servers 210 and 215 are controlled by content manager 205. Likewise, media server 225 and 230 are controlled by content manager 235. In order to access the content on a media server, a user operating a consumption device such as STB 108,  
 30 personal computer 260, table 270, and phone 280 can have a paid subscription for such content. The subscription can be managed through an arrangement with the content manager 235. For example, content manager 235 can be a service provider, and a user

who operates STB 108 can have a subscription to programming from a movie channel and to a music subscription service where music can be transmitted to the user over broadband network 250. Content manager 235 manages the storage and delivery of the content that is delivered to STB 108. Likewise, other subscriptions can exist for other  
5 devices such as personal computer 260, tablet 270, and phone 280, and the like. It is noted that the subscriptions available through content manager 205 and 235 can overlap. For example, the content comprising for a particular movie studio such as DISNEY can be available through both content managers. Likewise, both content managers 205 and 235 can have differences in available content, as well. For example, content manager 205  
10 can have sports programming from ESPN while content manager 235 makes available content that is from FOXSPORTS.

With having content delivered through a content manager 205, 235 a subscription is not the only way that content can be authorized. Some content can be accessed freely through a content manager 205, 235 where the content manager does not charge any  
15 money for content to be accessed. Content manager 205, 235 can also charge for other content that is delivered as a video on demand for a single fee for a fixed period of viewing (e.g., # of hours). Content can be bought and stored to a user's device such as STB 108, personal computer 260, tablet 270, and the like where the content is received from content managers 205, 235. Other purchase, rental, and subscription options for  
20 content managers 205, 235 can be utilized as well.

Online social servers 240, 245 represent the servers running online social networks that communicate through broadband network 250. Users operating a consuming device such as STB 108, personal computer 260, tablet 270, and phone 280 can interact with the online social servers 240, 245 through the device, and with other  
25 users. One feature about a social network that can be implemented is that users using different types of devices (PCs, phones, tablets, STBs) can communicate with each other through a social network. For example, a first user can post messages to the account of a second user with both users using the same social network, even though the first user is using a phone 280 while a second user is using a personal computer 260. Broadband  
30 network 250, personal computer 260, tablet 270, and phone 280 are terms that are known in the art. For example, a phone 280 can be a mobile device that has Internet capability and the ability to engage in voice communications.

Turning now to FIG.3, a block diagram of an embodiment of the core of a set top box/digital video recorder 300 is shown, as an example of a consuming device. The device 300 shown can also be incorporated into other systems including the display device 114. In either case, several components necessary for complete operation of the system are not shown in the interest of conciseness, as they are well known to those skilled in the art.

In the device 300 shown in FIG. 3, the content is received in an input signal receiver 302. The input signal receiver 302 can be one of several known receiver circuits used for receiving, demodulation, and decoding signals provided over one of the several possible networks including over the air, cable, satellite, Ethernet, fiber and phone line networks. The desired input signal can be selected and retrieved in the input signal receiver 302 based on user input provided through a control interface (not shown). The decoded output signal is provided to an input stream processor 304. The input stream processor 304 performs the final signal selection and processing, and includes separation of video content from audio content for the content stream. The audio content is provided to an audio processor 306 for conversion from the received format, such as compressed digital signal, to an analog waveform signal. The analog waveform signal is provided to an audio interface 308 and further to the display device 114 or an audio amplifier (not shown). Alternatively, the audio interface 308 can provide a digital signal to an audio output device or display device using a High-Definition Multimedia Interface (HDMI) cable or alternate audio interface such as via a SONY® /Philips Digital Interconnect Format (SPDIF). The audio processor 306 also performs any necessary conversion for the storage of the audio signals.

The video output from the input stream processor 304 is provided to a video processor 310. The video signal can be one of several formats. The video processor 310 provides, as necessary a conversion of the video content, based on the input signal format. The video processor 310 also performs any necessary conversion for the storage of the video signals.

A storage device 312 stores audio and video content received at the input. The storage device 312 allows later retrieval and playback of the content under the control of a controller 314 and also based on commands, e.g., navigation instructions such as fast-forward (FF) and rewind (Rew), received from a user interface 316. The storage device



312 can be a hard disk drive, one or more large capacity integrated electronic memories, such as static random access memory, or dynamic random access memory, or can be an interchangeable optical disk storage system such as a compact disk drive or digital video disk drive. In one embodiment, the storage device 312 can be external and not be present  
5 in the system.

The converted video signal, from the video processor 310, either originating from the input or from the storage device 312, is provided to the display interface 318. The display interface 318 further provides the display signal to a display device of the type described above. The display interface 318 can be an analog signal interface such as red-  
10 green-blue (RGB) or can be a digital interface such as high definition multimedia interface (HDMI

The controller 314 is interconnected via a bus to several of the components of the device 300, including the input stream processor 304, audio processor 306, video processor 310, storage device 312, and a user interface 316. The controller 314 manages  
15 the conversion process for converting the input stream signal into a signal for storage on the storage device or for display. The controller 314 also manages the retrieval and playback of stored content. Furthermore, as will be described below, the controller 314 performs searching of content, either stored or to be delivered via the delivery networks described above. The controller 314 is further coupled to control memory 320 (e.g.,  
20 volatile or non-volatile memory, including random access memory, static RAM, dynamic RAM, read only memory, programmable ROM, flash memory, EPROM, EEPROM, etc.) for storing information and instruction code for controller 314. Further, the implementation of the memory can include several possible embodiments, such as a single memory device or, alternatively, more than one memory circuit connected together  
25 to form a shared or common memory. Still further, the memory can be included with other circuitry, such as portions of bus communications circuitry, in a larger circuit.

To operate effectively, the user interface 316 of the present disclosure employs an input device that moves a cursor around the display. In one embodiment, the input device is a remote controller, with a form of motion detection, such as a gyroscope or  
30 accelerometer, which allows the user to move a cursor freely about a screen or display. In another embodiment, the input device is a controller in the form of touch pad or touch

sensitive device that will track the user's movement on the pad, on the screen. In another embodiment, the input device could be a traditional remote control with direction buttons.

FIG. 4 presents a block diagram of an exemplary online social network 400 as implemented in an online social server 240, 245. Online social network 400 has a web  
5 server 410 that is capable of generating web pages in HTML, JAVA, and the like for viewing on a consuming device. Web server 410 can also be implemented as running as an application server while the online social network experience is run as an application on a user's device. In this configuration the application server handles the various application calls between the application and the back end running on server 240, 245  
10 which run through the connection of broadband network 250.

User database 420 stores information about the various users that use online social network 400. Such information can include biographical information about the user, specific interests selected by the user, information about the other users that are linked to the user, and the like. Advertising database 430 contains various ads that are delivered to  
15 the user when using online social network 400. Different types of ads that can be delivered include text, pictures, graphic files, banners, audio, video, animations, and the like.

Recommendation agent 440 is a computer program that is run on server 240, 245 that makes various recommendations to a user. Such recommendations can be other users  
20 that the user should consider linking to, advertisements that user can be interested in, content the user can be interested in, and the like. Typically, a recommendation agent will use a mathematically developed model that finds correlations between various topics or subjects, where various behaviors of a user impact what will be recommended. For example, the recommendation model can be built around a series of business rules where  
25 a user whose demographic information includes of being a young male will have video game advertisements suggested to him, while a young female child can have advertisements suggested to her concerning educational products.

Recommendation agent 440 can also be configured to make recommendations for media services provided from different broadcast providers and special content providers.  
30 Specifically, recommendation agent 440 can contain information that lists various media assets and the periods of times such media assets are available from broadcast and special content providers. A sub-group of media assets can then be recommended for different

time periods based the user profile of a particular user. In addition, such recommendations can be ranked in accordance with the attributes of a user profile. Such recommended media asset rankings from different broadcast and special content sources are shown below in TABLE 7 for various time periods such media assets are available.

Ranking According to User Profile	Time 7PM	Time 8PM	Time 9PM
#1 Broadcast Provider	ABC-ONCE UPON A TIME	TBS –HELLO DOLLY	ABC – HAPPY DAYS AGAIN
#2 Broadcast Provider	CBS - NCIS	NBC- HELLBLAZER	NBC – EARTH II
#3 Broadcast Provider	WGN - SALEM	HISTORY – PAWN STARS	HISTORY – ICE TRUCKERS
#1 Special Content Provider	M-GO FORREST GUMP	AMAZON – TEN THINGS	M-GO – ALL CATS GO TO HELL
#2 Special Content Provider	NETFLIX – PEAKY BLINDERS	HULU - COMMUNITY	HULU - COMMUNITY
#3 Special Content Provider	SPARKLE – THE INTERVIEW	VUDU – DIE HARD	VUDU – DIE HARD

TABLE 7

5

Content server/database 450 contains various media that can be delivered to a user. Content database 450 can also be implemented where various subscriptions between different content managers 205, 235 can be managed. That is, some of the content that can be made available through online social network 400 can come from media servers 210, 215, 225, 230, and the like.

10

FIG. 5 presents an exemplary view of an online social networking page 500 as generated by online social server 240, 245. User picture 505 corresponds to a graphic file that a user has selected to be associated with a user profile stored in user database 420.

User status 510 indicates an area for various information that a user has indicated should be associated with their profile. Within the context of a user status there can be various levels of information that a user decides can be made available. Information about a public profile can be established for a user, where this would be information selected by a user which is made available to any person who accesses an online social server 240, 245. A second level of information can be made available to any other user to whom the primary user is linked through the social networking site. These are “linked” users which can receive updates in changes made in the user status 510 area. A third level of information is user information meant only for the user. This can be information such as the amount of time the user spends on online social network 240, 245, the last internet protocol address used to log into the online social network 240, 245, when the next payment is due for maintaining an account with an online social networking 240, 245, the user’s various subscriptions, and the like.

Other user status 520 represents the area where user receives updates from other users, which are denoted as user A, user B, and user C, respectively. These updates can be text messages, graphic files, links to web sites, links to media, and media themselves, and the like. Typically, a user update will be associated with a particular user by using some identifying information such text, graphic, animation, and the like. For example, a user update from user A can be a simple text message while an update from user B is a graphic which when selected brings up a web browser and a web page.

Application window 530 is an area for the online social networking page 500 where an application is run. Some social networks allow for users to play games which are displayed in an area of the social networking page 500. Likewise, application window 530 is an area that can be used for rendering media where media such as audio, video, animation, static graphic, text, and the like.. Application window 530 can also be used as a real time communication interface (chat, instant messaging, web camera, voice over internet, and the like) to communicate between users using online social network server 240, 245. Other applications can be run in application window 530 as well.

It is contemplated that the content shown for social networking page 500 can be shown between different devices. For example, in a home where a user has access to both a set top box 108 and tablet 270, the areas comporting to user picture 505, user status 510, and other user status 520 is shown on set top box 108 while the application window 530

is shown on tablet 270. Other variations of an online social network page 500, besides those shown, can be implemented, as well.

When a user updates an online social networking page 500, the user logs in to the OSN server 240, 245 and enters information into an area such as user status 510. This works well for a user when the updates are few and far between, but once the user decides to share his television watching information -- an event that is both realtime and dynamic in nature -- the manual entry of such information falls short. The TV watching user would instinctively expect the update to happen at the click of a remote control button in keeping with the traditional experience that operating a television set provides. The user also expects to be shielded from the intricacies of a particular online social network 240, 245 and would like a consistent method of “posting” to any OSN website. In certain other cases where the user would like to share a log of what he has been watching over a certain timeline, the action needs to be completely automated without the need for any type of intervention.

A message flow description of how a user (as a media asset consuming user) publishes (posts) information about a media asset starts with the user watching/listening to a media asset. While consuming such an asset, the user presses a button on a remote control to indicate that the user wants to publish information about the asset. For example, if a user is using a STB 108, an application running under the control of control 314 can generate a message <<SERVICE ID>>&USERNAME, <<ASSETID>>&NAME&TIME,<<ASSETTYPE>>, <<LOCATION>> which is directed to an online social server.

One implementation of listing what a user is interested in is provided in PANDORA® where a FACEBOOK® mini-feed is pushed into an user’s status area in FACEBOOK®. This allows for a user to import all his PANDORA® activity into a FACEBOOK® news feed. This listening information can now be shared with “linked users” allowing such users to stay abreast of all the latest musical discoveries. Friends can click on links to listen to music/stations posted by the mini-feed on behalf of the user. The limitation to such information however is that it is only meaningful for users who use the same social networking website and use PANDORA®. If a user does not have access to both, the user cannot use the information of the PANDORA® pushed mini-feed.

Hence, one principle of the present disclosure is that the user consuming a particular piece of media will not be limited to a particular network. Unlike PANDORA® which can operate as a walled garden and limits users to what exists within such a network, a user can access a multitude of different media sources. The device, using concepts described herein, will be configured to identify the content and the particular method for accessing such content. For example, if a particular song is being listened to from a content manager 205, the consuming device being used for playback of the song can use metadata, in response to a command issued by the consuming user, to formulate an informational message about the song. This informational message would be automatically formatted into the proper format for a social network 240, 245, whereby the social network could transmit along the formatted message.

Considering this example, a consuming device such as STB 108 is being used to listen to audio from a content manager 205. The audio of the song is being streamed from media server 210 to the STB 108 via broadband network 250. If the user decides to post information about the song to a social network server 240, the consuming device 108 runs software that formats a message indicating information comporting to <<SERVICE ID>>&USERNAME, <<ASSETID>>&NAME&TIME,<<ASSETTYPE>> &AUDIO, <<LOCATION>>. The metadata for some of these fields can come from the content manager 205, media server 210, the user, and the like. The fields and the corresponding information are then transmitted from STB 108 to social network server 240, where the information is published to a user's status area 510.

Concerning the playback of a song which is played via a radio station, a consuming device can utilize identification software such as SHAZAM® or SONGBIRD® to fingerprint acoustic characteristics about the song. Once again, when metadata is obtained, the device would format such metadata into an informational message which can be sent to a social network, automatically. Similar approaches are envisioned for video programming where metadata from the video asset itself, program guide information, external databases, and the like can be used to develop metadata about the video asset. That is, approaches described for audio assets can also be used for video assets, and vice versa.

A similar implementation of the disclosure can be performed if a user is watching a TV program or a web video clip being rendered by a set top box 108. The user activates

a button on a remote control whereby set top box 108 generates a message containing <<SERVICE ID>>&USERNAME, <<ASSETID>>&NAME&TIME,<<ASSETTYPE>> &VIDEO, <<LOCATION>>, which is transmitted by the set top box 108 to an online social server 240. Such information is then published as an update to area 510.

5           Such updates can be broken up between different consuming devices where a user makes use of a synchronized secondary screen to post a status update to online social networking page 500. In this scenario, a secondary screen knows about the current program being watched on the primary screen and is in synch with it. This could be achieved by running a web application server on the STB 108 which can access the  
10   information about the program currently being watched by querying the STB middleware software. The STB 108 in turn communicates this information to the secondary screen via a web server.

FIG. 6 discloses a block diagram for a method 600 that considers whether a particular media asset being accessed by a user can be accessed by a second non-  
15   consuming user, when the user posts information about the media asset to an online social networking server. Specifically, this example envisions a consuming user (the user who is consuming a media asset) attempting to inform other users about the media asset through the use of a social network. These other “linked” users are also referred to as being non-consuming users.

20           In step 605, a user consuming a media asset at a device such as STB 108, personal computer 260, tablet 270, phone 280, and the like transmits information to a social network server 240 that indicates information about a media asset that is currently being consumed. For purposes of this example, such information can be <<SERVICE ID>>&USERNAME, <<ASSETID>>&NAME&TIME,<<ASSETTYPE>> &VIDEO,  
25   <<LOCATION>>. This step also supports the concept that multiple <<SERVICE ID>> can be notified about a specific media asset where, for example, a first online social server 240 comporting to a first <<SERVICE ID>> is notified and a second online social server 245 comporting to a second <<SERVICE ID>>, which is different from the first, is also notified. This feature provides a consuming user the ability to notify multiple online  
30   social servers at the same time, instead of having to notify each one individually.

In step 610, a social network server 240 receives the information from a consuming user and processes such information into a form which is capable of being

displayed in the user status area 510 of a user's page 500. Step 615 regards the posting operation and what aspect of the information that is received from a user's consuming device is to be posted to a user's page 500. The post can use the various information that is part of the message, such as <<ASSETID>>&NAME&TIME,<<ASSETTYPE>>, and  
5 the like. Additionally, information such as <<PARENTALRATING>>,<<CONTENTRATING>>, and other types of descriptive information can be posted to the user status area 510. For example, if a consuming user decides to post information about a movie currently being watched at the point of a consuming device, the posted status information can be a movie name (JAWS) and the type of asset (MOVIE) which is  
10 being watched at a certain time (10:30 PM on July 14, 2010). Other types of information can be posted to a user's page 500 in accordance with the principles of the present invention.

The information posted to a user's page 500 can also be various representations of a media asset. Such representations can be a screen shot, a video sequence, the complete  
15 media asset itself, or an excerpt of the media asset itself. One way of achieving such a result considers that a media asset that a consuming user refers to is within a content server 450 that is part of a social media server 240. A single screen shot from the media asset can be made and presented on a user's status area 510. Likewise, the content server can generate a sequence of a number of seconds to be played back. Also, the content  
20 server 450 can show the complete media asset in the user status area 510. Application window 530 can also be used for displaying the complete media asset or part of such an asset.

A second approach can be used for indicating what part of a media asset is to be displayed in user status area 510, where the <<LOCATION>> and the  
25 <<PERMISSIONS>> fields are used for a media asset. In one scenario, a user's consuming device uses these fields in the posting request. When such information is received by the online social server 240, the web server 410 uses the location information to request the media asset from a server at that particular location (such as media server 210). In addition, the permissions information is used to specify what part of the media  
30 asset is to be made available. This type of request can be fulfilled from a media server 210 itself or from a content manager 205.



A third approach can be implemented where the location specified in the <<LOCATION>> decides what part of a media asset is to be provided. For example, a content manager 205 or media server 210 determines that the media asset requested from a particular online social server 240 should only be the first five seconds of the media asset. This portion is provided to the social server 240 where this part of the media asset is to be rendered in user status area 510 and/or application window 530. Many other variations of what parts of a media asset can be used.

In step 620, a determination is made whether a consuming user posting information about a media asset has access to the consumed media. This step considers information that is related to the <<PERMISSIONS>> field and/or information about the subscriptions that a consuming user maintains. For purposes of the subscriptions, such information is handled via a system such as content manager 205, 235. As explained previously, a consuming user can have a subscription to access media assets that are stored on a media server 210, 215, 225, 230. The access to such content is negotiated through the use of a content manager 205,235.

If user attempts to post information about a media asset that is subscribed to or can be accessed without restriction, a media server or content manager will provide some form of the media asset to a social networking server 240, if prompted. If the consuming user does not have the permissions to access a media asset without restriction or through a subscription, a media server and/or content manager can make available an alternative media asset.

In step 625, similar to step 620, a determination is made whether a non-consuming user who will receive the post via a user page 500 can access a reference media asset. This determination can be made by a social networking server, a content manager, and/or a media server. Specifically, an online server 240 can inquire with a content manager 205 if a non-consuming user has access to a referenced media asset. If so, the content manager 205 can make the asset available to online server 240, as to display information about the asset in an online social networking page 500 that corresponds to the non-consuming user. Information about the media asset can be listed in other user status 520 area (as corresponding to an update for a consuming user). The referenced media asset, itself, can also be displayed in an application window 530 for an online social networking page 500 that corresponds to the non-consuming user.

Alternative content can also be made available to non-consuming user. Such an approach can be performed in accordance with the ideas provided previously and will be further explained in FIG. 7 for method 700.

Step 630 performs the accumulation of the determinations made in steps 615, 620, and 625. The aspects of how a media asset is to be posted are completed in this step. That is, depending on the content privileges of a consuming user and a non-consuming user, it is possible that the representation of the asset can differ between users. For example, if a consuming user has full access to a media asset, the post of information about the media asset to the consuming user's online social networking page 500 will allow the media asset to be fully accessed by the user in the future. Likewise, if a non-consuming user has limited permissions to access a cited media asset, an alternative version of a media asset, such as a trailer or a screenshot of the media asset, is provided to the online social networking page 500 of the non-consuming user.

FIG. 7 is a block diagram for a method 700 that details what media asset a non-consuming user is to receive in response to information about an asset that a consuming user is consuming. Step 705 begins with an apparatus such as a content manager (205, 235), media server (210, 215, 225, 230), and/or an online social server (240, 245) which receives information about the content a user is consuming. Typically, the consuming information instructs the receiving apparatus with information that is listed in TABLES 1 to 6, although other information can be transmitted. This received information should indicate that a specific non-consuming user wants to receive the media asset of interest <<SERVICE ID>>&USERNAME at a particular location of the user <<LOCATION>>. There are other ways that a user can be identified (IP address, e-mail address, user ID, login ID, and the like).

The information that is received in step 705 can be generated in response to an action from a consuming user, a non-consuming user, automatically from an online social server, a content manager, media server, or from another source. For example, one of reasons why such information is generated is that a non-consuming user will select the consumed media asset in response to a message posted to the non-consuming user's online social networking page 500. The posted message being a "status update" from the consuming user which is about what media asset the user is consuming.

In step 710, the receiving apparatus provides to a non-consuming user a requested media asset if the content privileges for the non-consuming user are accepted. Some types of media assets are available in the clear and are not restricted in use. Other media assets must be paid for and are only available if a non-consuming user has paid money for such media assets and/or has a subscription to receive such media assets. If a non-consuming user has access to a media asset; the media asset can be delivered to the location of a non-consuming user, a device of the non-consuming user, the location of an online social network server, and the like. The form of the media asset can also vary depending on the subscription/content privileges, where the media asset could be delivered in a form that can be played back but not stored, can be stored completely, can be only stored on a non-consuming device, and the like. Encryption and other security features can be employed between a content manager, content server, and a device of a non-consuming user to ensure that a media asset cannot be copied to non-authenticated users.

In step 715, a determination is made as to provide a non-consuming user alternative content from the content requested in steps 705 and 710. This alternative content can be predetermined content that represents a shortened form of a requested media asset such as a selected time interval in the media asset. The alternative content can also be another media asset. Some examples are as follows where such examples are not exhaustive (as shown in TABLE 8 below):

Request Media Asset	Alternative Media Asset
Movie	Movie Trailer, Movie Commercial, Website for the Movie, Screenshot of a Movie, Movie Poster, Link to IMDB, A Video of a Critic Discussing the Movie
Television Show	Advertisement for the Television Show, Screenshot of the Television Show, Link to IMDB,
Music	30 Second Clip of the Music, Generating a webpage listing the artist responsible for writing/playing music.

TABLE 8

For example, if a high definition (HD) version of a video asset is being accessed by a consuming user using a subscription service such as HBO®, a screen shot or a short video segment in SD video can be sent to the non-consuming user through the social network. In contrast, a consuming user could receive an HD version of the show if the user pays for HBO® (as explained previously for step 710). It is contemplated that other factors such as resolution, bit rate, and codec can be adjusted as well, depending on the permissions of a user.

In step 720, an alternative asset is made available to a non-consuming user in response to profile information of the non-consuming user. This option provides several different scenarios where there is information that is not related to the content privileges that impacts what alternative content is to be provided to a non-consuming user. Sometimes, a non-consuming user can select in advance that in response to information about movies, the user receive alternative content (a movie trailer). Other conditions for receiving alternative content can also used. For example, the non-consuming user can set up a minimum content rating for received assets (do not send content below 3 stars), parental ratings (do not deliver any content that is for an adult, instead deliver content rated at G, and the like). Other criteria can be used as well.

FIG. 8 provides a view of an electronic program guide grid (EPG) 800 that details the media that different consuming users have accessed. Instead of using an online social networking page 500 as shown in FIG. 5, a program guide view is utilized instead. Typically, an electronic program guide uses a grid where the left/vertical side of the grid uses identification information (in this case, different users that a user has “linked to”) and time information on the horizontal/top side of the grid. In the present example, time information is broken down into hour increments. The presented grid provides information from users associated with different online social networks (240, 245)

The metadata used for filling out the grid can come from the various postings that consuming users generate, which are meant for a social networking service. For example, most posting requests fields such as <<SERVICE ID>>&USERNAME identify a user and the social networking service the user is associated with. Fields such as <<ASSETID>>&NAME&TIME, <<ASSETTYPE>> identify the media asset being accessed and the time of the media asset. This information can be correlated by a device such as STB 108, personal computer 260, tablet 270, phone 280, online social server 240,

250, content manager 205, and the like to generate an EPG grid. The grid allows for information about an application being used &APPLICATION to be listed as well (information about using YOUTUBE, or a social network being accessed, and the like).

FIG. 9 provides a view of an electronic program guide grid (EPG grid) 900 that details the media that different consuming users have accessed with regular channel listings. EPG grid 900 is developed using information about consuming users and from regular EPG sources such as ROVI, TRIBUNE MEDIA SERVICES, and the like. That is, this view provides both channel listing information and information about non-consuming users.

Within the context of FIGS 8 and 9, a user can add consuming users to an electronic program guide listing as a “favorite channel”. For example, a user can indicate that they want to replace a user Jerry and channel 7 from an EPG guide listing, as shown in FIG. 9, as to add a new user Carmen and a broadcast channel 9, as shown in FIG. 10. That is, users themselves can be considered to be just like broadcast channels whereby a user can treat Carmen’s or Lisa’s consumption choices as a channel, just like a broadcast channel such as channel 9 for WGN or channel 2 for CBS.

FIG. 10 also demonstrates how additional information developed from the <<LOCATION>> field can denote for a media asset with the same name, that such a media asset is being consumed from different sources. For example, the movie Barton Fink is being consumed by Carmen from a source affiliated with HBO® , and Simon is having the movie streamed from a source such as NETFLIX® . The source designation can include web sites, a content manager, a content server, a broadcaster, a media asset provider such as NETFLIX® , HULU® , and other source. Attributes described in TABLE 5 can assist in this description of the sources for the electronic program guide.

In addition, FIG. 10 shows an additional feature developed for the field <<ASSETID>> &ASSETCOMPLETE indicating how much of a particular asset a user has completed. For example, FIG. 10 shows that Bob has watched 42% of the Transformers Movie while Simon has consumed 53% of Barton Fink. Such completion values can be updated in real time as a user is consuming the asset or after a time period, such as an hour or some other predetermined time period has elapsed. Other the EPG views can be developed as well, in accordance with the principles of the present invention.

FIG. 10 presents an additional channel called FACEBOOK® friends. This channel is an aggregation of the most consumed media of a plurality of users that a user is linked to for a particular time. This is a determination that can be made at the point of a social networking server or at the point of a user who is viewing an EPG grid. For example, for all the FACEBOOK® friends a user is linked to, the most consumed asset at 7:00 pm is David Letterman and at 9:00 pm it is South Park on COMEDY CENTRAL®. Note, the plurality can be all of the users a user is linked to, can be a preselected amount of linked users determined by a user, and the like.

FIG. 11 is a block diagram of an exemplary embodiment of a method 1100 of using a user profile to recommend media assets available from broadcast content providers and special content providers during different time periods. By using the recommendation agent 440 and exemplary information such as presented in TABLE 7, media asset recommendations can be presented in the form of an electronic program guide.

Beginning with step 1110, recommendations comporting to different media assets available at different time periods are determined. Such a determination can be performed by using recommendation engine 440 that can use a user profile to determine and rank media assets available from different broadcast content providers and special content providers. The recommendations can be performed within a device, the recommendation can come from an external server, and the like. As shown in TABLE 7 above, the various recommendations are sorted by time periods where some media assets are only available during specific time periods from broadcast content providers. The same limitations could apply to special content providers as well where some content can be in the form of pay per view content that is only available for a limited time.

In step 1120, an electronic program guide grid is generated for display. The grid has a first axis that identifies recommended media assets and the grid also has a second axis that identifies respective times of when the recommended media assets are available from both the broadcast content and special content providers. For some exemplary embodiments, the time periods can be broken down into 15 minute periods, 30 minute periods, 60 minute periods, and the like.

When the recommended media assets are listed in the grid, there is an option where the numbers of broadcast and special content providers are limited in accordance

with a predetermined number. For example, it is possible that a user preselects that for each time period, the maximum number of broadcast providers shown is 3 and the maximum number of special content providers shown is 2. These numbers can be varied in accordance with the exemplary principles.

5           In accordance with an optional exemplary embodiment, the maximum number of broadcast and special content providers shown for different time periods can change from time period to time period. For example, for a first time period, the maximum number of broadcast providers shown in the grid is 2 and the maximum number of special content providers shown in the grid is 2, as well. For a second time period, this number can  
10       change, where the maximum number of broadcast providers shown the grid is 3 and the maximum number of special content providers shown in the grid is 3, as well. Note, these numbers can be changed in accordance with the preferences of a user in accordance with the exemplary principles.

          For a first time period, in step 1130, a listing of media assets are presented within  
15       the grid. Specifically, media assets are presented in a ranked order using the recommendation information discussed above. That is, the listed broadcast content providers are ranked in accordance with the ranked media assets that are available from each broadcast provider during the current time period. Likewise, the listed special content providers are ranked in accordance with the ranked media assets that are available  
20       during the current time period. The number of presented broadcast and special content providers can be limited in accordance with the principles described above.

          For a second time period, in step 1140, a second listing of media assets are presented within the grid. The media assets that are provided are listed in a ranked order using recommendation information as described above where the media assets are shown  
25       with their respective content source. Note, the presented broadcast and special content providers can be different from time period to time period. In some exemplary embodiments, it is the ranking of recommended media assets, according to a user profile, that controls what broadcast and special content providers are shown for a current time period. In step 1150, the grid and the provided information can be displayed on a display  
30       device in accordance with the principles described above.

FIG. 12 provides a view of an exemplary electronic program guide grid (EPG) 1200 in accordance with an illustrative embodiment. In this view, two broadcast content

providers, ABC and CBS, are shown with the respective recommended media assets “Once Upon a Time” and “NCIS” for a first time period (6PM). Likewise, for the same time period, content from special content providers, M-GO and NETFLIX, are shown with the recommended media assets of “Forrest Gump” and “Peaky Blinders” are shown.

5           In FIG. 13, an exemplary view of an electronic program guide grid (EPG) 1300 is shown where the content providers and recommended media assets are different than the ones shown in view 1200. Specifically, two new broadcast content providers, TBS and NBC, are shown with recommended media assets “Hello Dolly” and “Hell Blazer” are recommended for the 7PM time period. In the view however, the two special content  
10 providers, M-GO and NETFLIX, stay the same with the same recommended media content “Forrest Gump” and “Peaky Blinders”. Note, the listing and number of broadcast content providers, special content providers, and recommended media assets can change from time period to time period.

          In FIG. 14, an exemplary view of an electronic program guide grid (EPG) 1400 is  
15 shown where the content providers and recommended media assets are different than the ones shown in view 1200 and 1300. In this embodiment, the number of broadcast providers and special content providers is different, 3 for each provider instead of the previously shown 2 for each provider. In addition, the special content providers shown in this embodiment, AMAZON, HULU, and VUDU, are different than the special content  
20 providers shown in views 1200 and 1300.



### Claims

1. A method comprising:
  - recommending media assets available during a plurality of time periods from at least one broadcast provider and at least one special content provider in accordance with a user profile;
  - generating for display a grid having a first axis and a second axis, the first axis for identifying the recommended media assets and a second axis identifying respective times when the recommended media assets are available;
  - providing along the first axis first information related to the at least one broadcast content provider and recommended media assets available from the at least one broadcast content provider during a first time period from the plurality of time periods; and
  - providing along the first axis second information related to the at least one special content provider and recommended media assets available from the at least one special content provider during the first time period from the plurality of time periods.
2. The method of claim 1, wherein the at least one broadcast content provider is displayed in an order in accordance to a ranking of the recommended media assets available during the first time period.
3. The method of claim 2, wherein a number of the at least one broadcast provider displayed during the first time period is predetermined.
4. The method of claim 1, further comprising:
  - providing along the first grid a second at least one broadcast provider and recommended media assets from the second at least one broadcast provider available during a second time period from the plurality of time periods.
5. The method of claim 4, wherein the at least one broadcast provider and the second at least one broadcast provider are different.

6. The method of claim 4, wherein the second at least one broadcast content provider is displayed in an order in accordance to a ranking of the recommended media assets available during the second time period
- 5
7. The method of claim 4, wherein a number of the second at least one broadcast provider displayed during the second time period is predetermined and is different than the number of the at least one broadcast provider displayed during the first time period.
- 10
8. The method of claim 1, wherein the at least one special content provider is displayed in an order in accordance with a ranking corresponding to a ranking of the recommended media assets available during the first time period.
- 15
9. The method of claim 8, wherein a number of at the least one special content provider displayed during the first time period is predetermined.
10. The method of claim 1, further comprising:  
providing along the first grid a second at least one special content provider and  
20 recommended media assets from the second at least one special content provider available during a second time period from the plurality of time periods.
11. The method of claim 10, wherein the at least one special provider and the second at least one special content provider are different.
- 25
12. The method of claim 10, wherein the second at least one special content provider is displayed in an order in accordance to a ranking of the recommended media assets available during the second time period
- 30
13. The method of claim 10, wherein a number of the second at least one special content provider displayed during the second time period is predetermined and is different than the number of the at least one special provider displayed during the first time period.

14. The method of claim 1, further comprising:

displaying the generated grid.

15. The method of claim 1, further comprising:

5 receiving information corresponding to the recommended media assets from a server.

16. An apparatus comprising:

a processor; and

10 a memory coupled to the processor, the memory for storing instructions which, when executed by the processor, perform the operations of:  
recommending media assets available during a plurality of time periods from at least one broadcast provider and at least one special content provider in accordance with a user profile;

15 generating for display a grid having a first axis and a second axis, the first axis for identifying the recommended media assets and a second axis identifying respective times when the recommended media assets are available;

20 providing along the first axis first information related to the at least one broadcast content provider and recommended media assets available from the at least one broadcast content provider during a first time period from the plurality of time periods; and

25 providing along the first axis second information related to the at least one special content provider and recommended media assets available from the at least one special content provider during the first time period from the plurality of time periods.

17. The apparatus of claim 16, wherein the at least one broadcast content provider is

30 displayed in an order in accordance to a ranking of the recommended media assets available during the first time period.

18. The apparatus of claim 17, wherein a number of the at least one broadcast provider displayed during the first time period is predetermined.
19. The apparatus of claim 16, wherein the processor is further programmed to  
5 provide along the first grid a second at least one broadcast provider and recommended media assets from the second at least one broadcast provider available during a second time period from the plurality of time periods.
20. The apparatus of claim 19, wherein the at least one broadcast provider and the  
10 second at least one broadcast provider are different.
21. The apparatus of claim 19, wherein the second at least one broadcast content provider is displayed in an order in accordance to a ranking of the recommended media assets available during the second time period  
15
22. The apparatus of claim 19, wherein a number of the second at least one broadcast provider displayed during the second time period is predetermined and is different than the number of the at least one broadcast provider displayed during the first time period.  
20
23. The apparatus of claim 16, wherein the at least one special content provider is displayed in an order in accordance with a ranking corresponding to a ranking of the recommended media assets available during the first time period.
24. The apparatus of claim 23, wherein a number of at the least one special content provider displayed during the first time period is predetermined.  
25
25. The apparatus of claim 16, wherein the processor is further programmed to provide along the first grid a second at least one special content provider and recommended media assets from the second at least one special content provider  
30 available during a second time period from the plurality of time periods.
26. The apparatus of claim 25, wherein the at least one special provider and the second at least one special content provider are different.

27. The apparatus of claim 25, wherein the second at least one special content provider is displayed in an order in accordance to a ranking of the recommended media assets available during the second time period
- 5
28. The apparatus of claim 25, wherein a number of the second at least one special content provider displayed during the second time period is predetermined and is different than the number of the at least one special provider displayed during the first time period.
- 10
29. The apparatus of claim 16, wherein the processor is further programmed to display the generated grid.
30. The method of claim 16, wherein the processor is further programmed to receive
- 15 information corresponding to the recommended media assets from a server.




FIG. 1




FIG. 2




FIG. 3






FIG. 4

5/12




FIG. 5

6/12




FIG. 6

7/12




FIG. 7

800 ↗

FRIEND	7:00	8:00	9:00
BOB-TWITTER	YOUTUBE VIDEO A	DVD-TRANSFORMERS	XM-RADIO STATION 133
JERRY-TWITTER	TWITTER	YOUTUBE VIDEOS B, C, D	CHANNEL 12.1- SPIDERFAN
LISA-FACEBOOK	CHANNEL 9.1-LEARNING NOT TO HATE	RADIO STATION-WGN 720AM	TEARS FOR FEARS- SONGS FROM THE BIG CHAIR
SIMON-FACEBOOK	BARTON FINK	BARTON FINK	OFF

FIG. 8

900

	7:00	8:00	9:00
BOB-TWITTER	YOUTUBE VIDEO A	DVD-TRANSFORMERS	XM-RADIO STATION 133
JERRY-TWITTER	TWITTER	YOUTUBE VIDEOS B, C, D	CHANNEL 12.1-SPIDERFAN
LISA-FACEBOOK	CHANNEL 9.1-LEARNING NOT TO HATE	RADIO STATION-WGN 720AM	TEARS FOR FEARS-SONGS FROM THE BIG CHAIR
SIMON-FACEBOOK	BARTON FINK		OFF
2-CBS	CSI NY	CSI LA	CSI IN SPACE
5-NBC	JAY LENO	MR. T SHOW	DATELINE
7-ABC	LOST	LeShow	20/20

FIG. 9

1000

	7:00	8:00	9:00
BOB-TWITTER	YOUTUBE VIDEO A	DVD-TRANSFORMERS 42%	XM-RADIO STATION 133
CARMEN-FACEBOOK	BARTON FINK-HBO	YOUTUBE VIDEOS B, C, D	CHANNEL 12.1-SPIDERFAN
LISA-FACEBOOK	CHANNEL 9.1-LEARNING NOT TO HATE	RADIO STATION-WGN 720AM	TEARS FOR FEARS-SONGS FROM THE BIG CHAIR
SIMON-FACEBOOK	BARTON FINK-http://www.netflix.com 53%		OFF
FACEBOOK-FRIENDS	DAVID LETTERMAN	MR. T SHOW	SOUTH PARK-COMEDY CENTRAL
2-CBS	CSI NY	CSI LA	CSI IN SPACE
5-NBC	JAY LENO	MR. T SHOW	DATELINE
9-WGN	DC CAB		NEWS

FIG. 10

11/12


1100

FIG. 11



12/12

1200

	6	7	8
ABC	Once Upon A Time	Funny Videos	
CBS	NCIS	Hello Dolly	
M-GO	Forrest Gump	Forrest Gump	
NETFLIX	Peaky Blinders	Peaky Blinders	

FIG. 12

1300

	7	8	9
TBS	Hello Dolly	Quantum Leap	
NBC	Hell Blazer	Earth II	
M-GO	Forrest Gump	Forrest Gump	
NETFLIX	Peaky Blinders	Peaky Blinders	

FIG. 13

1400

	7	8	9
TBS	Hello Dolly	Quantum Leap	
NBC	Hell Blazer	Earth II	
HISTORY	Pawn Stars	Ice Truckers	
AMAZON	Ten Things	Ten Things	
HULU	Community	Community	
VUDU	Die Hard	Die Hard	

FIG. 13

## INTERNATIONAL SEARCH REPORT

International application No

PCT/US2015/054251

A. CLASSIFICATION OF SUBJECT MATTER  
 INV. H04N5/445 H04N7/173 H04N21/462 H04N21/4788 H04N21/482  
 ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2012/173383 A1 (BADAWIYEH BASIL [US] ET AL) 5 July 2012 (2012-07-05)	1,10,11, 14-16
Y	paragraphs [0037], [0053], [0085] - [0091]; figures 4, 5, 8-10	2-9, 17-24
X	WO 2011/046608 A1 (THOMSON LICENSING [FR]; ANTHRU SHEMIMON MANALIKUDY [US]; CAHNBLEY JENS) 21 April 2011 (2011-04-21) page 17, line 17 - page 30; figures 4, 5, 8-10	1,10,11, 14-16
Y	US 2011/214147 A1 (KASHYAP ASHWIN S [US] ET AL) 1 September 2011 (2011-09-01)  paragraphs [0044], [0045], [0063] - [0065], [0080] - [0089]; figure 4	2,3,8,9, 17,18, 23,24
	-/--	



Further documents are listed in the continuation of Box C.



See patent family annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

20 January 2016

Date of mailing of the international search report

29/01/2016

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040,  
 Fax: (+31-70) 340-3016

Authorized officer

Materne, Alain

## INTERNATIONAL SEARCH REPORT

International application No

PCT/US2015/054251

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2014/223480 A1 (BERRY MATTHEW [US] ET AL) 7 August 2014 (2014-08-07) paragraph [0056]; figure 2 -----	4-7, 19-22
A	US 2014/223481 A1 (FUNDAMENT ANDREW [US]) 7 August 2014 (2014-08-07) figure 1 -----	1-30

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2015/054251

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2012173383	A1	05-07-2012	NONE
WO 2011046608	A1	21-04-2011	CN 102656898 A 05-09-2012 CN 102714762 A 03-10-2012 EP 2489179 A1 22-08-2012 EP 2489183 A1 22-08-2012 JP 5836278 B2 24-12-2015 JP 2013509021 A 07-03-2013 JP 2013509023 A 07-03-2013 KR 20120089722 A 13-08-2012 KR 20120099034 A 06-09-2012 US 2012221645 A1 30-08-2012 US 2012222061 A1 30-08-2012 WO 2011046605 A1 21-04-2011 WO 2011046608 A1 21-04-2011
US 2011214147	A1	01-09-2011	US 2011214147 A1 01-09-2011 US 2015256885 A1 10-09-2015
US 2014223480	A1	07-08-2014	NONE
US 2014223481	A1	07-08-2014	NONE